

cityuseattle

Q

Type / to search

Overview

Repositories5k+

Projects12

Packages

Teams147

People497

CityU

of Seattle

City University of Seattle

Organization, part of [City University of Seattle](#)

↔ Switch settings context

- ⚙️ General

⚖️ Policies

Repository rulesets

classroom50-
/feedback-base-
lock

Active

- Access
- 📁 Billing and plans

📋 Organization roles

📁 Repository roles

👤 Member privileges

↔ Import/Export

💬 Moderation

🔔 Requests from members

Ruleset Name *

classroom50-fe

Enforcement status

▶ Active

Bypass list

Exempt roles, teams, agents, and apps from this ruleset by adding them to the bypass list.

- Code, planning, and automation
- 📁 Repository

General

Topics

Rulesets

Ruleset insights

Ruleset dashboard

Ruleset bypass requests

📁 Custom properties

Actors					
AllRolesTeamsAppsOthers + Add bypass					
👁	Organization admin	Roles	Exempt	⋮	🗑
👤	classroom50-cs132-ta	Teams	Exempt	⋮	🗑
👤	classroom50-cs251-ta	Teams	Exempt	⋮	🗑

 Codespaces

 Sandboxes

 Planning

 Copilot

 Actions

 Webhooks

 Discussions

 Packages

 Pages

 Hosted compute networking

Security and quality

 Authentication security

 Advanced Security

 Code quality

 Deploy keys

 Compliance

 Verified and approved domains

 Secrets and variables

Third-party Access

 GitHub Apps

 OAuth app policy

 Personal access tokens

Integrations

 Scheduled reminders

Preview

	classroom50-is312-ta	TeamsExempt	...	
	classroom50-is360-ta	TeamsExempt	...	
	classroom50-cs440-ta	TeamsExempt	...	
	classroom50-cs445-ta	TeamsExempt	...	
	classroom50-ds479-ta	TeamsExempt	...	
	classroom50-ds483-ta	TeamsExempt	...	
	classroom50-is456-ta	TeamsExempt	...	
	classroom50-cs11a-ta	TeamsExempt	...	
	classroom50-cs506-ta	TeamsExempt	...	
	classroom50-ds623-ta	TeamsExempt	...	
	classroom50-ai520-ta	TeamsExempt	...	
	classroom50-cs624-ta	TeamsExempt	...	
	classroom50-ds520-ta	TeamsExempt	...	
	classroom50-dit600-ta	TeamsExempt	...	

https://github.com/organizations/cityuseattle/settings/rules/18443370

Page 2 of 9

Messages

 Announcement

Archive

 Logs Deleted repositories

<> Developer settings



	classroom50-dit605-ta	TeamsExempt	...	
	classroom50-dit610-ta	TeamsExempt	...	
	classroom50-ds524-teacher	TeamsExempt	...	
	classroom50-ds524-ta	TeamsExempt	...	
	classroom50-ai520-teacher	TeamsExempt	...	
	classroom50-cs11a-teacher	TeamsExempt	...	
	classroom50-cs132-teacher	TeamsExempt	...	
	classroom50-cs440-teacher	TeamsExempt	...	
	classroom50-ds524-hta	TeamsExempt	...	
	classroom50-cs440-hta	TeamsExempt	...	
	classroom50-ai520-hta	TeamsExempt	...	
	classroom50-cs11a-hta	TeamsExempt	...	
	classroom50-cs132-hta	TeamsExempt	...	
	classroom50-cs251-teacher	TeamsExempt	...	

 classroom50-cs251-hta	TeamsExempt	...	
 classroom50-cs506-teacher	TeamsExempt	...	
 classroom50-cs506-hta	TeamsExempt	...	
 classroom50-cs469-teacher	TeamsExempt	...	
 classroom50-cs469-hta	TeamsExempt	...	
 classroom50-cs469-ta	TeamsExempt	...	
 classroom50-cs451-teacher	TeamsExempt	...	
 classroom50-cs451-hta	TeamsExempt	...	
 classroom50-cs451-ta	TeamsExempt	...	
 Unknown Teams	Exempt	...	
 Unknown Teams	Exempt	...	
 Unknown Teams	Exempt	...	
 classroom50-ds476-teacher	TeamsExempt	...	
 classroom50-ds476-hta	TeamsExempt	...	
 classroom50-ds476-ta	TeamsExempt	...	

 classroom50-ai500-teacher	TeamsExempt	...	
 classroom50-ai500-hta	TeamsExempt	...	
 classroom50-ai500-ta	TeamsExempt	...	
 classroom50-ds620-teacher	TeamsExempt	...	
 classroom50-ds620-hta	TeamsExempt	...	
 classroom50-ds620-ta	TeamsExempt	...	
 classroom50-dit630-teacher	TeamsExempt	...	
 classroom50-dit630-hta	TeamsExempt	...	
 classroom50-dit630-ta	TeamsExempt	...	
 classroom50-dit615-teacher	TeamsExempt	...	
 classroom50-dit615-hta	TeamsExempt	...	
 classroom50-dit615-ta	TeamsExempt	...	
 classroom50-dit600-teacher	TeamsExempt	...	
 classroom50-dit600-hta	TeamsExempt	...	

 classroom50-cs624-teacher	TeamsExempt	...	
 classroom50-cs624-hta	TeamsExempt	...	
 classroom50-is312-teacher	TeamsExempt	...	
 classroom50-is312-hta	TeamsExempt	...	
 classroom50-ds479-teacher	TeamsExempt	...	
 classroom50-ds479-hta	TeamsExempt	...	
 classroom50-ds483-teacher	TeamsExempt	...	
 classroom50-ds483-hta	TeamsExempt	...	
 classroom50-it434-teacher	TeamsExempt	...	
 classroom50-it434-hta	TeamsExempt	...	
 classroom50-it434-ta	TeamsExempt	...	
 classroom50-ds520-teacher	TeamsExempt	...	
 classroom50-ds520-hta	TeamsExempt	...	
 classroom50-ds623-teacher	TeamsExempt	...	

 classroom50-
ds623-hta

TeamsExempt

...



Target repositories

Which repositories should be matched?

Repository targeting criteria

All repositories ▾

Target branches

Which branches should be matched?

Branch targeting criteria

Add target ▾

 feedback



Rules

Which rules should be applied?

Branch rules

☐ Restrict creations

Only allow users with bypass permission to create matching refs.

☒ Restrict updates

Only allow users with bypass permission to update matching refs.

☒ Restrict deletions

Only allow users with bypass permissions to delete matching refs.

☐ Require linear history

Prevent merge commits from being pushed to matching refs.

- ☐ **Require signed commits**
Commits pushed to matching refs must have verified signatures.
-

- ☐ **Require a pull request before merging**
Require all commits be made to a non-target branch and submitted via a pull request before they can be merged.
-

- ☐ **Require status checks to pass**
Choose which status checks must pass before the ref is updated. When enabled, commits must first be pushed to another ref where the checks pass.
-

- ☐ **Block force pushes**
Prevent users with push access from force pushing to refs.
-

- ☐ **Require workflows to pass before merging**
Require all changes made to a targeted branch to pass the specified workflows before they can be merged.
-

- ☐ **Require code scanning results**
Choose which tools must provide code scanning results before the reference is updated. When configured, code scanning must be enabled and have results for both the commit and the reference being updated.
-

- ☐ **Require code quality results**
Choose which severity levels of code quality results should block pull request merges. When configured, a code quality analysis must be done on the pull request before the changes can be merged.
-

- ☐ **Restrict code coverage**
Enforce minimum line coverage thresholds on pull requests. This rule evaluates uploaded coverage data but does not wait for coverage uploads. To ensure coverage

is evaluated before merging, make each status check associated with a coverage upload a required status check.

☐ **Require secret scanning alerts are resolved** Preview

Choose which secret scanning alerts should block pull request merges. When configured, secret scanning alerts created from the pull request must be resolved before the changes can be merged. Secret Protection must be enabled.

☐ **Automatically request Copilot code review**

Request Copilot code review for new pull requests automatically if the author has access to Copilot code review and their premium requests quota has not reached the limit.

☐ **Require license compliance results before merging** Preview

Enforce any added or changed dependencies to comply with the organization's license policy.

Restrictions

☐ **Restrict commit metadata**

Restrict commit author email addresses, committer email addresses, commit message content, and other metadata

☐ **Restrict branch names**

Restrict branch names

Save changes

Revert changes