

NoReverseMatch at /admin/core/user/add/

Reverse for 'auth_user_changelist' not found. 'auth_user_changelist' is not a valid view function or pattern name.

```
Request Method: GET
Request URL: http://0.0.0.0:8000/admin/core/user/add/
Django Version: 3.0.2
Exception Type: NoReverseMatch
Exception Value: Reverse for 'auth_user_changelist' not found. 'auth_user_changelist' is not a valid view function or pattern name.
Exception Location: /usr/local/lib/python3.7/dist-packages/django/urls/resolvers.py in _reverse_with_prefix, line 677
Python Executable: /usr/bin/python3
Python Version: 3.7.5
Python Path: ['/opt/papermerge',
              '/opt/papermerge',
              '/usr/lib/python3.7.zip',
              '/usr/lib/python3.7',
              '/usr/lib/python3.7/lib-dynload',
              '/usr/local/lib/python3.7/dist-packages',
              '/usr/lib/python3/dist-packages']
Server time: Fri, 24 Jul 2020 07:36:55 +0000
```

Error during template rendering

In template `/opt/papermerge/papermerge/boss/templates/boss/base_two_col.html`, error at line 0

Reverse for 'auth_user_changelist' not found. 'auth_user_changelist' is not a valid view function or pattern name.

```
1 {% load i18n static boss_list %}<!DOCTYPE html>
2 {% comment %}
3     Base template used for webapp layout seen by user after he/she signs in.
4 {% endcomment %}
5 <html lang="en-us">
6 <head>
7     <title>{% block title %}{% endblock %}</title>
8
9     <link rel="stylesheet" type="text/css" href="{{ CSS_URL }}" />
10
```

Traceback [Switch to copy-and-paste view](#)

```
/usr/local/lib/python3.7/dist-packages/django/core/handlers/exception.py in inner
34.         response = get_response(request)
    ▶ Local vars

/usr/local/lib/python3.7/dist-packages/django/core/handlers/base.py in _get_response
145.         response = self.process_exception_by_middleware(e, request)
    ▶ Local vars

/usr/local/lib/python3.7/dist-packages/django/core/handlers/base.py in _get_response
143.         response = response.render()
    ▶ Local vars

/usr/local/lib/python3.7/dist-packages/django/template/response.py in render
105.         self.content = self.rendered_content
    ▶ Local vars

/usr/local/lib/python3.7/dist-packages/django/template/response.py in rendered_content
83.         return template.render(context, self._request)
    ▶ Local vars

/usr/local/lib/python3.7/dist-packages/django/template/backends/django.py in render
61.         return self.template.render(context)
    ▶ Local vars

/usr/local/lib/python3.7/dist-packages/django/template/base.py in render
171.         return self._render(context)
```

▶ Local vars

/usr/local/lib/python3.7/dist-packages/django/template/base.py in _render

163. return self.nodelist.render(context) ...

▶ Local vars

/usr/local/lib/python3.7/dist-packages/django/template/base.py in render

936. bit = node.render_annotated(context) ...

▶ Local vars

/usr/local/lib/python3.7/dist-packages/django/template/base.py in render_annotated

903. return self.render(context) ...

▶ Local vars

/usr/local/lib/python3.7/dist-packages/django/template/loader_tags.py in render

150. return compiled_parent._render(context) ...

▶ Local vars

/usr/local/lib/python3.7/dist-packages/django/template/base.py in _render

163. return self.nodelist.render(context) ...

▶ Local vars

/usr/local/lib/python3.7/dist-packages/django/template/base.py in render

936. bit = node.render_annotated(context) ...

▶ Local vars

/usr/local/lib/python3.7/dist-packages/django/template/base.py in render_annotated

903. return self.render(context) ...

▶ Local vars

/usr/local/lib/python3.7/dist-packages/django/template/loader_tags.py in render

150. return compiled_parent._render(context) ...

▶ Local vars

/usr/local/lib/python3.7/dist-packages/django/template/base.py in _render

163. return self.nodelist.render(context) ...

▶ Local vars

/usr/local/lib/python3.7/dist-packages/django/template/base.py in render

936. bit = node.render_annotated(context) ...

▶ Local vars

/usr/local/lib/python3.7/dist-packages/django/template/base.py in render_annotated

903. return self.render(context) ...

▶ Local vars

/usr/local/lib/python3.7/dist-packages/django/template/loader_tags.py in render

150. return compiled_parent._render(context) ...

▶ Local vars

/usr/local/lib/python3.7/dist-packages/django/template/base.py in _render

163. return self.nodelist.render(context) ...

▶ Local vars

/usr/local/lib/python3.7/dist-packages/django/template/base.py in render

936. bit = node.render_annotated(context) ...

▶ Local vars

/usr/local/lib/python3.7/dist-packages/django/template/base.py in render_annotated

903. return self.render(context) ...

▶ Local vars

```

/usr/local/lib/python3.7/dist-packages/django/template/loader_tags.py in render
    62.         result = block.nodelist.render(context)
    ▶ Local vars

/usr/local/lib/python3.7/dist-packages/django/template/base.py in render
    936.         bit = node.render_annotated(context)
    ▶ Local vars

/usr/local/lib/python3.7/dist-packages/django/template/base.py in render_annotated
    903.         return self.render(context)
    ▶ Local vars

/usr/local/lib/python3.7/dist-packages/django/template/defaulttags.py in render
    443.         url = reverse(view_name, args=args, kwargs=kwargs, current_app=current_app)
    ▶ Local vars

/usr/local/lib/python3.7/dist-packages/django/urls/base.py in reverse
    87.         return iri_to_uri(resolver._reverse_with_prefix(view, prefix, *args, **kwargs))
    ▶ Local vars

/usr/local/lib/python3.7/dist-packages/django/urls/resolvers.py in _reverse_with_prefix
    677.         raise NoReverseMatch(msg)
    ▶ Local vars

```

Request information

USER admin

GET No GET data

POST No POST data

FILES No FILES data

COOKIES

Variable	Value
csrftoken	'y7wNOVN0GnRJ3z9SAt5TT1gY8Z4c0oaHkfwgOgT1FUmWkKeMeyfghaLcoDxh30jU'
sessionid	's10f0fsyp6d2cwomtndkpqr48ct1g1pi'

META

Variable	Value
CONTENT_LENGTH	''
CONTENT_TYPE	'text/plain'
CSRF_COOKIE	'y7wNOVN0GnRJ3z9SAt5TT1gY8Z4c0oaHkfwgOgT1FUmWkKeMeyfghaLcoDxh30jU'
DJANGO_SETTINGS_MODULE	'config.settings.stage'
GATEWAY_INTERFACE	'CGI/1.1'
HOME	'/root'
HOSTNAME	'e8cc2952f8fe'
HTTP_ACCEPT	'text/html,application/xhtml+xml,application/xml;q=0.9,image/webp,image/apng,*/*;q=exchange;v=b3;q=0.9'
HTTP_ACCEPT_ENCODING	'gzip, deflate'
HTTP_ACCEPT_LANGUAGE	'en-US,en;q=0.9,sw;q=0.8'
HTTP_CONNECTION	'keep-alive'
HTTP_COOKIE	('csrftoken=y7wNOVN0GnRJ3z9SAt5TT1gY8Z4c0oaHkfwgOgT1FUmWkKeMeyfghaLcoDxh30jU; 'sessionid=s10f0fsyp6d2cwomtndkpqr48ct1g1pi')
HTTP_DNT	'1'
HTTP_HOST	'0.0.0.0:8000'
HTTP_REFERER	'http://0.0.0.0:8000/admin/core/user/'
HTTP_UPGRADE_INSECURE_REQUESTS	'1'
HTTP_USER_AGENT	('Mozilla/5.0 (Macintosh; Intel Mac OS X 10_15_6) AppleWebKit/537.36 (KHTML, 'like Gecko) Chrome/84.0.4147.89 Safari/537.36')
LC_CTYPE	'C.UTF-8'
OLDPWD	'/opt/papermerge'
PATH	'/usr/local/sbin:/usr/local/bin:/usr/sbin:/usr/bin:/sbin:/bin'
PATH_INFO	'/admin/core/user/add/'
PWD	'/opt/papermerge'
PYTHONUNBUFFERED	'1'
QUERY_STRING	''
REMOTE_ADDR	'172.18.0.1'
REMOTE_HOST	''

Variable	Value
REQUEST_METHOD	'GET'
RUN_MAIN	'true'
SCRIPT_NAME	''
SERVER_NAME	'e8cc2952f8fe'
SERVER_PORT	'8000'
SERVER_PROTOCOL	'HTTP/1.1'
SERVER_SOFTWARE	'WSGIServer/0.2'
SHLVL	'0'
TZ	'UTC'
wsgi.errors	<_io.TextIOWrapper name='<stderr>' mode='w' encoding='UTF-8'>
wsgi.file_wrapper	''
wsgi.input	<django.core.handlers.wsgi.LimitedStream object at 0x7fb42462ab90>
wsgi.multiprocess	False
wsgi.multithread	True
wsgi.run_once	False
wsgi.url_scheme	'http'
wsgi.version	(1, 0)

Settings

Setting	Value
ABSOLUTE_URL_OVERRIDES	{}
ACCOUNT_AUTHENTICATION_METHOD	'username_email'
ACCOUNT_EMAIL_CONFIRMATION_ANONYMOUS_REDIRECT_URL	'/login/'
ACCOUNT_EMAIL_CONFIRMATION_AUTHENTICATED_REDIRECT_URL	'/boss/'
ACCOUNT_EMAIL_REQUIRED	True
ACCOUNT_EMAIL_VERIFICATION	'mandatory'
ACCOUNT_SESSION_REMEMBER	False
ADMINS	[]
ALLOWED_HOSTS	['*']
APPEND_SLASH	True
APP_GROUP	''
APP_USER	''
ASSETS_VER	None
AUTHENTICATION_BACKENDS	('papermerge.core.auth.NodeAuthBackend', 'django.contrib.auth.backends.ModelBackend', 'allauth.account.auth_backends.AuthenticationBackend')
AUTH_PASSWORD_VALIDATORS	'*****'
AUTH_USER_MODEL	'core.User'
CACHES	{'default': {'BACKEND': 'django.core.cache.backends.locmem.LocMemCache'}}
CACHE_MIDDLEWARE_ALIAS	'default'
CACHE_MIDDLEWARE_KEY_PREFIX	'*****'
CACHE_MIDDLEWARE_SECONDS	600
CELERY_ACCEPT_CONTENT	['json']
CELERY_BROKER_TRANSPORT_OPTIONS	{'data_folder_in': '/opt/broker/queue', 'data_folder_out': '/opt/broker/queue'}
CELERY_BROKER_URL	'filesystem://'
CELERY_INCLUDE	'pmworker.tasks'
CELERY_RESULT_BACKEND	'rpc://'
CELERY_RESULT_SERIALIZER	'json'
CELERY_TASK_CREATE_MISSING_QUEUES	True
CELERY_TASK_DEFAULT_EXCHANGE	'papermerge'
CELERY_TASK_DEFAULT_EXCHANGE_TYPE	'direct'
CELERY_TASK_DEFAULT_ROUTING_KEY	'*****'
CELERY_TASK_RESULT_EXPIRES	86400
CELERY_TASK_SERIALIZER	'json'
CSRF_COOKIE_AGE	31449600
CSRF_COOKIE_DOMAIN	None
CSRF_COOKIE_HTTPONLY	False
CSRF_COOKIE_NAME	'csrftoken'
CSRF_COOKIE_PATH	'/'
CSRF_COOKIE_SAMESITE	'Lax'
CSRF_COOKIE_SECURE	False
CSRF_FAILURE_VIEW	'django.views.csrf.csrf_failure'
CSRF_HEADER_NAME	'HTTP_X_CSRFTOKEN'
CSRF_TRUSTED_ORIGINS	[]
CSRF_USE_SESSIONS	False

Setting	Value
DATABASES	{'default': {'ATOMIC_REQUESTS': False, 'AUTOCOMMIT': True, 'CONN_MAX_AGE': 0, 'ENGINE': 'django.db.backends.postgresql', 'HOST': 'db', 'NAME': 'dbname', 'OPTIONS': {}, 'PASSWORD': '*****', 'PORT': 5432, 'TEST': {'CHARSET': None, 'COLLATION': None, 'MIRROR': None, 'NAME': None}, 'TIME_ZONE': None, 'USER': 'dbuser'}}
DATABASE_ROUTERS	[]
DATA_UPLOAD_MAX_MEMORY_SIZE	2621440
DATA_UPLOAD_MAX_NUMBER_FIELDS	1000
DATETIME_FORMAT	'N j, Y, P'
DATETIME_INPUT_FORMATS	['%Y-%m-%d %H:%M:%S', '%Y-%m-%d %H:%M:%S.%f', '%Y-%m-%d %H:%M', '%Y-%m-%d', '%m/%d/%Y %H:%M:%S', '%m/%d/%Y %H:%M:%S.%f', '%m/%d/%Y %H:%M', '%m/%d/%Y', '%m/%d/%y %H:%M:%S', '%m/%d/%y %H:%M:%S.%f', '%m/%d/%y %H:%M', '%m/%d/%y']
DATE_FORMAT	'%d/%m/%Y'
DATE_INPUT_FORMATS	['%d/%m/%Y']
DBNAME	''
DBPASSWORD	'*****'
DBUSER	''
DEBUG	True
DEBUG_PROPAGATE_EXCEPTIONS	False
DECIMAL_SEPARATOR	'.'
DEFAULT_CHARSET	'utf-8'
DEFAULT_EXCEPTION_REPORTER_FILTER	'django.views.debug.SafeExceptionReporterFilter'
DEFAULT_FILE_STORAGE	'django.core.files.storage.FileSystemStorage'
DEFAULT_FROM_EMAIL	'webmaster@localhost'
DEFAULT_INDEX_TABLESPACE	''
DEFAULT_TABLESPACE	''
DISALLOWED_USER_AGENTS	[]
EMAIL_BACKEND	''
EMAIL_FILE_PATH	''
EMAIL_HOST	'localhost'
EMAIL_HOST_PASSWORD	'*****'
EMAIL_HOST_USER	''
EMAIL_PORT	25
EMAIL_SSL_CERTFILE	None
EMAIL_SSL_KEYFILE	'*****'
EMAIL_SUBJECT_PREFIX	['[Django] ']
EMAIL_TIMEOUT	None
EMAIL_USE_LOCALTIME	False
EMAIL_USE_SSL	False
EMAIL_USE_TLS	False
FILE_CHARSET	'utf-8'
FILE_UPLOAD_DIRECTORY_PERMISSIONS	None
FILE_UPLOAD_HANDLERS	['django.core.files.uploadhandler.TemporaryFileUploadHandle']
FILE_UPLOAD_MAX_MEMORY_SIZE	2621440
FILE_UPLOAD_PERMISSIONS	420
FILE_UPLOAD_TEMP_DIR	None
FIRST_DAY_OF_WEEK	0
FIXTURE_DIRS	[]
FORCE_SCRIPT_NAME	None
FORMAT_MODULE_PATH	None
FORM_RENDERER	'django.forms.renderers.DjangoTemplates'
IGNORABLE_404_URLS	[]

Setting	Value
INSTALLED_APPS	('rest_framework', 'knox', 'django.contrib.auth', 'django.contrib.sites', 'django.contrib.sessions', 'django.contrib.messages', 'django.contrib.staticfiles', 'papermerge.boss', 'papermerge.core', 'django.contrib.admin', 'django.contrib.contenttypes', 'allauth', 'allauth.account', 'allauth.socialaccount', 'dynamic_preferences', 'dynamic_preferences.users.apps.UserPreferencesConfig', 'polymorphic_tree', 'polymorphic', 'mptt', 'django.contrib.postgres', 'anymail', 'django_extensions')
INTERNAL_IPS	['127.0.0.1']
LANGUAGES	[('de', 'German'), ('en', 'English')]
LANGUAGES_BIDI	['he', 'ar', 'fa', 'ur']
LANGUAGE_CODE	'en-us'
LANGUAGE_COOKIE_AGE	None
LANGUAGE_COOKIE_DOMAIN	None
LANGUAGE_COOKIE_HTTPONLY	False
LANGUAGE_COOKIE_NAME	'django_language'
LANGUAGE_COOKIE_PATH	'/'
LANGUAGE_COOKIE_SAMESITE	None
LANGUAGE_COOKIE_SECURE	False
LOCALE_PATHS	(PosixPath('/opt/papermerge/papermerge'),)
LOGGING	{'disable_existing_loggers': False, 'handlers': {'papermerge': {'class': 'logging.StreamHandler'}}, 'loggers': {'papermerge': {'handlers': ['papermerge'], 'level': 'DEBUG'}}, 'version': 1}
LOGGING_CONFIG	'logging.config.dictConfig'
LOGIN_REDIRECT_URL	'/boss/'
LOGIN_URL	'/login/'
LOGOUT_REDIRECT_URL	'/'
MANAGERS	[]
MAX_STORAGE_SIZE	1048576
MEDIA_ROOT	'/opt/media'
MEDIA_URL	'/documents/'
MESSAGE_STORAGE	'django.contrib.messages.storage.fallback.FallbackStorage'
MIDDLEWARE	['django.middleware.security.SecurityMiddleware', 'django.contrib.sessions.middleware.SessionMiddleware', 'django.middleware.locale.LocaleMiddleware', 'django.middleware.common.CommonMiddleware', 'django.middleware.csrf.CsrfViewMiddleware', 'django.contrib.auth.middleware.AuthenticationMiddleware', 'django.contrib.messages.middleware.MessageMiddleware', 'django.middleware.clickjacking.XFrameOptionsMiddleware']
MIGRATION_MODULES	{}
MONTH_DAY_FORMAT	'F j'
NUMBER_GROUPING	0
OCR	True
PASSWORD_HASHERS	'*****'
PASSWORD_RESET_TIMEOUT_DAYS	'*****'
PDFTOPPM_DEFAULT_HEIGHT	900
PDFTOPPM_JPEG_QUALITY	90
PDFTOPPM_MAX_HEIGHT	1500
PDFTOPPM_MIN_HEIGHT	100
PDFTOPPM_STEP	100
PREPEND_WWW	False
PROJ_ROOT	PosixPath('/opt/papermerge')
REST_FRAMEWORK	{'DEFAULT_AUTHENTICATION_CLASSES': ['knox.auth.TokenAuthentication', 'rest_framework.authentication.SessionAuthentication']}
REST_KNOX	{'AUTH_TOKEN_CHARACTER_LENGTH': '*****', 'SECURE_HASH_ALGORITHM': 'cryptographic.hazmat.primitives.hashes.SHA512'}
ROOT_URLCONF	'config.urls'
S3	False

Setting	Value
SECRET_KEY	'*****'
SECURE_BROWSER_XSS_FILTER	False
SECURE_CONTENT_TYPE_NOSNIFF	True
SECURE_HSTS_INCLUDE_SUBDOMAINS	False
SECURE_HSTS_PRELOAD	False
SECURE_HSTS_SECONDS	0
SECURE_PROXY_SSL_HEADER	None
SECURE_REDIRECT_EXEMPT	[]
SECURE_REFERRER_POLICY	None
SECURE_SSL_HOST	None
SECURE_SSL_REDIRECT	False
SERVER_EMAIL	'root@localhost'
SESSION_CACHE_ALIAS	'default'
SESSION_COOKIE_AGE	1209600
SESSION_COOKIE_DOMAIN	None
SESSION_COOKIE_HTTPONLY	True
SESSION_COOKIE_NAME	'sessionid'
SESSION_COOKIE_PATH	'/'
SESSION_COOKIE_SAMESITE	'Lax'
SESSION_COOKIE_SECURE	False
SESSION_ENGINE	'django.contrib.sessions.backends.db'
SESSION_EXPIRE_AT_BROWSER_CLOSE	False
SESSION_FILE_PATH	None
SESSION_SAVE_EVERY_REQUEST	False
SESSION_SERIALIZER	'django.contrib.sessions.serializers.JSONSerializer'
SETTINGS_MODULE	'config.settings.stage'
SHORT_DATETIME_FORMAT	'm/d/Y P'
SHORT_DATE_FORMAT	'm/d/Y'
SIGNING_BACKEND	'django.core.signing.TimestampSigner'
SILENCED_SYSTEM_CHECKS	[]
SITE_ID	1
STATICFILES_DIRS	['/opt/papermerge-js/static']
STATICFILES_FINDERS	['django.contrib.staticfiles.finders.FileSystemFinder', 'django.contrib.staticfiles.finders.AppDirectoriesFinder']
STATICFILES_STORAGE	'django.contrib.staticfiles.storage.StaticFilesStorage'
STATIC_ROOT	''
STATIC_URL	'/static/'
STORAGE_ROOT	'local:/opt/media'
TEMPLATES	{'APP_DIRS': True, 'BACKEND': 'django.template.backends.django.DjangoTemplates', 'DIRS': [PosixPath('/opt/papermerge/config/templates')], 'OPTIONS': {'context_processors': ['django.template.context_processors.debug', 'django.template.context_processors.request', 'django.contrib.auth.context_processors.auth', 'django.contrib.messages.context_processors.messages', 'papermerge.boss.context_processors.static_bundle_url', 'dynamic_preferences.processors.global_preferences']}}}
TEST_NON_SERIALIZED_APPS	[]
TEST_RUNNER	'django.test.runner.DiscoverRunner'
THOUSAND_SEPARATOR	','
TIME_FORMAT	'P'
TIME_INPUT_FORMATS	['%H:%M:%S', '%H:%M:%S.%f', '%H:%M']
TIME_ZONE	'UTC'
UPLOAD_ALLOWED_MIMETYPES	['application/pdf']
UPLOAD_FILE_SIZE_MAX	12582912
UPLOAD_FILE_SIZE_MIN	1
USE_I18N	True
USE_L10N	True
USE_THOUSAND_SEPARATOR	False
USE_TZ	True
USE_X_FORWARDED_HOST	False
USE_X_FORWARDED_PORT	False
VIRTUAL_MAILBOX_PASS	'*****'
WSGI_APPLICATION	'config.wsgi.application'
X_FRAME_OPTIONS	'DENY'
YEAR_MONTH_FORMAT	'F Y'

You're seeing this error because you have `DEBUG = True` in your Django settings file. Change that to `False`, and Django will display a standard page generated by the handler for this status code.