HDX
INSPECT

User Manual

Machinery inspection, sign-off & reporting

A practical, task-oriented guide for inspectors and office administrators.

Read §16 for an honest account of what the app does — and does not — guarantee.

Application version
HDX Inspect v4.3.0

Prepared for
HDX Engineering

Issued
10 November 2026

Field inspection, sign-off, scheduling and reporting for machinery and equipment checks.
Offline-first: an encrypted local database on each device, with a shared Google Drive store for sync and certificates.

Internal tool for a single organisation. This manual describes HDX Inspect v4.3.0.

About this manual

HDX Inspect is a Flutter application for inspecting machinery and equipment in the field, capturing sign-off from the inspector and the customer, and producing a branded PDF certificate for each machine. It runs on Windows, Android and iOS. Each device works fully offline against its own encrypted local database and synchronises through a shared Google Drive store.

This manual is task-oriented. It walks through everything an inspector or office administrator does day to day — from signing in, through a complete inspection, to distributing and correcting certificates, managing the schedule, and configuring the app. It reflects HDX Inspect **v4.3.0**.

Who should read it

- **Inspectors** — perform checks in the field, capture photos and readings, and obtain signatures. See Getting started, Performing an inspection, and Reports.
- **Administrators / office staff** — additionally manage customers, machines, templates, accounts, the Drive store, scheduling and exports. Admin-only features are marked **(Admin)** throughout.

How to read the call-out boxes

Three kinds of highlighted box appear in this manual:

> **Tip**
> A practical suggestion that makes a task easier or avoids a common mistake.

> **Important — read this**
> A point you must not miss — usually about losing access, losing work, or a destructive action.

> **Honest limitation**
> An honest statement of what the app does **not** guarantee. HDX Inspect has no central server, so some protections you might assume are present are deliberately not claimed. These boxes tell you where.

What's new in v4.3.0 (November 2026)

- **Delivery notes are created automatically.** The work hours, travel time and distance you record on an inspection become lines on the visit's delivery note as soon as the inspection is finalised — one note per customer and day, left as a draft for you to review, finalise and have signed. See chapter 11.
- **The Charging tab is gone.** Its CSV export now sits on the Billing tab's delivery-notes list (§11.3); invoices are built by combining delivery notes (§12.2). The separate *Charging* permission no longer exists.
- **Easier navigation on phones.** The bottom bar now holds every destination and scrolls sideways, and you can swipe across the screen to move between destinations. The More button is gone (§2.5).
- **An introduction, hints and this manual in the app.** A short introduction on first sign-in, a one-time hint on each main screen, a **?** button that opens this manual at the right chapter, and a **User manual** link next to the privacy policy (§2.7).

- **Company profile branding.** Large logos are scaled down automatically instead of being refused, the logo has three print sizes, a letterhead **banner image** can be added, and the slogan, footer lines and banner can be aligned left, centred or right (§13.3).
- **Checklist templates can be archived** and restored (§10.3), and a signed delivery note now shows the recipient's signature reliably (§12.5).
- **Sync recovers by itself** after a dropped connection, and Settings has a **Re-check Drive store** action (§13.4, chapter 14).

> **Release note — update all devices together**
> **Update every device before you edit a company profile on this version.** v4.3.0 adds the logo size, banner image and alignment settings to the shared dataset (dataset format 10). A device still on v4.2.0 or older cannot read a format-10 dataset: it stops syncing and says that this app version is too old for the shared data store and must be updated on this device. Nothing is lost — local work on that device continues and syncs again once it is updated — but until every device is updated, the fleet is split.

What's new in v4.2.0 (October 2026)

- **Documents (Belege): quotes, delivery notes, invoices and cancellation invoices.** A new **Billing** tab lets the office write a quote, hand a signed delivery note to the customer on site and issue a numbered invoice — from scratch, from a quote or by combining delivery notes. See chapter 12.
- **Company profiles.** Several issuing companies (name, address, UID, bank details, logo, colour, footer, signatory) can be set up; each certificate and document names the profile it was issued under (§13.3).
- **Customers carry billing details** — business or private, customer number, structured address, UID (format-checked only), billing e-mail, payment term — and their detail screen lists their documents (§8).
- **Article catalogue** of services and materials with unit, price and VAT rate (§13.3b).
- Dashboard tiles for **open quotes** and **unpaid invoices**, and a **Billing** permission inspectors can be granted (§3, §13.6a).

> **Release note — update all devices together**
> **Update every device before you create the first document on this version.** v4.2.0 adds the billing tables to the shared dataset (dataset format 8). A device still on an older version cannot read a format-8 dataset: it stops syncing and says that this app version is too old for the shared data store and must be updated on this device. Nothing is lost — local work on that device continues and syncs again once it is updated — but until every device is updated, the fleet is split.

> **Honest limitation**
> The documents feature checks the mandatory contents of an Austrian invoice (§ 11 UStG 1994) before it finalises one and refuses when something is missing. It does **not** verify UID numbers against VIES, does not decide the VAT treatment for you, is **not** a cash register under the RKSV, produces no structured e-invoice (ebInterface / UBL), and stores nothing tamper-evidently. Document numbers issued on two devices while offline are **detected** after sync, not prevented (§12.7).

What was new in v4.1.0 (October 2026)

- **Acceptance vs recurring inspection.** Every check now records which kind of inspection it is under the Austrian AM-VO — an **acceptance inspection** (Abnahmeprüfung, § 7) or a **recurring inspection** (wiederkehrende Prüfung, § 8) — and the certificate states it. See §4.1a.
- **Try the demo.** On a brand-new device the first-run screen offers a sample dataset that lives on the device only, with no Google account and no sync (§2.0).
- **Checklist gate.** The checklist now applies the same completion rules as the summary and shows how many items are still open, with a jump to the next one (§4.2).
- **Reports search and filters**, due-date filters on the Machines list, regrouped Settings, and an in-app link to the privacy policy (§5.1, §9, §13).
- Forms validate as you type, mark required fields with an asterisk, and ask before you leave unsaved changes.

> **Release note — update all devices together**
> **Update every device before you run the first check on this version.** v4.1.0 stores the inspection kind in the shared dataset (dataset format 7). A device still on an older version cannot read a format-7 dataset: it stops syncing and says that this app version is too old for the shared data store and must be updated on this device. Nothing is lost — local work on that device continues and syncs again once it is updated — but until every device is updated, the fleet is split. Administrators: roll the update out to all devices first, then resume normal work.

Contents

About this manual . . . 2

Who should read it . . . 2

How to read the call-out boxes . . . 2

What's new in v4.3.0 (November 2026) . . . 2

What's new in v4.2.0 (October 2026) . . . 3

What was new in v4.1.0 (October 2026) . . . 4

1. Introduction . . . 8

1.1 What HDX Inspect does . . . 8

1.2 The two roles . . . 8

1.3 How your data is stored and shared . . . 8

1.4 Demo mode and Connected mode . . . 9

2. Getting started . . . 10

2.0 Trying the app without an account — “Try the demo” . . . 10

2.1 First run — create the first administrator . . . 10

2.2 Adding another device to an existing store . . . 11

2.3 Signing in . . . 12

2.3a Face ID / fingerprint or PIN sign-in (remember me) . . . 12

2.4 Changing your password . . . 13

2.5 Finding your way around . . . 13

2.6 Signing out . . . 14

2.7 Getting help: the introduction, hints and this manual . . . 14

3. The Dashboard . . . 16

4. Performing an inspection . . . 17

4.1 Starting a check . . . 17

4.1a Acceptance vs recurring inspection . . . 17

4.2 Completing the checklist . . . 18

4.3 Recording machine data . . . 19

4.4 Reviewing the summary . . . 20

4.5 Signatures . . . 20

4.6 Completion and the certificate . . . 20

5. Reports & certificates . . . 22

5.1 The reports list . . . 22

5.2 Viewing a certificate . . . 22

5.3 Distributing a certificate . . . 22

5.4 Voiding a certificate (Admin, or the Certificates permission) . . . 22

5.5 Superseding / reissuing (Admin, or the Certificates permission) . . . 23

6. Bookings & scheduling . . . 24

6.1 The calendar . . . 24

6.2 Starting work from a booking . . . 24

6.3 Creating or editing a booking (Admin, or the Bookings permission) . . . 24

7. Reminders — due & overdue . . . 25

8. Customers . . . 26

8.1 Creating or editing a customer (Admin, or the Customers & machines permission) . . . 26

8.2 Billing details and the customer's documents . . . 26

9. Machines & machine types . . . 27

9.1 The machine register . . . 27

9.2 Creating or editing a machine (Admin, or the Customers & machines permission) . . . 27

9.3 Machine types (Admin, or the Customers & machines permission) . . . 27

10. Checklist templates (Admin) . . . 28

10.1 Creating and editing a template . . . 28

10.2 Versioning . . . 28

10.3 Archiving a template you no longer need . . . 29

11. Work & travel → delivery notes . . . 30

11.1 What happens at completion . . . 30

11.2 If the note could not be created . . . 30

11.3 Work & travel CSV export . . . 31

12. Documents — quotes, delivery notes & invoices . . . 32

12.1 Before the first invoice: the company profile . . . 32

12.2 Creating a document . . . 32

12.3 The editor . . . 32

12.4 Finalising: number, snapshot, PDF . . . 33

12.5 Statuses and what you can do next . . . 34

12.6 Preview, share and print . . . 36
12.7 Number collisions between devices . . . 36
12.8 What the documents feature does not do . . . 36
13. Settings . . . 37
13.1 Profile and language . . . 37
13.2 Appearance — light & dark mode . . . 37
13.3 Company profiles (Admin / Organisation settings) . . . 37
13.3a Certificate settings (Admin) . . . 39
13.3b Articles (Admin / Billing) . . . 39
13.4 Connecting Google and setting the Drive store (Admin) . . . 40
13.5 Sync status and conflicts . . . 41
13.6 Accounts & devices (Admin) . . . 41
13.6a Per-user permissions (Admin) . . . 42
13.7 Audit log . . . 43
13.8 Danger zone . . . 43
14. Working offline & how sync works . . . 45
15. Roles & permissions at a glance . . . 46
16. Important notes & honest limitations . . . 47
17. Troubleshooting & FAQ . . . 48
18. Glossary . . . 52

1. Introduction

1.1 What HDX Inspect does

An inspector selects a customer and one of their machines, completes the machine's mandatory checklist (marking each item Pass, Fail or N/A), records the machine's hours or mileage and the work and travel for the visit, and captures signatures from both the inspector and the customer. The completed check is stored as a timestamped record, a numbered PDF certificate is generated in the customer's language (German or English) and filed to Google Drive, and the office or inspector then shares or prints that certificate (the app itself sends no email).

It replaces a paper-based process. The whole dataset lives in an encrypted database on each device and is shared between devices through Google Drive — there is no central server.

1.2 The two roles

HDX Inspect has two roles. The customer is not a system user — they only sign on the inspector's device at completion and are given the PDF by your organisation.

Role	What they can do
Admin / Office	Everything an inspector can do, plus: manage customers, machines and machine types; create and edit checklist templates; manage user accounts and registered devices; configure the Google Drive store; manage company profiles and certificate settings; schedule bookings; void and reissue certificates; write quotes and invoices; set the retention period; and run retention purge / device wipe.
Inspector	View bookings; perform checks in the field; capture photos, machine readings, work and travel; sign and obtain the customer's sign-off; view and distribute certificates; create and sign delivery notes; resolve sync conflicts and start a sync — plus any admin capabilities an administrator has individually granted to them (§13.6a).

An administrator can grant an inspector individual admin capabilities (for example bookings, or templates) from **Settings** → **Accounts & devices**; granting all of them gives that inspector the full admin surface without changing their role. See §13.6a.

> **Honest limitation**
> Role separation is enforced in the app only — there is no server to enforce it. Anyone who has access to the configured Google Drive store can read or alter all of the underlying data regardless of their in-app role, and every inspector's device holds the whole dataset. **The real access boundary is who is granted access to the Drive store**, which is an administrator's responsibility (see §16).

1.3 How your data is stored and shared

- **On each device:** an encrypted local SQLite database holds the full dataset, plus your photos, signatures and cached PDFs. Everything you capture is saved locally and durably before the app confirms success.
- **Shared store:** a configured Google Drive folder is the shared system of record. Devices publish their changes there and pull everyone else's. Certificates are filed under */certificates/<year>/* with a human-findable file name that leads with the customer and machine —

Customer__Machine__YYYY-MM-DD__<number>.pdf — so you can spot a certificate at a glance instead of reading the bare reference number. The certificate number still trails the name (and stays on the document).

- **Sign-in vs Drive access are separate:** you sign in with an app account (username and password). Google is connected separately, by an administrator, purely to give the app access to the Drive store.

1.4 Demo mode and Connected mode

The app runs in one of two modes. The mode is normally fixed when the app is built; a Connected build can additionally be put into the demo on a device that has not been set up yet (§2.0):

- **Demo mode** — local-only, seeded with sample data, with sync switched off. Google connection, the Drive store, certificate distribution and the danger-zone actions are disabled. Useful for training and trying the app.
- **Connected mode** — Google Drive sync is enabled. An administrator connects Google and sets the Drive store, after which devices sync with each other.

You can tell which mode you are in from **Settings** → **Sync & Drive**: it shows either **Connected mode** (Backend: Google Drive) or **Demo mode**.

2. Getting started

2.0 Trying the app without an account — “Try the demo”

On a device that has not been set up yet, the **Set up this device** screen offers a third option, **Try the demo** (“Sample data on this device only. No Google account, no sync.”). Tap it to load a set of sample customers, machines, bookings and checklists onto this device and sign in as a demo administrator. Everything works as in the real app — you can run a complete inspection through to a PDF certificate — but nothing leaves the device: the sync badge reads **Demo data · not synced** and the Google/Drive settings are hidden.

To leave the demo, open **Settings** → **Danger zone** → **Exit demo and erase sample data**. This erases the sample database, every photo, signature and certificate PDF captured during the demo, and the device's database key (there is nothing to keep — the demo never syncs). A final screen then offers **Close app**; the next launch shows the setup chooser again. If any step fails, the app says so and nothing is reported as erased. The demo is only offered while the device has no real account.

In the demo, do not use **Sign out** — there is no demo password to sign back in with. If you did, close and reopen the app; it signs the demo administrator in again.

> **Tip**
> The **Privacy policy** and the **User manual** are linked at the bottom of the setup chooser and under Settings → Help & about. They open in your browser.

2.1 First run — create the first administrator

The very first time HDX Inspect runs on a new device, there are no accounts yet, so instead of the login screen it opens a **Set up this device** chooser offering **Set up a new organisation** and **Join an existing store** (§2.2). For the **very first device** in your organisation — a brand-new store — choose **Set up a new organisation**; this creates the first admin account.

1. Choose **Set up a new organisation**.
2. Enter the administrator's **Full name** and a **Username**.
3. Optionally enter an **Email** address.
4. Choose a **Password** of at least 12 characters and type it again to confirm. It must use at least five different characters and must not contain an obvious word such as “password” or “123456”. Use the eye icon to reveal what you typed.
5. Tap **Create administrator**. The account is created and you are taken straight into the app.

> **Strong passwords matter here**
> Because the account file is part of the shared dataset, anyone with Drive access could copy it and try to crack passwords offline. Always use a long, unique password.

> **Best practice — one account per person, created once**
> Create each user's account a single time, centrally, from an already-connected device (Settings → Accounts & devices, §13.6). That one account is then used on every device that person works on. Do **not** create a fresh account for the same person on each device — see §2.2.

2.2 Adding another device to an existing store

Every device keeps its own encrypted local database, but they all share **one** Google Drive store. To bring a new device online you do **not** create a new set of accounts on it — you connect it to the **same** Drive store and let the existing accounts, customers, machines and history sync down. People then sign in with the account they already have.

On the new device, choose **Join an existing store** on the **Set up this device** screen, then work through the three steps it shows:

1. **Connect Google** — sign in with the **same** Google account your other devices use. (This grants Drive access only; it is not your app login.)
2. **Choose the shared store** — tap **Find the existing store** to locate the team's "HDX Inspect Data Store" folder automatically, or **Enter folder ID** to paste the **same** Drive folder ID the office already uses.
3. **Sync and sign in** — tap **Sync and continue**: the device pulls the shared dataset, including the account roster. When it finishes you are taken to the normal sign-in screen.
4. **Sign in with your own account** — the one an admin created for you centrally (§13.6). It works offline from then on.

> **Don't recreate accounts per device**
> Do not try to get "the same account on two devices" by re-creating an identical account on the new device. Accounts are matched by a hidden internal id, not by username, so a hand-made copy is a **second, separate account** that merely shares a name — not the same login, and it does not see the original's history. Joining the store (above) brings the real accounts down; create each person's account **once** (§13.6) and reuse it on every device.

> **Tip**
> One account can sign in on as many devices as a person needs, including offline. After each device syncs, they all show the same shared dataset. Joining a store needs a connection the first time, so the dataset can be pulled.

> **If the store turns out to be empty**
> If you choose **Join an existing store** but it holds no accounts yet — so this is really the first device in your organisation — the app tells you so and offers to set up the first administrator instead, so you are never stuck.

> **“No accounts yet” on a team that already has a store**
> If the app says the store has no accounts although your team already uses one, you are probably connected with a **different Google account**: **Find the existing store** did not find the team's folder and created a new, empty one. Go back, connect the right Google account and try again — do **not** set up a first administrator.
> The Google account needs **edit** access to the store. With view-only access the app stops and asks you to have the store shared with edit access, then to join again.

2.3 Signing in

1. Enter your **Username** and **Password**.
2. Tap **Sign in**. If the details are wrong, an error appears in red. After five wrong passwords in a row the account is locked on that device for 15 minutes.

You can sign in even with no internet connection: the app checks your details against the credentials cached on the device, so field work continues offline.

If you cannot sign in, tap **Trouble signing in?** below the Sign in button. It explains how password resets work (an administrator resets your password to a temporary one — see §2.4 and §13.6) and, on a connected device, offers **Check for account updates**: this fetches the latest synced account data, so a password reset made on another device reaches this device *before* you sign in. It tells you plainly if the device is not connected to Google Drive or the check fails — nothing is fetched silently.

2.3a Face ID / fingerprint or PIN sign-in (remember me)

So you do not have to type your full password every time, HDX Inspect can remember your login on a device in one of two ways: your device **biometrics** (Face ID, Touch ID or a fingerprint) and/or a short **device PIN**. Both are optional, both are per-device, and both sit on top of your normal account — they do not replace your password.

Biometrics. On a device that has Face ID / Touch ID / a fingerprint set up, an **Enable Face ID sign-in on this device** option is ticked by default below the password box. Leave it ticked and sign in as normal; your login is saved on this device. Next time, tap **Sign in as <your username> with Face ID** (or fingerprint) and confirm with your face or finger to sign straight in.

PIN. Useful on any device — including desktops and phones without biometrics set up. On the sign-in screen tap **Set PIN**, choose a 4–12 digit PIN and confirm it, then sign in as usual to save it. Next time, tap **Sign in with PIN** and enter it. Simple PINs (all the same digit, a straight run such as 1234, and a few well-known patterns) are refused, and a PIN must not already be used by another account on the device. Five wrong PINs lock PIN sign-in on that device for 15 minutes (your password still works). You can set up either or both under **Settings** → **Security**; enabling a method there asks for your password once to confirm it is you. The biometric option is shown only on a device that has biometrics.

Shared devices with several inspectors. Each person can set up their *own* PIN on the same device — when you tap **Sign in with PIN** and type your PIN, the app knows which account it belongs to and signs you in; setting your PIN never affects anyone else's. Biometric sign-in is different: a device can remember only *one* account's Face ID / fingerprint at a time, so the button names whose account it will sign in to (for example, “Sign in as alice”), and turning it on for a second account asks you to confirm before it replaces the first.

> **What this does and does not do**
> Both are convenience unlocks on one device only. With biometrics, your saved login is held in the phone's secure storage and released only after your face/fingerprint is confirmed. With a PIN, your saved login is **encrypted with the PIN**, so the PIN is needed to recover it. Neither replaces your password: voiding or superseding a certificate, the account and device tools, the retention purge, the device wipe and deleting your account still ask you to type it, and a PIN is never accepted for those. A PIN is short by design, so it is a convenience, not a substitute for a strong password — the account password keeps its 12-character minimum because the account file is part of the shared dataset and could be attacked offline. If you change your password the biometric login updates automatically and any PIN is cleared (set a new one); if you delete your account both are removed. If your password was reset on **another** device, the saved Face ID / PIN login stops working here: sign in once with the new password and set it up again.

2.4 Changing your password

First login with a temporary password. When an administrator creates your account they give you a temporary password. The first time you sign in with it, the app forces you to set your own:

1. Re-enter the **temporary password** once more.
2. Choose a **new password** (at least 12 characters) and confirm it.
3. Tap **Save password**. You are then taken into the app.

Changing it later (voluntary). You can change your password any time from **Settings** → **Account** → **Change my password**. Enter your current password, then your new password twice, and confirm. The new password must be at least 12 characters and differ from the current one.

Deleting your own account. You can permanently delete your own account from **Settings** → **Danger zone** → **Delete my account**. The app explains what happens, then asks for your password to confirm. Deletion removes your login from every device in the organisation and signs you out; you will no longer be able to sign in. Inspection records and certificates you created are kept for the organisation — deletion removes the login, not the work. It cannot be undone. If you are the organisation's *last active administrator*, the app refuses, so the organisation is never left with no one in charge: create a second administrator account first (§13.6) — an existing inspector cannot be promoted in the app, and an inspector granted every permission does not count. Neither tile is shown in demo mode.

2.5 Finding your way around

After signing in you land on the main screen. Navigation is on the left as a rail on wide screens (tablets in landscape, desktop) and along the bottom as a bar on narrow screens (phones).

On a phone the bottom bar holds **every** destination. They do not all fit on the screen at once, so the bar **scrolls sideways**: slide the bar itself to the left to bring the later destinations into view, then tap the one you want. The half-visible icon at the edge of the bar is the hint that there is more to scroll to. The bar follows the current destination, so the highlighted one is always in view. (Earlier versions showed four destinations and a More button; that button is gone.)

You can also **swipe left or right across the screen content** to move to the next or previous destination in the order listed below. The swipe works with a finger on phones and on tablets held in portrait, which also use the bottom bar (there all destinations usually fit without scrolling). A mouse drag across the content does not switch tabs, and the left-hand rail on wide screens is unchanged.

On a Windows PC the bottom bar appears only when the window is narrow. There you can scroll the bar with the mouse: **drag the bar** sideways, or turn the **mouse wheel** while the pointer is over the bar, then click the destination you want.

The top of every main screen shows the screen title, a **?** button that opens this manual at the matching chapter (§2.7), a **sync badge** that reads Online, N queued, Syncing…, Offline, Sync issue (red) or N need attention (red: conflicts are waiting) — tap it to open Settings, or Sync conflicts when conflicts are waiting — and a circle with your initials (tap-and-hold shows your name and role).

The destinations are:

Destination	What it is for	Who sees it
Dashboard	Your daily overview and quick actions.	Everyone
Bookings	The calendar of scheduled visits.	Everyone
Machines	The machine (asset) register.	Everyone
Reports	Completed certificates.	Everyone
Customers	The customer register.	Everyone
Reminders	Machines that are due or overdue.	Everyone
Billing	Quotes, delivery notes and invoices (chapters 11–12). Called Belege in German.	Everyone
Templates	The checklist template editor.	Admin, or an inspector granted Templates
Settings	Account, language, sync, Drive and admin tools.	Everyone

2.6 Signing out

Open **Settings** and tap **Sign out** at the bottom, then confirm. Signing out does not delete anything: your synced data remains in the Drive store and on the device. (Logging out is not the same as wiping the device — see §13.8.)

Sync only runs while someone is signed in. If the sync badge shows queued work, wait until it reads Online before signing out; otherwise that work stays on the device until the next sign-in. The Google connection is kept.

2.7 Getting help: the introduction, hints and this manual

The app introduces itself, and help is never more than a tap away:

- **The introduction.** The first time you sign in on a device, a short five-page introduction explains how to find your way around, how an inspection runs, how offline working and sync fit together, and where to find help. Swipe or tap **Next** to move through it, **Skip** to leave it at any point, and **Done** on the last page. Each page has a **Read more in the manual** link to the matching chapter.
- **Hints.** After the introduction, each main screen shows a one-time hint under its title that says what the screen is for. **Learn more** opens the matching chapter of this manual; **Got it** hides the hint for good.
- **The ? button.** The **?** next to the sync badge at the top of every main screen opens this manual at the chapter for the screen you are on.

- **The whole manual. Settings → Help & about → User manual** opens the manual from the beginning. The same link is on the first-run screen, next to the privacy policy, so you can read it before setting anything up.
- **Seeing it again. Settings → Help & about → Show the introduction again** replays the introduction and brings every hint back.

The introduction and the hints are remembered **per person and per device**: a colleague who signs in on the same tablet gets their own introduction, and you will see it once more on a second device. Nothing about it is synced, and it never changes or blocks any of your work.

> **Honest limitation**
> The manual is a **web page in English**, opened in your browser, and needs an internet connection — it is not stored inside the app. Without a connection the links open the browser, which then shows its own “no connection” page; the introduction and the hints themselves work offline. A PDF copy can be downloaded from the top of the manual page for offline reading.

3. The Dashboard

The Dashboard greets you by name and gathers the things that need attention into one screen. Pull down to refresh it.

- **New check** — directly under the greeting, starts an inspection (every user; §4.1). Users who may manage bookings also see **New booking** next to it.
- **Status cards** — **Overdue** and **Due ≤ 30 days** (tap for Reminders), **Bookings this week** (the next seven days; tap for Bookings) and **Draft checks** (tap to jump to the drafts below). Overdue and Due ≤ 30 days both leave out machines that already have an open booking, so the numbers reflect real gaps.
- **Reinspection required** — machines whose most recent certificate is a Blocking fail, so they must be re-inspected. A later passing check clears the machine from this list automatically. Tap it to open Reminders.
- **Today** — today's visits with customer, start time and number of machines; tap one to open the booking.
- **Resume drafts** — up to ten checks on this device that are not finalised yet, whoever started them. Tap a draft to carry on, or use the three-dot menu → **Discard draft** (with a confirmation, because it cannot be undone).
- **Recent results** — the five most recently finalised checks (from any inspector); tap one to open its certificate. A voided or superseded certificate is labelled **VOID** / **SUPERSEDED** here rather than showing its old Pass/Fail result.
- **Open quotes** and **Unpaid invoices** (users with the Billing permission) — tap either to open the Billing tab. Below them a red card appears when a finalised document still has no PDF (with a retry) or when a document number was issued twice on two devices (§12.7).
- **Attention cards** appear only when something needs it: a certificate PDF that failed to generate (with **Retry now**), a finished inspection whose delivery note could not be created (with a retry, §11.2), or a checklist template in use that lacks item text in the working language. Opening the Dashboard re-tries pending certificates, document PDFs and delivery notes automatically.

If the Dashboard cannot load its data it shows the error with a **Retry** button rather than an empty screen.

> **Tip**
> A drained battery loses at most the last keystroke, never a saved answer. Every change in a check is written to the device immediately, so you can always come back to a draft from here.

4. Performing an inspection

This is the heart of the app. A check moves through a fixed sequence of screens: **select machine** → **checklist** → **machine data** → **summary** → **signatures** → **completion**. You can leave at any point and resume later from the Dashboard or the booking.

4.1 Starting a check

There are four ways to start:

- From a **Booking** — open the booking and tap **Start** next to a machine (or **Resume** if a draft already exists). This is the normal route for planned work, and the only one that links the check to the booking (§6.2).
- From a **Reminder** — book the machine first, then start it from the booking.
- From **New check** on the Dashboard (every user) — pick the **customer**, then the **machine**. Each machine card shows its type, serial number and a coloured due-date chip.
- From a **machine** — open it in Machines and tap **Start inspection**.

Whichever route you take, a sheet first asks **Which inspection?** — **Acceptance inspection** or **Recurring inspection** (§4.1a) — with the likely kind pre-selected and marked *Suggested*. Tap **Continue**. A machine can have only **one unfinished draft**: if it already has one, the sheet is skipped and that draft resumes with the kind it was started with, whichever route you take. When your store has more than one company profile, the same sheet also asks which company the check is **issued under** (§13.3).

When you choose a machine, the app loads its checklist — the checklist template chosen on that machine if one is set (§9.2), otherwise the machine type's default template — and copies its items onto the check, so later edits to the template never change this record. The checklist is the same for both inspection kinds.

If the machine has no checklist, or its checklist has no items yet, the check does not start and the message says what has to be added under Templates (§10).

4.1a Acceptance vs recurring inspection

Every check records which kind of inspection it is, following the Austrian **Arbeitsmittelverordnung (AM-VO)**:

- **Acceptance inspection** (Abnahmeprüfung, **§ 7 AM-VO**) — before a machine is first put into service, and after it has been set up at another location or substantially modified.
- **Recurring inspection** (wiederkehrende Prüfung, **§ 8 AM-VO**) — the regular periodic inspection, at least once per calendar year and at most 15 months apart.

Default rule. The sheet pre-selects **Acceptance** for a machine that has no recorded inspection yet, and **Recurring** for a machine that has been inspected before. You can always choose the other kind. On the **Summary** screen the kind can still be changed (next to the certificate language) **until you sign**; after finalisation it is fixed, like every other field of a signed check.

On the certificate. The title stays “Inspection certificate” / “Prüfzertifikat”; directly beneath it a bold line states **ACCEPTANCE INSPECTION (§ 7 AM-VO)** / **ABNAHMEPRÜFUNG (§ 7 AM-VO)** or **RECURRING INSPECTION (§ 8 AM-VO)** / **WIEDERKEHRENDE PRÜFUNG (§ 8 AM-VO)** in the certificate's language, and the first field reads **Inspection type** / **Prüfart**. Certificate numbers are unchanged — one running sequence per device covers both kinds — and so is the filing name in Drive. A small chip on checklist,

machine history, booking, reports and dashboard rows shows the kind at a glance; the summary shows it as the **Inspection type** row.

Schedule. A passed acceptance inspection sets the machine's last-check date and next-due date exactly like a recurring inspection (the recurring interval is taken to start at commissioning); a Blocking fail on either kind brings the next-due date forward. Checks recorded before v4.1.0 count as recurring inspections.

> **Honest limitation**
> The certificate **states** the inspection kind as recorded by the inspector. It does not attest that the inspector holds the qualification § 7 Abs. 3 AM-VO (or any other rule) requires for that kind of inspection — that remains your organisation's responsibility. Like every other field, the kind is write-once at the application layer only; the shared store itself is not tamper-evident.

> **Update every device first**
> All devices must run the current version (v4.3.0) before the first record made on it is synchronised. An older device refuses the shared dataset loudly and keeps working locally until it is updated — nothing is lost, but it does not sync until then.

4.2 Completing the checklist

Each item is a card numbered 1, 2, 3… with its label and (where given) a description. A header bar shows the customer, machine type and your progress (answered / total). For every item:

If the machine had any defects on its last check, a reminder banner lists them at the top of the checklist so you can confirm they have been rectified. It is informational only — it never pre-fills an answer.

1. Tap **Pass**, **Fail** or **N/A**. Your choice is saved immediately.
2. If you tap **Fail**, a dialog asks you to classify the defect as **Blocking** or **Minor**. The chosen severity then shows on the item as a coloured chip.
3. Type any **Notes** in the field below. For a failed item the hint changes to “Describe the defect (required)…”.
4. Add **photos** with the camera button. On a phone or tablet you can **take a photo** or **choose from the gallery**; on desktop you pick a file. **Tap a thumbnail to mark it up** (see below). To delete a photo, tap the small **×** on it or long-press it; the app asks you to confirm. A small brush badge on a thumbnail means it has been annotated.

Tapping the answer you already selected clears it again. A photo-required item says so under its photos, and its camera button stays amber until it has one.

The header shows your progress and, while anything is still missing, an orange **N open issues** chip; the **Continue — machine data** button stays disabled and names the same count. Tap the chip or **Next open item** to jump straight to the first item that needs attention (it is highlighted briefly), or switch on **Only open items** to hide everything already complete. Answered items colour their Pass / Fail / N/A button green / red / grey so a list can be scanned at a glance. When every rule is met, tap **Continue — machine data**.

Marking up a photo

Tap a photo to open the annotation editor and point out a defect on the image itself. You can draw **freehand**, or add an **arrow**, **rectangle**, **ellipse** or a short **text tag**, in any of five colours. **Undo** removes the last mark, **Clear** removes them all, then tap **Save**. A photo takes up to 200 marks, and a text tag up to 200 characters.

Annotations are **non-destructive**: the original photo is never altered — the marks are stored separately and drawn onto a flattened copy that is baked into the certificate when the check is finalised. You can only annotate a draft; once a check is signed off its photos are fixed.

Validation rules (these are strict)

The app will not let you finalise a check unless the rules below are met — it never quietly passes an item for you:

• A **Fail** requires a defect classification (Blocking or Minor), a non-empty note, and at least one photo.

• **Every item** must be explicitly answered. An unanswered item blocks completion.

• On a **photo-required** item, a Pass needs at least one photo — or, if a photo is genuinely impossible in the field, a note explaining why. An N/A needs an explanatory note.

The checklist applies exactly the same rules as the summary and the final sign-off — so what the checklist lets through, the summary accepts. If a photo-required item has no photo, supply the photo whenever you can; where that is impossible, record the reason in the item's note so the check can still be completed. A failed item always needs a photo. While a photo is being saved, its camera button shows a spinner. Notes are saved a moment after you stop typing; **Continue** waits for that save to finish, and if a note could not be saved on the device it tells you and stays on the checklist rather than moving on with an unsaved note. Leaving with **Back** waits for the save in the same way; if a note still cannot be saved you choose between Retry, Discard and leave (the last saved text is kept) and Stay — a typed note is never dropped silently.

Defect severity drives the result

Blocking means the machine fails and a reinspection is required — its next-due date is brought forward. **Minor** means “Pass with defects”: the defect is recorded and carried forward to the next check, with the normal next-due date.

4.3 Recording machine data

The **Machine data & time** screen captures meter readings and the visit's work and travel. Which reading fields appear depends on what the machine type tracks:

- **Operating hours** — shown and **required** if the type tracks hours (entered in hours, with a decimal point or comma).
- **Odometer (km)** — shown if the type tracks kilometres.
- If the type tracks neither, the app says so rather than storing a hidden zero.
- **Work time**, **Travel time** and **Travel distance** — these become the lines of the visit's delivery note when the inspection is finalised (chapter 11). Times are entered in decimal hours (1.5 = 1 h 30 min).

The reading fields start with the machine's last recorded values — overwrite them with today's reading. Negative values are rejected. If a reading is **lower than the last one recorded** for that machine, the app warns you and asks for a **reason** (for example a replaced meter) before it accepts it with **Use this reading**. Without a reason the reading is not accepted and the check cannot be finalised — a lower reading is never silently taken or thrown away. Tap **Continue — summary** when done.

4.4 Reviewing the summary

The **Summary** screen shows the overall result as a coloured banner — green **PASS**, amber **PASS — MINOR DEFECTS**, or red **FAIL** — together with a count of passed / minor / blocking / N/A items, the customer and machine details, the date, the readings and the work/travel figures. Any failed items are listed with their severity and notes. While something still needs attention, an orange banner is shown instead of the result, and the button at the bottom is disabled and names the reason (for example “2 items unanswered” or “Translation required”) instead of **Sign & complete** — **tap the banner** to go back to the checklist, which scrolls to the first open item.

> **Certificate language**
> The summary carries a **Certificate language** control (**Deutsch / English**). The check starts in the customer's preferred language (§8.1), and you can switch it here **up until you sign** — after that it is fixed. This sets the language of the whole PDF certificate; it is independent of the app's own interface language (§13.1).

> **Honest limitation**
> A certificate can only be finalised if the checklist has text in the certificate's language for every item. If some items have not been translated into that language, the app blocks finalisation and says so rather than issuing a half-translated certificate — switch the certificate to the other language, or have an administrator add the missing template text (§10). This works both ways: an English certificate needs English text, a German certificate needs German text.

> **Important — read this**
> Once you sign, the certificate is locked and cannot be edited. After that, a mistake can only be put right by an administrator voiding or superseding the certificate (§5.4–5.5) — never by editing it. Check the summary carefully before signing.

4.5 Signatures

Tapping **Sign & complete** collects two signatures in turn on the device's signature pad. Draw with a finger or stylus; use **Undo** to remove the last stroke or **Clear** to start again, then tap **Confirm**.

1. **Inspector signature** — you sign first.
2. **Customer sign-off** — the customer enters their name and signs, confirming the declaration shown above the signature pad: that the inspection was performed and the results, including any defects found, were presented to them.

> **If the customer cannot or will not sign**
> Tap **Customer cannot sign** on the customer signature screen (or dismiss it) and the app asks why, offering **Customer unavailable** or **Customer refused to sign** with an optional note. The check is then finalised with your signature and the recorded reason — it is never silently treated as signed.

4.6 Completion and the certificate

After signing, the check is finalised and the certificate is produced:

- On success you see **Inspection completed**, the result banner, and a **View certificate** button. Tap **Done** to return to the app.
- If the PDF could not be generated, you see **Certificate pending** with a **Retry certificate** button. The check itself is finalised — only the PDF needs another attempt. The app retries automatically whenever the Dashboard opens, and the Dashboard shows a red card with **Retry now** until it succeeds.
- When the check recorded work or travel, the screen also offers **Delivery note: review and sign** (chapter 11).

A check is **operationally complete** when it is finalised, its certificate is generated, and the record, photos and PDF have synced to Drive. The app sends **nothing** to the customer by itself: you share or print the certificate from Reports (§5.3). Sending it is separate and is never required for the work to count as complete — so a forgotten send never means lost work.

5. Reports & certificates

5.1 The reports list

Reports lists every completed, signed-off check, newest first (pull to refresh). Each row shows the machine, the customer, date and certificate number, the inspection-kind chip (§4.1a), a Pass/Minor/Fail chip, and the distribution status (**Not yet distributed**, or **Handed off** with the date). On a voided or superseded certificate the machine name is struck through and the result chip is replaced by a grey **VOID** / **SUPERSEDED** chip.

Use the **search box** to find a certificate by customer, machine or certificate number, and the **filter chips** to narrow the list by result (Pass / Minor defects / Fail), to voided or superseded certificates only, by inspection kind (Acceptance / Recurring) or by a date range; **Clear filters** resets them. The list loads the newest 300 certificates; when there are more, a footer says so and **Load more** extends it. Search and filters cover the certificates loaded so far — tap **Load more** to include older ones.

5.2 Viewing a certificate

Tap a report to open the full PDF certificate. You can pinch to zoom and swipe through pages, and use the standard **Print** and **Share** controls. A red banner appears across the top if the certificate has been **VOID**ed or **SUPERSEDED**; the original is always retained for the record. If the signed original is not on this device and cannot be downloaded, the app shows a **regenerated preview** and says so in a banner — it is not the signed original; sync and reopen to get that.

The certificate's header, logo, banner image and accent colour come from the **company profile** it was issued under (**Settings** → **Company profiles**, §13.3), and the declaration wording from **Settings** → **Certificate settings** (§13.3a). Each certificate keeps the branding it was issued with, so later rebrands never change certificates already issued.

5.3 Distributing a certificate

Distribution is a deliberate manual handoff. From the certificate view, the **Record distribution** action notes that you have handed the report off, and you use **Share** / **Print** to actually send it (for example, attaching the PDF to an email from your own mailbox or saving it). A handoff can be recorded only once the certificate and its photos have synced to the Drive store; until then the app says the evidence is still syncing. In Demo mode recording a handoff is switched off.

> **Honest limitation**
> The app records a **handoff**, not a delivery. It cannot prove a customer received a report, so the status reads “Handed off — delivery not confirmed”, never “delivered”. Because the filed PDF is the system of record, a forgotten or failed send loses nothing — each row in Reports shows **Not yet distributed** until a handoff is recorded. The app sends no email itself.

5.4 Voiding a certificate (Admin, or the Certificates permission)

Use **Void** when a certificate was issued in error. Voiding keeps the original and clearly marks it VOID. Because a voided certificate no longer counts, the machine's due date is recalculated from its remaining valid certificates (so a voided Blocking-fail no longer leaves the machine stuck overdue). It is recorded in the audit log and cannot be undone.

1. Open the certificate and tap the **Void certificate** icon in the title bar.

2. Enter a **reason** (required), e.g. “issued in error”.
3. Re-enter **your own password** when prompted (destructive actions require it).
4. The certificate is re-stamped **VOID** and the change syncs to Drive.

The two icons are visible to every user; whether you may use them is checked after you enter the reason. Without the permission the app says that only an admin, or a user granted the certificates permission, can perform the action.

5.5 Superseding / reissuing (Admin, or the Certificates permission)

Use **Supersede** when a corrected certificate replaces an earlier one. Both are kept and linked, and the old one is marked SUPERSEDED.

1. Produce the replacement check/certificate for the same machine.
2. Open the original certificate and tap the **Mark superseded** icon in the title bar, and enter a reason.
3. Pick the replacement from the list of that machine's other finalised certificates (voided ones are left out). Entries are identified by their date and result, not by certificate number. Confirm with **Supersede**.
4. Re-enter **your own password** when prompted. The original is marked SUPERSEDED and linked to the replacement; the change syncs.

Like a void, a supersede recalculates the machine's due date from its remaining valid certificates. A superseded certificate can still be voided; a voided one cannot be superseded.

> **Corrections are append-only**
> Finalised checks are never edited in place. The only corrections are a void or a supersede — each retained and logged.

6. Bookings & scheduling

The office plans work through a calendar of **bookings**. A booking is one customer visit: it links a customer, one or more machines, an assigned inspector, a start and end time, and a status. Each machine on the booking produces its own check and certificate.

6.1 The calendar

Move between months with the arrows; days with bookings carry a dot and today is outlined. Tap a day to see its bookings below the calendar. Each booking card shows the customer, the start time, how many machines are on the visit, the assigned inspector and a status chip. Tap the card to open the booking: its time, notes and the list of machines. Cancelled bookings are no longer shown on the calendar.

6.2 Starting work from a booking

Next to each machine on a booking is a **Start** button — or **Resume** if a draft check already exists, or a green tick if that machine's check is already finalised. Tapping it takes you straight into the checklist for that machine. A booking is **completed** when every machine on it is finalised.

> **Start from the booking**
> Start planned work **from the booking**. A check started from **New check** on the Dashboard or from the machine's own screen is not linked to the booking: it neither moves the booking to In progress nor counts towards completing it.

6.3 Creating or editing a booking (Admin, or the Bookings permission)

Administrators, and inspectors granted the Bookings permission, tap **Edit booking** in an open booking, or create one with the “+” button on Bookings, **New booking** on the Dashboard or **Book** in Reminders. Everyone else sees the calendar read-only. The booking form:

1. Choose the **Customer** (required) — this filters the machine list.
2. Tick the **Machines** for the visit (at least one).
3. Optionally assign an **Inspector** (or leave Unassigned).
4. Set the **Date**, **Start time** and **End time** (09:00–12:00 by default; the end must be after the start).
5. When editing an existing booking, set the **Status**: Planned, In progress, Completed, Cancelled or Rescheduled. A new booking is always Planned. Starting a check from the booking moves it to **In progress** automatically, and finalising the last machine's check moves it to **Completed** — you rarely need to set those by hand.
6. Add **Notes** for site access, contacts, etc., then tap **Save booking**.

When you change a booking's date, time or assigned inspector, the previous values are recorded in the audit log so the history of a rescheduled or reassigned visit is preserved.

7. Reminders — due & overdue

Reminders lists machines that need a booking so nothing falls through the gaps. A machine that already has an open (planned, in-progress or rescheduled) booking is left off the list — it is already scheduled. It has two sections:

- **Overdue** — machines past their next-due date with no booking (red), sorted by how overdue they are.
- **Due within 30 days** — machines coming due soon with no booking (amber).

Each machine shows its name, customer and a coloured due chip. If you may manage bookings, tap **Book** on a machine to open the booking form pre-filled with that customer and machine, so scheduling the visit is one step. When nothing is due the screen says that nothing is due in the next 30 days. Pull down to refresh.

A machine that has never been inspected has no due date and does not appear here — find it in Machines.

A machine's next-due date is computed from the issue date of its last completed check plus its re-check interval (defaulted from the machine type, overridable per machine). A Blocking failure brings the next-due date forward.

8. Customers

Customers is the register of the organisations you inspect for. Search by name, and toggle **Show archived** to include archived records. Tap a customer to see their details and the machines registered to them.

8.1 Creating or editing a customer (Admin, or the Customers & machines permission)

Administrators, and inspectors granted the Customers & machines permission, add a customer with the “+” button, or edit one from its detail screen. A customer record carries the company name, a contact name and phone, a report email, the address, notes and a preferred **certificate language** (**Deutsch** or **English**). New checks for the customer start in that language, and it can still be changed per check up until finalisation (§4.4). New customers default to the organisation's default language (set in Settings → Certificate settings, §13.3a).

A customer that anything refers to — machines, bookings, inspections or documents — cannot be deleted, only **archived**, so historical certificates stay resolvable; the app offers **Archive instead**. Archiving a customer also archives its machines, and **Restore** brings both back. A customer that nothing refers to can be removed with the three-dot menu → **Delete permanently**.

> **E-mail addresses are for your reference**
> The **Report email** and the **Billing e-mail** are kept on the customer record for your reference. The app does not send e-mail and does not pre-fill a recipient: when you share a PDF, you enter the address in your own mail app.

8.2 Billing details and the customer's documents

Since v4.2.0 the customer form also carries what a quote or invoice needs: whether the customer is a **business** (Firma) or a **private person** (Privat — salutation, first and last name), a **customer number** (unique among live customers), a **structured address** (street, postcode, city, country) used on documents, the **UID number**, a separate **billing e-mail**, a default **payment term**, a default **reference** line, the **document language**, a **contact line on documents** (business customers) and internal **billing notes**. Payment term and document language can be left on *company default*. An Austrian postcode must have four digits. The older free-text address is shown, read-only, only until you fill in the structured address.

If two devices gave the same customer number to different customers while apart, the list shows a red notice naming the numbers after sync; renumber one. The app never merges or deletes customers by itself.

> **UID numbers are format-checked, not verified**
> The UID number is checked for **format** only (Austrian UIDs must be ATU + 8 digits; those of other countries are checked only for their general shape). The app does not query the EU VIES service and cannot tell you whether a UID is valid or belongs to this customer. Verify it yourself where the VAT treatment depends on it (reverse charge, intra-Community supply).

Below the customer's details, a **Documents** (Belege) section lists their quotes, delivery notes and invoices with number, date and status, above the customer's machines. For an active customer it offers **New quote / New delivery note / New invoice** buttons (the quote and invoice buttons need the Billing permission).

9. Machines & machine types

The Machines list has a search box plus **Overdue** and **Due soon** filter chips and a **Sort by due date** toggle (soonest first; machines without a due date last).

9.1 The machine register

Machines lists every machine (asset). Search by name, serial or customer. Each row shows the machine type icon, the display name, the customer, the serial number and a due-date chip. Tap a machine to see its detail: customer, type, serial, year, due date, current hours/km, last check, interval and whether auto-booking is on, plus a **Start inspection** button and the machine's **History** — every check on it. Tap a finished check in the history to open its certificate, or a draft to continue it.

9.2 Creating or editing a machine (Admin, or the Customers & machines permission)

1. Tap “+” on Machines (or **Edit** on a machine's detail).
2. Choose the **Customer** and the **Machine type** from the icon tiles (both required; the first type is pre-selected on a new machine, and the **New type** tile creates a type without leaving the form).
3. Fill in the **Label / fleet name**, **Make**, **Model**, **Serial number** and **Year** (1900–2100) as available.
4. Set the **Inspection interval override (months)** only if this machine differs from its type's default.
5. Switch on **Auto-book next check** if the next visit should be booked automatically (see below).
6. Leave **Checklist template** on *Default for type* unless this machine needs its own checklist. A template whose items lack text in the working language cannot be chosen.
7. Tap **Save**.

> **Auto-book next check**
> When this switch is on, finalising a check creates the next visit automatically: a **Planned** booking without an inspector at 08:00 on the machine's new next-due date, noted as an auto-booked re-check, which the office then adjusts. A future visit you have already planned for the machine is never doubled. Because the machine then has an open booking, it stays off the Reminders list.

9.3 Machine types (Admin, or the Customers & machines permission)

The icon button next to the Machines search box opens **Machine types** (e.g. Crane, Forklift, Tractor). Each type carries a default checklist template, a default re-check interval, and whether it tracks operating hours and/or kilometres. Creating a type lets you set its name, default interval, the tracked readings, and — ticked by default — create its (empty) checklist template at the same time. Tapping a type opens it for editing (name, default interval, tracked readings); its checklist is edited under Templates (chapter 10).

The list warns on a type that has **no default checklist** or whose **checklist is empty**: checks for machines of that type cannot start until that is put right under Templates.

10. Checklist templates (Admin)

Templates (administrators, and inspectors granted the Templates permission) is where the checklists themselves are built. A template belongs to a machine type. A type can have several templates: one is the type's **default**, and any other can be assigned to individual machines in the machine form (§9.2). The list shows the type, the version and a *default*, *standard* or *archived* tag under each name.

10.1 Creating and editing a template

To create a template, tap “+” on Templates, give it a name, choose its machine type and tap **Create**; the editor opens.

Open a template to edit its items. Each item has a **check description** (its label), optional **guidance / acceptance criteria**, and a **photo-required** flag. Add an item with **+ Item** and edit one by tapping it; each item is saved with **Save** in its own sheet. The bin icon on a row deletes the item after a confirmation (past checks keep their own copy). To reorder, drag an item by the handle at its right edge, then tap **Save order** in the bar that appears — the new order is not saved until you do. To **rename** the template, tap the pencil icon in the title bar — the new name applies to lists and future editing only; checks already performed are unaffected.

To make a template the **default checklist for its machine type**, open it and tap the star icon in the title bar (**Set as default for type**). The app refuses while any item has no text in the working language.

An optional **item interval** in months can be recorded on an item. It is informational for now: it is shown on the item but does not yet change which items a check contains.

Each item can carry its text in **both** languages. You author in the organisation's **working language** first (the default language set in Settings → Certificate settings, §13.3a) — that field is **required**. The other language is **optional**: you can add it now or leave it blank. A German-first organisation therefore never has to type English it does not use.

> **If you leave the other language blank**
> The editor shows a small notice listing any items that have no text in the other language. That is not an error — the template still works. It only means a certificate issued in **that** language will be blocked at sign-off for those items until their text is added (§4.4). Certificates in the working language are unaffected.

10.2 Versioning

> **How template versions behave**
> Each check copies the template's items when it is started, so editing a template later never alters historical or in-progress checks. The template's version number goes up each time it is edited; the template itself is not frozen.
> Templates are archived, never hard-deleted. A checklist template assigned to a machine takes precedence over the type's default for that machine.

10.3 Archiving a template you no longer need

To remove a template from the list, open it, tap the three-dot menu at the right of the title bar and choose **Archive template**, then confirm. The template disappears from the Templates list and can no longer be chosen for machines or new checks. Past checks and certificates are unaffected: each keeps its own copy of the checklist.

- **Still in use?** Archiving is refused while the template is a machine type's default checklist or the checklist template of an active machine. The message names the reason: set another default for the type (the star icon, §10.1), or choose another checklist template on those machines, then archive.
- **Changed your mind?** Tap **Show archived templates** at the bottom of the Templates list, open the template and choose **Restore template** from the three-dot menu.
- **Unsaved item order?** Archive stays unavailable until you save or discard a changed item order.
- **Inactive machines** that use an archived template keep it. Their machine form shows it marked *archived*, and saving the form does not change it.

11. Work & travel → delivery notes

The work hours, travel time and travel distance an inspector records on the **Machine data & time** step (§4.3) are not collected on a separate screen any more. When the inspection is **finalised**, the app adds them to a **delivery note** (Lieferschein) automatically — the same figures, now on the document the customer signs for.

11.1 What happens at completion

- **One line per recorded figure** — work time in hours, travel time in hours (two decimals) and distance in kilometres (one decimal). Each line is headed by the name of the company profile's **default article** for work, travel or distance (§13.3), followed by *Inspection <machine type> <machine> – Certificate <number> – <date>*, so the invoice built later is already priced. If no default article is set, the line is created without an article at price 0 — set the price on the invoice. The delivery note itself prints no prices.
- **One note per visit.** If a draft delivery note already exists for the same customer, issuing company and day, the new inspection's lines are appended to it. A job with several machines ends with one note. Otherwise a new draft is created. A note that was already finalised is never changed — a later inspection on the same day starts a new draft.
- **The note stays a draft.** The completion screen offers **Delivery note: review and sign**: it opens the draft in the editor where you check the lines and **finalise** (this allocates the number, §12.4); then choose the three-dot menu → **Sign** to take the customer's **signature** on the device (§12.5). You can also do that later from the Billing tab, where the draft is listed like any other.
- **Nothing recorded, no note.** An inspection without work, travel or distance figures creates no delivery note. An inspection is never put on a second note.
- **Your edits stick.** If you remove an inspection's lines from the draft — say its travel is already on the sibling machine's line, or you replace the automatic lines with one agreed line — the app does not put them back. Only **voiding** the finalised note or **discarding** the draft frees its inspections, so a fresh note can be created for them.

11.2 If the note could not be created

Creating the note never holds up the inspection: the certificate is issued and the record locked first. If the note cannot be created (for example no company profile has been set up yet), the completion screen says so instead of showing the button, and the app **retries the next time the dashboard loads**. While an inspection is still waiting for its note, the **dashboard shows a warning** with the count and a **Retry now** button; it disappears once the note has been created. The attempt is recorded in the activity log. Inspections completed **before this version was installed** on the device are not turned into notes — only inspections finalised from then on.

> **Honest limitation**
> The automatic note is a convenience in the app, not an enforcement. Travel is recorded per inspection, so a visit covering several machines lists each machine's travel — remove the duplicates in the editor before you finalise. If two devices finalise inspections of the same visit before they have synced, each may hold its own draft note; both are visible in the Billing tab and either can be discarded. Any user can discard a draft note; voiding a finalised one needs the Billing permission.

11.3 Work & travel CSV export

The spreadsheet export of recorded work and travel is on the **Billing** tab → **Delivery notes** list: tap **Export CSV**. It covers the completed inspections in the list's date filter (the current month when no range is set), one row per inspection with its date, customer, machine, inspector, work hours, travel hours, distance and result, and hands the file to the share sheet (mail, Drive, Files…). If the share sheet cannot be opened, the app saves the file and copies its location to the clipboard. The CSV is injection-hardened (cells that could be read as formulas are neutralised). It is independent of the delivery notes themselves and available to every signed-in user.

12. Documents — quotes, delivery notes & invoices

The **Billing** tab (**Belege** in German; some messages in the app call it Documents) is where the office writes **quotes** (Angebote), **delivery notes** (Lieferscheine), **invoices** (Rechnungen) and **cancellation invoices** (Stornorechnungen). It follows the same offline-first rules as the rest of the app: everything is saved on the device as you work and syncs to the Drive store when connected. Documents are bilingual — each one is written in German or English, following the customer's document language.

The tab has three lists: **Quotes**, **Delivery notes** and **Invoices** (cancellation invoices appear under Invoices). Each list has a search box (number, customer or reference), status chips, a date range, a company filter when there is more than one profile, and **Clear filters**; **Load more** extends a list beyond its first 50 rows.

Every signed-in user sees the Billing tab and can write and sign **delivery notes**. Quotes, invoices, cancellation invoices and the article catalogue need the **Billing** permission, which administrators hold and can grant to an inspector (§13.6a); without it, quote and invoice drafts open view-only. Company profiles are edited with the **Organisation settings** permission (§13.3).

12.1 Before the first invoice: the company profile

An invoice must name its issuer in full. Open **Settings** → **Company profiles** (§13.3) and complete the default profile — name, address, UID number, and bank details if you want them in the page footer and the EPC QR code printed. Finalising an invoice is **refused** while the issuer's name, address or UID is missing (a small-business-exempt invoice may omit the UID; for that treatment switch on **Small business scheme** on the profile first). If you move over from another system mid-year, set the **number floor** per document type so numbering continues where you left off.

12.2 Creating a document

- **From the Billing tab** — open the Quotes, Delivery notes or Invoices list and tap **New quote** / **New delivery note** / **New invoice**. The editor opens with the default company; choose the **Customer** (and another **Issuing company** if needed) at the top. Without the Billing permission the button appears on Delivery notes only.
- **From a customer** — the **New quote / delivery note / invoice** buttons on the customer's detail screen (§8.2).
- **From a quote** — an open or accepted quote offers **Create delivery note** and **Create invoice**; the lines are copied (optional quote lines are left out) and the new document links back to the quote.
- **From delivery notes** — tick several open or signed notes of one customer and company in the list and tap **Create invoice from N delivery notes**: one combined invoice with a group per note and the service period spanning them. For a single note, open it and choose the three-dot menu → **Create invoice**. The invoice takes the customer's default **payment term** (else the company's) and its due date; the notes themselves carry none. The notes become **Verrechnet** (invoiced) when that invoice is finalised.

The result is always a **draft** (Entwurf) that opens in the editor. A draft has no number, can be edited or discarded freely, and can be shared only as a preview that shows a red *Entwurf / Draft* in place of the number.

12.3 The editor

> **A new document needs a customer before it is saved**
> **Choose the customer first.** A new document is stored only once it has a customer. From then on every change is saved on the device within a moment, and the editor flushes before Preview, Finalise and Back. If you leave a new document before choosing a customer, nothing is kept and the app does not warn you.

Add customer beside the Customer field creates a customer without leaving the editor. The fields depend on the type:

- **Document date** (not in the future), **reference** / order number, and the customer's **document language** and **VAT treatment** (standard; reverse charge for construction services § 19 Abs. 1a or general § 19 Abs. 1; intra-Community supply Art. 6 Abs. 1; small-business exemption § 6 Abs. 1 Z 27; export; other exemption with your own reason text).
- **Quotes**: a **valid-until** date. **Delivery notes**: the **delivery date** (required). **Invoices**: the **service date or period** (required by § 11 UStG) and **Delivery note number(s)**, filled in automatically when the invoice is built from delivery notes.
- **Payment term** on quotes and invoices: 8, 14, 21 or 30 days net, On receipt, or No payment term. An invoice's **Due on** date follows from it and can be adjusted by hand. A cancellation invoice has no payment term, and its company and customer are fixed.
- **Opening and closing text**, filled in once when the document is created, from the profile's texts for that type and language (or the built-in wording); **internal notes** that are never printed. If you change the document language afterwards, check the opening and closing text — it is not replaced.
- **Lines**: **Add from article** (name, unit, price and VAT rate are copied, then editable) or **Add free text**. Each line has a description, quantity (up to three decimals), unit, net unit price, an optional discount in %, a VAT rate, an optional machine and an optional note; delivery-note lines have no price, discount or VAT fields. Quotes can mark a line **optional** (printed, not totalled); combined invoices show a **group label** per delivery note. Drag to reorder.
- The **totals** (net, VAT per rate, gross) update live; amounts are calculated in cents and rounded half-away-from-zero per line and per VAT group.

> **VAT treatment is your decision**
> Choosing a reverse-charge or exempt treatment forces every line to 0 % VAT and prints the corresponding statutory note on the document (English documents print the English wording with the German original beneath). Reverse charge and intra-Community supply require the customer's UID (a non-Austrian one for intra-Community supply). The app checks these rules; it does **not** tell you which treatment applies.

12.4 Finalising: number, snapshot, PDF

Finalise (Fertigstellen) checks the document and, if everything is in place, allocates its **number** and locks it. Numbers have the form **YYYYNNNN** — the year of the document date followed by a sequence that restarts each year and runs separately per **company profile** and per **type** (quotes, delivery notes, invoices and cancellation invoices each have their own sequence). The next number is the highest one already issued plus one, or the configured floor.

Finalising is refused — with a list of what is missing. **Every document** needs a customer name, a document date that is not in the future, and at least one line that is not optional; every line needs a

description, a quantity other than zero and a price that is not negative; a delivery note needs its delivery date.

Invoices and cancellation invoices are additionally refused when: the issuer's name, address or UID is incomplete; the customer has no usable address; there is no service date or period, or the period ends before it starts; the gross total exceeds € 10,000 and the customer has no UID (§ 11 Abs. 1 Z 2 UStG); a UID does not have a recognisable format; a reverse-charge or intra-Community document lacks the customer's UID, or an intra-Community supply the issuer's; a non-standard treatment still has lines with VAT; the small-business treatment is chosen but the profile's **Small business scheme** switch is off; an “other exemption” has no reason text; or the company profile has been archived.

- At finalisation the document **snapshots** the issuer (from the company profile) and the recipient (from the customer record). Later edits to the profile or the customer never change an issued document.
- A finalised document is **write-once at the application layer**: the app refuses every edit to it, locally and when another device's change arrives through sync. Corrections are made by **cancellation invoice** or **void** (§12.5), never in place.
- The **PDF** is rendered right after the record is locked. If rendering fails (for example the app is closed at that moment) the document stays finalised and numbered and is marked **PDF pending**. Opening the Billing tab retries it for every user and shows a notice with **Retry**; users with the Billing permission also see a red card on the Dashboard until it succeeds. The finished PDF is filed in the Drive store under /documents/‹company›/‹year›/ and its hash is stored on the record.
- On a second device a quote, delivery note or invoice renders **without the logo or banner** if that image has not yet synced to the device; sync first when the header matters. (A certificate in the same situation stays pending until the image arrives.)

> **Invoices finalise online**
> In Connected mode the app **syncs first** before it finalises an invoice or cancellation invoice, so the number it allocates is based on the freshest data this device can see. If the store cannot be reached, finalising an invoice is refused and the app asks you to connect and sync, then try again — finalise it when you are back online. Quotes and delivery notes finalise offline. Even so, two devices finalising while apart can still issue the same number; this is detected afterwards, see §12.7.

12.5 Statuses and what you can do next

Type	Statuses	Actions
Quote	Draft (Entwurf) → Open (Offen) → Accepted (Angenommen) / Rejected (Abgelehnt); Void (Ungültig)	Accept or reject; create a delivery note or an invoice from it (open or accepted); void with a reason.
Delivery note	Draft → Open → Signed (Unterschrieben) → Invoiced (Verrechnet); Void	Sign on the device (customer signature with name, or record that the customer could not sign and why); combine into an invoice; void while open and unsigned.
Invoice	Draft → Open → Paid (Bezahlt); Cancelled (Storniert); Void	Mark paid (date, method, note); cancel with a cancellation invoice; void only while unshared.
Cancellation invoice	Draft → Open	Terminal — it cannot be cancelled or voided itself.

The English interface shows the English status names, the German interface the German ones. The actions are in the three-dot menu of an open document. **Mark sent** (your own attestation that you sent it) is available on every finalised document that is not void, for users with the Billing permission. The document view also lists its linked documents, signatures and activity, and when it reached the shared store, was shared from the app or was marked sent.

- **Signing a delivery note** (or accepting a quote by signature) adds a dated recipient signature (or the recorded waiver) and re-renders the PDF with the signature image above the recipient line; the previous PDF is kept. Signed and invoiced notes can no longer be voided. If you record that the customer **could not sign**, the reason is stored, the note stays Open (so it can still be voided) and no signature can be added afterwards. A device that has the signature record but not yet its image keeps the document **PDF pending** rather than produce a PDF with an empty signature box; it renders after the next sync brings the image.
- **Mark paid** records the payment date, method (bank transfer, cash, card, other) and a note. Paying by cash shows a reminder that this app is **not a cash register**: an RKSV-compliant receipt must be issued from a registered cash register where the law requires one.
- **Cancellation invoice** (Stornorechnung): the correct way to undo an invoice that has been shared or paid. It is a new numbered document with the negative amounts and the original's issuer and recipient, states the reason, links to the original and sets it to **Cancelled / Storniert** when finalised. **Cancel invoice** asks for a reason and your password and opens the cancellation invoice as a **draft**; the original changes only when you finalise that draft. Issue a corrected invoice afterwards as a new document.
- **Void** (Ungültig) is for a document that was never sent — it needs the Billing permission, a reason and your password, and the PDF is re-rendered with a VOID banner. The record and its number are retained; the number is not reused. The app refuses to void an **invoice** that was shared or printed from the app; for quotes and open delivery notes it does not check, so void them only if they never left the building.
- **Discard** removes a draft (and only a draft) after confirmation. Any user can discard a draft delivery note.

12.6 Preview, share and print

Every document opens a **PDF preview**. Drafts preview with a red *Entwurf / Draft* in place of the number. Finalised documents show the stored PDF (verified against its stored hash). **Share / print** hands the PDF to another app — e-mail, messenger, printer — under a file name like *Rechnung_20260042.pdf*; the document records that it was shared. For an invoice or cancellation invoice the **Share / print** button stays disabled until the record has synced to the Drive store once, so no number leaves the device before every other device can see it (immediate in Demo mode) — a **Sync now** button appears beside it while it waits. The button is also disabled while a number collision affects the document, for a voided document, and while the PDF is still pending.

The printed invoice carries everything § 11 UStG asks for — issuer and recipient, number, date, service period, quantities and descriptions, net amounts per VAT rate, VAT amounts, gross total, the issuer's UID and, where required, the customer's UID and the statutory note for the treatment — plus the payment term and due date. Bank name, IBAN and BIC print in the page footer when the profile's footer lines are empty (§13.3); a finalised invoice with a positive total also carries an **EPC QR code** (if the profile has an IBAN) that banking apps scan to pre-fill the transfer.

12.7 Number collisions between devices

Google Drive cannot reserve a number for one device. If two devices finalise, say, an invoice each while both are offline, both can allocate the same number. When the records meet during sync the app **detects** the duplicate: a red banner appears on the Dashboard and in the Billing lists, both documents are marked, and neither can be shared or printed — nor is either filed to /documents/ in Drive — until it is resolved. The app never renumbers a document by itself — a number that has been printed must not change silently. To resolve it, decide which document stands, **void** the other and issue it again; the new number continues after the highest in use. Finalising invoices online (§12.4) makes this rare, not impossible.

> **Honest limitation**
> In the current version only a **void** lifts the block. If the document to withdraw was already shared it can only be cancelled with a cancellation invoice, and the collision notice then stays on both documents. If that happens, keep the paperwork of both and speak to your administrator.

> **Honest limitation**
> Numbering across devices is detected after sync, not prevented. Unlike certificate numbers, document numbers carry no device prefix because Austrian practice expects one consecutive sequence per company; the pre-finalise sync, the share gate and the collision banner are the mitigations.

12.8 What the documents feature does not do

- It does **not** verify UID numbers (no VIES query) and does not decide the VAT treatment.
- It is **not** a cash register under the RKSV — cash receipts are not signed, chained or exported as DEP.
- It produces PDF only — **no** ebInterface / UBL e-invoice, no accounting (BMD) export.
- Numbered documents are write-once *by the app's behaviour*; nothing in the Drive store is tamper-evident.
- Retention (§ 132 BAO, seven years) and the handover to your accountant remain operator tasks; the PDFs live in the Drive store under /documents/.

13. Settings

Settings holds your profile, the language toggle, the Google/Drive connection, sync status and the administrator tools. What you see depends on your role and on whether the app is in Connected or Demo mode. Since v4.1.0 the screen is grouped under headings — **Account**, **Appearance & language**, **Sync & Drive**, **Security**, **Administration** (now including **Company profiles**, **Articles** and **Certificate settings**), **Help & about** and **Danger zone**. For a user who holds no administrator permission, the Administration tiles are folded into one collapsed **Administration** entry (branding and the audit log stay viewable; locked tiles explain why when tapped). **Help & about** shows the app version and company and holds the **Privacy policy**, the **User manual** and **Show the introduction again** (§2.7). **Delete my account** lives in the Danger zone with the other irreversible actions; in a “Try the demo” session the Danger zone holds **Exit demo and erase sample data** instead (§2.0), and the Security group, Change my password and Delete my account are hidden.

13.1 Profile and language

The top card shows your name, email and role. Below it, the **Language** toggle switches the app's interface between **English** and **German**, taking effect immediately. This is a per-**device** preference: it applies to everyone who signs in on that device. A freshly installed app starts in German on a German-language device and in English otherwise.

> **Interface language vs certificate language**
> The Language toggle here changes only what **you** see on screen. The language a **certificate** is printed in is a separate setting that follows the **customer** (§8.1) and can be adjusted per check on the summary screen until it is signed (§4.4). So an English-speaking inspector can still produce a German certificate, and vice versa.

13.2 Appearance — light & dark mode

The **Appearance** control sets how the app looks on **this device**: **System** (follow the device's own light/dark setting), **Light**, or **Dark**. It takes effect immediately.

Appearance is a per-device preference — it is not synced to your other devices, and it has no effect on certificates or exports, which always render the same way regardless of the theme you use.

13.3 Company profiles (Admin / Organisation settings)

Company profiles (Firmenprofile) describe the companies you issue certificates and documents under. Every store has one **default profile**; until an administrator edits it, it carries the organisation's certificate company name and logo, so existing certificates look exactly as before. Add further profiles when you invoice from more than one company. Everyone can view the profiles; editing them needs the **Organisation settings** permission, which administrators hold (the Billing permission alone shows them read-only). The list has an **Add company profile** button, an icon to show archived profiles, and a three-dot menu per profile with **Set as default** and **Archive**. A profile holds:

- **Display name**, legal name, street, postcode, city, phone, e-mail and **UID number** — the issuer block of every document, and what § 11 UStG requires an invoice to show.
- **Bank name, IBAN and BIC** — printed in the page footer of documents when you leave the footer lines empty (if you write your own footer lines, include the bank details there). With an IBAN, a finalised

invoice with a positive total also carries an **EPC QR code** that banking apps scan to pre-fill the transfer. The IBAN is checked for format and check digits as you type, the BIC for its 8- or 11-character format.

- **Website**, **company register number**, **register court** and **country code** — stored, but not printed automatically; add them to the footer lines if they must appear.
- A **logo**. Any image from the gallery works: a large photo or graphic is **scaled down automatically** (to 1200 px, 1 MB) rather than refused, and a message tells you the new size; an image already within those limits is stored unchanged, and a file the device cannot read as an image is refused. Each image row has **Upload** and, once set, **Remove**; the form shows a short code for the stored image, not a preview — use a document preview to see the result.
- **Logo size on documents** — Small, Medium or Large. On quotes, delivery notes and invoices the logo is fitted into a 55 × 13, 85 × 20 or 115 × 28 mm box. The same choice enlarges the logo on certificates: about 12, 18 or 25 mm high, and at most 85 mm (Medium) or 110 mm (Large) wide. The logo is never cropped or stretched.
- A **banner image** — letterhead-style artwork printed **across the full width at the top** of every page of quotes, delivery notes, invoices and inspection certificates (up to 30 mm tall, fitted). Upload it separately from the logo (scaled to 2400 px, 1 MB). The image keeps its proportions, so artwork that is not as wide as the page leaves room beside it — choose its **position** (left, centred or right) with the three alignment buttons that appear under the banner image once one is set. On quotes, delivery notes and invoices a banner image can stand alone. On certificates the title row always carries a logo: without your own, the built-in HDX logo prints under the banner — upload a logo if you do not want it.
- A **banner tagline** (the slogan) — text printed in a coloured strip under the header of quotes, delivery notes and invoices; leave it empty for no strip. The **banner colour** is a hex code such as #0E5BD8; left empty, the strip uses the certificate accent colour. Once a tagline is typed, three buttons set its **alignment** (left unless you change it).
- The **certificate accent colour** — one of eight preset colours for the certificate's rule and headings.
- **Footer lines** — one per line, as many as you need (three or four fit comfortably), with an **alignment** (centred unless you change it) for documents. With no footer lines, documents print an automatic footer: name and address, phone and e-mail, bank, IBAN, BIC and UID. On certificates the footer lines replace the standard closing note under the declarations and stay left-aligned; leave them empty to keep the standard note. Documents and certificates already issued keep the alignment and position they were issued with.
- **Small business scheme** (§ 6 Abs. 1 Z 27 UStG) — switch it on before issuing small-business-exempt invoices; without it such an invoice is refused. Whether the scheme applies to you is for your tax adviser.
- **Signatory** name and title and an optional stored **issuer signature**, printed on **quotes** only. Delivery notes, invoices and cancellation invoices carry no issuer block.
- **Default payment term** and **default document language** for new documents.
- **Number floors** per document type and year — the first number to issue when you move from another system mid-year (e.g. continue at 2026 0231). They are available once the profile has been saved, and each is stored at once with **Save floor** (a four-digit year and a first number of at least 1). A floor cannot be removed, only overwritten, and one below the highest number already issued has no effect.
- **Default articles** for work, travel and distance, attached to the lines the app adds to a delivery note when an inspection is finalised (chapter 11) — and so to the invoice combined from those notes.

- **Text templates** — default opening and closing wording per document type and language. The fields start empty, which means the built-in wording is used; type your own to replace it. Delivery notes have no built-in text.

When a check is started on a store with more than one profile, the start sheet asks which profile it is for; the profile is frozen onto the check at finalisation, and documents likewise snapshot the issuer at finalisation (§12.4). Profiles are never deleted. A profile can be **archived** only while no document, article or inspection refers to it and it is not the default; the app says which applies. An archived profile cannot issue documents and cannot be restored in the app, so archive only a profile created by mistake. Two devices setting different defaults while offline produce a **default conflict** banner that is resolved by confirming one.

13.3a Certificate settings (Admin)

Certificate settings (Zertifikatseinstellungen, formerly “certificate branding”) keeps the process settings for PDF certificates; the company identity, logo and colour now live on the company profile above. An administrator (or an inspector granted Organisation settings) opens it from Settings; other inspectors can view it but not change it. From here you can set:

- The **default language for new customers** (Deutsch or English), which is also the working language for checklist templates (§10.1).
- How many **photos per item** appear on the certificate (1–20; extra photos stay on record and are noted).
- Whether to **include the photo section** and the **per-item notes** on certificates at all.
- Optional **inspector** and **customer declaration** wording.

The certificate **footer** is no longer set here: it is the company profile's footer lines (§13.3).

> **Branding is snapshotted per certificate**
> Branding is captured onto each check **when it is finalised**, so changing branding here only affects **future** certificates — certificates already issued keep the branding they were issued with. Every change is recorded in the audit log.

> **Override text is bilingual or not at all**
> If you override a declaration, you must supply it in **both** English and German (or neither); each may be up to 1000 characters. This keeps a German certificate from falling back to English wording. The editor shows the error under the field as you type and will not save until it is fixed.

13.3b Articles (Admin / Billing)

Articles (Artikel) is the catalogue of services and materials you put on documents. Each article has an **article number** (the next free one is suggested), a German name and description (English optional — the German is printed when no English exists), a **unit** (hour, litre, kilogram, flat rate, piece, metre, kilometre, day or month), a **category**, the net **sale price** with a gross preview, an optional purchase price, the **VAT rate** (20 %, 13 %, 10 %, 0 %), a service / material flag, optionally the one company profile it is restricted to, and optionally a linked machine that is pre-selected on the line. Search and category chips filter the list. Articles are never deleted: **archive** one you no longer use (Archive in the title bar); it stays on existing documents and can be restored. If two devices gave the same article number to different articles while apart, a red notice names the numbers after sync; renumber one.

13.4 Connecting Google and setting the Drive store (Admin)

In Connected mode, an administrator links Google and points the app at the shared folder:

1. Under **Google account (Drive access)**, tap **Connect** and complete the Google sign-in. (This grants Drive access only; it is not your app login.)
2. Under **Drive store**, either tap **Set up Drive store automatically** to create or find an “HDX Inspect Data Store” folder in your Drive, or tap the Drive store row (pencil icon) to paste a **Drive folder id**. The store is validated when you save it.

If your Drive holds several folders named “HDX Inspect Data Store”, automatic set-up stops and asks you to remove or rename the duplicates, or to set the store by its folder id.

Once Google is connected, the account tile shows an overflow (■) menu with two more actions:

- **Switch account** — clears the connection on this device and re-opens the Google account chooser so you can connect a **different** Google account. The configured Drive store is left in place.
- **Disconnect** — revokes Google Drive access on this device and clears the connected account (after a confirmation). Your Drive files are **not** deleted; the device simply stops syncing until an account is connected again.

> **Adding a device, not starting over**
> When you are bringing an **additional** device online, connect the **same** Google account and point it at the **same** store the office already uses — automatic set-up will find the existing folder, or paste the existing folder ID. Pointing a new device at a different account or folder gives it a separate, empty dataset. The full step-by-step is in §2.2.

> **Switching stores is confirmed, never silent**
> **Set up Drive store automatically is a set-up action, not a repair.** If this device already has a Drive store, it first *looks* for the standard folder. If it finds a **different** one — or none, so a new, empty one would have to be created — the app stops and asks you to confirm the switch before anything is created or saved, naming the folder IDs. Switching publishes this device's data into the other folder and ends syncing with the current store and the devices that use it — only confirm if you deliberately want a new, separate shared store. Choosing **Cancel** changes nothing, in Drive or on the device. If sync is failing, use **Re-check Drive store** (shown once a store is set): it verifies the configured folder is reachable, reconnects the Drive client and syncs again without ever changing the folder; or read the error under **Details** (§17).

If Google returns a configuration error, a diagnostic banner explains it (for example, the Drive API not being enabled, or a misconfigured OAuth client) and shows the address of the right page in the Google Cloud Console as text you can copy — including this build's package name and signing fingerprint where relevant.

13.5 Sync status and conflicts

The **Synchronisation** row shows when the device last synced and how many operations are pending; anyone can tap **Sync now** to push and pull immediately. If the last sync failed, a **Details** button opens the full error text, and a banner under the app header also reports a sync error or conflicts that need a decision until you dismiss it; tapping the sync badge in the header opens the same place. If two devices changed the same record while apart, the change lands in **Sync conflicts**, which any signed-in user can open. Each conflict shows the record, when it was detected and, field by field, the value on **This device**, the **Incoming** value and what it **Was**; a deletion that met an edit is flagged in red. Choose **Keep this device** or **Keep incoming** and confirm: the chosen version replaces the other on every device at the next sync, and this cannot be undone. Concurrent edits to *different* records merge automatically; same-record edits wait here for a human, so a change is never silently overwritten.

13.6 Accounts & devices (Admin)

Accounts & devices is the admin registry of app logins and trusted devices. (Everyone also has a **Change my password** tile in Settings for their own login — see §2.4.)

- **Accounts** — **create an account**: enter the username, name, optional email, the role (Inspector or Admin — it cannot be changed later) and a **temporary password of your choosing** that meets the password policy, and pass it to the user yourself; they must replace it at first sign-in. **Edit a name** (fix a typo in someone's display name — your admin password is required, and the change syncs to every device); **reset a password** by typing a new temporary one; deactivate / reactivate an account; or **delete** an account outright. **Deactivate** keeps the account (it just can't sign in); **Delete** removes it permanently and syncs that removal to every device. Either way, the person's past inspection records and certificates are kept — deletion removes the login, not the work. You cannot deactivate or delete the last active admin, nor deactivate your own account (the app blocks it), and you delete your *own* account from Settings, not here (§2.4). Each row is tagged active / inactive, and shows when the user must still change their password and how many permissions they hold.
- **Permissions** — grant an inspector individual admin capabilities (see §13.6a below).
- **Devices** — each install registers itself when a user signs in, and appears with a platform name (for example *Android tablet*, *iPhone*, *Windows PC*) and a device code (used in certificate numbers). The device you are currently using is listed first and badged **This device**. Each row shows when that device was **last seen**. An admin can mark a device **untrusted** and trust it again; today this is a label in this list only.

> **Why another device may take a few minutes to appear**
> A newly signed-in device publishes itself on its next sync, and other devices pick it up on their next sync — so a device (or a newly created account) can take a short while to show up everywhere. The name is the platform only, never your hardware model, so two devices of the same kind share a label and are told apart by the code and the **This device** badge.

> **Best practice — create each account once**
> Give every person a single account here and have them use it on all of their devices (including offline). Don't create a separate account per device for the same person: accounts are keyed by a hidden id, so a duplicate is a distinct login that doesn't share the original's history. When setting up a new device, let the existing accounts sync down rather than re-creating them (§2.2).

> **Honest limitation**
> Marking a device **untrusted restricts nothing**: it does not block the device, does not appear on the Dashboard and does not flag its data. Deactivating an account stops sign-in on a device once that device has synced the change. A fully offline device cannot be cut off remotely — there is no server and no remote wipe. To cut a device off, remove its Google account's access to the Drive store.

13.6a Per-user permissions (Admin)

On an inspector's row, the menu has a **Permissions** entry that opens a set of toggles. Each toggle grants that inspector one area of the admin surface; turning **all** of them on gives them the same in-app abilities as an administrator, without changing their role. Saving requires your admin password.

Permission	What it grants
Bookings & planning	Create, edit and cancel bookings (and the dashboard's New booking button).
Customers & machines	Create and edit customers, machines and machine types.
Templates	The Templates tab: author and edit checklist templates.
Certificates: void & supersede	Void or supersede finalised certificates (password re-confirmed per action).
Billing	Quotes, invoices and cancellation invoices (create, finalise, mark paid, cancel, void), the article catalogue, the customers' billing details and the dashboard's billing tiles. Delivery notes need no grant — every signed-in user can write and sign one.
Accounts & devices	Manage user accounts and device trust — including granting these permissions to others.
Organisation settings & device administration	Google Drive connection and store, company profiles, certificate settings, data retention and the device wipe.

- Changes take effect at that user's **next sign-in on each device** (after the change has synced there).
- Nobody can change their **own** permissions — not even an admin (an admin already has everything).
- The permission toggles only appear on inspector rows; administrators always hold every capability.
- The app still requires at least one active **administrator account**: a fully-granted inspector does not count as the last admin for the deactivate/delete safety guards.

> **Honest limitation**
> Permissions are an application-layer convenience, exactly like the admin/inspector role itself. Anyone with access to the Google Drive store can read or change all underlying data regardless of these toggles — and an inspector granted *Accounts & devices* can manage accounts, so treat that grant as equivalent to making them an admin.

13.7 Audit log

Audit log is a read-only record of significant actions (creates, updates, sign-offs, finalisations, voids, supersedes, exports, distributions and conflict resolutions). It lists the 200 most recent entries, newest first: the kind of record and the action, the time, the acting account's internal id and any detail. Any signed-in user can view it. It is held on the device and included in the synced dataset for a consolidated view.

> **Honest limitation**
> The activity log is **best-effort integrity**, not a tamper-evident trail. The synced log file is itself editable by anyone with Drive access. A hash chain is checked each time the screen opens and a red warning names the first affected entry if it does not verify; that detects accidental corruption and casual tampering, but the log must never be treated as court-grade or tamper-proof.

13.8 Danger zone

In Connected mode everyone sees a red **Danger zone**. **Delete my account** is available to every user (§2.4). The data-retention controls and the device wipe need the **Organisation settings** permission (administrators have it); for everyone else they are shown locked and explain why when tapped. The destructive actions require re-entering your password.

Retention period

Retention period sets how long finalised records are kept before an admin can purge them. The default is **Keep forever** — nothing is ever deleted automatically; retention is strictly opt-in. You can choose 1, 2, 3, 5, 7 or 10 years (**7 years** is marked as the recommended value for Austrian record-keeping) or switch back to keep-forever at any time. Setting the period deletes nothing by itself.

This setting is stored **on this device only** — it does not sync, so set it on the device an admin will run the purge from. (The purge's deletions, by contrast, do sync to every device.)

Retention purge

Once a retention period is set, **Delete records past retention** lets an admin purge finalised checks older than the period. The app shows how many records will be removed, asks for your password, then deletes and syncs the change to **all** devices, which remove the purged checks' photos and PDFs from their own storage at their next sync. Customers, machines and the audit log are not affected, and each purge is recorded in the audit log. If no period is set the action is disabled with a hint; if nothing is old enough, the app says so and deletes nothing.

Wipe this device

Wipe this device deletes the local database on this device, destroys its encryption key and signs this device out of Google. If there is unsynced work, the app lists what would be lost and stops: cancel and sync first, or choose **Force wipe** to lose it. After a successful wipe a final screen offers **Close app**; reopen the app to start fresh.

> **Honest limitation**
> The wipe removes the database and its key. Photos, signatures and PDFs already saved as **files** on the device are **not** removed by it — uninstall the app or clear its storage to remove them.

Important — read this

A device wipe is local-only and cannot be undone. It removes this device's copy and its key; it does **not** delete anything from the Google Drive store. It signs the device out of Google but does not withdraw the access that Google account has to the Drive store — that is a separate step an administrator performs in Google. Always let unsynced work sync before wiping.

14. Working offline & how sync works

HDX Inspect is built to work without a signal. Everything you do — inspections, bookings, customer and machine edits — is saved to the device immediately and queued for sync. When the device next reaches Google Drive, the queued changes are published and everyone else's changes are pulled in.

- **Nothing is lost to a flat battery or a dropped connection.** Captured work is durable locally before the app confirms it, and stays in the device's queue until it is confirmed merged into the shared store.
- **Multi-writer sync.** Any device can publish; the app uses numbered revisions behind a single committed pointer so readers never see a half-written dataset and a lost race is always recoverable.
- **Conflicts are surfaced, not hidden.** Same-record edits made on two devices wait in Sync conflicts for a person to choose (§13.5).
- **Store problems fail loud.** A missing or unwritable store, a full Drive quota, or expired Google access block sync visibly and prompt you to fix them — sync never silently does nothing.
- **Sync retries itself.** A momentary drop, a stale Drive listing (“File not found” for a file that was just removed) or an expired Google token is retried inside the same sync; if a sync still fails, the app re-tries every few minutes while something is owed — a failed sync, unpublished work, or no completed sync yet in this session — and again as soon as the device is back online. A device with nothing to publish does not re-publish on a timer; every few minutes it only checks whether another device has published and, if so, pulls that in — records and the photos, signatures and PDFs they reference. Files another device has not finished uploading yet are fetched on a later check without any further action.

Sync early and often

Two things depend on syncing, so **sync early and often**:

• If a device is lost or destroyed before it ever syncs, work captured only on it is gone — encryption does not help here. The fix is to keep the offline window short.

• There is currently **no limit** on how long a device may work offline: checks can be finalised without ever syncing. A 7-day offline window is planned but not active, so keeping the offline period short is a matter of discipline. (Invoices are different: they finalise only right after a successful sync, §12.4.)

• Sync runs only while someone is signed in (§2.6).

Honest limitation

Google Drive revision history is not a backup. A periodic copy of the head revision, binaries and certificates to a second location is an operator responsibility (§16).

15. Roles & permissions at a glance

Task	Inspector	Admin
Sign in, change own password	Yes	Yes
View bookings, machines, customers, reports	Yes	Yes
Perform a check, capture readings/photos, sign	Yes	Yes
Annotate a photo; set a check's certificate language	Yes	Yes
Set light / dark appearance (own device)	Yes	Yes
View and distribute certificates	Yes	Yes
See reminders (due / overdue)	Yes	Yes
Start a new check from the Dashboard or a machine	Yes	Yes
Resolve sync conflicts; start a sync (Sync now)	Yes	Yes
View the audit log	Yes	Yes
Set up Face ID / fingerprint or PIN sign-in	Yes	Yes
Delete own account	Yes (+ password)	Yes (+ password)
Create / edit customers, machines, machine types	—	Yes
Create / edit checklist templates	—	Yes
Edit company profiles (logo, colour, bank details) and certificate settings (wording, photos)	—	Yes
Create / edit bookings	—	Yes
Void or supersede a certificate	—	Yes (+ password)
Manage accounts & device trust	—	Yes
Connect / switch / disconnect Google; set the store	—	Yes
Export the work & travel CSV (Billing → Delivery notes)	Yes	Yes
Write, finalise and sign a delivery note; view and share documents	Yes	Yes
Write and finalise quotes and invoices; mark paid; cancel / void; articles	—	Yes
Set the retention period (per device)	—	Yes
Retention purge / wipe device	—	Yes (+ password)

Inspectors can see some admin entries in Settings, but they are locked and say that only an administrator can use them. An inspector granted a permission from §13.6a gains the matching “Admin” column entries for that area.

16. Important notes & honest limitations

HDX Inspect is a net improvement on the paper process it replaces, and it is deliberate about what it does **not** guarantee. Because there is no central server, several protections you might assume are simply not claimed. Please read these.

- **Drive access is the real boundary.** In-app roles only shape the UI. Anyone granted access to the Drive store can read or change all underlying data regardless of role. Manage Drive sharing carefully.
- **Records are not tamper-proof.** Files in Drive can be edited or deleted by anyone with store access, like a paper record. Finalised checks are write-once *by the app's behaviour*, not enforced by storage. The audit log is best-effort integrity, not a tamper-evident trail.
- **Distribution is handoff, not delivery.** The app records that a report was handed off (and your attestation that you sent it); it cannot confirm a recipient received it.
- **Encryption protects a lost or stolen, locked device.** It does not defend against someone using an unlocked, signed-in device, and it has nothing to do with Drive-access exposure. There is no remote wipe.
- **A wipe is local-only.** It never deletes Drive-side data; revoking a device's Drive access is a separate operational step. It removes the database and its key, not the photo, signature and PDF files already saved on the device (§13.8).
- **“Untrusted” is only a label.** Marking a device untrusted blocks nothing (§13.6), and there is no limit yet on how long a device may work offline (chapter 14).
- **The app sends no e-mail.** Certificates and documents leave the device only when a person shares or prints them.
- **Backups are the operator's job.** Drive revision history is not a backup; arrange a periodic copy to a second location.
- **Credentials live in the shared file.** Accounts are hashed with a strong algorithm, but anyone with Drive access can copy the file and attempt offline cracking — which is why strong passwords are required.
- **Invoices: the app checks, it does not certify.** It blocks finalising an invoice whose § 11 UStG mandatory contents are missing, but it does not verify UIDs against VIES, does not choose the VAT treatment (you do — reverse charge, intra-Community supply and exemptions are your call), is **not a cash register** under the RKSV (cash receipts are not signed or chained — see §12.5), produces no structured e-invoice, and keeps documents write-once *by the app's behaviour* only. Retention under § 132 BAO and your accounting process remain the operator's responsibility.
- **Document numbers are detected, not reserved.** Two devices that finalise invoices while apart can issue the same number; the app spots this after sync, blocks sharing the affected documents and shows a banner — it never renumbers silently (§12.7).

> **Honest limitation**
> If a stronger guarantee — tamper-evidence, or access control that a user cannot bypass — is ever required (for example by an inspection regulation), it needs a small server-backed component. The current design is appropriate where that is not required, and is honest about the difference.

17. Troubleshooting & FAQ

The Share / print button on an invoice is disabled.

- A finalised invoice or cancellation invoice can be shared only after its record has reached the Drive store (so every device sees the number). Wait for the sync indicator, or tap **Sync now** beside the button; in Demo mode this is immediate.
- A document whose number collides with one issued on another device cannot be shared until the collision is resolved (§12.7).
- A voided document is not shared, and the button waits while the PDF is still pending.
- Drafts can always be shared — as previews marked Entwurf / Draft, with no number.

Two invoices have the same number.

Two devices finalised while offline. The app does not renumber: decide which document stands, **void** the other and re-issue it; the next finalisation continues after the highest number in use. Only a void lifts the block in the current version (§12.7).

My new quote (or invoice) disappeared.

A new document is stored only once it has a **customer**. If you left the editor before choosing one, nothing was kept. Choose the customer first, then enter the lines (§12.3).

Where are my bank details on the invoice?

They print in the page footer when the company profile's footer lines are empty. If you wrote your own footer lines, add the bank details to them (§13.3). The EPC QR code appears on finalised invoices with a positive total when the profile has an IBAN.

There is an HDX logo on my certificate.

A certificate's title row always carries a logo. If the company profile has none — even when it has a banner image — the built-in HDX logo is printed. Upload your own logo on the profile (§13.3).

I have the Billing permission but cannot edit the company profile.

Company profiles are edited with the **Organisation settings** permission, not Billing. Ask an administrator to grant it, or to make the change (§13.3, §13.6a).

I can't sign in.

- Check the username and password. After five wrong passwords in a row the account is locked on that device for 15 minutes.
- If you were given a temporary password, the first sign-in forces you to set a new one.
- If your account was deactivated, an administrator must reactivate it (Settings → Accounts & devices).

I forgot my password.

Ask an administrator to reset it in **Settings** → **Accounts & devices** → **Reset password** on their device. They will give you a temporary password to change at your next sign-in. There is no self-service reset — there is no server to send a reset email. If the reset was made on another device, tap **Trouble signing in?** → **Check for account updates** on the sign-in screen so the reset reaches your device (§2.3).

How do I delete my account?

Open **Settings** → **Danger zone** → **Delete my account**, read what it explains, and confirm with your password. Your login is removed from every device and you are signed out; the inspection records and certificates you created stay with the organisation. It cannot be undone. If you are the last active administrator, a second administrator account must be created first (an inspector cannot be promoted). An administrator can also delete another person's account from **Settings** → **Accounts & devices** (§13.6).

How do I set up a second device, or use the same account on more than one device?

- You don't copy or recreate accounts. On the new device choose **Join an existing store**, connect the **same** Google account and Drive folder, let the existing accounts and data sync down, then sign in with your normal account. The full procedure is in **§2.2**.
- One account can be used on as many devices as you like, including offline — each device just needs to sync with the shared store. Re-creating an account with the same username on another device makes a **different** account, not the same one.

The sync badge is red / sync isn't working.

- On **Settings** → **Synchronisation**, tap **Details** (shown when there is an error) to read it. It starts with the step that failed (*pull*, *download binaries*, *file certificates*, *push* …) followed by what Drive answered.
- A brief network hiccup is retried automatically (a few times, with a short pause) before the badge turns red, so a momentary drop usually clears itself — and it keeps retrying every few minutes after that, and as soon as the device is back online.
- Common causes of a persistent red badge: no internet (it retries when back online); the Drive store is unreachable or not writable; the Drive quota is full; Google access expired and must be reconnected by an admin; or nobody is signed in — sync runs only while someone is.
- To reconnect a device whose store is fine, use **Settings** → **Drive store** → **Re-check Drive store**: it verifies the configured folder, reconnects the Drive client and syncs again without changing anything.
- Do **not** use **Set up Drive store automatically** to clear a sync error on a device that already has a store. It is a set-up action: if it finds a different folder, or none, it would move this device to a separate store (the app now asks before doing so — see the next question).
- Your work is safe locally and will sync once the problem is resolved.

Sync says “File not found: …” — but the Drive store is still there.

- Google Drive's folder listings lag a little behind deletions: a file that another device (or this one, on its previous sync) just removed can still be listed for a moment, and reading it then answers “File not found”. The same wording appears when a folder the app remembered has been trashed or recreated under it.
- The app now treats this as temporary: it forgets the folder locations it had cached, re-reads the store and re-runs the sync by itself — in the same attempt and, if needed, on the next automatic retry. You should not need to do anything. If it persists, **Re-check Drive store** (§13.4) reconnects without changing the folder.
- If the error names your **Drive store folder itself** (the ID shown under Settings → Drive store), the message says so and explains the remedy: restore the folder from the Drive trash, or reconnect the Google account that owns it. Only **Set up Drive store automatically** if you really want to start a new, empty shared store — it does not reconnect the device to the existing data, and the app asks you to confirm before switching.

A certificate says “Certificate pending”.

The check finalised but the PDF could not be generated. Tap **Retry certificate** on the completion screen. If you have left it, open the Dashboard: it retries automatically and shows a red card with **Retry now**. Opening the check from Reports meanwhile shows only a regenerated preview. The record itself is never lost because the PDF failed.

I can't finalise an invoice — it says I must sync.

An invoice or cancellation invoice can only be finalised right after a successful sync, so its number is based on the latest data. Connect, sync (Settings → Sync now), then finalise. Checks, quotes and delivery notes finalise offline (§12.4).

There are sync conflicts.

Two devices changed the same record while apart. Open **Settings** → **Sync conflicts** (any user can), compare the values on this device and the incoming ones, and choose **Keep this device** or **Keep incoming**. Nothing is overwritten until you decide (§13.5).

Where do I find help or the introduction again?

Tap the **?** at the top of any main screen to open this manual at the matching chapter, or open **Settings** → **Help & about** for the whole manual and **Show the introduction again** (§2.7).

I see a red “DB UNENCRYPTED · DEV” banner.

That is a development-only build with encryption deliberately switched off for testing on an emulator. It must never be used for real data — use a normal (encrypted) build.

How do I change the app's language?

Open **Settings** → **Appearance & language** and use the **Language** toggle. It changes the app's **interface** immediately, on this device only (for everyone who signs in on it). It does **not** change what language certificates print in — that follows the customer and can be set per check (see the next question).

A certificate came out in the wrong language.

- A certificate prints in the **customer's** certificate language, not the app's interface language. Set the customer's language in their record (**Customers** → **edit**, §8.1).
- For an individual check you can switch the language on the **Summary** screen using the **Certificate language** control, any time before you sign (§4.4). After finalisation it is fixed — a wrong-language certificate is corrected by voiding or reissuing it (§5.4–5.5).

It won't let me finalise a German certificate.

A German certificate needs German text for every checklist item. If the template hasn't been translated, the app blocks finalisation rather than issuing a half-German certificate. Either switch the certificate language to English on the Summary screen, or ask an administrator to add the German template text (§10).

How do I draw on or mark up a photo?

In a draft check, tap a photo thumbnail on the checklist item to open the annotation editor. Add freehand marks, arrows, rectangles, ellipses or text tags in your choice of colour, then Save (§4.2). Annotations don't alter the original photo and are baked onto a copy when the check is finalised. You can only annotate before signing.

How do I switch to dark mode?

Open **Settings** → **Appearance** and choose **System**, **Light** or **Dark** (§13.2). It applies to this device only and has no effect on certificates or exports.

How do I change our logo or the look of the certificate?

The company name, logo, logo size, banner image, accent colour and footer are on **Settings** → **Company profiles** (§13.3). The declaration wording, photos per item and which sections appear are on **Settings** → **Certificate settings** (§13.3a). Changes apply to future certificates; ones already issued keep their original branding.

My logo is refused as too big — or it prints too small on invoices.

It is no longer refused: any image from the gallery is scaled down automatically when you upload it as the logo or banner image of a company profile (§13.3); only a file the device cannot read as an image is rejected. If the logo prints too small, pick a larger **logo size** on the profile, or upload it as a **banner image** to print it across the full width at the top of quotes, delivery notes, invoices and certificates. Documents and certificates already issued keep the header they were issued with.

The slogan banner (or the banner image / footer) sits on the left — can it be centred?

Yes. On the company profile (§13.3) each of the **slogan**, the **footer lines** and the **banner image** has three alignment buttons (left / centred / right) under its field — the slogan's appear once a slogan is entered, the banner image's once an image is uploaded. Tap **centred** and save; every quote, delivery note, invoice (and, for the banner image, certificate) issued from then on prints it there. Already issued documents and certificates are unchanged. The footer alignment applies to documents only: on certificates the footer text stays left-aligned. The banner image keeps its proportions, which is why artwork that is not as wide as the page leaves room beside it.

How do I connect a different Google account?

In **Settings**, open the connected Google account's overflow (■) menu and choose **Switch account** to pick another account, or **Disconnect** to clear the connection entirely (§13.4). Neither deletes anything from Drive.

18. Glossary

Term	Meaning
Annotation	Non-destructive markup drawn on a photo (arrows, shapes, text). The original photo is untouched; the marks are flattened onto a copy when the check is finalised.
Appearance	The per-device light / dark / system theme (Settings). It never affects certificates or exports.
Booking	One planned customer visit, linking a customer, machines, an inspector and a time. Each machine on it yields its own check.
Check	A single machine's inspection — its checklist answers, readings, work/travel, signatures and result.
Certificate	The numbered PDF produced when a check is finalised, filed to Drive.
Certificate branding	The look of a certificate: company name, logo and its size, banner image and position, accent colour and footer from the company profile, plus the declaration wording and section options from Certificate settings. Snapshotted onto each certificate at finalisation.
Certificate language	The language a certificate is printed in — German or English. Follows the customer and is adjustable per check until finalisation; separate from the app's interface language.
Finalised	A check that has been signed off and locked. Write-once at the application layer; corrected only by void or supersede.
Template	The checklist for a machine type (or one assigned to an individual machine). Its items are copied onto each check when the check is started.
Blocking / Minor	Defect severities on a failed item. Blocking ⇒ overall Fail and reinspection; Minor ⇒ Pass with defects.
Outbox	The on-device queue of changes waiting to sync. Your safety net until a change is confirmed shared.
Conflict	Two devices changed the same record while apart; resolved by a person in Sync conflicts.
Demo / Connected mode	Demo is local-only with sync off; Connected enables Google Drive sync.
Drive store	The configured Google Drive folder that is the shared system of record.
Void / Supersede	Corrections after finalisation — mark a certificate void, or replace it with a linked reissue. Both retain the original. For documents, Void withdraws a numbered document that was not sent; a sent invoice is undone by a cancellation invoice.
Draft (Entwurf)	A document without a number that can still be edited or discarded; also an inspection that has been started but not finalised.
Banner image / tagline	Letterhead artwork across the top of documents and certificates, and the slogan strip under the header of documents (§13.3).

Term	Meaning
Number floor	The first number to issue for a document type and year, used when moving from another system mid-year (§13.3).
Introduction / hints	The welcome tour shown at first sign-in and the one-time hint on each main screen, remembered per person and device (§2.7).
Document (Beleg)	A quote (Angebot), delivery note (Lieferschein), invoice (Rechnung) or cancellation invoice (Stornorechnung). Numbered per company profile and type as YYYYNNNN at finalisation; write-once at the application layer afterwards (chapter 12).
Company profile	The issuing company a certificate or document is made out under — identity, UID, bank details, logo, banner image, slogan, colours, footer, signatory, defaults (§13.3). Snapshotted onto each document and certificate at finalisation.
Cancellation invoice	The only way to undo an invoice that has been shared: a new numbered document with the negative amounts, linked to the original, which becomes Storniert.
Reverse charge	A VAT treatment you choose on a document; the app then forces 0 % lines, requires the customer's UID and prints the statutory note. It does not decide the treatment for you.
Number collision	The same document number issued on two devices while apart — detected after sync, blocks sharing, never auto-renumbered (§12.7).
PDF pending	A finalised document (or certificate) whose PDF did not render yet; the record is complete, and the Dashboard (and, for documents, the Billing tab) retries the PDF.

HDX Inspect v4.3.0 — User Manual. Prepared for HDX Engineering, 10 November 2026. This manual describes the application's behaviour and is not legal advice.