

PSP0201

Week 5

Writeup

Group Name: ikun no 1

Members

ID	Name	Role
1211102058	Chu Liang Chern	Leader
1211101401	Chong Jii Hong	Member
1211103206	Ng Kai Keat	Member
1211103095	Siddiq Ferhad Bin Khairil Anual	Member

Day 19 - [Web Exploitation] The Naughty or Nice List

Tool used: kali Linux, Firefox


Solution/Walkthrough:

Q1

Tib3rius is on the Nice List.


Access to the site and type in the name into the query and the results will be shown.

Q2




It does not work because it shows “The requested URL was not found on this server.”

Q3.




The results “Failed to connect to list.hohoho port 80: Connection refused” will be shown. This is because port 80 is not open.

Q4.




It shows “Recv failure: Connection reset by peer”. This means the port is open and can be accessed through ssh but since we are trying to access it through http so it does not work.

Q5.




It does not let us access because the security team only allows host names starting with “list.hohoho”.

Q6.



We can bypass this by using the other subdomain behind the hostname. In this case we are using "localtest.me" to set the hostname in the URL to "list.hohoho.localtest.me" and the local services can be accessed. The password now can be found.

Q7.



Login into the site with the credential info we can get from Q6. Delete the naughty list and the flag can be captured.