Question Results

Question 1:

In which controller type can you embed a service call?

Please choose the correct answer.

Response:

Configuration controller

Component controller

Interface controller

View controller

Question 2:

You perform an update task using update function modules and detect an error in the program that calls the update function modules. Which statement can be used to discard all update requests for the current SAP LUW?

There are 2 correct answers to this question.

Response:

MESSAGE exxx(nnn).

ROLLBACK WORK

E

DELETE UPDATE

MESSAGE axxx(nnn)

Question 3:

Which of the following statements are correct?

There are 3 correct answers to this question.

Respor

An enhancement spot can contain either an explicit enhancement point and enhancement section or a new BAdI only, but all three cannot be in the same enhancement spot.

An enhancement spot can contain one or more simple or composite enhancements.

An enhancement spot can contain an explicit enhancement point, explicit enhancement section, and new BAdI.

An enhancement spot can contain an explicit enhancement point and an enhancement section.

Question 4:

Which of the following features do you have to consider when you use shared objects?

There are 3 correct answers to this question. Response:

Concurrent read accesses are supported

Memory bottlenecks result in runtime errors and have to be caught

Data is saved as attributes of objects

Data is saved as tables of objects

Concurrent write accesses are supported

uestion 5:

You are writing a function module that will be called from external system via remote function call (RFC). How do you report an error back to the external caller?

Please choose the correct answer.

Response:

Write the error data into an EXPORTING parameters passed by reference.

Write the error data into a CHANGING parameters passed by value.

Write the error data into TABLES parameters that is passed by reference.

Write the error data into a RECEIVING parameter that is passed by value

Question 6:

Which must a search help do?

There are 4 correct answers to this question.

Response:

Be used from a screen

Have a dialog with the user

Allow the user to select a response

Determine the values for selection by the user

Use a table or a view for data selection

Please select all the correct answers that apply. How would you find out if an application program offers a program exit? Question 9: Which data types are incomplete ABAP standard data types? There are 3 correct answers to this question. Question 8: There are 2 correct answers to this question. When should you use a hashed internal table? Question 7: Use the Application Hierarchy Look for a customer exit in the SAP reference ING within an application area Search for the character string CUSTOMER-FUNCTION Use the Repository Information System When accessing always by primary key When accessing using the left-justified part of the key When accessing by secondary key When accessing mainly single records When accessing by index Response:

Question 10:

You want to develop a program that processes character type data. When you implement the program, you can either use the classical string statements or the newer strings expressions and functions.

What are the main benefits of using string expressions and string functions?

There are 2 correct answers to this question

Response:

You can improve the performance significantly

You can reduce the number of intermediate variables

You can write compact syntax instead of a long sequence of statements

You can write code that is very easy to read and understand

Question 11:

You write a report that displays mass data in a table. You decide to use the ALV Grid control (class CL_GUI_ALV_GRID) instead of a classical list display with WRITE statements.

Which of the following functions can you offer to the user without doing any specific programming

There are 2 correct answers to this question

esponse:

Change column width and sequence

Convert currency amount columns

Sort and filter the data by any column

Display details by double-clicking on a row

Question 12:

Where should the labels for fields be stored?

Please choose the correct answer.

Response:

Field

Structure

Table

Data element

Domain

Question 13:

You build a dialog screen with an input field in an ABAP program.

How do you ensure that the contents of the screen field can be accessed in the program?

Please choose the correct answer.

Respons

Enter the name of a data object in the Paramter ID attribute of the screen field

Use a MOVE statement in a PAI module to copy the data to a data object

Use the GET statement in the program to transport the data from the screen field

Define a data object in the program with the same name as the screen field

Question 14:

After which statement will the runtime system initialize the ABAP memory

Please choose the correct answer.

Response:

CALL TRANSACTION

SUBMIT... AND RETURN

TIMBUS

LEAVE TO TRANSACTION

Question 15:

How can you maintain documentation for input fields on your screen?

Please choose the correct answer.

Response:

Add documentation to the SCREEN table at PROCESS AFTER INPUT (PAI).

Define text tables for the underlying structure.

Add documentation to the SCREEN table at PROCESS BEFORE OUTPUT (PBO).

Add documentation to the underlying data element.

Question 16:

Which of the following statements about the Object Navigator are true?

There are 4 correct answers to this question.

Respons

The ABAP Dictionary can be maintained in the Object Navigator.

You can create BAdI implementations in the Object Navigator.

You can create customer projects (Transaction CMOD) in the Object Navigator.

Menus can be displayed and edited in the Object Navigator.

Screens can be displayed and edited in the Object Navigator.

ABAP programs can be displayed and edited in the Object Navigator.

Question 17:

What process is used to establish the automatic transport of data between the view controller's contextattributes and the UI element in its layout?

Please choose the correct answer.

Response:

View assembly

Context mapping

Data migration

Data binding

Question 18:

Which objects are automatically created when you create a new function group?

Please choose the correct answer.

Response:

A function pool and two include programs

A function pool and two subroutine pools

A function pool and two function modules

A function pool and two module pools

Question 19:

What are the prerequisites when creating an append structure for a standard SAP table?

There are 2 correct answers to this question

Respons

The enhancement category of the table is NOT set to 'Not enhancing' hancing X

The table cannot have any fields of type FLTP

The table must be copied before the append structure can be created

The fields in the append structure should star with YY or ZZ

Question 20:

You want to define two database tables with different structures. Both tables should contain the fields CHANGE_DATE and CHANGE_TIME.

How do you implement this in order to minimize the maintenance effort?

Please choose the correct answer.

Response:

Define an append structure with these two fields and assign this append structure to both database tables.

Define a structure with these two fields and include this structure in both database tables.

Define the two fields in each database table separately.

Define the two fields in one database table and copy them to the other database table.

Question 21:

How is an ABAP program with several dialog steps executed?

Please choose the correct answer.

Kesponse:

Usually, dialog steps are assigned to different dialog work processes.

The program is always executed in just one dialog work process with roll out.

The ABAP dispatcher takes over the entire execution without assigning any work process.

The program is always executed in just one dialog work process without roll out

Question 22:

When starting the Debugger, what circumstance causes the runtime error DEBUGGING_NOT_POSSIBLE? Please choose the correct answer.

Response:

When more than six sessions are already associated with this login user

When more than five sessions are already associated with this login user

Starting a non-exclusive mode in a productive system

When the number of debugging sessions on the server exceeds the value defined by the profile parameter rdisp/wpdbug_max_no

Question 23:

Which statement will interrupt the processing of the current screen and branch to new screen?

Please choose the correct answer.

Response:

CALL SCREEN <NNNN>

LEAVE TO SCREEN <NNNN>

None of the above

SET SCREEN < NNNN>

Question 24:

What does SAP recommend that you use a hashed table?

Please choose the correct answer.

Response

When a table is very large and you want to access the table by index only.

When a table is very large and you want to access the table by key only

When a table must be accessible by both index and key

When a table must be sorted automatically by key in ascending order

There are 3 correct answers to this question. Which does the field catalog allow you to do? Question 25: Add a field to the display Response:

Change the display order of a column

Specify the sort order of the display table

Change the title of a column

Produce a striped pattern for the display lines

Question 26:

You Created the following ABAP Code:

DATA Y TYPE REF TO OBJECT ASSIGN y TO <fs> ASSIGN x TO <fs> DATA x TYPE REF TO DATA

Which of the Following Declarations are Valid? You want to add a declaration of <fs> to the Code.

There are 2 correct answers to this question.

FIELD-SYMBOLS <fs> TYPE ANY

TELD-SYMBOLS <fs> TYPE REF TO ANY

FIELD-SYMBOLS <6>>

FIELD-SYMBOLS TYPE REF TO DATA

Question 27:

Which hook method exists for all controller types?

Please choose the correct answer.

Response:

wddoonopen()

wddoonclose()

wddoinit()

wddobeforenavigation()

Question 28:

do you have to create? When you add programming logic to your ABAP program that checks authorizations, which of the following

There are 2 correct answers to this question.

Response:

An authorization object

An authorization Access

An authorization role

An authorization profile

type data object? When included in a structure, which elementary field types allow the structure to be considered a character-Question 29: There are 4 correct answers to this question. U STRING Response:

✓ STRING

Connecting the values of user interface elements to the context attributes of the corresponding

Connecting one Web Dynpro component to another Web Dynpro component

Which of the following statements regarding search helps are true? Question 33:

There are 3 correct answers to this question.

A type E message is displayed. The program is terminated. A CX_AUTH_FAILED type exception is raised.

The system field SY-SUBRC is set to a value other than zero.

Help views can also be used for the selection method for search help.

can be used.

a database view. transporent tables

Help views

You can use a maintenance view for the search help selection method

You can use transparent tables for the search help selection method.

You can use a database view for the search help selection method

Question 31:

You add the CREATE PROTECTED addition to a class definition.

From where you can instantiate the class?

There are 3 correct answers to this question.

Response:

From the class itself

From any protected class

From a friend class

From a child class

From a parent class

Question 32:

What is data binding?

Please choose the correct answer.

Connecting an outbound plug on one view to the inbound plug of another view

Connecting a context node in one controller to a context node in another controller

Please choose the correct answer.

What happens when an authorization check fails?

Question 30:

How many work areas are available in the Debugger? Please choose the correct answer. Question 36: There are 2 correct answers to this question. There are 3 correct answers to this question. Question 34: You need to perform a downcast. What should you do? Question 35: You can use the logical expression IS SUPPLIED for any formal parameter passed to which modularization. 15 12 Catch the exception CX_SY_MOVE_CAST_ERROR. Assign a subclass reference to a superclass reference Perform the downcast only if an upcast has already been done for the object reference Use the operator "=". Subroutine (FORM routine) Instance method Function module Static method Response: Response: Response: What is the default length of the type C data type? Question 39: Please choose the correct answer. There are 3 correct answers to this question. Question 38: There are 2 correct answers to this question. Question 37: 100 1-65535 Change source code. Analyze internal tables Analyze memory usage. Analyze SQL traces. Compare data objects Response: Response:

Which of the following conditions must be fulfilled when using a GROUP BY clause in a SELECT statement?

The fields after GROUP BY must have a character type.

The SELECT statement must also have a WHERE clause.

The table in the FROM clause must be a transparent table

All fields in the SELECT clause that are not part of an aggregate function must be listed after GROUP BY.

Which of the following can you do with the ABAP debugger?

Question 40: Which of the following are valid control level changes within a loop over an internal table?	er an internal table?
There are 2 correct answers to this question.	
Response:	
END of <f></f>	
COLLECT	
LAST	
MNS	
Question 41:	A STATE OF THE STA
When is an ENDSELECT not required for a SELECT?	
There are 3 correct answers to this question.	
Response:	
When the FROM is a view	
When you specify into a table	
When you do a SELECT SINGLE	
When you specify a join of tables	
When you specify appending a table	
Question 42:	And the state of t
Which data element property do you set so that the system logs changes to the content of fields with this data element?	es to the content of fields with this
Please choose the correct answer.	
Response:	f
Change document	
Documentation	
PARAMETER ID	

Question 43:

What does the enhancement category for a database table or structure do?

There are 3 correct answers to this question.

Response:

Makes a table Unicode-compliant

Can identify where program behavior may change

Can produce warnings at incompatible points for the structure

Specifies the types of changes that can be made to the structure

Question 44:

Which of the following must you do to be able to use a Business Add-in(BADI)?

There are 2 correct answers to this question

Modify the adapter class

Write code for methods

Activate the enhancement project

Create the BADI implementation

Question 45:

the following are prerequisites for this? ou want to move a transport request from the development system to the subsequent system. Which of

There are 2 correct answers to this question.

All objects included in the transport request must be activated.

The transport request must be released

All tasks of the transport request must be assigned to the same user.

The extended program check must show no warnings.

Input history

There are 2 correct answers to this question. Which of the following actions result in an enhancement of the SAP standard? Please choose the correct answer. blocks in an executable program? What is the event block that all of your code changes belongs to if you do not explicitly code any event You want to add a field ZZPRICE to the SAP standard transparent table EKKO. Question 48: Please choose the correct answer. What will happen at runtime when accessing a buffered table? Question 47: Question 46: Create an append structure and add ZZPRICE to it. Insert ZZPRICE into an SAP structure for the table Insert ZZPRICE at the end of the table If table data is read using indexes, the table buffer will not be filled, All SELECT statements will read data from the buffer. START-OF-SELECTION If data is read from the table buffer, the existing indexes are not used Following an update to a buffered record, all table buffers in the system will be updated. AT SELECTION-SCREEN OUTPUT LOAD-OF-PROGRAM INITIALIZATION Response: Response: Response:

Please choose the correct answer. Where are fixed values for fields stored? Question 49: Table Domain Response:

Question 50:

Field

Data element

Structure

There are 3 correct answers to this question. Which of the following ABAP data types are compatible with the generic character-type CLIKE?

Response:

Z

STRING

XSTRING

DECFLOAT

Question 51:

What are the advantages of defining texts symbols in executable programs?

There are 2 correct answers to this question

The same text symbol can be used by other programs

They facilitate multilingual functionality

Then can store up to 256 characters

Add ZZPRICE to the customizing include for the table

They are easier to maintain than literals

Question 54: There are 2 correct answers to this question. Question 53: Which of the following are valid combinations of event visibility and handler method visibility? Please choose the correct answer. The statements CALL BADI and GET BADI are used for which type of BAdIs? There are 2 correct answers to this question. When would you call the RFC function module synchronously? Question 52: Public event and protected handler Protected event and public handler Private event and public handler Classical DDic New BAdI None of the above Classical BAdI During interactive communication During unidirectional communication During queue processing During two-way communication Response: Response: Response:

Question 55;

Which of the following ABAP statements throws an error at the syntax check?

Please choose the correct answer.

Response:

DATA variable(5) TYPE p.

DATA variable(5) TYPE t.

DATA variable

DATA variable(5) TYPE:n.

Question 56:

What can you do with the code inspector?

There are 2 correct answers to this question

Response:

Create your own inspections, object sets and check variants

Create an object set to represent the programs and objects to be inspected

Create only local inspections, objects sets and check variants

Choose from only the performance, security and user interface check categories

Question 57:

Which comparison operators can you use in a logical expression related to the WHERE clause of the SELECT statement?

There are 3 correct answers to this question.

Response:

EQ (equals)

ЦКЕ (fits pattern)

CP (covers pattern)

Private event and private handler

CO (contains only)

GT (greater than)

Question 58: Which controller types can exist within a Web Dynpro component? There are 3 correct answers to this question.

Response:

Window controller

View controller

User controller

Component controller

Application controller

Question 59:

What is the SAP recommended naming convention for append structures of standard SAPtables?

Please choose the correct answer.

Response:

The name of the append structure must start with ZA.

The components of an append structure should start with Z or Y.

The name of the append structure must start with ZZ or YY.

The components of an append structure should start with ZZ or YY.

Question 60:

You enhance an SAP standard global class by defining a post-method for an SAP method. The original SAP method has an EXPORT parameter named PARM1.

Which parameters does the post-method have?

Please choose the correct answer

Response:

A RETURNING parameter named PARM1

An EXPORT parameter named PARM1.

An OMPORT parameter named PARM1

A CHANGING parameter named PARM1

Question 61:

dbtab is a transparent table. What is declared by the following statement? DATA myvar TYPE dbtab.

Please choose the correct answer.

Response:

An elementary field

A structure variable

A reference to an internal table

An internal table

Question 62:

You have 2 objects: O1 of type class C1 and O2 of type class C2.

Class C2 is a subclass of class C1. Which of the following statements implements an up cast?

Please choose the correct answer.

Response:

MOVE 01 TO 02.

MOVE 01 ?TO 02.

01 = 02

02 ?= 01.

Question 63:

Which of the following is a true statement?

There are 2 correct answers to this question.

Response:

An access key is required to enhance an SAP application using a user exit

An access key is required to implement an implicit enhancement point.

An access key is required to implement business add-ins.

An access key is required to modify SAP repository objects.

Question 64:

Each work process...

There are 3 correct answers to this question.

Response:

Can make database changes spanning multiple database LUWs.

Uses a pool of database connections established when the SAP NetWeaver Application Server ABAP started.

Is independent of other work processes.

Can only make database changes within a single database LUW.

Uses a database connection to a work process established when the SAP NetWeaver Application Server ABAP started.

Question 65

Which of the following capabilities is provided by the Application Layer platform of SAP Netweaver?

Response:

Please choose the correct answer.

Database and operating system abstraction

Business process management

Multi-channel access

Master data management

Question 66:

You have defined a classical screen (dynpro) with mandatory input fields. You want to exit the screen using the Cancel button even if not all of the mandatory fields have been filled. What is necessary to achieve this?

Response:

Please choose the correct answer.

Assign function type E to the Cancel button and handle it in a module with the addition AT EXIT-COMMAND.

Set the function code assigned to the Cancel button to CANCEL and handle it in a module with the addition AT EXIT-COMMAND.

Use the LOOP AT SCREEN.... ENDLOOP statement to set the "required" property of the input fields to zero.

Set the function type assigned to the Cancel button to S and handle it in a module with the addition AT EXIT-COMMAND.

Question 67;

Which of the following steps are required to set up a shared memory area?

There are 3 correct answers to this question,

Response

Declare a catalog object

Enable multiple versions of an area root class

Call the attach_for_write method of area root class

Generate an area root class

Set the root object

Question 68:

What is unique about a singleton?

There are 2 correct answers to this question.

Response:

It cannot be defined as FINAL

It must be instantiated using a public instance constructor.

It must be instantiated using a protected instance constructor.

It must be instantiated using a private instance constructor.

It must be instantiated using a static protected constructor.

It must be instantiated using a static public constructor.

It must be defined as FINAL

must be instantiated using a static private constructor.

```
How would you define a method of an ABAP class to prevent this method from being available in a
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            arithmetic for the above expression?
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      An ABAP program processes the following expression:
                                    Please choose the correct answer.
                                                                                                                                                   Question 70:
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             Question 69:
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     Note: Answers of this question are not verified by our experts, please study yourself and select the appropriate
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              Which of the following data declarations would cause the runtime environment to use fixed-point
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         1 = a / b + c
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       There are 2 correct answers to this question
                                                                                                                                                                                                                                                                                                                                                                                                                                                        <
                                                                                                                                                                                                                                                                                     <
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              DATA: r TYPE p,
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               DATA: r TYPE p DECIMALS 2,
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               DATA: r TYPE p DECIMALS 2,
                                                                                                                                                                                                                                                                                                                                             DATA: r TYPE (;
Response:
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   Response:
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            a TYPE | VALUE 201,
                                                                                                                                                                                                                                                                                                       a TYPE | VALUE 201,
                                                                                                                                                                                                                                                                                                                                                                                                                                                                          a TYPE I VALUE 201,
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        c TYPE i. "I
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       b TYPE | VALUE 200,
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             a TYPE | VALUE 201,
                                                                                                                                                                                                                                                                     6 TYPE | VALUE 200,
                                                                                                                                                                                                                                                                                                                                                                                               c TYPE p. "1.01
                                                                                                                                                                                                                                                                                                                                                                                                                                      b TYPE I VALUE 200,
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       c TYPE f. "1.00
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         b TYPE I VALUE 200,
                                                                                                                                                                                                                                   c TYPE f. "1.004999999999999E+00
```

Protected Abstract Private

Response:

Multiple views within a window

Component controller

UI elements

A context

Exactly one interface controller

There are 3 correct answers to this question.

```
What does a Web Dynpro component contain?
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             A structure has enhancement category 3, can be enhanced (character-type).
                                                                                                                                                                                                                                                                                                                                                                                                                              Which components of the class can be accessed in the implementation of a static method in that class?
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           Which set of elementary types is allowed for the new fields?
                                       Question 73:
                                                                                                                                                                                                                                                                                                                                                                                             There are 2 correct answers to this question
                                                                                                                                                                                                                                                                                                                                                                                                                                                                  Question 72:
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            Please choose the correct answer.
                                                                                                                                                                                                                                                 Types
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  F,I,P,X
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         C,D,N,T
                                                                                                                              Constants
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     D.Lstring, T
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          C,D,N,X
                                                                                                                                                                                        All events
                                                                                                                                                                                                                                                                                                             Instance attributes
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         Response:
                                                                                                                                                                                                                                                                                                                                                          Response:
```

Question 71:

There are 4 correct answers to this question. Which types of programs or parts of programs can be tested directly from the ABAP Workbench or ABAP Question 75: Response: There are 3 correct answers to this question What are the advantages of modularization? Question 74: REPORT INTERFACE-POOL FUNCTION MODULE CLASS-POOL PROGRAM FUNCTION-POOL INCLUDE Reusability Profitability across DBMS Performance METHOD TYPE-POOL Maintainability Transparency Response:

Question 76:

Which of the following are true statements?

There are 3 correct answers to this question.

Response:

You can also select predefined data types to define the data type of the data element.

Reference data types can be used to define the data type of the data element.

Field labels are defined for the domain.

The technical attributes of the data element can be defined by a domain, that is, the data type, the field length, and the number of decimal places.

Question 77:

Each component has an interface; of what does this interface consist?

There are 2 correct answers to this question.

Response:

Interface controller

Pata Container

Interface view

Interface context

Question 78: What types of d

What types of changes to the repository does SAP provide?

There are 3 correct answers to this question.

Response:

SAP Notes

Deployments from SDN.SAP.COM

Transports

Support Packages

Enhancement Packages -

There are 2 correct answers to this question Question 81: Question 80: You call a lock module Which exceptions could the lock module raise when a logical lock CANNOT be set? Please choose the correct answer. To which context object is the attribute LEAD_SELECTION_INDEX related? There are 2 correct answers to this question Which of the following are features of the Context in Web Dynpro? Question 79: SYSTEM_FAILURE CX_SY_DATA_ACCESS_ERROR CX_SY_OPEN_SQL_ERROR Node FOREIGN_LOCK Supply function Attribute Element Data is transferred from one Context to another by firing plugs Data is shared between controllers through Context mapping Every Web Dynpro controller has one Context Every Web Dynpro controller has multiple Contexts Response: Response: Response: Please choose the correct answer. Which of the elementary data types is deep? Question 84: There are 2 correct answers to this question. Which of the following ABAP standard types are incomplete? Question 83: Please choose the correct answer, Which statement is used to generically define the data reference variable z1? Question 82: XSTRING DECFLOAT34 STRING data z1 type ref to PA0001 data z1 type any data z1 type any table data z1 type ref to data Response: Response: Response:

×	16. 2	STRING	XSTRING	- Pripri	Sharej	, D	1	O	Response:	There are 5 correct	Which elementary	Question 85;
		i Cres							ě.	There are 5 correct answers to this question,	Which elementary field types are considered a character type?	
							*				ed a character type?	

Which of the following functions can you offer to the user without doing any specific programming

There are 2 correct answers to this question

(class CL_GUI_ALV_GRID) instead of a classical list display with WRITE statements.

You write a report that displays mass data in a table. You decide to use the ALV Grid control

Question 87:

Display details by double-clicking on a row Sort and filter the data by any column Change column width and sequence Convert currency amount columns Question 88: What is unique about a functional method? There are 5 correct answers to this question. Response: It can contain an importing parameter. It can contain an exporting parameter. It must contain a returning parameter. It must be a singleton. It can contain a changing parameter.

Which of the following is a true statement?

There are 2 correct answers to this question.

A standard table should always have a unique key.

A hashed table should always have a unique table key.

A sorted table can have a unique or a non-unique key.

A standard table should always have a multiple key.

It can be used in logical expressions. $ec{ec{V}}$

Question 86:

There are 3 correct answers to this question. What can you create using the ABAP Dictionary? Question 90: There are 4 correct answers to this question. Identify the types of layout managers. Question 89: Type pools V Transparent tables FlowLayout V ColumnLayout MatrixLayout GridLayout V RowLayout v TreeLayout Response: Response:

Domains V Field symbols Internal tables

Please choose the correct answer. What actions add the corresponding columns to the table automatically? You want to include an element of type 'Table' in your web dynpro.

Question 91:

Right click the table and select the 'CREATE_BINDING' option

Response:

Include the method BIND_TABLE of IF_WD_CONTEXT_NODE

Bind the table attribute 'DATA_SOURCE' to the context node

Generate a 'BIND_TABLE' method using the web dynpro method wizard.

Question 92:

Which of the following ABAP code lines is valid?

There are 3 correct answers to this question.

Response:

CONSTANTS gc_mantr TYPE mantr VALUE: 100'

SELECT-OPTIONS s_mantr TYPE mantr DEFAULT '100

DATA gc_mantr TYPE mantr DEFAULT '100'

STATICS s_mantr TVPE mantr VALUE '100'

PARAMETERS p. mantr TYPE mantr DEFAULT '100'

Question 93:

What is the difference between a Unicode and non-Unicode program?

Please select all the correct answers that apply.

Response:

Byte-type data objects cannot be assigned/to character-type data objects.

Byte-type data objects cannot be compared to character-type data objects.

Offset positioning in a Unicode structure is restricted to flat data objects

Offset positioning in a Unicode structure is restricted to character data objects.

Question 94:

Which of the following data types are predefined ABAP data types?

There are 3 correct answers to this question.



DECIMALS

STRING

DECFLOAT34

FLOAT

Question 96: What is the allowed length of the ARAB Dictionary data tune DETA DEC?	ixecutables	Function groups Class pools Module pools	Question 95: Dynpros can be placed in which program types? There are 3 correct answers to this question. Response:
What is the allowed length of the ARGU Distinguity data type (1414 DEC)	uestion 96:	:xecutables tuestion 96:	Function groups Class pools Module pools Executables Module 96:

Which of the following values are replaceable in debugger mode? Question 98:

Response:

Please choose the correct answer.

Constants

Field names

Variables

Table names

Question 99:

Which selection screen elements allow user input in ABAP Reports?

There are 2 correct answers to this question

Response:

SELECTION-SCREEN COMMENT

PARAMETERS

SELECTION-SCREEN BLOCK

SELECT-OPTIONS

Question 100:

Which of the following is correct?

Please choose the correct answer.

Response:

The screen attributes can be modified in the PROCESS BEFORE OUTPUT event block.

The screen attributes can be modified in the PROCESS AFTER INPUT event block

None of the above.

event blocks. The screen attributes can be modified in the PROCESS BEFORE OUTPUT and PROCESS AFTER INPUT

Question 103: Question 102: There are 4 correct answers to this question: Which of the following statements are correct? There are 2 correct answers to this question Where can you define data types that can be accessed directly by all ABAP repository objects in an SAP Which of the following can you assign a search help to? Question 101: There are 3 correct answers to this question Only public methods can be addressed outside the class You can call private methods within the public methods without reference to the object or class. component selector and the class name. Class methods assigned to the public visibility section can be accessed outside the class using the static In the ABAP dictionary In a global class In a function module In a method Table type Check table Structure component Data element Domain Response: Response: Response:

Question 104;

Which of the following enhancements calls a customer function module.

There are 2 correct answers to this question.

Response:

Customer exit

₩usiness Transaction event

User exit

Business Add-in (BADIs)

Question 105:

How can you find customer exists in an ABAP program?

There are 2 correct answers to this question.

Response:

Search for 'CL_EXTHANDLER' in the program,

Search for customer exists in the Repository Information System

Search for 'CALL CUSTOMER' in the program

Search for customer exists in the program documentation

Question 106:

Which components belong to an elementary search help?

There are 2 correct answers to this question.

Response:

Import / export parameters

Selection method

Fixed values

Attachment to a field

Static methods can be defined in both the public and private visibility section of the class.

Subroutines provide which types of parameters? There are 2 correct answers to this question. Response: Exceptions Jepur Question 108: You have to overwrite spaces in a string with the letter 'A'. Which of the following statements can you use? There are 3 correct answers to this question Response: CONDENSE OVERLAY SHIFT LEFT REPLACE TRANSLATE Question 109: Which statements are allowed for processing internal tables? There are 3 correct answers to this question. Response: DELETE MODEY		UPDATE
Subrouthes provide which types of parameters? There are 2 correct answers to this question. Response: Exceptions Input Output Output Question 108: You have to overwrite spaces in a string with the letter 'A'. Which of the following statements can you use? There are 3 correct answers to this question Response: CONDENSE OVERLAY SHIFT LEFT REPLACE TRANSLATE Question 109: Which statements are allowed for processing internal tables? There are 3 correct answers to this question. Response: DELETE		MODIFY
Subroutines provide which types of parameters? There are 2 correct answers to this question. Response: Exceptions Liput/output (changing) Ipput Output Question 108: Question 108: There are 3 correct answers to this question Response: CONDENSE OVERLAY SHIFT LEFT REPLACE TRANSLATE Question 109: Which statements are allowed for processing internal tables? There are 3 correct answers to this question. Response:		DELETE
Subroutines provide which types of parameters? There are 2 correct answers to this question. Response: Exceptions Asturn values Japut/output (changing) Japut Output Output Question 108: You have to overwrite spaces in a string with the letter 'A'. Which of the following statements can you use? There are 3 correct answers to this question Response: CONDENSE OVERLAY SHIFT LEFT REPLACE TRANSLATE Question 109: Question 109:		There are 3 correct answers to this quest Response:
Subroutines provide which types of parameters? There are 2 correct answers to this question. Response: Exceptions Asturn values Liput/output (changing) Liput Output Question 108: You have to overwrite spaces in a string with the letter 'A'. Which of the following statements can you use? There are 3 correct answers to this question Response: CONDENSE OVERLAY SHIFT LEFT REPLACE TRANSLATE	sing internal tables?	Question 109: Which statements are allowed for proc
Subroutines provide which types of parameters? There are 2 correct answers to this question. Response: Exceptions Aput/output (changing) Input Output Question 108: You have to overwrite spaces in a string with the letter 'A'. Which of the following statements can you use? There are 3 correct answers to this question Response: CONDENSE OVERLAY SHIFT LEFT REPLACE		TRANSLATE
Subroutines provide which types of parameters? There are 2 correct answers to this question. Response: Exceptions Deput Return values Deput/output (changing) Deput Output Question 108: You have to overwrite spaces in a string with the letter 'A'. Which of the following statements can you use? There are 3 correct answers to this question Response: CONDENSE OVERLAY SHIFT LEFT		REPLACE
Subroutines provide which types of parameters? There are 2 correct answers to this question. Response: Exceptions Aput/output (changing) Input Output Output Question 108: You have to overwrite spaces in a string with the letter 'A'. Which of the following statements can you use? There are 3 correct answers to this question Response: CONDENSE OVERLAY		SHIFT LEFT
Subroutines provide which types of parameters? There are 2 correct answers to this question. Response: Exceptions Aput/output (changing) Input Output Question 108: You have to overwrite spaces in a string with the letter 'A'. Which of the following statements can you use? There are 3 correct answers to this question Response: CONDENSE		OVERLAY
Subroutines provide which types of parameters? There are 2 correct answers to this question. Response: Exceptions Response: Liput/output (changing) Liput Output Output Question 108: You have to overwrite spaces in a string with the letter 'A'. Which of the following statements can you use? There are 3 correct answers to this question Response:		CONDENISE
Subroutines provide which types of parameters? There are 2 correct answers to this question. Response: Exceptions Asturn values Input/output (changing) Input Output Question 108: You have to overwrite spaces in a string with the letter 'A'. Which of the following statements can you use?		There are 3 correct answers to this quest
Subroutines provide which types of parameters? There are 2 correct answers to this question. Response: Exceptions Asturn values Input/output (changing) Input Output Question 108: Vol. have to everythe spaces in a string with the letter 'A' Vol. have to everythe spaces in a string with the letter 'A' Vol. have to everythe spaces in a string with the letter 'A' Vol. have to everythe spaces in a string with the letter 'A'	ou use?	Which of the following statements can
Subroutines provide which types of parameters? There are 2 correct answers to this question. Response: Exceptions Asturn values Input/output (changing) Input Output	with the letter 'A'	Question 108:
Subroutines provide which types of parameters? There are 2 correct answers to this question. Response: Exceptions Peturn values Input/output (changing) Input		Output
Subroutines provide which types of parameters? There are 2 correct answers to this question. Response: Exceptions Return values Joput/output (changing)		I pput
Subroutines provide which types of parameters? There are 2 correct answers to this question. Response: Exceptions Return values		Input/output (changing)
Subroutines provide which types of parameters? There are 2 correct answers to this question. Response: Exceptions		Return values
Subroutines provide which types of parameters? There are 2 correct answers to this question. Response:		Exceptions
Subroutines provide which types of parameters? There are 2 correct answers to this question.		Response:
Subroutines provide which types of parameters?		There are 2 correct answers to this quest
	neters?	Subroutines provide which types of pa

```
Question 110:

can you search for suitable classic Business Add-Ins(BAdIs)?

There are 2 correct answers to this question

Response:

Search in the Repository Information System and choose Enhancements - > Customer Exits

Search for suitable entries in the relevant component in the Implementation Guide (IMG)

Search in an application program for the method GET_INSTANCE/of class CL_EXITHANDLER

Use the SAP menu Tools -> ABAP Workbench -> Development -> Business Object Builder
```

Question III:

What must before you can create a new transportable function modules?

There are 3 correct answers to this question

Response:

Exception class

Function group \vee

Package C

Transport request

Module pool

Question 112:

Which of the following actions can be performed in the Process After Input (PAI) processing block?

Pline choose the correct answer.

Response:

Set the GUI status of the screen.

Modify screen attributes dynamically.

Set the title bar.

Check the function code.

Please choose the correct answer What do global types and local types have in common? Question 115: Question 114: Note: Answers of this question are not verified by our experts, please study yourself and select the appropriate There are 3 correct answers to this question There are 2 correct answers to this question. How can Unicode checks be made? Which of the following generic types can you use to define a field symbol that will be assigned to a Question 113: Search help Cannot be enforced ... Only in a Unicode system or as part of a conversion to a Unicode system V By running Transaction UCCHECK C Field labels • Documentation • Type any table V Type xsequence 🗸 Type any U Type dike Type csequence Response: Response:

Question 116:

In which database table type is there a one-to-one relationship between the Dictionary table definition and the relevant physical table in the database?

Please choose the correct answer.

Response:

(Internal table

(Cluster table

(Trànsparent table

Pooled table

Question 117:

Which of the following rules must you follow when you create a static constructor?

There are 3 correct answers to this question

Response:

You can ONLY define static constructors in the public section

You must name the method CLASS_CONSTRUCTOR

You must name the method gonstructor

You CANNOT use parameters or exceptions

You can use ONLY importing paragreters or exceptions

Question 118:

Each ABAP program starts with an introductory statement. Which statements are correct?

There are 2 correct answers to this question.

Response:

The introductory statement must be the first line in the program.

The introductory statement can be modified.

The introductory statement must never be modified.

The introductory statement must be the first statement in the program.

Technical information

Please choose the correct answer. Question 120: What is the Web Dynpro programming model is based on? Question 121: There are 2 correct answers to this question. For which of the following purposes can you use the ABAP dictionary? Please choose the correct answer. in which sequence are the following ABAP Events triggered? Question 119: To activate logging for transparent tables To maintain program translations 3. AT SELECTION-SCREEN 1. INITIALIZATION 3. INITIALIZATION 1. START-OF-SELECTION To create lock objects 2. START-OF-SELECTION 2. AT SELECTION SCREEN To create development classes L. INITIALIZATION nternet Transaction Server (ITS) 3. START-OF-SELECTION ?. INITIALIZATION 3. START-OF-SELECTION 2. AT SELECTION-SCREEN Jusiness Server Pages (BSPs) Jodel View Controller (MVC) . AT SELECTION-SCREEN Response: Response: Response:

Classic Dynpro programming

Question 122:

You want to use a BAdl to extend the functions of an SAP program. Which of the following tasks is necessary?

Please choose the correct answer.

Response:

Call the BAdI

Create an enhancement project using a customer exit.

Define an interface for the BAdI.

Implement a class that implements the BAdI interface.

Question 123:

What scheduling technique is used by the ABAP debugger dispatcher for processing user requests? Please choose the correct answer.

Response:

Shortest First

First in , First out

Round Robin

Muftiple Queue

Question 124:

Under which circumstances will the classic Debugger start as the Debugger?

There are 2 correct answers to this question.

Response:

When five modes already exist for this logon session.

If you manually switched to the classic Debugger during your last session.

When the number of debugging sessions exceeds half the number of dialog sessions.


When you specify the default as the classic Debugger in the settings of the Object Navigator.

None, the new Debugger will always start as the Debugger.

Question 125:

There are 3 correct answers to this question Which of the following ABAP dictionary types can you use to define domains?

Response:



Question 126:

Which prerequisites must be fulfilled before a repository object can be transported?

There are 3 correct answers to this question.

Response:

An inactive version of the repository object must exist.

An application component must be assigned to the repository object.

The repository object must be assigned to a change request

A transport layer must be assigned to the package.

The repository object must be assigned to a package.

Question 127:

What does a view do?

There are 4 correct answers to this question.

Response:

Contains other views

Can be contained in a window

Contains windows

If entered by an inbound plug, can cause an event handler method to be called

Contains a view controller

Question 128:

What is the predefined reference variable used in ABAP OO to address the object itself?

Response:

Please choose the correct answer.

S.E

SELF

SIHT

SUPER

Question 129:

What can be part of the signature of an instance constructor?

There are 2 correct answers to this question

Response:

Exceptions

Import parameters

Changing parameters

Export parameters

Question 130:

The data buffered on each application server...

Please choose the correct answer.

Response:

Depends on the users.

Is does not the same.

Is never the same.

Is always the same.

Question 131:

Which statements about ABAP are true?

Please choose the correct answer.

Response:

Each statement cannot begin with a keyword,

Each statement must begin with a keyword.

Each statement must end with a period.

ABAP keywords and additions must be in uppercase.

Question 132:

You always want to check the user authorization for data entered in an input field of a selection screen. Where do you do this?

Please choose the correct answer.

Response:

In the event block AT SELECTION-SCREEN on VALUE-REQUEST

In the event block AT SELECTION-SCREEN OUTPUT

In the event block AT SELECTION-SCREEN

In the event block INITIALIZATION

Question 133:

SAP enhancements for customer exits are managed by which transaction?

Please choose the correct answer.

Response:

Transaction SMOD

Application CMOD

pointainon civion

Transaction CMOD

Neither transaction listed here

Question 134:

What do you have to take into account before you decide to buffer a table? Please choose the correct answer.

Response:

The data must always be read from the buffer

The data read from the buffer may NOT be current

The entire table content must be loaded into the table buffer

The database server must allow table buffering

Question 135:

What is the best order to provide an event handler for an ALV?

Please choose the correct answer.

Response:

Write the handler, create the ALV, display the ALV, register for the event

Register for the event, write the handler, create the ALV, display the ALV

Write the handler, create the ALV, register for the event, display the ALV

Write the handler, register for the event, create the ALV, display the ALV

Create the ALV, write the handler, register for the event, display the ALV

Question 136:

Which of the following are table buffering types?

There are 3 correct answers to this question

Response:

Primary-key

Ē

Column-store

Generic

Single-record

Question 136: What can you use to achieve polymorphism? Please choose the correct answer. Response:

Events

Inheritance

Subroutines

Reports

Question 137

You are asked to enhance the GUI status of an SAP standard application How do you identify which menu exit function code you can use?

Please choose the correct answer.

Note: Answers of this question are not verified by our experts, please study yourself and select the appropriate answers.

Response:

It starts with a dollar(\$)

It start with a plus (+)

It starts with an asterisk (*)

It starts with an ampersand (&)

Question 138:

You want to select data from two tables and store the result in as structure. Table PARTNER contains the fields PART_ID and KIND.

Table CONTRACT contains the fields CONT_ID, CONT_TYPE and DIVISION

The structure is defined as follows

DATA: BEGIN OF wa_result,

Part_id_type partner-part_id, cont_id type contract-cont_id,

Cont_type TYPE contract-cont_type,

END of wa_result,

Lt_result type table of wa_result.

How can you replace the following SELECT statement with an outer join?

SELECT part_id from partner INTO wa_result WHERE kind = 'Residential',

SELECT cont_id from CONTRACT into wa_result-cont_id WHERE part EQ

Append wa_result to it_result.

wa_partner-part_id And DIVISION eq 'Water'.

ENDSELECT.

If sy-subrc<>0. CLEAR wa_result-cont_id

APPEND wa result TO It result. ENDIF.

ENDSELECT.

Please choose the correct answer.

Response:

SELECT part_idcont_id from partner LEFT JOIN contract on partner-part_id = contract-part_id AND partner-kind EQ 'Residential' INTO CORRESPONDING FIELDS OF TABLE It_result WHERE division eq 'Water'.

SELECT part_idcont_id from partner AS A LEFT JOIN contract AS b ON a~part_id = b~part_id INTO CORRESPONDING FIELDS OF TABLE It_result WHERE kind = "Residential" and AND division EQ 'Water'.

SELECT part_idcont_id from partner AS A LEFT JOIN contract AS b ON a~part_id = b~part_id AND b~division EQ 'Water' INTO TABLEIt_result WHERE kind = 'Residential'

SELECT part_idcont_id from partner LEFT JOIN contract on partner-part_id = contract-part_id AND contract-division EQ 'Water' INTO TABLE It_result WHERE kind EQ 'Residential'.

Question 139:

Which of the following components belong to the SAP application layer?

There are 2 correct answers to this question

Response:

ABAP dispatcher

.

SAP GUI

Database server

Database interface

Question 140:

What features are provided by the database interface?

There are 3 correct answers to this question.

Kespons

Database independence of application programs V

Conversion of Open SQL statements from ABAP statements into the corresponding database statements

Syntax check of Native SQL commands

Data consistency check using foreign key relationships

Access to SAP table buffers. V

Question 141:

Which of the following is a true statement?

There are 3 correct answers to this question.

Respon

All transportable objects have to be assigned to a package. 🔍

Client-specific customization objects are assigned to the customizing request.

Local repository objects can be transported.

Inactive objects can be transported.

Repository objects and cross-client customization objects are assigned to the workbench request. V

Question 142:

What must you do to define a database view using the ABAP Dictionary?

There are 3 correct answers to this question.

Respons

Choose the database tables from where the view acquires data

Define buffering settings for the underlying database tables.

Choose the fields from the tables that should be part of the view.

Define the join conditions between the tables.

Define selection criteria for the view.

Question 143:

When are the changes to the VB* table transferred to the database?

Please choose the correct answer.

Response:

When the enqueue work process is executed

When an update function module is executed

When the main program is executed

When the update work process is executed

Question 144:

You have created the following repository objects:

- A class with an event definition
- A handler class with a method ON_EVT which handles this event
- A report that instantiates the handler class

The report does not react to the event.

How do you analyze this issue?

There are 3 correct answers to this question

Response:

Check if the implementation of the handler method ON_EVT contains the correct logic

Check if the event is triggered by setting a breakpoint at the RAISE EVENT statement

Check if the handler method is registered

Check If the event is triggered by setting a breakpoint at the MESSAGE ... RAISING statement.

Check if the handler method ON_EVT is defined in a subroutine of the report.

There are 3 correct answers to this question. Which of the following statements are true? Question 145: Response:

The tables included in the maintenance view should have foreign key relationships. The tables included in the help view should have a foreign key relationship.

You cannot use a pooled or cluster table for a database view.

Projection views can have more than one table included for the view definition.

to achieve this? Please choose the correct answer. You want to develop a validation routine for a selection screen field. If a wrong value is entered into the

field, an error message should be displayed and the focus should move to the field. Which event do you use AT SELECTION-SCREEN Response:

LEAVE

ON CHANGE OF

LOOP AT dbtab

INITIALIZATION

START-OF-SELECTION

END-OF-SELECTION

Which statements are considered obsolete and cannot be used in ABAP Objects? Question 147: Please select all the correct answers that apply. DATA ... BEGIN OF ... OCCURS SEARCH DATA ... TYPE ... OCCURS INFOTYPES TABLES RANGES Response:

Please choose the correct answer. How many kinds of internal tables are supported in the ABAP language? Question 148:

Response:

Please choose the correct answer. Response: Utilities Database Object Database Utility

Question 152:

What is required to fully specify a Table Type in the ABAP Dictionary?

There are 3 correct answers to this question.

Response:

Table size

Table key

Line type

Header line

Access type

Question 153;

Which steps are needed when implementing the singleton concept for class instantiation with minimum coding?

There are 3 correct answers to this question.

Response:

Create an instance of the class in a static constructor.

Define the instantiation of the class as private.

Create an event that returns the instance of the class.

Save the instance of the class in a static attribute.

Define the class as abstract.

Question 154:

Which message types behave the same regardless of the context in which they are called?

There are 2 correct answers to this question.

Response:

;

×

Question 157: In which modularization units can you use parameters? There are 3 correct answers to this question Which of the following are key capabilities of SAP NetWeaver? Why should you bundle database updates in your dialog programs? Question 156: There are 3 correct answers to this question. Please choose the correct answer. Question 155: To process the SAP LUW within the database LUW to ensure data consistency Information Integration Enterprise Resource Planning Application Platform People Integration To allow you to use SAP locks to ensure data consistency To be able to rollback database changes performed in the same dialog step To avoid database locks set by an SQL statement that persists until the end of the program Function modules Dialog modules such as PBO modules Event blocks such as START-OF-SELECTION Methods Subroutines Response: Response: Response:

Question 158:

Which of the following tools belong to the ABAP Workbench?

There are 3 correct answers to this question.

Response:

Screen Painter

Form Builder

Easy Access Menu

Function Builder

Class Builder

Question 159:

What does a non-exclusive debugging mode mean?

There are 4 correct answers to this question.

Debugging is not possible between the statements SELECT and ENDSELECT because the database cursor needs to be closed using a COMMIT.

A roll-out is forced in the application after each Debugger view

Debugging is not possible for conversion or field exits

It may be used anywhere in the landscape.

Owing to the commit, inconsistent detesets can occur in the database.

Someone else is debugging the same source code.

Supply Chain Management

Question 160:

Your code contains the following statement:

READ TABLE gt_itab INTO gs_struc INDEX 1.

When defining gt itab, which internal table types can you use?

Please choose the correct answer.

Response:

Standard and sorted

Standard, sorted, and hashed

Standard and hashed

Sorted and hashed

Question 161:

In an ABAP program you have the following code sequence:

DATA text TYPE string.

DATA Text_ref TYPE REF TO string

DATA data_ref TYPE REF TO data

FIELD-SYMBOLS <5'> TYPE any

GET REFERENCE OF text INTO data_ref. Text = 'Content of Data Object'

Which of the following pieces of code can you use to output the content of variable text?

There are 2 correct answers to this question.

ASSIGN data_ref->* TO<fs>

WRITE text_ref->*.

WRITE <5>>

GET REFERENCE OF data_ref->* INTO text_ref, WRITE text_ref->*.

text_ref?= data_ref.

WRITE.data_ref->*.

Question 162:

a button UI element? What type of method is generated automatically by the Web Dynpro Explorer when you assign an action to

Please choose the correct answer

Response:

Event handler method

Standard hook method

Ordinary method

Supply function

Question 163:

In a subclass, you want to redefine a method of the super class. Which of the following conditions must be

There are 2 correct answers to this question.

Response:

The subclass method has same visibility as the super class method

The super class method is abstract

The superclass method is an instance method

The subclass method has a lower visibility than the super class method

Question 164:

In an ABAP program you have the following code sequence:

DATA var TYPE n LENGTH. 1.

FIELD -SYMBOLS <55> TYPE C

ASSIGN var TO <is>> CASTING

Which type is used to cast the assigned memory area?

Please choose the correct answer

Response:

The default type STRING

The type of <fs>

The default type I

The type of var

Question 167: Please choose the correct answer. which of the following types of enhancement? In the CALL CUSTOMER-FUNCTION 'nan' statement, nan is a three-digit number used in SAP programs for Please choose the correct answer. DATA: intTYPEL What is the result of the following arithmetic operation? Question 165: Please choose the correct answer. What is the purpose of the enqueue work process? Question 166: It processes update requests It manages logical locks in the lock table It translates Open SQL statements It processes user entries New BAdIs User exits Business add-ins Customer exits Response: Response: Response:

> Question 168: You run an executable program DATA: gy yest TYPE n LENGTH 3,

ou run an executable program which contains the following code:

GV_Var2 TYPE in LENGTH 3 VALUE '456'.
START-OF-SELECTION

CLEAR gv_var2

Gv_var2 = gv_var1.

Gv_var1 = '123'.

At what point does the system reserve memory for the data object gv_var1?

Please choose the correct answer.

Response:

When the assignment to gv_var2 is executed

At the beginning of the START-OF-SELECTION event block

When the value '123' is assigned to the data object

As soon as the program is loaded into thierinternal session

Question 170:

What is the default length of the type P data type?

Please choose the correct answer.

Response:

2

1-16

200

Question 171:

The following piece of code is used

DATA: def TYPE abc,

Which of the four elements are data types and which are data objects?

Please choose the correct answer.

Response:

def, ghi - data objects

abc, xyz - data type or data object

abc - data type

def, ghi - data objects

xyz - data type or data objects

abc - data type

def, ghi "xyz - data objects

abc, xyz - data type

def, ghi - data objects

Question 172:

Each button on a Dynpro (screen) requires the assignment of a function code. This function code...

Please choose the correct answer.

Prevents the function code from be assigned to a menu item.

Can be used to identify when the button is clicked by looking for the function code in the screen's OK_CODE field.

is used to define global variables that receive a value when the button is clicked.

Prevents the function code from be assigned to a category item.

Question 173:

exactly one stopover. You want to fly from the stopover city to Sydney on the same day you arrive in the stopover city. For a given date(variable ly_date), you want to find all the connections from Frankfurt to Sydney with

Table ZFLIGHTS hold the following information about flights.

flightid: primary key

cityfrom:departure city -datefrom: departure date

timefrom:departure time

-cityto:destination city -dateto;destination date

timeto:destination time

Which of the following Open SQL Queries can you use to find all the possible stopover cities?

Please choose the correct answer.

Response:

SELECT DISTINCT cityto INTO TABLE It cities FROM zflights AS destination

WHERE cityfrom IN (SELECT cityto FROM zflights

timeto < destination~timefrom AND

WHERE dateto = destination~datefrom AND

cityfrom = 'FRANKFURT' AND

datefrom = lv_date)

AND destination~cityto = 'Sydney'

SELECT cityto INTO TABLE It_cities FROM zflights AS destination

WHERE dateto = destination~datefrom AND WHERE cityfrom IN (SELECT DISTINCT cityto FROM zflights

timeto < destination~timefrom AND

cityfrom = 'FRANKFURT' AND

datefrom = lv_date)

AND destination~cityto = 'Sydney'

SELECT cityfrom INTO TABLE It_cities FROM zflights AS destination

WHERE cityto IN (SELECT DISTINCT cityfrom FROM zflights

WHERE dateto = destination~datefrom AND

timeto < destination~timefrom AND

cityfrom = 'FRANKFURT' AND

datefrom = 'lv_date')

AND destination~cityto = 'Sydney

SELECT DISTINCT dityfrom INTO TABLE It_cities FROM zflights AS destination

WHERE CITYTOM IN (SELECT CITYTO FROM zflights

WHERE dateto = destination~datefrom AND

timeto < destination~timefrom AND

cityfrom = 'FRANKFURT' AND

datefrom = lv_date)

AND destination~cityto = 'Sydney'

Question 175:

To reserve an area on the screen for an AtV Grid Control, you must do the following: Please choose the correct answer.

Response:

Create an object (instantiate the object) of the class CL_GUI_ALV_GRID

Use the Screen Painter

Create an object (instantiate the object) of the class CL_GUI_CUSTOM_CONTAINER

Create an object (instantiate the object) of the class CL_SALV_TABLE

Question 176:

Which boundary conditions lead to improved access time to an internal table?

There are 3 correct answers to this question.

Response:

Fully qualified key for sorted tables

Left justified part of key for sorted tables

Index access for standard tables

Index access for hashed tables

Left justified part of key for hashed tables

Question 177:

Which of the following can you do with the SAP code inspector?

Please choose the correct answer.

Response:

Monitor background tasks

Monitor runtime behavior

Analyze-runtime data,

Perform static code checks

Question 178:

Which of the following statements are true?

There are 2 correct answers to this question

There are 2 correct answers to this question.

Response:

A maintenance view is implemented as an inner join

A database view is implemented as an outer join.

A database view is implemented as an inner join.

A maintenance view is implemented as an outer join.

Question 179:

You want to create a transparent table in the ABAP dictionary. When the table is physically created in the database?

Please choose the correct answer.

Response:

When you save the table

When you run the database utility transaction (SE14)

When you insert the table name and select create

When you activate the table

Question 180:

When does the lifetime of a component controller begin and end?

Please choose the correct answer.

Response:

It begins the first time the Web Dynpro application is called at runtime and ends when the Web Dynpro application that called and instantiated the component ends.

It begins with the Web Dynpro component and ends with the Web Dynpro application that called it.

It lasts from creating data within the controller to cover the whole period during which the component is in use.

It ends the first time the Web Dynpro application is called at runtime and ends when the Web Dynpro application that called and instantiated the component ends.

Question 181:

What does the Refactoring Assistant allow you to do?

There are 2 correct answers to this question.

Response

Rename all subclasses of a method

Rename all occurrences of a method

Move between classes and interfaces

מייסיר אריייסלא בומספס מייס ווינטוומרפס

Move components between superclasses and subclasses

Question 182:

Which desktops are part of the new ABAP debugger?

There are 3 correct answers to this question.

Response:

Session

Desktop 1

Objects

Break/Watchpoints

List.

Question 183:

A

You have located a new (kernel) Business Add-in(BAdI) in an SAP standard application?

What must you create to implement the BAdI, and in which order?

Please choose the correct answer.

Note: Answers of this question are not verified by our experts, please study yourself and select the appropriate answers.

Response:

- Enhancement Spot Implementation
- BAdI implementation
- Enhancement Project
- BAdI Implementation
- Badi Implementation
- Enhancement Project
- BAdI Implementation
- Enhancement Spot Implementation



Question 184:

Which of the following statements are true?

There are 3 correct answers to this question.

Response:

Implicit enhancement can be used to enhance SAP objects developed prior to SAP NetWeaver 7.0.

An implicit enhancement point can be used to insert code in an SAP pro- gram and is always available to the customer.

Implicit enhancement options allow you to enhance interface parameters for function modules and methods without modifying the repository object.

None of the above.

Question 185:

Which SELECT statement will always bypass the SAP table buffers?

Please choose the correct answer.

Response:

SELECT ... INTO TABLE ...

SELECT ... ENDSELECT.

SELECT ... FOR UPDATE ...

SELECT ... SINGLE ...

Question 186:

Your program performs a data base update by calling function modules in an update task.

Which ABAP statements can be used in the program to discard all update requests for the current SAP logical unit of work(LUW)?

There are 3 correct answers to this question

Response:

MESSAGE TYPE A

MESSAGE TYPE E

ROLLBACK WORK

MESSAGE TYPE X

MESSAGE TYPE W

Question 187:

Which statements are true about a class that has granted friendship to another class?

There are 4 correct answers to this question.

Response:

All classes that inherit from the friend (subclasses) also have the same access.

The friend has access to protected attributes.

All classes the friend has granted friendship access status to also have the same access.

The friend has access to private attributes.

The friend has access to public attributes.

Question 188:

How do you embed a subscreen in a main screen?

Please choose the correct answer.

Respons

Use SET SUBSCREEN in the flow logic of the main screen.

Use SET SUBSCREEN in a PBO module of the main screen.

Use CALL SUBSCREEN in a PBO module of the main screen

Use CALL SUBSCREEN in the flow logic of the main screen.

Question 189:

You use Unified Modelling language (UML) to design your classes. You want to describe the message exchange between objects. Which diagram can you use?

Please choose the correct answer.

Response:

Class diagram

Object diagram

Component diagram

Sequence diagram

Question 190:

Which of the following enhancement options does not require any preparation from SAP?

Please choose the correct answer: Response:

Explicit enhancement point

Implicit enhancement point

Explicit enhancement sections

New BAdis

Question 191:

You are using the new debugger and you want to change the content of an internal table. Which actions are allowed?

There are 3 correct answers to this question.

Response:

Delete the selected rows.

Delete table from memory.

Delete the entire contents of a table.

Change row content and press Enter (<ENTER>).

Change row content and press Save (<CTRL> + S).

Question 192

Which of the following is a true statement?

There are 3 correct answers to this question.

A package can be nested.

All customer repository objects have to be assigned to a package.

Packages use interfaces and visibility to make their elements visible to other packages.

The transport layer is a mandatory input field for the package.

Ques	Question 193:	
Func	Function modules provide which types of parameters?	
There	There are 4 correct answers to this question.	
	Return values	
	Exceptions	
	Output	
	Input	
	Input/output (changing)	
Oues	Ouestion 194:	The state of the s
Which	Which of the following predefined data types are character types?	
There	There are 3 correct answers to this question	
	Response:	
	•	
	The state of the s	
	T	
	D	
	×	
Quest	Question 195:	
use of	use of other ABAP types. Which generic data type must you use in the definition?	Inition?
1.100	Response:	
	SIMPLE	
	DATA	
	CLIKE	

Question 196: Identify the types of controller.

There are 5 correct answers to this question.

Custom controller

Window controller

Consumer controller

View controller

Configuration controller

Component controller

Question 197:

A work process...

Please choose the correct answer.

Stays linked to a screen through the dispatcher.

Becomes inactive while waiting for a user.

Becomes active while waiting for a user.

Uses a common memory area called shared memory.

Question 198:

What are the differences between displaying in a full screen and in a container?

There are 2 correct answers to this question.

Only a full-screen ALV allows the use of event handling.

The full screen requires Dynpro programming.

The container requires the use of an additional object (a container control).

Only an ALV in a container allows the use of event handling.

The only difference is that the container name must be specified when creating the ALV object.

Any type of ALV allows the use of event handling.

Question 199: In which program types can you create dialog screens? There are 3 correct answers to this question Response: Function group Module pool Interface pool Executable program Class pool

Question 200: A screen has the following PAI flow logic: PROCESS AFTER INPUT

FIELD A MODULE check_A

FIELD A MODULE check_B
CHAIN.
FIELD:C,D
MODULE check_CD
ENDCHAIN
FIELD:C,B.
MODULE check_CB
ENDCHAIN

What happens if the application sends a type E message during the check_CB module processing?

Please choose the correct answer.

Kespons

The screen is NOT displayed again. Processing terminates and the user must restart the ABAP program

The screen is displayed again and the PBO flow logic is processed. Only fields ${\bf B}$ and ${\bf C}$ are ready for input

The screen is displayed again without processing the PBO flow logic. All fields are ready for input

The screen is displayed again without processing the PBO logic flow. Only fields B and C are ready for input

Question 201:

You created a transparent table and during activation got a warning message "Enhancement category for table missing".

What do you have to do to eliminate the warning message?

Please choose the correct answer.

Kesponse

Select the option Not Classified from the enhancement category.

Provide the correct reference field for the Currency or Quantity field.

Select any option other than Not Classified from the enhancement category

Change the Data Class and Size category in the technical settings.

Question 202:

At most, how many menu items (including functions, separators and sub- menus) can a menu have on the screen?

Please choose the correct answer.

Response:

20

10

15

None of the above

Question 203:

Your task is to enhance the screen of an SAP standard application.

How do you determine if there is a customer exit for this task?

Please choose the correct answer.

Response:

You search in the flow logic of the screen for CAL CUSTOMER-SUBSCREEN statement

You search in the source code of the application for GET BADI statement

You use the BAdI Builder (transaction SE19) to check for a suitable Business Add-In(BAdI)

You search in the SAP reference Implementation Guide (IMG) for a suitable user exit

Question 204:
Which options are available for a JOIN in ABAP Open SQL?
There are 3 correct answers to this question
Response:
CROSS JOIN
INNER JOIN
LEFT OUTER JOIN
RIGHT OUTER JOIN

Question 205:

How can you declare an internal table using the transparent table A as its line type?

Please choose the correct answer.

Response:

DATA gt_itab TYPE REF TO a.

DATA gt_itab TYPE TABLE OF a.

DATA gt_itab_TYPE a.

DATA gtitab TYPE LINE OF a.

Question 206:

What is mandatory for automatic data transport between a variable and an input field on a classical screen (dunnra)?

Pleans choose the correct answer.

Response

The property OUTPUT of the input field must be set.

The name of the variable and the name of the input field must be identical.

The variable must be declared using the DATA statement.

The variable must be declared using the TABLES statement.

Question 207:

Which of the following statements are true?

There are 2 correct answers to this question.

Response:

A conversion routine can be assigned to a domain.

You define the value range in the data element.

ou can enter documentation for the data element in the ABAP Dictionary.

A conversion routine can be assigned to a data element.

Question 208:

Which of the following can you use to enhance SAP standard tables and structures with fields?

There are 2 correct answers to this question.

Response

Customizing includes

Append search helps

Field exits

Append structures

Question 209:

What data type you can create in the ABAP Dictionary?

Please choose the correct answer

Response:

Secondary index

Lock object

Type group

Structure

Question 210:

How can you achieve this using a field symbol? You want to loop over an internal table without copying each table row to a work area.

Please choose the correct answer.

Response:

LOOP AT <itab> REFERENCE INTO <field_symbol>, ENDLOOP.

LOOP AT < itab> INTO < field_symbol>, ENDLOOP,

LOOP AT < itab > ASSIGNING < field_symbol >, ENDLOOP.

LOOP AT <tab> TRANSPORTING INTO <field_symbol>, ENDLOOP,

Question 211:

Which rules do you have to consider when working with pooled tables?

There are 2 correct answers to this question

Response:

Only key fields should be used in ORDER BY clauses

Only key fields should be used in WHERE condition

An append structure can be created

All fields can be used in indexes

Question 212:

How can you add a session breakpoint to your program?

There are 2 correct answers to this question.

Response:

Set a breakpoint in the ABAP editor

Set a breakpoint in the ABAP editor and select Save.

Set a breakpoint in the ABAP debugger and press-F8

Execute command /h

Question 213:

For which of the following requirements can you implement a functional method?

There are 2 correct answers to this question.

A factory method that returns an object reference

A method to set an instance attribute with one importing parameter and no other parameters

A handler method for an event that has a returning parameter

A private static helper method that returns a single value as the result of an algorithm

Question 214:

Which of the following predefined ABAP types is incomplete?

Please choose the correct answer.

XSTRING

STRING

Question 215:

Which statement is true?

Please choose the correct answer.

Response:

A database LUW cannot be placed within an SAP LUW

A database LUW must be placed within an SAP LUW

An SAP LUW must be placed within a database LUW.

A database LUW must be placed without an SAP LUW

Question 216:

If you are using external debugging (debugging of HTTP and RFC requests, which arrive in your ABAP system), what will the Debugger do?

Please choose the correct answer.

Kesponse

May or may not stop, depending on external factors.

Always stop when the external breakpoint is reached.

Never stop; external breakpoints operate on users other than your own.

Do not stop when the external breakpoint is reached.

Question 217:

What is the difference between a Unicode and non-Unicode program? Please select all the correct answers that apply.

Response:

Byte-type data objects cannot be compared to character-type data objects,

- Offset positioning in a Unicode structure is restricted to flat data objects.
- Byte-type data objects cannot be assigned to character-type data objects.

Offset positioning in a Unicode structure is restricted to character data objects.

Question 218:

You write the following ABAp statement

SELECT SINGLE carrid connid cityfrom cityto

From spfli

INTO gs_spfli

WHERE carrid = pa_car

AND connid = pa_con

How are the fields in the field list of the SELECT statement copied to the target structure gs_spfil? Please choose the correct answer.

Response:

They are copied to fields with the same name

They are copied to fields with the same type

They are copied from right to left

They are copied from left to right

Question 219:

An executable ABAP program contains a standard selection screen and uses the event blocks AT SELECTION SCREEN, AT SELECTION-SCREEN OUTPUT, INITIALIZATION, START-OFSELECTION.

In which sequence will ABAP runtime call these event blocks?

Please choose the correct answer.

Response:

- 1. AT SELECTION-SCREEN OUTPUT
- 2. INITIALIZATION
- 3, AT SELECTION-SCREEN
- 4. START-OF-SELECTION
- 1. INITIALIZATION
- 2. AT SELECTION-SCREEN OUTPUT
- 3. AT SELECTION-SCREEN
- 4. START-OF-SELECTION

Question 220:

What is variable-length structure called?

Please choose the correct answer.

Response:

Nested link structure

Nested structure

Flat structure

Link structure

Question 221:

Which events can exist in all types of programs that actually contain executable statements?

Please choose the correct answer.

Response:

NOTTALIZATION

LOAD-OF-PROGRAM

AT PF##

AT LINE-SELECTION

AT USER-COMMAND

START-OF-SELECTION

There are 3 correct answers to this question. What are the declarative statements used to define the selection? available in the Service Call wizard? Question 224: There are 3 correct answers to this question. You are establishing the business logic layer for a Web Dynpro Component. Which service types are Question 223: Please choose the correct answer. To which ABAP Dictionary definition can you assign fixed values? Question 222: Web service proxy SELECTION-SCREEN **PARAMETERS** None of the above Class method **Function group** Function module Transaction code Field of a transparent table Component of a structure Domain Data element Response: Response:

SELECT-OPTIONS

Question 225:

You want to add a field type <u>CURR</u> to a transparent table. What else must you do? Please choose the correct answer.

.

Response:

reate a reference to a field of type CUKY. /

idd a check table that contains a field of type CUKY.

Freate a new field CUKY as a pre-defined type.

Add a key fieldof type CUKY,

Question 226:

What is the root class in the RTTS inheritance tree?

Please choose the correct answer.

Response:

CL_ABAP_DATADESCR

CL_ABAP_TYPEDESCR

.

CL_ABAP_ELEMDESCR

CL_ABAP_COMPLEXDESCR

Question 227:

Table PARTNER contains the fields PART_ID and KIND. You want to select data from two tables and store the result in as structure.

Table CONTRACT contains the fields CONT_ID, CONT_TYPE and DIVISION.

The structure is defined as follows

DATA: BEGIN OF wa_result,

Part_id type partner-part_id, cont_id type contract-cont_id,

Cont_type TYPE contract-cont_type,

END of wa_result,

Lt_result type table of wa_result.

How can you replace the following SELECT statement with an outer join:

SELECT part_id from partner INTO wa_result WHERE kind = 'Residential'

SELECT cont_id from CONTRACT into wa_result-cont_id WHERE part EQ

wa_partner-part_id And DIVISION eq 'Water'.

Append wa_result to it_result.

ENDSELECT.

If sy-subrc<>0. CLEAR wa_result-cont_id

APPEND wa_result TO It_result, ENDIF.

Please choose the correct answer

partner-kind EQ 'Residential' INTO CORRESPONDING FIELDS OF TABLE It_result WHERE division eq SELECT part_idcont_id from partner LEFT JOIN contract on partner-part_id = contract-part_id.AND

CORRESPONDING FIELDS OF TABLE It_result WHERE kind = "Residential" and AND division EQ 'Water' SELECT part_idcont_id from partner AS A LEFT JOIN contract AS b ON a~part_id = b~part_id INTO

b~division EQ 'Water' INTO TABLEIt_result WHERE kind = 'Residential' SELECT part_idcont_id from partner AS A LEFT JOIN contract AS b ON.a~part_id = b~part_id AND

V.

contract-division EQ 'Water' INTO TABLE It_result WHERE kind EQ 'Residential' SELECT part_idcont_id from partner LEFT JOIN contract on partner-part_id = contract-part_id AND

Question 228:

Which statements are true?

There are 5 correct answers to this question.

Response:

The ALV Object Model can define a sort criteria for initial display

The ALV Grid requires a table refresh after programmatically changing the ALV.

The ALV Grid uses a reference to the data table for display

The ALV Object Model uses a reference to the data table for display

The ALV Grid can define a sort criteria for initial display.

The ALV Object Model requires a table refresh after programmatically changing the ALV

Question 229:

Global data types defined in SAP systems are..

Please choose the correct answer.

Response:

Date types defined in the program using ABAP Dictionary types

Date types does not defined Dictionary types

Data defined in the program that is visible to all the routines/statements within the ABAP program.

ABAP Dictionary types

Question 230:

Please choose the correct answer. How do you create lock objects and lock modules for use in ABAP programs that access the database?

Use the Function Builder to create the lock modules. The lock objects are created in the program logic

Use the ABAP dictionary to create the lock objects. Use the function builder to create the lock modules

Use the Function Builder to create the lock modules and the lock objects

Use the ABAP Dictionary to create the lock objects. The lock modules are created automatically

Question 232:

Additional exceptions in SAP function modules Additional parameters in SAP function modules Additional attributes in global SAP classes

Replacements for global SAP methods

Which of the following standard types is numeric?

There are 3 correct answers to this question.

Response:

Decfloat32

Question 233:

Table A and table B are partially buffered.

Which of the following SELECT statements always access the database?

There are 2 correct answers to this question.

SELECT a b FROM table A INTO CORRESPONDING FIELDS OF TABLE It AB

SELECT SINGLE FOR UPDATE 8 b FROM table A INTO CORRESPONDING FIELDS OF 16_A WHERE C EQ

EINTO CORRESPONDING FIELDS OF TABLE It_A_B. SELECT a b c d FROM table A JOIN table B ON table A~a EQ table B~

y P

INTO CORRESPONDING FIELDS OF Is_AB. SELECT SINGLE CLIENT SPECIFIED a b FROM table A

SEII

Question 234:

Which of the following regarding search helps is a true statement?

Please select all the correct answers that apply.

The LPos parameter defines the position of the search help parameter in the search hit list.

The interface for the search help is defined by the IMP (import) and EXP (export) flag of the search help

The SPos parameter defines the position of the input field on the dialog screen

The text table for the selection method is automatically populated if the text table is attached to the database table being used as the selection method.

Question 235:

The order of fields for a transparent table in the database...

Please choose the correct answer.

Is created in the order of the Data Dictionary.

Is allowed to be different than the ABAP Dictionary.

Needs to match the ABAP Dictionary

Is created in the order of the ABAP Dictionary.

Question 236:

You create a function group ZATP. What is the name of the corresponding main program?

Please choose the correct answer.

Response:

SAPFZATP

SAPMZATP

SAPLZATP

ZATP

Question 237:

serious to syntax

When you define local classes in ABAP, which syntactical sequence must you follow? Please choose the correct answer.

Response:

PUBLIC SECTION, PROTECTED SECTION, PRIVATE SECTION

PRIVATE SECTION, PROTECTED SECTION, PUBLIC SECTION

The order is handled automatically.

The order doesn't matter.

on 238;

You are making changes to a program that already has a transaction code linked to it. Your colleague is testing the transaction in your development system. At what point can the changed version of the program be tested?

Please choose the correct answer

Response:

When you release the transport requests for the program

When you save the program

When you perform a syntax check on the program

When you activate the program

lestion 239:

What is the difference between the INITIALIZATION and AT SELECTION-SCREEN OUTPUT events?

Please choose the correct answer

Respon

- INITIALIZATION can overwrite the default value of a PARAMETERS field
- AT SELECTION-SCREEN OUTPUT can overwrite the default values of a PARAMETERS field
- INITIALIZATION cannot change pushbutton texts
- AT SELECTION-SCREEN OUTPUT can change pushbutton texts
- INITIALIZATION can change the properties of the screen fields
- AT SELECTION-SCREEN OUTPUT cannot change the properties of the screen field
- INITIALIZATION is only processed once.
- AT SELECT-SCREEN OUTPUT can be processed multiple times

Question 240:

You want to select all the records from a database table where field CITY contains substring 'BU' in any position. Which WHERE clause can you use in an Open SQL select statement?

Please choose the correct answer

Response: 2 both 15

WHERE CITY LIKE "%BU%"

WHERE city LIKE '%BU*'

WHERE city LIKE '_BU'

WHERE city LIKE '*BU*'

Question 241:

You want to read data from two database tables A and B using a database join. Database table B contains details for data records stored in database table A. Your result should contain all combinations of matching rows from A and B plus all rows from A that do not have matching rows in B. Which statement do you use? Please choose the correct answer.

Response:

SELECT ... FROM a LEFT OUTER JOIN b ...

SELECT ... FROM a JOIN b ...

SELECT ... FROM a INNER JOIN b ...

SELECT ... FROM b RIGHT OUTER JOIN a ...

Question 242:

Which actions release a database lock?

There are 7 correct answers to this question. Response:

The display of an SAP screen

The display of a dialog message type E

A CALL TRANSACTION

ENQUEUE

DEQUEUE

A SUBMIT

ROLLBACK WORK

The display of a dialog message type A

An "/n" in the command field

COMMIT WORK

A call to a function module