

**Exam** : **C\_TAW12\_750**

**Title** : SAP Certified Development  
Associate - ABAP with SAP  
NetWeaver 7.50

**Vendor** : SAP

**Version** : V12.75

**NO.1** Enhancement definitions and implementations can be displayed in the Enhancement Information System.

**A.** True

**B.** False

**Answer:** A

**NO.2** What is the difference between SAP Basis and SAP NetWeaver?

**A.** There is no difference; the name change was driven by marketing alone.

**B.** All versions of SAP NetWeaver include the ability to handle HTTP requests.

**C.** All versions of SAP NetWeaver require the use of Unicode.

**Answer:** B

**NO.3** What are the declarative statements used to define the selection? Select all that apply.

**A.** None of the above

**B.** PARAMETERS

**C.** SELECT-OPTIONS

**D.** SELECTION-SCREEN

**Answer:** B C D

**NO.4** Repository objects are client-specific.

**A.** True

**B.** False

**Answer:** B

**NO.5** The system class CL\_ABAP\_MATH contains constants for maximum and minimum values for the numeric data type

**A.** False

**B.** True

**Answer:** B

**NO.6** The software component for a customer package can be...

**A.** HOME

**B.** Any SAP software component (i.e., SAP\_APPL, SAP\_BASIS, SAPJHR, etc.)

**Answer:** A

**NO.7** Subclasses inherit all the components of the parent class.

**A.** False

**B.** True

**Answer:** B

**NO.8** The dispatcher handles all communication between users, work processes, and other (external) systems.

**A.** False

**B. True**

**Answer:** A

**NO.9** You can define search helps and parameter IDs for a data element.

**A. False**

**B. True**

**Answer:** B

**NO.10** In a local class, it is possible to declare an instance constructor in all visibility sections of the class.

**A. False**

**B. True**

**Answer:** B

**NO.11** Code within an explicit enhancement point can be enhanced but cannot be replaced.

**A. True**

**B. False**

**Answer:** A

**NO.12** To generate the function modules for a lock object for a custom table (ENQUEUEJlock\_object] and DEQUEUEJlock\_object]), which tool would you use?

**A. Function Builder (Transaction SE37)**

**B. General Table Maintenance Dialog (Transaction SE54)**

**C. ABAP Dictionary (Transaction SE11)**

**D. Text Elements (Transaction SE32)**

**E. Reuse Library (Transaction SE83)**

**Answer:** C

**NO.13** The addition NO-EXTENSION for SELECT-OPTIONS will allow only one line in the selection table.

**A. True**

**B. False**

**Answer:** A

**NO.14** Internal tables can also be modified after executing the READ statement with the addition ASSIGNING. (S. 204) {1 Richtig}

**A. False**

**B. True**

**Answer:** B

**NO.15** Which actions release a database lock (with a default value for \_SCOPE)? Select all that apply.

**A. An /n in the command field**

**B. The display of a dialog message type E**

- C. ENQUEUE\_<lock\_object>
- D. A call to a function module
- E. DEQUEUE\_<lock\_object>
- F. COMMIT WORK
- G. A CALL TRANSACTION / A SUBMIT (Sepeperat)
- H. The display of an SAP screen
- I. The display of a dialog message type A
- J. ROLLBACK WORK

**Answer:** A E F I J

**NO.16** Identify the ways to map context structures. Select all that apply.

- A. Dynamic context mapping
- B. Direct context mapping
- C. External context mapping

**Answer:** B C

**NO.17** You cannot use the INSERT statement to insert lines into a standard internal table.

- A. False
- B. True

**Answer:** A

**NO.18** You can use the APPEND statement to fill a sorted internal table.

- A. False
- B. True

**Answer:** B

**NO.19** You must call a method to actually display the contents of the display table after you create an ALV

- A. True
- B. False

**Answer:** A

**NO.20** How can Unicode checks be made? Select all that apply. (S. 365) {2 Richtig}

- A. Only in a Unicode system or as part of a conversion to a Unicode system
- B. In any system (after release 6.10) by specifying the program has Unicode checks active
- C. By running Transaction UCCHECK
- D. Cannot be enforced

**Answer:** B C

**NO.21** A development object can be assigned to only one change request.

- A. True
- B. False

**Answer:** B

**NO.22** Each component has an interface; of what does this interface consist? Select all that apply.

- A. Interface controller
- B. Interface view
- C. Interface context

**Answer:** A B

**NO.23** Which of the following is a true statement? Select all that apply.

- A. A standard table should always have a unique key.
- B. A sorted table can have a unique or a non-unique key.
- C. A hashed table should always have a unique table key.

**Answer:** B C

**NO.24** Subroutines provide which types of parameters? Select all that apply.

- A. Output
- B. Return values
- C. Exceptions
- D. Input
- E. Input/output (changing)

**Answer:** A E

**NO.25** At most, a menu bar can have 10 menus. (S. 411) {1 Richtig}

- A. False
- B. True

**Answer:** A

**NO.26** One of the prerequisites for the replacement object is that the structure type defined for the CDS view should match the structure of the database table

- A. False
- B. True

**Answer:** B

**NO.27** Which of the following is true? Select all that apply. (S. 105) {2 Richtig}

- A. The repository objects and cross-client customization objects are recorded in a task belonging to a local change request if there is no consolidation route leading from the current system defined in the Transport Management System for the transport layer.
- B. The repository objects and the cross-client customization are recorded in a task belonging to the transportable request if the consolidation route is defined in the Transport Management System.

**Answer:** A B

**NO.28** The READ statement with the addition BINARY SEARCH for a sorted internal table is better for performance.

- A. False
- B. True

**Answer:** A

**NO.29** Authorizations are handled automatically during access to the database interface to restrict data access of the user.

**A.** False

**B.** True

**Answer:** A

**NO.30** Explicit enhancement points and sections are defined by the SAP application programmer.

**A.** True

**B.** False

**Answer:** A

**NO.31** The READ-ONLY attribute cannot be addressed outside the class.

**A.** False

**B.** True

**Answer:** A

**NO.32** Each work process... (select all that apply.)

**A.** Can only make database changes within a single database LUW.

**B.** Is independent of other work processes

**C.** Uses a pool of database connections established when the SAP NetWeaver AS for ABAP started.

**D.** Uses a database connection to a work process established when the SAP NetWeaver AS for ABAP started.

**E.** Can make database changes spanning multiple database LUWs

**Answer:** B C D

**NO.33** Which of the following is a true statement? Select all that apply.

**A.** Repository objects and cross-client customization objects are assigned to the workbench request.

**B.** All transportable objects have to be assigned to a package.

**C.** Inactive objects can be transported.

**D.** Local repository objects can be transported

**E.** Client-specific customization objects are assigned to the customizing '-' request

**Answer:** A B E

**NO.34** Which of the following are true statements? Select all that apply. (S. 342) {3 Richtig}

**A.** You can also select predefined data types to define the data type of the data element.

**B.** Field labels are defined for the domain

**C.** Reference data types can be used to define the data type of the data element.

**D.** The technical attributes of the data element can be defined by a domain, '-' that is, the data type, the field length, and the number of decimal places.

**Answer:** A C D

**NO.35** You can call the constructor method directly.

- A. . True
- B. False

**Answer:** B

**NO.36** Which statements are true about a class that has granted friendship to another class? Select all that apply.

- A. The friend has access to private attributes.
- B. The friend has access to public attributes.
- C. All classes that inherit from the friend (subclasses) also have the same '-' access.
- D. The friend has access to protected attributes.
- E. All classes the friend has granted friendship access status to also have the '-' same access.

**Answer:** A B C D

**NO.37** Which of the following statements are correct? Select all that apply.

- A. The SELECT-OPTIONS statement creates an internal table with a header line. '-' The internal table is also known as the selection table.
- B. You can only specify default values for the LOW and HIGH fields of the \*-I SELECT-OPTIONS input field.
- C. The structure of the selection table created with SELECT-OPTIONS has four \*-I components: SIGN, OPTION, LOW, and HIGH
- D. You can use the addition NO-DISPLAY to hide the input field on the selection '-' screen

**Answer:** A C D

**NO.38** How would you find out if an application program offers a program exit? Select all that apply.

- A. Look for a customer exit in the SAP reference IMG within an application ^ Uarea
- B. Use the Application Hierarchy
- C. Search for the character string CUSTOMER-FUNCTION
- D. Use the Repository Information System

**Answer:** A B C D

**NO.39** The valid value for a decimal floating point number of type decfloat34 is a number between 1E6145 and

-1E-6143 for a negative number, 0, and +1E-6143 to 1E6145.

- A. True
- B. False

**Answer:** A

**NO.40** One of the prerequisites for the replacement object is that the structure type defined for the CDS view should match the structure of the database table

- A. False
- B. True

**Answer:** B

**NO.41** A watchpoint stops program execution every time the condition specified is met

**A.** False

**B.** True

**Answer:** A

**NO.42** An SAP LUW differs from a database LUW in that it allows for multiple screens to be processed.

**A.** True

**B.** False

**Answer:** B

**NO.43** You cannot use the LIKE statement to define an attribute in a class.

**A.** True

**B.** False

**Answer:** B

**NO.44** The Internet Communication Manager (ICM)...

**A.** Allows the ABAP stack and the Java stack to exchange data.

**B.** Allows SAP NetWeaver Application Server to process HTTP requests.

**C.** Replaced SAP ITS.

**Answer:** B

**NO.45** The OCCURS statement is required to define an internal table with a header line.

**A.** False

**B.** True

**Answer:** A

**NO.46** Which type of view uses an inner join in a search help?

**A.** Maintenance view

**B.** Database view

**C.** Help view

**Answer:** B

**NO.47** What is the default length of the type C data type?

**A.** 1

**B.** 10

**C.** 1-65535

**Answer:** A

**NO.48** Which of the following statements regarding the event AT SELECTION-SCREEN ON HELP-REQUEST FOR <FIELD> is correct?

**A.** None of the above.

**B.** This event will display self-defined (F1) help for the input field programmed in the event block and



will override any help possibly defined in the ABAP Dictionary for the field.

**C.** This event will display (F1) help for the input field on the selection screen.

**Answer:** C

**NO.49** Identify the types of layout managers. Select all that apply.

**A.** reeLayout

**B.** RowLayout

**C.** MatrixLayout

**D.** FlowLayout

**E.** GridLayout

**F.** ColumnLayout

**Answer:** B C D E

**NO.50** All Open SQL commands allow processing on multiple rows.

**A.** False

**B.** True

**Answer:** B

**NO.51** What is a plug? Select all that apply.

**A.** Can be assigned to multiple views

**B.** outbound, or both

**C.** Can be defined as default inbound

**D.** Can be defined as outbound controlling multiple inbound plugs

**E.** Can be defined as an exit

**F.** Forms the basis of navigation within a Web Dynpro

**G.** Can be defined as inbound and be controlled by multiple outbound plugs

**H.** Can be defined as a startup

**Answer:** E F G H

**NO.52** The ALV was introduced with ABAP object-oriented capabilities in release 4.5A.

**A.** False

**B.** True

**Answer:** B

**NO.53** When you define local classes in ABAP, which syntactical sequence must you follow?

**A.** PUBLIC SECTION, PROTECTED SECTION, PRIVATE SECTION

**B.** The order doesn't matter

**C.** The order is handled automatically.

**D.** PRIVATE SECTION, PROTECTED SECTION, PUBLIC SECTION

**Answer:** A

**NO.54** The BINARY SEARCH addition cannot be used with the READ statement for the HASHED table.

**A.** False

**B. True**

**Answer:** B

**NO.55** Where should the labels for fields be stored?

**A. Data element**

**B. Structure**

**C. Field**

**D. Domain**

**E. Table**

**Answer:** A

**NO.56** A transparent table can include a deep structure

**A. True**

**B. False**

**Answer:** B

**NO.57** When included in a structure, which elementary field types allow the structure to be considered a character-type data object? Select all that apply. (S. 365) {4 Richtig}

**A. X**

**B. C**

**C. D**

**D. STRING**

**E. F**

**F. XSTRING**

**G. T**

**H. I**

**I. N**

**Answer:** B C G I

**NO.58** You can use a table with a header line for object-oriented programming

**A. True**

**B. False**

**Answer:** B

**NO.59** A selection screen can only be defined in an executable program.

**A. False**

**B. True**

**Answer:** A

**NO.60** Each work process is assigned a type of task that can be performed. Which statements related to this are true?

Select all that apply.

**A. All work processes communicate with the dispatcher.**

- B. All work processes communicate with the database.
- C. A work process can communicate directly with an external system through '-' a Remote Function Call
- D. It is possible to have multiple enqueue work processes on an SAP NetWeaver Application Server.
- E. It is possible to have multiple spool work processes on an ABAP application '-' server
- F. All work processes have the same structure.
- G. To switch a work process type requires a restart of the SAP NetWeaver AS for \*-I ABAR

**Answer:** A D E F

**NO.61** Which of the following statements about the Object Navigator are true? Select all that apply. (S 105.) {4 Richtig}

- A. Screens can be displayed and edited in the Object Navigator.
- B. You can create BAdI implementations in the Object Navigator.
- C. ABAP programs can be displayed and edited in the Object Navigator.
- D. Menus can be displayed and edited in the Object Navigator.
- E. The ABAP Dictionary can be maintained in the Object Navigator
- F. You can create customer projects (Transaction CMOD) in the Object Navigator.

**Answer:** A C D E

**NO.62** What does a non-exclusive debugging mode mean? Select all that apply.

- A. Debugging is not possible for conversion or field exits
- B. Owing to the commit, inconsistent datasets can occur in the database.
- C. Debugging is not possible between the statements SELECT and ENDSELECT '-' because the database cursor needs to be closed using a COMMIT.
- D. Someone else is debugging the same source code
- E. It may be used anywhere in the landscape.
- F. A roll-out is forced in the application after each Debugger view

**Answer:** A B C F

**NO.63** What is the default length of the type P data type?

- A. 1
- B. 8
- C. 1-16

**Answer:** B

**NO.64** What is variable-length structure called?

- A. Nested structure
- B. Deep structure
- C. Flat structure

**Answer:** C

**NO.65** A data object is concretely defined by means of the data type and occupied memory. It contains data with which ABAP programs work at runtime.

**A.** True

**B.** False

**Answer:** A

**NO.66** SAP enhancements for customer exits are managed by which transaction?

**A.** Transaction SMOD

**B.** Neither transaction listed here

**C.** Transaction CMOD

**Answer:** A

**NO.67** An internal table can have at most 15 secondary keys.

**A.** False

**B.** True

**Answer:** B

**NO.68** The class constructor method is called automatically when you access the class for the first time.

**A.** True

**B.** False

**Answer:** A

**NO.69** The valid value for a decimal floating point number of type decfloat16 is a number between 1E385 and -1E-383 for a negative number, 0, and 1E-383 to 1E385 for a positive number.

**A.** True

**B.** False

**Answer:** A

**NO.70** A replacement object can be defined for a pooled table.

**A.** True

**B.** False

**Answer:** B

**NO.71** Which screen in the ABAP Dictionary allows you to log data changes to the table?

**A.** Delivery and Maintenance tab

**B.** Attributes tab

**C.** Utilities \* Database Object \* Database Utility

**D.** Technical Settings

**E.** Utilities \* Settings

**Answer:** D

**NO.72** FORM routines (subroutines) can be used in which program types? Select all that apply

**A.** Module pools

- B. Executables
- C. Function groups
- D. Class pools
- E. Subroutine pools
- F. Interface pools
- G. Type groups

**Answer:** A B C E

**NO.73** Identify the types of controller. Select all that apply.

- A. Consumer controller
- B. View controller
- C. Window controller
- D. Component controller
- E. Custom controller
- F. Configuration controller

**Answer:** B C D E F

**NO.74** (F1) help on the screen field displays the data element documentation

- A. True
- B. False

**Answer:** A

**NO.75** The FIELD statement does not have any effect in the PBO event block, and it should not be used in the PBO event block.

- A. True
- B. False

**Answer:** A

**NO.76** The predefined data types are defined locally in the ABAP program.

- A. True
- B. False

**Answer:** B

**NO.77** An internal table can have primary keys as well as secondary keys.

- A. True
- B. False

**Answer:** A

**NO.78** It is recommended that you place the COMMIT WORK in the update task.

- A. True
- B. False

**Answer:** B

**NO.79** The order of fields for a transparent table in the database...

- A.** Is created in the order of the ABAP Dictionary
- B.** Needs to match the ABAP Dictionary.
- C.** Is allowed to be different than the ABAP Dictionary.

**Answer:** C

**NO.80** You can create projection views for pooled or cluster tables

- A.** False
- B.** True

**Answer:** B

**NO.81** You can maintain SAPscript forms and SAP Smart Forms within the ABAP Workbench.

- A.** True
- B.** False

**Answer:** B

**NO.82** Which statements are considered obsolete and cannot be used in ABAP Objects? Select all that apply. (S. 556)

{9 Richtig}

- A.** DATA - BEGIN OF ... OCCURS
- B.** RANGES
- C.** LOOP AT dbtab
- D.** LEAVE
- E.** GE OF
- F.** INFOTYPES s/ TABLES
- G.** SEARCH
- H.** DATA - TYPE - OCCURS

**Answer:** A B C D E F G H

**NO.83** What is the ALV Object Model?

- A.** A group of hierarchical classes that describe the ALV Grid as a whole but do not inherit from a single class
- B.** A group of classes that describe the ALV Grid as a whole and inherit from a single class

**Answer:** A

**NO.84** Object or class events can trigger any number of handler methods.

- A.** True
- B.** False

**Answer:** A

**NO.85** Nested source code enhancement allows you to enhance the source code plug-in.

- A.** True
- B.** False

**Answer:** A

**NO.86** ABAP now has predefined functions that behave like functional methods.

A. FALSE

B. TRUE

**Answer:** B

**NO.87** What does a view do? Select all that apply.

A. Contains windows

B. Contains other views

C. Contains a view controller

D. Can be contained in a window

E. If entered by an inbound plug, can cause an event handler method to be

**Answer:** A C D E

**NO.88** The FIELD statement with the ON REQUEST addition calls the ABAP dialog module if any value is entered in the screen field.

A. True

B. False

**Answer:** A

**NO.89** There can only be one level in the inheritance tree

A. True

B. False

**Answer:** B

**NO.90** The static sequence of the default next screen can be established by the value in the screen attribute Next Screen.

A. False

B. True

**Answer:** B

**NO.91** Two structures in Unicode programs are only compatible if all alignment gaps are identical on all platforms.

A. True

B. False

**Answer:** A

**NO.92** The line type for a table type can contain a flat, nested, or deep structure.

A. False

B. True

**Answer:** B

**NO.93** What is the allowed length of the ABAP Dictionary data type DF34\_RAW?

- A. The allowed length is between 1 and 34 digits.
- B. The allowed length is 34 digits.
- C. The allowed length is between 1 and 31 digits
- D. The allowed length is between 0 and 33 digits.

**Answer:** B

**NO.94** Declaration of an internal table with a header line can be used in a class implementation.

- A. True
- B. False

**Answer:** B

**NO.95** The user interface consists of the GUI status and GUI title.

- A. True
- B. False

**Answer:** A

**NO.96** There are \_\_\_\_ versions of the ABAP Editor.

- A. 2
- B. 4
- C. 3

**Answer:** C

**NO.97** You can list a maximum of six browsers in the Object Navigator. (S. 105) {1 Richtig}

- A. True
- B. False

**Answer:** B

**NO.98** With what can you simulate multiple inheritance?

- A. INTERFACES
- B. REDEFINITION
- C. INHERITING FROM

**Answer:** A

**NO.99** How many kinds of internal tables are supported in the ABAP language?

- A. 2
- B. 1
- C. 3

**Answer:** C

**NO.100** Which class is used to define a reference for an instance of the ALV Object Model?

- A. Class CL\_GUI\_ALV\_GRID
- B. Class CL\_GUI\_CUSTOM\_CONTAINER
- C. Class CL\_SALV\_TABLE



**Answer:** C

**NO.101** You cannot use a SORT statement for a sorted internal table.

**A.** False

**B.** True

**Answer:** B

**NO.102** At most, how many buttons can the application toolbar have on the screen?

**A.** 20

**B.** None of the above

**C.** 35

**D.** 10

**E.** 30

**Answer:** C

**NO.103** Which of the following is correct?

**A.** The screen attributes can be modified in the PROCESS BEFORE OUTPUT event block.

**B.** None of the above

**C.** The screen attributes can be modified in the PROCESS AFTER INPUT even block.

**D.** The screen attributes can be modified in the PROCESS BEFORE OUTPUT and PROCESS AFTER INPUT event blocks.

**Answer:** A

**NO.104** The data is transferred and displayed on the screen after the processing of the PBO.

**A.** True

**B.** False

**Answer:** A

**NO.105** If a user has an object locked in a task within a request (transport), then no one else can change it until the task and request are released.

**A.** True

**B.** False

**Answer:** B

**NO.106** Subclasses can access the private components of the parent class.

**A.** True

**B.** False

**Answer:** B

**NO.107** ABAP data types can be used for a domain definition.

**A.** True

**B.** False

**Answer:** B

**NO.108** What is the difference between a value table and a check table?

- A.** A check table is defined in the domain, whereas a value table is defined in '-' the data element
- B.** A value table is defined in the domain, whereas a check table is defined in '-' the data element.
- C.** A value table is a check table after a foreign key is defined
- D.** No difference; they are the same thing.
- E.** A value table does not exist

**Answer:** C

**NO.109** When must a foreign key have domain equality?

- A.** For a text table
- B.** Always
- C.** For a check field
- D.** Never

**Answer:** C

**NO.110** Lock objects are only required when doing dialog programming; SAP's best practice does not require them when doing background or en masse changes, as there is no COMMIT WORK that will occur.

- A.** False
- B.** True

**Answer:** A

**NO.111** Data types store data and occupy memory.

- A.** True
- B.** False

**Answer:** B

**NO.112** What is the Web Dynpro programming model is based on?

- A.** Classic Dynpro programming
- B.** Model View Controller (MVC)
- C.** Business Server Pages (BSPs)
- D.** Internet Transaction Server (ITS)

**Answer:** B

**NO.113** The target structure of a SELECT statement requires the field names to match the columns selected and to be in the same left-justified order.

- A.** False
- B.** True

**Answer:** A

**NO.114** What is the maximum number of watchpoints that can exist at one time?

- A.** No limit
- B.** 8

C. 10

D. 16

**Answer:** C

**NO.115** Which types of programs or parts of programs can be tested directly from the ABAP Workbench or ABAP Editor? Select all that apply

A. INTERFACE-POOL

B. TYPE-POOL

C. PROGRAM

D. METHOD

E. INCLUDE

F. FUNCTION-POOL

G. FUNCTION MODULE

H. CLASS-POOL

I. REPORT

**Answer:** D G H I

**NO.116** If data objects of type I are being used to store the result of a calculation, the decimals will be truncated.

A. True

B. False

**Answer:** B

**NO.117** Open SQL does not allow you to specify a secondary index during a SELECT.

A. True

B. False

**Answer:** A

**NO.118** Which modularization units can raise an exception? Select all that apply

A. Methods

B. Subroutines (FORM routines)

C. Function modules

**Answer:** A B C

**NO.119** Which of the following statements are true? Select all that apply.

A. A conversion routine can be assigned to a domain.

B. A conversion routine can be assigned to a data element.

C. You define the value range in the data element.

D. You can enter documentation for the data element in the ABAP Dictionary.

**Answer:** A D

**NO.120** Only one text table can be linked to a table.

A. True

**B. False**

**Answer:** A

**NO.121** What is the result of the following arithmetic operation?

DATA: int TYPE I.

int = 5\*(3/10).{1 Richtig}

**A. 1**

**B. D2**

**C. 1.5**

**D. 0**

**Answer:** D

**NO.122** Which of the following are incorrect statements? Select all that apply.

**A. TYPES: carridjy LIKE spfli-s-carrjd.**

**B. TYPES: werks TYPE C LENGTH 4.**

**C. TYPES: datejy TYPE D LENGTH 10.**

**D. TYPES: Str TYPE STRING LENGTH 20.**

**Answer:** C D

**NO.123** V1 update tasks are always non-restartable, whereas V2 update tasks are always restartable.

**A. True**

**B. False**

**Answer:** B

**NO.124** Which actions release a database lock? Select all that apply.

**A. The display of an SAP screen**

**B. ROLLBACK WORK**

**C. ENQUEUE\_<lock\_object>**

**D. An/n in the command field**

**E. COMMIT WORK**

**F. The display of a dialog message type E**

**G. A Submit**

**H. A CALL TRANSACTION**

**I. A SUBMIT (Sepeperat)**

**J. A call to a function module**

**K. The display of a dialog message type A**

**Answer:** A B D E F G H K

**NO.125** It is not possible to test a function module if another function module of the same function group contains a syntax error.

**A. False**

**B. True**

**Answer:** B

**NO.126** Which of the following statements are true? Select all that apply.

- A. maintenance view is implemented as an outer join.
- B. A database view is implemented as an outer join.
- C. database view is implemented as an inner join.
- D. A maintenance view is implemented as an inner join.

**Answer:** A C

**NO.127** Setting breakpoints for a method or function module within the Debugger allows the use of (F4) (value help) to find the correct name.

- A. True
- B. False

**Answer:** A

**NO.128** You can empty the body of the internal table itab with a header line using the CLEAR itab statement.

- A. True
- B. False

**Answer:** B

**NO.129** An internal table line type with a deep or nested structure can be defined for internal tables with a header line.

- A. True
- B. False

**Answer:** B

**NO.130** If you enter the value "0" or blank ("") as the next screen, then the system resumes processing from the point at which the screen was initiated, assuming the Next Screen attribute is overridden dynamically in the program.

- A. True
- B. False

**Answer:** A

**NO.131** A development object can be assigned to only one package

- A. False
- B. True

**Answer:** B

**NO.132** What is the default selection screen number for the ABAP program?

- A. 1100
- B. None of the above
- C. 1000
- D. 100

**Answer:** C

**NO.133** Code within an explicit enhancement section can be replaced by the customer.

**A.** False

**B.** True

**Answer:** B

**NO.134** Which you should specify in a non-Unicode system when opening a file in TEXT MODE?  
Select all that apply.

**A.** The ENCODING addition

**B.** The byte order

**C.** The code page

**Answer:** B C

**NO.135** The Debugger displays a maximum of eight data objects at one time.

**A.** True

**B.** False

**Answer:** A

**NO.136** Internal tables cannot have a deep or nested structure in their line type

**A.** False

**B.** True

**Answer:** A

**NO.137** The Repository Information System is a useful tool to search for customer exits/function exits and BADls in the SAP system.

**A.** True

**B.** False

**Answer:** A

**NO.138** Beginning with SAP NetWeaver 7.40, if SAP HANA (an in-memory database) is being used as a database, then table buffering is no longer effective and is therefore not possible.

**A.** True

**B.** False

**Answer:** B

**NO.139** Buffering data can speed access to data up to 100 times when compared to reading it from the database.

**A.** False

**B.** True

**Answer:** B

**NO.140** How many work areas are available in the Debugger?

**A.** 12

- B. 15
- C. 7
- D. 9

**Answer:** A

**NO.141** Private components of the class cannot be addressed directly from outside the class except when the friendship concept applies

- A. False
- B. True

**Answer:** B

**NO.142** It is possible to make multiple changes to data objects at the same time in the Debugger

- A. False
- B. True

**Answer:** B

**NO.143** To reserve an area on the screen for an ALV Grid Control, you must do the following:

- A. Use the Screen Painter
- B. Create an object (instantiate the object) of the class CL\_GUI\_CUSTOM\_CONTAINER
- C. Create an object (instantiate the object) of the class CL\_GUI\_ALV\_GRID
- D. Create an object (instantiate the object) of the class CL\_SALV\_TABLE

**Answer:** A

**NO.144** Global data types defined in SAP systems are...

- A. ABAP Dictionary types.
- B. Data defined in the program that is visible to all the routines/statements '-' within the ABAP program.
- C. Date types defined in the program using ABAP Dictionary types.

**Answer:** A

**NO.145** Public methods can access the private attributes of the same class.

- A. True
- B. False

**Answer:** A

**NO.146** Which of the following regarding search helps is a true statement? Select all that apply.

- A. The interface for the search help is defined by the IMP (import) and EXP '-' (export) flags of the search help parameter
- B. The LPos parameter defines the position of the search help parameter in the '-' search hit list.
- C. The text table for the selection method is automatically populated if the text table is attached to the database table being used as the selection method.
- D. The SPos parameter defines the position of the input field on the dialog '-' screen.

**Answer:** A B C D

**NO.147** When starting the Debugger, what circumstance causes the runtime error DEBUGGING\_NOT\_POSSIBLE?

- A.** When the number of debugging sessions on the server exceeds the value '-' defined by the profile parameter rdisp/wpdebug\_max\_no
- B.** Starting a non-exclusive mode in a productive system
- C.** When more than five sessions are already associated with this login user

**Answer:** B

**NO.148** Where are fixed values for fields stored?

- A.** Field
- B.** Structure
- C.** Table V Q Domain
- D.** Data element

**Answer:** D

**NO.149** Which modularization units are global? Select all that apply

- A.** Function modules
- B.** Subroutines (FORM routines)
- C.** Methods within a local class in the program
- D.** Methods within class pools

**Answer:** A D

**NO.150** Which elementary field types are considered a character type? Select all that apply.

- A.** N
- B.** X
- C.** F
- D.** C
- E.** I
- F.** STRING
- G.** XSTRING
- H.** T
- I.** D

**Answer:** A D F H

**NO.151** What does Software Layer Aware Debugging allow you to do? Select all that apply.

- A.** Trace executing cod
- B.** Debug only a small portion of code
- C.** Bypass authorization objects
- D.** Debug a large portion of code
- E.** Specify as much or as little code to debug

**Answer:** B D E

**NO.152** An internal table is an ABAP program variable.



**A.** False

**B.** True

**Answer:** B

**NO.153** Update tasks are the only way to make changes to the database

**A.** False

**B.** True

**Answer:** A

**NO.154** If an error or warning message is sent from the ABAP dialog module for the FIELD statement within the CHAIN and ENDCHAIN statements, then all of the fields within CHAIN and ENDCHAIN are ready for user input again. (S. 411) {1 Richtig}

**A.** False

**B.** True

**Answer:** B

**NO.155** Customer exits provide program exit, screen exit, and menu exit enhancements.

**A.** True

**B.** False

**Answer:** A

**NO.156** What does the enhancement category for a database table or structure do? Select all that apply.

**A.** Specifies the types of changes that can be made to the structure

**B.** Can produce warnings at incompatible points for the structure

**C.** Can identify where program behavior may change

**D.** Makes a table Unicode-compliant

**Answer:** A B C

**NO.157** You use the addition OBLIGATORY to define the input field of a parameter as a required field.

**A.** True

**B.** False

**Answer:** A

**NO.158** Which of the following statements regarding search helps are true? Select all that apply.

**A.** You can use a database view for the search help selection method.

**B.** You can use transparent tables for the search help selection method.

**C.** You can use a maintenance view for the search help selection method.

**D.** Help views can also be used for the selection method for search help.

**Answer:** A B D

**NO.159** In addition to the visible part (the layout), a view also contains a controller and a context

**A.** True

**B. False**

**Answer:** A

**NO.160** Which of the following statements are correct? Select all that apply (S. 470) {4 Richtig}

- A.** You can call private methods within the public methods without reference '^-' to the object or class.
- B.** None of the above
- C.** Static methods can be defined in both the public and private visibility section of the class.
- D.** Class methods assigned to the public visibility section can be accessed outside the class using the static component selector and the class name.
- E.** Only public methods can be addressed outside the class.

**Answer:** A C D E

**NO.161** If you are using external debugging (debugging of HTTP and RFC requests, which arrive in your ABAP system), what will the Debugger do?

- A.** May or may not stop, depending on external factors.
- B.** Always stop when the external breakpoint is reached.
- C.** Never stop; external breakpoints operate on users other than your own.

**Answer:** A

**NO.162** Under which circumstances will the classic Debugger start as the Debugger?

- A.** None; the new Debugger will always start as the Debugger
- B.** When the number of debugging sessions exceeds half the number of dialog '-' sessions.
- C.** If you manually switched to the classic Debugger during your last session
- D.** When you specify the default as the classic Debugger in the settings of the '^-' Object Navigator.
- E.** When five modes already exist for this logon session.

**Answer:** D E

**NO.163** Which of the following statements are true? Select all that apply

- A.** Projection views can have more than one table included for the view definition.
- B.** You cannot use a pooled or cluster table for a database view.
- C.** The tables included in the maintenance view should have foreign key relationships.
- D.** The tables included in the help view should have foreign key relationships.

**Answer:** A B C

**NO.164** Methods provide which types of parameters? Select all that apply.

- A.** Output
- B.** Return values
- C.** Input
- D.** Input/output (changing)
- E.** Exceptions

**Answer:** A B C D E

**NO.165** In the CALL CUSTOMER-FUNCTION 'nnn' statement, nnn is a three-digit number used in SAP programs for which of the following types of enhancement?

- A. Customer exits
- B. User exits
- C. Business add-ins
- D. New BAdIs

**Answer:** A

**NO.166** What must you specify in a Unicode system when opening a file in TEXT MODE?

- A. The byte order
- B. The ENCODING addition
- C. The code page

**Answer:** B

**NO.167** When does the lifetime of a component controller begin and end? (S. 530) {1 Richtig}

- A. It begins with the Web Dynpro component and ends with the Web Dynpro application that called it
- B. It lasts from creating data within the controller to cover the whole period' during which the component is in use.
- C. It begins the first time the Web Dynpro application is called at runtime and ends when the Web Dynpro application that called and instantiated the component ends.

**Answer:** B

**NO.168** What is unique about a singleton? Select all that apply.

- A. It must be instantiated using a private instance constructor
- B. It must be instantiated using a protected instance constructor
- C. It must be instantiated using a static protected constructor
- D. It must be defined as FINAL
- E. It must be instantiated using a public instance constructor
- F. It cannot be defined as FINAL.
- G. It must be instantiated using a static private constructor
- H. It must be instantiated using a static public constructor

**Answer:** D G

**NO.169** Which statements about ABAP are true?

- A. ABAP keywords and additions must be in uppercase.
- B. Each statement must begin with a keyword
- C. Each statement must end with a period.

**Answer:** C

**NO.170** Local update tasks are quicker because they stay within the same work process.

- A. False
- B. True

**Answer:** A

**NO.171** Which events can exist in all types of programs that actually contain executable statements?

- A. AT USER-COMMAND
- B. AT PF##
- C. INITIALIZATION
- D. LOAD-OF-PROGRAM
- E. AT LINE-SELECTION
- F. START-OF-SELECTION

**Answer:** D

**NO.172** Each button on a Dynpro (screen) requires the assignment of a function code. This function code...

- A. Can be used to identify when the button is clicked by looking for the function code in the screen's OK\_CODE \*-I field.
- B. Is used to define global variables that receive a value when the button is '-' clicked.
- C. Prevents the function code from be assigned to a menu item.

**Answer:** A

**NO.173** Which of the following standard types is numeric? Select all that apply.

- A. P
- B. I
- C. Decfloat32
- D. F

**Answer:** A B D

**NO.174** You should always buffer database tables that contain fewer than 100 records.

- A. False
- B. True

**Answer:** A

**NO.175** You can have only one selection screen for an ABAP program. (S. 436) {1 Richtig}

- A. False
- B. True

**Answer:** A

**NO.176** The Debugger is entirely self-contained and requires no external transactions.

- A. True
- B. False

**Answer:** B

**NO.177** What character is used as a symbol for the operand type in an expression?

- A. None of the above

- B. @
- C. #
- D. ~

**Answer:** C

**NO.178** In which circumstances is a table considered to be a text table? Select all that apply

- A. The entire key of this data table is included as the key to this table.
- B. This table only has one character-based data field.
- C. This table has a foreign key to the data table as a text table.
- D. This table has an additional language key field.
- E. The ABAP runtime system determines that the relationship exists.

**Answer:** A C D

**NO.179** What is the difference between SAP Basis and SAP NetWeaver?

- A. There is no difference; the name change was driven by marketing alone.
- B. All versions of SAP NetWeaver include the ability to handle HTTP requests.
- C. All versions of SAP NetWeaver require the use of Unicode.

**Answer:** B

**NO.180** Which does the field catalog allow you to do? Select all that apply. (S. 503) {3 Richtig}

- A. Change the display order of a column
- B. Change the title of a column
- C. Produce a striped pattern for the display lines
- D. Add a field to the display
- E. Specify the sort order of the display table

**Answer:** A B D

**NO.181** The Next Screen attribute can be temporarily overwritten by the set screen statement (that is, SET SCREEN 200).

- A. False
- B. True

**Answer:** B

**NO.182** What does a Web Dynpro component contain? Select all that apply.

- A. A context
- B. Exactly one interface controller
- C. UI elements
- D. Multiple views within a window
- E. Component controller

**Answer:** B D E

**NO.183** Value help can be supplied from which of the following?

Please select all the correct answers that apply.

Response:

- A. Fixed values
- B. Search help for a screen field
- C. Search help for table or structure fields
- D. Key values of a check table
- E. Search help for a check table
- F. Search help from a text table
- G. Process On Value request
- H. Search help for a data element

**Answer:** A B C D E F G H

**NO.184** What is the difference between a Unicode and non-Unicode program? Select all that apply

- A. Offset positioning in a Unicode structure is restricted to flat data objects.
- B. Byte-type data objects cannot be assigned to character-type data objects.
- C. Offset positioning in a Unicode structure is restricted to character data ^ \*-I objects.
- D. Byte-type data objects cannot be compared to character-type data objects.


**Answer:** A B C D

**NO.185** Dynpros can be placed in which program types? Select all that apply.

- A. Module pools
- B. Function groups
- C. Class pools
- D. Executables

**Answer:** A B D

**NO.186** Given the code in the exhibit (see Figure 17.9) and the knowledge that both lcl\_truck and lcl\_car inherit from lcl\_vehicle, which statements are true? Select all that apply



```

TYPES:
  lit_vehicle TYPE REF TO lcl_vehicle,
  itt_vehicle TYPE STANDARD TABLE OF lit_vehicle.

DATA:
  lf_vehicle TYPE REF TO lcl_vehicle,
  lt_vehicle TYPE itt_vehicle,
  lf_truck   TYPE REF TO lcl_truck,
  lf_car     TYPE REF TO lcl_car.

FIELD-STACK:
  ~vehicle~ TYPE REF TO lcl_vehicle.

CREATE OBJECT lf_vehicle.
CREATE OBJECT lf_truck.
CREATE OBJECT lf_car.
APPEND INITIAL LINE TO lt_vehicle ASSIGNING ~vehicle~.
~vehicle~ = lf_vehicle.
APPEND INITIAL LINE TO lt_vehicle ASSIGNING ~vehicle~.
~vehicle~ = lf_truck.
APPEND INITIAL LINE TO lt_vehicle ASSIGNING ~vehicle~.
~vehicle~ = lf_car.

lf_truck TO lf_vehicle.

```

- A. The code will produce a runtime error.
- B. The code shows two valid up casts.
- C. The table lt\_vehicle contains three vehicles.

- D. The code is not syntactically correct.
- E. The code shows no valid up casts.
- F. The code shows three valid up casts.

**Answer:** A B C

**NO.187** It is possible to PERFORM <subroutine> ON COMMIT in an update task.

- A. True
- B. False

**Answer:** A

**NO.188** At most, how many menu items (including functions, separators and submenus) can a menu have on the screen?

- A. 10
- B. 20
- C. 15
- D. None of the above

**Answer:** C

**NO.189** ABAP Push Channels (APC) can only use the WebSocket protocol.

- A. False
- B. True

**Answer:** A

**NO.190** Which statement will interrupt the processing of the current screen and branch to new screen?

- A. LEAVE TO SCREEN <NNNN>
- B. SET SCREEN <NNNN>
- C. None of the above
- D. CALL SCREEN <NNNN>

**Answer:** D

**NO.191** Each ABAP program starts with an introductory statement. Which statements are correct? Select all that apply.

- A. The introductory statement must be the first line in the program
- B. The introductory statement can be modified.
- C. The introductory statement must be the first statement in the program.
- D. The introductory statement must never be modified.

**Answer:** B C

**NO.192** Where do you create online documentation ((F1) help) for fields on the screen?

- A. Table
- B. Domain
- C. Structure

- D. Data element
- E. Field

**Answer:** D

**NO.193** The binding between a UI element and a context attribute is a two-way relationship

- A. True
- B. False

**Answer:** A

**NO.194** Which of the following statements are true? Select all that apply. (S. 470) {2 Richtig}

- A. Static attributes are declared with the CLASS-DATA statement.
- B. A static attribute is the same across all instances of the class. There is only one static attribute across all instances of the class.
- C. Static attributes cannot be changed by an object.
- D. Static attributes can be declared only in the private visibility section of the class

**Answer:** A B

**NO.195** Each ABAP program that actually contains executable statements... (Select all that apply.)

- A. Assigns every executable statement to a processing block regardless of it ^ '-' being in a processing block.
- B. Only assigns executable statements in a processing block to a processing \*-I block
- C. Has declarative statements outside of processing blocks that are considered \*-I local
- D. Uses event blocks to trigger events in ABAP.
- E. Has declarative statements inside of processing blocks that are considered \*-I local
- F. Is divided into processing blocks.
- G. Can be tested from the ABAP Workbench by pressing (F8)

**Answer:** A F

**NO.196** Which statements are true regarding ABAP inheritance? Select all that apply.

- A. The static constructor can be overwritten as part of inheritance.
- B. You can access the superclass component with the prefix SUPER->.
- C. Overloading allows a method to have several definitions with different signatures.
- D. Polymorphism requires the developer to specify which method to use with inheritance.
- E. The instance constructor can be overwritten as part of inheritance.
- F. Static constructors do not need to call the superclass's constructor
- G. Instance constructors must call the superclass's constructor.

**Answer:** B E F G

**NO.197** The ALV is entirely implemented using ABAP Objects.

- A. False
- B. True

**Answer:** A



**NO.198** All breakpoints are valid for the entire Debugger session, and all can be changed by the Debugger

**A.** False

**B.** True

**Answer:** B

**NO.199** The ABAP Messaging Channels (AMC) uses the WebSocket protocol to gain two-way communication instead of HTTP.

**A.** True

**B.** False

**Answer:** B

**NO.200** What are the differences between displaying in a full screen and in a container? Select all that apply. (S. 503)

{2 Richtig}

**A.** Only a full-screen ALV allows the use of event handling.

**B.** The full screen requires Dynpro programming.

**C.** Only an ALV in a container allows the use of event handling

**D.** Any type of ALV allows the use of event handling.

**E.** The only difference is that the container name must be specified when creating the ALV object.

**F.** The container requires the use of an additional object (a container control).

**Answer:** D F

**NO.201** The READ statement with the addition BINARY SEARCH for a sorted internal table is better for performance.

**A.** False

**B.** True

**Answer:** A

**NO.202** Is it possible to have multiple active implementations of business add-ins at a time? Select all that apply

**A.** It can have multiple active implementations if the Multiple use checkbox is '-' selected.

**B.** It cannot have a multiple active implementation.

**C.** It can have multiple implementations if the Filter-Depend, checkbox is '-' selected.

**Answer:** A C

**NO.203** Which must a search help do? Select all that apply.

**A.** Determine the values for selection by the user

**B.** sed from a screen

**C.** Use a table or a view for data selection

**D.** Have a dialog with the user

**E.** Allow the user to select a response

**Answer:** A B D E

**NO.204** Which of the following is a true statement? Select all that apply

- A.** A package can be nested.
- B.** All customer repository objects have to be assigned to a package.
- C.** Packages use interfaces and visibility to make their elements visible to other packages.
- D.** The transport layer is a mandatory input field for the package

**Answer:** A B C

**NO.205** A view can only be displayed in which circumstances?

- A.** It contains an inbound and outbound plug
- B.** It can always be displayed.
- C.** It has been embedded in a window.

**Answer:** C

**NO.206** Which statement cannot use a subquery.

- A.** None of the above
- B.** SELECT
- C.** INSERT
- D.** DELETE
- E.** UPDATE

**Answer:** B D E

**NO.207** What does the Refactoring Assistant allow you to do? Select all that apply.

- A.** Move components between superclasses and subclasses
- B.** Move between classes and interfaces
- C.** Rename all occurrences of a method

**Answer:** A B

**NO.208** The Java stack and the ABAP stack of an SAP NetWeaver Application Server must always be installed together

- A.** False
- B.** True

**Answer:** A

**NO.209** The constructor method is always defined in the private visibility section of the class.

- A.** True
- B.** False

**Answer:** B

**NO.210** The database always uses the primary key when the WHERE clause contains any of the key fields.

- A.** False
- B.** True

**Answer:** A

**NO.211** What is the correct order for using a lock object?

- A. Read the data, set the lock, change the data, release the lock
- B. Set the lock, read the data, change the data, release the lock
- C. Set the lock, read the data, release the lock, change the data

**Answer:** B

**NO.212** A change request is part of a task.

- A. True
- B. False

**Answer:** B

**NO.213** The READ-ONLY addition for the attribute declaration can be used in the private and public visibility section.

- A. True
- B. False

**Answer:** B

**NO.214** Your selection screen can be modified at which event?

- A. AT SELECTION-SCREEN OUTPUT
- B. AT SELECTION-SCREEN
- C. None of the above
- D. AT SELECTION-SCREEN ON <field\_name>

**Answer:** A

**NO.215** Protected attributes can be accessed by methods of the class and its subclasses.

- A. True
- B. False

**Answer:** A

**NO.216** Which statement is true?

- A. An SAP LUW must be placed within a database LUW.
- B. A database LUW must be placed within an SAP LUW.

**Answer:** A

**NO.217** It is possible to use both buffering and secondary indexes to improve performance of a search help.

- A. True
- B. False

**Answer:** A

**NO.218** You use the CREATE OBJECT statement to create both types of ALV.

- A. False

B. True

**Answer:** A

**NO.219** The \_WAIT parameter of a lock object waits for the lock to be successful.

A. False

B. True

**Answer:** A

**NO.220** The constructor method is called automatically when you create an instance of the class.

A. True

B. False

**Answer:** A

**NO.221** You can define multiple elements in a single line by defining the element within the block SELECTION-SCREEN BEGIN OF LINE and SELECTION-SCREEN END OF LINE.

A. False

B. True

**Answer:** B

**NO.222** An internal table can be defined using the DATA statement.

A. False

B. True

**Answer:** B

**NO.223** You can use the logical expression IS SUPPLIED for any formal parameter passed to which modularization unit? Select all that apply.

A. Instance method

B. Subroutine (FORM routine)

C. Function module

D. Static method

**Answer:** A C D

**NO.224** What is the allowed length of the ABAP Dictionary data type DF16\_DEC?

A. The allowed length is between 0 and 15 digits.

B. The allowed length is between 0 and 16 digits.

C. The allowed length is between 1 and 15 digits

D. The allowed length is 16 digits.

**Answer:** C

**NO.225** Which message types behave the same regardless of the context in which they are called? Select all that apply

A. S

B. I

C. W

D. A

E. X

F. E

**Answer:** D E

**NO.226** The system class CL\_ABAP\_MATH contains constants for maximum and minimum values for the numeric data type

A. True

B. False

**Answer:** A

**NO.227** ABAP is a programming language that... (Select all that apply.)

A. Processes and formats data.

B. Interacts with the user.

C. Controls the business logic.

D. Separates program code from language text.

E. Executes on all three levels of the three-tier architecture

**Answer:** A B C D

**NO.228** Database access can occupy most of the runtime in an ABAP program. Which tools are available to assist you to diagnose performance issues in your program? Select all that apply}

A. ABAP Objects Runtime Analysis (Transaction ATRA)

B. Performance Trace (Transaction ST05)

C. ABAP Trace (Transaction SAT)

D. ABAP Objects Runtime Analysis (Transaction SE30)

**Answer:** A B C D

**NO.229** Local data objects can be defined using ABAP Dictionary types

A. False

B. True

**Answer:** B

**NO.230** The FIELD statement with the ON INPUT addition is used to conditionally call the ABAP dialog module. The ABAP dialog module is called if the value of the screen field is other than the initial value. (S. 411) {1 Richtig}

A. True

B. False

**Answer:** A

**NO.231** What type of ABAP Dictionary view is implemented as an INNER JOIN?

Please choose the correct answer.

Response:

- A. Database view
- B. Projection view
- C. Help view
- D. Maintenance view

**Answer:** A

**NO.232** Which statements are true? Select all that apply.

- A. The ALV Object Model requires a table refresh after programmatically changing the ALV
- B. The ALV Grid can define a sort criteria for initial display.
- C. The ALV Object Model uses a reference to the data table for display.
- D. The ALV Object Model can define a sort criteria for initial display.
- E. The ALV Grid uses a reference to the data table for display.
- F. The ALV Grid requires a table refresh after programmatically changing the DALV.

**Answer:** B C D E F

**NO.233** Which of the following statements are correct? Select all that apply.

- A. An enhancement spot can contain an explicit enhancement point, explicit '-' enhancement section, and new BAdI.
- B. An enhancement spot can contain either an explicit enhancement point and enhancement section or a new BAdI only, but all three cannot be in the same enhancement spot.
- C. An enhancement spot can contain one or more simple or composite '-' enhancements.
- D. An enhancement spot can contain an explicit enhancement point and an enhancement section.

**Answer:** B C D

**NO.234** You can call a module for the FIELD statement to validate user entry on the input field. You can validate the entry on the input field and send an error or a warning message from an ABAP dialog module.

- A. False
- B. True

**Answer:** B

**NO.235** You can define a selection screen as a subscreen or tab strip control.

- A. True
- B. False

**Answer:** B

**NO.236** ABAP Unit Test Browser is included in Object Navigator with SAP NetWeaver 7.0 EHP 2.

- A. False
- B. True

**Answer:** B

**NO.237** The Object Navigator incorporates a total of 11 browsers.

- A. False

**B.** True

**Answer:** B

**NO.238** The statements CALL BADI and GET BADI are used for which type of BAdIs?

**A.** Classical BAdI

**B.** None of the above

**C.** New BAdI

**Answer:** C

**NO.239** Which of the following statements are true? Select all that apply. (S.596) {3 Richtig}

**A.** Implicit enhancement options allow you to enhance interface parameters for function modules and methods without modifying the repository object.

**B.** An implicit enhancement point can be used to insert code in an SAP program and is always available to the customer.

**C.** None of the above.

**D.** Implicit enhancement can be used to enhance SAP objects developed prior to SAP NetWeaver 7.0.

**Answer:** A B D

**NO.240** Both the classic Debugger and the new Debugger can be used on all ABAP code without restriction.

**A.** False

**B.** True

**Answer:** A

**NO.241** The Repository Browser is started by default when you execute Transaction SE80 for the Object Navigator

**A.** True

**B.** False

**Answer:** A

**NO.242** The READ statement with the BINARY SEARCH addition cannot be used for a sorted internal table.

**A.** False

**B.** True

**Answer:** A

**NO.243** Which of the following are true statements? Select all that apply

**A.** Table fields can be assigned to a data element.

**B.** A reference table and field are required for fields with the data types QUAN \*-I and CURR

**C.** Search helps can be defined for a table field that is assigned to a predefined '-' data type

**D.** Table fields can be assigned to an ABAP Dictionary data type directly.

**Answer:** A B D

**NO.244** What is the best order to provide an event handler for an ALV?

- A. Create the ALV, write the handler, register for the event, display the ALV
- B. Write the handler, register for the event, create the ALV, display the ALV
- C. Write the handler, create the ALV, display the ALV, register for the event
- D. Register for the event, write the handler, create the ALV, display the ALV
- E. Write the handler, create the ALV, register for the event, display the ALV

**Answer:** E

**NO.245** Which of the following is a true statement? Select all that apply.

- A. An access key is required to enhance an SAP application using a user exit.
- B. An access key is required to implement an implicit enhancement point.
- C. An access key is required to modify SAP repository objects.
- D. An access key is required to implement business add-ins.

**Answer:** A C

**NO.246** Memory requirements are identical in a non-Unicode system and in a Unicode system.

- A. True
- B. False

**Answer:** B

**NO.247** Function modules provide which types of parameters? Select all that apply.

- A. Return values
- B. Output
- C. Exceptions
- D. Input
- E. Input/output (changing)

**Answer:** B C D E

**NO.248** You can modify an internal table by using the UPDATE statement

- A. False
- B. True

**Answer:** A

**NO.249** What is the result of the following arithmetic operation?

DATA: int TYPE I int = 5 /10 {1 Richtig}

- A. 0
- B. 5
- C. 1

**Answer:** C

**NO.250** Each ABAP program starts with an introductory statement. Which statements are correct? Select all that apply.

- A. The introductory statement must be the first statement in the program.
- B. The introductory statement must be the first line in the program



- C. The introductory statement can be modified.
- D. The introductory statement must never be modified.

**Answer:** B C

**NO.251** A work process...

- A. Becomes inactive while waiting for a user
- B. Stays linked to a screen through the dispatcher
- C. Uses a common memory area called shared memory

**Answer:** C

**NO.252** The addition NO-INTERVALS for SELECT-OPTIONS will allow only single fields on the selection screen.

- A. True
- B. False

**Answer:** A

PASS4TEST.NET