

CS23 Assignment Five

CJ Bridgman-Ford
cj.ikaika@gmail.com

April 16, 2024

- 1 We often define graph theory concepts using set theory. For example, given a graph $G = (V, E)$ and a vertex $v \in V$, we define

$$N(v) = \{u \in V : \{v, u\} \in E\}$$

We define $N[v] = N(v) \cup \{v\}$. The goal of this problem is to figure out what all this means.

- a. Let G be the graph with $V = \{a, b, c, d, e, f\}$ and $E = \{\{a, b\}, \{a, e\}, \{b, c\}, \{b, e\}, \{c, d\}, \{c, f\}, \{d, f\}, \{e, f\}\}$. Find $N(a)$, $N[a]$, $N(c)$, and $N[c]$.

$$N(a) = \{b, e\}, N[a] = \{a, b, e\}, N(c) = \{d, f\}, \text{ and } N[c] = \{c, d, f\}.$$

- b. What is the largest and smallest possible values for $|N(v)|$ and $|N[v]|$ for the graph in part (a)? Explain?

a has two degrees, b and c each have three, d has two, e has three, and f has only one. Therefore, $|N(v)|$ can be at most 3 and $|N[v]|$ can be at most 4. $|N(v)|$ can be at least 2 and $|N[v]|$ can be at least 1.

- c. Give an example of a graph $G = (V, E)$ (probably different than the one above) for which $N[v] = V$ for some vertex $v \in V$. Is there a graph for which $N[v] = V$ for all $v \in V$? Explain.

Suppose $V = \{a, b, c\}$ and $E = \{\{a, b\}, \{a, c\}, \{b, c\}\}$. In this case, $N[a] = N[b] = N[c] = \{a, b, c\}$. In this graph, $N[v] = V$ for all vertices $v \in V$.

- d. Give an example of a graph $G = (V, E)$ for which $N(v) = \emptyset$ for some $v \in V$. Is there an example of such a graph for which $N[u] = V$ for some other $u \in V$ as well? Explain.

Consider the case where $V = \{a, b, c\}$ and $E = \{\{b, c\}\}$. In this case, $N(a) = \emptyset$, as a has a degree of zero.

- e. Describe in words what $N(v)$ and $N[v]$ mean in general.

$N(v)$ returns a set of all the nodes that vertex v is directly connected to via an edge. $N[v]$ returns $N(v) \cup \{v\}$, meaning the set of v and all the nodes it connects to.

2 Which of the following graphs are trees?

- (a) $G = (V, E)$ with $V = \{a, b, c, d, e\}$ and $E = \{\{a, b\}, \{a, e\}, \{b, c\}, \{c, d\}, \{d, e\}\}$
- (b) $G = (V, E)$ with $V = \{a, b, c, d, e\}$ and $E = \{\{a, b\}, \{b, c\}, \{c, d\}, \{d, e\}\}$
- (c) $G = (V, E)$ with $V = \{a, b, c, d, e\}$ and $E = \{\{a, b\}, \{a, c\}, \{a, d\}, \{a, e\}\}$
- (d) $G = (V, E)$ with $V = \{a, b, c, d, e\}$ and $E = \{\{a, b\}, \{a, c\}, \{d, e\}\}$

Trees satisfy two conditions, they do not have cycles and are connected. Graph (a) has a cycle (a, b, c, d, e, a) , therefore it is not a tree. Graph (b) is a tree. Graph (c) a tree. Graph (d) is not a tree, as the graph is not fully connected.

3 For each degree sequence below, decide whether it must always, must never, or could possibly be a degree sequence for a tree.

- (a) $(4, 1, 1, 1, 1)$
- (b) $(3, 3, 2, 1, 1)$
- (c) $(2, 2, 2, 1, 1)$
- (d) $(4, 4, 3, 3, 3, 2, 2, 1, 1, 1, 1, 1, 1, 1)$

- 4 Suppose you have a graph with v vertices and e edges that satisfies $v = e + 1$. Must the graph be a tree? Prove your answer?
- 5 Prove that any graph with v vertices and e edges that satisfies $v > e + 1$ will not be connected.
- 6 Let T be a rooted tree that contains vertices u , v , and w (among possibly others). Prove that if w is a descendant of both u and v , then u is a descendant of v or vice versa.
- 7 Prove that every connected graph which is not itself a tree must have at least three different spanning trees.