

Simple principles for engineering reproducible solutions to environmental management challenges.

Malory Owen¹, Christopher J. Lortie^{*}

¹ Biology, 4700 Keele St. Toronto, ON, Canada, M3J1P3

^{*} Corresponding author: lortie@yorku.ca

Abstract

An environmental management challenge is an opportunity to use fundamental science to inform evidence-based decisions for environmental stakeholders and conservationists. Contemporary science is embracing open science and increasingly conscious of reproducibility. Synergistically, applying these two paradigms in concert advances our capacity to move beyond context dependency and singular thinking to reverse engineer solutions from published scientific evidence associated with one challenge to many. Herein, we provide a short list of principles that can guide those that seek solutions to address environmental management through primary scientific literature.

Author summary

Grand challenges require grand solutions. Environmental management cannot neglect fundamental science as a substrate for effective decision making, and scientists should be conscious of how their science can be used by managers.

Introduction

Conservation decisions can reside with legislators (indirect impactors) or environmental managers (direct impactors). To focus on the latter, managers typically have scientific backgrounds and routinely navigate the technical literature. However, engagement with scientific literature is non-trivial for all practitioners because of time, access, relevance of the science, and reporting standards. Environmental managers and conservationist are certainly seeking evidence to inform decisions (citations please). However, there can be a gap in communication between basic science and management for at least three reasons. Firstly, the research is not a direct study of an ecosystem, and an immediate, real-world solution is needed by managers - preferably with a demonstrable outcome and reasonable cost estimate (citations). This is a very real limitation in the primary science literature restoration ecology for instance (cite Lortie better late than never). Secondly, the link between the biology or ecology present in the literature is not articulately connected to the similar process for the system at hand. There are notable examples with journals just as the Journal of Applied Ecology, Basic and Applied Ecology, the Journal of Environmental Engineering, and many others, but there nonetheless remains a vast pool of opportunity for solution development in other journals. Context-specific findings in science are a legitimate and useful means to advance discovery, but at times, studies from one system can be repurposed for insights into another. Finally, the capacity to see the forest for the trees or the generality of a

specific, even large-scale or broad basic research study can be a challenge. Science can be very specialized (citation to Nancy Baron book), and mobilizing knowledge for solutions requires both detailed expertise, scientific synthesis tools (cite to Lortie formalized synthesis paper in Oikos), or a focus on identifying the salient elements associated with a study (citation). Often, seeing the forest also requires sampling many trees. This leads to the general proposal here that experts can promote reproducible and mobile knowledge for many fundamental science endeavors by considering these principles. This is both a set of principles for how to make your research potentially reusable by environmental managers and conservationists (citation to get your paper used by meta) and inform solutions for the environmental crisis.

An environmental management challenge is a problem presented in scientific literature or society that, when redefined and reviewed using these 10 principles, can result in a solution to the original problem. EXPAND... a tiny bit more..how. Typically, a challenge is... look up how they define grand challenges and make mention here including the 17 global sustainability goals. A (reverse-engineered) reproducible solution is a suggested solution to a challenge derived from identifying all the components of the challenge. It should be applicable to multiple local-extent challenges when tweaked to fit the circumstances. Finally, a tool or solution is the desired outcome from the primary research to support evidence-based decision making in conservation. In this case, a tool is a methodology researchers use that can facilitate managers to either identify best ways to measure/identify issues or to provide solutions for their specific challenge. Any tool is linked to its respective reproducible solution by the fundamental concepts of reproducibility (citation to reproducibility crisis paper). These can include primarily conceptual replication but also... check papers on reproducibility. then concluding sentence.

The heuristic developed here was inspired by the “Ten Simple Rules” format pioneered by Phillip Bourne in the field of computational biology [1]. We propose that by distilling the concepts that promote engagement with scientific literature outside of the research community, managers can rely on broader sources of scientific knowledge to make decisions. Additionally, researchers can better understand the perspective of managers facilitating science and scientific communication that is more applicable to managers without compromising their research programs. Here, we will outline and discuss simple “principles” scientists can use to make their research more applicable to managers, and managers can use to identify basic science that fits their needs.

The principles

1. Reframe the problem as challenge. Doom-and-gloom is a pervasive mentality in ecology and environmental sciences which can reduce productivity and problem solving. It can shut down even the most motivated of minds—but beyond the issue of motivation, reframing a problem as a *challenge* can reveal solution sets that may otherwise remain hidden. For example, consider the problem of human-wildlife conflict between carnivores and the people living near the Ruaha National Park boundary in Tanzania. The *problem* is that 98.5% of people perceive wildlife as a threat to their livestock resulting in increased likelihoods for human-wildlife conflict [2]. Reframed, the challenge can be to decrease the negative perception of wildlife in areas with high human-wildlife conflict opportunities. It is a small change in semantics, but it is a potentially profound change in direction.

2. Describe the scope and extent of the challenge. Defining the scope of a challenge conceptually and the extent geographically will ensure that potential solutions fit the challenge. Moving across scales is a common issue in ecology (citation to Sandel 2015 paper in Ecography), and proposing a spatial scale, using common terms, and

describing the breadth of the challenge will accelerate interdisciplinary solutions (i.e. the wildlife-human challenge above is ecological and societal). The challenge can be problematic on multiple scales including local, regional, or global scale and solutions can be needed for each. Conceptually, the scope is broad in the human-wildlife conflict example whilst the extent is primarily local to the area surrounding the Southern border of the Ruaha National Park.

3. Explicitly link the basic science to management implications and policy. Perhaps the most facile principle, a simple description and definition of the basic scientific evidence in a study and how it can be resued is a fundamental step in linking science to evidence-based decision making for environmental challenges. In the wildlife-human challenge, depredation of livestock impacted 61.1% of households, but livestock loss due to disease or theft was X percent? of total loss [2]. Consequently, a clear statement of evidence can illuminate the most viable solution sets in some instances.

4. Propose implications of ignoring this challenge. A description of the impact a challenge on a system if left unchecked will help clarify the severity of the challenge. The trickle down effects and indirect implications of the challenge should also be examined. For instance, anti-carnivore sentiment will likely only grow as climate change and pressures to confine pastoral herders makes livestock more difficult to raise [3,4]. Many large carnivores are already threatened/endangered, and further anthropogenic pressures on the populations will lead to severe declines in populations including potential extinction of keystone species [5–7]; but it is often associated with underlying human-human conflict [8].

5. State the direct human needs associated with this challenge. State the direct needs of humans as part of the process of generating reproducible solutions for environmental challenges. The intrinsic value of the ecosystem is unrefutable (citation) but also linking the challenge and its solutions to direct human needs makes it less likely to be dismissed. Identifying anthropogenic needs will help a problem solver create a solution that is appropriate for the challenge, and it can also prevent the emergence of new related challenges or pressures on the system in question. This principle can also include engagement with stakeholders as a mechanism to inform benefits and solutions (citations to colvin and reed papers on github issue).

6. List at least one limitation of the study and explain. There is no perfect experiment (Ruxton citation) or synthesis (Kotiaho & Tomkins citation). Critically reading the study associated with the challenge can mean the difference between success and failure of a later implemented management solution that otherwise follows all other principles presented here. A clear analysis of causation and correlation can help avoid a fatal misstep and ensures effective framing of expected outcomes with an environmental intervention for consevationists. This is not to say that interventions need always be cause-effect studies or that evidence-based decisions cannot be made with compelling preliminary evidence or mensurative data. We are simply proposing that a statement of the relative strength of evidence and gaps in the research provides a future direction for additional research and for implementation.

7. Explore the benefits of minimal intervention for stakeholders. Resources are limiting, and at times, the business-as-usual model can provide a guide to intervention for some environmental management challenges (citation to a BAU for environmental man paper). At the minimum, exploration of a hope for the best strategy or minimal intervention is critical because of costs. Business-as-usual models can also provide an economic mechanism to value ecosystems services (citation) and whilst this is not without debate, this can expand the breath of stakeholders and potential investors in a solution for a particular challenge. A best and worst case scenario analysis is also likely a frequent need for many environmental challenges because of inertia in

the structures that we use to manage people and resources.

8. List the tools applied to this challenge. In an environmental management challenge case study, there is typically at least one primary tool that the researchers used to explore a challenge, and there are many (Table 1). The tools in basic biology and ecology relevant to environmental management can be reproducible it at least conceptually, they can be replicated in another system or applied to similar challenge - i.e. citizen science as a means to collect environmental data (citation) is relevant to many of the challenges we face including global warming, water quality, and declining biodiversity.

also - put table at the end before lit cited.

I would use a quick r-code chunk and use knitr::kable like I did for tables in bio4enviro - see webpage. look great and easy. just use include = FALSE and it will show only output.

Table. 1. - look up up to make a table in rmd. easy peasy .and will look better. *meta-analysis* [9]; [10] systematic review [11] *citizen science* [12]; [13] team science [14] *R* [15] mapping [16] *big data/open access databases* [17]; [18]; [19] modelling [20] *surveys* [21] biomonitoring [22] *evolutionary change/population viability genetic analysis* [23] economic incentivization monitoring [24] *human health and well-being monitoring [25]; [2] This list could potentially be expanded upon, and new tools can result in new solutions.

9. Link the primary reproducible tool to the outcome. The tool can provide a means to collect data, detect patterns, directly solve an environmental challenge, or inform policy. If the paper was a direct test of basic ecology for an environmental challenge, this can be very straightforward. For instance, “Odonata (Insecta) as a tool for the bio-monitoring of environmental quality” [22] clearly provides a means to measure and detect. However, the other proposed roles can address challenges in a diversity of ways. The identification of or provision of research evidence is the most “basic” role, and it is also likely the most typical in ecology. Tools that can function in this capacity include surveys, meta-analyses, systematic reviews, citizen science data collection, mapping, open-access data, modelling to predict changes. Tests in the second category directly examine the efficacy of a management strategy or intervention. Tools that could play this role include bio-monitoring, mitigation and remediation experiments, and population demography studies. The inform policy research is typically more indirect and synthetic. They often take the form of anthropocentric studies that consider ecological or environmental policy. Any of the above tools can serve this role, but some tools fit most squarely in this role include economic incentivization models (citation), human health impact studies (citation), and human well-being monitoring associated with environmental interventions (citation to the Weds paper this week on evidence mapping).

10. Apply the tool to another challenge or explain how it is generalizable. This principle proposes that the primary tool is reproducible if it can be applied to another challenge or context. It ties together the concept that reverse-engineered reproducible solutions are relevant to more than the unpacked, single environmental management challenge case. This can promote increased in efficiency for tackling novel environmental challenges as they emerge, and it also supports the overarching philosophy here for basic science that we cannot continue to ignore reuse given the global environmental needs for better decision making.

Implications

At its core, these principles can distribute the burden of scientific communication between scientists and stakeholders and embodies a spirit of dialog between senders and

receivers (or between producers and consumers). Reuse is also not the sole criterion for useful science nor should it be. Professional advocacy and knowledge mobilization are increasingly important priorities for universities and science in general (citations). Evidence-based decision making is a critical area for growth and knowledge in many disciplines (citation) - not just environmental management. Increased consumption of scientific evidence by managers and basic science that is more palatable to a broader audience written by researchers will result in increased functional use of scientific literature. Collaboration with stakeholders will facilitate this process, and open science will be pivotal.

References

1. Bourne PE, Chalupa LM. Ten simple rules for getting grants. *PLoS Computational Biology*. 2006;2: 59–60. doi:10.1371/journal.pcbi.0020012
2. Dickman AJ, Hazzah L, Carbone C, Durant SM. Carnivores, culture and 'contagious conflict': Multiple factors influence perceived problems with carnivores in Tanzania's Ruaha landscape. *Biological Conservation*. Elsevier Ltd; 2014;178: 19–27. doi:10.1016/j.biocon.2014.07.011
3. Jones PG, Thornton PK. Croppers to livestock keepers: livelihood transitions to 2050 in Africa due to climate change. *Environmental Science and Policy*. 2009;12: 427–437. doi:10.1016/j.envsci.2008.08.006
4. Lindsey PA, Romañach SS, Davies-Mostert HT. The importance of conservancies for enhancing the value of game ranch land for large mammal conservation in southern Africa. *Journal of Zoology*. 2009;277: 99–105. doi:10.1111/j.1469-7998.2008.00529.x
5. Towns L, Derocher AE, Stirling I, Lunn NJ, Hedman D. Spatial and temporal patterns of problem polar bears in Churchill, Manitoba. *Polar Biology*. 2009;32: 1529–1537. doi:10.1007/s00300-009-0653-y
6. Bagchi S, Mishra C. Living with large carnivores: Predation on livestock by the snow leopard (*Uncia uncia*). *Journal of Zoology*. 2006;268: 217–224. doi:10.1111/j.1469-7998.2005.00030.x
7. Johnson A, Vongkhamheng C, Hedemark M, Saithongdam T. Effects of human-carnivore conflict on tiger (*Panthera tigris*) and prey populations in Lao PDR. *Animal Conservation*. 2006;9: 421–430. doi:10.1111/j.1469-1795.2006.00049.x
8. Dickman AJ. Complexities of conflict: The importance of considering social factors for effectively resolving human-wildlife conflict. *Animal Conservation*. 2010;13: 458–466. doi:10.1111/j.1469-1795.2010.00368.x
9. Castanho C de T, Lortie CJ, Zaitchik B, Prado PI. A meta-analysis of plant facilitation in coastal dune systems: responses, regions, and research gaps. *PeerJ*. 2015;3: e768. doi:10.7717/peerj.768
10. Busch J, Ferretti-Gallon K. What drives deforestation and what stops it? A meta-analysis. *Review of Environmental Economics and Policy*. 2017;11: 3–23. doi:10.1093/reep/rew013
11. Lortie CJ, Filazzola A, Kelsey R, Hart AK, Butterfield HS. Better late than never: a synthesis of strategic land retirement and restoration in California. *Ecosphere*. 2018;9: e02367. doi:10.1002/ecs2.2367
12. Burkle LA, Marlin JC, Knight TM. Plant-Pollinator Interactions over 120 Years: Loss of Species, Co-Occurrence, and Function. *Science*. 2013;339: 1611–1616.
13. Conrad CC, Hilchey KG. A review of citizen science and community-based environmental monitoring: Issues and opportunities. *Environmental Monitoring and Assessment*. 2011;176: 273–291. doi:10.1007/s10661-010-1582-5
14. Nielsen JA, Grøndahl E, Callaway RM, Dickinson KJ, Ehlers BK. Home and away: biogeographical comparison of species diversity in *Thymus vulgaris* communities.

- Biological Invasions. Springer International Publishing; 2017;19: 2533–2542. doi:10.1007/s10530-017-1461-x 223
15. McCarthy MP, Best MJ, Betts RA. Climate change in cities due to global warming and urban effects. *Geophysical Research Letters*. 2010;37: 1–5. doi:10.1029/2010GL042845 224
16. Halpern B, Walbridge S, Selkoe K, Kappel C, Micheli F, D'Argrosa C, et al. A Global Map of Human Impact on Marine Ecosystems. *Science*. 2008;319: 948–953. doi:10.1111/2041-210X.12109 225
17. Sillero N, Campos J, Bonardi A, Corti C, Creemers R, Crochet PA, et al. Updated distribution and biogeography of amphibians and reptiles of Europe. *Amphibia Reptilia*. 2014;35: 1–31. doi:10.1163/15685381-00002935 226
18. Dengler J, Jansen F, Glöckler F, Peet RK, Cáceres M de, Chytrý M, et al. The Global Index of Vegetation-Plot Databases (GIVD): A new resource for vegetation science. *Journal of Vegetation Science*. 2011;22: 582–597. doi:10.1111/j.1654-1103.2011.01265.x 227
19. Maldonado C, Molina CI, Zizka A, Persson C, Taylor CM, Albán J, et al. Estimating species diversity and distribution in the era of Big Data: To what extent can we trust public databases? *Global Ecology and Biogeography*. 2015;24: 973–984. doi:10.1111/geb.12326 228
20. Vogt R, Sharma S, Leavitt P. Direct and interactive effects of climate, meteorology, river hydrology, and lake characteristics on water quality in productive lakes of the Canadian Prairies. *Canadian Journal of Fisheries and Aquatic Sciences*. 2018;75: 47–59. doi:10.1139/cjfas-2016-0520 229
21. Wassen MJ, Venterink HO, Lapshina ED, Tanneberger F. Endangered plants persist under phosphorus limitation. *Nature*. 2005;437: 547–550. doi:10.1038/nature03950 230
22. Miguel TB, Oliveira-Junior JMB, Ligeiro R, Juen L. Odonata (Insecta) as a tool for the biomonitoring of environmental quality. *Ecological Indicators*. Elsevier; 2017;81: 555–566. doi:10.1016/j.ecolind.2017.06.010 231
23. Stoops MA, Campbell MK, DeChant CJ, Hauser J, Kottwitz J, Pairan RD, et al. Enhancing captive Indian rhinoceros genetics via artificial insemination of cryopreserved sperm. *Animal Reproduction Science*. Elsevier B.V. 2016;172: 60–75. doi:10.1016/j.anireprosci.2016.07.003 232
24. Cerda C, Fuentes JP, De La Maza CL, Louit C, Araos A. Assessing visitors' preferences for ecosystem features in a desert biodiversity hotspot. *Environmental Conservation*. 2018;45: 75–82. doi:10.1017/S0376892917000200 233
25. Mergler D, Anderson HA, Chan LHM, Mahaffey KR, Murray M, Sakamoto M, et al. Methylmercury exposure and health effects in humans: A worldwide concern. *Ambio*. 2007;36: 3–11. doi:10.1579/0044-7447(2007)36[3:MEAHEI]2.0.CO;2 234