

Author Index

Acosta, R. 148-151, 181
 Agar, J. N. 205, 207
 Azzam, A. N. 82
 Baker, A. A. 140
 Bannard, J. 140
 Bass, L. 159, 181
 Baxter, A. C. 181
 Bayer, J. 137, 140
 Bergsma, F. 94, 139
 Bockris, J. O'M. 82, 83, 139
 Boden, P. J. 102, 104, 122, 125, 139, 140
 Brook, P. A. 83, 102, 104, 116, 117, 139
 Brown, D. J. 180
 Butler, J. A. V. 82, 83
 Chartrand, A. J. 140
 Chikamori, K. 43, 99, 139, 180
 Chin, D. T. 42, 117, 139, 140
 Clark, W. G. 39, 43, 169, 172, 173, 181
 Cole, R. R. 82, 140, 158, 167, 170, 181
 Collett, D. E. 214, 233
 Cook, N. H. 140
 Cooper, J. 111, 112, 113, 139
 Cummings, M. A. 140
 Cuthbertson, J. W. 92, 105, 126, 139
 Daily, J. W. 43
 De Barr, A. E. 233
 De la Rue, R. E. 140, 159, 181
 Degenhardt, H. 139

Delahay, P. 140
 Drazic, D. 83
 Evans, J. M. 122, 125, 135, 136, 139, 140
 Evans, U. R. 67, 82
 Faraday, M. 1, 2, 10, 79
 Faust, C. L. 82, 139, 181, 233
 Fitz-Gerald, J. M. 75, 82, 83, 140, 199, 200, 202, 203, 204, 207, 211, 233
 Flatt, R. K. 83
 Freer, H. E. 127, 139, 181
 Glassstone, S. 10
 Gurkis, J. A. 140
 Gurney, R. W. 82, 83
 Gusseff, W. 10
 Hadfield, R. A. 10
 Hammitt, F. G. 43
 Hanley, J. B. 127, 139
 Hayashi, T. 180
 Hewson-Browne, R. C. 215, 217, 233
 Higgins, J. K. 72, 82
 Hoar, T. P. 82, 105, 139, 205, 207
 Hoare, J. P. 119, 139, 140
 Hopfenfeld, J. 82, 140, 158, 167, 170, 181
 Iqbal, Q. 116, 117, 139
 Ito, S. 42, 43, 99, 139, 180
 Johnson, M. P. 180
 Jollis, A. U. 140

Author Index

Kasper, C. 205, 207
 Katz, D. L. 43
 Kawafune, K. 222, 223, 233
 Kaye, G. W. C. 82
 Kell, A. 111, 139
 Kinoshita, K. 107, 109, 139
 Knapp, R. T. 43
 Knudsen, J. G. 43
 Konig, W. 139
 Kruissink, C. A. 43, 82
 LaBoda, M. A. 107, 124, 139, 140
 Laby, T. H. 82
 Landolt, D. 43, 82, 118, 119, 122, 139, 148-151, 180, 181
 Larsson, D. N. 139
 Lawrence, P. 232, 233
 Levich, V. G. 82, 83
 Loutrel, S. P. 140
 Lovering, D. G. 133, 140
 McGeough, J. A. 75, 82, 83, 139, 140, 169, 172, 173, 180, 181, 199, 200, 202, 203, 204
 McMillan, M. L. 107, 139
 MacLellan, G. D. S. 127, 139
 Mao, K. W. 68, 82, 93-98, 138-140, 174
 Marsh, L. M. 233
 Meslink, M. C. 233
 Mikoshiba, T. 233
 Muller, R. H. 43, 82, 139, 148-151
 Noble, C. F. 181
 Noto, K. 233
 Oliver, D. A. 233
 Postlethwaite, J. 111, 139
 Potter, E. C. 83
 Pourbaix, M. 82
 Powers, R. W. 139
 Rao, M. G. B. 139
 Rasmussen, H. 180, 207
 Reddy, A. K. N. 139
 Sadler, B. 207
 Sakurai, F. 43
 Schlichting, H. 26, 28, 42, 43
 Seimiya, K. 42, 43
 Shames, I. H. 43
 Shine, S. J. 181
 Simpson, J. P. 83
 Smith, G. D. 233
 Stewart, D. 83
 Thorpe, J. F. 153, 156, 159, 163, 168, 169, 176, 178, 179, 181
 Tipton, H. 166, 181, 192-194, 207, 218, 225-227, 233
 Tobias, C. W. 43, 82, 139, 140, 148-151, 159, 171, 181
 Tong, L. S. 43
 Tulloch, D. S. 83
 Turner, T. S. 92, 105, 126, 139
 Vetter, K. J. 83
 Wagner, C. 132, 140, 205, 207
 Wallace, A. J. 117, 139, 140
 Wallis, G. B. 43
 Warburton, P. 207
 West, J. M. 83
 Wiese, C. R. 140
 Wilfore, J. F. 139
 Willenbruch, D. A. 181
 Windle, D. W. 233
 Wilson, J. F. 243
 Wood, J. W. 83
 Yeo, J. T. 169, 181
 Zerkle, R. D. 153, 156, 159, 163, 168, 169, 176, 178, 179, 181
 Zimmel, L. J. 136, 140

Subject Index

Acidic electrolyte (solution) 46, 50, 51, 81, 100, 112, 118
 Activation control *See* active dissolution
 Activation overpotential 65–68, 78, 144
 Active dissolution 79, 87, 103, 107, 108, 114, 115, 120, 121, 127
 Active mode *See* active dissolution
 Active state *See* active dissolution
 Activity (definition) 50
 Admissible surface roughness 32–33
 Ageing effects on electrolyte properties 138–139
 Air (atmosphere) 94, 95
 Alkaline electrolyte (solution) 50, 51, 82, 100
 Aluminium 59, 86, 168
 Ammonia 98, 138
 Analogue solutions to shaping 208, 220–227
 Anion (definition) 2
 Anode (definition) 2
 Anode potential, anion concentration diagram 122
 Anodic products, effects on electrolyte conductivity, density 156. *See also* effects of ECM on properties of electrolyte
 Anodic products phase 155
 Anodic products phase fraction (definition) 155
 Applications of ECM 234–243
 Avogadro's number (definition) 48

 Base metal (definition) 59
 Benztriazole 117
 Bernoulli's equation 23, 33, 38, 40, 41
 Beryllium 86, 134
 Blasius formula *See* Blasius friction factor
 Blasius friction factor 25, 26, 27, 36, 37, 38, 170
 Blasius relationship *See* Blasius friction factor
 Boiling 8, 40, 172–175
 Boltzmann's constant 55
 Boundary layer in laminar flow 19–23. *See also* laminar boundary layer thickness

Boussinesq entry length 19. *See also* entry length
 Brass 81
 Brass cathode 68, 94, 95, 98, 234
 Bromide electrolyte 106
 Bronze 237, 238
 Bruggeman equation 159
 Bubble layer thickness *See* gas bubble layer thickness

 Calomel electrode 59
 Carbon 89, 90, 106, 111, 115
 Cathode (definition) 2
 Cathode design 154, 208, 211, 219, 239, 242
 Cathode design, application of perturbation method 211
 Cathode material 1, 61, 67, 68, 94, 95, 98, 146, 175, 234
 Cathode potential fluctuations *See* voltage fluctuations
 Cation (definition) 2
 Cavitation 38, 40–42, 127, 176, 177
 Cavity sinking, electrochemical 236
 Chemical equivalent (definition) 3, 4
 Chromate electrolyte 121
 Chromium 65, 80, 86, 89, 139
 Chloride electrolyte (solution) 87, 106, 110
 Chlorine 59
 Chlorine gas evolution 134
 Choking 39, 40, 177–179
 Cobalt 86, 106
 Coefficient of resistance *See* Blasius friction factor
 Columbium 86
 Complex variable method of solution to shaping 212–218
 Compressible fluid *See* compressible fluid flow
 Compressible fluid flow 39, 40, 177
 Compressibility (definition) 13
 Compressive stress 134, 135
 Concentration (definition) 45
 Concentration overpotential 28, 65, 68–75, 126, 144, 183
 Concentration polarisation *See* concentration overpotential
 Conducting paper method of solution to shaping 223–227

Subject Index

Conductivity, equivalent (definition) 45–46
 Conductivity, molar (definition) 45–46
 Conductivity, specific (definition) 7, 45
 Configuration parameter (definition) 205
 Conformal mapping 213, 216, 217
 Convection 68–70 75
 Copper 1, 2, 3, 4, 59–60, 60–61, 67, 68, 81, 86, 87, 89, 90, 91, 93, 103, 108, 110, 111, 112, 113, 125, 221
 Copper salt, solubility of 109
 Copper sulphate solution *See* CuSO₄ solution
 Copper tungsten cathode 234
 'Cos θ' method of solution to shaping 208, 218–220
 Critical breakdown potential 80
 CuCl, solubility of 110
 CuSO₄ solution 1, 2, 3, 60, 68, 221
 Cuprous ion, solubility of 110
 Current efficiency 91–100, 106, 119, 120, 123, 124, 133, 134, 142, 147, 174, 218
 Current efficiency, effects of current density 92–94
 Current efficiency, effects of different electrolytes 94–100
 Current efficiency for gas generation 153
 Current, stray 116, 121, 123, 127. *See also* Machining, stray
 Current fluctuations 111, 173, 175
 Cusp shaped (anode) irregularities 197, 198, 200–203
 Cusp shaped cathode 211

 Daniell cell 60
 Deburring, electrochemical 182, 192
 Debye investigation 49, 53
 Decomposition potential 76, 77
 Degree of dissociation 46
 Die-sinking, electrochemical 41
 Die steel master, electrochemical machining of 236, 237
 Diffusion control *See* diffusion mechanism
 Diffusion layer 69–76, 105, 126, 159, 183
 Diffusion layer thickness 69–75, 76, 170, 171, 184
 Diffusion mechanism 68, 69, 76, 105, 126, 127
 Dimensional control 85, 115, 116, 117, 119–122, 235, 236, 238, 239, 242
 Drilling, electrochemical 51, 145–146, 218, 237, 238
 Ductility 134

 Effects of ECM on mechanical properties of metals 134–137
 Effects of ECM on properties of electrolyte 137–139
 Einstein's relation 70
 Electric 'sparking' 121, 175, 176, 237
 Electric short-circuit 93, 127, 144, 176
 Electric 'shorting' *See* electric short-circuit
 Electrical double layer (definition) 53, 54
 Electrical heating (of electrolyte) 8, 9, 142, 154, 160, 164–169, 171–174, 236, 238, 239, 242
 Electrochemical equivalent (definition) 4
 Electrochemical equivalent of alloys 87–91, 91–92
 Electrochemical equivalent of alloys (percentage by weight method of calculation) 88–91, 92
 Electrochemical equivalent of alloys (superposition of charge method of calculation) 88–91
 Electrochemical valency (definition) 45
 Electrode (definition) 2
 Electrode potential, normal (definition) 56
 Electrode potential, reversible (definition) 56, 57
 Electrode potential, standard (definition) 58, 59
 Electrode wear 10, 175, 234
 Electrodeposition 4, 5, 76, 116, 132, 205, 207
 Electrolysis (definition) 2
 Electrolysis, laws of 3
 Electrolyte (definition) 2
 Electrolyte, acidic *See* acidic electrolyte
 Electrolyte, alkaline *See* alkaline electrolyte
 Electrolyte, boiling *See* boiling
 Electrolyte conductivity (definition) 6, 7, 44–46

Electrolyte conductivity, effect of hydrogen gas 127–131
 Electrolyte conductivity, dependence on temperature 52, 53, 160
 Electrolyte, non-passivating 118–119
 Electrolyte, passivating 118–119, 218
 Electrolyte phase 155, 157, 159
 Electrolyte, strong (definition) 46
 Electrolyte, weak (definition) 46
 Electrolyte, neutral *See* neutral electrolyte
 Electrolytic cell (definition) 2
 Electrolytic tank 221–223
 Electromotive force (definition) 59
 Electroplating *See* electrodeposition
 Electropolishing 4, 5, 80, 104, 111, 121, 124, 127, 136
 Energy equation 158, 159, 166
 Entry length 19, 35
 Etched finish, etched surface *See* etching
 Etching 79, 102, 103, 105, 107, 114, 115, 116, 122, 127, 136
 Equation of continuity of mass 157, 158, 161
 Equilibrium gap, effect of overpotential (polarisation) 166, 167, 204, 205
 Equilibrium gap, taper due to gas 164–169
 Equilibrium gap, taper due to heating 164–169
 Equilibrium gap, taper in width 142, 154, 164–169, 174–176, 242
 Exchange current density 57
 External flow 19
 Faraday's constant 4, 48, 74, 85, 142, 179, 183
 Faraday's law 3, 85, 88, 91, 142, 156, 183, 184, 187, 209, 227
 Faraday's laws of electrolysis 3
 Fatigue cracks 136
 Fatigue life 135, 136, 137
 Fatigue strength 134–135, 136
 Field concentration effects 190–191, 201, 202, 204
 Finite-difference method of solution to shaping 229–231
 Flow separation 33–35, 125, 126, 236
 Friction factor (coefficient of resistance) *See* Blasius friction factor
 Frictional pressure drop multiplier 178

Galvanostatic dissolution 108, 111
 Gap, end 141, 242
 Gap, equilibrium 141, 143, 144, 145, 146, 148, 154, 155, 160, 189, 190, 192, 193, 217, 219, 242
 Gap, side 145
 Gap, taper in width 142, 154, 164–169, 174–176, 242
 Gap, variation with machining time (alternating current) 146–148
 Gap, variation with machining time (direct current) 142–146
 Gap width, variation along electrode length, analysis of 154–167
 Gas bubble layer thickness 155, 160. *See also* hydrogen gas bubble layer
 Gas bubble size, effect of electrolyte velocity 148, 149, 150, 152, 153
 Gas bubble size, effect of absolute pressure 152, 153
 Gas bubble size, effect of current density 150, 152, 153
 Gas generation 9, 80, 239. *See also* hydrogen, oxygen gas generation
 Gas phase 155, 157, 158, 159
 Gauss theorem 69
 Gibbs free energy 61
 Glass-bead blast treatment 136
 Gold 59
 Gouy–Chapman layer 54, 55
 Grain boundary attack 92, 96, 106, 125
 Hagen–Poiseuille equation 23
 Hagen–Poiseuille flow 17, 18
 Haring–Blum cell 116
 HCl electrolyte (solution) 52, 53, 67, 68, 72, 81, 115
 Heat treatment of carbon steel 106, 115
 Helmholtz double layer 54, 55, 68
 Helmholtz plane 54
 HNO₃ electrolyte (solution) 79
 H₂SO₄ electrolyte (solution) 45, 67, 68, 109
 Hückel investigation 49, 53
 Hydraulic diameter 14, 33, 35, 36, 74, 170, 179
 Hydrogen electrode 58, 59, 77
 Hydrogen embrittlement 134
 Hydrogen evolution *See* Hydrogen gas generation
 Hydrogen gas 8, 59, 77, 236, 238, 242. *See also* hydrogen gas generation

Hydrogen gas bubble layer 148–155, 160
 Hydrogen gas generation (at anode) 106
 Hydrogen gas generation (at cathode) 4, 5, 6, 38, 67, 68, 81, 82, 94, 95, 97, 98, 127–129, 130, 148–177, 184
 Hydrogen gas generation, effect of cathode orientation 148–152
 Hydrogen gas generation, effect of current density 150, 152, 153
 Hydrogen gas generation, effect of electrolytes 151, 152
 Hydrogen gas generation, effect of electrolyte velocity 148, 149, 150, 151, 152, 153
 Hydrogen ion concentration 50, 51, 110, 113
 Hydrogen overpotential 67, 68
 Hydroxylamine 98, 138
 Inlet length 35. *See also* entry length
 Intergranular attack 136, 137. *See also* grain boundary attack
 Internal flow 19
 Inverse analogue 225, 226
 Iodide electrolyte 106
 Ion (definition) 2
 Ionic mobility (definition) 46, 47
 Ionic mobility, absolute 47
 Ionic mobility, absolute values for chloride, potassium, hydrogen, hydroxyl, nitrate, sodium, sulphate ions 47
 Iron 4, 5, 6, 59, 61, 67, 77, 79, 86, 89, 90, 94, 95, 96, 98, 111, 119, 120, 121, 123
 Iron, cast 106
 Iron–chromium alloy 81
 Joule heating 8, 129, 148, 158, 166, 172, 184. *See also* electrical heating
 Joule's law 8
 KBrO₃ electrolyte (solution) 99
 KCl electrolyte (solution) 49, 109, 110, 148, 149–152, 168
 Kidney-shaped slot, shaping of 236–237
 Kinematic equation 160–162
 Knitting machine cam, shaping of 234, 235
 KNO₃ electrolyte (solution) 103, 107, 108, 109, 151
 KNO₃ electrolyte (molten) 133
 Kohlrausch observation 46, 49
 K₂SO₄ electrolyte (solution) 109
 Laminar boundary layer thickness 19–22, 37, 72
 Laminar flow 16–24, 33, 35, 37, 74, 75
 Laminar sub-layer (definition) 25
 Laminar sub-layer thickness 28, 29, 36, 73
 Land width 215, 217
 Laplace's equation 182, 184–186, 188, 208, 212, 213, 220, 224, 227–229
 Law of conservation of mass 157
 Lead 59
 LiCl–KCl electrolyte (molten) 134
 Limitations on ECM due to cavitation 176, 177
 Limitations on ECM due to choking 177–179
 Limitations on ECM due to electrolyte boiling 174–175
 Limitations on ECM due to limiting current density 180
 Limitations on ECM due to passivation 179, 180
 Limitations on ECM due to sparking 175, 176
 Limitations on rate of machining 174–180, 237
 Linear ratio 117, 118
 Lithium 59
 Long-wave (anode) irregularities, effect on dissolution rate 189, 190
 Machining rates, contrast in 238
 Machining, stray 121
 Magnesium 59, 86
 Manganese 86, 89, 90
 Mapping *See* conformal mapping
 Maxwell's energy distribution law 55
 Mechanical polishing 102, 136
 Mechanical properties of machined parts 238, 239
 'Memory effect' 192
 Metal distribution ratio 117, 118
 Method of electrical images 213
 Microhardness 134
 Migration 68, 69, 126

Molar solution (definition) 45
 Molten salt electrolytes 133–134
 Molybdenum 86
 Monel alloy 90, 114, 125
 Multi-phase flow 38, 171
 NaBr electrolyte 106
 NaBrO₃ electrolyte 99
 NaCl electrolyte (molten) 133
 NaCl electrolyte (solution) 4, 5, 8, 13, 38, 45, 46, 49–53, 70, 77, 81, 91–93, 95, 99, 100, 103, 105, 106, 111, 114, 115, 117, 118, 119, 121, 122, 123, 125, 127, 128, 131, 133, 135, 137, 138, 152, 169, 172, 173, 174, 237, 239
 NaClO₃ electrolyte (solution) 94–99, 107, 111–114, 117, 118, 119, 120–123, 135, 138, 235
 NaClO₄ electrolyte 94, 96, 97, 121, 138
 Na₂CO₃ electrolyte (solution) 100, 121, 123, 127
 Na₂Cr₂O₇ electrolyte 94, 99, 119, 121
 NaI electrolyte 106
 NaNO₂ electrolyte 94
 NaNO₃ electrolyte (solution) 51, 68, 94, 97–99, 105, 119–121, 138, 173, 174, 179, 235, 239, 242
 NaNO₃ solution (with additives)
 KBrO₃ 99
 NaBrO₃ 99
 NaClO₃ 99
 Na₂Cr₂O₇, 2H₂O 99
 Na₂SO₄ 99
 NH₄NO₃ 99
 (NH₄)₂S₂O₈ 99
 NaOH electrolyte (molten) 133
 NaOH solution 67
 Na₃PO₄ electrolyte 121
 Na₂SO₄ electrolyte 45, 94, 99, 121
 Navier-Stokes equations 14, 16, 18, 22, 72
 Nernst equation 55, 56, 62
 Neutral electrolyte (solution) 50, 51, 81, 101, 112, 118
 Newtonian fluid 12
 Newton's Second law 14
 NH₄NO₃ electrolyte 99
 (NH₄)₂S₂O₈ electrolyte 99
 (NH₄)₂SO₄ electrolyte 99
 Nickel 59, 67, 68, 84, 86, 87, 89, 90,

92, 103, 114, 115, 118, 119, 123–125, 127, 133, 134
 Nickel alloy 134, 137
 Nickel-chromium alloy 94
 Nimonic alloy 89, 90, 91, 92, 103, 125, 131, 133, 134, 136, 232
 Niobium 86
 Nitrate electrolyte (solution) 87, 106, 109, 110
 Nitrate, reduction of 98
 Nitrogen (atmosphere) 95, 98
 Noble metals 59
 Normal solution (definition) 45
 Numerical methods in shaping 208, 227–233
 Nusselt number 74, 108, 109, 170, 179, 180
 Ohmic equation *See* Ohmic theory
 Ohmic relationship *See* Ohmic theory
 Ohmic resistance *See* Ohmic theory
 Ohmic theory 172, 188, 191, 192, 197, 199, 224
 Ohm's law 6, 8, 47, 48, 76, 142, 147, 159, 160, 183, 184, 187, 191, 209, 227
 Onsager theory 53
 Onsager's equation 49, 50
 Overcut 146, 216–218, 237, 238
 Overpotential (definition) 44, 65–76
 Overpotential 78, 100, 142, 144, 145, 165–167, 182, 183, 185, 204, 218
 Overpotential, activation 65–68, 78, 144
 Overpotential, concentration 28, 65, 68–75, 126, 144, 183
 Overpotential, effect on anode amplitude, shape 211, 212
 Overpotential, effect on gap width 132, 144, 145, 166, 167, 204
 Overpotential effects on smoothing rate 132, 133, 202–207
 Overpotential parameter for ECM 132, 133, 205, 206, 211
 Overpotential, resistance 65, 76
 Oxygen evolution 93, 122, 184. *See also* Oxygen gas generation
 Oxygen gas generation 59, 64, 78, 80, 95, 96, 97, 98, 120, 134
 Passivation 63, 64, 65, 79, 80, 87, 92, 105, 106, 107, 108, 111, 115, 117, 120, 121, 122, 123, 125, 127, 174, 179, 180

Subject Index

Passivation current density 108, 109, 180
 Passivation film *See* Passivation
 Passivation, partial 105–107, 115, 127
 Passivation, total 105, 106
 Passive film *See* Passivation
 Passive metal *See* Passivation
 Passive region *See* Passivation
 Passive state *See* Passivation
 Passivity *See* Passivation
 Periodic phenomena 110–114
 Perturbation method of solution to shaping 209–212
 pH (definition) 50, 51
 pH, effects on electrolyte properties 138, 139
 Pitting 80, 105, 116, 123, 127, 128, 136, 137
 Platinum 67, 68, 94, 98
 Polarisation curves 78–80, 93, 101, 103, 105, 107, 119–121
 Polarisation, effect on gap width *See* overpotential
 Polarisation parameter 119, 122, 132. *See also* overpotential
 Polished finish *See* Polishing
 Polished streaks 237
 Polished surface *See* Polishing
 Polishing 80, 103–105, 114–116, 122, 125, 126, 129. *See also* electro-polishing
 Polishing mode *See* Polishing
 Polishing with pitting 105
 Porosity of surface film 113
 Potassium 59
 Potassium dichromate (passivating agent) 117, 138
 Potassium fluoride electrolyte 106
 Potential, reversible 57, 77, 78, 145, 147
 Potentiostat 110, 111, 122
 Pourbaix diagram 61–65, 112
 Power efficiency 100, 101, 106
 Prandtl expression 73
 Prandtl's boundary layer equations 22, 23, 30, 33, 72
 Pressure distribution along electrode length 170–171. *See also* pressure drop
 Pressure drop 40, 164, 167–169, 170–172. *See also* pressure drop in turbulent flow
 Pressure drop in turbulent flow 25, 26, 36, 37, 38
 Pressure gradient, adverse 33–35
 Pressure loss coefficient 178
 Pressure, saturation 176
 Pressure, vapour 41
 Pump body, machining of 237, 238
 Quasi-steady model of ECM 183
 Quasi-steady processes 160–162
 Rectangular (anode) irregularities 198–200, 202, 203
 Removal rates for metals 85–91
 Removal rates for alloys 87–91
 Removal rates for elements 85–87
 Residual 231
 Resistance (definition) 6
 Resistance overpotential 65, 76
 Resistance, specific (definition) 7
 Resistivity (definition) 7
 Reversed flow 238
 Reversible electrode potential 57, 77, 78, 145, 147
 Reynolds number (definition) 14
 Reynolds stresses 24
 Schmidt number 74, 170, 180
 Selective dissolution 114, 125
 Semi-circular cathode 232
 Separation *See* flow separation
 Shaping of cam 234–236
 Shaping with NaClO₃ electrolyte 120
 Short wave-length irregularities, effect on dissolution rate 189
 Silicon 86, 89, 90
 Silver 59
 Single-phase flow 38, 170–171
 Sinusoidal (anode) irregularities 128–134, 185, 191, 197, 199–203
 Slip ratio 156, 161
 Smoothing, electrochemical (application) 239, 241
 Smoothing of arbitrarily shaped irregularities 196–207
 Smoothing of three-dimensional irregularities 195–196
 Smoothing to required tolerance 192–195
 Smoothing under non-equilibrium ECM 194–195
 Sodium-electrolyte solution (e.g. sodium chloride) *See* under Na- (e.g. NaCl)
 Solubility product 51–53, 108


Sparking *See* electric sparking
 Specific gravity of electrolyte, effects due to ECM 137
 Spline of shift hub sleeve, removal of irregularities 239–241
 Stainless steel 65, 135, 136, 234, 235
 Stainless steel cathode 175
 Steel 1, 94, 121, 123, 124, 237, 238, 239
 Steel, carbon 105, 111, 114, 115
 Steel, carbon contents of 106, 115
 Steel, case hardened 240
 Steel, mild 68, 93–95, 97–99, 123, 138, 169, 174, 179
 Steel, nickel chromium 107
 Steel, normalised 106
 Steel, quenched and tempered 106, 115
 Stepped cathode 226, 227
 Stray current 116, 121, 123, 127
 Stray machining 121
 Sulphate solution 87, 109, 110
 Sulphuric acid 60. *See also* H₂SO₄
 Surface films and dimensional control 115–124
 Surface films in different electrolytes 119–124
 Surface finish, etching conditions 102, 103. *See also* Etching
 Surface finish, effects of overpotential 131–133
 Surface finish, effects of flow separation 125–127, 236
 Surface finish, effects of hydrogen gas 127–131
 Surface finish, macroscopic effects 124–137
 Surface finish, passivation conditions 105–107. *See also* Passivation
 Surface finish, periodic phenomena 110–114
 Surface finish, polishing conditions 103, 104. *See also* Polishing
 Surface finish, polishing with pitting 105. *See also* Polishing, Pitting
 Surface finish, selective dissolution with alloys 114, 124–125
 Surface finish, transition from active to transpassive dissolution 107–110
 Surface finish, transpassivation 107. *See also* Transpassivation
 Surface finish, variation over anode surface 114

Surface striations 114, 115
 Tafel behaviour (overpotential) *See* Tafel's equation
 Tafel's equation 66–68, 79, 103, 111, 144, 167, 204
 Temperature distribution along electrode length 171–175
 Tensile test specimen, shaping of 238, 239
 Termination of machining 142, 155, 175, 176, 236
 Thermionic work function 58
 Throwing index, logarithmic 118
 Throwing power 116–119, 122, 139
 Tin 59, 86
 Titanium 64, 65, 86, 89, 106, 134
 Titanium alloy 106, 133, 134, 137, 239
 Titanium alloy blade, shaping of 239, 242
 Titanium diboride 146
 Tool wear *See* electrode wear
 Transition from active to transpassive dissolution 107
 Transpassivation 80, 87, 107, 108, 110, 111, 114, 120, 121, 122
 Transpassive mode, region *See* transpassivation
 Transpassivity *See* transpassivation
 Transport equations for ECM 154–162
 Transport equations for momentum 176
 Transport equations of electrical charge 154, 159, 160
 Transport equations of energy 154, 158, 164, 166
 Transport equations of mass 154, 157, 158, 161, 162
 Transport number 47–48
 Transport processes 149
 Tungsten 86, 134
 Tungsten alloy cathode 175
 Tungsten carbide 106, 133
 Turbulent boundary layer 25
 Turbulent boundary layer thickness 29–32 36
 Turbulent flow 23–26, 32, 33, 35–38, 73, 75, 76, 170
 Turning, electrochemical 238, 239
 Two-phase flow 38, 177
 Two-phase flow, effect on pressure drop 38

Two-phase region 152
 Ultimate tensile strength 134
 Uranium 86
 Vaporisation of electrolyte 113
 Vapour blasting treatment 136
 Velocity distribution along electrode length 169, 170
 Velocity distribution laws 26–28
 Viscosity, absolute (definition) 12
 Viscosity of electrolyte, effects of ECM 137–138
 Viscosity, kinematic (definition) 13
 Viscosity, specific (definition) 15
 Viscous (mechanical) heat 158
 Viscous sub-layer *See* laminar sub-layer thickness
 Void fraction (gas phase) 130, 155, 159, 160–162, 166
 Void fraction, expression for 162–164
 Voltage fluctuations 108, 110, 111, 112, 113, 173, 175
 Voltage oscillations *See* voltage fluctuations
 Volume fraction 175
 Yield strength 134
 Zinc 59, 60, 61, 62, 63, 81, 86

BRUNEL UNIVERSITY LIBRARY		
DATE DUE		
23 OCT 1981	23 OCT 1981 4 NOV 1981	
17 NOV 1981 -2 DEC 1981		10 JUN 2004
13 MAY 1982 15 MAY 1982		
1 JAN 1983		
17 MAY 1983		
23 10 84		
17. 06. 85		
13. 03. 86		
05. 10. 88.		
0. 00. 00.		

XB 2065797 8



The Winning of Nickel: its geology, mining and extractive metallurgy
J. R. Boldt, jnr.
1967, 448 pages, Methuen imprint

The Chemistry of Hydrometallurgical Processes
A. R. Burkin
1966, 158 pages, Spon imprint

Electro-slag Refining
W. E. Duckworth and G. Hoyle
1969, 172 pages

Glass
G. O. Jones, revised by S. Parke
second edition 1971, 128 pages, paperback available

Hardness Measurement of Metals and Alloys
H. O'Neill
second edition 1967, 238 pages

Plasticity of Crystals: with special reference to metals
E. Schmid, W. Boas
1968, 354 pages

The Sequestration of Metals
R. L. Smith
1959, 256 pages