

991 + 981 , MY 2012 =>

Diagnosis information - PDCC

000001.....	1
000003.....	2
000100.....	3
000101.....	5
000102.....	7
000103.....	9
000104.....	11
000105.....	13
000106.....	15
000107.....	16
000108.....	17
000109.....	18
000110.....	20
000111.....	22
000112.....	24
000113.....	26
000114.....	28
000115.....	30
000116.....	32
000117.....	33
000118.....	34
000119.....	35
000120.....	37
000121.....	39
000122.....	41
000123.....	43
000124.....	45
000125.....	47
000126.....	49
000127.....	50
000128.....	51
000129.....	52
000130.....	54
000131.....	56
000132.....	58
000133.....	60
000134.....	62
000135.....	64
000136.....	66

000137.....	67
000138.....	68
000139.....	69
000200.....	71
000201.....	72
000202.....	73
000203.....	74
000204.....	75
000205.....	76
000210.....	77
000211.....	78
000212.....	79
000213.....	80
000214.....	81
000215.....	82
000220.....	83
000221.....	84
000222.....	85
000223.....	86
000224.....	87
000225.....	88
000230.....	89
000231.....	90
000232.....	91
000233.....	92
000234.....	93
000235.....	94
000240.....	95
000241.....	96
000242.....	97
000243.....	98
000250.....	99
000251.....	100
000252.....	101
000253.....	102
000254.....	103
000255.....	104
001000.....	105
001001.....	106

001002.....	107
001003.....	108
001004.....	109
001005.....	110
001006.....	111
001007.....	112
001100.....	113
001200.....	114
001201.....	115
001202.....	116
001203.....	117
001204.....	118
001205.....	119
002000.....	120
002001.....	121
002002.....	122
002003.....	123
002004.....	124
002010.....	125
002011.....	126
002012.....	127
002013.....	128
002014.....	129
002015.....	130
C11000.....	131
C11001.....	132
C11004.....	133
D00001.....	134

000001

Diagnosis information - PDCC control unit

Vehicle Identification Number (VIN) implausible

Diagnostic conditions

- ◆ Ignition on

Possible fault causes

- ◆ **PDCC control unit** off a different Vehicle installed

Fault effects

- ◆ Limited function

000003

Diagnosis information - PDCC control unit

Unexpected system reset

NOTE

The fault code is >present< only when the engine is running or when the vehicle is being driven.

Diagnostic conditions

The control unit must be active in order to test internal function sequences and diagnosable inputs/outputs.

In the event of a fault, check whether the fault is permanently >present<. To perform the check, erase the fault memory, meet the diagnostic conditions and read out the fault memory again.

Possible fault causes

- ◆ Incorrect fastening of the **Control module** PDCC
- ◆ Short Power supply Open circuit

Fault effects

- ◆ Limited function

000100

Diagnosis information - PDCC control unit

Pressure sensor

Diagnostic conditions

- Engine running

Possible fault causes

- ♦ Short circuit to B+/ground or open circuit in the line
- ♦ Pressure Limit exceeded / Below limit
- ♦ **Control module** PDCC Faulty
- ♦ **Valve block** Faulty

Fault effects

- ♦ No function

Nominal values Line test

Short circuit to B+ :

- ♦ Setpoint voltage **- 0.5 V** ⇒ **+ 0.5 V**

Short circuit to ground :

- ♦ Setpoint resistance > **0.9 MOhm**

Open circuit:

- ♦ Setpoint resistance < **2 Ohm**

Setpoint pressure

at Engine running

, Vehicle is stationary and Oil level **Hydraulic system** OK

- ♦ Pressure to all 4 **Sensors** between 0 and 5 bar

000101

Diagnosis information - PDCC control unit

Pressure sensor

Diagnostic conditions

- Engine running

Possible fault causes

- ♦ Short circuit to B+/ground or open circuit in the line
- ♦ Pressure Limit exceeded / Below limit
- ♦ **Control module** PDCC Faulty
- ♦ **Valve block** Faulty

Fault effects

- ♦ No function

Nominal values Line test

Short circuit to B+ :

- ♦ Setpoint voltage **- 0.5 V** ⇒ **+ 0.5 V**

Short circuit to ground :

- ♦ Setpoint resistance **> 0.9 MOhm**

Open circuit:

- ♦ Setpoint resistance **< 2 Ohm**

Setpoint pressure

at Engine running

, Vehicle is stationary and Oil level **Hydraulic system** OK

- ♦ Pressure to all 4 **Sensors** between 0 and 5 bar

Diagnosis information - PDCC control unit

Pressure sensor

Diagnostic conditions

- Engine running

Possible fault causes

- ♦ Short circuit to B+/ground or open circuit in the line
- ♦ Pressure Limit exceeded / Below limit
- ♦ **Control module** PDCC Faulty
- ♦ **Valve block** Faulty

Fault effects

- ♦ No function

Nominal values Line test

Short circuit to B+ :

- ♦ Setpoint voltage **- 0.5 V** $\Rightarrow$ **+ 0.5 V**

Short circuit to ground :

- ♦ Setpoint resistance **> 0.9 MOhm**

Open circuit:

- ♦ Setpoint resistance **< 2 Ohm**

Setpoint pressure

at Engine running

, Vehicle is stationary and Oil level **Hydraulic system** OK

- ♦ Pressure to all 4 **Sensors** between 0 and 5 bar

Diagnosis information - PDCC control unit

Pressure sensor

Diagnostic conditions

- Engine running

Possible fault causes

- ♦ Short circuit to B+/ground or open circuit in the line
- ♦ Pressure Limit exceeded / Below limit
- ♦ **Control module** PDCC Faulty
- ♦ **Valve block** Faulty

Fault effects

- ♦ No function

Nominal values Line test

Short circuit to B+ :

- ♦ Setpoint voltage **- 0.5 V** ⇒ **+ 0.5 V**

Short circuit to ground :

- ♦ Setpoint resistance **> 0.9 MOhm**

Open circuit:

- ♦ Setpoint resistance **< 2 Ohm**

Setpoint pressure

at Engine running

, Vehicle is stationary and Oil level **Hydraulic system** OK

- ♦ Pressure to all 4 **Sensors** between 0 and 5 bar

Diagnosis information - PDCC control unit

Pressure sensor

Diagnostic conditions

- Engine running

Possible fault causes

- ♦ Short circuit to B+/ground or open circuit in the line
- ♦ Pressure Limit exceeded / Below limit
- ♦ **Control module** PDCC Faulty
- ♦ **Valve block** Faulty

Fault effects

- ♦ No function

Nominal values Line test

Short circuit to B+ :

- ♦ Setpoint voltage **-0.5 V** ⇒ **+ 0.5 V**

Short circuit to ground :

- ♦ Setpoint resistance > **0.9 MOhm**

Open circuit:

- ♦ Setpoint resistance < **2 Ohm**

Setpoint pressure

at Engine running

, Vehicle is stationary and Oil level **Hydraulic system** OK

- ♦ Pressure to all 4 **Sensors** between 0 and 5 bar

Diagnosis information - PDCC control unit

Pressure sensor

Diagnostic conditions

- Engine running

Possible fault causes

- ♦ Short circuit to B+/ground or open circuit in the line
- ♦ Pressure Limit exceeded / Below limit
- ♦ **Control module** PDCC Faulty
- ♦ **Valve block** Faulty

Fault effects

- ♦ No function

Nominal values Line test

Short circuit to B+ :

- ♦ Setpoint voltage **-0.5 V** ⇒ **+ 0.5 V**

Short circuit to ground :

- ♦ Setpoint resistance > **0.9 MOhm**

Open circuit:

- ♦ Setpoint resistance < **2 Ohm**

Setpoint pressure

at Engine running

, Vehicle is stationary and Oil level **Hydraulic system** OK

- ♦ Pressure to all 4 **Sensors** between 0 and 5 bar

000106

Diagnosis information - PDCC control unit

Pressure sensors

Diagnostic conditions

- Engine running

Possible fault causes

- ♦ No/incorrect calibration **Pressure sensors**
- ♦ **Control module** PDCC Faulty
- ♦ **Valve block** Faulty

Fault effects

- ♦ No function

000107

Diagnosis information - PDCC control unit

Pressure sensors

Diagnostic conditions

- Engine running

Possible fault causes

- ♦ No/incorrect calibration **Pressure sensors**
- ♦ **Control module** PDCC Faulty
- ♦ **Valve block** Faulty

Fault effects

- ♦ No function

000108

Diagnosis information - PDCC control unit

Pressure sensors

Diagnostic conditions

- Engine running

Possible fault causes

- ♦ No/incorrect calibration **Pressure sensors**
- ♦ **Control module** PDCC Faulty
- ♦ **Valve block** Faulty

Fault effects

- ♦ No function

Diagnosis information - PDCC control unit

Pressure sensor

Diagnostic conditions

- Engine running

Possible fault causes

- ♦ Short circuit to B+/ground or open circuit in the line
- ♦ Pressure Limit exceeded / Below limit
- ♦ **Control module** PDCC Faulty
- ♦ **Valve block** Faulty

Fault effects

- ♦ No function

Nominal values Line test

Short circuit to B+ :

- ♦ Setpoint voltage **-0.5 V** ⇒ **+ 0.5 V**

Short circuit to ground :

- ♦ Setpoint resistance > **0.9 MOhm**

Open circuit:

- ♦ Setpoint resistance < **2 Ohm**

Setpoint pressure

at Engine running

, Vehicle is stationary and Oil level **Hydraulic system** OK

- ♦ Pressure to all 4 **Sensors** between 0 and 5 bar

000110

Diagnosis information - PDCC control unit

Pressure sensor

Diagnostic conditions

- Engine running

Possible fault causes

- ♦ Short circuit to B+/ground or open circuit in the line
- ♦ Pressure Limit exceeded / Below limit
- ♦ **Control module** PDCC Faulty
- ♦ **Valve block** Faulty

Fault effects

- ♦ No function

Nominal values Line test

Short circuit to B+ :

- ♦ Setpoint voltage **- 0.5 V** ⇒ **+ 0.5 V**

Short circuit to ground :

- ♦ Setpoint resistance **> 0.9 MOhm**

Open circuit:

- ♦ Setpoint resistance **< 2 Ohm**

Setpoint pressure

at Engine running

, Vehicle is stationary and Oil level **Hydraulic system** OK

- ♦ Pressure to all 4 **Sensors** between 0 and 5 bar

000111

Diagnosis information - PDCC control unit

Pressure sensor

Diagnostic conditions

- Engine running

Possible fault causes

- ♦ Short circuit to B+/ground or open circuit in the line
- ♦ Pressure Limit exceeded / Below limit
- ♦ **Control module** PDCC Faulty
- ♦ **Valve block** Faulty

Fault effects

- ♦ No function

Nominal values Line test

Short circuit to B+ :

- ♦ Setpoint voltage **- 0.5 V** ⇒ **+ 0.5 V**

Short circuit to ground :

- ♦ Setpoint resistance > **0.9 MOhm**

Open circuit:

- ♦ Setpoint resistance < **2 Ohm**

Setpoint pressure

at Engine running

, Vehicle is stationary and Oil level **Hydraulic system** OK

- ♦ Pressure to all 4 **Sensors** between 0 and 5 bar

000112

Diagnosis information - PDCC control unit

Pressure sensor

Diagnostic conditions

- Engine running

Possible fault causes

- ♦ Short circuit to B+/ground or open circuit in the line
- ♦ Pressure Limit exceeded / Below limit
- ♦ **Control module** PDCC Faulty
- ♦ **Valve block** Faulty

Fault effects

- ♦ No function

Nominal values Line test

Short circuit to B+ :

- ♦ Setpoint voltage **-0.5 V** ⇒ **+ 0.5 V**

Short circuit to ground :

- ♦ Setpoint resistance > **0.9 MOhm**

Open circuit:

- ♦ Setpoint resistance < **2 Ohm**

Setpoint pressure

at Engine running

, Vehicle is stationary and Oil level **Hydraulic system** OK

- ♦ Pressure to all 4 **Sensors** between 0 and 5 bar

Diagnosis information - PDCC control unit

Pressure sensor

Diagnostic conditions

- Engine running

Possible fault causes

- ♦ Short circuit to B+/ground or open circuit in the line
- ♦ Pressure Limit exceeded / Below limit
- ♦ **Control module** PDCC Faulty
- ♦ **Valve block** Faulty

Fault effects

- ♦ No function

Nominal values Line test

Short circuit to B+ :

- ♦ Setpoint voltage **-0.5 V** $\Rightarrow$ **+0.5 V**

Short circuit to ground :

- ♦ Setpoint resistance **> 0.9 MOhm**

Open circuit:

- ♦ Setpoint resistance **< 2 Ohm**

Setpoint pressure

at Engine running

, Vehicle is stationary and Oil level **Hydraulic system** OK

- ♦ Pressure to all 4 **Sensors** between 0 and 5 bar

Diagnosis information - PDCC control unit

Pressure sensor

Diagnostic conditions

- Engine running

Possible fault causes

- ♦ Short circuit to B+/ground or open circuit in the line
- ♦ Pressure Limit exceeded / Below limit
- ♦ **Control module** PDCC Faulty
- ♦ **Valve block** Faulty

Fault effects

- ♦ No function

Nominal values Line test

Short circuit to B+ :

- ♦ Setpoint voltage **-0.5 V** ⇒ **+ 0.5 V**

Short circuit to ground :

- ♦ Setpoint resistance > **0.9 MOhm**

Open circuit:

- ♦ Setpoint resistance < **2 Ohm**

Setpoint pressure

at Engine running

, Vehicle is stationary and Oil level **Hydraulic system** OK

- ♦ Pressure to all 4 **Sensors** between 0 and 5 bar

Diagnosis information - PDCC control unit

Pressure sensor

Diagnostic conditions

- Engine running

Possible fault causes

- ♦ Short circuit to B+/ground or open circuit in the line
- ♦ Pressure Limit exceeded / Below limit
- ♦ **Control module** PDCC Faulty
- ♦ **Valve block** Faulty

Fault effects

- ♦ No function

Nominal values Line test

Short circuit to B+ :

- ♦ Setpoint voltage **- 0.5 V** ⇒ **+ 0.5 V**

Short circuit to ground :

- ♦ Setpoint resistance > **0.9 MOhm**

Open circuit:

- ♦ Setpoint resistance < **2 Ohm**

Setpoint pressure

at Engine running

, Vehicle is stationary and Oil level **Hydraulic system** OK

- ♦ Pressure to all 4 **Sensors** between 0 and 5 bar

000116

Diagnosis information - PDCC control unit

Pressure sensors

Diagnostic conditions

- Engine running

Possible fault causes

- ♦ No/incorrect calibration **Pressure sensors**
- ♦ **Control module** PDCC Faulty
- ♦ **Valve block** Faulty

Fault effects

- ♦ No function

000117

Diagnosis information - PDCC control unit

Pressure sensors

Diagnostic conditions

- Engine running

Possible fault causes

- ♦ No/incorrect calibration **Pressure sensors**
- ♦ **Control module** PDCC Faulty
- ♦ **Valve block** Faulty

Fault effects

- ♦ No function

000118

Diagnosis information - PDCC control unit

Pressure sensors

Diagnostic conditions

- Engine running

Possible fault causes

- ♦ No/incorrect calibration **Pressure sensors**
- ♦ **Control module** PDCC Faulty
- ♦ **Valve block** Faulty

Fault effects

- ♦ No function

Diagnosis information - PDCC control unit

Pressure sensor

Diagnostic conditions

- Engine running

Possible fault causes

- ♦ Short circuit to B+/ground or open circuit in the line
- ♦ Pressure Limit exceeded / Below limit
- ♦ **Control module** PDCC Faulty
- ♦ **Valve block** Faulty

Fault effects

- ♦ No function

Nominal values Line test

Short circuit to B+ :

- ♦ Setpoint voltage **- 0.5 V** ⇒ **+ 0.5 V**

Short circuit to ground :

- ♦ Setpoint resistance **> 0.9 MOhm**

Open circuit:

- ♦ Setpoint resistance **< 2 Ohm**

Setpoint pressure

at Engine running

, Vehicle is stationary and Oil level **Hydraulic system** OK

- ♦ Pressure to all 4 **Sensors** between 0 and 5 bar

Diagnosis information - PDCC control unit

Pressure sensor

Diagnostic conditions

- Engine running

Possible fault causes

- ♦ Short circuit to B+/ground or open circuit in the line
- ♦ Pressure Limit exceeded / Below limit
- ♦ **Control module** PDCC Faulty
- ♦ **Valve block** Faulty

Fault effects

- ♦ No function

Nominal values Line test

Short circuit to B+ :

- ♦ Setpoint voltage **- 0.5 V** ⇒ **+ 0.5 V**

Short circuit to ground :

- ♦ Setpoint resistance **> 0.9 MOhm**

Open circuit:

- ♦ Setpoint resistance **< 2 Ohm**

Setpoint pressure

at Engine running

, Vehicle is stationary and Oil level **Hydraulic system** OK

- ♦ Pressure to all 4 **Sensors** between 0 and 5 bar