

Diagnosis information - PDCC control unit

Pressure sensor

Diagnostic conditions

- Engine running

Possible fault causes

- ♦ Short circuit to B+/ground or open circuit in the line
- ♦ Pressure Limit exceeded / Below limit
- ♦ **Control module** PDCC Faulty
- ♦ **Valve block** Faulty

Fault effects

- ♦ No function

Nominal values Line test

Short circuit to B+ :

- ♦ Setpoint voltage **- 0.5 V** ⇒ **+ 0.5 V**

Short circuit to ground :

- ♦ Setpoint resistance **> 0.9 MOhm**

Open circuit:

- ♦ Setpoint resistance **< 2 Ohm**

Setpoint pressure

at Engine running

, Vehicle is stationary and Oil level **Hydraulic system** OK

- ♦ Pressure to all 4 **Sensors** between 0 and 5 bar

Diagnosis information - PDCC control unit

Pressure sensor

Diagnostic conditions

- Engine running

Possible fault causes

- ♦ Short circuit to B+/ground or open circuit in the line
- ♦ Pressure Limit exceeded / Below limit
- ♦ **Control module** PDCC Faulty
- ♦ **Valve block** Faulty

Fault effects

- ♦ No function

Nominal values Line test

Short circuit to B+ :

- ♦ Setpoint voltage **-0.5 V** $\Rightarrow$ **+ 0.5 V**

Short circuit to ground :

- ♦ Setpoint resistance **> 0.9 MOhm**

Open circuit:

- ♦ Setpoint resistance **< 2 Ohm**

Setpoint pressure

at Engine running

, Vehicle is stationary and Oil level **Hydraulic system** OK

- ♦ Pressure to all 4 **Sensors** between 0 and 5 bar

000123

Diagnosis information - PDCC control unit

Pressure sensor

Diagnostic conditions

- Engine running

Possible fault causes

- ♦ Short circuit to B+/ground or open circuit in the line
- ♦ Pressure Limit exceeded / Below limit
- ♦ **Control module** PDCC Faulty
- ♦ **Valve block** Faulty

Fault effects

- ♦ No function

Nominal values Line test

Short circuit to B+ :

- ♦ Setpoint voltage **-0.5 V** ⇒ **+ 0.5 V**

Short circuit to ground :

- ♦ Setpoint resistance > **0.9 MOhm**

Open circuit:

- ♦ Setpoint resistance < **2 Ohm**

Setpoint pressure

at Engine running

, Vehicle is stationary and Oil level **Hydraulic system** OK

- ♦ Pressure to all 4 **Sensors** between 0 and 5 bar

Diagnosis information - PDCC control unit

Pressure sensor

Diagnostic conditions

- Engine running

Possible fault causes

- ♦ Short circuit to B+/ground or open circuit in the line
- ♦ Pressure Limit exceeded / Below limit
- ♦ **Control module** PDCC Faulty
- ♦ **Valve block** Faulty

Fault effects

- ♦ No function

Nominal values Line test

Short circuit to B+ :

- ♦ Setpoint voltage **- 0.5 V** ⇒ **+ 0.5 V**

Short circuit to ground :

- ♦ Setpoint resistance **> 0.9 MOhm**

Open circuit:

- ♦ Setpoint resistance **< 2 Ohm**

Setpoint pressure

at Engine running

, Vehicle is stationary and Oil level **Hydraulic system** OK

- ♦ Pressure to all 4 **Sensors** between 0 and 5 bar

Diagnosis information - PDCC control unit

Pressure sensor

Diagnostic conditions

- Engine running

Possible fault causes

- ♦ Short circuit to B+/ground or open circuit in the line
- ♦ Pressure Limit exceeded / Below limit
- ♦ **Control module** PDCC Faulty
- ♦ **Valve block** Faulty

Fault effects

- ♦ No function

Nominal values Line test

Short circuit to B+ :

- ♦ Setpoint voltage **-0.5 V** ⇒ **+ 0.5 V**

Short circuit to ground :

- ♦ Setpoint resistance > **0.9 MOhm**

Open circuit:

- ♦ Setpoint resistance < **2 Ohm**

Setpoint pressure

at Engine running

, Vehicle is stationary and Oil level **Hydraulic system** OK

- ♦ Pressure to all 4 **Sensors** between 0 and 5 bar

000126

Diagnosis information - PDCC control unit

Pressure sensors

Diagnostic conditions

- Engine running

Possible fault causes

- ♦ No/incorrect calibration **Pressure sensors**
- ♦ **Control module** PDCC Faulty
- ♦ **Valve block** Faulty

Fault effects

- ♦ No function

000127

Diagnosis information - PDCC control unit

Pressure sensors

Diagnostic conditions

- Engine running

Possible fault causes

- ♦ No/incorrect calibration **Pressure sensors**
- ♦ **Control module** PDCC Faulty
- ♦ **Valve block** Faulty

Fault effects

- ♦ No function

000128

Diagnosis information - PDCC control unit

Pressure sensors

Diagnostic conditions

- Engine running

Possible fault causes

- ♦ No/incorrect calibration **Pressure sensors**
- ♦ **Control module** PDCC Faulty
- ♦ **Valve block** Faulty

Fault effects

- ♦ No function

Diagnosis information - PDCC control unit

Pressure sensor

Diagnostic conditions

- Engine running

Possible fault causes

- ♦ Short circuit to B+/ground or open circuit in the line
- ♦ Pressure Limit exceeded / Below limit
- ♦ **Control module** PDCC Faulty
- ♦ **Valve block** Faulty

Fault effects

- ♦ No function

Nominal values Line test

Short circuit to B+ :

- ♦ Setpoint voltage **-0.5 V** ⇒ **+ 0.5 V**

Short circuit to ground :

- ♦ Setpoint resistance > **0.9 MOhm**

Open circuit:

- ♦ Setpoint resistance < **2 Ohm**

Setpoint pressure

at Engine running

, Vehicle is stationary and Oil level **Hydraulic system** OK

- ♦ Pressure to all 4 **Sensors** between 0 and 5 bar

Diagnosis information - PDCC control unit

Pressure sensor

Diagnostic conditions

- Engine running

Possible fault causes

- ♦ Short circuit to B+/ground or open circuit in the line
- ♦ Pressure Limit exceeded / Below limit
- ♦ **Control module** PDCC Faulty
- ♦ **Valve block** Faulty

Fault effects

- ♦ No function

Nominal values Line test

Short circuit to B+ :

- ♦ Setpoint voltage **-0.5 V** ⇒ **+ 0.5 V**

Short circuit to ground :

- ♦ Setpoint resistance > **0.9 MOhm**

Open circuit:

- ♦ Setpoint resistance < **2 Ohm**

Setpoint pressure

at Engine running

, Vehicle is stationary and Oil level **Hydraulic system** OK

- ♦ Pressure to all 4 **Sensors** between 0 and 5 bar

Diagnosis information - PDCC control unit

Pressure sensor

Diagnostic conditions

- Engine running

Possible fault causes

- ♦ Short circuit to B+/ground or open circuit in the line
- ♦ Pressure Limit exceeded / Below limit
- ♦ **Control module** PDCC Faulty
- ♦ **Valve block** Faulty

Fault effects

- ♦ No function

Nominal values Line test

Short circuit to B+ :

- ♦ Setpoint voltage **- 0.5 V** ⇒ **+ 0.5 V**

Short circuit to ground :

- ♦ Setpoint resistance **> 0.9 MOhm**

Open circuit:

- ♦ Setpoint resistance **< 2 Ohm**

Setpoint pressure

at Engine running

, Vehicle is stationary and Oil level **Hydraulic system** OK

- ♦ Pressure to all 4 **Sensors** between 0 and 5 bar

Diagnosis information - PDCC control unit

Pressure sensor

Diagnostic conditions

- Engine running

Possible fault causes

- ♦ Short circuit to B+/ground or open circuit in the line
- ♦ Pressure Limit exceeded / Below limit
- ♦ **Control module** PDCC Faulty
- ♦ **Valve block** Faulty

Fault effects

- ♦ No function

Nominal values Line test

Short circuit to B+ :

- ♦ Setpoint voltage **- 0.5 V** ⇒ **+ 0.5 V**

Short circuit to ground :

- ♦ Setpoint resistance **> 0.9 MOhm**

Open circuit:

- ♦ Setpoint resistance **< 2 Ohm**

Setpoint pressure

at Engine running

, Vehicle is stationary and Oil level **Hydraulic system** OK

- ♦ Pressure to all 4 **Sensors** between 0 and 5 bar

000133

Diagnosis information - PDCC control unit

Pressure sensor

Diagnostic conditions

- Engine running

Possible fault causes

- ♦ Short circuit to B+/ground or open circuit in the line
- ♦ Pressure Limit exceeded / Below limit
- ♦ **Control module** PDCC Faulty
- ♦ **Valve block** Faulty

Fault effects

- ♦ No function

Nominal values Line test

Short circuit to B+ :

- ♦ Setpoint voltage **-0.5 V** $\Rightarrow$ **+ 0.5 V**

Short circuit to ground :

- ♦ Setpoint resistance **> 0.9 MOhm**

Open circuit:

- ♦ Setpoint resistance **< 2 Ohm**

Setpoint pressure

at Engine running

, Vehicle is stationary and Oil level **Hydraulic system** OK

- ♦ Pressure to all 4 **Sensors** between 0 and 5 bar

Diagnosis information - PDCC control unit

Pressure sensor

Diagnostic conditions

- Engine running

Possible fault causes

- ♦ Short circuit to B+/ground or open circuit in the line
- ♦ Pressure Limit exceeded / Below limit
- ♦ **Control module** PDCC Faulty
- ♦ **Valve block** Faulty

Fault effects

- ♦ No function

Nominal values Line test

Short circuit to B+ :

- ♦ Setpoint voltage **-0.5 V** ⇒ **+ 0.5 V**

Short circuit to ground :

- ♦ Setpoint resistance > **0.9 MOhm**

Open circuit:

- ♦ Setpoint resistance < **2 Ohm**

Setpoint pressure

at Engine running

, Vehicle is stationary and Oil level **Hydraulic system** OK

- ♦ Pressure to all 4 **Sensors** between 0 and 5 bar

Diagnosis information - PDCC control unit

Pressure sensor

Diagnostic conditions

- Engine running

Possible fault causes

- ♦ Short circuit to B+/ground or open circuit in the line
- ♦ Pressure Limit exceeded / Below limit
- ♦ **Control module** PDCC Faulty
- ♦ **Valve block** Faulty

Fault effects

- ♦ No function

Nominal values Line test

Short circuit to B+ :

- ♦ Setpoint voltage **- 0.5 V** ⇒ **+ 0.5 V**

Short circuit to ground :

- ♦ Setpoint resistance **> 0.9 MOhm**

Open circuit:

- ♦ Setpoint resistance **< 2 Ohm**

Setpoint pressure

at Engine running

, Vehicle is stationary and Oil level **Hydraulic system** OK

- ♦ Pressure to all 4 **Sensors** between 0 and 5 bar

000136

Diagnosis information - PDCC control unit

Pressure sensors

Diagnostic conditions

- Engine running

Possible fault causes

- ♦ No/incorrect calibration **Pressure sensors**
- ♦ **Control module** PDCC Faulty
- ♦ **Valve block** Faulty

Fault effects

- ♦ No function

000137

Diagnosis information - PDCC control unit

Pressure sensors

Diagnostic conditions

- Engine running

Possible fault causes

- ♦ No/incorrect calibration **Pressure sensors**
- ♦ **Control module** PDCC Faulty
- ♦ **Valve block** Faulty

Fault effects

- ♦ No function

000138

Diagnosis information - PDCC control unit

Pressure sensors

Diagnostic conditions

- Engine running

Possible fault causes

- ♦ No/incorrect calibration **Pressure sensors**
- ♦ **Control module** PDCC Faulty
- ♦ **Valve block** Faulty

Fault effects

- ♦ No function

Diagnosis information - PDCC control unit

Pressure sensor

Diagnostic conditions

- Engine running

Possible fault causes

- ♦ Short circuit to B+/ground or open circuit in the line
- ♦ Pressure Limit exceeded / Below limit
- ♦ **Control module** PDCC Faulty
- ♦ **Valve block** Faulty

Fault effects

- ♦ No function

Nominal values Line test

Short circuit to B+ :

- ♦ Setpoint voltage **-0.5 V** ⇒ **+ 0.5 V**

Short circuit to ground :

- ♦ Setpoint resistance > **0.9 MOhm**

Open circuit:

- ♦ Setpoint resistance < **2 Ohm**

Setpoint pressure

at Engine running

, Vehicle is stationary and Oil level **Hydraulic system** OK

- ♦ Pressure to all 4 **Sensors** between 0 and 5 bar

000200

Diagnosis information - PDCC control unit

Valve - Electrical fault

Diagnostic conditions

- Engine running

or while driving

Possible fault causes

- ♦ Short circuit to B+/ground/between lines or open circuit in the lines
- ♦ **Control module** PDCC Function restriction
- ♦ **Valve block** Faulty

Fault effects

- ♦ No function

Nominal values Line test

Short circuit to B+ :

- ♦ Setpoint voltage **-0.5 V** ⇒ **+ 0.5 V**

Short circuit to ground :

- ♦ Setpoint resistance > **0.9 MOhm**

Open circuit:

- ♦ Setpoint resistance < **2 Ohm**

000201

Diagnosis information - PDCC control unit

Valve - Electrical fault

Diagnostic conditions

- Engine running

or while driving

Possible fault causes

- ♦ Short circuit to B+/ground/between lines or open circuit in the lines
- ♦ **Control module** PDCC Function restriction
- ♦ **Valve block** Faulty

Fault effects

- ♦ No function

Nominal values Line test

Short circuit to B+ :

- ♦ Setpoint voltage **-0.5 V** ⇒ **+ 0.5 V**

Short circuit to ground :

- ♦ Setpoint resistance > **0.9 MOhm**

Open circuit:

- ♦ Setpoint resistance < **2 Ohm**

Diagnosis information - PDCC control unit

Valve - Electrical fault

Diagnostic conditions

- Engine running

or while driving

Possible fault causes

- ♦ Short circuit to B+/ground/between lines or open circuit in the lines
- ♦ **Control module** PDCC Function restriction
- ♦ **Valve block** Faulty

Fault effects

- ♦ No function

Nominal values Line test

Short circuit to B+ :

- ♦ Setpoint voltage **-0.5 V** $\Rightarrow$ **+ 0.5 V**

Short circuit to ground :

- ♦ Setpoint resistance **> 0.9 MOhm**

Open circuit:

- ♦ Setpoint resistance **< 2 Ohm**

Diagnosis information - PDCC control unit

Valve - Electrical fault

Diagnostic conditions

- Engine running

or while driving

Possible fault causes

- ♦ Short circuit to B+/ground/between lines or open circuit in the lines
- ♦ **Control module** PDCC Function restriction
- ♦ **Valve block** Faulty

Fault effects

- ♦ No function

Nominal values Line test

Short circuit to B+ :

- ♦ Setpoint voltage **-0.5 V** ⇒ **+ 0.5 V**

Short circuit to ground :

- ♦ Setpoint resistance > **0.9 MOhm**

Open circuit:

- ♦ Setpoint resistance < **2 Ohm**

Diagnosis information - PDCC control unit

Control module PDCC Faulty

NOTE

The fault code is >present< only when the engine is running or when the vehicle is being driven.

Diagnostic conditions

The control unit must be active in order to test internal function sequences and diagnosable inputs/outputs.

In the event of a fault, check whether the fault is permanently >present<. To perform the check, erase the fault memory, meet the diagnostic conditions and read out the fault memory again.

Possible fault causes

- ◆ Incorrect interpretation in the **Control module**
- ◆ **Control module** PDCC Faulty

Fault effects

- ◆ Limited function

Diagnosis information - PDCC control unit

Control module PDCC Faulty

NOTE

The fault code is >present< only when the engine is running or when the vehicle is being driven.

Diagnostic conditions

The control unit must be active in order to test internal function sequences and diagnosable inputs/outputs.

In the event of a fault, check whether the fault is permanently >present<. To perform the check, erase the fault memory, meet the diagnostic conditions and read out the fault memory again.

Possible fault causes

- ◆ Incorrect interpretation in the **Control module**
- ◆ **Control module** PDCC Faulty

Fault effects

- ◆ Limited function

000210

Diagnosis information - PDCC control unit

Valve - Electrical fault

Diagnostic conditions

- Engine running

or while driving

Possible fault causes

- ♦ Short circuit to B+/ground/between lines or open circuit in the lines
- ♦ **Control module** PDCC Function restriction
- ♦ **Valve block** Faulty

Fault effects

- ♦ No function

Nominal values Line test

Short circuit to B+ :

- ♦ Setpoint voltage **-0.5 V** $\Rightarrow$ **+ 0.5 V**

Short circuit to ground :

- ♦ Setpoint resistance **> 0.9 MOhm**

Open circuit:

- ♦ Setpoint resistance **< 2 Ohm**