

Work Priorities Task Manager - Documentation

Introduction

The Work Priorities Task Manager is a web application built with PHP and MySQL to help users organize tasks using the Eisenhower Matrix framework. It allows users to categorize, update, and monitor their tasks effectively. This document serves as technical and functional documentation for the application.

1. System Requirements

- PHP 7.4 or higher
- MySQL 5.7 or higher
- Apache/Nginx server/XAMPP server
- Bootstrap 5 (via CDN)

2. Installation Guide

1. Clone or Download the source code into your web server directory.
2. Create a MySQL database named `work_priorities`.
3. Import the database schema using the included SQL dump.
4. Set up database connection in PHP files (e.g., `index.php`, `update_task_status.php`) with your credentials.
5. Start your server and access `login.php` to begin.

3. Database Schema

users

- id INT PRIMARY KEY
- username VARCHAR
- password VARCHAR (hashed)

tasks

- id INT PRIMARY KEY
- title VARCHAR
- description TEXT
- due_date DATE
- status ENUM('pending', 'completed', 'expired')
- quadrant TINYINT (1 to 4)
- user_id INT (FK to users)

task_completed

- id INT PRIMARY KEY
- title VARCHAR
- description TEXT
- due_date DATE
- status VARCHAR (always 'completed')
- user_id INT (FK to users)

4. Application Pages

index.php

- Dashboard categorized by urgency/importance quadrants.
- Lists tasks dynamically by quadrant.
- Expired tasks automatically updated.
- Reminder icon shakes for tasks due tomorrow.
- Task status updated via AJAX with modal confirmation.

add_task.php

- Form to add new task.
- Fields: title, description, due date, quadrant.

edit_task.php

- Form to edit existing task details.

completed_tasks.php

- Displays archived completed tasks.
- Tasks listed with title, description, due date.

update_task_status.php

- Receives task completion via POST request.
- On success, moves task to task_completed table and deletes it from tasks.

login.php / logout.php

- Basic session management and authentication.

5. Core Functional Logic

Auto-Expire Tasks

```
$mysqli->query("UPDATE tasks SET status = 'expired' WHERE due_date < CURDATE() AND status =
```

```
'pending''');
```

Reminder Logic (JavaScript)

- Detects if a task is due tomorrow.
- Displays reminder modal and shakes bell icon.

Task Completion via AJAX

- Submits form asynchronously to `update_task_status.php`
- Shows Bootstrap modal on success.
- Task is removed from DOM without reload.

6. Design & UX

- UI Framework: Bootstrap 5
- Colors: Quadrants use color-coded headers (e.g., red for urgent/important).
- Task Layout: Scrollable cards with sticky headers.
- Visual Effects: Reminder icons animate if task is due tomorrow.

7. Future Enhancements

- Due time support (hh:mm)
- User notifications via email
- Task filtering/search by status, date
- Sorting by priority or quadrant
- Admin dashboard for analytics
- Responsive dark mode toggle

8. Security Considerations

- Use prepared statements to avoid SQL injection.
- Hash passwords (e.g., `password_hash()` and `password_verify()`)
- Avoid exposing sensitive info in source code.
- Restrict direct access to sensitive files.

For developers and administrators, this documentation provides a foundation for extending, maintaining, and deploying the Work Priorities Task Manager securely and effectively.

How to Use the Work Priorities Task Manager

1. Login

- Navigate to login.php
- Enter your username and password.
- If you're not logged in, you'll be redirected to the login page before accessing other sections.

2. Dashboard (dashboard.php)

After logging in, you'll see the Work Schedule Priorities dashboard organized by the Eisenhower Matrix quadrants:

Quadrant	Description
Q1	Urgent & Important
Q2	Not Urgent but Important
Q3	Urgent but Not Important
Q4	Not Urgent & Not Important

Each card displays tasks in that quadrant.

Actions:

-  Mark Completed: Click the "Mark Completed" button — triggers a modal and moves the task to the archive.
-  Edit Task: Click "Edit" to change task details.
-  Reminder: Hover or click the bell icon. If due tomorrow, it shakes and displays a reminder modal.

3. Add a Task (add_task.php)

- Click "+ Add Task" on the dashboard.
- Fill in:
 - o Title
 - o Description
 - o Due Date
 - o Quadrant
- Submit to create the task.

4. Edit a Task (edit_task.php)

- Click "Edit" beside a task.
- Modify any fields and save.

5. Automatic Status Update

- Tasks with past due dates are marked expired automatically when the dashboard loads.
- Statuses:
 - o pending
 - o completed
 - o expired

6. View Completed Tasks (completed_tasks.php)

- Click link/button to go to Completed Tasks.
- Tasks are listed with:
 - o Title
 - o Description
 - o Due Date

These tasks are stored in the task_completed table.

7. Logout

- Use the Logout button on the dashboard to securely end your session.



Security Note

- Make sure to change the default credentials in production.
- Never expose database passwords.
- Enable HTTPS and user input sanitization in production environments.