

RIDGELINE COMMUNITY CLINIC LAB

14 Millbrook Rd, Testville, TS 00000 | Fake CLIA#: 00T0000000



*** SYNTHETIC TEST ENVIRONMENT — NOT A REAL FACILITY ***

Patient: **Sam T. Placeholderman**
DOB: **1970-08-30 (Age 55)**
Ordering Provider: **Dr. L. Fictitious, MD (fictional)**
Specimen: **Serum (Gold Top / SST)**
Received: **2026-07-13 07:20**

MRN: **TEST-000567**
Sex: **Male**
Accession #: **SYN-BMP-00002**
Collected: **2026-07-13 06:50**
Reported: **2026-07-13 10:05**

BASIC METABOLIC PANEL (BMP)

Test	Result	Flag	Reference Range	Units
Glucose	112	H	70 - 99	mg/dL
BUN	22	H	7 - 20	mg/dL
Creatinine	1.3		0.6 - 1.3	mg/dL
Sodium	138		136 - 145	mEq/L
Potassium	4.1		3.5 - 5.1	mEq/L
Chloride	101		98 - 107	mEq/L
CO2	24		21 - 32	mEq/L
Calcium	9.4		8.6 - 10.2	mg/dL

Interpretation: Mildly elevated glucose and BUN; recommend fasting recheck.

H = above reference range, L = below reference range. Reference ranges are method- and population-dependent and shown here for illustrative purposes.