

Student Table

[illegible]

[illegible]

The screenshot displays the Microsoft Access application window. On the left is the 'Navigation Pane' with a tree view containing 'General', 'Connectivity', 'wolfecj1', 'Bookmark', 'Dashboard', 'Diagram', and 'Script'. The main area is split into two panes. The top pane, titled '*<wolfecj1> Script', contains a VBA script with the following code:

```

78
79 INSERT INTO PREREQUISITE (Course_number, Prerequisite_number) VALUES
80 ('CS3380', 'CS3320'),
81 ('CS3380', 'MATH2410'),
82 ('CS3320', 'CS1310');
83
84 -- HW 4 PT 1
85 -- SELECT * FROM STUDENT;
86 -- SELECT * FROM COURSE;
87 SELECT * FROM SECTION;
88 -- SELECT * FROM GRADE_REPORT;
89 -- SELECT * FROM PREREQUISITE;
90
91 -- UPDATE STUDENT
92 -- SET Class = 1
93 -- WHERE Name = 'Brown';
94 INSERT INTO COURSE (Course_name, Course_number, Credit_hours, Departmen
95 -- VALUES ('Knowledge Engineering', 'CS4390', 3, 'CS');
96

```

The bottom pane shows a data grid with the following columns: 'Section_identifier', 'Course_number', and 'Value'. The data is as follows:

	Section_identifier	Course_number	Value
1	85	MATH2410	
2	92	CS1310	
3	102	CS3320	
4	112	MATH2410	
5	119	CS1310	
6	135	CS3380	

At the bottom right, a text box contains the instruction: 'Select a cell to view/edit value. Press F7 to hide this panel.'

Grade Report

The screenshot displays the Oracle SQL Developer environment. The top pane shows a script editor with a SQL script named 'wolfecj1'. The script includes an INSERT statement for the PREREQUISITE table, followed by several commented-out SELECT and UPDATE statements. The bottom pane shows a data grid for the 'grade_report 1' table. The grid has two columns: 'Student_number' and 'Section_identifier'. The data is as follows:

Student_number	Section_identifier
8	85
8	92
8	102
8	135
17	112
17	119

On the right side of the data grid, there is a 'Value' panel. A text box contains the instruction: 'Select a cell to view/edit value. Press F7 to hide this panel.'

Prereq

The screenshot shows a database management tool interface. The top pane displays a SQL script for a database named 'wolfecj1'. The script includes several SQL statements: SELECT * FROM STUDENT; SELECT * FROM COURSE; SELECT * FROM SECTION; SELECT * FROM GRADE_REPORT; SELECT * FROM PREREQUISITE; UPDATE STUDENT SET Class = 1 WHERE Name = 'Brown'; INSERT INTO COURSE (Course_name, Course_number, Credit_hours, Department) VALUES ('Knowledge Engineering', 'CS4390', 3, 'CS'); DELETE FROM GRADE_REPORT WHERE Student_number = (SELECT Student_number FROM STUDENT WHERE Name = 'Smith'); DELETE FROM STUDENT WHERE Name = 'Smith';

The bottom pane shows a table named 'prerequisite 1' with two columns: 'Course_number' and 'Prerequisite_number'. The table contains three rows of data:

	Course_number	Prerequisite_number
1	CS3320	CS1310
2	CS3380	CS3320
3	CS3380	MATH2410

On the right side of the bottom pane, there is a 'Value' panel with the text: 'Select a cell to view/edit value' and 'Press F7 to hide this panel'.

Updated Student

The screenshot displays the Microsoft Access application window. The top-left pane shows the 'Navigation View' with a tree structure containing 'General', 'Connectivity', 'wolfecj1', 'Bookmark', 'Dashboard', 'Diagram', and 'Script'. The 'Script' pane is active, showing a VBA script for 'wolfecj1'. The script includes SQL commands for deleting records from the 'STUDENT' table, selecting all records from 'STUDENT', and inserting records into 'STUDENT' and 'GRADE_REPORT'. The bottom-right pane shows a 'Data Grid' view for 'student 1'. The grid has columns for 'Student_number', 'Name', and 'Class'. The first row contains the values '8', 'Brown', and '123'. A 'Value' pane is open on the right, showing the selected cell's value. A text box at the bottom right of the grid area reads: 'Select a cell to view/edit value Press F7 to hide this panel'.

Script Editor Content:

```

101
102 DELETE FROM STUDENT
103 WHERE Name = 'Smith';
104
105 SELECT * FROM STUDENT;
106 -- SELECT * FROM COURSE;
107 -- SELECT * FROM GRADE_REPORT;
108
109 -- INSERT INTO STUDENT (Name, Student_number, Class, Major)
110 -- VALUES ('Johnson', 25, 1, 'Math');
111
112 -- INSERT INTO GRADE_REPORT (Student_number, Section_identifier, Grade) VA
113 -- (25, 85, 'A'),
114 -- (25, 92, 'B');
115
116 -- SELECT * FROM GRADE_REPORT;
117
118 -- DESC STUDENT;
119 -- DESC COURSE;

```

Data Grid Content:

Student_number	Name	Class
8	Brown	123

Updated Course

The screenshot displays the Oracle SQL Developer environment. The top pane shows a script editor with a SQL script named '<wolfecj1> Script'. The script contains several SQL statements, including a DELETE statement, comments, and SELECT statements. The bottom pane shows a data grid for 'course 1' with columns 'Course_number' and 'Course_name'. The grid contains five rows of data. A 'Value' panel is visible on the right side of the grid, and a text box indicates that pressing F7 will hide this panel.

Script Editor Content:

```

102 DELETE FROM STUDENT
103 WHERE Name = 'Smith';
104
105 -- SELECT * FROM STUDENT;
106 SELECT * FROM COURSE;
107 -- SELECT * FROM GRADE_REPORT;
108
109 -- INSERT INTO STUDENT (Name, Student_number, Class, Major)
110 -- VALUES ('Johnson', 25, 1, 'Math');
111
112 -- INSERT INTO GRADE_REPORT (Student_number, Section_identifier, Grade) VA
113 -- (25, 85, 'A'),
114 -- (25, 92, 'B');
115
116 -- SELECT * FROM GRADE_REPORT;
117
118 -- DESC STUDENT;
119 -- DESC COURSE;
120 -- DESC SECTION;

```

Data Grid Content:

Course_number	Course_name
1	CS1310
2	CS3320
3	CS3380
4	CS4390
5	MATH2410

Value Panel:

Select a cell to view/edit value
Press F7 to hide this panel

Updated Grade Report

The screenshot displays the Microsoft Access application window. The top-left pane shows the 'Navigation View' with a tree structure containing 'General', 'Connectivity', 'wolfecj1', 'Bookmark', 'Dashboard', 'Diagram', and 'Script'. The 'Script' pane is active, showing a VBA script for a query named 'grade_report 1'. The script includes SQL statements for selecting data from 'STUDENT' and 'GRADE_REPORT' tables, and inserting values. The script editor has a line number column on the left, ranging from 103 to 121. The bottom-right pane shows the 'Data View' for the 'grade_report 1' query. It displays a table with two columns: 'Student_number' and 'Section_identifier'. The table contains four rows of data. The 'Value' pane is open, showing the selected cell's value. A tooltip message says 'Select a cell to view/edit value' and 'Press F7 to hide this panel'.

Script Editor Content:

```

103 WHERE Name = 'Smith';
104
105 -- SELECT * FROM STUDENT;
106 -- SELECT * FROM COURSE;
107 SELECT * FROM GRADE_REPORT;
108
109 -- INSERT INTO STUDENT (Name, Student_number, Class, Major)
110 -- VALUES ('Johnson', 25, 1, 'Math');
111
112 -- INSERT INTO GRADE_REPORT (Student_number, Section_identifier, Grade) VA
113 -- (25, 85, 'A'),
114 -- (25, 92, 'B');
115
116 -- SELECT * FROM GRADE_REPORT;
117
118 -- DESC STUDENT;
119 -- DESC COURSE;
120 -- DESC SECTION;
121 -- DESC GRADE_REPORT;

```

Data View Content:

	Student_number	Section_identifier
1	8	85
2	8	92
3	8	102
4	8	135

Updated Grade Report v2 with Johnson

The screenshot displays the Microsoft Access application window. At the top, the 'SQL View' tab is active, showing a script named 'wolfecj1'. The script contains SQL commands for selecting data from 'STUDENT', 'COURSE', and 'GRADE_REPORT' tables, inserting records into 'STUDENT' and 'GRADE_REPORT', and descending the tables. Below the script, the 'Data View' tab is active, showing a table named 'grade_report 1'. The table has four columns: 'Student_num', 'Section_id', 'A-Z Grade', and 'Value'. The table contains six records. A tooltip is visible over the 'Value' column, indicating that a cell can be selected to view or edit its value by pressing F7.

SQL Script:

```

105 -- SELECT * FROM STUDENT;
106 -- SELECT * FROM COURSE;
107 -- SELECT * FROM GRADE_REPORT;
108
109 INSERT INTO STUDENT (Name, Student_number, Class, Major)
110 VALUES ('Johnson', 25, 1, 'Math');
111
112 INSERT INTO GRADE_REPORT (Student_number, Section_idenfier, Grade) VALUE
113 (25, 85, 'A'),
114 (25, 92, 'B');
115
116 SELECT * FROM GRADE_REPORT;
117
118 -- DESC STUDENT;
119 -- DESC COURSE;
120 -- DESC SECTION;
121 -- DESC GRADE_REPORT;
122 -- DESC PREREQUISITE;

```

Table Data:

	Student_num	Section_id	A-Z Grade	Value
1	8	85	A	
2	8	92	A	
3	8	102	B	
4	8	135	A	
5	25	85	A	
6	25	92	B	