

Bar graphs and pie charts

Bar graphs and pie charts are two of the simplest ways to summarize and represent data. In general, a **bar graph**, also called a **bar chart**, usually looks something like this:



And a **pie chart** usually looks something like this:





16

EuropeNorth America

South America

AsiaAustralia

In this lesson, we'll start with data tables like the ones we looked at in the last lesson, and try to represent the data given in the tables in bar graphs and pie charts.

Building data tables

6

Let's say we're given historical information about the host cities for the summer Olympic games, and we want to summarize this information into a simple data table.

Here is a list of host cities for the summer games, not including host cities for canceled games, from 1896 through 2016.

Games	Year	City, Country	Continent
I	1896	Athens, Greece	Europe
II	1900	Paris, France	Europe
III	1904	St. Louis, United States	North America
IV	1908	London, United Kingdom	Europe
V	1912	Stockholm, Sweden	Europe
VII	1920	Antwerp, Belgium	Europe
VIII	1924	Paris, France	Europe
IX	1928	Amsterdam, Netherlands	Europe
X	1932	Los Angeles, United States	North America
XI	1936	Berlin, Germany	Europe
XIV	1948	London, United Kingdom	Europe
XV	1952	Helsinki, Finland	Europe
XVI	1956	Melbourne, Australia	Australia
XVII	1960	Rome, Italy	Europe
XVIII	1964	Tokyo, Japan	Asia
XIX	1968	Mexico City, Mexico	North America
XX	1972	Munich, West Germany	Europe
XXI	1976	Montreal, Canada	North America
XXII	1980	Moscow, Soviet Union	Europe
XXIII	1984	Los Angeles, United States	North America
XXIV	1988	Seoul, South Korea	Asia
XXV	1992	Barcelona, Spain	Europe
XXVI	1996	Atlanta, United States	North America
XXVII	2000	Sydney, Australia	Australia
XXVIII	2004	Athens, Greece	Europe
XXIX	2008	Beijing, China	Asia
XXX	2012	London, United Kingdom	Europe



If we wanted to make a data table showing the number of times each continent has hosted to summer games, we could count this number for each continent from the data table, and create a summary table for count by continent:


Continent	Count		
Europe	16		
North America	6		
Asia	3		
Australia	2		
South America	1		

The summary table is often called a **frequency table**, which shows the frequency or count of each categorical variable. In the list of host cities of summer games, the categorical variable, Europe, appeared 16 times, which is why the count, or frequency is 16.

Building bar graphs

If we wanted to express the count of summer games by continent in a bar graph, it might look like this:







Notice that we have a list of the continents across the bottom of the bar graph, with the count of the number of times they've hosted the summer games up the left side. The continents are the **individuals**, and the count is a **quantitative variable**, because the count is a numeric property of each of the individuals.

The bar graph is a nice way to represent this data, because we can quickly get a visual picture of which continents have hosted the summer games most often.

Now we can quickly see that Europe has hosted more summer games by far than any other continent, North America has hosted the second-most number, and South America has hosted the summer games the fewest number of times. With this particular data set, since we know there are 7 continents, we could infer from the graph that Africa and Antarctica have never hosted the summer games.






When you build a vertical bar graph, it's common to sort the data largest to smallest, so that the tallest bars appear on the left, in descending order down to the smallest bars on the right. When you build a horizontal bar graph, it's common to put the largest bars at the top and the smallest bars at the bottom.

Reading bar graphs

If we only have the bar graph, and no data table to work with, we may only be able to get approximate values from the bar graph. Using this bar graph again,





we see that the vertical axis isn't marked off at every increment, only at every increment of 5. So based on how far up the bar extends for Europe, for example, we only know with absolute certainty that Europe has hosted between 15 and 20 times. We could probably guess that they've hosted about 16 or 17 summer games, but we might not feel absolutely sure.

At quick glance we would know that Australia has probably hosted only 2 or 3 times.


It's worth making the point that bar graphs aren't always great at expressing exact values, but they're excellent at giving us a quick visual picture of data.

Building pie charts



This same data can be displayed in a pie chart. It's helpful in a pie chart, though not necessary, to make each individual a different color so that it's easy to see the distinction between sections.

Like the bar graphs, it's customary to put the largest slices next to each other, in order all the way down to the smallest sections.



Example

Create a bar graph and pie chart that shows the number of times each continent has hosted the winter Olympic games. Use the data table to first create a summary table, then build the bar graph and pie chart.

Host cities for the winter Olympic games, not including host cities for canceled games, from 1924 through 2018


Games	Year	City, Country	Continent
	1924	Chamonix, France	Europe
Ш	1928	St. Moritz, Switzerland	Europe
III	1932	Lake Placid, United States	North America
IV	1936	Garmisch-Partenkirchen, Germany	Europe
V	1948	St. Moritz, Switzerland	Europe
VI	1952	Oslo, Norway	Europe
VII	1956	Cortina d'Ampezzo, Italy	Europe
VIII	1960	Squaw Valley, United States	North America
IX	1964	Innsbruck, Austria	Europe
X	1968	Grenoble, France	Europe
XI	1972	Sapporo, Japan	Asia
XII	1976	Innsbruck, Austria	Europe
XIII	1980	Lake Placid, United States	North America
XIV	1984	Sarajevo, Yugoslavia	Europe
XV	1988	Calgary, Canada	North America
XVI	1992	Albertville, France	Europe
XVII	1994	Lillehammer, Norway	Europe
XVIII	1998	Nagano, Japan	Asia
XIX	2002	Salt Lake City, United States	North America
XX	2006	Turin, Italy	Europe
XXI	2010	Vancouver, Canada	North America
XXII	2014	Sochi, Russia	Europe
XXIII	2018	Pyeongchang, South Korea Asia	

If we try to make a frequency table first of this information, we get




Continent	Count
Europe	14
North America	6
Asia	3

Then we can make a bar graph,




or a pie chart.





Bar graphs are also great for showing multiple variables for the same individuals, side by side. Now that we've created bar graphs for host continents for both the summer and winter Olympic games, let's bring them together:



This kind of side-by-side bar graph allows us to quickly see what we already knew from the previous bar graphs, like the fact that Europe has hosted more summer games and more winter games than any other continent.

But we get more information from this, too, like the fact that Europe has hosted more summer games than it has winter games, or that North America has hosted an equal number of summer and winter games.