SkyOps - Testing v1.0

Χρήστος Καπετανάκης 1103828
Ανδρέας Κρητικός 1104781
Γιώργος Τεμπονέρας 1104775
Ελευθερία Γιαννοπούλου 1041039
Αλέξης Λούμπαρδης 1051948

Προβολή/Προσθήκη Πτήσεων

id	test name	input	output	pass/fail
create flight				
1	isPlaneAvailable(departureTime, arrivalTime, airplaneID)	flight stored: departure: 14:00 10/11/24 arrival: 15:00 10/11/24 planeID: 14 is plane with ID=14 available between 15:01 10/11/24 and 15:59 10/11/24	TRUE	pass
2		flight stored: departure: 14:00 10/11/24 arrival: 15:00 10/11/24 planeID: 14 is plane with ID=14 available between 14:01 10/11/24 and 14:59 10/11/24	FALSE	pass
3		flight stored: departure: 14:00 10/11/24 arrival: 15:00 10/11/24 planeID: 14 is plane with ID=14 available between 13:01 10/11/24 and 13:59 10/11/24	TRUE	pass
4		flight stored: departure: 14:00 10/11/24 arrival: 15:00 10/11/24 planeID: 14 is plane with ID=14 available between 13:59 10/11/24 and 15:01 10/11/24	FALSE	pass

5		flight stored: departure: 14:00 10/11/24 arrival: 15:00 10/11/24 planeID: 14 is plane with ID=14 available between 13:59 10/11/24 and 14:01 10/11/24	FALSE	pass
6		flight stored: departure: 14:00 10/11/24 arrival: 15:00 10/11/24 planeID: 14 is plane with ID=14 available between 14:59 10/11/24 and 15:01 10/11/24	FALSE	pass
7	isPilotAvailable(departureTime, arrivalTime, pilotID)	flight stored: departure: 14:00 10/11/24 arrival: 15:00 10/11/24 pilotIDList contains pilot with ID: 1 is plane with ID=14 available between 15:01 10/11/24 and 15:59 10/11/24	TRUE	pass
8		flight stored: departure: 14:00 10/11/24 arrival: 15:00 10/11/24 pilotIDList contains pilot with ID: 1 is plane with ID=14 available between 14:01 10/11/24 and 14:59 10/11/24	FALSE	pass
9		flight stored: departure: 14:00 10/11/24 arrival: 15:00 10/11/24 pilotIDList contains pilot with ID: 1 is plane with ID=14 available between 13:01 10/11/24 and 13:59 10/11/24	TRUE	pass

10		flight stored: departure: 14:00 10/11/24 arrival: 15:00 10/11/24 planeID: 14 is plane with ID=14 available between 13:59 10/11/24 and 15:01 10/11/24	FALSE	pass
11		flight stored: departure: 14:00 10/11/24 arrival: 15:00 10/11/24 pilotIDList contains pilot with ID: 1 is plane with ID=14 available between 13:59 10/11/24 and 14:01 10/11/24	FALSE	pass
12		flight stored: departure: 14:00 10/11/24 arrival: 15:00 10/11/24 planeID: 14 is plane with ID=14 available between 14:59 10/11/24 and 15:01 10/11/24	FALSE	pass
13	isFlightAttendantAvailable(departureTime, arrivalTime, pilotID)	flight stored: departure: 14:00 10/11/24 arrival: 15:00 10/11/24 flightAttendantIDList contains flight attendant with ID: 2 is flight attendant with id=2 available between 15:01 10/11/24 and 15:59 10/11/24	TRUE	pass

14		flight stored: departure: 14:00 10/11/24 arrival: 15:00 10/11/24 flightAttendantIDList contains flight attendant with ID: 2 is flight attendant with id=2 available between 14:01 10/11/24 and 14:59 10/11/24	FALSE	pass
15		flight stored: departure: 14:00 10/11/24 arrival: 15:00 10/11/24 flightAttendantIDList contains flight attendant with ID: 2 is flight attendant with id=2 available between 13:01 10/11/24 and 13:59 10/11/24	TRUE	pass
16		flight stored: departure: 14:00 10/11/24 arrival: 15:00 10/11/24 flightAttendantIDList contains flight attendant with ID: 2 is flight attendant with id=2 available between 13:59 10/11/24 and 15:01 10/11/24	FALSE	pass
17		flight stored: departure: 14:00 10/11/24 arrival: 15:00 10/11/24 flightAttendantIDList contains flight attendant with ID: 2 is flight attendant with id=2 available between 13:59 10/11/24 and 14:01 10/11/24	FALSE	pass

18		flight stored: departure: 14:00 10/11/24 arrival: 15:00 10/11/24 flightAttendantIDList contains flight attendant with ID: 2 is flight attendant with id=2 available between 14:59 10/11/24 and 15:01 10/11/24	FALSE	pass
19	re-executed tests from above but via the GUI	re-executed tests from above but via the GUI	re-executed tests from above but via the GUI	all passed

Ακύρωση/Επαναδρομολόγηση Πτήσεων

id	test name	input	output	pass/fail

Edit Flight				
1	edit flight to include unavailable airplane	flight stored: departure: 14:00 10/11/24 arrival: 15:00 10/11/24 plane name: "Plane" is plane with name="Plane" available between 15:01 10/11/24 and 15:59 10/11/24	TRUE	pass
2		flight stored: departure: 14:00 10/11/24 arrival: 15:00 10/11/24 plane name: "Plane" is plane with name="Plane" available between 14:01 10/11/24 and 14:59 10/11/24	FALSE	pass

3		flight stored: departure: 14:00 10/11/24 arrival: 15:00 10/11/24 plane name: "Plane" is plane with name="Plane" available between 13:01 10/11/24 and 13:59 10/11/24	TRUE	pass
4		flight stored: departure: 14:00 10/11/24 arrival: 15:00 10/11/24 plane name: "Plane" is plane with name="Plane"available between 13:59 10/11/24 and 15:01 10/11/24	FALSE	pass
5		flight stored: departure: 14:00 10/11/24 arrival: 15:00 10/11/24 plane name: "Plane" is plane with name="Plane" available between 13:59 10/11/24 and 14:01 10/11/24	FALSE	pass
6		flight stored: departure: 14:00 10/11/24 arrival: 15:00 10/11/24 plane name: "Plane" is plane with name="Plane" available between 14:59 10/11/24 and 15:01 10/11/24	FALSE	pass

7	edit flight to include unavailable pilot	flight stored: departure: 14:00 10/11/24 arrival: 15:00 10/11/24 has pilot with name="Captain Mike" is pilot with name="Captain Mike" available between 15:01 10/11/24 and 15:59 10/11/24	TRUE	pass
8		flight stored: departure: 14:00 10/11/24 arrival: 15:00 10/11/24 has pilot with name="Captain Mike" is pilot with name="Captain Mike" available between 14:01 10/11/24 and 14:59 10/11/24	FALSE	pass
9		flight stored: departure: 14:00 10/11/24 arrival: 15:00 10/11/24 has pilot with name="Captain Mike" is pilot with name="Captain Mike" available between 13:01 10/11/24 and 13:59 10/11/24	TRUE	pass
10		flight stored: departure: 14:00 10/11/24 arrival: 15:00 10/11/24 has pilot with name="Captain Mike" is pilot with name="Captain Mike" available between 13:59 10/11/24 and 15:01 10/11/24	FALSE	pass

11		flight stored: departure: 14:00 10/11/24 arrival: 15:00 10/11/24 has pilot with name="Captain Mike" is pilot with name="Captain Mike" available between 13:59 10/11/24 and 14:01 10/11/24	FALSE	pass
12		flight stored: departure: 14:00 10/11/24 arrival: 15:00 10/11/24 planeID: 14 is plane with ID=14 available between 14:59 10/11/24 and 15:01 10/11/24	FALSE	pass
13		flight stored: departure: 14:00 10/11/24 arrival: 15:00 10/11/24 has pilot with name="Captain Mike" is pilot with name="Captain Mike" available between 15:01 10/11/24 and 15:59 10/11/24	TRUE	pass
14	edit flight to include unavailable flight attendant	flight stored: departure: 14:00 10/11/24 arrival: 15:00 10/11/24 has flight attendant with name="Linda Grey" is flight attendant with name="Linda Grey" available between 14:01 10/11/24 and 14:59 10/11/24	FALSE	pass

15		flight stored: departure: 14:00 10/11/24 arrival: 15:00 10/11/24 has flight attendant with name="Linda Grey" is flight attendant with name="Linda Grey" available between 13:01 10/11/24 and 13:59 10/11/24	TRUE	pass
16		flight stored: departure: 14:00 10/11/24 arrival: 15:00 10/11/24 has flight attendant with name="Linda Grey" is flight attendant with name="Linda Grey" available between 13:59 10/11/24 and 15:01 10/11/24	FALSE	pass
17		flight stored: departure: 14:00 10/11/24 arrival: 15:00 10/11/24 has flight attendant with name="Linda Grey" is flight attendant with name="Linda Grey" available between 13:59 10/11/24 and 14:01 10/11/24	FALSE	pass
18		flight stored: departure: 14:00 10/11/24 arrival: 15:00 10/11/24 has flight attendant with name="Linda Grey" is flight attendant with name="Linda Grey" available between 14:59 10/11/24 and 15:01 10/11/24	FALSE	pass
	View Flights			

19	cancel flight	cancel flight with flight number A1234	removed from flight list	pass
20	does created flight show in table	create a random flight	flight appears in list	pass

Διαχείριση Menu

id		input	output	pass/fail
Create Menu				
1		No name or description	error message	pass
2		No menu items selected	error message	pass
3		items selected and forms filled	correct temp menu creation	pass
Insert Menu Item				
4		String input in cost form	error message cost must be in valid form	pass
5		String input in weight form	error message weight must be in valid form	pass
6		Int input in weight and cost	menu item successfully insertd	pass

Διαχείριση Αναφορών Πιλότων

id		input	output	pass/fail
Flight Report				
11		Selected plane has no flights	error message	pass
2		Selected plane has flights	recent flight screen	pass
3		admin selects ground plane	plane.status = awaitingMaintenance future flights cancelled if exist	pass
4		no plane selected and select clicked	error message	pass
5		no flights selected and select clicked	error message	pass

Συντήρηση Αεροσκαφών

id		input	output	pass/fail
Maintenance				
1		awaitingMaintenancePlanes list is empty	error message window closes	pass
2		no awaitng maintenance planes selected	error message	pass
3		plane selected	future flights screen created	pass
4		ground report clicked	report that was open when the plane was gounded is shown	pass
5		start maintenance date input 01:00 01/01/2025 current Date16:21 30/05/2025	error message	pass
6		end maintenance date input 01:00 01/01/2025 current Date16:21 30/05/2025	error message	pass
7		maintenance dates not set set maintenance slot clicked	error message	pass
8		start maintenance date input 01:00 01/10/2025 end maintenance date input 01:00 01/09/2025	error message	pass
9		start maintenance date input 01:00 01/10/2025 end maintenance date input 01:00 10/10/2025	Maintenance slot set. Flights after end date set approved if exist close window	pass

Airport

id		input	output	pass/fail
Manage Airports				
1		No input in insert airport form	error message	pass
2		No location in insert airport	error message	pass

		form		
3		No capacity insert	error message	pass
4		Negative capacity insert	error message	pass
5		string input in capacity	error message	pass
6		runway length set to 0	error message	pass
7		number of runways set to 0	error message	pass
8		valid inputs	airport added	pass
9		closing time before opening time	error message	pass

Employee

id		input	output	pass/fail
Pilot Insert				
1		negative age on insert employee form	error message	pass
2		negative salary input	error message	pass
3		negative flight hours	error message	pass
4		valid inputs	insert pilot	pass
Flight Attendant Insert				
1		negative age on insert employee form	error message	pass
2		negative salary input	error message	pass
3		negative flight hours	error message	pass
4		valid inputs	insert flight attendant	pass

Airplane

id		input	output	pass/fail
Manage Airplanes				
1		No input in insert Airplane form	error message	pass
2		correct name and type input	airplane added	pass

Contractor

test name	test input	test output	pass/fail
View Job Details	Click "View" next to a job	View Job window opens	pass
Mark Job as Paid	In job details, click "Contracted job paid"	Job status changes to "payment fulfilled"	pass
Prevent Empty Submit	Try to submit job with empty fields	Error shown, job not created	pass
Assign Job to Contractor	Fill form, select contractor, click "Submit"	Job is added, shows in Job List under contractor	pass

Flight Booking

id	test name	input	output	pass/fail
Search for flight				
1	valid date entered	flight date = 28/10/25 (today=29/10/25)	error message	pass
2		flight date=10/10/25 (today=29/10/25)	shows list of flights	pass
3	departure and arrival airports selected correctly	arrival airport = JFK departure airport = LAX	flights from JFK to LAX is shown	pass
4		arrival airport = JFK departure airport = JFK	error message(can't have flight arriving and departing from same airport)	pass
5	briefcase amount	ammount = 1	search made	pass
6		ammount = 0	search made	pass
7		amount = -1	error message	pass
8	flight shown	departure airport=JFK arrival airport = LAX	only flight from JFK->LAX on the	pass

		flight date = 10/10/25	10/10/25 is shown	
Passenger Details				
9		firstname length = 3	no error	pass
10	firstname	firstname length = 2	error message	pass
11		lastname length = 1	no error	pass
12	lastname	lastname length = 0	error message	pass
13		no @ sign	error message	pass
14		no username	error message	pass
15		no domain	error message	pass
16		no . between domain and extension	error message	pass
17		no extension	error message	pass
18	email	blank	error message	pass
19		length = 3	error message	pass
20	nationality	length = 4	no error	pass
21		no + at beginning	error message	pass
22	phone number	phone number contains country code between 1-2 digits and the rest contains 9 digits	pass	pass
23	add passenger	all details are correct	passenger created in booking class and booking class is attatched to flight(saw this via debugger)	pass