

Alloimmunity & Trauma

Team Pham

21 December, 2018

Contents

Descriptive Statistics	1
Main results	1
Supplemental Figure 1: Antibody Frequency by Gender	1
Supplemental Figure 2: Antibody Frequency by Race	1

Descriptive Statistics

Main results

Total number of admission associated with AB is 47.

Supplemental Figure 1: Antibody Frequency by Gender

Supplemental Figure 2: Antibody Frequency by Race

Table 1: Clinical and Demographic Characteristics of Study Population

	Anti- (n = 4098)	Anti+ (n = 84)	p^a
age (mean (sd))	47.34 (19.11)	46.48 (20.31)	0.683
gender = M (%)	2918 (71.2)	57 (67.9)	0.583
race = Other (%)	2885 (70.4)	58 (69.0)	0.882
death = 1 (%)	463 (11.3)	19 (22.6)	0.002
los (median [IQR])	11.61 [5.98, 22.29]	37.36 [24.17, 58.97]	<0.001
RBCtrans (median [IQR])	1.00 [0.00, 5.00]	13.00 [6.00, 28.25]	<0.001
plasmatrans (median [IQR])	0.00 [0.00, 1.00]	4.00 [0.00, 18.00]	<0.001
cryop (median [IQR])	0.00 [0.00, 0.00]	0.00 [0.00, 0.00]	<0.001
pp (median [IQR])	0.00 [0.00, 0.00]	1.00 [0.00, 4.00]	<0.001
ntest (median [IQR])	2.00 [1.00, 3.00]	7.00 [4.00, 14.00]	<0.001

Table 2: Antibody Characteristics: Antibody Specificity

Antibody	Pre Admission	Post Admission
c	1	0
C	4	2
Cw	1	0
D	4	7
e	1	0
E	16	15
Fya	1	1
Jka	1	6
Jkb	2	0
K	9	0
Lea	1	4
Leb	1	1
M	9	3
NSE	12	28
S	1	1
V	1	0
A1	0	1

Table 3: Transfusion and Antibody Development

Number of RBC transfusion	Anti-	Anti+	% Developed Antibody During Encounter
0	1789	2	0.1116695
1-5	1439	17	1.1675824
6-10	503	18	3.4548944
11-20	263	19	6.7375887
>20	104	28	21.2121212

Table 4: Time to Antibody Analysis

	RBC to FA	RBC to 1NS	RBC to 2NS	Time F/S NS
mean	5.28	3.48	8.72	5.24
q1	2.13	1.48	5.34	3.17
median	4.32	2.50	7.45	4.03
q3	6.86	4.46	10.15	5.69
max	18.64	20.21	62.05	41.83
min	0.58	0.50	1.10	0.01
n	67.00	250.00	250.00	250.00