

CMS VVV Yield Tables EFT Analysis

October 1, 2023

1 Limits Summary Table

Wilson Coefficient	Limit @ 95% CL
C_W	$[-0.094, 0.092]$
C_{Hq3}	$[-0.18, 0.15]$
C_{Hq1}	$[-0.25, 0.25]$
C_{Hu}	$[-0.45, 0.44]$
C_{Hd}	$[-0.56, 0.56]$
C_{HW}	$[-1.23, 1.17]$
C_{HWB}	$[-3.9, 3.8]$
C_{HB}	$[-8.1, 8.2]$
C_{Hl3}	$[-3.5, 14]$
C_{ll1}	$[-29, 6.9]$
$C_{H\Box}$	$[-60, 53]$
C_{HDD}	$[-100, 62]$

Table 1: Limit summaries for dim-6 Wilson coefficients fit in independent 1-dimensional scans.

Wilson Coefficient	Limit @ 95% CL
f_{T0}	$[-0.16, 0.16]$
f_{M0}	$[-0.88, 0.90]$

Table 2: Limit summaries for dim-8 Wilson coefficients fit in independent 1-dimensional scans.

2 Background Tables

2.1 0Lepton2FJ

Bin [GeV]	DY	QCD	TTbar	WJets	WW	WZ	ZZ	ttV	SMVVV	Bkg
Inclusive	454.81 \pm 5.52	10616.51 \pm 55.73	2448.93 \pm 16.60	1410.33 \pm 11.62	421.75 \pm 9.86	107.19 \pm 3.97	43.40 \pm 4.40	675.08 \pm 13.10	36.46 \pm 0.00	16214.5 \pm 62.1
1100 – 2000	443.19 \pm 5.45	10487.00 \pm 55.33	2405.55 \pm 16.45	1377.37 \pm 11.49	405.15 \pm 9.66	102.18 \pm 3.88	41.65 \pm 4.29	647.73 \pm 12.82	34.51 \pm 0.00	15944.3 \pm 61.5
2000 – 2500	8.93 \pm 0.77	109.91 \pm 6.19	36.17 \pm 2.08	27.59 \pm 1.63	12.56 \pm 1.69	3.42 \pm 0.67	0.87 \pm 0.80	22.16 \pm 2.46	1.48 \pm 0.00	223.1 \pm 7.5
2500 – 3000	2.14 \pm 0.38	14.93 \pm 2.20	5.82 \pm 0.79	4.34 \pm 0.65	3.12 \pm 0.88	1.31 \pm 0.47	0.24 \pm 0.36	4.14 \pm 1.05	0.35 \pm 0.00	36.4 \pm 2.9
3000–	0.54 \pm 0.18	4.68 \pm 1.20	1.39 \pm 0.38	1.03 \pm 0.31	0.93 \pm 0.49	0.29 \pm 0.21	0.64 \pm 0.32	1.03 \pm 0.50	0.12 \pm 0.00	10.7 \pm 1.5

Table 3: Yields per bin for SR 0Lepton2FJ. Backgrounds shown are Monte Carlo yields with statistical uncertainty only. Yields are quoted for the full Run 2 dataset.

Bin [GeV]	DY	QCD	TTbar	WJets	WW	WZ	ZZ	ttV	SMVVV	Bkg
Inclusive	454.81 ^{+0.00} _{-0.00}	10616.51 ^{+0.00} _{-0.00}	2448.93 ^{+0.00} _{-0.00}	1410.33 ^{+0.00} _{-0.00}	421.75 ^{+0.00} _{-0.00}	107.19 ^{+0.00} _{-0.00}	43.40 ^{+0.00} _{-0.00}	675.08 ^{+0.00} _{-0.00}	36.46 ^{+0.00} _{-0.00}	16214.5 ^{+0.0} _{-0.0}
1100 – 2000	443.19 ^{+0.00} _{-0.00}	10487.00 ^{+0.00} _{-0.00}	2405.55 ^{+0.00} _{-0.00}	1377.37 ^{+0.00} _{-0.00}	405.15 ^{+0.00} _{-0.00}	102.18 ^{+0.00} _{-0.00}	41.65 ^{+0.00} _{-0.00}	647.73 ^{+0.00} _{-0.00}	34.51 ^{+0.00} _{-0.00}	15944.3 ^{+0.0} _{-0.0}
2000 – 2500	8.93 ^{+0.00} _{-0.00}	109.91 ^{+0.00} _{-0.00}	36.17 ^{+0.00} _{-0.00}	27.59 ^{+0.00} _{-0.00}	12.56 ^{+0.00} _{-0.00}	3.42 ^{+0.00} _{-0.00}	0.87 ^{+0.00} _{-0.00}	22.16 ^{+0.00} _{-0.00}	1.48 ^{+0.00} _{-0.00}	223.1 ^{+0.0} _{-0.0}
2500 – 3000	2.14 ^{+0.00} _{-0.00}	14.93 ^{+0.00} _{-0.00}	5.82 ^{+0.00} _{-0.00}	4.34 ^{+0.00} _{-0.00}	3.12 ^{+0.00} _{-0.00}	1.31 ^{+0.00} _{-0.00}	0.24 ^{+0.00} _{-0.00}	4.14 ^{+0.00} _{-0.00}	0.35 ^{+0.00} _{-0.00}	36.4 ^{+0.0} _{-0.0}
3000–	0.54 ^{+0.00} _{-0.00}	4.68 ^{+0.00} _{-0.00}	1.39 ^{+0.00} _{-0.00}	1.03 ^{+0.00} _{-0.00}	0.93 ^{+0.00} _{-0.00}	0.29 ^{+0.00} _{-0.00}	0.64 ^{+0.00} _{-0.00}	1.03 ^{+0.00} _{-0.00}	0.12 ^{+0.00} _{-0.00}	10.7 ^{+0.0} _{-0.0}

Table 4: Yields per bin for SR 0Lepton2FJ. Backgrounds shown are Monte Carlo yields with all systematic uncertainties added in quadrature. Yields are quoted for the full Run 2 dataset.

2.2 0Lepton3FJ

Bin [GeV]	DY	QCD	TTbar	WJets	WW	WZ	ZZ	ttV	SMV VV	Bkg
Inclusive	14.03 ± 0.96	354.75 ± 12.46	88.76 ± 3.16	33.17 ± 1.76	8.55 ± 1.22	0.82 ± 0.35	1.52 ± 0.47	65.28 ± 3.93	4.87 ± 0.00	571.8 ± 13.7
1250 – 1500	8.32 ± 0.74	245.38 ± 10.48	63.43 ± 2.67	19.30 ± 1.34	4.26 ± 0.91	0.19 ± 0.11	0.65 ± 0.30	38.09 ± 3.01	2.52 ± 0.00	382.1 ± 11.4
1500 – 1750	3.35 ± 0.48	78.02 ± 5.63	16.53 ± 1.38	8.49 ± 0.90	2.66 ± 0.64	0.07 ± 0.07	0.19 ± 0.19	15.81 ± 1.92	1.12 ± 0.00	126.2 ± 6.2
1750 – 2000	1.31 ± 0.30	20.26 ± 2.92	5.67 ± 0.80	3.11 ± 0.54	0.99 ± 0.36	0.00 ± 0.00	0.55 ± 0.28	6.02 ± 1.19	0.53 ± 0.00	38.4 ± 3.3
2000 – 2250	0.76 ± 0.22	7.52 ± 1.83	2.08 ± 0.45	0.92 ± 0.30	0.23 ± 0.26	0.21 ± 0.21	0.00 ± 0.00	2.96 ± 0.84	0.36 ± 0.00	15.0 ± 2.1
2250 – 2500	0.16 ± 0.11	2.20 ± 1.08	0.61 ± 0.25	0.69 ± 0.24	0.13 ± 0.13	0.15 ± 0.15	0.13 ± 0.13	0.67 ± 0.40	0.16 ± 0.00	4.9 ± 1.2
2500–	0.14 ± 0.10	1.38 ± 0.86	0.43 ± 0.23	0.67 ± 0.26	0.29 ± 0.17	0.21 ± 0.21	0.00 ± 0.00	1.74 ± 0.67	0.18 ± 0.00	5.0 ± 1.2

Table 5: Yields per bin for SR 0Lepton3FJ. Backgrounds shown are Monte Carlo yields with statistical uncertainty only. Yields are quoted for the full Run 2 dataset.

Bin [GeV]	DY	QCD	TTbar	WJets	WW	WZ	ZZ	ttV	SMV VV	Bkg
Inclusive	$14.03^{+0.00}_{-0.00}$	$354.75^{+0.00}_{-0.00}$	$88.76^{+0.00}_{-0.00}$	$33.17^{+0.00}_{-0.00}$	$8.55^{+0.00}_{-0.00}$	$0.82^{+0.00}_{-0.00}$	$1.52^{+0.00}_{-0.00}$	$65.28^{+0.00}_{-0.00}$	$4.87^{+0.00}_{-0.00}$	$571.8^{+0.0}_{-0.0}$
1250 – 1500	$8.32^{+0.00}_{-0.00}$	$245.38^{+0.00}_{-0.00}$	$63.43^{+0.00}_{-0.00}$	$19.30^{+0.00}_{-0.00}$	$4.26^{+0.00}_{-0.00}$	$0.19^{+0.00}_{-0.00}$	$0.65^{+0.00}_{-0.00}$	$38.09^{+0.00}_{-0.00}$	$2.52^{+0.00}_{-0.00}$	$382.1^{+0.0}_{-0.0}$
1500 – 1750	$3.35^{+0.00}_{-0.00}$	$78.02^{+0.00}_{-0.00}$	$16.53^{+0.00}_{-0.00}$	$8.49^{+0.00}_{-0.00}$	$2.66^{+0.00}_{-0.00}$	$0.07^{+0.00}_{-0.00}$	$0.19^{+0.00}_{-0.00}$	$15.81^{+0.00}_{-0.00}$	$1.12^{+0.00}_{-0.00}$	$126.2^{+0.0}_{-0.0}$
1750 – 2000	$1.31^{+0.00}_{-0.00}$	$20.26^{+0.00}_{-0.00}$	$5.67^{+0.00}_{-0.00}$	$3.11^{+0.00}_{-0.00}$	$0.99^{+0.00}_{-0.00}$	$0.00^{+0.00}_{-0.00}$	$0.55^{+0.00}_{-0.00}$	$6.02^{+0.00}_{-0.00}$	$0.53^{+0.00}_{-0.00}$	$38.4^{+0.0}_{-0.0}$
2000 – 2250	$0.76^{+0.00}_{-0.00}$	$7.52^{+0.00}_{-0.00}$	$2.08^{+0.00}_{-0.00}$	$0.92^{+0.00}_{-0.00}$	$0.23^{+0.00}_{-0.00}$	$0.21^{+0.00}_{-0.00}$	$0.00^{+0.00}_{-0.00}$	$2.96^{+0.00}_{-0.00}$	$0.36^{+0.00}_{-0.00}$	$15.0^{+0.0}_{-0.0}$
2250 – 2500	$0.16^{+0.00}_{-0.00}$	$2.20^{+0.00}_{-0.00}$	$0.61^{+0.00}_{-0.00}$	$0.69^{+0.00}_{-0.00}$	$0.13^{+0.00}_{-0.00}$	$0.15^{+0.00}_{-0.00}$	$0.13^{+0.00}_{-0.00}$	$0.67^{+0.00}_{-0.00}$	$0.16^{+0.00}_{-0.00}$	$4.9^{+0.0}_{-0.0}$
2500–	$0.14^{+0.00}_{-0.00}$	$1.38^{+0.00}_{-0.00}$	$0.43^{+0.00}_{-0.00}$	$0.67^{+0.00}_{-0.00}$	$0.29^{+0.00}_{-0.00}$	$0.21^{+0.00}_{-0.00}$	$0.00^{+0.00}_{-0.00}$	$1.74^{+0.00}_{-0.00}$	$0.18^{+0.00}_{-0.00}$	$5.0^{+0.0}_{-0.0}$

Table 6: Yields per bin for SR 0Lepton3FJ. Backgrounds shown are Monte Carlo yields with all systematic uncertainties added in quadrature. Yields are quoted for the full Run 2 dataset.

2.3 1Lepton

Bin [GeV]	Other	Top	WJets	SMVVV	Bkg
Inclusive	158.59 ± 0.00	313.88 ± 0.00	555.28 ± 0.00	19.00 ± 0.00	1046.7 ± 0.0
500 – 1600	129.56 ± 0.00	268.07 ± 0.00	410.08 ± 0.00	13.97 ± 0.00	821.7 ± 0.0
1600 – 2600	27.45 ± 0.00	43.22 ± 0.00	128.50 ± 0.00	4.50 ± 0.00	203.7 ± 0.0
2600 – 3400	1.47 ± 0.00	2.50 ± 0.00	15.23 ± 0.00	0.42 ± 0.00	19.6 ± 0.0
3400–	0.10 ± 0.00	0.08 ± 0.00	1.47 ± 0.00	0.11 ± 0.00	1.8 ± 0.0

Table 7: Yields per bin for SR 1Lepton. Backgrounds shown are Monte Carlo yields with statistical uncertainty only. Yields are quoted for the full Run 2 dataset.

Bin [GeV]	Other	Top	WJets	SMVVV	Bkg
Inclusive	$158.59^{+39.73}_{-39.73}$	$313.88^{+54.31}_{-54.31}$	$555.28^{+65.45}_{-65.56}$	$19.00^{+2.62}_{-3.21}$	$1046.7^{+93.9}_{-94.0}$
500 – 1600	$129.56^{+38.87}_{-38.87}$	$268.07^{+53.61}_{-53.61}$	$410.08^{+62.26}_{-62.31}$	$13.97^{+2.16}_{-2.52}$	$821.7^{+90.9}_{-91.0}$
1600 – 2600	$27.45^{+8.24}_{-8.24}$	$43.22^{+8.64}_{-8.64}$	$128.50^{+19.93}_{-20.12}$	$4.50^{+1.45}_{-1.95}$	$203.7^{+23.3}_{-23.5}$
2600 – 3400	$1.47^{+0.44}_{-0.44}$	$2.50^{+0.50}_{-0.50}$	$15.23^{+3.10}_{-3.22}$	$0.42^{+0.17}_{-0.22}$	$19.6^{+3.2}_{-3.3}$
3400–	$0.10^{+0.03}_{-0.03}$	$0.08^{+0.02}_{-0.02}$	$1.47^{+0.43}_{-0.46}$	$0.11^{+0.21}_{-0.27}$	$1.8^{+0.5}_{-0.5}$

Table 8: Yields per bin for SR 1Lepton. Backgrounds shown are Monte Carlo yields with all systematic uncertainties added in quadrature. Yields are quoted for the full Run 2 dataset.

2.4 2LeptonOS OF

Bin [GeV]	TTbar	restbkg	SMVVV	Bkg
Inclusive	133.51 ± 5.12	91.87 ± 4.48	10.71 ± 0.00	236.1 ± 6.8
200 – 800	126.13 ± 5.02	86.04 ± 4.36	8.65 ± 0.00	220.8 ± 6.7
800 – 1350	7.02 ± 0.94	5.32 ± 0.96	1.83 ± 0.00	14.2 ± 1.3
1350–	0.36 ± 0.30	0.51 ± 0.29	0.23 ± 0.00	1.1 ± 0.4

Table 9: Yields per bin for SR 2LeptonOSOF. Backgrounds shown are Monte Carlo yields with statistical uncertainty only. Yields are quoted for the full Run 2 dataset.

Bin [GeV]	TTbar	restbkg	SMVVV	Bkg
Inclusive	$133.51^{+25.27}_{-25.27}$	$91.87^{+25.86}_{-25.86}$	$10.71^{+0.37}_{-0.40}$	$236.1^{+36.2}_{-36.2}$
200 – 800	$126.13^{+25.23}_{-25.23}$	$86.04^{+25.81}_{-25.81}$	$8.65^{+0.36}_{-0.39}$	$220.8^{+36.1}_{-36.1}$
800 – 1350	$7.02^{+1.40}_{-1.40}$	$5.32^{+1.60}_{-1.60}$	$1.83^{+0.08}_{-0.07}$	$14.2^{+2.1}_{-2.1}$
1350–	$0.36^{+0.07}_{-0.07}$	$0.51^{+0.15}_{-0.15}$	$0.23^{+0.01}_{-0.01}$	$1.1^{+0.2}_{-0.2}$

Table 10: Yields per bin for SR 2LeptonOSOF. Backgrounds shown are Monte Carlo yields with all systematic uncertainties added in quadrature. Yields are quoted for the full Run 2 dataset.

2.5 2LeptonOS SFnoZ

Bin [GeV]	DY	restbkg	SMVVV	Bkg
Inclusive	384.72 ± 26.82	272.07 ± 7.67	8.84 ± 0.00	665.6 ± 27.9
200 – 800	346.60 ± 25.45	243.71 ± 7.45	6.91 ± 0.00	597.2 ± 26.5
800 – 1050	31.94 ± 7.08	21.36 ± 1.63	1.32 ± 0.00	54.6 ± 7.3
1050–	6.18 ± 4.61	7.00 ± 0.80	0.62 ± 0.00	13.8 ± 4.7

Table 11: Yields per bin for SR 2LeptonOSSFnoZ. Backgrounds shown are Monte Carlo yields with statistical uncertainty only. Yields are quoted for the full Run 2 dataset.

Bin [GeV]	DY	restbkg	SMVVV	Bkg
Inclusive	$384.72^{+40.00}_{-40.27}$	$272.07^{+73.42}_{-73.42}$	$8.84^{+0.26}_{-1.88}$	$665.6^{+83.6}_{-83.8}$
200 – 800	$346.60^{+39.84}_{-40.11}$	$243.71^{+73.11}_{-73.11}$	$6.91^{+0.26}_{-1.88}$	$597.2^{+83.3}_{-83.4}$
800 – 1050	$31.94^{+3.44}_{-3.47}$	$21.36^{+6.41}_{-6.41}$	$1.32^{+0.05}_{-0.07}$	$54.6^{+7.3}_{-7.3}$
1050–	$6.18^{+1.14}_{-1.19}$	$7.00^{+2.10}_{-2.10}$	$0.62^{+0.03}_{-0.13}$	$13.8^{+2.4}_{-2.4}$

Table 12: Yields per bin for SR 2LeptonOSSFnoZ. Backgrounds shown are Monte Carlo yields with all systematic uncertainties added in quadrature. Yields are quoted for the full Run 2 dataset.

2.6 2LeptonOS SFZ

Bin [GeV]	DY	restbkg	SMVVV	Bkg
Inclusive	2229.76 ± 60.53	1114.41 ± 14.11	18.89 ± 0.00	3363.1 ± 62.2
200 – 800	2013.98 ± 57.00	925.01 ± 12.87	13.61 ± 0.00	2952.6 ± 58.4
800 – 1300	212.14 ± 20.18	177.05 ± 5.65	4.66 ± 0.00	393.9 ± 21.0
1300–	3.64 ± 2.71	12.35 ± 1.24	0.62 ± 0.00	16.6 ± 3.0

Table 13: Yields per bin for SR 2LeptonOSSFZ. Backgrounds shown are Monte Carlo yields with statistical uncertainty only. Yields are quoted for the full Run 2 dataset.

Bin [GeV]	DY	restbkg	SMVVV	Bkg
Inclusive	$2229.76^{+116.04}_{-117.06}$	$1114.41^{+282.56}_{-282.56}$	$18.89^{+0.66}_{-5.64}$	$3363.1^{+305.5}_{-305.9}$
200 – 800	$2013.98^{+113.41}_{-114.32}$	$925.01^{+277.50}_{-277.50}$	$13.61^{+0.64}_{-4.86}$	$2952.6^{+299.8}_{-300.2}$
800 – 1300	$212.14^{+24.55}_{-25.12}$	$177.05^{+53.12}_{-53.12}$	$4.66^{+0.19}_{-2.85}$	$393.9^{+58.5}_{-58.8}$
1300–	$3.64^{+1.18}_{-1.31}$	$12.35^{+3.71}_{-3.71}$	$0.62^{+0.03}_{-0.33}$	$16.6^{+3.9}_{-3.9}$

Table 14: Yields per bin for SR 2LeptonOSSFZ. Backgrounds shown are Monte Carlo yields with all systematic uncertainties added in quadrature. Yields are quoted for the full Run 2 dataset.

2.7 2LeptonSS 1FJ

Bin [GeV]	DY	TTbar	WJets	WW	WZ	ZZ	ttV	SMVVV	Bkg
Inclusive	1.94 ± 0.39	24.98 ± 0.00	2.90 ± 0.98	1.95 ± 0.14	6.44 ± 0.58	0.16 ± 0.01	4.62 ± 0.15	9.92 ± 0.00	52.9 ± 1.2
0 – 800	1.51 ± 0.38	19.40 ± 0.00	2.29 ± 0.87	1.17 ± 0.11	3.98 ± 0.46	0.12 ± 0.01	3.05 ± 0.12	5.74 ± 0.00	37.3 ± 1.1
800 – 1400	0.37 ± 0.10	5.44 ± 0.00	0.59 ± 0.44	0.72 ± 0.09	2.34 ± 0.34	0.04 ± 0.00	1.52 ± 0.09	3.79 ± 0.00	14.8 ± 0.6
1400–	0.06 ± 0.05	0.14 ± 0.00	0.01 ± 0.01	0.06 ± 0.01	0.13 ± 0.07	0.00 ± 0.00	0.05 ± 0.02	0.39 ± 0.00	0.8 ± 0.1

Table 15: Yields per bin for SR 2LeptonSS1FJ. Backgrounds shown are Monte Carlo yields with statistical uncertainty only. Yields are quoted for the full Run 2 dataset.

Bin [GeV]	DY	TTbar	WJets	WW	WZ	ZZ	ttV	SMVVV	Bkg
Inclusive	$1.94^{+0.32}_{-0.32}$	$24.98^{+4.51}_{-4.51}$	$2.90^{+0.60}_{-0.56}$	$1.95^{+0.32}_{-0.28}$	$6.44^{+0.95}_{-0.95}$	$0.16^{+0.03}_{-0.03}$	$4.62^{+0.73}_{-0.73}$	$9.92^{+0.69}_{-0.79}$	$52.9^{+4.8}_{-4.8}$
0 – 800	$1.51^{+0.31}_{-0.31}$	$19.40^{+4.10}_{-4.10}$	$2.29^{+0.58}_{-0.54}$	$1.17^{+0.24}_{-0.24}$	$3.98^{+0.82}_{-0.81}$	$0.12^{+0.02}_{-0.02}$	$3.05^{+0.65}_{-0.65}$	$5.74^{+0.55}_{-0.62}$	$37.3^{+4.3}_{-4.3}$
800 – 1400	$0.37^{+0.08}_{-0.08}$	$5.44^{+1.88}_{-1.88}$	$0.59^{+0.16}_{-0.13}$	$0.72^{+0.21}_{-0.15}$	$2.34^{+0.48}_{-0.49}$	$0.04^{+0.01}_{-0.01}$	$1.52^{+0.33}_{-0.33}$	$3.79^{+0.41}_{-0.48}$	$14.8^{+2.0}_{-2.0}$
1400–	$0.06^{+0.01}_{-0.01}$	$0.14^{+0.19}_{-0.10}$	$0.01^{+0.00}_{-0.00}$	$0.06^{+0.01}_{-0.01}$	$0.13^{+0.03}_{-0.03}$	$0.00^{+0.00}_{-0.00}$	$0.05^{+0.01}_{-0.02}$	$0.39^{+0.06}_{-0.07}$	$0.8^{+0.2}_{-0.1}$

Table 16: Yields per bin for SR 2LeptonSS1FJ. Backgrounds shown are Monte Carlo yields with all systematic uncertainties added in quadrature. Yields are quoted for the full Run 2 dataset.

3 Signal Tables

3.1 0Lepton2FJ

3.1.1 cW

Bin [GeV]	Bkg	SMVVV	VVV C_W @ 95% CL - SM
Inclusive	16214.5 ± 62.1	36.46	61.77
1100 – 2000	15944.3 ± 61.5	34.51	37.79
2000 – 2500	223.1 ± 7.5	1.48	11.25
2500 – 3000	36.4 ± 2.9	0.35	6.29
3000–	10.7 ± 1.5	0.12	6.45

Table 17: Yields per bin for SR 0Lepton2FJ, including the VVV yield from cW at the 95% exclusion point. The limits on cW are: $[-0.094, 0.092]$. All Monte Carlo background yields have been combined, and the statistical uncertainties and symmetrized systematic uncertainties for the total background are added in quadrature. Yields are quoted for the full Run 2 dataset.

3.1.2 cHW

Bin [GeV]	Bkg	SMVVV	VVV C_{HW} @ 95% CL - SM
Inclusive	16214.5 ± 62.1	36.46	111.07
1100 – 2000	15944.3 ± 61.5	34.51	84.69
2000 – 2500	223.1 ± 7.5	1.48	14.44
2500 – 3000	36.4 ± 2.9	0.35	6.44
3000–	10.7 ± 1.5	0.12	5.51

Table 18: Yields per bin for SR 0Lepton2FJ, including the VVV yield from cHW at the 95% exclusion point. The limits on cHW are: $[-1.233, 1.168]$. All Monte Carlo background yields have been combined, and the statistical uncertainties and symmetrized systematic uncertainties for the total background are added in quadrature. Yields are quoted for the full Run 2 dataset.

3.1.3 cHWB

Bin [GeV]	Bkg	SMVVV	VVV C_{HWB} @ 95% CL - SM
Inclusive	16214.5 ± 62.1	36.46	122.42
1100 – 2000	15944.3 ± 61.5	34.51	95.45
2000 – 2500	223.1 ± 7.5	1.48	15.05
2500 – 3000	36.4 ± 2.9	0.35	6.87
3000–	10.7 ± 1.5	0.12	5.05

Table 19: Yields per bin for SR 0Lepton2FJ, including the VVV yield from cHWB at the 95% exclusion point. The limits on cHWB are: $[-3.908, 3.751]$. All Monte Carlo background yields have been combined, and the statistical uncertainties and symmetrized systematic uncertainties for the total background are added in quadrature. Yields are quoted for the full Run 2 dataset.

3.1.4 cHB

Bin [GeV]	Bkg	SMVVV	VVV $C_{HB}@ 95\% \text{ CL} - \text{SM}$
Inclusive	16214.5 ± 62.1	36.46	112.32
1100 – 2000	15944.3 ± 61.5	34.51	84.85
2000 – 2500	223.1 ± 7.5	1.48	15.17
2500 – 3000	36.4 ± 2.9	0.35	7.40
3000–	10.7 ± 1.5	0.12	4.90

Table 20: Yields per bin for SR 0Lepton2FJ, including the VVV yield from cHB at the 95% exclusion point. The limits on cHB are: $[-8.132, 8.236]$. All Monte Carlo background yields have been combined, and the statistical uncertainties and symmetrized systematic uncertainties for the total background are added in quadrature. Yields are quoted for the full Run 2 dataset.

3.1.5 cHDD

Bin [GeV]	Bkg	SMVVV	VVV $C_{HDD}@ 95\% \text{ CL} - \text{SM}$
Inclusive	16214.5 ± 62.1	36.46	482.35
1100 – 2000	15944.3 ± 61.5	34.51	449.99
2000 – 2500	223.1 ± 7.5	1.48	23.68
2500 – 3000	36.4 ± 2.9	0.35	6.43
3000–	10.7 ± 1.5	0.12	2.24

Table 21: Yields per bin for SR 0Lepton2FJ, including the VVV yield from cHDD at the 95% exclusion point. The limits on cHDD are: $[-100.047, 61.952]$. All Monte Carlo background yields have been combined, and the statistical uncertainties and symmetrized systematic uncertainties for the total background are added in quadrature. Yields are quoted for the full Run 2 dataset.

3.1.6 cHbox

Bin [GeV]	Bkg	SMVVV	VVV $C_{H\Box}$ @ 95% CL - SM
Inclusive	16214.5 ± 62.1	36.46	223.24
1100 – 2000	15944.3 ± 61.5	34.51	199.24
2000 – 2500	223.1 ± 7.5	1.48	16.04
2500 – 3000	36.4 ± 2.9	0.35	5.36
3000–	10.7 ± 1.5	0.12	2.61

Table 22: Yields per bin for SR 0Lepton2FJ, including the VVV yield from cHbox at the 95% exclusion point. The limits on cHbox are: $[-59.526, 53.272]$. All Monte Carlo background yields have been combined, and the statistical uncertainties and symmetrized systematic uncertainties for the total background are added in quadrature. Yields are quoted for the full Run 2 dataset.

3.1.7 cHl3

Bin [GeV]	Bkg	SMVVV	VVV $C_{Hl3}@ 95\% \text{ CL} - \text{SM}$
Inclusive	16214.5 ± 62.1	36.46	266.48
1100 – 2000	15944.3 ± 61.5	34.51	252.20
2000 – 2500	223.1 ± 7.5	1.48	10.78
2500 – 3000	36.4 ± 2.9	0.35	2.58
3000–	10.7 ± 1.5	0.12	0.91

Table 23: Yields per bin for SR 0Lepton2FJ, including the VVV yield from cHl3 at the 95% exclusion point. The limits on cHl3 are: $[-3.468, 14.471]$. All Monte Carlo background yields have been combined, and the statistical uncertainties and symmetrized systematic uncertainties for the total background are added in quadrature. Yields are quoted for the full Run 2 dataset.

3.1.8 cHq1

Bin [GeV]	Bkg	SMVVV	VVV C_{Hq1} @ 95% CL - SM
Inclusive	16214.5 ± 62.1	36.46	71.13
1100 – 2000	15944.3 ± 61.5	34.51	46.40
2000 – 2500	223.1 ± 7.5	1.48	12.07
2500 – 3000	36.4 ± 2.9	0.35	6.40
3000–	10.7 ± 1.5	0.12	6.25

Table 24: Yields per bin for SR 0Lepton2FJ, including the VVV yield from cHq1 at the 95% exclusion point. The limits on cHq1 are: $[-0.251, 0.248]$. All Monte Carlo background yields have been combined, and the statistical uncertainties and symmetrized systematic uncertainties for the total background are added in quadrature. Yields are quoted for the full Run 2 dataset.

3.1.9 cHq3

Bin [GeV]	Bkg	SMVVV	VVV C_{Hq3} @ 95% CL - SM
Inclusive	16214.5 ± 62.1	36.46	62.81
1100 – 2000	15944.3 ± 61.5	34.51	38.95
2000 – 2500	223.1 ± 7.5	1.48	11.22
2500 – 3000	36.4 ± 2.9	0.35	6.19
3000–	10.7 ± 1.5	0.12	6.46

Table 25: Yields per bin for SR 0Lepton2FJ, including the VVV yield from cHq3 at the 95% exclusion point. The limits on cHq3 are: $[-0.181, 0.152]$. All Monte Carlo background yields have been combined, and the statistical uncertainties and symmetrized systematic uncertainties for the total background are added in quadrature. Yields are quoted for the full Run 2 dataset.

3.1.10 cll1

Bin [GeV]	Bkg	SMVVV	VVV C_{ll1} @ 95% CL - SM
Inclusive	16214.5 ± 62.1	36.46	267.19
1100 – 2000	15944.3 ± 61.5	34.51	252.88
2000 – 2500	223.1 ± 7.5	1.48	10.81
2500 – 3000	36.4 ± 2.9	0.35	2.59
3000–	10.7 ± 1.5	0.12	0.91

Table 26: Yields per bin for SR 0Lepton2FJ, including the VVV yield from cll1 at the 95% exclusion point. The limits on cll1 are: $[-28.931, 6.937]$. All Monte Carlo background yields have been combined, and the statistical uncertainties and symmetrized systematic uncertainties for the total background are added in quadrature. Yields are quoted for the full Run 2 dataset.

3.1.11 cHu

Bin [GeV]	Bkg	SMVVV	VVV C_{Hu} @ 95% CL - SM
Inclusive	16214.5 ± 62.1	36.46	70.99
1100 – 2000	15944.3 ± 61.5	34.51	45.18
2000 – 2500	223.1 ± 7.5	1.48	12.68
2500 – 3000	36.4 ± 2.9	0.35	7.32
3000–	10.7 ± 1.5	0.12	5.80

Table 27: Yields per bin for SR 0Lepton2FJ, including the VVV yield from cHu at the 95% exclusion point. The limits on cHu are: $[-0.454, 0.444]$. All Monte Carlo background yields have been combined, and the statistical uncertainties and symmetrized systematic uncertainties for the total background are added in quadrature. Yields are quoted for the full Run 2 dataset.

3.1.12 cHd

Bin [GeV]	Bkg	SMVVV	VVV C_{Hd} @ 95% CL - SM
Inclusive	16214.5 ± 62.1	36.46	66.65
1100 – 2000	15944.3 ± 61.5	34.51	43.27
2000 – 2500	223.1 ± 7.5	1.48	10.72
2500 – 3000	36.4 ± 2.9	0.35	6.14
3000–	10.7 ± 1.5	0.12	6.52

Table 28: Yields per bin for SR 0Lepton2FJ, including the VVV yield from cHd at the 95% exclusion point. The limits on cHd are: $[-0.561, 0.565]$. All Monte Carlo background yields have been combined, and the statistical uncertainties and symmetrized systematic uncertainties for the total background are added in quadrature. Yields are quoted for the full Run 2 dataset.

3.1.13 cT0

Bin [GeV]	Bkg	SMVVV	VVV f_{T0} @ 95% CL - SM
Inclusive	16214.4 ± 62.1	36.36	21.14
1100 – 2000	15944.1 ± 61.5	34.24	6.51
2000 – 2500	223.2 ± 7.5	1.62	3.69
2500 – 3000	36.4 ± 2.9	0.36	3.03
3000–	10.7 ± 1.5	0.14	7.92

Table 29: Yields per bin for SR 0Lepton2FJ, including the VVV yield from cT0 at the 95% exclusion point. The limits on cT0 are: $[-0.161, 0.156]$. All Monte Carlo background yields have been combined, and the statistical uncertainties and symmetrized systematic uncertainties for the total background are added in quadrature. Yields are quoted for the full Run 2 dataset.

3.1.14 cM0

Bin [GeV]	Bkg	SMVVV	VVV f_{M0} @ 95% CL - SM
Inclusive	16214.4 ± 62.1	36.36	20.30
1100 – 2000	15944.1 ± 61.5	34.24	5.94
2000 – 2500	223.2 ± 7.5	1.62	3.49
2500 – 3000	36.4 ± 2.9	0.36	2.93
3000–	10.7 ± 1.5	0.14	7.94

Table 30: Yields per bin for SR 0Lepton2FJ, including the VVV yield from cM0 at the 95% exclusion point. The limits on cM0 are: $[-0.875, 0.897]$. All Monte Carlo background yields have been combined, and the statistical uncertainties and symmetrized systematic uncertainties for the total background are added in quadrature. Yields are quoted for the full Run 2 dataset.

3.2 0Lepton3FJ

3.2.1 cW

Bin [GeV]	Bkg	SMVVV	VVV C_W @ 95% CL - SM
Inclusive	571.8 ± 13.7	4.87	16.11
1250 – 1500	382.1 ± 11.4	2.52	2.17
1500 – 1750	126.2 ± 6.2	1.12	2.54
1750 – 2000	38.4 ± 3.3	0.53	2.31
2000 – 2250	15.0 ± 2.1	0.36	2.02
2250 – 2500	4.9 ± 1.2	0.16	1.69
2500–	5.0 ± 1.2	0.18	5.38

Table 31: Yields per bin for SR 0Lepton3FJ, including the VVV yield from cW at the 95% exclusion point. The limits on cW are: $[-0.094, 0.092]$. All Monte Carlo background yields have been combined, and the statistical uncertainties and symmetrized systematic uncertainties for the total background are added in quadrature. Yields are quoted for the full Run 2 dataset.

3.2.2 cHW

Bin [GeV]	Bkg	SMVVV	VVV $C_{HW}@ 95\% \text{ CL} - \text{SM}$
Inclusive	571.8 ± 13.7	4.87	20.73
1250 – 1500	382.1 ± 11.4	2.52	3.91
1500 – 1750	126.2 ± 6.2	1.12	4.10
1750 – 2000	38.4 ± 3.3	0.53	3.20
2000 – 2250	15.0 ± 2.1	0.36	2.60
2250 – 2500	4.9 ± 1.2	0.16	2.02
2500–	5.0 ± 1.2	0.18	4.89

Table 32: Yields per bin for SR 0Lepton3FJ, including the VVV yield from cHW at the 95% exclusion point. The limits on cHW are: $[-1.233, 1.168]$. All Monte Carlo background yields have been combined, and the statistical uncertainties and symmetrized systematic uncertainties for the total background are added in quadrature. Yields are quoted for the full Run 2 dataset.

3.2.3 cHWB

Bin [GeV]	Bkg	SMVVV	VVV $C_{HWB}@ 95\% \text{ CL} - \text{SM}$
Inclusive	571.8 ± 13.7	4.87	22.88
1250 – 1500	382.1 ± 11.4	2.52	4.96
1500 – 1750	126.2 ± 6.2	1.12	4.77
1750 – 2000	38.4 ± 3.3	0.53	3.57
2000 – 2250	15.0 ± 2.1	0.36	2.90
2250 – 2500	4.9 ± 1.2	0.16	1.93
2500–	5.0 ± 1.2	0.18	4.75

Table 33: Yields per bin for SR 0Lepton3FJ, including the VVV yield from cHWB at the 95% exclusion point. The limits on cHWB are: $[-3.908, 3.751]$. All Monte Carlo background yields have been combined, and the statistical uncertainties and symmetrized systematic uncertainties for the total background are added in quadrature. Yields are quoted for the full Run 2 dataset.

3.2.4 cHB

Bin [GeV]	Bkg	SMVVV	VVV C_{HB} @ 95% CL - SM
Inclusive	571.8 ± 13.7	4.87	22.28
1250 – 1500	382.1 ± 11.4	2.52	4.46
1500 – 1750	126.2 ± 6.2	1.12	4.68
1750 – 2000	38.4 ± 3.3	0.53	3.53
2000 – 2250	15.0 ± 2.1	0.36	2.99
2250 – 2500	4.9 ± 1.2	0.16	1.88
2500–	5.0 ± 1.2	0.18	4.74

Table 34: Yields per bin for SR 0Lepton3FJ, including the VVV yield from cHB at the 95% exclusion point. The limits on cHB are: $[-8.132, 8.236]$. All Monte Carlo background yields have been combined, and the statistical uncertainties and symmetrized systematic uncertainties for the total background are added in quadrature. Yields are quoted for the full Run 2 dataset.

3.2.5 cHDD

Bin [GeV]	Bkg	SMVVV	VVV C_{HDD} @ 95% CL - SM
Inclusive	571.8 ± 13.7	4.87	65.94
1250 – 1500	382.1 ± 11.4	2.52	30.09
1500 – 1750	126.2 ± 6.2	1.12	15.69
1750 – 2000	38.4 ± 3.3	0.53	8.78
2000 – 2250	15.0 ± 2.1	0.36	4.74
2250 – 2500	4.9 ± 1.2	0.16	3.15
2500 –	5.0 ± 1.2	0.18	3.49

Table 35: Yields per bin for SR 0Lepton3FJ, including the VVV yield from cHDD at the 95% exclusion point. The limits on cHDD are: $[-100.047, 61.952]$. All Monte Carlo background yields have been combined, and the statistical uncertainties and symmetrized systematic uncertainties for the total background are added in quadrature. Yields are quoted for the full Run 2 dataset.

3.2.6 cHbox

Bin [GeV]	Bkg	SMVVV	VVV $C_{H\Box}$ @ 95% CL - SM
Inclusive	571.8 ± 13.7	4.87	34.20
1250 – 1500	382.1 ± 11.4	2.52	11.15
1500 – 1750	126.2 ± 6.2	1.12	8.60
1750 – 2000	38.4 ± 3.3	0.53	5.46
2000 – 2250	15.0 ± 2.1	0.36	3.33
2250 – 2500	4.9 ± 1.2	0.16	2.23
2500–	5.0 ± 1.2	0.18	3.42

Table 36: Yields per bin for SR 0Lepton3FJ, including the VVV yield from cHbox at the 95% exclusion point. The limits on cHbox are: $[-59.526, 53.272]$. All Monte Carlo background yields have been combined, and the statistical uncertainties and symmetrized systematic uncertainties for the total background are added in quadrature. Yields are quoted for the full Run 2 dataset.

3.2.7 cHl3

Bin [GeV]	Bkg	SMVVV	VVV C_{Hl3} @ 95% CL - SM
Inclusive	571.8 ± 13.7	4.87	48.39
1250 – 1500	382.1 ± 11.4	2.52	25.08
1500 – 1750	126.2 ± 6.2	1.12	11.08
1750 – 2000	38.4 ± 3.3	0.53	5.29
2000 – 2250	15.0 ± 2.1	0.36	3.59
2250 – 2500	4.9 ± 1.2	0.16	1.61
2500–	5.0 ± 1.2	0.18	1.74

Table 37: Yields per bin for SR 0Lepton3FJ, including the VVV yield from cHl3 at the 95% exclusion point. The limits on cHl3 are: $[-3.468, 14.471]$. All Monte Carlo background yields have been combined, and the statistical uncertainties and symmetrized systematic uncertainties for the total background are added in quadrature. Yields are quoted for the full Run 2 dataset.

3.2.8 cHq1

Bin [GeV]	Bkg	SMVVV	VVV C_{Hq1} @ 95% CL - SM
Inclusive	571.8 ± 13.7	4.87	17.26
1250 – 1500	382.1 ± 11.4	2.52	2.62
1500 – 1750	126.2 ± 6.2	1.12	2.86
1750 – 2000	38.4 ± 3.3	0.53	2.49
2000 – 2250	15.0 ± 2.1	0.36	2.27
2250 – 2500	4.9 ± 1.2	0.16	1.74
2500–	5.0 ± 1.2	0.18	5.27

Table 38: Yields per bin for SR 0Lepton3FJ, including the VVV yield from cHq1 at the 95% exclusion point. The limits on cHq1 are: $[-0.251, 0.248]$. All Monte Carlo background yields have been combined, and the statistical uncertainties and symmetrized systematic uncertainties for the total background are added in quadrature. Yields are quoted for the full Run 2 dataset.

3.2.9 cHq3

Bin [GeV]	Bkg	SMVVV	VVV C_{Hq3} @ 95% CL - SM
Inclusive	571.8 ± 13.7	4.87	16.60
1250 – 1500	382.1 ± 11.4	2.52	2.33
1500 – 1750	126.2 ± 6.2	1.12	2.78
1750 – 2000	38.4 ± 3.3	0.53	2.36
2000 – 2250	15.0 ± 2.1	0.36	2.08
2250 – 2500	4.9 ± 1.2	0.16	1.73
2500–	5.0 ± 1.2	0.18	5.33

Table 39: Yields per bin for SR 0Lepton3FJ, including the VVV yield from cHq3 at the 95% exclusion point. The limits on cHq3 are: $[-0.181, 0.152]$. All Monte Carlo background yields have been combined, and the statistical uncertainties and symmetrized systematic uncertainties for the total background are added in quadrature. Yields are quoted for the full Run 2 dataset.

3.2.10 cll1

Bin [GeV]	Bkg	SMVVV	VVV C_{ll1} @ 95% CL - SM
Inclusive	571.8 ± 13.7	4.87	48.47
1250 – 1500	382.1 ± 11.4	2.52	25.12
1500 – 1750	126.2 ± 6.2	1.12	11.10
1750 – 2000	38.4 ± 3.3	0.53	5.30
2000 – 2250	15.0 ± 2.1	0.36	3.60
2250 – 2500	4.9 ± 1.2	0.16	1.61
2500–	5.0 ± 1.2	0.18	1.74

Table 40: Yields per bin for SR 0Lepton3FJ, including the VVV yield from cll1 at the 95% exclusion point. The limits on cll1 are: $[-28.931, 6.937]$. All Monte Carlo background yields have been combined, and the statistical uncertainties and symmetrized systematic uncertainties for the total background are added in quadrature. Yields are quoted for the full Run 2 dataset.

3.2.11 cHu

Bin [GeV]	Bkg	SMVVV	VVV C_{Hu} @ 95% CL - SM
Inclusive	571.8 ± 13.7	4.87	18.20
1250 – 1500	382.1 ± 11.4	2.52	2.91
1500 – 1750	126.2 ± 6.2	1.12	3.10
1750 – 2000	38.4 ± 3.3	0.53	2.69
2000 – 2250	15.0 ± 2.1	0.36	2.53
2250 – 2500	4.9 ± 1.2	0.16	1.84
2500–	5.0 ± 1.2	0.18	5.13

Table 41: Yields per bin for SR 0Lepton3FJ, including the VVV yield from cHu at the 95% exclusion point. The limits on cHu are: $[-0.454, 0.444]$. All Monte Carlo background yields have been combined, and the statistical uncertainties and symmetrized systematic uncertainties for the total background are added in quadrature. Yields are quoted for the full Run 2 dataset.

3.2.12 cHd

Bin [GeV]	Bkg	SMVVV	VVV C_{Hd} @ 95% CL - SM
Inclusive	571.8 ± 13.7	4.87	18.18
1250 – 1500	382.1 ± 11.4	2.52	3.02
1500 – 1750	126.2 ± 6.2	1.12	3.18
1750 – 2000	38.4 ± 3.3	0.53	2.83
2000 – 2250	15.0 ± 2.1	0.36	2.17
2250 – 2500	4.9 ± 1.2	0.16	1.73
2500–	5.0 ± 1.2	0.18	5.25

Table 42: Yields per bin for SR 0Lepton3FJ, including the VVV yield from cHd at the 95% exclusion point. The limits on cHd are: $[-0.561, 0.565]$. All Monte Carlo background yields have been combined, and the statistical uncertainties and symmetrized systematic uncertainties for the total background are added in quadrature. Yields are quoted for the full Run 2 dataset.

3.2.13 cT0

Bin [GeV]	Bkg	SMVVV	VVV f_{T0} @ 95% CL - SM
Inclusive	571.7 ± 13.7	4.80	8.04
1250 – 1500	381.6 ± 11.4	1.99	0.19
1500 – 1750	126.4 ± 6.2	1.32	0.32
1750 – 2000	38.8 ± 3.3	0.87	0.42
2000 – 2250	14.9 ± 2.1	0.27	0.51
2250 – 2500	4.9 ± 1.2	0.16	0.53
2500–	5.0 ± 1.2	0.19	6.07

Table 43: Yields per bin for SR 0Lepton3FJ, including the VVV yield from cT0 at the 95% exclusion point. The limits on cT0 are: $[-0.161, 0.156]$. All Monte Carlo background yields have been combined, and the statistical uncertainties and symmetrized systematic uncertainties for the total background are added in quadrature. Yields are quoted for the full Run 2 dataset.

3.2.14 cM0

Bin [GeV]	Bkg	SMVVV	VVV f_{M0} @ 95% CL - SM
Inclusive	571.7 ± 13.7	4.80	8.01
1250 – 1500	381.6 ± 11.4	1.99	0.19
1500 – 1750	126.4 ± 6.2	1.32	0.32
1750 – 2000	38.8 ± 3.3	0.87	0.41
2000 – 2250	14.9 ± 2.1	0.27	0.50
2250 – 2500	4.9 ± 1.2	0.16	0.52
2500–	5.0 ± 1.2	0.19	6.07

Table 44: Yields per bin for SR 0Lepton3FJ, including the VVV yield from cM0 at the 95% exclusion point. The limits on cM0 are: $[-0.875, 0.897]$. All Monte Carlo background yields have been combined, and the statistical uncertainties and symmetrized systematic uncertainties for the total background are added in quadrature. Yields are quoted for the full Run 2 dataset.

3.3 1Lepton

3.3.1 cW

Bin [GeV]	Bkg	SMVVV	VVV C_W @ 95% CL - SM
Inclusive	1046.7 ± 94.0	19.00	23.02
500 – 1600	821.7 ± 90.9	13.97	4.83
1600 – 2600	203.7 ± 23.4	4.50	10.12
2600 – 3400	19.6 ± 3.2	0.42	4.49
3400–	1.8 ± 0.5	0.11	3.59

Table 45: Yields per bin for SR 1Lepton, including the VVV yield from cW at the 95% exclusion point. The limits on cW are: $[-0.094, 0.092]$. All Monte Carlo background yields have been combined, and the statistical uncertainties and symmetrized systematic uncertainties for the total background are added in quadrature. Yields are quoted for the full Run 2 dataset.

3.3.2 cHW

Bin [GeV]	Bkg	SMVVV	VVV C_{HW} @ 95% CL - SM
Inclusive	1046.7 ± 94.0	19.00	34.67
500 – 1600	821.7 ± 90.9	13.97	10.56
1600 – 2600	203.7 ± 23.4	4.50	15.72
2600 – 3400	19.6 ± 3.2	0.42	5.08
3400–	1.8 ± 0.5	0.11	3.30

Table 46: Yields per bin for SR 1Lepton, including the VVV yield from cHW at the 95% exclusion point. The limits on cHW are: $[-1.233, 1.168]$. All Monte Carlo background yields have been combined, and the statistical uncertainties and symmetrized systematic uncertainties for the total background are added in quadrature. Yields are quoted for the full Run 2 dataset.

3.3.3 cHWB

Bin [GeV]	Bkg	SMVVV	VVV $C_{HWB}@ 95\% \text{ CL} - \text{SM}$
Inclusive	1046.7 ± 94.0	19.00	49.97
500 – 1600	821.7 ± 90.9	13.97	18.92
1600 – 2600	203.7 ± 23.4	4.50	20.52
2600 – 3400	19.6 ± 3.2	0.42	6.73
3400–	1.8 ± 0.5	0.11	3.80

Table 47: Yields per bin for SR 1Lepton, including the VVV yield from cHWB at the 95% exclusion point. The limits on cHWB are: $[-3.908, 3.751]$. All Monte Carlo background yields have been combined, and the statistical uncertainties and symmetrized systematic uncertainties for the total background are added in quadrature. Yields are quoted for the full Run 2 dataset.

3.3.4 cHB

Bin [GeV]	Bkg	SMVVV	VVV C_{HB} @ 95% CL - SM
Inclusive	1046.7 ± 94.0	19.00	56.55
500 – 1600	821.7 ± 90.9	13.97	19.23
1600 – 2600	203.7 ± 23.4	4.50	23.98
2600 – 3400	19.6 ± 3.2	0.42	8.87
3400–	1.8 ± 0.5	0.11	4.48

Table 48: Yields per bin for SR 1Lepton, including the VVV yield from cHB at the 95% exclusion point. The limits on cHB are: $[-8.132, 8.236]$. All Monte Carlo background yields have been combined, and the statistical uncertainties and symmetrized systematic uncertainties for the total background are added in quadrature. Yields are quoted for the full Run 2 dataset.

3.3.5 cHDD

Bin [GeV]	Bkg	SMVVV	VVV $C_{HDD}@ 95\% \text{ CL} - \text{SM}$
Inclusive	1046.7 ± 94.0	19.00	1610.22
500 – 1600	821.7 ± 90.9	13.97	1133.47
1600 – 2600	203.7 ± 23.4	4.50	424.26
2600 – 3400	19.6 ± 3.2	0.42	41.37
3400–	1.8 ± 0.5	0.11	11.12

Table 49: Yields per bin for SR 1Lepton, including the VVV yield from cHDD at the 95% exclusion point. The limits on cHDD are: $[-100.047, 61.952]$. All Monte Carlo background yields have been combined, and the statistical uncertainties and symmetrized systematic uncertainties for the total background are added in quadrature. Yields are quoted for the full Run 2 dataset.

3.3.6 cHbox

Bin [GeV]	Bkg	SMVVV	VVV $C_{H\Box}$ @ 95% CL - SM
Inclusive	1046.7 ± 94.0	19.00	259.69
500 – 1600	821.7 ± 90.9	13.97	170.28
1600 – 2600	203.7 ± 23.4	4.50	75.22
2600 – 3400	19.6 ± 3.2	0.42	11.02
3400–	1.8 ± 0.5	0.11	3.17

Table 50: Yields per bin for SR 1Lepton, including the VVV yield from cHbox at the 95% exclusion point. The limits on cHbox are: $[-59.526, 53.272]$. All Monte Carlo background yields have been combined, and the statistical uncertainties and symmetrized systematic uncertainties for the total background are added in quadrature. Yields are quoted for the full Run 2 dataset.

3.3.7 cHl3

Bin [GeV]	Bkg	SMVVV	VVV C_{Hl3} @ 95% CL - SM
Inclusive	1046.7 ± 94.0	19.00	222.73
500 – 1600	821.7 ± 90.9	13.97	163.79
1600 – 2600	203.7 ± 23.4	4.50	52.72
2600 – 3400	19.6 ± 3.2	0.42	4.96
3400–	1.8 ± 0.5	0.11	1.27

Table 51: Yields per bin for SR 1Lepton, including the VVV yield from cHl3 at the 95% exclusion point. The limits on cHl3 are: $[-3.468, 14.471]$. All Monte Carlo background yields have been combined, and the statistical uncertainties and symmetrized systematic uncertainties for the total background are added in quadrature. Yields are quoted for the full Run 2 dataset.

3.3.8 cHq1

Bin [GeV]	Bkg	SMVVV	VVV C_{Hq1} @ 95% CL - SM
Inclusive	1046.7 ± 94.0	19.00	25.44
500 – 1600	821.7 ± 90.9	13.97	6.48
1600 – 2600	203.7 ± 23.4	4.50	10.84
2600 – 3400	19.6 ± 3.2	0.42	4.55
3400–	1.8 ± 0.5	0.11	3.57

Table 52: Yields per bin for SR 1Lepton, including the VVV yield from cHq1 at the 95% exclusion point. The limits on cHq1 are: $[-0.251, 0.248]$. All Monte Carlo background yields have been combined, and the statistical uncertainties and symmetrized systematic uncertainties for the total background are added in quadrature. Yields are quoted for the full Run 2 dataset.

3.3.9 cHq3

Bin [GeV]	Bkg	SMVVV	VVV C_{Hq3} @ 95% CL - SM
Inclusive	1046.7 ± 94.0	19.00	24.33
500 – 1600	821.7 ± 90.9	13.97	5.54
1600 – 2600	203.7 ± 23.4	4.50	10.75
2600 – 3400	19.6 ± 3.2	0.42	4.47
3400–	1.8 ± 0.5	0.11	3.57

Table 53: Yields per bin for SR 1Lepton, including the VVV yield from cHq3 at the 95% exclusion point. The limits on cHq3 are: $[-0.181, 0.152]$. All Monte Carlo background yields have been combined, and the statistical uncertainties and symmetrized systematic uncertainties for the total background are added in quadrature. Yields are quoted for the full Run 2 dataset.

3.3.10 cll1

Bin [GeV]	Bkg	SMVVV	VVV C_{ll1} @ 95% CL - SM
Inclusive	1046.7 ± 94.0	19.00	228.96
500 – 1600	821.7 ± 90.9	13.97	168.36
1600 – 2600	203.7 ± 23.4	4.50	54.19
2600 – 3400	19.6 ± 3.2	0.42	5.10
3400–	1.8 ± 0.5	0.11	1.30

Table 54: Yields per bin for SR 1Lepton, including the VVV yield from cll1 at the 95% exclusion point. The limits on cll1 are: $[-28.931, 6.937]$. All Monte Carlo background yields have been combined, and the statistical uncertainties and symmetrized systematic uncertainties for the total background are added in quadrature. Yields are quoted for the full Run 2 dataset.

3.3.11 cHu

Bin [GeV]	Bkg	SMVVV	VVV C_{Hu} @ 95% CL - SM
Inclusive	1046.7 ± 94.0	19.00	29.55
500 – 1600	821.7 ± 90.9	13.97	8.31
1600 – 2600	203.7 ± 23.4	4.50	12.53
2600 – 3400	19.6 ± 3.2	0.42	5.34
3400–	1.8 ± 0.5	0.11	3.37

Table 55: Yields per bin for SR 1Lepton, including the VVV yield from cHu at the 95% exclusion point. The limits on cHu are: $[-0.454, 0.444]$. All Monte Carlo background yields have been combined, and the statistical uncertainties and symmetrized systematic uncertainties for the total background are added in quadrature. Yields are quoted for the full Run 2 dataset.

3.3.12 cHd

Bin [GeV]	Bkg	SMVVV	VVV C_{Hd} @ 95% CL - SM
Inclusive	1046.7 ± 94.0	19.00	25.48
500 – 1600	821.7 ± 90.9	13.97	7.38
1600 – 2600	203.7 ± 23.4	4.50	10.11
2600 – 3400	19.6 ± 3.2	0.42	4.33
3400–	1.8 ± 0.5	0.11	3.66

Table 56: Yields per bin for SR 1Lepton, including the VVV yield from cHd at the 95% exclusion point. The limits on cHd are: $[-0.561, 0.565]$. All Monte Carlo background yields have been combined, and the statistical uncertainties and symmetrized systematic uncertainties for the total background are added in quadrature. Yields are quoted for the full Run 2 dataset.

3.3.13 cT0

Bin [GeV]	Bkg	SMVVV	VVV $f_{T0}@ 95\% \text{ CL} - \text{SM}$
Inclusive	1047.0 ± 94.0	19.22	6.21
500 – 1600	820.2 ± 91.0	12.45	0.10
1600 – 2600	205.1 ± 23.5	5.88	0.83
2600 – 3400	19.8 ± 3.2	0.58	1.07
3400–	2.0 ± 0.6	0.32	4.22

Table 57: Yields per bin for SR 1Lepton, including the VVV yield from cT0 at the 95% exclusion point. The limits on cT0 are: $[-0.161, 0.156]$. All Monte Carlo background yields have been combined, and the statistical uncertainties and symmetrized systematic uncertainties for the total background are added in quadrature. Yields are quoted for the full Run 2 dataset.

3.3.14 cM0

Bin [GeV]	Bkg	SMVVV	VVV f_{M0} @ 95% CL - SM
Inclusive	1047.0 ± 94.0	19.22	6.25
500 – 1600	820.2 ± 91.0	12.45	0.10
1600 – 2600	205.1 ± 23.5	5.88	0.83
2600 – 3400	19.8 ± 3.2	0.58	1.07
3400–	2.0 ± 0.6	0.32	4.25

Table 58: Yields per bin for SR 1Lepton, including the VVV yield from cM0 at the 95% exclusion point. The limits on cM0 are: $[-0.875, 0.897]$. All Monte Carlo background yields have been combined, and the statistical uncertainties and symmetrized systematic uncertainties for the total background are added in quadrature. Yields are quoted for the full Run 2 dataset.

3.4 2LeptonOS OF

3.4.1 cW

Bin [GeV]	Bkg	SMVVV	VVV $C_W@ 95\% \text{ CL} - \text{SM}$
Inclusive	236.1 ± 36.8	10.71	8.54
200 – 800	220.8 ± 36.7	8.65	2.02
800 – 1350	14.2 ± 2.5	1.83	3.30
1350–	1.1 ± 0.4	0.23	3.22

Table 59: Yields per bin for SR 2LeptonOSOF, including the VVV yield from cW at the 95% exclusion point. The limits on cW are: $[-0.094, 0.092]$. All Monte Carlo background yields have been combined, and the statistical uncertainties and symmetrized systematic uncertainties for the total background are added in quadrature. Yields are quoted for the full Run 2 dataset.

3.4.2 cHW

Bin [GeV]	Bkg	SMVVV	VVV C_{HW} @ 95% CL - SM
Inclusive	236.1 ± 36.8	10.71	13.30
200 – 800	220.8 ± 36.7	8.65	5.53
800 – 1350	14.2 ± 2.5	1.83	4.94
1350–	1.1 ± 0.4	0.23	2.82

Table 60: Yields per bin for SR 2LeptonOSOF, including the VVV yield from cHW at the 95% exclusion point. The limits on cHW are: $[-1.233, 1.168]$. All Monte Carlo background yields have been combined, and the statistical uncertainties and symmetrized systematic uncertainties for the total background are added in quadrature. Yields are quoted for the full Run 2 dataset.

3.4.3 cHWB

Bin [GeV]	Bkg	SMVVV	VVV C_{HWB} @ 95% CL - SM
Inclusive	236.1 ± 36.8	10.71	15.79
200 – 800	220.8 ± 36.7	8.65	7.49
800 – 1350	14.2 ± 2.5	1.83	5.74
1350–	1.1 ± 0.4	0.23	2.57

Table 61: Yields per bin for SR 2LeptonOSOF, including the VVV yield from cHWB at the 95% exclusion point. The limits on cHWB are: $[-3.908, 3.751]$. All Monte Carlo background yields have been combined, and the statistical uncertainties and symmetrized systematic uncertainties for the total background are added in quadrature. Yields are quoted for the full Run 2 dataset.

3.4.4 cHB

Bin [GeV]	Bkg	SMVVV	VVV C_{HB} @ 95% CL - SM
Inclusive	236.1 ± 36.8	10.71	12.41
200 – 800	220.8 ± 36.7	8.65	4.70
800 – 1350	14.2 ± 2.5	1.83	4.89
1350–	1.1 ± 0.4	0.23	2.83

Table 62: Yields per bin for SR 2LeptonOSOF, including the VVV yield from cHB at the 95% exclusion point. The limits on cHB are: $[-8.132, 8.236]$. All Monte Carlo background yields have been combined, and the statistical uncertainties and symmetrized systematic uncertainties for the total background are added in quadrature. Yields are quoted for the full Run 2 dataset.

3.4.5 cHDD

Bin [GeV]	Bkg	SMVVV	VVV $C_{HDD}@ 95\% \text{ CL} - \text{SM}$
Inclusive	236.1 ± 36.8	10.71	65.14
200 – 800	220.8 ± 36.7	8.65	50.47
800 – 1350	14.2 ± 2.5	1.83	12.78
1350–	1.1 ± 0.4	0.23	1.90

Table 63: Yields per bin for SR 2LeptonOSOF, including the VVV yield from cHDD at the 95% exclusion point. The limits on cHDD are: $[-100.047, 61.952]$. All Monte Carlo background yields have been combined, and the statistical uncertainties and symmetrized systematic uncertainties for the total background are added in quadrature. Yields are quoted for the full Run 2 dataset.

3.4.6 cHbox

Bin [GeV]	Bkg	SMVVV	VVV $C_{H\Box}$ @ 95% CL - SM
Inclusive	236.1 ± 36.8	10.71	38.13
200 – 800	220.8 ± 36.7	8.65	28.28
800 – 1350	14.2 ± 2.5	1.83	8.12
1350–	1.1 ± 0.4	0.23	1.72

Table 64: Yields per bin for SR 2LeptonOSOF, including the VVV yield from cHbox at the 95% exclusion point. The limits on cHbox are: $[-59.526, 53.272]$. All Monte Carlo background yields have been combined, and the statistical uncertainties and symmetrized systematic uncertainties for the total background are added in quadrature. Yields are quoted for the full Run 2 dataset.

3.4.7 cHl3

Bin [GeV]	Bkg	SMVVV	VVV C_{Hl3} @ 95% CL - SM
Inclusive	236.1 ± 36.8	10.71	51.87
200 – 800	220.8 ± 36.7	8.65	41.89
800 – 1350	14.2 ± 2.5	1.83	8.85
1350–	1.1 ± 0.4	0.23	1.13

Table 65: Yields per bin for SR 2LeptonOSOF, including the VVV yield from cHl3 at the 95% exclusion point. The limits on cHl3 are: $[-3.468, 14.471]$. All Monte Carlo background yields have been combined, and the statistical uncertainties and symmetrized systematic uncertainties for the total background are added in quadrature. Yields are quoted for the full Run 2 dataset.

3.4.8 cHq1

Bin [GeV]	Bkg	SMVVV	VVV C_{Hq1} @ 95% CL - SM
Inclusive	236.1 ± 36.8	10.71	9.59
200 – 800	220.8 ± 36.7	8.65	2.77
800 – 1350	14.2 ± 2.5	1.83	3.68
1350–	1.1 ± 0.4	0.23	3.14

Table 66: Yields per bin for SR 2LeptonOSOF, including the VVV yield from cHq1 at the 95% exclusion point. The limits on cHq1 are: $[-0.251, 0.248]$. All Monte Carlo background yields have been combined, and the statistical uncertainties and symmetrized systematic uncertainties for the total background are added in quadrature. Yields are quoted for the full Run 2 dataset.

3.4.9 cHq3

Bin [GeV]	Bkg	SMVVV	VVV C_{Hq3} @ 95% CL - SM
Inclusive	236.1 ± 36.8	10.71	8.99
200 – 800	220.8 ± 36.7	8.65	2.35
800 – 1350	14.2 ± 2.5	1.83	3.47
1350–	1.1 ± 0.4	0.23	3.17

Table 67: Yields per bin for SR 2LeptonOSOF, including the VVV yield from cHq3 at the 95% exclusion point. The limits on cHq3 are: $[-0.181, 0.152]$. All Monte Carlo background yields have been combined, and the statistical uncertainties and symmetrized systematic uncertainties for the total background are added in quadrature. Yields are quoted for the full Run 2 dataset.

3.4.10 cll1

Bin [GeV]	Bkg	SMVVV	VVV C_{ll1} @ 95% CL - SM
Inclusive	236.1 ± 36.8	10.71	51.98
200 – 800	220.8 ± 36.7	8.65	41.99
800 – 1350	14.2 ± 2.5	1.83	8.86
1350–	1.1 ± 0.4	0.23	1.13

Table 68: Yields per bin for SR 2LeptonOSOF, including the VVV yield from cll1 at the 95% exclusion point. The limits on cll1 are: $[-28.931, 6.937]$. All Monte Carlo background yields have been combined, and the statistical uncertainties and symmetrized systematic uncertainties for the total background are added in quadrature. Yields are quoted for the full Run 2 dataset.

3.4.11 cHu

Bin [GeV]	Bkg	SMVVV	VVV C_{Hu} @ 95% CL - SM
Inclusive	236.1 ± 36.8	10.71	8.89
200 – 800	220.8 ± 36.7	8.65	2.21
800 – 1350	14.2 ± 2.5	1.83	3.51
1350–	1.1 ± 0.4	0.23	3.17

Table 69: Yields per bin for SR 2LeptonOSOF, including the VVV yield from cHu at the 95% exclusion point. The limits on cHu are: $[-0.454, 0.444]$. All Monte Carlo background yields have been combined, and the statistical uncertainties and symmetrized systematic uncertainties for the total background are added in quadrature. Yields are quoted for the full Run 2 dataset.

3.4.12 cHd

Bin [GeV]	Bkg	SMVVV	VVV $C_{Hd}@ 95\% \text{ CL} - \text{SM}$
Inclusive	236.1 ± 36.8	10.71	9.83
200 – 800	220.8 ± 36.7	8.65	2.87
800 – 1350	14.2 ± 2.5	1.83	3.86
1350–	1.1 ± 0.4	0.23	3.10

Table 70: Yields per bin for SR 2LeptonOSOF, including the VVV yield from cHd at the 95% exclusion point. The limits on cHd are: $[-0.561, 0.565]$. All Monte Carlo background yields have been combined, and the statistical uncertainties and symmetrized systematic uncertainties for the total background are added in quadrature. Yields are quoted for the full Run 2 dataset.

3.4.13 cT0

Bin [GeV]	Bkg	SMVVV	VVV $f_{T0}@ 95\% \text{ CL} - \text{SM}$
Inclusive	236.4 ± 36.8	11.00	4.63
200 – 800	221.3 ± 36.7	9.10	0.23
800 – 1350	14.0 ± 2.5	1.67	0.86
1350–	1.1 ± 0.4	0.24	3.54

Table 71: Yields per bin for SR 2LeptonOSOF, including the VVV yield from cT0 at the 95% exclusion point. The limits on cT0 are: $[-0.161, 0.156]$. All Monte Carlo background yields have been combined, and the statistical uncertainties and symmetrized systematic uncertainties for the total background are added in quadrature. Yields are quoted for the full Run 2 dataset.

3.4.14 cM0

Bin [GeV]	Bkg	SMVVV	VVV f_{M0} @ 95% CL - SM
Inclusive	236.4 ± 36.8	11.00	4.61
200 – 800	221.3 ± 36.7	9.10	0.22
800 – 1350	14.0 ± 2.5	1.67	0.85
1350–	1.1 ± 0.4	0.24	3.54

Table 72: Yields per bin for SR 2LeptonOSOF, including the VVV yield from cM0 at the 95% exclusion point. The limits on cM0 are: $[-0.875, 0.897]$. All Monte Carlo background yields have been combined, and the statistical uncertainties and symmetrized systematic uncertainties for the total background are added in quadrature. Yields are quoted for the full Run 2 dataset.

3.5 2LeptonOS SFnoZ

3.5.1 cW

Bin [GeV]	Bkg	SMVVV	VVV $C_W@$ 95% CL - SM
Inclusive	665.6 ± 88.2	8.84	21.16
200 – 800	597.2 ± 87.5	6.91	4.76
800 – 1050	54.6 ± 10.3	1.32	3.92
1050–	13.8 ± 5.3	0.62	12.49

Table 73: Yields per bin for SR 2LeptonOSSFnoZ, including the VVV yield from cW at the 95% exclusion point. The limits on cW are: $[-0.094, 0.092]$. All Monte Carlo background yields have been combined, and the statistical uncertainties and symmetrized systematic uncertainties for the total background are added in quadrature. Yields are quoted for the full Run 2 dataset.

3.5.2 cHW

Bin [GeV]	Bkg	SMVVV	VVV C_{HW} @ 95% CL - SM
Inclusive	665.6 ± 88.2	8.84	30.66
200 – 800	597.2 ± 87.5	6.91	11.76
800 – 1050	54.6 ± 10.3	1.32	6.53
1050–	13.8 ± 5.3	0.62	12.36

Table 74: Yields per bin for SR 2LeptonOSSFnoZ, including the VVV yield from cHW at the 95% exclusion point. The limits on cHW are: $[-1.233, 1.168]$. All Monte Carlo background yields have been combined, and the statistical uncertainties and symmetrized systematic uncertainties for the total background are added in quadrature. Yields are quoted for the full Run 2 dataset.

3.5.3 cHWB

Bin [GeV]	Bkg	SMVVV	VVV $C_{HWB}@ 95\% \text{ CL} - \text{SM}$
Inclusive	665.6 ± 88.2	8.84	38.57
200 – 800	597.2 ± 87.5	6.91	17.48
800 – 1050	54.6 ± 10.3	1.32	9.01
1050–	13.8 ± 5.3	0.62	12.09

Table 75: Yields per bin for SR 2LeptonOSSFnoZ, including the VVV yield from cHWB at the 95% exclusion point. The limits on cHWB are: $[-3.908, 3.751]$. All Monte Carlo background yields have been combined, and the statistical uncertainties and symmetrized systematic uncertainties for the total background are added in quadrature. Yields are quoted for the full Run 2 dataset.

3.5.4 cHB

Bin [GeV]	Bkg	SMVVV	VVV C_{HB} @ 95% CL - SM
Inclusive	665.6 ± 88.2	8.84	32.02
200 – 800	597.2 ± 87.5	6.91	12.05
800 – 1050	54.6 ± 10.3	1.32	7.75
1050–	13.8 ± 5.3	0.62	12.22

Table 76: Yields per bin for SR 2LeptonOSSFnoZ, including the VVV yield from cHB at the 95% exclusion point. The limits on cHB are: $[-8.132, 8.236]$. All Monte Carlo background yields have been combined, and the statistical uncertainties and symmetrized systematic uncertainties for the total background are added in quadrature. Yields are quoted for the full Run 2 dataset.

3.5.5 cHDD

Bin [GeV]	Bkg	SMVVV	VVV $C_{HDD}@ 95\% \text{ CL} - \text{SM}$
Inclusive	665.6 ± 88.2	8.84	1655.20
200 – 800	597.2 ± 87.5	6.91	1237.60
800 – 1050	54.6 ± 10.3	1.32	270.96
1050–	13.8 ± 5.3	0.62	146.65

Table 77: Yields per bin for SR 2LeptonOSSFnoZ, including the VVV yield from cHDD at the 95% exclusion point. The limits on cHDD are: $[-100.047, 61.952]$. All Monte Carlo background yields have been combined, and the statistical uncertainties and symmetrized systematic uncertainties for the total background are added in quadrature. Yields are quoted for the full Run 2 dataset.

3.5.6 cHbox

Bin [GeV]	Bkg	SMVVV	VVV $C_{H\Box}$ @ 95% CL - SM
Inclusive	665.6 ± 88.2	8.84	159.34
200 – 800	597.2 ± 87.5	6.91	109.39
800 – 1050	54.6 ± 10.3	1.32	28.91
1050–	13.8 ± 5.3	0.62	21.05

Table 78: Yields per bin for SR 2LeptonOSSFnoZ, including the VVV yield from cHbox at the 95% exclusion point. The limits on cHbox are: $[-59.526, 53.272]$. All Monte Carlo background yields have been combined, and the statistical uncertainties and symmetrized systematic uncertainties for the total background are added in quadrature. Yields are quoted for the full Run 2 dataset.

3.5.7 cHl3

Bin [GeV]	Bkg	SMVVV	VVV C_{Hl3} @ 95% CL - SM
Inclusive	665.6 ± 88.2	8.84	133.60
200 – 800	597.2 ± 87.5	6.91	104.38
800 – 1050	54.6 ± 10.3	1.32	19.88
1050–	13.8 ± 5.3	0.62	9.35

Table 79: Yields per bin for SR 2LeptonOSSFnoZ, including the VVV yield from cHl3 at the 95% exclusion point. The limits on cHl3 are: $[-3.468, 14.471]$. All Monte Carlo background yields have been combined, and the statistical uncertainties and symmetrized systematic uncertainties for the total background are added in quadrature. Yields are quoted for the full Run 2 dataset.

3.5.8 cHq1

Bin [GeV]	Bkg	SMVVV	VVV C_{Hq1} @ 95% CL - SM
Inclusive	665.6 ± 88.2	8.84	24.10
200 – 800	597.2 ± 87.5	6.91	6.49
800 – 1050	54.6 ± 10.3	1.32	5.18
1050–	13.8 ± 5.3	0.62	12.43

Table 80: Yields per bin for SR 2LeptonOSSFnoZ, including the VVV yield from cHq1 at the 95% exclusion point. The limits on cHq1 are: $[-0.251, 0.248]$. All Monte Carlo background yields have been combined, and the statistical uncertainties and symmetrized systematic uncertainties for the total background are added in quadrature. Yields are quoted for the full Run 2 dataset.

3.5.9 cHq3

Bin [GeV]	Bkg	SMVVV	VVV C_{Hq3} @ 95% CL - SM
Inclusive	665.6 ± 88.2	8.84	22.38
200 – 800	597.2 ± 87.5	6.91	5.51
800 – 1050	54.6 ± 10.3	1.32	4.41
1050–	13.8 ± 5.3	0.62	12.46

Table 81: Yields per bin for SR 2LeptonOSSFnoZ, including the VVV yield from cHq3 at the 95% exclusion point. The limits on cHq3 are: $[-0.181, 0.152]$. All Monte Carlo background yields have been combined, and the statistical uncertainties and symmetrized systematic uncertainties for the total background are added in quadrature. Yields are quoted for the full Run 2 dataset.

3.5.10 cll1

Bin [GeV]	Bkg	SMVVV	VVV C_{ll1} @ 95% CL - SM
Inclusive	665.6 ± 88.2	8.84	133.83
200 – 800	597.2 ± 87.5	6.91	104.57
800 – 1050	54.6 ± 10.3	1.32	19.90
1050–	13.8 ± 5.3	0.62	9.36

Table 82: Yields per bin for SR 2LeptonOSSFnoZ, including the VVV yield from cll1 at the 95% exclusion point. The limits on cll1 are: $[-28.931, 6.937]$. All Monte Carlo background yields have been combined, and the statistical uncertainties and symmetrized systematic uncertainties for the total background are added in quadrature. Yields are quoted for the full Run 2 dataset.

3.5.11 cHu

Bin [GeV]	Bkg	SMVVV	VVV C_{Hu} @ 95% CL - SM
Inclusive	665.6 ± 88.2	8.84	23.71
200 – 800	597.2 ± 87.5	6.91	6.10
800 – 1050	54.6 ± 10.3	1.32	5.16
1050–	13.8 ± 5.3	0.62	12.45

Table 83: Yields per bin for SR 2LeptonOSSFnoZ, including the VVV yield from cHu at the 95% exclusion point. The limits on cHu are: $[-0.454, 0.444]$. All Monte Carlo background yields have been combined, and the statistical uncertainties and symmetrized systematic uncertainties for the total background are added in quadrature. Yields are quoted for the full Run 2 dataset.

3.5.12 cHd

Bin [GeV]	Bkg	SMVVV	VVV $C_{Hd}@ 95\% \text{ CL} - \text{SM}$
Inclusive	665.6 ± 88.2	8.84	23.54
200 – 800	597.2 ± 87.5	6.91	5.82
800 – 1050	54.6 ± 10.3	1.32	5.35
1050–	13.8 ± 5.3	0.62	12.36

Table 84: Yields per bin for SR 2LeptonOSSFnoZ, including the VVV yield from cHd at the 95% exclusion point. The limits on cHd are: $[-0.561, 0.565]$. All Monte Carlo background yields have been combined, and the statistical uncertainties and symmetrized systematic uncertainties for the total background are added in quadrature. Yields are quoted for the full Run 2 dataset.

3.5.13 cT0

Bin [GeV]	Bkg	SMVVV	VVV $f_{T0}@ 95\% \text{ CL} - \text{SM}$
Inclusive	666.6 ± 88.2	9.84	14.07
200 – 800	598.4 ± 87.4	8.10	0.60
800 – 1050	54.4 ± 10.3	1.14	1.02
1050–	13.8 ± 5.3	0.61	12.45

Table 85: Yields per bin for SR 2LeptonOSSFnoZ, including the VVV yield from cT0 at the 95% exclusion point. The limits on cT0 are: $[-0.161, 0.156]$. All Monte Carlo background yields have been combined, and the statistical uncertainties and symmetrized systematic uncertainties for the total background are added in quadrature. Yields are quoted for the full Run 2 dataset.

3.5.14 cM0

Bin [GeV]	Bkg	SMVVV	VVV $f_{M0}@ 95\% \text{ CL} - \text{SM}$
Inclusive	666.6 ± 88.2	9.84	14.03
200 – 800	598.4 ± 87.4	8.10	0.58
800 – 1050	54.4 ± 10.3	1.14	1.00
1050–	13.8 ± 5.3	0.61	12.45

Table 86: Yields per bin for SR 2LeptonOSSFnoZ, including the VVV yield from cM0 at the 95% exclusion point. The limits on cM0 are: $[-0.875, 0.897]$. All Monte Carlo background yields have been combined, and the statistical uncertainties and symmetrized systematic uncertainties for the total background are added in quadrature. Yields are quoted for the full Run 2 dataset.

3.6 2LeptonOS SFZ

3.6.1 cW

Bin [GeV]	Bkg	SMVVV	VVV C_W @ 95% CL - SM
Inclusive	3363.1 ± 311.9	18.89	25.99
200 – 800	2952.6 ± 305.6	13.61	5.28
800 – 1300	393.9 ± 62.3	4.66	9.63
1300–	16.6 ± 4.9	0.62	11.08

Table 87: Yields per bin for SR 2LeptonOSSFZ, including the VVV yield from cW at the 95% exclusion point. The limits on cW are: $[-0.094, 0.092]$. All Monte Carlo background yields have been combined, and the statistical uncertainties and symmetrized systematic uncertainties for the total background are added in quadrature. Yields are quoted for the full Run 2 dataset.

3.6.2 cHW

Bin [GeV]	Bkg	SMVVV	VVV C_{HW} @ 95% CL - SM
Inclusive	3363.1 ± 311.9	18.89	62.17
200 – 800	2952.6 ± 305.6	13.61	26.22
800 – 1300	393.9 ± 62.3	4.66	24.75
1300–	16.6 ± 4.9	0.62	11.20

Table 88: Yields per bin for SR 2LeptonOSSFZ, including the VVV yield from cHW at the 95% exclusion point. The limits on cHW are: $[-1.233, 1.168]$. All Monte Carlo background yields have been combined, and the statistical uncertainties and symmetrized systematic uncertainties for the total background are added in quadrature. Yields are quoted for the full Run 2 dataset.

3.6.3 cHWB

Bin [GeV]	Bkg	SMVVV	VVV $C_{HWB}@ 95\% \text{ CL} - \text{SM}$
Inclusive	3363.1 ± 311.9	18.89	147.72
200 – 800	2952.6 ± 305.6	13.61	65.98
800 – 1300	393.9 ± 62.3	4.66	58.72
1300–	16.6 ± 4.9	0.62	23.02

Table 89: Yields per bin for SR 2LeptonOSSFZ, including the VVV yield from cHWB at the 95% exclusion point. The limits on cHWB are: $[-3.908, 3.751]$. All Monte Carlo background yields have been combined, and the statistical uncertainties and symmetrized systematic uncertainties for the total background are added in quadrature. Yields are quoted for the full Run 2 dataset.

3.6.4 cHB

Bin [GeV]	Bkg	SMVVV	VVV C_{HB} @ 95% CL - SM
Inclusive	3363.1 ± 311.9	18.89	120.32
200 – 800	2952.6 ± 305.6	13.61	45.87
800 – 1300	393.9 ± 62.3	4.66	51.82
1300–	16.6 ± 4.9	0.62	22.63

Table 90: Yields per bin for SR 2LeptonOSSFZ, including the VVV yield from cHB at the 95% exclusion point. The limits on cHB are: $[-8.132, 8.236]$. All Monte Carlo background yields have been combined, and the statistical uncertainties and symmetrized systematic uncertainties for the total background are added in quadrature. Yields are quoted for the full Run 2 dataset.

3.6.5 cHDD

Bin [GeV]	Bkg	SMVVV	VVV $C_{HDD}@ 95\% \text{ CL} - \text{SM}$
Inclusive	3363.1 ± 311.9	18.89	5059.55
200 – 800	2952.6 ± 305.6	13.61	3585.09
800 – 1300	393.9 ± 62.3	4.66	1308.89
1300–	16.6 ± 4.9	0.62	165.57

Table 91: Yields per bin for SR 2LeptonOSSFZ, including the VVV yield from cHDD at the 95% exclusion point. The limits on cHDD are: $[-100.047, 61.952]$. All Monte Carlo background yields have been combined, and the statistical uncertainties and symmetrized systematic uncertainties for the total background are added in quadrature. Yields are quoted for the full Run 2 dataset.

3.6.6 cHbox

Bin [GeV]	Bkg	SMVVV	VVV $C_{H\Box}$ @ 95% CL - SM
Inclusive	3363.1 ± 311.9	18.89	936.96
200 – 800	2952.6 ± 305.6	13.61	630.31
800 – 1300	393.9 ± 62.3	4.66	259.33
1300–	16.6 ± 4.9	0.62	47.31

Table 92: Yields per bin for SR 2LeptonOSSFZ, including the VVV yield from cHbox at the 95% exclusion point. The limits on cHbox are: $[-59.526, 53.272]$. All Monte Carlo background yields have been combined, and the statistical uncertainties and symmetrized systematic uncertainties for the total background are added in quadrature. Yields are quoted for the full Run 2 dataset.

3.6.7 cHl3

Bin [GeV]	Bkg	SMVVV	VVV C_{Hl3} @ 95% CL - SM
Inclusive	3363.1 ± 311.9	18.89	811.81
200 – 800	2952.6 ± 305.6	13.61	584.79
800 – 1300	393.9 ± 62.3	4.66	200.34
1300–	16.6 ± 4.9	0.62	26.68

Table 93: Yields per bin for SR 2LeptonOSSFZ, including the VVV yield from cHl3 at the 95% exclusion point. The limits on cHl3 are: $[-3.468, 14.471]$. All Monte Carlo background yields have been combined, and the statistical uncertainties and symmetrized systematic uncertainties for the total background are added in quadrature. Yields are quoted for the full Run 2 dataset.

3.6.8 cHq1

Bin [GeV]	Bkg	SMVVV	VVV C_{Hq1} @ 95% CL - SM
Inclusive	3363.1 ± 311.9	18.89	31.02
200 – 800	2952.6 ± 305.6	13.61	7.86
800 – 1300	393.9 ± 62.3	4.66	12.05
1300–	16.6 ± 4.9	0.62	11.11

Table 94: Yields per bin for SR 2LeptonOSSFZ, including the VVV yield from cHq1 at the 95% exclusion point. The limits on cHq1 are: $[-0.251, 0.248]$. All Monte Carlo background yields have been combined, and the statistical uncertainties and symmetrized systematic uncertainties for the total background are added in quadrature. Yields are quoted for the full Run 2 dataset.

3.6.9 cHq3

Bin [GeV]	Bkg	SMVVV	VVV C_{Hq3} @ 95% CL - SM
Inclusive	3363.1 ± 311.9	18.89	32.76
200 – 800	2952.6 ± 305.6	13.61	7.42
800 – 1300	393.9 ± 62.3	4.66	12.50
1300–	16.6 ± 4.9	0.62	12.84

Table 95: Yields per bin for SR 2LeptonOSSFZ, including the VVV yield from cHq3 at the 95% exclusion point. The limits on cHq3 are: $[-0.181, 0.152]$. All Monte Carlo background yields have been combined, and the statistical uncertainties and symmetrized systematic uncertainties for the total background are added in quadrature. Yields are quoted for the full Run 2 dataset.

3.6.10 cll1

Bin [GeV]	Bkg	SMVVV	VVV C_{ll1} @ 95% CL - SM
Inclusive	3363.1 ± 311.9	18.89	810.00
200 – 800	2952.6 ± 305.6	13.61	583.42
800 – 1300	393.9 ± 62.3	4.66	199.94
1300–	16.6 ± 4.9	0.62	26.63

Table 96: Yields per bin for SR 2LeptonOSSFZ, including the VVV yield from cll1 at the 95% exclusion point. The limits on cll1 are: $[-28.931, 6.937]$. All Monte Carlo background yields have been combined, and the statistical uncertainties and symmetrized systematic uncertainties for the total background are added in quadrature. Yields are quoted for the full Run 2 dataset.

3.6.11 cHu

Bin [GeV]	Bkg	SMVVV	VVV C_{Hu} @ 95% CL - SM
Inclusive	3363.1 ± 311.9	18.89	55.20
200 – 800	2952.6 ± 305.6	13.61	12.17
800 – 1300	393.9 ± 62.3	4.66	21.94
1300–	16.6 ± 4.9	0.62	21.09

Table 97: Yields per bin for SR 2LeptonOSSFZ, including the VVV yield from cHu at the 95% exclusion point. The limits on cHu are: $[-0.454, 0.444]$. All Monte Carlo background yields have been combined, and the statistical uncertainties and symmetrized systematic uncertainties for the total background are added in quadrature. Yields are quoted for the full Run 2 dataset.

3.6.12 cHd

Bin [GeV]	Bkg	SMVVV	VVV C_{Hd} @ 95% CL - SM
Inclusive	3363.1 ± 311.9	18.89	65.72
200 – 800	2952.6 ± 305.6	13.61	16.24
800 – 1300	393.9 ± 62.3	4.66	25.76
1300–	16.6 ± 4.9	0.62	23.73

Table 98: Yields per bin for SR 2LeptonOSSFZ, including the VVV yield from cHd at the 95% exclusion point. The limits on cHd are: $[-0.561, 0.565]$. All Monte Carlo background yields have been combined, and the statistical uncertainties and symmetrized systematic uncertainties for the total background are added in quadrature. Yields are quoted for the full Run 2 dataset.

3.6.13 cT0

Bin [GeV]	Bkg	SMVVV	VVV $f_{T0}@ 95\% \text{ CL} - \text{SM}$
Inclusive	3365.7 ± 311.9	21.51	16.04
200 – 800	2955.0 ± 305.6	16.03	1.13
800 – 1300	394.1 ± 62.3	4.89	3.92
1300–	16.6 ± 4.9	0.60	11.00

Table 99: Yields per bin for SR 2LeptonOSSFZ, including the VVV yield from cT0 at the 95% exclusion point. The limits on cT0 are: $[-0.161, 0.156]$. All Monte Carlo background yields have been combined, and the statistical uncertainties and symmetrized systematic uncertainties for the total background are added in quadrature. Yields are quoted for the full Run 2 dataset.

3.6.14 cM0

Bin [GeV]	Bkg	SMVVV	VVV f_{M0} @ 95% CL - SM
Inclusive	3365.7 ± 311.9	21.51	15.74
200 – 800	2955.0 ± 305.6	16.03	0.99
800 – 1300	394.1 ± 62.3	4.89	3.75
1300–	16.6 ± 4.9	0.60	10.99

Table 100: Yields per bin for SR 2LeptonOSSFZ, including the VVV yield from cM0 at the 95% exclusion point. The limits on cM0 are: $[-0.875, 0.897]$. All Monte Carlo background yields have been combined, and the statistical uncertainties and symmetrized systematic uncertainties for the total background are added in quadrature. Yields are quoted for the full Run 2 dataset.

3.7 2LeptonSS 1FJ

3.7.1 cW

Bin [GeV]	Bkg	SMVVV	VVV C_W @ 95% CL - SM
Inclusive	52.9 ± 4.9	9.92	5.78
0 – 800	37.3 ± 4.5	5.74	0.48
800 – 1400	14.8 ± 2.1	3.79	2.16
1400–	0.8 ± 0.2	0.39	3.14

Table 101: Yields per bin for SR 2LeptonSS1FJ, including the VVV yield from cW at the 95% exclusion point. The limits on cW are: $[-0.094, 0.092]$. All Monte Carlo background yields have been combined, and the statistical uncertainties and symmetrized systematic uncertainties for the total background are added in quadrature. Yields are quoted for the full Run 2 dataset.

3.7.2 cHW

Bin [GeV]	Bkg	SMVVV	VVV $C_{HW}@ 95\% \text{ CL} - \text{SM}$
Inclusive	52.9 ± 4.9	9.92	7.89
0 – 800	37.3 ± 4.5	5.74	1.31
800 – 1400	14.8 ± 2.1	3.79	3.68
1400–	0.8 ± 0.2	0.39	2.90

Table 102: Yields per bin for SR 2LeptonSS1FJ, including the VVV yield from cHW at the 95% exclusion point. The limits on cHW are: $[-1.233, 1.168]$. All Monte Carlo background yields have been combined, and the statistical uncertainties and symmetrized systematic uncertainties for the total background are added in quadrature. Yields are quoted for the full Run 2 dataset.

3.7.3 cHWB

Bin [GeV]	Bkg	SMVVV	VVV $C_{HWB}@ 95\% \text{ CL} - \text{SM}$
Inclusive	52.9 ± 4.9	9.92	10.36
0 – 800	37.3 ± 4.5	5.74	2.70
800 – 1400	14.8 ± 2.1	3.79	5.11
1400–	0.8 ± 0.2	0.39	2.55

Table 103: Yields per bin for SR 2LeptonSS1FJ, including the VVV yield from cHWB at the 95% exclusion point. The limits on cHWB are: $[-3.908, 3.751]$. All Monte Carlo background yields have been combined, and the statistical uncertainties and symmetrized systematic uncertainties for the total background are added in quadrature. Yields are quoted for the full Run 2 dataset.

3.7.4 cHB

Bin [GeV]	Bkg	SMVVV	VVV C_{HB} @ 95% CL - SM
Inclusive	52.9 ± 4.9	9.92	9.08
0 – 800	37.3 ± 4.5	5.74	1.88
800 – 1400	14.8 ± 2.1	3.79	4.47
1400–	0.8 ± 0.2	0.39	2.74

Table 104: Yields per bin for SR 2LeptonSS1FJ, including the VVV yield from cHB at the 95% exclusion point. The limits on cHB are: $[-8.132, 8.236]$. All Monte Carlo background yields have been combined, and the statistical uncertainties and symmetrized systematic uncertainties for the total background are added in quadrature. Yields are quoted for the full Run 2 dataset.

3.7.5 cHDD

Bin [GeV]	Bkg	SMVVV	VVV $C_{HDD}@ 95\% \text{ CL} - \text{SM}$
Inclusive	52.9 ± 4.9	9.92	19.36
0 – 800	37.3 ± 4.5	5.74	9.98
800 – 1400	14.8 ± 2.1	3.79	8.07
1400–	0.8 ± 0.2	0.39	1.30

Table 105: Yields per bin for SR 2LeptonSS1FJ, including the VVV yield from cHDD at the 95% exclusion point. The limits on cHDD are: $[-100.047, 61.952]$. All Monte Carlo background yields have been combined, and the statistical uncertainties and symmetrized systematic uncertainties for the total background are added in quadrature. Yields are quoted for the full Run 2 dataset.

3.7.6 cHbox

Bin [GeV]	Bkg	SMVVV	VVV $C_{H\Box}$ @ 95% CL - SM
Inclusive	52.9 ± 4.9	9.92	15.75
0 – 800	37.3 ± 4.5	5.74	7.16
800 – 1400	14.8 ± 2.1	3.79	6.88
1400–	0.8 ± 0.2	0.39	1.71

Table 106: Yields per bin for SR 2LeptonSS1FJ, including the VVV yield from cHbox at the 95% exclusion point. The limits on cHbox are: $[-59.526, 53.272]$. All Monte Carlo background yields have been combined, and the statistical uncertainties and symmetrized systematic uncertainties for the total background are added in quadrature. Yields are quoted for the full Run 2 dataset.

3.7.7 cHl3

Bin [GeV]	Bkg	SMVVV	VVV C_{Hl3} @ 95% CL - SM
Inclusive	52.9 ± 4.9	9.92	18.92
0 – 800	37.3 ± 4.5	5.74	10.95
800 – 1400	14.8 ± 2.1	3.79	7.22
1400–	0.8 ± 0.2	0.39	0.75

Table 107: Yields per bin for SR 2LeptonSS1FJ, including the VVV yield from cHl3 at the 95% exclusion point. The limits on cHl3 are: $[-3.468, 14.471]$. All Monte Carlo background yields have been combined, and the statistical uncertainties and symmetrized systematic uncertainties for the total background are added in quadrature. Yields are quoted for the full Run 2 dataset.

3.7.8 cHq1

Bin [GeV]	Bkg	SMVVV	VVV C_{Hq1} @ 95% CL - SM
Inclusive	52.9 ± 4.9	9.92	6.26
0 – 800	37.3 ± 4.5	5.74	0.78
800 – 1400	14.8 ± 2.1	3.79	2.36
1400–	0.8 ± 0.2	0.39	3.12

Table 108: Yields per bin for SR 2LeptonSS1FJ, including the VVV yield from cHq1 at the 95% exclusion point. The limits on cHq1 are: $[-0.251, 0.248]$. All Monte Carlo background yields have been combined, and the statistical uncertainties and symmetrized systematic uncertainties for the total background are added in quadrature. Yields are quoted for the full Run 2 dataset.

3.7.9 cHq3

Bin [GeV]	Bkg	SMVVV	VVV C_{Hq3} @ 95% CL - SM
Inclusive	52.9 ± 4.9	9.92	5.87
0 – 800	37.3 ± 4.5	5.74	0.55
800 – 1400	14.8 ± 2.1	3.79	2.22
1400–	0.8 ± 0.2	0.39	3.10

Table 109: Yields per bin for SR 2LeptonSS1FJ, including the VVV yield from cHq3 at the 95% exclusion point. The limits on cHq3 are: $[-0.181, 0.152]$. All Monte Carlo background yields have been combined, and the statistical uncertainties and symmetrized systematic uncertainties for the total background are added in quadrature. Yields are quoted for the full Run 2 dataset.

3.7.10 cll1

Bin [GeV]	Bkg	SMVVV	VVV C_{ll1} @ 95% CL - SM
Inclusive	52.9 ± 4.9	9.92	19.00
0 – 800	37.3 ± 4.5	5.74	11.00
800 – 1400	14.8 ± 2.1	3.79	7.25
1400–	0.8 ± 0.2	0.39	0.75

Table 110: Yields per bin for SR 2LeptonSS1FJ, including the VVV yield from cll1 at the 95% exclusion point. The limits on cll1 are: $[-28.931, 6.937]$. All Monte Carlo background yields have been combined, and the statistical uncertainties and symmetrized systematic uncertainties for the total background are added in quadrature. Yields are quoted for the full Run 2 dataset.

3.7.11 cHu

Bin [GeV]	Bkg	SMVVV	VVV C_{Hu} @ 95% CL - SM
Inclusive	52.9 ± 4.9	9.92	7.09
0 – 800	37.3 ± 4.5	5.74	0.89
800 – 1400	14.8 ± 2.1	3.79	3.21
1400–	0.8 ± 0.2	0.39	2.99

Table 111: Yields per bin for SR 2LeptonSS1FJ, including the VVV yield from cHu at the 95% exclusion point. The limits on cHu are: $[-0.454, 0.444]$. All Monte Carlo background yields have been combined, and the statistical uncertainties and symmetrized systematic uncertainties for the total background are added in quadrature. Yields are quoted for the full Run 2 dataset.

3.7.12 cHd

Bin [GeV]	Bkg	SMVVV	VVV C_{Hd} @ 95% CL - SM
Inclusive	52.9 ± 4.9	9.92	7.68
0 – 800	37.3 ± 4.5	5.74	1.02
800 – 1400	14.8 ± 2.1	3.79	3.77
1400–	0.8 ± 0.2	0.39	2.89

Table 112: Yields per bin for SR 2LeptonSS1FJ, including the VVV yield from cHd at the 95% exclusion point. The limits on cHd are: $[-0.561, 0.565]$. All Monte Carlo background yields have been combined, and the statistical uncertainties and symmetrized systematic uncertainties for the total background are added in quadrature. Yields are quoted for the full Run 2 dataset.

3.7.13 cT0

Bin [GeV]	Bkg	SMVVV	VVV f_{T0} @ 95% CL - SM
Inclusive	51.6 ± 4.9	8.60	3.66
0 – 800	36.8 ± 4.4	5.29	0.02
800 – 1400	13.9 ± 2.1	2.84	0.31
1400–	0.9 ± 0.2	0.47	3.32

Table 113: Yields per bin for SR 2LeptonSS1FJ, including the VVV yield from cT0 at the 95% exclusion point. The limits on cT0 are: $[-0.161, 0.156]$. All Monte Carlo background yields have been combined, and the statistical uncertainties and symmetrized systematic uncertainties for the total background are added in quadrature. Yields are quoted for the full Run 2 dataset.

3.7.14 cM0

Bin [GeV]	Bkg	SMVVV	VVV f_{M0} @ 95% CL - SM
Inclusive	51.6 ± 4.9	8.60	3.65
0 – 800	36.8 ± 4.4	5.29	0.02
800 – 1400	13.9 ± 2.1	2.84	0.31
1400–	0.9 ± 0.2	0.47	3.32

Table 114: Yields per bin for SR 2LeptonSS1FJ, including the VVV yield from cM0 at the 95% exclusion point. The limits on cM0 are: $[-0.875, 0.897]$. All Monte Carlo background yields have been combined, and the statistical uncertainties and symmetrized systematic uncertainties for the total background are added in quadrature. Yields are quoted for the full Run 2 dataset.