




Contents


Overview	1
Top View	2
Side Views	3
Lengths	4
Pitches	5
Areas	6
Summary	7
Materials	8




Measurements

Roof Area	3,614 sq ft
Roof Facets	18
Predominant Pitch	9 / 12
Ridges/Hips	252 ft
Valleys	107 ft
Rakes	41 ft
Eaves	247 ft




2025-10-11








Flash	Step	Drip
10	3	288




Eave	Hip	Rake	Ridge	Valley
247	171	41	81	107

Lengths in feet



Pitches in inches per foot




Areas in square feet



Pitch	9	12
Area	2,012	1,601
Percent	56%	44%

Suggested

Waste	0%	9%	12%	14%	16%	19%	24%
Area	3,614	3,939	4,047	4,120	4,192	4,300	4,481
Squares	37	40	41	42	42	44	45



Roof Area	3,614 sq ft
Roof Facets	18
Pitch	9 / 12
Eaves	247 ft
Hips	171 ft
Rakes	41 ft
Ridges	81 ft
Valleys	107 ft
Flash	10 ft
Step	3 ft
Drip Edge	288 ft
Leak Barrier	579 ft
Ridge Cap	252 ft
Starter	288 ft

Notes: 1) Measurements are rounded to the nearest whole number. 2) Rakes are defined as sloped roof edges. 3) Eaves are defined as level roof edges. 4) Flashing pertains to level roof edges and excludes valleys. 5) Step flashing pertains to sloped roof edges and excludes areas around penetrations. 6) Drip edge = eaves + rakes. 7) Waste table excludes additional materials needed for ridges, hips, valleys, etc. 8) Suggested waste factor is based on the roof complexity and is provided for guidance purposes only. You should confirm the appropriate waste factor prior to ordering.



	Waste	0%	9%	Suggested 14%	19%
Shingle Products					
Timberline: HDZ, UHDZ, NS, ASII, HDZ RS	bundle	111	121	126	132
Royal Sovereign					
Low-Slope Roofing System					
Liberty Base/Ply Sheet	roll	0	0	0	0
Liberty Cap Sheet	roll	0	0	0	0
Liberty Asphalt Primer	gallon	0	0	0	0
Liberty Flashing Cement	gallon	0	0	0	0
Starter					
WeatherBlocker	bundle	3	4	4	4
Pro-Start	bundle	3	3	3	3
Quick-Start	roll	9	10	10	11
Roof Deck Protection					
Deck-Armor, Tiger Paw, FeltBuster 10 sq	roll	4	4	5	5
Shingle-Mate	roll	10	10	11	11
VersaShield	roll	11	12	12	13
Leak Barrier					
StormGuard, WeatherWatch 2 sq	roll	9	10	10	11
WeatherWatch 1.5 sq	roll	12	13	14	14
Ridge Cap					
Seal-A-Ridge, Seal-A-Ridge AS	bundle	11	11	12	12
TimberTex	bundle	13	14	15	15
Z-Ridge	bundle	8	9	9	10
TimberCrest	box	13	14	15	15
Nails					
Cap Nails	box	2	2	3	3
Coil Nails 1.25 in	box	2	2	3	3
Step Flashing					
Step Flashing 10 ft	piece	1	1	1	1
Step Flashing 8 ft	piece	1	1	1	1
Drip Edge					
Drip Edge 10 ft	piece	29	32	33	35
Drip Edge 8 ft	piece	36	40	41	43

Notes: 1) These approximate quantities are based on estimated measurements and are for guidance purposes only. You should always confirm quantities prior to ordering and ensure you are following local building code requirements. 2) For Timberline, 3 bundles = 0.984 squares. 3) Starter = eaves + rakes. 4) Leak barrier = bends + eaves + flashing + hips + rakes + step + valleys. 5) Ridge cap = hips + ridges. 6) Low-slope products applied to 1/12 pitch areas. 7) Timberline products applied to 2/12 pitch areas and above. 8) Installed coverage will be less and depend on quantity and width of side and end laps. 9) Liberty low slope roofing system should be installed as a system. For more information, see gaf.com/liberty.



Static

	Quantity	Units
Cobra® Rigid Vent 3™, SnowCountry® & SnowCountry® Advanced	49	ft
Cobra® Exhaust Vent Roll - Nail Gunnable	62	ft
Cobra® Exhaust Vent Roll - Hand Nailable	52	ft
Cobra® RidgeRunner®	70	ft
Cobra® Hip Vent	97	ft
Master Flow® SSB960 Metal Super Slant-Back Roof Vents	15	vent
Master Flow® RV50/R50 Square-Top Roof Vents	18	vent
Master Flow® IR65 Plastic Slant-Back Roof Vents	14	vent
Master Flow® High-Capacity Dome Vents	7	vent
Master Flow® 10' Aluminum Ridge Vent	41	ft
Cobra IntakePro® Rooftop Intake Vent	97	ft
Master Flow® Undereave Intake Vents - 16" x 8"	18	vent

Powered - Roof Mount

	Exhaust (vent)	Cobra IntakePro (ft)	Master Flow 16x8 Intake (vent)
Master Flow® ERV4 Power Attic Vents	3	160	29
Master Flow® ERV5 Power & Wi-Fi Attic Vents	2	134	24
Master Flow® ERV6 Power Attic Vents	2	160	29
Master Flow EZ Cool™ Plug-in Power Attic Vents	2	112	21
Master Flow® GreenMachine™ Solar/Dual-Powered Vents	5	140	26
Master Flow® GreenMachine™ High-Power Solar/Dual-Powered Vents	4	160	29
Master Flow® 12" Wind Turbines	6	158	29
Master Flow® 14" Wind Turbines	4	150	27

Note: The estimated quantity of attic ventilation products in this report is based solely on the total exterior square footage of all roof planes and is meant for estimating purposes only. It is the responsibility of the installer to verify the correct quantity and type of attic ventilation products prior to commencement of work. Installer must always review job-specific attic ventilation needs such as local code requirements, attic floor square footage, roof design, and conditioned spaces under the roof. GAF recommends a minimum of 1 square foot of attic ventilation (evenly split between intake and exhaust) for every 300 square feet of attic floor space. The amount of exhaust ventilation at or near the ridge must never exceed the amount of intake ventilation at or near the soffit. See gaf.com/ventcalculator for details.






FORTIFIED Roof™ Materials

GAF and IBHS have formed an alliance to help make resilient roofing more accessible to homeowners across the country. Below are GAF products that can be used to comply with certain FORTIFIED Roof™ requirements. Use of GAF products listed below does not guarantee FORTIFIED Roof™ designation will be issued.

* Eligibility criteria, terms, and restrictions apply. For details see fortifiedspecs.org. U.S. only. For more information about the GAF and IBHS alliance visit gaf.com/fortified.

	Waste	0%	9%	Suggested 14%	19%
Shingle Products for High Wind and Hurricane Designation					
Timberline HDZ, UHDZ, NS, HDZ RS	bundle	111	121	126	132
Camelot II, Woodland	bundle	145	158	165	173
Grand Sequoia, Grand Sequoia AS/RS	bundle	181	197	206	216
Shingle Products for Hail Supplement					
Timberline HDZ, UHDZ, AS II	bundle	111	121	126	132
Grand Sequoia AS	bundle	181	197	206	216
Fully Adhered Starter					
Quick-Start	roll	9	10	10	11
Sealed Roof Deck					
<i>Option A: Seam tape and underlayment</i>					
Deck Seam Tape	roll	23	25	26	27
Deck-Armor, Tiger Paw, FeltBuster 10 sq	roll	4	4	5	5
<i>Option B: Two-ply underlayment</i>					
Deck-Armor, Tiger Paw, FeltBuster 10 sq	roll	8	8	9	9
Ridge Cap					
Seal-A-Ridge	bundle	11	11	12	12
TimberTex	bundle	13	14	15	15
Z-Ridge	bundle	8	9	9	10
Seal-A-Ridge AS	bundle	11	11	12	12
TimberCrest	box	13	14	15	15
Enhanced Roof Deck Attachment					
Framing Nails 2 3/8 8d ring shank 2k/box	box	3	3	4	4
Nails					
Cap Nails 1 in x .083 ring shank	box	2	2	3	3
Coil Nails 1.25 in	box	2	2	3	3
Drip Edge (minimum 26-gauge for steel)					
Drip Edge 10 ft	piece	29	32	33	35
Drip Edge 8 ft	piece	36	40	41	43

Notes: 1) These approximate quantities are based on estimated measurements and are for guidance purposes only. You should always confirm quantities prior to ordering and ensure you are following local building code requirements. 2) For Timberline, 3 bundles = 0.984 squares. 3) Starter = eaves + rakes. 4) Leak barrier = bends + eaves + flashing + hips + rakes + step + valleys. 5) Ridge cap = hips + ridges. 6) Timberline products applied to 2/12 pitch areas and above. 7) Installed coverage will be less and depend on quantity and width of side and end laps. 8) Seam tape calculation assumes 12LF for every 32SF of sheathing.



[View Online](#)



**Built without
compromise**



High Definition® — Weathered Wood



NEW Bold Definition® — Sierra Sand

Timberline HDZ® Shingles deliver unrivaled beauty with High Definition® and Bold Definition color collections

Gain the trust your business deserves with Timberline HDZ® Shingles, offering industry-first technologies and powerful warranties.* Plus, build your business with two distinct color collections designed to appeal to even more homeowners, elevating the roof's aesthetic while delivering peace of mind.

Visit gaf.com/HDZ to learn more about our #1-selling shingle

A **stanðard** INDUSTRIES COMPANY

* See GAF Shingle & Accessory Limited Warranty for complete coverage and restrictions.

We protect what matters most™

GAF