

SPRINT DOCUMENTATION

Sprint 71 - Deployment Runtime

Local Docker deployment

Publication edition | 2026-08-03

Document Control

Purpose	Enterprise platform overview and buyer evaluation reference
Audience	Business leaders, platform administrators, evaluators, partners, and technical stakeholders
Scope	Capabilities, architecture, security, deployment, adoption, outcomes, and terminology
Source	ServicePro repository documentation; technical meaning preserved

Table of Contents

[Document Control](#)

[Production configuration](#)

[Pre-deployment validation](#)

[Container health](#)

Apply this patch over Sprint 70.

```
docker compose up -d --build
docker compose exec api npm run migrate
docker compose exec api npm run seed:auth
docker compose exec api npm run seed:services
```

Check the API:

```
Invoke-WebRequest http://localhost:3000/healthz
Invoke-WebRequest http://localhost:3000/readyz
```

Production configuration

Use `.env.production.example` as a starting point.

Required production settings:

```
NODE_ENV=production
DATA_STORE=postgres
DATABASE_URL=...
JWT_SECRET=64+ random characters recommended
PORTAL_TOKEN_SECRET=64+ random characters recommended
CORS_ALLOWED_ORIGINS=https://your-real-domain
```

Pre-deployment validation

```
npm run config:check
npm run migrate
npm test
```

Container health

The Dockerfile includes a healthcheck that calls:

```
node scripts/deployment-check.js
```