

SPRINT DOCUMENTATION

Sprint 759 — Continuous Release Integrity Monitoring

Purpose

Publication edition | 2026-08-03

Document Control

Purpose	Enterprise platform overview and buyer evaluation reference
Audience	Business leaders, platform administrators, evaluators, partners, and technical stakeholders
Scope	Capabilities, architecture, security, deployment, adoption, outcomes, and terminology
Source	ServicePro repository documentation; technical meaning preserved

Table of Contents

[Document Control](#)

[Health states](#)

[Incident behavior](#)

[Evidence files](#)

[Commands](#)

[Production scheduling](#)

Sprint 759 continuously evaluates the production-release drift evidence created by Sprint 758 and turns it into an operational health signal.

Health states

- healthy: the current deployment remains aligned;
- degraded: required runtime or trusted evidence is incomplete;
- critical: confirmed release drift exists;
- recovered: a previously non-aligned deployment is aligned again.

Incident behavior

The monitor creates a deterministic incident key from the drift state and release fingerprints.

Repeated evaluations of the same unresolved condition are marked as duplicate incidents and suppressed. A transition from any non-aligned state to aligned is reported as recovery.

Evidence files

Default output files:

- release-evidence/continuous-release-integrity-report.json
- release-evidence/continuous-release-integrity-state.json

The underlying Sprint 758 report remains:

- release-evidence/production-release-drift-report.json

Commands

```
npm run test:sprint759
npm run release:integrity-monitor -- --allow-degraded
```

Strict monitoring exits with code 2 for degraded or critical.

Production scheduling

Run the command from the deployment scheduler, cron service, Render job, or operational monitor at an interval appropriate to the release process.

Do not commit generated release-evidence reports that contain environment-specific deployment metadata.