

SPRINT DOCUMENTATION

Sprint 760 — Release Integrity Quarantine Response

Purpose

Publication edition | 2026-08-03

Document Control

Purpose	Enterprise platform overview and buyer evaluation reference
Audience	Business leaders, platform administrators, evaluators, partners, and technical stakeholders
Scope	Capabilities, architecture, security, deployment, adoption, outcomes, and terminology
Source	ServicePro repository documentation; technical meaning preserved

Table of Contents

[Document Control](#)

[Behavior](#)

[Commands](#)

[Evidence files](#)

Sprint 760 converts the Sprint 759 release-integrity monitoring result into an enforceable deployment quarantine decision.

Behavior

The control quarantines a release when any of the following is true:

- health is critical;
- release integrity status is drifted;
- the upstream control is fail-closed.

When quarantined, the generated response instructs operators and automation to:

- block deployment;
- block promotion;
- require operator review;
- prevent traffic shifting.

A transition from a quarantined state to a valid aligned state is recorded as recovered.

Commands

```
npm run test:sprint760
npm run release:quarantine-check -- --allow-quarantined
```

Strict execution exits with code 3 while quarantined.

Evidence files

- release-evidence/release-integrity-quarantine-report.json
- release-evidence/release-integrity-quarantine-state.json

Generated evidence is environment-specific and should not be committed.