

# Fixed Height Tables

## GSA Price List – March 2025

Includes Compose, Cultivate, Executive Wood, Immerse, Jive, Masters Series, Pip, Planes, PopUp, PREMISE and Reside Tables



This price list is based upon Haworth's February 2025 commercial pricing.

GENERAL SERVICES ADMINISTRATION FEDERAL SUPPLY SERVICE

Authorized Federal Supply Scheduled Price List (Catalog) Office Furniture, Wood Casegoods and Tables

(FSC Group 71, Part I, FSC Classes 7105, 7110, 7125 and 7195)

Contract No: GS-03F-057DA | Contract Period: February 8, 2016 – February 7, 2026 | Business: Large

Contractor: Haworth, Inc. | One Haworth Center | Holland, MI 49423-9576 | 1.616.393.3000



# Electronic Update Page – Fixed Height Tables Price List

- The table below lists all of the updates and addendums added to this price list since the original version was created.
- All **Update** pages will replace the existing pages within the document.
- All **New** pages will be placed at the back of the document.

Link	Date	Pages	Description
<a href="#">Click Here</a>	March 2025	16, 244-268	<b>Update</b> – The Planes Column Base was redesigned and updated.
<a href="#">Click Here</a>	March 2025	24	<b>Update</b> – Correction to Mounting Bracket pricing.
<a href="#">Click Here</a>	May 2025	55, 121, 122, 146, 147,	<b>Update</b> – The Jive C-Leg/T-Leg Flip Base Rectangular Tables have been updated with a new option that features angled feet for in-line nesting of the the tables.
<a href="#">Click Here</a>	May 2025	272, 274, 276	<b>Update</b> – Finish for the Horizontal Leg Rail was clarified.



This Haworth North American price book contains US list prices.

Canadian customers can convert the US list price into their Canadian equivalent by going to [www.Haworth.com/Canada](http://www.Haworth.com/Canada) to find the current Canadian multipliers. These multiplier factors allow you to convert the US list price into a Canadian list price.

**HAWORTH, INC.**  
**GENERAL SERVICES ADMINISTRATION**  
**FEDERAL ACQUISITION SERVICES**

**Authorized Federal Supply Schedule  
Furniture  
(FSC Group 71, FSC Classes 7105, 7110, 7125 and 7195)**

Contract Number:	GS-03F-057DA
Contract Start Date:	February 8, 2016
Contract End Date:	February 7, 2026
Contractor:	HAWORTH, INC. One Haworth Center Holland, MI 49423-9576 1-616-393-3000 <a href="http://www.haworth.com/government">http://www.haworth.com/government</a>
Business Size:	Large

**Information for Ordering Activities  
I-FSS-600**

Online access to Haworth's Authorized Federal Supply Schedule contract ordering information, terms and conditions, and up-to-date product and discount listing can be found at GSA Advantage, eLibrary link [here](#)

**This Page Intentionally Left Blank**

# Fixed Height Tables Price List

Includes pricing, catalog numbers, finish codes/availability, specification requirements, line art, dimensions, and specification tips for Fixed Height Tables.

**Compose Tables**

**Cultivate Tables**

**Immerse Tables and Planter**

**Jive Tables**

**Masters Series Tables**

**Pip Tables**

**Planes Tables**

**Planes Carts**

**Planes Credenzas**

**Planes Conference Tables**

**Planes Conference Table Tops and Support**

**PopUp Tables**

# Table of Contents

---

## Price List

<b>Statement of Line</b>	9	<b>Jive Tables — Post Round Base</b>	73
<b>Compose Tables</b>		Round	75
Round — Post Base	18	Square	77
<b>Cultivate Tables</b>		Pebble	80
Tops — Catalog Logic	19	Rectangle	83
Frames — Catalog Logic	20	Racetrack	85
No Storage	21	Trapezoid	87
For use with Storage	22	Crescent	88
Cultivate Table Frames	23	Half Racetrack	89
Bag Hook	24	Half Pebble	91
Mounting Clip for Flip Top Unit	24		
Mounting Bracket for Enhanced Power Modules	24	<b>Jive Tables — X-Base</b>	90
Wire Management Basket	25	Round	92
Basket Cover	25	Square	94
Vertical Wire Channel - Leg Attached	25	Pebble	96
<b>Immerse — Ledge Tables</b>		Rectangle	98
Rectangle — Painted Legs	26	<b>Jive Tables — Bridge Base</b>	99
Rectangle — Wood Legs	27	Round	100
<b>Immerse — Overlap Tables</b>		Square	104
Rectangle/Rectangle — Painted Legs	28	Pebble	107
Rectangle/Round — Painted Legs	30	Rectangle	110
Racetrack/Round — Painted Legs	31	Racetrack	112
Rectangle/Ledge — Painted Legs	32	Half Racetrack	114
Rectangle/Rectangular — Wood Legs	33	Half Pebble	115
Rectangle/Round — Wood Legs	35	Half Hexagon	118
Racetrack/Round — Wood Legs	36	<b>Jive Tables — C-Leg</b>	119
Rectangle/Ledge — Wood Legs	37	Extruded — Rectangle	121
<b>Immerse — Shift Tables</b>		Round — Rectangle	121
Rectangle/Rectangle — Painted Legs	38	Flip Base (Round or Extruded) — Rectangle	123
Rectangle/Round — Painted Legs	39	<b>Jive Tables — Disc Base</b>	125
Racetrack/Round — Painted Legs	40	Round	126
Rectangle/Rectangular — Wood Legs	41	Square	127
Rectangle/Round — Wood Legs	42	Pebble	128
Racetrack/Round — Wood Legs	43	Rectangle	129
<b>Immerse — Single Tables</b>		<b>Jive Tables — Dual Disc Base</b>	130
Round — Painted Legs	44	Pebble	132
Square — Painted Legs	45	Rectangle	135
Rectangle — Painted Legs	46	Racetrack	136
Racetrack — Painted Legs	47	Extruded — Trapezoid	137
Round — Wood Legs	48	Round — Rectangle	139
Square — Wood Legs	49	Round — Pebble	142
Rectangle — Wood Legs	50	Round — Racetrack	143
Racetrack — Wood Legs	51	Round — Trapezoid	144
<b>Immerse — Stack Table</b>		Flip Base (Round or Extruded) — Rectangle	146
Rectangle — Painted Legs	52	<b>Jive Tables — Swivel Base</b>	148
<b>Immerse — Planters</b>		Square	149
Oblong	53	Rectange	150
Round	54	Trapezoid	151
<b>Jive Tables</b>		Crescent	152
Catalog Logic	55	Corner, Transitional Extended	153
<b>Jive Tables — Post Extruded Base</b>		Corner, Extended	154
Round	56	<b>Masters Series Tables</b>	154
Square	58	Round	155
Pebble	60	<b>Pip Tables</b>	156
Rectangle	63	Catalog Logic	156
Racetrack	66	Personal Laptop	156
Trapezoid	68	Collaborative	156
Crescent	70		
Half Racetrack	71		
Half Pebble	72		

# Table of Contents

## Planes Collaborative Tables

Rectangular — Flip Top Table — Non-Flip Top Table	157
Pebble — Flip Top Table — Non-Flip Top Table	158
Hexagon — Flip Top Table — Non-Flip Top Table	159
Half Round — Flip Top Table — Non-Flip Top Table	160
Polygon — Flip Top Table — Non-Flip Top Table	161
Vertical Wire Management	162
Y-Leg Bumper	162
Ganging Mechanism	162
Ganging Clip	162
Casters	163
Glides	163

<b>Planes Tables — X Base</b>	164
-------------------------------	-----

<b>Planes Tables — Disc Base</b>	166
----------------------------------	-----

## Planes Tables — Dual X Base

Rectangle	168
Hexagon	170
Pebble	172

## Planes Tables — Dual Disc Base

Rectangle	174
Hexagon	176
Pebble	178

## Planes Training Tables

Terminology	180
Catalog Logic	181
Rectangular — Flip Top Table — Non-Flip Top Table	182
Crescent — Flip Top Table — Non-Flip Top Table	184
Trapezoid — Flip Top Table — Non-Flip Top Table	185
Polygon — Flip Flop Table — Non-Flip Top Table	186
Pie Connector	187
Modesty Panels	188
Single Circuit Corded Base Feed — for use with 2-Circuit, 20 Amp	190
Hardwire Modular Base Feed — 2-Circuit	190
Wall Feed — 2-Circuit	190
Pass-Through Connector — 2-Circuit	191
Modular Power Kits — 2-Circuit	192
Receptacles — 15 Amp 2-Circuit	193
Receptacle Block Connector	193
Four-Port Splitter	194
Mounting Bracket — Receptacle	194
Quick Connect Two Power — Flip Top Unit with Smooth Bezel	195
Quick Connect Two Power — Flip Top Unit with Smooth Bezel — Starter Box	197
Quick Connect Two Power — Flip Top Unit with Smooth Bezel — Pass-Through Connector	197
Quick Connect Two Power — Flip Top Unit with Smooth Bezel — Starter Box Bracket	198
Quick Connect Two Power — Flip Top Unit with Smooth Bezel — Wire Manager Clips	198
Ganging Mechanism	199
Casters	199
Glides	199
Wire Manager Clips	200
Vertical Wire Manager	200
Grommet	200

## Planes Cart

Small Media	201
Medium Media	201
Catering	202
Podium	202

## Planes Credenza Bases and Tops

19"H	203
With Slider Unit — 29"H	204
With Slider Unit — 35"H	206
29"H	208
With Slider Unit — 39"H	209
With Slider Unit — 45"H	211
Credenza Top	213
Grommet	213

## Planes Conference Tables

Interior Leg — Round, Square, Rectangular	214
Interior Leg — Half Round	216
Interior Leg — Polygon	217
Interior Leg — Rectangular	218
Interior Leg — Pebble — One-Piece Top	220
Interior Leg — Hexagon — One-Piece Top	222
Interior Leg — Rectangular — Two-Piece Top	224
Interior Leg — Pebble — Two-Piece Top	226
Interior Leg — Hexagon — Two-Piece Top	228
Interior Leg — Rectangular — Three-Piece Top	230
Interior Leg — Pebble — Three-Piece Top	232
Interior Leg — Hexagon — Three-Piece Top	234
Perimeter Leg — Square, Rectangular — 2"(51mm) Edge	236
Perimeter Leg — Rectangular — 2"(51mm) Edge	238
Perimeter Leg — Rectangular — 2"(51mm) Edge — Two-Piece Top	240
Perimeter Leg — Rectangular — 2"(51mm) Edge — Three-Piece Top	242

## Planes Conference Table Tops

Catalog Logic — for use with Column Base	244
Component Specification Overview	245
Round, Square, Pebble (for use with Column Base)	247
Rectangle (for use with Column Base)	248
Pebble (for use with Column Base)	251
Hexagon (for use with Column Base)	254

## Planes Conference End Supported Top

Catalog Logic	257
Component Specification Overview	258
D-Shape Convergent (for use with Column Base)	260
Rectangular Conference End (for use with Column Base)	261
Key Conference (for use with Column Base)	262
(for use with End Supported Top)	263
Square and Round	264
Planes Conference Table Column Base J-Channel	265
Planes Conference Table Column Base J-Channel Tray	265
Wall Mount Bracket	266
Side/Corner Bracket	266
Side Bracket for use with Knife Edge	266

## Planes Conference Table Accessories

Cable Base	267
Cable Column	267
Cable Reel	268
Cable Reel Bracket	268
Belong View — Table Mount With Shroud	269
Belong View — Table Mount Without Shroud	269
Belong View — Table Mount With Shroud Dual Monitor	270
Belong View — Table Mount Without Shroud Dual Monitor	270

## PopUp Tables

Catalog Logic	271
Rectangle	272
Oval (Rectangular Radius Corner)	274
Racetrack	276
Accent Plate	278
Vertical Wire Channel — Leg Attached	278

# Table of Contents

---

## Resources


### Fabrics and Finishes

Compose Table .....	652
Cultivate Table .....	653
Immerse Table .....	654
Jive Table .....	655
Masters Series Table .....	656
Pip Table .....	657
Planes Table .....	658
PopUp Table .....	660
<b>Index .....</b>	<b>661</b>
<b>Lifetime Product Warranty .....</b>	Inside Back Cover


# Statement of Line

## Compose Tables

Page 18



Round — Post Base -  
Laminate




Round — Post Base -  
Wood

## Cultivate Tables


Pages 21-25




No Storage




With Storage - 3 High



With Storage - 2 High




Seated Height




Standing Height




Bag Hook




Mounting Clip for Flip Top  
Unit




Mounting Bracket for  
Enhanced Power Modules



Wire Management Basket



Basket Cover



Vertical Wire Channel - Leg  
Attached

## Immerse Tables

Pages 26-54



Ledge Table  
Rectangle  
Painted Legs



Ledge Table  
Rectangle  
Wood Legs



Overlap Table  
Rectangle/Rectangle  
Painted Legs



Overlap Table  
Rectangle/Round  
Painted Legs



Overlap Table  
Racetrack/Round  
Painted Legs



Overlap Table  
Rectangle/Ledge  
Painted Legs



Overlap Table  
Rectangle/Rectangle  
Wood Legs



Overlap Table  
Rectangle/Round  
Wood Legs



Overlap Table  
Racetrack/Round  
Wood Legs




Overlap Table  
Rectangle/Ledge  
Wood Legs

# Statement of Line

## Immerse Tables (cont'd)

Pages 26-54



Planter — Oblong

Planter — Round


# Statement of Line

## Jive Tables

Pages 56-153



Post Extruded Base —  
Round



Post Extruded Base —  
Square



Post Extruded Base —  
Pebble  
(Symmetrical)



Post Extruded Base —  
Pebble  
(Asymmetrical)




Post Extruded Base —  
Rectangle




Post Extruded Base —  
Racetrack



Post Extruded Base —  
Trapezoid



Post Extruded Base —  
Crescent




Post Extruded Base —  
Half Racetrack



Post Extruded Base —  
Half Pebble



Post Round Base —  
Round




Post Round Base —  
Square



Post Round Base —  
Pebble  
(Symmetrical)



Post Round Base —  
Pebble  
(Asymmetrical)




Post Round Base —  
Rectangle



Post Round Base —  
Racetrack




Post Round Base —  
Trapezoid



Post Round Base —  
Crescent




Post Round Base —  
Half Racetrack



Post Round Base —  
Half Pebble




X-Base —  
Round  
(Power)



X-Base —  
Round  
(No Power)



X-Base —  
Square  
(Power)



X-Base —  
Square  
(No Power)



X-Base —  
Pebble  
(Power)



X-Base —  
Pebble  
(No Power)



X-Base —  
Rectangular  
(Power)



X-Base —  
Rectangular  
(No Power)



Bridge Base —  
Round




Bridge Base —  
Square

# Statement of Line

## Jive Tables (cont'd)

Pages 56-153



# Statement of Line

## Masters Series Tables

Page 154



Round

## Pip Tables

Page 156



Personal Laptop Table



Collaborative Table

## Planes Collaborative Tables

Pages 157-163



Y-Leg — Rectangular —  
Flip Top or Non-Flip Top



Y-Leg — Pebble —  
Flip Top or Non-Flip Top



Y-Leg — Hexagon —  
Flip Top or Non-Flip Top




Y-Leg — Half Round —  
Flip Top or Non-Flip Top




Y-Leg — Polygon —  
Flip Top or Non-Flip Top




Vertical Wire  
Management



Y-Leg Bumper




Ganging Mechanism



Ganging Clip




Casters




Glides

## Planes Tables


Pages 164-178




Round — X Base




Square — X Base




Pebble — X Base



Round — Disc Base



Square — Disc Base



Pebble — Disc Base




Rectangle — Dual X Base




Hexagon — Dual X Base



Pebble — Dual X Base



Rectangle —  
Dual Disc Base



Hexagon — Dual Disc Base



Pebble — Dual Disc Base

## Planes Training Tables

Pages 182-200



Rectangular




Crescent




Trapezoid



Polygon



Pie Connector




Modesty Panels

# Statement of Line


## Planes Training Tables (cont'd)

Pages 182-200



## Planes Carts

Pages 201-202






# Statement of Line

## Planes Conference Table Tops and Support

Pages 247-270



# Statement of Line

---

## PopUp Tables

Pages 272-278



**Rectangle**  
Laminate or Wood




**Oval — Rectangle  
Radius Corner**  
Laminate or Wood



**Racetrack**  
Laminate or Wood




**Accent Plate**



**Vertical Wire Channel —  
Leg Attached**

# Compose Table

## Round — Post Base



TZRN-L  
TZRN-W  
Class CAO

## Features

- Includes top and four post legs with glides.
  - Height adjustable- 26"(660mm)-32"(813mm) in 0.5"(13mm) increments.

**To Order, Specify:**

- 1) Product number, including:

## ① Edge Option:

- J** Edgeband (Laminate)
  - F** Knife (Laminate)
  - K** Edgeband (Wood)
  - U** Knife (Wood)


- 2) Laminate surface color or wood finish color..
  - 3) Edge trim color (laminate only).
  - 4) Base trim color.

**Note:** \$26.42 upcharge list for Metallic and accent trim color.

# Cultivate Table

# Tops


# Catalog Logic



# Cultivate Table


## Frames

### Catalog Logic



# Cultivate Table Tops

## No Storage



TYRA-LJSN  
TYRA-WKSN  
TYRA-LJMN  
TYRA-WKMN  
Class CAO

### Features

- Includes pre-drilled 1.18"(30mm) or 2"(51mm) thick top.
- High-Pressure Laminate (HPL) top with 3mm edgeband or wood veneer top with 3mm wood edgeband.

### Specification Tips

- Tops are allowed to overhang the frame width and depth.
- 60"(1524mm), 72"(1829mm), 84"(2134mm) and 96"(2438mm) tops are flush to the frame. 108"(2743mm) and 120"(3048mm) tops will overhang the frame by 12"(305mm) on each side.
- Cutouts are optional. If specified they are factory installed.
- Each cutout requires a separately specified Flush Mount or Flip Top Double-Sided Unit power module.
- All other power options require field modification.
- These top sizes are not dimensioned for use with storage.
- Separately specified:
  - Frame
  - Horizontal and Vertical Wire Management
  - Power and Data Components
  - Accessories

### To Order, Specify:

1) Product number, including:

**1 Surface Option:**

L Laminate

W Wood

**2 Edge Option:**

J Edgeband (Laminate)

K Edgeband (Wood)

**3 Cutout Option:**

N No Cutout

X Center, Flush Mount Power/4 ports (add \$47.43 list)

Z Center, Flush Mount Power/6 ports (add \$47.43 list)

M Center, Flip Top Double-Sided/8 ports (add \$47.43 list)

Q Center, Flip Top Double-Sided/12 ports (add \$47.43 list)



2) Laminate surface color or Wood surface color.

3) Edge trim color (laminate only).

No. of Pieces	Depth	Top Width	Pre-drilled for Frame Width	Number	HPL			Wood	
					1	2	3	A	B
<b>1.18"(30mm) Thick Top</b>									
1	36"(914mm)	60"(1524mm)	60"(1524mm)	TYRA-3660-	<input type="checkbox"/>	<input type="checkbox"/> S <input type="checkbox"/>	\$ 477.95	\$ 589.07	\$ 919.13 <input type="checkbox"/> \$1024.92
1	72"(1829mm)	72"(1829mm)	72"(1829mm)	TYRA-3672-	<input type="checkbox"/>	<input type="checkbox"/> S <input type="checkbox"/>	536.00	651.83	1000.28 <input type="checkbox"/> 1120.41
1	84"(2134mm)	84"(2134mm)	84"(2134mm)	TYRA-3684-	<input type="checkbox"/>	<input type="checkbox"/> S <input type="checkbox"/>	594.05	714.59	1081.43 <input type="checkbox"/> 1215.90
1	96"(2438mm)	96"(2438mm)	96"(2438mm)	TYRA-3696-	<input type="checkbox"/>	<input type="checkbox"/> S <input type="checkbox"/>	652.10	777.35	1162.58 <input type="checkbox"/> 1311.39
1	108"(2743mm)	84"(2134mm)	84"(2134mm)	TYRA-36A8-	<input type="checkbox"/>	<input type="checkbox"/> S <input type="checkbox"/>	710.15	840.11	1243.73 <input type="checkbox"/> 1406.88
1	120"(3048mm)	96"(2438mm)	96"(2438mm)	TYRA-36C0-	<input type="checkbox"/>	<input type="checkbox"/> S <input type="checkbox"/>	768.20	902.87	1324.88 <input type="checkbox"/> 1502.37
1	42"(1067mm)	60"(1524mm)	60"(1524mm)	TYRA-4260-	<input type="checkbox"/>	<input type="checkbox"/> S <input type="checkbox"/>	\$ 516.65	\$ 630.91	\$ 973.23 <input type="checkbox"/> \$1088.58
1	72"(1829mm)	72"(1829mm)	72"(1829mm)	TYRA-4272-	<input type="checkbox"/>	<input type="checkbox"/> S <input type="checkbox"/>	594.05	714.59	1081.43 <input type="checkbox"/> 1215.90
1	84"(2134mm)	84"(2134mm)	84"(2134mm)	TYRA-4284-	<input type="checkbox"/>	<input type="checkbox"/> S <input type="checkbox"/>	652.10	777.35	1162.58 <input type="checkbox"/> 1311.39
1	96"(2438mm)	96"(2438mm)	96"(2438mm)	TYRA-4296-	<input type="checkbox"/>	<input type="checkbox"/> S <input type="checkbox"/>	729.50	861.03	1270.78 <input type="checkbox"/> 1438.71
1	108"(2743mm)	84"(2134mm)	84"(2134mm)	TYRA-42A8-	<input type="checkbox"/>	<input type="checkbox"/> S <input type="checkbox"/>	966.25	1102.49	1530.63 <input type="checkbox"/> 1712.90
1	120"(3048mm)	96"(2438mm)	96"(2438mm)	TYRA-42C0-	<input type="checkbox"/>	<input type="checkbox"/> S <input type="checkbox"/>	1043.65	1186.17	1638.83 <input type="checkbox"/> 1840.22
<b>2"(51mm) Thick Top</b>									
1	36"(914mm)	60"(1524mm)	60"(1524mm)	TYRA-3660-	<input type="checkbox"/>	<input type="checkbox"/> M <input type="checkbox"/>	\$ 1073.59	\$ 1184.71	N/A <input type="checkbox"/> N/A
1	72"(1829mm)	72"(1829mm)	72"(1829mm)	TYRA-3672-	<input type="checkbox"/>	<input type="checkbox"/> M <input type="checkbox"/>	1131.64	1247.47	N/A <input type="checkbox"/> N/A
1	84"(2134mm)	84"(2134mm)	84"(2134mm)	TYRA-3684-	<input type="checkbox"/>	<input type="checkbox"/> M <input type="checkbox"/>	1189.69	1310.23	N/A <input type="checkbox"/> N/A
1	96"(2438mm)	96"(2438mm)	96"(2438mm)	TYRA-3696-	<input type="checkbox"/>	<input type="checkbox"/> M <input type="checkbox"/>	1247.74	1372.99	N/A <input type="checkbox"/> N/A
1	108"(2743mm)	84"(2134mm)	84"(2134mm)	TYRA-36A8-	<input type="checkbox"/>	<input type="checkbox"/> M <input type="checkbox"/>	1305.79	1435.75	N/A <input type="checkbox"/> N/A
1	120"(3048mm)	96"(2438mm)	96"(2438mm)	TYRA-36C0-	<input type="checkbox"/>	<input type="checkbox"/> M <input type="checkbox"/>	1363.84	1498.51	N/A <input type="checkbox"/> N/A
1	42"(1067mm)	60"(1524mm)	60"(1524mm)	TYRA-4260-	<input type="checkbox"/>	<input type="checkbox"/> M <input type="checkbox"/>	\$ 1112.29	\$ 1226.55	N/A <input type="checkbox"/> N/A
1	72"(1829mm)	72"(1829mm)	72"(1829mm)	TYRA-4272-	<input type="checkbox"/>	<input type="checkbox"/> M <input type="checkbox"/>	1189.69	1310.23	N/A <input type="checkbox"/> N/A
1	84"(2134mm)	84"(2134mm)	84"(2134mm)	TYRA-4284-	<input type="checkbox"/>	<input type="checkbox"/> M <input type="checkbox"/>	1247.74	1372.99	N/A <input type="checkbox"/> N/A
1	96"(2438mm)	96"(2438mm)	96"(2438mm)	TYRA-4296-	<input type="checkbox"/>	<input type="checkbox"/> M <input type="checkbox"/>	1325.14	1456.67	N/A <input type="checkbox"/> N/A
1	108"(2743mm)	84"(2134mm)	84"(2134mm)	TYRA-42A8-	<input type="checkbox"/>	<input type="checkbox"/> M <input type="checkbox"/>	1561.89	1698.13	N/A <input type="checkbox"/> N/A
1	120"(3048mm)	96"(2438mm)	96"(2438mm)	TYRA-42C0-	<input type="checkbox"/>	<input type="checkbox"/> M <input type="checkbox"/>	1639.29	1781.81	N/A <input type="checkbox"/> N/A

# Cultivate Table Tops

## For use with Storage



TYRA-LJSN  
TYRA-WKSN  
TYRA-LJMN  
TYRA-WKMN  
Class CL

### Features

- Includes pre-drilled 1.18"(30mm) or 2"(51mm) thick top. Two-piece top comes with attachment hardware.
- High-Pressure Laminate (HPL) top with 3mm edgeband or wood veneer top with 3mm wood edgeband.
- Table top seams on two-piece tops:  
-1.18"(30mm) thick tops have 1mm edgeband seam  
-2"(51mm) thick tops have a 3mm edgeband seam

### Specification Tips

- Tops are allowed to overhang the frame. See Specification Guide for guidelines.
- Overhang of 19"(483mm) require storage support.
- Cutouts are optional. If specified they are factory installed.
- Each cutout requires a separately specified Flush Mounted or Flip Top Double-Sided Unit power module.
- All other power options require field modification.
- Tops are dimensioned to be used with X Series 18.75"(476mm) depth with 36"(914mm) or 42"(1067mm) width, 2H for seated height. 3H for standing height.
- Storage on 1 side has 19"(483mm) overhang and the other side is flush to frame. Storage on 2 side has 19"(483mm) overhang on each side.
- Separately specified:  
-Frame  
-Storage  
-Horizontal and Vertical Wire Management  
-Power and Data Components  
-Accessories

### To Order, Specify:

- 1) Product number, including:

**1 Surface Option:**

L Laminate

W Wood

**2 Edge Option:**

J Edgeband (Laminate)

K Edgeband (Wood)

**3 Cutout Option:**

N No Cutout

X Center, Flush Mount Power/4 ports (add \$47.43 list)

Z Center, Flush Mount Power/6 ports (add \$47.43 list)

M Center, Flip Top Double-Sided/8 ports (add \$47.43 list)



Q Center, Flip Top Double-Sided/12 ports (add \$47.43 list)

- 2) Laminate surface color or Wood surface color.

- 3) Edge trim color (laminate only).

No. of Pieces	Depth	Top Width	Frame Width	Number	Pre-drilled for			HPL A	HPL B	Wood A	Wood B
					①	②	③				
<b>Storage on 1 side 1.18"(30mm) Thick Top</b>											
1	36"(914mm)	79"(2007mm)	60"(1524mm)	TYRA-3679-	<input type="checkbox"/> S	<input type="checkbox"/> S	<input type="checkbox"/> S	\$ 574.70	\$ 693.67	\$ 1054.38	\$ 1184.07
1	91"(2311mm)	72"(1829mm)	TYRA-3691-	<input type="checkbox"/> S	<input type="checkbox"/> S	<input type="checkbox"/> S	<input type="checkbox"/> S	632.75	756.43	1135.53	1279.56
1	103"(2616mm)	84"(2134mm)	TYRA-36A3-	<input type="checkbox"/> S	<input type="checkbox"/> S	<input type="checkbox"/> S	<input type="checkbox"/> S	690.80	819.19	1216.68	1375.05
1	115"(2921mm)	96"(2438mm)	TYRA-36B5-	<input type="checkbox"/> S	<input type="checkbox"/> S	<input type="checkbox"/> S	<input type="checkbox"/> S	748.85	881.95	1297.83	1470.54
1	42"(1067mm)	79"(2007mm)	TYRA-4279-	<input type="checkbox"/> S	<input type="checkbox"/> S	<input type="checkbox"/> S	<input type="checkbox"/> S	\$ 632.75	\$ 756.43	\$ 1135.53	\$ 1279.56
1	91"(2311mm)	72"(1829mm)	TYRA-4291-	<input type="checkbox"/> S	<input type="checkbox"/> S	<input type="checkbox"/> S	<input type="checkbox"/> S	710.15	840.11	1243.73	1406.88
1	103"(2616mm)	84"(2134mm)	TYRA-42A3-	<input type="checkbox"/> S	<input type="checkbox"/> S	<input type="checkbox"/> S	<input type="checkbox"/> S	768.20	902.87	1324.88	1502.37
1	115"(2921mm)	96"(2438mm)	TYRA-42B5-	<input type="checkbox"/> S	<input type="checkbox"/> S	<input type="checkbox"/> S	<input type="checkbox"/> S	1024.30	1165.25	1611.78	1808.39
<b>Storage on 1 side 2"(51mm) Thick Top</b>											
1	36"(914mm)	79"(2007mm)	60"(1524mm)	TYRA-3679-	<input type="checkbox"/> M	<input type="checkbox"/> M	<input type="checkbox"/> M	\$ 1170.34	\$ 1289.31	N/A	N/A
1	91"(2311mm)	72"(1829mm)	TYRA-3691-	<input type="checkbox"/> M	<input type="checkbox"/> M	<input type="checkbox"/> M	<input type="checkbox"/> M	1228.39	1352.07	N/A	N/A
1	103"(2616mm)	84"(2134mm)	TYRA-36A3-	<input type="checkbox"/> M	<input type="checkbox"/> M	<input type="checkbox"/> M	<input type="checkbox"/> M	1286.44	1414.83	N/A	N/A
1	115"(2921mm)	96"(2438mm)	TYRA-36B5-	<input type="checkbox"/> M	<input type="checkbox"/> M	<input type="checkbox"/> M	<input type="checkbox"/> M	1344.49	1477.59	N/A	N/A
1	42"(1067mm)	79"(2007mm)	TYRA-4279-	<input type="checkbox"/> M	<input type="checkbox"/> M	<input type="checkbox"/> M	<input type="checkbox"/> M	\$ 1228.39	\$ 1352.07	N/A	N/A
1	91"(2311mm)	72"(1829mm)	TYRA-4291-	<input type="checkbox"/> M	<input type="checkbox"/> M	<input type="checkbox"/> M	<input type="checkbox"/> M	1305.79	1435.75	N/A	N/A
1	103"(2616mm)	84"(2134mm)	TYRA-42A3-	<input type="checkbox"/> M	<input type="checkbox"/> M	<input type="checkbox"/> M	<input type="checkbox"/> M	1363.84	1498.51	N/A	N/A
1	115"(2921mm)	96"(2438mm)	TYRA-42B5-	<input type="checkbox"/> M	<input type="checkbox"/> M	<input type="checkbox"/> M	<input type="checkbox"/> M	1619.94	1760.89	N/A	N/A
<b>Storage on 2 sides 1.18"(30mm) Thick Top</b>											
1	36"(914mm)	98"(2489mm)	60"(1524mm)	TYRA-3698-	<input type="checkbox"/> S	<input type="checkbox"/> S	<input type="checkbox"/> S	\$ 652.10	\$ 777.35	\$ 1162.58	\$ 1311.39
1	110"(2794mm)	72"(1829mm)	TYRA-36B0-	<input type="checkbox"/> S	<input type="checkbox"/> S	<input type="checkbox"/> S	<input type="checkbox"/> S	710.15	840.11	1243.73	1406.88
2	122"(3099mm)	84"(2134mm)	TYRA-36C2-	<input type="checkbox"/> S	<input type="checkbox"/> S	<input type="checkbox"/> S	<input type="checkbox"/> S	917.10	1051.77	1473.78	1651.27
2	134"(3404mm)	96"(2438mm)	TYRA-36D4-	<input type="checkbox"/> S	<input type="checkbox"/> S	<input type="checkbox"/> S	<input type="checkbox"/> S	975.15	1114.53	1554.93	1746.76
1	42"(1067mm)	98"(2489mm)	60"(1524mm)	TYRA-4298-	<input type="checkbox"/> S	<input type="checkbox"/> S	<input type="checkbox"/> S	\$ 748.85	\$ 881.95	\$ 1297.83	\$ 1470.54
1	110"(2794mm)	72"(1829mm)	TYRA-42B0-	<input type="checkbox"/> S	<input type="checkbox"/> S	<input type="checkbox"/> S	<input type="checkbox"/> S	985.60	1123.41	1557.68	1744.73
2	122"(3099mm)	84"(2134mm)	TYRA-42C2-	<input type="checkbox"/> S	<input type="checkbox"/> S	<input type="checkbox"/> S	<input type="checkbox"/> S	1211.90	1355.99	1814.78	2020.95
2	134"(3404mm)	96"(2438mm)	TYRA-42D4-	<input type="checkbox"/> S	<input type="checkbox"/> S	<input type="checkbox"/> S	<input type="checkbox"/> S	1269.95	1418.75	1895.93	2116.44
<b>Storage on 2 sides 2"(51mm) Thick Top</b>											
1	36"(914mm)	98"(2489mm)	60"(1524mm)	TYRA-3698-	<input type="checkbox"/> M	<input type="checkbox"/> M	<input type="checkbox"/> M	\$ 1247.74	\$ 1372.99	N/A	N/A
1	110"(2794mm)	72"(1829mm)	TYRA-36B0-	<input type="checkbox"/> M	<input type="checkbox"/> M	<input type="checkbox"/> M	<input type="checkbox"/> M	1305.79	1435.75	N/A	N/A
2	122"(3099mm)	84"(2134mm)	TYRA-36C2-	<input type="checkbox"/> M	<input type="checkbox"/> M	<input type="checkbox"/> M	<input type="checkbox"/> M	1803.13	1937.80	N/A	N/A
2	134"(3404mm)	96"(2438mm)	TYRA-36D4-	<input type="checkbox"/> M	<input type="checkbox"/> M	<input type="checkbox"/> M	<input type="checkbox"/> M	1861.18	2000.56	N/A	N/A
1	42"(1067mm)	98"(2489mm)	60"(1524mm)	TYRA-4298-	<input type="checkbox"/> M	<input type="checkbox"/> M	<input type="checkbox"/> M	\$ 1344.49	\$ 1477.59	N/A	N/A
1	91"(2311mm)	72"(1829mm)	TYRA-42B0-	<input type="checkbox"/> M	<input type="checkbox"/> M	<input type="checkbox"/> M	<input type="checkbox"/> M	1581.24	1719.05	N/A	N/A
2	122"(3099mm)	84"(2134mm)	TYRA-42C2-	<input type="checkbox"/> M	<input type="checkbox"/> M	<input type="checkbox"/> M	<input type="checkbox"/> M	2097.93	2242.02	N/A	N/A
2	134"(3404mm)	96"(2438mm)	TYRA-42D4-	<input type="checkbox"/> M	<input type="checkbox"/> M	<input type="checkbox"/> M	<input type="checkbox"/> M	2155.98	2304.78	N/A	N/A

# Cultivate Table Frames



TYBA-NNNNNG4A  
TYBA-NNNNNG7A

Class CL

## Features

- Includes painted metal frame with two fixed-height leg assemblies, foot rail(s), support beam and attachment hardware.
- Seated height frame is standard with one foot rail.
- Standing height frame is standard with two foot rails.
- Glide adjustment 1.18"(30mm).

## To Order, Specify:

- Product number.
- Frame finish.


## Specification Tips

- Tops are allowed to overhang the frame. 18"(457mm) maximum overhang per side on width or depth is allowed. See specification Guide for guidelines.
- Separately specified:
  - Top
  - Storage
  - Horizontal and Vertical Wire Management
  - Power and Data Components
  - Accessories
- Structural frame provides a foundation for COM options, contact Tailored Solutions for feasibility.

Height	Depth	Width	Number	Trim A	Trim B
<b>Seated Height</b>					
28"(711mm)	36"(914mm)	60"(1524mm)	TYBA-3660-NNNNNG4A	\$ 1881.30	\$ 1942.02
		72"(1829mm)	TYBA-3672-NNNNNG4A	1990.50	2051.22
		84"(2134mm)	TYBA-3684-NNNNNG4A	2099.70	2160.42
		96"(2438mm)	TYBA-3696-NNNNNG4A	2208.90	2269.62
42"(1067mm)	60"(1524mm)	TYBA-4260-NNNNNG4A	\$ 1926.96	\$ 1987.68	
	72"(1829mm)	TYBA-4272-NNNNNG4A	2036.16	2096.88	
	84"(2134mm)	TYBA-4284-NNNNNG4A	2145.36	2206.08	
	96"(2438mm)	TYBA-4296-NNNNNG4A	2254.56	2315.28	
<b>Standing Height</b>					
40"(1016mm)	36"(914mm)	60"(1524mm)	TYBA-3660-NNNNNG7A	\$ 2191.14	\$ 2251.86
		72"(1829mm)	TYBA-3672-NNNNNG7A	2300.34	2361.06
		84"(2134mm)	TYBA-3684-NNNNNG7A	2409.54	2470.26
		96"(2438mm)	TYBA-3696-NNNNNG7A	2518.74	2579.46
42"(1067mm)	60"(1524mm)	TYBA-4260-NNNNNG7A	\$ 2236.80	\$ 2297.52	
	72"(1829mm)	TYBA-4272-NNNNNG7A	2346.00	2406.72	
	84"(2134mm)	TYBA-4284-NNNNNG7A	2455.20	2515.92	
	96"(2438mm)	TYBA-4296-NNNNNG7A	2564.40	2625.12	

# Cultivate Table Accessories

## Bag Hook



KUWH-0202  
Class YA

### Features

- Includes one hook and attachment hardware.
- Hook will swivel if plastic washers are installed.

### Specification Tips


- Attaches to the bottom of the 1.18"(30mm) and 2"(51mm) thick top.
- Weight Limit 50 lbs max.

### To Order, Specify:

- Product number.
- Trim color.

Number	Trim	
	A	B
KUWH-0202	\$59.92	\$67.80

## Mounting Clip for Flip Top Unit




EUMC-0201  
Class YA - GSA: Open Market

### Features

- Includes twelve brackets.
- For mounting Flip Top Unit in 2"(51mm) hollow core top.
- Four brackets required per Flip Top Unit.
- Required for Flip Top Unit on the 2"(51mm) core worksurface.

Height	Width	Number	Price
2"(51mm)	0.5"(13mm)	EUMC-0201	\$161.68

## Mounting Bracket for Enhanced Power Modules



EUDB-0000  
Class YA - GSA: Open Market

### Features

- Includes bracket and mounting hardware.
- For use with 3, 4 or 6 port Enhanced Power Modules or 2, 3, 4 and 5 port Seamless Enhanced Power Modules.
- Available in black or white.
- Mounts to the bottom of worksurface placing face of an Enhanced Power Module below perimeter tubing.


### Specification Tips

- Specify Enhanced Power Module separately.
- Requires field installation.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

Description	Height	Width	Length	Number	Price
Black Bracket	1.75"(44mm)	2"(51mm)	3.38"(86mm)	EUDB-0000-BB	\$89.96
White Bracket				EUDB-0000-BW	\$89.96

# Cultivate Table Wire Management

## Wire Management Basket



TAWB  
Class TA - GSA: Open Market

### Features

- Includes one basket, four brackets and attachment hardware.
- Standard in black.
- Basket is 8.5"(216mm)D x 3.5"(89mm)H. With mounting hardware overall height is 4.94"(125mm) and depth is 10.82"(275mm).
- Accessible from both sides.
- Basket detaches without tools.

### Specification Tips


- Verify mounting clearance with table understructure.
- Separately specify covers.

### To Order, Specify:

- Product number.  
(No finish specification required.)

Width	Number	Price
18"(457mm)	TAWB-0918	\$180.24
24"(610mm)	TAWB-0924	189.28
36"(914mm)	TAWB-0936	207.29

## Basket Cover



TABC (Two covers shown)  
Class TA - GSA: Open Market

### Feature

- Includes one painted cover.

### Specification Tips

- Designed to be used with wire management basket. Up to two can be installed.
- Order to match wire management basket width.


### To Order, Specify:

- Product number.
- Trim color.

**Note: \$15.79** upcharge list for Metallic and Accent trim colors.

Width	Number	Price
18"(457mm)	TABC-0918	\$ 49.78
24"(610mm)	TABC-0924	66.83
36"(914mm)	TABC-0936	100.81

## Vertical Wire Channel - Leg Attached



TYVW  
Class CL - GSA: Open Market

### Feature

- Includes wire manager and attachment screws.

### Specification Tips

- Order correct model for table height.
- Add additional Vertical Wire Channels if cord number exceeds three cords.
- Accommodates 2-3 cords/cables (depending on cable diameter) or one 0.5"(13mm) Flexible Conduit.

### To Order, Specify:

- Product number.
- Trim color.

For Use With	Height	Width	Number	Trim	
				A	B
28" Frame	25.7"(653mm)	1.17"(30mm)	TYVW-2601-P	\$114.85	\$121.62
40" Frame	37.7"(958mm)	1.17"(30mm)	TYVW-3801-P	120.80	130.67

# Immerse — Ledge Table

## Rectangle – Painted Legs



THLD  
Class CL

### Features

- Includes one ledge top, painted understructure and foot rail, four painted metal legs, adjustable glides and hardware.
- High-Pressure Laminate (HPL) or wood veneer 0.5"(13mm) thick top with waterfall edge.
- Ledge top wood has a hardboard laminated core.
- Glides have 0.5"(13mm) height adjustment and are standard in black.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

### Specification Tip

- Power is not available.

### To Order, Specify:

1) Product number, including:

**① Surface Type:**

**L** Laminate

**W** Wood

2) Laminate or wood finish color.

3) Understructure and Foot Rail trim color. Grade B (add **\$62.46** list).

4) Trim color. Grade B (add **\$62.46** list).

Height	Depth	Width	Number ①	HPL		Wood	
				A	B	A	B
36"(914mm)	22"(559mm)	57"(1448mm)	THLD-2257-WSNBG7P	\$4001.47	\$4338.79	\$4315.42	\$4605.57

# Immerse — Ledge Table

## Rectangle - Wood Legs



THLD  
Class CL

### Features

- Includes one ledge top, painted understructure and foot rail, four solid wood legs, adjustable glides and hardware.
- High-Pressure Laminate (HPL) or wood veneer 0.5"(0mm) thick top with waterfall edge.
- Ledge top wood has a hardboard laminated core.
- Glides have 0.5"(0mm) height adjustment and are standard in black.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

### Specification Tips

- Power is not available.

### To Order, Specify:

1) Product number, including:

**1 Surface Type:**

**L** Laminate

**W** Wood

2) Laminate or wood finish color.

3) Understructure and Foot Rail trim color. Grade B (add **\$62.46** list).

4) Wood leg finish.

M7-W43 Ink on Ash -  
no upcharge


M5-W35 Clear on White Oak  
(add **\$212.38** list)

M6-W35 Clear on Walnut  
(add **\$641.92** list)

Height	Depth	Width	Number	HPL		Wood	
				A	B	A	B
36"(914mm)	22"(559mm)	57"(1448mm)	THLD-2257- WSNBG7W	\$5952.71	\$6290.03	\$6266.66	\$6556.81

# Immerse — Overlap Table

## Rectangle/Rectangle – Painted Legs



THRR  
Class CL

### Features

- Includes two tops, painted understructure, six painted metal legs, adjustable glides and hardware.
- Tops: Lower top available in high-pressure laminate (HPL), solid surface and wood veneer with knife edge. Lower top not available painted. Upper top available painted, laminate, solid surface or wood veneer with knife edge.  
-Painted 1.25"(32mm) thick  
-HPL and wood veneer 1.18"(30mm)(30mm) thick  
-Solid surface 1"(25mm) thick
- Solid surface is standard in Cameo White.
- Glides have 0.5"(13mm) height adjustment and are standard in black.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

### Specification Tips

- Power only available in the upper top.
- Separately specified power available. Use Oblong Planter (EHPO-\_\_\_\_).
- When cutout option (-U) is selected, the cutout is on the upper top only.
- Overlap of top and bottom surfaces is 18.5"(470mm).
- Seating capacity of 11 based upon 27"(686mm) per chair.
- Tops share one understructure and are not designed to be separated.

### Lower Top Dimensions

Height	Depth	Width
29"(737mm)	60"(1524mm)	78"(1981mm)
37.5"(953mm)	60"(1524mm)	78"(1981mm)

### Upper Top Dimensions

Height	Depth	Width
30.5"(775mm)	48"(1219mm)	96"(2438mm)
39"(991mm)	48"(1219mm)	96"(2438mm)

### To Order, Specify:

- 1) Product number, including:

**1 Cutout Option:**

- N No Cutout  
 U Cutout - Upper Top  
(add \$184.71 list)

- 2) Lower surface finish/color.

- 3) Edge trim color (laminate only).

- 4) Upper surface finish/color.

- 5) Edge trim color (laminate only).

- 6) Understructure trim color.  
Grade B (add \$60.06 list).

- 7) Trim color. Grade B (add \$60.06 list).


# Immerse — Overlap Table

## Rectangle/Rectangle – Painted Legs

Overall Width	Number	①	Upper Top		Trim		Wood		Solid Surface
			HPL A	B	A	B	A	B	
<b>Laminate Grade A Lower Top - 29"(737mm)H</b>									
156"(3962mm)	THRR-60F6-MFS	EGBP	N/A	N/A	\$12565.19	\$12596.72	N/A	N/A	N/A
	THRR-60F6-LFS	EGBP	\$ 9898.95	\$ 10246.79	N/A	N/A	N/A	N/A	N/A
	THRR-60F6-JFS	EGBP	N/A	N/A	N/A	N/A	N/A	N/A	\$ 28531.91
	THRR-60F6-QFS	EGBP	N/A	N/A	N/A	N/A	\$ 12511.43	\$ 13532.87	N/A
<b>Laminate Grade A Lower Top - 37.5"(953mm)H</b>									
156"(3962mm)	THRR-60F6-MFS	EGCP	N/A	N/A	\$12795.05	\$12826.58	N/A	N/A	N/A
	THRR-60F6-LSS	EGCP	\$ 10128.81	\$ 10476.65	N/A	N/A	N/A	N/A	N/A
	THRR-60F6-JFS	EGCP	N/A	N/A	N/A	N/A	N/A	N/A	\$ 28761.77
	THRR-60F6-QFS	EGCP	N/A	N/A	N/A	N/A	\$ 12741.29	\$ 13762.73	N/A
<b>Laminate Grade B Lower Top - 29"(737mm)H</b>									
156"(3962mm)	THRR-60F6-MFS	EGBP	N/A	N/A	\$ 12916.95	\$12948.48	N/A	N/A	N/A
	THRR-60F6-LFS	EGBP	\$ 10250.71	\$ 10598.55	N/A	N/A	N/A	N/A	N/A
	THRR-60F6-JFS	EGBP	N/A	N/A	N/A	N/A	N/A	N/A	\$ 28883.67
	THRR-60F6-QFS	EGBP	N/A	N/A	N/A	N/A	\$ 12863.19	\$ 13884.63	N/A
<b>Laminate Grade B Lower Top - 37.5"(953mm)H</b>									
156"(3962mm)	THRR-60F6-MFS	EGCP	N/A	N/A	\$ 13146.81	\$ 13178.34	N/A	N/A	N/A
	THRR-60F6-LSS	EGCP	\$ 10480.57	\$ 10828.41	N/A	N/A	N/A	N/A	N/A
	THRR-60F6-JFS	EGCP	N/A	N/A	N/A	N/A	N/A	N/A	\$ 29113.53
	THRR-60F6-QFS	EGCP	N/A	N/A	N/A	N/A	\$ 13093.05	\$ 14114.49	N/A
<b>Solid Surface Lower Top - 29"(737mm)H</b>									
156"(3962mm)	THRR-60F6-FUS	EGBP	N/A	N/A	\$31489.29	\$31520.82	N/A	N/A	N/A
	THRR-60F6-KFS	EGBP	\$ 28823.05	\$ 29170.89	N/A	N/A	N/A	N/A	N/A
	THRR-60F6-SSS	EGBP	N/A	N/A	N/A	N/A	N/A	N/A	\$ 47456.01
	THRR-60F6-EUS	EGBP	N/A	N/A	N/A	N/A	\$ 31435.53	\$ 32456.97	N/A
<b>Solid Surface Lower Top - 37.5"(953mm)H</b>									
156"(3962mm)	THRR-60F6-FUS	EGCP	N/A	N/A	\$ 31719.15	\$31750.68	N/A	N/A	N/A
	THRR-60F6-KFS	EGCP	\$ 29052.91	\$ 29400.75	N/A	N/A	N/A	N/A	N/A
	THRR-60F6-SSS	EGCP	N/A	N/A	N/A	N/A	N/A	N/A	\$ 47685.87
	THRR-60F6-EUS	EGCP	N/A	N/A	N/A	N/A	\$ 31665.39	\$ 32686.83	N/A
<b>Wood Group A Lower Top - 29"(737mm)H</b>									
156"(3962mm)	THRR-60F6-GUS	EGBP	N/A	N/A	\$ 15218.49	\$15250.02	N/A	N/A	N/A
	THRR-60F6-RFS	EGBP	\$ 12552.25	\$ 12900.09	N/A	N/A	N/A	N/A	N/A
	THRR-60F6-DUS	EGBP	N/A	N/A	N/A	N/A	N/A	N/A	\$ 31185.21
	THRR-60F6-WUS	EGBP	N/A	N/A	N/A	N/A	\$ 15164.73	\$ 16186.17	N/A
<b>Wood Group A Lower Top - 37.5"(953mm)H</b>									
156"(3962mm)	THRR-60F6-GUS	EGCP	N/A	N/A	\$15448.35	\$15479.88	N/A	N/A	N/A
	THRR-60F6-RFS	EGCP	\$ 12782.11	\$ 13129.95	N/A	N/A	N/A	N/A	N/A
	THRR-60F6-DUS	EGCP	N/A	N/A	N/A	N/A	N/A	N/A	\$ 31415.07
	THRR-60F6-WUS	EGCP	N/A	N/A	N/A	N/A	\$ 15394.59	\$ 16416.03	N/A
<b>Wood Group B Lower Top - 29"(737mm)H</b>									
156"(3962mm)	THRR-60F6-GUS	EGBP	N/A	N/A	\$16255.89	\$16287.42	N/A	N/A	N/A
	THRR-60F6-RFS	EGBP	\$ 13589.65	\$ 13937.49	N/A	N/A	N/A	N/A	N/A
	THRR-60F6-DUS	EGBP	N/A	N/A	N/A	N/A	N/A	N/A	\$ 32222.61
	THRR-60F6-WUS	EGBP	N/A	N/A	N/A	N/A	\$ 16202.13	\$ 17223.57	N/A
<b>Wood Group B Lower Top - 37.5"(953mm)H</b>									
156"(3962mm)	THRR-60F6-GUS	EGCP	N/A	N/A	\$16485.75	\$ 16517.28	N/A	N/A	N/A
	THRR-60F6-RFS	EGCP	\$ 13819.51	\$ 14167.35	N/A	N/A	N/A	N/A	N/A
	THRR-60F6-DUS	EGCP	N/A	N/A	N/A	N/A	N/A	N/A	\$ 32452.47
	THRR-60F6-WUS	EGCP	N/A	N/A	N/A	N/A	\$ 16431.99	\$ 17453.43	N/A

# Immerse — Overlap Table

## Rectangle/Round – Painted Legs



THRD  
Class CL

### Features

- Includes lower racetrack top, upper round top, painted understructure, six painted metal legs, adjustable glides and hardware.
- Tops: Rectangle lower top available painted, high-pressure laminate (HPL), solid surface and wood veneer with knife edge. Round upper top available in laminate, solid surface or wood veneer with knife edge. Round upper top not available painted.
- Painted 1.125"(29mm) thick
- HPL and wood veneer 1.18"(30mm)(30mm) thick
- Solid surface 1"(25mm) thick
- Solid surface is standard in Cameo White.
- Glides have 0.5"(13mm) height adjustment and are standard in black.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

### Specification Tips

- Separately specified power available. Use Oblong Planter (EHPO-\_\_\_\_) for the rectangle top and Round Planter (EHPR-\_\_\_\_) for the round top.
- When cutout option (-L) is selected, the cutout is on the lower top, option (-P) the cutout is on the lower and upper top and option (-U) the cutout is on the upper top only.
- Overlap of top and bottom surfaces is 15.75"(400mm).
- Seating capacity of 8 based upon 27"(686mm) per chair.
- Tops share one understructure and are not designed to be separated.

### Lower Top Dimensions

Height	Depth	Width
29"(737mm)	48"(1219mm)	96"(2438mm)

### Upper Top Dimensions

Height	Diameter
30.5"(775mm)	60"(1524mm)

Overall Width	Number	①	Upper Top HPL		Wood A	B	Solid Surface
			A	B			
<b>Paint Grade A Lower Top</b>							
138"(3505mm)	THRD-48D8-TFS	EGBP	\$11804.69	\$12097.65	N/A	N/A	N/A
	THRD-48D8-HUS	EGBP	N/A	N/A	N/A	N/A	\$26361.69
	THRD-48D8-IUS	EGBP	N/A	N/A	\$13845.69	\$14643.69	N/A
<b>Paint Grade B Lower Top</b>							
138"(3505mm)	THRD-48D8-TFS	EGBP	\$11836.22	\$12129.18	N/A	N/A	N/A
	THRD-48D8-HUS	EGBP	N/A	N/A	N/A	N/A	\$26393.22
	THRD-48D8-IUS	EGBP	N/A	N/A	\$13877.22	\$14675.22	N/A
<b>Laminate Grade A Lower Top</b>							
138"(3505mm)	THRD-48D8-LFS	EGBP	\$9138.45	\$9431.41	N/A	N/A	N/A
	THRD-48D8-JFS	EGBP	N/A	N/A	N/A	N/A	\$23695.45
	THRD-48D8-QFS	EGBP	N/A	N/A	\$11179.45	\$11977.45	N/A
<b>Laminate Grade B Lower Top</b>							
138"(3505mm)	THRD-48D8-LFS	EGBP	\$9486.29	\$9779.25	N/A	N/A	N/A
	THRD-48D8-JFS	EGBP	N/A	N/A	N/A	N/A	\$24043.29
	THRD-48D8-QFS	EGBP	N/A	N/A	\$11527.29	\$12325.29	N/A
<b>Solid Surface Lower Top</b>							
138"(3505mm)	THRD-48D8-KFS	EGBP	\$27771.41	\$28064.37	N/A	N/A	N/A
	THRD-48D8-SSS	EGBP	N/A	N/A	N/A	N/A	\$42328.41
	THRD-48D8-EUS	EGBP	N/A	N/A	\$29812.41	\$30610.41	N/A
<b>Wood Group A Lower Top</b>							
138"(3505mm)	THRD-48D8-RFS	EGBP	\$11750.93	\$12043.89	N/A	N/A	N/A
	THRD-48D8-DUS	EGBP	N/A	N/A	N/A	N/A	\$26307.93
	THRD-48D8-WUS	EGBP	N/A	N/A	\$13791.93	\$14589.93	N/A
<b>Wood Group B Lower Top</b>							
138"(3505mm)	THRD-48D8-RFS	EGBP	\$12772.37	\$13065.33	N/A	N/A	N/A
	THRD-48D8-DUS	EGBP	N/A	N/A	N/A	N/A	\$27329.37
	THRD-48D8-WUS	EGBP	N/A	N/A	\$14813.37	\$15611.37	N/A

### To Order, Specify:

1) Product number, including:

**① Cutout Option:**

**N** No Cutout

**L** Cutout - Lower Top  
(add **\$184.71** list)

**P** Cutout - Lower and Upper  
Top (add **\$369.41** list)

**U** Cutout - Upper Top  
(add **\$184.71** list)

2) Lower surface finish/color.

3) Edge trim color (laminate only).

4) Upper surface finish/color.


5) Edge trim color (laminate only).

6) Understructure trim color.  
Grade B (add **\$60.06** list).

7) Trim color. Grade B (add **\$60.06** list).

# Immerse — Overlap Table

## Racetrack/Round – Painted Legs

THTD  
Class CL**Features**

- Includes lower racetrack top, upper round top, painted understructure, six painted metal legs, adjustable glides and hardware.
- Tops: Racetrack lower top available painted, high-pressure laminate (HPL), solid surface and wood veneer with knife edge. Round upper top available in laminate, solid surface or wood veneer with knife edge. Round upper top not available painted.
- Painted 1.25"(32mm) thick
- HPL and wood veneer 1.18"(30mm) thick
- Solid surface 1"(25mm) thick
- Solid surface is standard in Cameo White.
- Glides have 0.5"(13mm) height adjustment and are standard in black.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

**Specification Tips**

- Separately specified power available. Use Oblong Planter (EHPO-\_\_\_\_) for the racetrack top and Round Planter (EHPR-\_\_\_\_) for the round top.
- When cutout option (-L) is selected, the cutout is on the lower top, option (-P) the cutout is on the lower and upper top and option (-U) the cutout is on the upper top only.
- Overlap of top and bottom surfaces is 16.25"(413mm).
- Seating capacity of 8 based upon 27"(686mm) per chair.
- Tops share one understructure and are not designed to be separated.

**Lower Top Dimensions**

Height	Depth	Width
29"(737mm)	48"(1219mm)	96"(2438mm)

**Upper Top Dimensions**

Height	Diameter
30.5"(775mm)	60"(1524mm)

Overall Width	Number	①	Upper Top HPL		Wood A	B	Solid Surface
			A	B			
<b>Paint Grade A Lower Top</b>							
138"(3505mm)	THTD-48D8-TFS EGBP		\$ 11804.69	\$ 12097.65	N/A	N/A	N/A
	THTD-48D8-HUS EGBP		N/A	N/A	N/A	N/A	\$ 26361.69
	THTD-48D8-IUS EGBP		N/A	N/A	\$ 13845.69	\$ 14643.69	N/A
<b>Paint Grade B Lower Top</b>							
138"(3505mm)	THTD-48D8-TFS EGBP		\$ 11836.22	\$ 12129.18	N/A	N/A	N/A
	THTD-48D8-HUS EGBP		N/A	N/A	N/A	N/A	\$ 26393.22
	THTD-48D8-IUS EGBP		N/A	N/A	\$ 13877.22	\$ 14675.22	N/A
<b>Laminate Grade A Lower Top</b>							
138"(3505mm)	THTD-48D8-LFS EGBP		\$ 9138.45	\$ 9431.41	N/A	N/A	N/A
	THTD-48D8-JFS EGBP		N/A	N/A	N/A	N/A	\$ 23695.45
	THTD-48D8-QFS EGBP		N/A	N/A	\$ 11179.45	\$ 11977.45	N/A
<b>Laminate Grade B Lower Top</b>							
138"(3505mm)	THTD-48D8-LFS EGBP		\$ 9486.29	\$ 9779.25	N/A	N/A	N/A
	THTD-48D8-JFS EGBP		N/A	N/A	N/A	N/A	\$ 24043.29
	THTD-48D8-QFS EGBP		N/A	N/A	\$ 11527.29	\$ 12325.29	N/A
<b>Solid Surface Lower Top</b>							
138"(3505mm)	THTD-48D8-KFS EGBP		\$ 27771.41	\$ 28064.37	N/A	N/A	N/A
	THTD-48D8-SSS EGBP		N/A	N/A	N/A	N/A	\$ 42328.41
	THTD-48D8-EUS EGBP		N/A	N/A	\$ 29812.41	\$ 30610.41	N/A
<b>Wood Group A Lower Top</b>							
138"(3505mm)	THTD-48D8-RFS EGBP		\$ 11750.93	\$ 12043.89	N/A	N/A	N/A
	THTD-48D8-DUS EGBP		N/A	N/A	N/A	N/A	\$ 26307.93
	THTD-48D8-WUS EGBP		N/A	N/A	\$ 13791.93	\$ 14589.93	N/A
<b>Wood Group B Lower Top</b>							
138"(3505mm)	THTD-48D8-RFS EGBP		\$ 12772.37	\$ 13065.33	N/A	N/A	N/A
	THTD-48D8-DUS EGBP		N/A	N/A	N/A	N/A	\$ 27329.37
	THTD-48D8-WUS EGBP		N/A	N/A	\$ 14813.37	\$ 15611.37	N/A

**To Order, Specify:**

1) Product number, including:

**① Cutout Option:** N No Cutout L Cutout - Lower Top  
(add **\$184.71** list) P Cutout - Lower and Upper  
Top (add **\$369.41** list) U Cutout - Upper Top  
(add **\$184.71** list)

2) Lower surface finish/color.

3) Edge trim color (laminate only).


4) Upper surface finish/color.

5) Edge trim color (laminate only).

6) Understructure trim color.  
Grade B (add **\$60.06** list).7) Trim color. Grade B  
(add **\$60.06** list).

# Immerse — Overlap Table

## Rectangle/Ledge – Painted Legs



THRL  
Class CL

### Features

- Includes one ledge upper top with 0.5"(13mm) spacer attached and one rectangle lower top, painted understructure, four painted metal legs, adjustable glides and hardware.
- Upper ledge top 0.5"(13mm) high-pressure laminate (HPL) or wood veneer with waterfall edge.
- Rectangle lower top available laminate, solid surface and wood veneer with knife edge.  
-HPL and wood veneer 1.18"(30mm)(30mm) thick  
-Solid surface 1"(25mm) thick
- Solid surface is standard in Cameo White.
- Ledge wood top is hardboard laminated core.
- Glides have 0.5"(13mm) height adjustment and are standard in black.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

### Specification Tips

- Separately specified power available. Use Oblong Planter (EHPO-\_\_\_\_).
- When cutout option (-L) is selected, the cutout is on the lower top only.
- Overlap of top and bottom surfaces is 17.75"(451mm).
- Seating capacity of 9 based upon 27"(686mm) per chair.
- Tops share one understructure and are not designed to be separated.

### Lower Top Dimensions

Height	Depth	Width
29"(737mm)	48"(1219mm)	120"(3048mm)

### Upper Top Dimensions

Height	Depth	Width
30.5"(775mm)	57"(1448mm)	22"(559mm)

Overall Width	Number	①	Upper Top HPL		Wood	
			A	B	A	B
<b>Laminate Grade A Lower Top</b>						
124"(3150mm)	THRL-48C4-LFS	EGBP	\$ 7697.46	\$ 7986.83	N/A	N/A
	THRL-48C4-QFS	EGBP	N/A	N/A	\$ 7989.16	\$ 8268.46
<b>Laminate Grade B Lower Top</b>						
124"(3150mm)	THRL-48C4-LFS	EGBP	\$ 8098.02	\$ 8397.39	N/A	N/A
	THRL-48C4-QFS	EGBP	N/A	N/A	\$ 8399.72	\$ 8679.02
<b>Solid Surface Lower Top</b>						
124"(3150mm)	THRL-48C4-KFS	EGBP	\$30978.66	\$31278.03	N/A	N/A
	THRL-48C4-ESS	EGBP	N/A	N/A	\$31280.36	\$31559.66
<b>Wood Group A Lower Top</b>						
124"(3150mm)	THRL-48C4-RFS	EGBP	\$10953.06	\$11252.43	N/A	N/A
	THRL-48C4-WUS	EGBP	N/A	N/A	\$11254.76	\$11534.06
<b>Wood Group B Lower Top</b>						
124"(3150mm)	THRL-48C4-RFS	EGBP	\$ 12229.86	\$12529.23	N/A	N/A
	THRL-48C4-WUS	EGBP	N/A	N/A	\$ 12531.56	\$ 12810.86

### To Order, Specify:

1) Product number, including:

① **Cutout Option:**

**N** No Cutout

**L** Cutout - Lower Top  
(add **\$184.71** list)

2) Lower surface finish/color.

3) Edge trim color (laminate only).

4) Upper surface finish/color.

5) Understructure trim color.  
Grade B (add **\$60.06** list).

6) Trim color. Grade B (add **\$60.06** list).

# Immerse — Overlap Table

## Rectangle/Rectangle – Wood Legs



THRR  
Class CL

### Features

- Includes two tops, painted understructure, six solid wood legs, adjustable glides and hardware.
- Tops: Lower top available in high-pressure laminate (HPL), solid surface and wood veneer with knife edge. Lower top not available painted. Upper top available painted, laminate, solid surface or wood veneer with knife edge.  
-Painted 1.125"(29mm) thick  
-HPL and wood veneer 1.18"(30mm) thick  
-Solid surface 1"(25mm) thick
- Solid surface is standard in Cameo White.
- Glides have 0.5"(13mm) height adjustment and are standard in black.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

### Specification Tips

- Power only available in the upper top.
- Separately specified power available. Use Oblong Planter (EHPO-\_\_\_\_).
- When cutout option (-U) is selected, the cutout is on the upper top only.
- Overlap of top and bottom surfaces is 18.5"(470mm).
- Seating capacity of 11 based upon 27"(686mm) per chair.
- Tops share one understructure and are not designed to be separated.

### Lower Top Dimensions

Height	Depth	Width
29"(737mm)	60"(1524mm)	78"(1981mm)
37.5"(953mm)	60"(1524mm)	78"(1981mm)

### Upper Top Dimensions

Height	Depth	Width
30.5"(775mm)	48"(1219mm)	96"(2438mm)
39"(991mm)	48"(1219mm)	96"(2438mm)

### To Order, Specify:

- 1) Product number, including:

**1 Cutout Option:**

- N No Cutout  
 U Cutout - Upper Top  
(add \$184.71 list)

- 2) Lower surface finish/color.

- 3) Edge trim color (laminate only).

- 4) Upper surface finish/color.

- 5) Edge trim color (laminate only).

- 6) Understructure trim color.  
Grade B (add \$60.06 list).

- 7) Wood leg finish.

M7-W43 Ink on Ash -  
no upcharge

M5-W35 Clear on White Oak  
(add \$316.20 list)

M6-W35 Clear on Walnut  
(add \$955.72 list)


# Immerse — Overlap Table

## Rectangle/Rectangle – Wood Legs

Overall Width	Number	①	Upper Top HPL		Trim		Wood		Solid Surface	
			A	B	A	B	A	B	A	B
<b>Laminate Grade A Lower Top - 29"(737mm)H</b>										
156"(3962mm)	THRR-60F6-MFS	EGBW	N/A	N/A	\$ 18246.65	\$ 18278.18	N/A	N/A	N/A	N/A
	THRR-60F6-LFS	EGBW	\$ 15580.41	\$ 15928.25	N/A	N/A	N/A	N/A	N/A	N/A
	THRR-60F6-JFS	EGBW	N/A	N/A	N/A	N/A	N/A	N/A	\$ 34213.37	
	THRR-60F6-QFS	EGBW	N/A	N/A	N/A	N/A	\$ 18192.89	\$ 19214.33	N/A	
<b>Laminate Grade A Lower Top - 37.5"(953mm)H</b>										
156"(3962mm)	THRR-60F6-MFS	EGBW	N/A	N/A	\$ 18476.51	\$ 18508.04	N/A	N/A	N/A	N/A
	THRR-60F6-LSS	EGBW	\$ 15810.27	\$ 16158.11	N/A	N/A	N/A	N/A	N/A	N/A
	THRR-60F6-JFS	EGBW	N/A	N/A	N/A	N/A	N/A	N/A	\$ 34443.23	
	THRR-60F6-QFS	EGBW	N/A	N/A	N/A	N/A	\$ 18422.75	\$ 19444.19	N/A	
<b>Laminate Grade B Lower Top - 29"(737mm)H</b>										
156"(3962mm)	THRR-60F6-MFS	EGBW	N/A	N/A	\$ 18598.41	\$ 18629.94	N/A	N/A	N/A	N/A
	THRR-60F6-LFS	EGBW	\$ 15932.17	\$ 16280.01	N/A	N/A	N/A	N/A	N/A	N/A
	THRR-60F6-JFS	EGBW	N/A	N/A	N/A	N/A	N/A	N/A	\$ 34565.13	
	THRR-60F6-QFS	EGBW	N/A	N/A	N/A	N/A	\$ 18544.65	\$ 19566.09	N/A	
<b>Laminate Grade B Lower Top - 37.5"(953mm)H</b>										
156"(3962mm)	THRR-60F6-MFS	EGBW	N/A	N/A	\$ 18828.27	\$ 18859.80	N/A	N/A	N/A	N/A
	THRR-60F6-LSS	EGBW	\$ 16162.03	\$ 16509.87	N/A	N/A	N/A	N/A	N/A	N/A
	THRR-60F6-JFS	EGBW	N/A	N/A	N/A	N/A	N/A	N/A	\$ 34794.99	
	THRR-60F6-QFS	EGBW	N/A	N/A	N/A	N/A	\$ 18774.51	\$ 19795.95	N/A	
<b>Solid Surface Lower Top - 29"(737mm)H</b>										
156"(3962mm)	THRR-60F6-FUS	EGBW	N/A	N/A	\$ 37170.75	\$ 37202.28	N/A	N/A	N/A	N/A
	THRR-60F6-KFS	EGBW	\$ 34504.51	\$ 34852.35	N/A	N/A	N/A	N/A	N/A	N/A
	THRR-60F6-SSS	EGBW	N/A	N/A	N/A	N/A	N/A	N/A	\$ 53137.47	
	THRR-60F6-EUS	EGBW	N/A	N/A	N/A	N/A	\$ 37116.99	\$ 38138.43	N/A	
<b>Solid Surface Lower Top - 37.5"(953mm)H</b>										
156"(3962mm)	THRR-60F6-FUS	EGBW	N/A	N/A	\$ 37400.61	\$ 37432.14	N/A	N/A	N/A	N/A
	THRR-60F6-KFS	EGBW	\$ 34734.37	\$ 35082.21	N/A	N/A	N/A	N/A	N/A	N/A
	THRR-60F6-SSS	EGBW	N/A	N/A	N/A	N/A	N/A	N/A	\$ 53367.33	
	THRR-60F6-EUS	EGBW	N/A	N/A	N/A	N/A	\$ 37346.85	\$ 38368.29	N/A	
<b>Wood Group A Lower Top - 29"(737mm)H</b>										
156"(3962mm)	THRR-60F6-GUS	EGBW	N/A	N/A	\$ 20899.95	\$ 20931.48	N/A	N/A	N/A	N/A
	THRR-60F6-RFS	EGBW	\$ 18233.71	\$ 18581.55	N/A	N/A	N/A	N/A	N/A	N/A
	THRR-60F6-DUS	EGBW	N/A	N/A	N/A	N/A	N/A	N/A	\$ 36866.67	
	THRR-60F6-WUS	EGBW	N/A	N/A	N/A	N/A	\$ 20846.19	\$ 21867.63	N/A	
<b>Wood Group A Lower Top - 37.5"(953mm)H</b>										
156"(3962mm)	THRR-60F6-GUS	EGBW	N/A	N/A	\$ 21129.81	\$ 21161.34	N/A	N/A	N/A	N/A
	THRR-60F6-RFS	EGBW	\$ 18463.57	\$ 18811.41	N/A	N/A	N/A	N/A	N/A	N/A
	THRR-60F6-DUS	EGBW	N/A	N/A	N/A	N/A	N/A	N/A	\$ 37096.53	
	THRR-60F6-WUS	EGBW	N/A	N/A	N/A	N/A	\$ 21076.05	\$ 22097.49	N/A	
<b>Wood Group B Lower Top - 29"(737mm)H</b>										
156"(3962mm)	THRR-60F6-GUS	EGBW	N/A	N/A	\$ 21937.35	\$ 21968.88	N/A	N/A	N/A	N/A
	THRR-60F6-RFS	EGBW	\$ 19271.11	\$ 19618.95	N/A	N/A	N/A	N/A	N/A	N/A
	THRR-60F6-DUS	EGBW	N/A	N/A	N/A	N/A	N/A	N/A	\$ 37904.07	
	THRR-60F6-WUS	EGBW	N/A	N/A	N/A	N/A	\$ 21883.59	\$ 22905.03	N/A	
<b>Wood Group B Lower Top - 37.5"(953mm)H</b>										
156"(3962mm)	THRR-60F6-GUS	EGBW	N/A	N/A	\$ 22167.21	\$ 22198.74	N/A	N/A	N/A	N/A
	THRR-60F6-RFS	EGBW	\$ 19500.97	\$ 19848.81	N/A	N/A	N/A	N/A	N/A	N/A
	THRR-60F6-DUS	EGBW	N/A	N/A	N/A	N/A	N/A	N/A	\$ 38133.93	
	THRR-60F6-WUS	EGBW	N/A	N/A	N/A	N/A	\$ 22113.45	\$ 23134.89	N/A	

# Immerse — Overlap Table

## Rectangle/Round – Wood Legs



THRD  
Class CL

### Features

- Includes lower racetrack top, upper round top, painted understructure, six solid wood legs, adjustable glides and hardware.
- Tops: Rectangle lower top available painted, high-pressure laminate (HPL), solid surface and wood veneer with knife edge. Round upper top available in laminate, solid surface or wood veneer with knife edge. Round upper top not available painted.
- Painted 1.125"(29mm) thick
- HPL and wood veneer 1.18"(30mm)(30mm) thick
- Solid surface 1"(25mm) thick
- Solid surface is standard in Cameo White.
- Glides have 0.5"(13mm) height adjustment and are standard in black.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

### Specification Tips

- Separately specified power available. Use Oblong Planter (EHPO-\_\_\_\_) for the rectangle top and Round Planter (EHPR-\_\_\_\_) for the round top.
- When cutout option (-L) is selected, the cutout is on the lower top, option (-P) the cutout is on the lower and upper top and option (-U) the cutout is on the upper top only.
- Overlap of top and bottom surfaces is 15.75"(400mm).
- Seating capacity of 8 based upon 27"(686mm) per chair.
- Tops share one understructure and are not designed to be separated.

### Lower Top Dimensions

Height	Depth	Width
29"(737mm)	48"(1219mm)	96"(2438mm)

### Upper Top Dimensions

Height	Diameter
30.5"(775mm)	60"(1524mm)

Overall Width	Number	①	Upper Top HPL		Wood A	B	Solid Surface
			A	B			
<b>Paint Grade A Lower Top</b>							
138"(3505mm)	THRD-48D8-TFS EGBW		\$ 17486.15	\$ 17779.11	N/A	N/A	N/A
	THRD-48D8-HUS EGBW		N/A	N/A	N/A	N/A	\$ 32043.15
	THRD-48D8-IUS EGBW		N/A	N/A	\$ 19527.15	\$ 20325.15	N/A
<b>Paint Grade B Lower Top</b>							
138"(3505mm)	THRD-48D8-TFS EGBW		\$ 17517.68	\$ 17810.64	N/A	N/A	N/A
	THRD-48D8-HUS EGBW		N/A	N/A	N/A	N/A	\$ 32074.68
	THRD-48D8-IUS EGBW		N/A	N/A	\$ 19558.68	\$ 20356.68	N/A
<b>Laminate Grade A Lower Top</b>							
138"(3505mm)	THRD-48D8-LFS EGBW		\$ 14819.91	\$ 15112.87	N/A	N/A	N/A
	THRD-48D8-JFS EGBW		N/A	N/A	N/A	N/A	\$ 29376.91
	THRD-48D8-QFS EGBW		N/A	N/A	\$ 16860.91	\$ 17658.91	N/A
<b>Laminate Grade B Lower Top</b>							
138"(3505mm)	THRD-48D8-LFS EGBW		\$ 15167.75	\$ 15460.71	N/A	N/A	N/A
	THRD-48D8-JFS EGBW		N/A	N/A	N/A	N/A	\$ 29724.75
	THRD-48D8-QFS EGBW		N/A	N/A	\$ 17208.75	\$ 18006.75	N/A
<b>Solid Surface Lower Top</b>							
138"(3505mm)	THRD-48D8-KFS EGBW		\$ 33452.87	\$ 33745.83	N/A	N/A	N/A
	THRD-48D8-SSS EGBW		N/A	N/A	N/A	N/A	\$ 48009.87
	THRD-48D8-EUS EGBW		N/A	N/A	\$ 35493.87	\$ 36291.87	N/A
<b>Wood Group A Lower Top</b>							
138"(3505mm)	THRD-48D8-RFS EGBW		\$ 17432.39	\$ 17725.35	N/A	N/A	N/A
	THRD-48D8-DUS EGBW		N/A	N/A	N/A	N/A	\$ 31989.39
	THRD-48D8-WUS EGBW		N/A	N/A	\$ 19473.39	\$ 20271.39	N/A
<b>Wood Group B Lower Top</b>							
138"(3505mm)	THRD-48D8-RFS EGBW		\$ 18453.83	\$ 18746.79	N/A	N/A	N/A
	THRD-48D8-DUS EGBW		N/A	N/A	N/A	N/A	\$ 33010.83
	THRD-48D8-WUS EGBW		N/A	N/A	\$ 20494.83	\$ 21292.83	N/A

### To Order, Specify:

1) Product number, including:

**① Cutout Option:**

**N** No Cutout

**L** Cutout - Lower Top  
(add **\$184.71** list)

**P** Cutout - Lower and Upper  
Top (add **\$369.41** list)

**U** Cutout - Upper Top  
(add **\$184.71** list)

2) Lower surface finish/color.

3) Edge trim color (laminate only).

4) Upper surface finish/color.

5) Edge trim color (laminate only).

6) Understructure trim color.  
Grade B (add **\$60.06** list).

7) Wood leg finish.


M7-W43 Ink on Ash -  
no upcharge

M5-W35 Clear on White Oak  
(add **\$316.20** list)

M6-W35 Clear on Walnut  
(add **\$955.72** list)

# Immerse — Overlap Table

## Racetrack/Round – Wood Legs



THTD  
Class CL

### Features

- Includes lower racetrack top, upper round top, painted understructure, six solid wood legs, adjustable glides and hardware.
- Tops: Racetrack lower top available painted, high-pressure laminate (HPL), solid surface and wood veneer with knife edge. Round upper top available in laminate, solid surface or wood veneer with knife edge. Round upper top not available painted.
- Painted 1.125"(29mm) thick
- HPL and wood veneer 1.18"(30mm)(30mm) thick
- Solid surface 1"(25mm) thick
- Solid surface is standard in Cameo White.
- Glides have 0.5"(13mm) height adjustment and are standard in black.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

### Specification Tips

- Separately specified power available. Use Oblong Planter (EHPO-\_\_\_\_) for the racetrack top and Round Planter (EHPR-\_\_\_\_) for the round top.
- When cutout option (-L) is selected, the cutout is on the lower top, option (-P) the cutout is on the lower and upper top and option (-U) the cutout is on the upper top only.
- Overlap of top and bottom surfaces is 16.25"(413mm).
- Seating capacity of 8 based upon 27"(686mm) per chair.
- Tops share one understructure and are not designed to be separated.

### Lower Top Dimensions

Height	Depth	Width
29"(737mm)	48"(1219mm)	96"(2438mm)

### Upper Top Dimensions

Height	Diameter
30.5"(775mm)	60"(1524mm)

Overall Width	Number	①	Upper Top HPL		Wood A	B	Solid Surface
			A	B			
<b>Paint Grade A Lower Top</b>							
138"(3505mm)	THTD-48D8-TFS EGBW		\$ 17486.15	\$ 17779.11	N/A	N/A	N/A
	THTD-48D8-HUS EGBW		N/A	N/A	N/A	N/A	\$ 32043.15
	THTD-48D8-IUS EGBW		N/A	N/A	\$ 19527.15	\$ 20325.15	N/A
<b>Paint Grade B Lower Top</b>							
138"(3505mm)	THTD-48D8-TFS EGBW		\$ 17517.68	\$ 17810.64	N/A	N/A	N/A
	THTD-48D8-HUS EGBW		N/A	N/A	N/A	N/A	\$ 32074.68
	THTD-48D8-IUS EGBW		N/A	N/A	\$ 19558.68	\$ 20356.68	N/A
<b>Laminate Grade A Lower Top</b>							
138"(3505mm)	THTD-48D8-LFS EGBW		\$ 14819.91	\$ 15112.87	N/A	N/A	N/A
	THTD-48D8-JFS EGBW		N/A	N/A	N/A	N/A	\$ 29376.91
	THTD-48D8-QFS EGBW		N/A	N/A	\$ 16860.91	\$ 17658.91	N/A
<b>Laminate Grade B Lower Top</b>							
138"(3505mm)	THTD-48D8-LFS EGBW		\$ 15167.75	\$ 15460.71	N/A	N/A	N/A
	THTD-48D8-JFS EGBW		N/A	N/A	N/A	N/A	\$ 29724.75
	THTD-48D8-QFS EGBW		N/A	N/A	\$ 17208.75	\$ 18006.75	N/A
<b>Solid Surface Lower Top</b>							
138"(3505mm)	THTD-48D8-KFS EGBW		\$ 33452.87	\$ 33745.83	N/A	N/A	N/A
	THTD-48D8-SSS EGBW		N/A	N/A	N/A	N/A	\$ 48009.87
	THTD-48D8-EUS EGBW		N/A	N/A	\$ 35493.87	\$ 36291.87	N/A
<b>Wood Group A Lower Top</b>							
138"(3505mm)	THTD-48D8-RFS EGBW		\$ 17432.39	\$ 17725.35	N/A	N/A	N/A
	THTD-48D8-DUS EGBW		N/A	N/A	N/A	N/A	\$ 31989.39
	THTD-48D8-WUS EGBW		N/A	N/A	\$ 19473.39	\$ 20271.39	N/A
<b>Wood Group B Lower Top</b>							
138"(3505mm)	THTD-48D8-RFS EGBW		\$ 18453.83	\$ 18746.79	N/A	N/A	N/A
	THTD-48D8-DUS EGBW		N/A	N/A	N/A	N/A	\$ 33010.83
	THTD-48D8-WUS EGBW		N/A	N/A	\$ 20494.83	\$ 21292.83	N/A

### To Order, Specify:

1) Product number, including:

**① Cutout Option:**

**N** No Cutout

**L** Cutout - Lower Top  
(add **\$184.71** list)

**P** Cutout - Lower and Upper  
Top (add **\$369.41** list)

**U** Cutout - Upper Top  
(add **\$184.71** list)

2) Lower surface finish/color.

3) Edge trim color (laminate only).

4) Upper surface finish/color.

5) Edge trim color (laminate only).

6) Understructure trim color.  
Grade B (add **\$60.06** list).

7) Wood leg finish.


M7-W43 Ink on Ash -  
no upcharge

M5-W35 Clear on White Oak  
(add **\$316.20** list)

M6-W35 Clear on Walnut  
(add **\$955.72** list)

# Immerse — Overlap Table

## Rectangle/Ledge – Wood Legs



THRL  
Class CL

### Features

- Includes one ledge upper top with 0.5"(13mm) spacer attached and one rectangle lower top, painted understructure, four solid wood legs, adjustable glides and hardware.
- Upper ledge top 0.5"(13mm) laminate or wood veneer with waterfall edge.
- Rectangle lower top available high-pressure laminate (HPL), solid surface and wood veneer with knife edge.  
-HPL and wood veneer 1.18"(30mm)(30mm) thick  
-Solid surface 1"(25mm) thick
- Solid surface is standard in Cameo White.
- Ledge wood top is hardboard laminated core.
- Glides have 0.5"(13mm) height adjustment and are standard in black.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

### Specification Tips

- Separately specified power available. Use Oblong Planter (EHPO-\_\_\_\_).
- When cutout option (-L) is selected, the cutout is on the lower top only.
- Overlap of top and bottom surfaces is 17.75"(451mm).
- Seating capacity of 9 based upon 27"(686mm) per chair.
- Tops share one understructure and are not designed to be separated.

### To Order, Specify:

1) Product number, including:

**① Cutout Option:**

- |          |   |
|----------|---|
| <b>N</b> | No Cutout                                 |
| <b>L</b> | Cutout - Lower Top<br>(add \$184.71 list) |

2) Lower surface finish/color.

3) Edge trim color (laminate only).

4) Upper surface finish/color.

5) Understructure trim color.  
Grade B (add \$60.06 list).

6) Wood leg finish.

- |        |   |
|--------|---|
| M7-W43 | Ink on Ash -<br>no upcharge               |
| M5-W35 | Clear on White Oak<br>(add \$204.21 list) |
| M6-W35 | Clear on Walnut<br>(add \$617.21 list)    |

### Lower Top Dimensions

**29"(737mm)**      **48"(1219mm)**      **120"(3048mm)**


### Upper Top Dimensions

Height	Depth	Width
30.5"(775mm)	57"(1448mm)	22"(559mm)

Overall Width	Number	①	Upper Top HPL		Wood	
			A	B	A	B
<b>Laminate Grade A Lower Top</b>						
124"(3150mm)	THRL-48C4-LFS	EGBW	\$ 11366.49	\$ 11665.86	N/A	N/A
	THRL-48C4-QFS	EGBW	N/A	N/A	\$ 11668.19	\$ 11947.49
<b>Laminate Grade B Lower Top</b>						
124"(3150mm)	THRL-48C4-LFS	EGBW	\$ 11777.05	\$ 12076.42	N/A	N/A
	THRL-48C4-QFS	EGBW	N/A	N/A	\$ 12078.75	\$ 12358.05
<b>Solid Surface Lower Top</b>						
124"(3150mm)	THRL-48C4-KFS	EGBW	\$34657.69	\$34957.06	N/A	N/A
	THRL-48C4-ESS	EGBW	N/A	N/A	\$34959.39	\$35238.69
<b>Wood Group A Lower Top</b>						
124"(3150mm)	THRL-48C4-RFS	EGBW	\$14632.09	\$ 14931.46	N/A	N/A
	THRL-48C4-WUS	EGBW	N/A	N/A	\$ 14933.79	\$ 15213.09
<b>Wood Group B Lower Top</b>						
124"(3150mm)	THRL-48C4-RFS	EGBW	\$15908.89	\$16208.26	N/A	N/A
	THRL-48C4-WUS	EGBW	N/A	N/A	\$ 16210.59	\$ 16489.89

# Immerse — Shift Table

## Rectangle/Rectangle – Painted Legs



THRR  
Class CL

### Features

- Includes two tops, 7"(178mm)H stack spacer, painted understructure, six painted metal legs, adjustable glides and hardware.
- Tops: Lower top available in high-pressure laminate (HPL), solid surface and wood veneer with knife edge. Upper top available painted, laminate, solid surface or wood veneer with knife edge.
- Painted 1.125"(29mm) thick
- HPL and wood veneer 1.18"(30mm) thick
- Solid surface 1"(25mm) thick
- Solid surface is standard in Cameo White.
- Stack spacer is painted MDF.
- Glides have 0.5"(13mm) height adjustment and are standard in black.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

### Specification Tips

- Separately specified power available. Use Oblong Planter (EHPO-\_\_\_\_).
- When cutout option (-U) is selected, cutout is on the upper top only. Lower top not available with cutout.
- Overlap of top and bottom surfaces is 18.5"(470mm).
- Seating capacity of 11 based upon 27"(686mm) per chair.
- Tops share one understructure and are not designed to be separated.

### Lower Top Dimensions

Height	Depth	Width
29"(737mm)	60"(1524mm)	78"(1981mm)

### Upper Top Dimensions

Height	Depth	Width
36"(914mm)	48"(1219mm)	96"(2438mm)

Overall		Upper Top		Trim		Wood	Solid Surface		
Width	Number	①	HPL	A	B	A	B	A	B
<b>Laminate Grade A Lower Top</b>									
156"(3962mm)	THRR-60F6-MFS	DGAP	N/A	N/A	\$13062.13	\$13093.66	N/A	N/A	N/A
	THRR-60F6-LFS	DGAP	\$10395.89	\$10743.73	N/A	N/A	N/A	N/A	N/A
	THRR-60F6-JFS	DGAP	N/A	N/A	N/A	N/A	N/A	N/A	\$29028.85
	THRR-60F6-QFS	DGAP	N/A	N/A	N/A	N/A	\$13008.37	\$14029.81	N/A
<b>Laminate Grade B Lower Top</b>									
156"(3962mm)	THRR-60F6-MFS	DGAP	N/A	N/A	\$13413.89	\$13445.42	N/A	N/A	N/A
	THRR-60F6-LFS	DGAP	\$10747.65	\$11095.49	N/A	N/A	N/A	N/A	N/A
	THRR-60F6-JFS	DGAP	N/A	N/A	N/A	N/A	N/A	N/A	\$29380.61
	THRR-60F6-QFS	DGAP	N/A	N/A	N/A	N/A	\$13360.13	\$14381.57	N/A
<b>Solid Surface Lower Top</b>									
156"(3962mm)	THRR-60F6-FUS	DGAP	N/A	N/A	\$31986.23	\$32017.76	N/A	N/A	N/A
	THRR-60F6-KFS	DGAP	\$29319.99	\$29667.83	N/A	N/A	N/A	N/A	N/A
	THRR-60F6-SSS	DGAP	N/A	N/A	N/A	N/A	N/A	N/A	\$47952.95
	THRR-60F6-EUS	DGAP	N/A	N/A	N/A	N/A	\$31932.47	\$32953.91	N/A
<b>Wood Group A Lower Top</b>									
156"(3962mm)	THRR-60F6-GUS	DGAP	N/A	N/A	\$15715.43	\$15746.96	N/A	N/A	N/A
	THRR-60F6-RFS	DGAP	\$13049.19	\$13397.03	N/A	N/A	N/A	N/A	N/A
	THRR-60F6-DUS	DGAP	N/A	N/A	N/A	N/A	N/A	N/A	\$31682.15
	THRR-60F6-WUS	DGAP	N/A	N/A	N/A	N/A	\$15661.67	\$16683.11	N/A
<b>Wood Group B Lower Top</b>									
156"(3962mm)	THRR-60F6-GUS	DGAP	N/A	N/A	\$16752.83	\$16784.36	N/A	N/A	N/A
	THRR-60F6-RFS	DGAP	\$14086.59	\$14434.43	N/A	N/A	N/A	N/A	N/A
	THRR-60F6-DUS	DGAP	N/A	N/A	N/A	N/A	N/A	N/A	\$32719.55
	THRR-60F6-WUS	DGAP	N/A	N/A	N/A	N/A	\$16699.07	\$17720.51	N/A

### To Order, Specify:

1) Product number, including:

**① Cutout Option:**

**N** No Cutout

**U** Cutout - Upper Top  
(add **\$184.71** list)

2) Lower surface finish/color.

3) Edge trim color (laminate only).

4) Upper surface finish/color.

5) Edge trim color (laminate only).

6) Understructure trim color.  
Grade B (add **\$60.06** list).

7) Trim color. Grade B (add **\$60.06** list).

8) Stack spacer color.

# Immerse — Shift Table

## Rectangle/Round – Painted Legs



THRD  
Class CL

### Features

- Includes rectangle lower top and round upper top, 7"(178mm)H stack spacer, painted understructure, six painted metal legs, adjustable glides and hardware.
- Tops: Rectangle lower top available painted, high-pressure laminate (HPL), solid surface and wood veneer with knife edge. Round upper top available in laminate, solid surface or wood veneer with knife edge. Round upper top not available painted.  
-Painted 1.125"(29mm) thick  
-HPL and wood veneer 1.18"(30mm) thick  
-Solid surface 1"(25mm) thick
- Solid surface is standard in Cameo White.
- Stack spacer is painted MDF.
- Glides have 0.5"(13mm) height adjustment and are standard in black.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

### Specification Tips

- Separately specified power available. Use Oblong Planter (EHPO-\_\_\_\_\_) for the rectangle top and Round Planter (EHPR-\_\_\_\_\_) for the round top.
- When cutout option (-L) is selected, the cutout is on the lower top, option (-P) the cutout is on the lower and upper top and option (-U) the cutout is on the upper top only.
- Overlap of top and bottom surfaces is 15.75"(400mm).
- Seating capacity of 8 based upon 27"(686mm) per chair.
- Tops share one understructure and are not designed to be separated.

### To Order, Specify:

1) Product number, including:

**① Cutout Option:**

**N** No Cutout

**L** Cutout - Lower Top  
(add \$184.71 list)

**P** Cutout - Lower and Upper  
Top (add \$369.41 list)

**U** Cutout - Upper Top  
(add \$184.71 list)

2) Lower surface finish/color.

3) Edge trim color (laminate only).

4) Upper surface finish/color.

5) Edge trim color (laminate only).

6) Understructure trim color.  
Grade B (add \$60.06 list).

7) Trim color. Grade B (add \$60.06 list).

8) Stack spacer color.

### Lower Top Dimensions

Height	Depth	Width
29"(737mm)	48"(1219mm)	96"(2438mm)


### Upper Top Dimensions

Height	Diameter
36"(914mm)	60"(1524mm)

Overall Width	Number	①	Upper Top HPL		Wood A	Wood B	Solid Surface
<b>Paint Grade A Lower Top</b>							
138"(3505mm)	THRD-48D8-TFS	DGAP	\$ 12301.63	\$12594.59	N/A	N/A	N/A
	THRD-48D8-HUS	DGAP	N/A	N/A	N/A	N/A	\$26858.63
	THRD-48D8-IUS	DGAP	N/A	N/A	\$ 14342.63	\$ 15140.63	N/A
<b>Paint Grade B Lower Top</b>							
138"(3505mm)	THRD-48D8-TFS	DGAP	\$ 12333.16	\$12626.12	N/A	N/A	N/A
	THRD-48D8-HUS	DGAP	N/A	N/A	N/A	N/A	\$26890.16
	THRD-48D8-IUS	DGAP	N/A	N/A	\$ 14374.16	\$ 15172.16	N/A
<b>Laminate Grade A Lower Top</b>							
138"(3505mm)	THRD-48D8-LFS	DGAP	\$ 9635.39	\$ 9928.35	N/A	N/A	N/A
	THRD-48D8-JFS	DGAP	N/A	N/A	N/A	N/A	\$ 24192.39
	THRD-48D8-QFS	DGAP	N/A	N/A	\$ 11676.39	\$ 12474.39	N/A
<b>Laminate Grade B Lower Top</b>							
138"(3505mm)	THRD-48D8-LFS	DGAP	\$ 9983.23	\$10276.19	N/A	N/A	N/A
	THRD-48D8-JFS	DGAP	N/A	N/A	N/A	N/A	\$ 24540.23
	THRD-48D8-QFS	DGAP	N/A	N/A	\$ 12024.23	\$ 12822.23	N/A
<b>Solid Surface Lower Top</b>							
138"(3505mm)	THRD-48D8-KFS	DGAP	\$28268.35	\$28561.31	N/A	N/A	N/A
	THRD-48D8-SSS	DGAP	N/A	N/A	N/A	N/A	\$ 42825.35
	THRD-48D8-EUS	DGAP	N/A	N/A	\$30309.35	\$ 31107.35	N/A
<b>Wood Group A Lower Top</b>							
138"(3505mm)	THRD-48D8-RFS	DGAP	\$ 12247.87	\$12540.83	N/A	N/A	N/A
	THRD-48D8-DUS	DGAP	N/A	N/A	N/A	N/A	\$ 26804.87
	THRD-48D8-WUS	DGAP	N/A	N/A	\$ 14288.87	\$15086.87	N/A
<b>Wood Group B Lower Top</b>							
138"(3505mm)	THRD-48D8-RFS	DGAP	\$ 13269.31	\$13562.27	N/A	N/A	N/A
	THRD-48D8-DUS	DGAP	N/A	N/A	N/A	N/A	\$ 27826.31
	THRD-48D8-WUS	DGAP	N/A	N/A	\$ 15310.31	\$ 16108.31	N/A

# Immerse — Shift Table

## Racetrack/Round – Painted Legs



THTD  
Class CL

### Features

- Includes racetrack lower top and round upper top, 7"(178mm)H stack spacer, painted understructure, six painted metal legs, adjustable glides and hardware.
- Tops: Racetrack lower top available painted, high-pressure laminate (HPL) solid surface and wood veneer with knife edge. Round upper top available in laminate, solid surface or wood veneer with knife edge. Round upper top not available painted.  
-Painted 1.125"(29mm) thick  
-HPL and wood veneer 1.18"(30mm) thick  
-Solid surface 1"(25mm) thick
- Solid surface is standard in Cameo White.
- Stack spacer is painted MDF.
- Glides have 0.5"(13mm) height adjustment and are standard in black.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

### Specification Tips

- Separately specified power available. Use Oblong Planter (EHPO-\_\_\_\_\_) for the racetrack top and Round Planter (EHPR-\_\_\_\_\_) for the round top.
- When cutout option (-L) is selected, the cutout is on the lower top, option (-P) the cutout is on the lower and upper top and option (-U) the cutout is on the upper top only.
- Overlap of top and bottom surfaces is 17.75"(451mm).
- Seating capacity of 8 based upon 27"(686mm) per chair.
- Tops share one understructure and are not designed to be separated.

### To Order, Specify:

1) Product number, including:

**① Cutout Option:**

**N** No Cutout

**L** Cutout - Lower Top  
(add \$184.71 list)

**P** Cutout - Lower and Upper  
Top (add \$369.41 list)

**U** Cutout - Upper Top  
(add \$184.71 list)

2) Lower surface finish/color.

3) Edge trim color (laminate only).

4) Upper surface finish/color.

5) Edge trim color (laminate only).

6) Understructure trim color.  
Grade B (add \$60.06 list).

7) Trim color. Grade B (add \$60.06 list).

8) Stack spacer color.

### Lower Top Dimensions

Height	Depth	Width
29"(737mm)	48"(1219mm)	96"(2438mm)


### Upper Top Dimensions

Height	Diameter
36"(914mm)	60"(1524mm)

Overall Width	Number	①	A	B	Upper Top HPL	Wood A	B	Solid Surface
<b>Paint Grade A Lower Top</b>								
138"(3505mm)	THTD-48D8-TFS	DGAP	\$ 12301.63	\$ 12594.59	N/A	N/A	N/A	N/A
	THTD-48D8-HUS	DGAP	N/A	N/A	N/A	N/A	N/A	\$26858.63
	THTD-48D8-IUS	DGAP	N/A	N/A	\$ 14342.63	\$ 15140.63	N/A	N/A
<b>Paint Grade B Lower Top</b>								
138"(3505mm)	THTD-48D8-TFS	DGAP	\$ 12333.16	\$ 12626.12	N/A	N/A	N/A	N/A
	THTD-48D8-HUS	DGAP	N/A	N/A	N/A	N/A	N/A	\$26890.16
	THTD-48D8-IUS	DGAP	N/A	N/A	\$ 14374.16	\$ 15172.16	N/A	N/A
<b>Laminate Grade A Lower Top</b>								
138"(3505mm)	THTD-48D8-LFS	DGAP	\$ 9635.39	\$ 9928.35	N/A	N/A	N/A	N/A
	THTD-48D8-JFS	DGAP	N/A	N/A	N/A	N/A	N/A	\$ 24192.39
	THTD-48D8-QFS	DGAP	N/A	N/A	\$ 11676.39	\$ 12474.39	N/A	N/A
<b>Laminate Grade B Lower Top</b>								
138"(3505mm)	THTD-48D8-LFS	DGAP	\$ 9983.23	\$ 10276.19	N/A	N/A	N/A	N/A
	THTD-48D8-JFS	DGAP	N/A	N/A	N/A	N/A	N/A	\$ 24540.23
	THTD-48D8-QFS	DGAP	N/A	N/A	\$ 12024.23	\$ 12822.23	N/A	N/A
<b>Solid Surface Lower Top</b>								
138"(3505mm)	THTD-48D8-KFS	DGAP	\$ 28268.35	\$ 28561.31	N/A	N/A	N/A	N/A
	THTD-48D8-SSS	DGAP	N/A	N/A	N/A	N/A	N/A	\$ 42825.35
	THTD-48D8-EUS	DGAP	N/A	N/A	\$ 30309.35	\$ 31107.35	N/A	N/A
<b>Wood Group A Lower Top</b>								
138"(3505mm)	THTD-48D8-RFS	DGAP	\$ 12247.87	\$ 12540.83	N/A	N/A	N/A	N/A
	THTD-48D8-DUS	DGAP	N/A	N/A	N/A	N/A	N/A	\$ 26804.87
	THTD-48D8-WUS	DGAP	N/A	N/A	\$ 14288.87	\$ 15086.87	N/A	N/A
<b>Wood Group B Lower Top</b>								
138"(3505mm)	THTD-48D8-RFS	DGAP	\$ 13269.31	\$ 13562.27	N/A	N/A	N/A	N/A
	THTD-48D8-DUS	DGAP	N/A	N/A	N/A	N/A	N/A	\$ 27826.31
	THTD-48D8-WUS	DGAP	N/A	N/A	\$ 15310.31	\$ 16108.31	N/A	N/A

# Immerse — Shift Table

## Rectangle/Rectangle – Wood Legs



THRR  
Class CL

### Features

- Includes two tops, 7"(178mm)H stack spacer, painted understructure, six solid wood legs, adjustable glides and hardware.
- Tops: Lower top available in high-pressure laminate (HPL), solid surface and wood veneer with knife edge. Upper top available painted, laminate, solid surface or wood veneer with knife edge.
  - Painted 1.125"(29mm) thick
  - HPL and wood veneer 1.18"(30mm) thick
  - Solid surface 1"(25mm) thick
- Solid surface is standard in Cameo White.
- Stack spacer is painted MDF.
- Glides have 0.5"(13mm) height adjustment and are standard in black.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

### Specification Tips

- Separately specified power available. Use Oblong Planter (EHPO-\_\_\_\_).
- When cutout option (-U) is selected, cutout is on the upper top only. Lower top not available with cutout.
- Overlap of top and bottom surfaces is 18.5"(470mm).
- Seating capacity of 11 based upon 27"(686mm) per chair.
- Tops share one understructure and are not designed to be separated.

### Lower Top Dimensions

Height	Depth	Width
29"(737mm)	60"(1524mm)	78"(1981mm)

### Upper Top Dimensions

Height	Depth	Width
36"(914mm)	48"(1219mm)	96"(2438mm)

### To Order, Specify:

1) Product number, including:

**① Cutout Option:**

**N** No Cutout

**U** Cutout - Upper Top  
(add \$184.71 list)

2) Lower surface finish/color.

3) Edge trim color (laminate only).

4) Upper surface finish/color.

5) Edge trim color (laminate only).

6) Understructure trim color.  
Grade B (add \$60.06 list).

7) Wood leg finish.

M7-W43 Ink on Ash -  
no upcharge

M5-W35 Clear on White Oak  
(add \$316.20 list)

M6-W35 Clear on Walnut  
(add \$955.72 list)

8) Stack spacer color.

Overall Width	Number	①	Upper Top HPL		Trim		Wood A	B	Solid Surface
			A	B	A	B			
<b>Laminate Grade A Lower Top</b>									
156"(3962mm)	THRR-60F6-MFS	DGAW	N/A	N/A	\$ 19260.21	\$ 19291.74	N/A	N/A	N/A
	THRR-60F6-LFS	DGAW	\$ 16593.97	\$ 16941.81	N/A	N/A	N/A	N/A	N/A
	THRR-60F6-JFS	DGAW	N/A	N/A	N/A	N/A	N/A	N/A	\$35226.93
	THRR-60F6-QFS	DGAW	N/A	N/A	N/A	N/A	\$19206.45	\$20227.89	N/A
<b>Laminate Grade B Lower Top</b>									
156"(3962mm)	THRR-60F6-MFS	DGAW	N/A	N/A	\$ 19611.97	\$ 19643.50	N/A	N/A	N/A
	THRR-60F6-LFS	DGAW	\$ 16945.73	\$ 17293.57	N/A	N/A	N/A	N/A	N/A
	THRR-60F6-JFS	DGAW	N/A	N/A	N/A	N/A	N/A	N/A	\$35578.69
	THRR-60F6-QFS	DGAW	N/A	N/A	N/A	N/A	\$19558.21	\$20579.65	N/A
<b>Solid Surface Lower Top</b>									
156"(3962mm)	THRR-60F6-FUS	DGAW	N/A	N/A	\$ 38184.31	\$ 38215.84	N/A	N/A	N/A
	THRR-60F6-KFS	DGAW	\$ 35518.07	\$ 35865.91	N/A	N/A	N/A	N/A	N/A
	THRR-60F6-SSS	DGAW	N/A	N/A	N/A	N/A	N/A	N/A	\$ 54151.03
	THRR-60F6-EUS	DGAW	N/A	N/A	N/A	N/A	\$38130.55	\$ 39151.99	N/A
<b>Wood Group A Lower Top</b>									
156"(3962mm)	THRR-60F6-GUS	DGAW	N/A	N/A	\$ 21913.51	\$ 21945.04	N/A	N/A	N/A
	THRR-60F6-RFS	DGAW	\$ 19247.27	\$ 19595.11	N/A	N/A	N/A	N/A	N/A
	THRR-60F6-DUS	DGAW	N/A	N/A	N/A	N/A	N/A	N/A	\$37880.23
	THRR-60F6-WUS	DGAW	N/A	N/A	N/A	N/A	\$21859.75	\$ 22881.19	N/A
<b>Wood Group B Lower Top</b>									
156"(3962mm)	THRR-60F6-GUS	DGAW	N/A	N/A	\$22950.91	\$22982.44	N/A	N/A	N/A
	THRR-60F6-RFS	DGAW	\$20284.67	\$20632.51	N/A	N/A	N/A	N/A	N/A
	THRR-60F6-DUS	DGAW	N/A	N/A	N/A	N/A	N/A	N/A	\$38917.63
	THRR-60F6-WUS	DGAW	N/A	N/A	N/A	N/A	\$22897.15	\$ 23918.59	N/A

# Immerse — Shift Table

## Rectangle/Round – Wood Legs



THRD  
Class CL

### Features

- Includes rectangle lower top and round upper top, 7"(178mm)H stack spacer, painted understructure, six solid wood legs, adjustable glides and hardware.
- Tops: Rectangle lower top available painted, high-pressure laminate (HPL), solid surface and wood veneer with knife edge. Round upper top available in laminate, solid surface or wood veneer with knife edge. Round upper top not available painted.  
-Painted 1.125"(29mm) thick  
-HPL and wood veneer 1.18"(30mm) thick  
-Solid surface 1"(25mm) thick
- Solid surface is standard in Cameo White.
- Stack spacer is painted MDF.
- Glides have 0.5"(13mm) height adjustment and are standard in black.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

### Specification Tips

- Separately specified power available. Use Oblong Planter (EHPO-\_\_\_\_) for the rectangle top and Round Planter (EHPR-\_\_\_\_) for the round top.
- When cutout option (-L) is selected, the cutout is on the lower top, option (-P) the cutout is on the lower and upper top and option (-U) the cutout is on the upper top only.
- Overlap of top and bottom surfaces is 15.75"(400mm).
- Seating capacity of 8 based upon 27"(686mm) per chair.
- Tops share one understructure and are not designed to be separated.

### Lower Top Dimensions

Height	Depth	Width
29"(737mm)	48"(1219mm)	96"(2438mm)

### Upper Top Dimensions

Height	Diameter
36"(914mm)	60"(1524mm)

Overall Width	Number	①	Upper Top HPL		Wood A	Wood B	Solid Surface
<b>Paint Grade A Lower Top</b>							
138"(3505mm)	THRD-48D8-TFS	DGAW	\$ 18499.71	\$ 18792.67	N/A	N/A	N/A
	THRD-48D8-HUS	DGAW	N/A	N/A	N/A	N/A	\$33056.71
	THRD-48D8-IUS	DGAW	N/A	N/A	\$20540.71	\$ 21338.71	N/A
<b>Paint Grade B Lower Top</b>							
138"(3505mm)	THRD-48D8-TFS	DGAW	\$ 18531.24	\$ 18824.20	N/A	N/A	N/A
	THRD-48D8-HUS	DGAW	N/A	N/A	N/A	N/A	\$33088.24
	THRD-48D8-IUS	DGAW	N/A	N/A	\$20572.24	\$ 21370.24	N/A
<b>Laminate Grade A Lower Top</b>							
138"(3505mm)	THRD-48D8-LFS	DGAW	\$ 15833.47	\$ 16126.43	N/A	N/A	N/A
	THRD-48D8-JFS	DGAW	N/A	N/A	N/A	N/A	\$30390.47
	THRD-48D8-QFS	DGAW	N/A	N/A	\$ 17874.47	\$ 18672.47	N/A
<b>Laminate Grade B Lower Top</b>							
138"(3505mm)	THRD-48D8-LFS	DGAW	\$ 16181.31	\$ 16474.27	N/A	N/A	N/A
	THRD-48D8-JFS	DGAW	N/A	N/A	N/A	N/A	\$30738.31
	THRD-48D8-QFS	DGAW	N/A	N/A	\$ 18222.31	\$ 19020.31	N/A
<b>Solid Surface Lower Top</b>							
138"(3505mm)	THRD-48D8-KFS	DGAW	\$34466.43	\$34759.39	N/A	N/A	N/A
	THRD-48D8-SSS	DGAW	N/A	N/A	N/A	N/A	\$49023.43
	THRD-48D8-EUS	DGAW	N/A	N/A	\$36507.43	\$37305.43	N/A
<b>Wood Group A Lower Top</b>							
138"(3505mm)	THRD-48D8-RFS	DGAW	\$ 18445.95	\$ 18738.91	N/A	N/A	N/A
	THRD-48D8-DUS	DGAW	N/A	N/A	N/A	N/A	\$33002.95
	THRD-48D8-WUS	DGAW	N/A	N/A	\$20486.95	\$ 21284.95	N/A
<b>Wood Group B Lower Top</b>							
138"(3505mm)	THRD-48D8-RFS	DGAW	\$ 19467.39	\$ 19760.35	N/A	N/A	N/A
	THRD-48D8-DUS	DGAW	N/A	N/A	N/A	N/A	\$34024.39
	THRD-48D8-WUS	DGAW	N/A	N/A	\$ 21508.39	\$22306.39	N/A

### To Order, Specify:

1) Product number, including:

**① Cutout Option:**

N No Cutout

L Cutout - Lower Top (add \$184.71 list)

P Cutout - Lower and Upper Top (add \$369.41 list)

U Cutout - Upper Top (add \$184.71 list)

2) Lower surface finish/color.

3) Edge trim color (laminate only).

4) Upper surface finish/color.

5) Edge trim color (laminate only).

6) Understructure trim color.

Grade B (add \$60.06 list)

7) Wood leg finish.

M7-W43 Ink on Ash - no upcharge

M5-W35 Clear on White Oak (add \$316.20 list)

M6-W35 Clear on Walnut (add \$955.72 list)

8) Stack spacer color.

# Immerse — Shift Table

## Racetrack/Round – Wood Legs



THTD  
Class CL

### Features

- Includes racetrack lower top and round upper top, 7"(178mm)H stack spacer, painted understructure, six solid wood legs, adjustable glides and hardware.
- Tops: Racetrack lower top available painted, high-pressure laminate (HPL), solid surface and wood veneer with knife edge. Round upper top available in laminate, solid surface or wood veneer with knife edge. Round upper top not available painted.  
-Painted 1.125"(29mm) thick  
-HPL and wood veneer 1.18"(30mm) thick  
-Solid surface 1"(25mm) thick
- Solid surface is standard in Cameo White.
- Stack spacer is painted MDF.
- Glides have 0.5"(13mm) height adjustment and are standard in black.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

### Specification Tips

- Separately specified power available. Use Oblong Planter (EHPO-\_\_\_\_) for the racetrack top and Round Planter (EHPR-\_\_\_\_) for the round top.
- When cutout option (-L) is selected, the cutout is on the lower top, option (-P) the cutout is on the lower and upper top and option (-U) the cutout is on the upper top only.
- Overlap of top and bottom surfaces is 17.75"(451mm).
- Seating capacity of 8 based upon 27"(686mm) per chair.
- Tops share one understructure and are not designed to be separated.

### Lower Top Dimensions

Height	Depth	Width
29"(737mm)	48"(1219mm)	96"(2438mm)

### Upper Top Dimensions

Height	Diameter
36"(914mm)	60"(1524mm)

Overall Width	Number	①	Upper Top HPL		Wood		Solid Surface
			A	B	A	B	
<b>Paint Grade A Lower Top</b>							
138"(3505mm)	THTD-48D8-TFS	DGAW	\$ 18499.71	\$ 18792.67	N/A	N/A	N/A
	THTD-48D8-HUS	DGAW	N/A	N/A	N/A	N/A	\$33056.71
	THTD-48D8-IUS	DGAW	N/A	N/A	\$20540.71	\$ 21338.71	N/A
<b>Paint Grade B Lower Top</b>							
138"(3505mm)	THTD-48D8-TFS	DGAW	\$ 18531.24	\$ 18824.20	N/A	N/A	N/A
	THTD-48D8-HUS	DGAW	N/A	N/A	N/A	N/A	\$33088.24
	THTD-48D8-IUS	DGAW	N/A	N/A	\$20572.24	\$ 21370.24	N/A
<b>Laminate Grade A Lower Top</b>							
138"(3505mm)	THTD-48D8-LFS	DGAW	\$ 15833.47	\$ 16126.43	N/A	N/A	N/A
	THTD-48D8-JFS	DGAW	N/A	N/A	N/A	N/A	\$30390.47
	THTD-48D8-QFS	DGAW	N/A	N/A	\$ 17874.47	\$ 18672.47	N/A
<b>Laminate Grade B Lower Top</b>							
138"(3505mm)	THTD-48D8-LFS	DGAW	\$ 16181.31	\$ 16474.27	N/A	N/A	N/A
	THTD-48D8-JFS	DGAW	N/A	N/A	N/A	N/A	\$30738.31
	THTD-48D8-QFS	DGAW	N/A	N/A	\$ 18222.31	\$ 19020.31	N/A
<b>Solid Surface Lower Top</b>							
138"(3505mm)	THTD-48D8-KFS	DGAW	\$34466.43	\$34759.39	N/A	N/A	N/A
	THTD-48D8-SSS	DGAW	N/A	N/A	N/A	N/A	\$49023.43
	THTD-48D8-EUS	DGAW	N/A	N/A	\$36507.43	\$37305.43	N/A
<b>Wood Group A Lower Top</b>							
138"(3505mm)	THTD-48D8-RFS	DGAW	\$ 18445.95	\$ 18738.91	N/A	N/A	N/A
	THTD-48D8-DUS	DGAW	N/A	N/A	N/A	N/A	\$33002.95
	THTD-48D8-WUS	DGAW	N/A	N/A	\$20486.95	\$ 21284.95	N/A
<b>Wood Group B Lower Top</b>							
138"(3505mm)	THTD-48D8-RFS	DGAW	\$ 19467.39	\$ 19760.35	N/A	N/A	N/A
	THTD-48D8-DUS	DGAW	N/A	N/A	N/A	N/A	\$34024.39
	THTD-48D8-WUS	DGAW	N/A	N/A	\$ 21508.39	\$22306.39	N/A

### To Order, Specify:

1) Product number, including:

**① Cutout Option:**

N No Cutout

L Cutout - Lower Top (add \$184.71 list)

P Cutout - Lower and Upper Top (add \$369.41 list)

U Cutout - Upper Top (add \$184.71 list)

2) Lower surface finish/color.

3) Edge trim color (laminate only).

4) Upper surface finish/color.

5) Edge trim color (laminate only).

6) Understructure trim color.

Grade B (add \$60.06 list).

7) Wood leg finish.

M7-W43 Ink on Ash - no upcharge

M5-W35 Clear on White Oak (add \$316.20 list)

M6-W35 Clear on Walnut (add \$955.72 list)

8) Stack spacer color.

# Immerse — Single Table

## Round – Painted Legs

THR  
Class CL**Features**

- Includes top, four painted metal legs, painted understructure, adjustable glides and hardware.
- Tops: Painted, high-pressure laminate (HPL), solid surface or wood veneer with knife edge.
  - Painted 1.125"(29mm) thick
  - HPL and wood veneer 1.18"(30mm) thick
  - Solid surface 1"(25mm) thick
- Solid surface is standard in Cameo White.
- Glides have 0.5"(13mm) height adjustment and are standard in black.
- Table height options: 29"(737mm), 36"(914mm) and 39"(991mm).
- Diameter shown in nominal dimensions.
- Ships unassembled.

**Specification Tips**

- Separately specified power available on the 60"(1524mm) diameter table only. Use Round Planter (EHPR-\_\_\_\_).
- 60"(1524mm) diameter table not available painted.

**To Order, Specify:**

1) Product number, including:

**1 Surface Option:** L Laminate P Painted S Solid Surface W Wood**2 Edge Option:** F Knife (Laminate) U Knife (Painted or Wood Surface) S Solid Surface (for use with Solid Surface only)**3 Cutout Option:** N No Cutout P Cutout (add \$184.71 list)

2) Top surface finish/color.

3) Edge trim color (laminate only).


4) Understructure trim color.  
Grade B (add \$60.06 list).

5) Trim color. Grade B (add \$60.06 list).

Height	Diameter	Number	①	②	③	HPL		Trim		Wood		Solid Surface	
						A <input type="checkbox"/> F	B <input type="checkbox"/> F	A <input type="checkbox"/> U	B <input type="checkbox"/> U	A <input type="checkbox"/> U	B <input type="checkbox"/> U	S <input type="checkbox"/> S	
29"(737mm)	48"(1219mm)	THRN-4848-	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	\$ 3916.63	\$4139.03	\$5249.75	\$5281.28	\$5222.87	\$5733.59	\$13233.11	
	60"(1524mm)	THRN-6060-				\$ 4829.23	\$5122.19	N/A	N/A	\$6870.23	\$7668.23	\$19386.23	
36"(914mm)	48"(1219mm)	THRN-4848-	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	\$ 4095.41	\$4317.81	\$5428.53	\$5460.06	\$5401.65	\$5912.37	\$ 13411.89	
	60"(1524mm)	THRN-6060-				\$ 5008.01	\$5300.97	N/A	N/A	\$7049.01	\$7847.01	\$19565.01	
39"(991mm)	48"(1219mm)	THRN-4848-	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	\$ 4172.03	\$4394.43	\$5505.15	\$5536.68	\$5478.27	\$5988.99	\$13488.51	
	60"(1524mm)	THRN-6060-				\$ 5084.63	\$5377.59	N/A	N/A	\$7125.63	\$7923.63	\$19641.63	

# Immerse — Single Table

## Square – Painted Legs

THRQ  
Class CL**Features**

- Includes top, four painted metal legs, painted understructure, adjustable glides and hardware.
- Tops: Painted, high-pressure laminate (HPL), solid surface or wood veneer top with knife edge.
  - Painted 1.125"(29mm) thick
  - HPL and wood veneer 1.18"(30mm) thick
  - Solid surface 1"(25mm) thick
- Solid surface is standard in Cameo White.
- Glides have 0.5"(13mm) height adjustment and are standard in black.
- Table height options: 29"(737mm), 36"(914mm) and 39"(991mm).
- Depth and width shown in nominal dimensions.
- Ships unassembled.

**Specification Tips**

- Separately specified power available on the 60"(1524mm) depth table only. Use Round Planter (EHP-\_\_\_\_\_).
- 60"(1524mm) depth table not available painted.

**To Order, Specify:**

1) Product number, including:

**1 Surface Option:** L Laminate P Painted S Solid Surface W Wood**2 Edge Option:** F Knife (Laminate) U Knife (Painted or Wood Surface) S Solid Surface (for use with Solid Surface only)**3 Cutout Option:** N No Cutout P Cutout (add \$184.71 list)

2) Top surface finish/color.

3) Edge trim color (laminate only).


4) Understructure trim color.  
Grade B (add \$60.06 list).

5) Trim color. Grade B (add \$60.06 list).

Height	Depth	Width	Number	①②③	HPL		Trim		Wood		Solid Surface	
					A <input type="checkbox"/> F	B <input type="checkbox"/> F	A <input type="checkbox"/> U	B <input type="checkbox"/> U	A <input type="checkbox"/> U	B <input type="checkbox"/> U	A <input type="checkbox"/> U	B <input type="checkbox"/> U
29"(737mm)	48"(1219mm)	48"(1219mm)	THRQ-4848-	<input type="checkbox"/> SNAG4P	\$3916.63	\$4139.03	\$5249.75	\$5281.28	\$5222.87	\$5733.59	\$13233.11	
	60"(1524mm)	60"(1524mm)	THRQ-6060-	<input type="checkbox"/> S <input type="checkbox"/> AG4P	4829.23	5122.19	N/A	N/A	6870.23	7668.23	19386.23	
36"(914mm)	48"(1219mm)	48"(1219mm)	THRQ-4848-	<input type="checkbox"/> SNAG6P	\$4095.41	\$4317.81	\$5428.53	\$5460.06	\$5401.65	\$5912.37	\$13411.89	
	60"(1524mm)	60"(1524mm)	THRQ-6060-	<input type="checkbox"/> S <input type="checkbox"/> AG6P	5008.01	5300.97	N/A	N/A	7049.01	7847.01	19565.01	
39"(991mm)	48"(1219mm)	48"(1219mm)	THRQ-4848-	<input type="checkbox"/> SNAG7P	\$4172.03	\$4394.43	\$5505.15	\$5536.68	\$5478.27	\$5988.99	\$13488.51	
	60"(1524mm)	60"(1524mm)	THRQ-6060-	<input type="checkbox"/> S <input type="checkbox"/> AG7P	5084.63	5377.59	N/A	N/A	7125.63	7923.63	19641.63	

# Immerse — Single Table

## Rectangle – Painted Legs



THRA  
Class CL

### Features

- Includes top, four painted metal legs, painted understructure, adjustable glides and hardware.
- Tops: Painted, high-pressure laminate (HPL), solid surface or wood veneer top with knife edge.
  - Painted 1.125"(29mm) thick
  - HPL and wood veneer 1.18"(30mm) thick
  - Solid surface 1"(25mm) thick
- Solid surface is standard in Cameo White.
- Glides have 0.5"(13mm) height adjustment and are standard in black.
- Table height options: 29"(737mm), 36"(914mm) and 39"(991mm).
- Tops greater than 120"(3048mm) are two piece.
- One piece tops have four legs, two piece tops have 6 legs.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

### Specification Tips

- Separately specified power available. Use Oblong Planter (EHPO-\_\_\_\_).
- Two piece tops specified with cutout will have two cutouts and require two Oblong Planters.
- 120"(3048mm) and 144"(3658mm) width tables not available painted.

### To Order, Specify:

1) Product number, including:

**1 Surface Option:**

- |          |               |
|----------|---------------|
| <b>L</b> | Laminate      |
| <b>P</b> | Painted       |
| <b>S</b> | Solid Surface |
| <b>W</b> | Wood          |

**2 Edge Option:**

- |          |   |
|----------|---|
| <b>F</b> | Knife (Laminate)                                |
| <b>U</b> | Knife (Painted or Wood Surface)                 |
| <b>S</b> | Solid Surface (for use with Solid Surface only) |

**3 Cutout Option:**

- |          |   |
|----------|---|
| <b>N</b> | No Cutout   |
| <b>P</b> | Cutout,<br>(add <b>\$184.71</b> list) for<br>one-piece<br>(add <b>\$369.41</b> list) for<br>two-piece |

- 2) Top surface finish/color.
- 3) Edge trim color (laminate only).
- 4) Understructure trim color.  
Grade B (add **\$60.06** list).
- 5) Trim color. Grade B (add **\$60.06** list).

Height	Depth	Width	Number	①②③	HPL		Trim		Wood		Solid Surface	
					F	F	A	U	B	U	A	B
29"(737mm)	48"(1219mm)	96"(2438mm)	THRA-4896-	S S AG4P	\$5539.03	\$5886.87	\$8205.27	\$8236.80	\$8151.51	\$9172.95	\$24171.99	
	48"(1219mm)	144"(3658mm)	THRA-48E4-	S S AG4P	7161.43	7634.71	N/A	N/A	11080.15	12612.31	35110.87	
60"(1524mm)	120"(3048mm)	THRA-60C0-	S S AG4P	7364.23	7853.19	N/A	N/A	11446.23	13042.23	36478.23		
60"(1524mm)	144"(3658mm)	THRA-60E4-	S S AG4P	8378.23	8945.59	N/A	N/A	13276.63	15191.83	43315.03		
36"(914mm)	48"(1219mm)	96"(2438mm)	THRA-4896-	S S AG6P	\$5717.81	\$6065.65	\$8384.05	\$8415.58	\$8330.29	\$9351.73	\$24350.77	
	60"(1524mm)	120"(3048mm)	THRA-60C0-	S S AG6P	7543.01	8031.97	N/A	N/A	11625.01	13221.01	36657.01	
39"(991mm)	48"(1219mm)	96"(2438mm)	THRA-4896-	S S AG7P	\$5794.43	\$6142.27	\$8460.67	\$8492.20	\$8406.91	\$9428.35	\$24427.39	
	60"(1524mm)	120"(3048mm)	THRA-60C0-	S S AG7P	7619.63	8108.59	N/A	N/A	11701.63	13297.63	36733.63	

# Immerse — Single Table

## Racetrack – Painted Legs



THRT  
Class CL

### Features

- Includes top, four painted metal legs, painted understructure, adjustable glides and hardware.
- Tops: Painted, high-pressure laminate (HPL), solid surface or wood veneer top with knife edge.
  - Painted 1.125"(29mm) thick
  - HPL and wood veneer 1.18"(30mm) thick
  - Solid surface 1"(25mm) thick
- Solid surface is standard in Cameo White.
- Glides have 0.5"(13mm) height adjustment and are standard in black.
- Table height options: 29"(737mm), 36"(914mm) and 39"(991mm).
- Depth and width shown in nominal dimensions.
- Ships unassembled.

### Specification Tip

- Separately specified power available. Use Oblong Planter (EHP0-\_\_\_\_).

### To Order, Specify:

1) Product number, including:

**1 Surface Option:**

**L** Laminate

**P** Painted

**S** Solid Surface

**W** Wood

**2 Edge Option:**

**F** Knife (Laminate)

**U** Knife (Painted or Wood Surface)

**S** Solid Surface (for use with Solid Surface only)

**3 Cutout Option:**

**N** No Cutout

**P** Cutout (add \$184.71 list)

2) Top surface finish/color.

3) Edge trim color (laminate only).

4) Understructure trim color.  
Grade B (add \$60.06 list).

5) Trim color. Grade B (add \$60.06 list).

Height	Depth	Width	Number	①②③	HPL		Trim		Wood		Solid Surface	
					A	B	A	B	A	B	S	
29"(737mm)	48"(1219mm)	96"(2438mm)	THRT-4896-	S	AG4P	\$5539.03	\$5886.87	\$8205.27	\$8236.80	\$8151.51	\$9172.95	\$24171.99
36"(914mm)	48"(1219mm)	96"(2438mm)	THRT-4896-	S	AG6P	\$ 5717.81	\$6065.65	\$8384.05	\$ 8415.58	\$8330.29	\$ 9351.73	\$24350.77
39"(991mm)	48"(1219mm)	96"(2438mm)	THRT-4896-	S	AG7P	\$5794.43	\$ 6142.27	\$8460.67	\$8492.20	\$8406.91	\$9428.35	\$24427.39

# Immerse — Single Table

## Round – Wood Legs

THR  
Class CL**Features**

- Includes top, four solid wood legs, painted understructure, adjustable glides and hardware.
- Tops: Painted, high-pressure laminate (HPL), solid surface or wood veneer with knife edge.
  - Painted 1.125"(29mm) thick
  - HPL and wood veneer 1.18"(30mm) thick
  - Solid surface 1"(25mm) thick
- Solid surface is standard in Cameo White.
- Glides have 0.5"(13mm) height adjustment and are standard in black.
- Table height options: 29"(737mm), 36"(914mm) and 39"(991mm).
- Diameter shown in nominal dimensions.
- Ships unassembled.

**Specification Tips**

- Separately specified power available on the 60"(1524mm) diameter table only. Use Round Planter (EHPR-\_\_\_\_).
- 60"(1524mm) diameter table not available painted.

**To Order, Specify:**

1) Product number, including:

**1 Surface Option:** L Laminate P Painted S Solid Surface W Wood**2 Edge Option:** F Knife (Laminate) U Knife (Painted or Wood Surface) S Solid Surface (for use with Solid Surface only)**3 Cutout Option:** N No Cutout P Cutout (add \$184.71 list)

2) Top surface finish/color.

3) Edge trim color (laminate only).

4) Understructure trim color.  
Grade B (add \$60.06 list).


5) Wood leg finish.

M7-W43 Ink on Ash -  
no upchargeM5-W35 Clear on White Oak  
(add \$204.21 list)M6-W35 Clear on Walnut  
(add \$617.21 list)

Height	Diameter	Number	①	②	③	HPL		Trim		Wood		Solid Surface	
						F	F	U	U	U	U	S	
29"(737mm)	48"(1219mm)	THRN-4848-	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SNAG4W	\$ 7633.02	\$ 7855.42	\$ 8966.14	\$ 8997.67	\$ 8939.26	\$ 9449.98	\$ 16949.50
	60"(1524mm)	THRN-6060-				S AG4W	8545.62	8838.58	N/A	N/A	10586.62	11384.62	23102.62
36"(914mm)	48"(1219mm)	THRN-4848-	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SNAG6W	\$ 7811.80	\$ 8034.20	\$ 9144.92	\$ 9176.45	\$ 9118.04	\$ 9628.76	\$ 17128.28
	60"(1524mm)	THRN-6060-				S AG6W	8724.40	9017.36	N/A	N/A	10765.40	11563.40	23281.40
39"(991mm)	48"(1219mm)	THRN-4848-	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SNAG7W	\$ 7888.42	\$ 8110.82	\$ 9221.54	\$ 9253.07	\$ 9194.66	\$ 9705.38	\$ 17204.90
	60"(1524mm)	THRN-6060-				S AG7W	8801.02	9093.98	N/A	N/A	10842.02	11640.02	23358.02

# Immerse — Single Table

## Square – Wood Legs

THRQ  
Class CL**Features**

- Includes top, four solid wood legs, painted understructure, adjustable glides and hardware.
- Tops: Painted, high-pressure laminate (HPL), solid surface or wood veneer top with knife edge.
  - Painted 1.125"(29mm) thick
  - HPL and wood veneer 1.18"(30mm) thick
  - Solid surface 1"(25mm) thick
- Solid surface is standard in Cameo White.
- Glides have 0.5"(13mm) height adjustment and are standard in black.
- Table height options: 29"(737mm), 36"(914mm) and 39"(991mm).
- Depth and width shown in nominal dimensions.
- Ships unassembled.

**Specification Tips**

- Separately specified power available on the 60"(1524mm) depth table only. Use Round Planter (EHPR-\_\_\_\_\_).
- 60"(1524mm) depth table not available painted.

**To Order, Specify:**

1) Product number, including:

**1 Surface Option:** L Laminate P Painted S Solid Surface W Wood**2 Edge Option:** F Knife (Laminate) U Knife (Painted or Wood Surface) S Solid Surface (for use with Solid Surface only)**3 Cutout Option:** N No Cutout P Cutout (add \$184.71 list)

2) Top surface finish/color.

3) Edge trim color (laminates only).

4) Understructure trim color.  
Grade B (add \$60.06 list).


5) Wood leg finish.

M7-W43 Ink on Ash -  
no upchargeM5-W35 Clear on White Oak  
(add \$204.21 list)M6-W35 Clear on Walnut  
(add \$617.21 list)

Height	Depth	Width	Number	①②③	HPL		Trim		Wood		Solid Surface	
					F	F	U	U	U	U	U	S
29"(737mm)	48"(1219mm)	48"(1219mm)	THRQ-4848-	<input type="checkbox"/> SNAG4W	\$7633.02	\$7855.42	\$8966.14	\$8997.67	\$8939.26	\$9449.98	\$16949.50	
60"(1524mm)	60"(1524mm)	THRQ-6060-	<input type="checkbox"/> S AG4W	8545.62	8838.58	N/A	N/A	10586.62	11384.62	23102.62		
36"(914mm)	48"(1219mm)	48"(1219mm)	THRQ-4848-	<input type="checkbox"/> SNAG6W	\$7811.80	\$8034.20	\$9144.92	\$9176.45	\$9118.04	\$9628.76	\$17128.28	
60"(1524mm)	60"(1524mm)	THRQ-6060-	<input type="checkbox"/> S AG6W	8724.40	9017.36	N/A	N/A	10765.40	11563.40	23281.40		
39"(991mm)	48"(1219mm)	48"(1219mm)	THRQ-4848-	<input type="checkbox"/> SNAG7W	\$7888.42	\$8110.82	\$9221.54	\$9253.07	\$9194.66	\$9705.38	\$17204.90	
60"(1524mm)	60"(1524mm)	THRQ-6060-	<input type="checkbox"/> S AG7W	8801.02	9093.98	N/A	N/A	10842.02	11640.02	23358.02		

# Immerse — Single Table

## Rectangle - Wood Legs



THRA  
Class CL

### Features

- Includes top, four solid wood legs, painted understructure, adjustable glides and hardware.
- Tops: Painted, high-pressure laminate (HPL), solid surface or wood veneer top with knife edge.
  - Painted 1.125"(29mm) thick
  - HPL and wood veneer 1.18"(30mm) thick
  - Solid surface 1"(25mm) thick
- Solid surface is standard in Cameo White.
- Glides have 0.5"(13mm) height adjustment and are standard in black.
- Table height options: 29"(737mm), 36"(914mm) and 39"(991mm).
- Tops greater than 120"(3048mm) are two piece.
- One piece tops have four legs, two piece tops have 6 legs.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

### Specification Tips

- Separately specified power available. Use Oblong Planter (EHPO-\_\_\_\_).
- Two piece tops specified with cutout will have two cutouts and require two Oblong Planters.
- 60"(1524mm) depth tables not available painted.

### To Order, Specify:

1) Product number, including:

**1 Surface Option:**

**L** Laminate

**P** Painted

**S** Solid Surface

**W** Wood

**2 Edge Option:**

**F** Knife (Laminate)

**U** Knife (Painted or Wood Surface)

**S** Solid Surface (for use with Solid Surface only)

**3 Cutout Option:**

**N** No Cutout

**P** Cutout,  
(add **\$184.71** list) for  
one-piece  
(add **\$369.41** list) for  
two-piece

2) Top surface finish/color.

3) Edge trim color (laminate only).

4) Understructure trim color.  
Grade B (add **\$60.06** list).

5) Wood leg finish.

M7-W43 Ink on Ash -  
no upcharge


M5-W35 Clear on White Oak  
(add **\$204.21** list)

M6-W35 Clear on Walnut  
(add **\$617.21** list)

Height	Depth	Width	Number	HPL		Trim		Wood		Solid Surface		
				A <b>F</b>	B <b>F</b>	A <b>U</b>	B <b>U</b>	A <b>U</b>	B <b>U</b>	S <b>S</b>		
29"(737mm)	48"(1219mm)	96"(2438mm)	THRA-4896-	S	AG4W	\$9255.42	\$9603.26	\$11921.66	\$11953.19	\$11867.90	\$12889.34	\$27888.38
	48"(1219mm)	144"(3658mm)	THRA-48E4-	S	AG4W	10877.82	11351.10	N/A	N/A	14796.54	16328.70	38827.26
60"(1524mm)	120"(3048mm)	THRA-60C0-	S	AG4W	11080.62	11569.58	N/A	N/A	15162.62	16758.62	40194.62	
60"(1524mm)	144"(3658mm)	THRA-60E4-	S	AG4W	12094.62	12661.98	N/A	N/A	16993.02	18908.22	47031.42	
36"(914mm)	48"(1219mm)	96"(2438mm)	THRA-4896-	S	AG6W	\$ 9434.20	\$ 9782.04	\$ 12100.44	\$ 12131.97	\$ 12046.68	\$ 13068.12	\$ 28067.16
	60"(1524mm)	120"(3048mm)	THRA-60C0-	S	AG6W	11259.40	11748.36	N/A	N/A	15341.40	16937.40	40373.40
39"(991mm)	48"(1219mm)	96"(2438mm)	THRA-4896-	S	AG7W	\$ 9510.82	\$ 9858.66	\$ 12177.06	\$ 12208.59	\$ 12123.30	\$ 13144.74	\$ 28143.78
	60"(1524mm)	120"(3048mm)	THRA-60C0-	S	AG7W	11336.02	11824.98	N/A	N/A	15418.02	17014.02	40450.02

# Immerse — Single Table

## Racetrack – Wood Legs



THRT  
Class CL

### Features

- Includes top, four solid wood legs, painted understructure, adjustable glides and hardware.
- Tops: Painted, high-pressure laminate (HPL), solid surface or wood veneer top with knife edge.
  - Painted 1.125"(29mm) thick
  - HPL and wood veneer 1.18"(30mm) thick
  - Solid surface 1"(25mm) thick
- Solid surface is standard in Cameo White.
- Glides have 0.5"(13mm) height adjustment and are standard in black.
- Table height options: 29"(737mm), 36"(914mm) and 39"(991mm).
- Depth and width shown in nominal dimensions.
- Ships unassembled.

### Specification Tip

- Separately specified power available. Use Oblong Planter (EHP0-\_\_\_\_\_).

### To Order, Specify:

1) Product number, including:

**1 Surface Option:**

L Laminate

P Painted

S Solid Surface

W Wood

**2 Edge Option:**

F Knife (Laminate)

U Knife (Painted or Wood Surface)

S Solid Surface (for use with Solid Surface only)

**3 Cutout Option:**

N No Cutout

P Cutout (add \$184.71 list)

2) Top surface finish/color.

3) Edge trim color (laminates only).

4) Understructure trim color.  
Grade B (add \$60.06 list).

5) Wood leg finish.

M7-W43 Ink on Ash -  
no upcharge


M5-W35 Clear on White Oak  
(add \$204.21 list)

M6-W35 Clear on Walnut  
(add \$617.21 list)

Height	Depth	Width	Number	①②③	HPL		Trim		Wood		Solid Surface	
					A	B	A	B	A	B	U	S
29"(737mm)	48"(1219mm)	96"(2438mm)	THRT-4896-		<input type="checkbox"/> F	<input type="checkbox"/> F	<input type="checkbox"/> U	<input type="checkbox"/> U	<input type="checkbox"/> U	<input type="checkbox"/> U		\$27888.38
36"(914mm)	48"(1219mm)	96"(2438mm)	THRT-4896-		<input type="checkbox"/> S	<input type="checkbox"/> AG4W	<input type="checkbox"/> AG6W	<input type="checkbox"/> AG7W	<input type="checkbox"/> AG4W	<input type="checkbox"/> AG6W	<input type="checkbox"/> AG7W	\$28067.16
39"(991mm)	48"(1219mm)	96"(2438mm)	THRT-4896-		<input type="checkbox"/> S	<input type="checkbox"/> AG4W	<input type="checkbox"/> AG6W	<input type="checkbox"/> AG7W	<input type="checkbox"/> AG4W	<input type="checkbox"/> AG6W	<input type="checkbox"/> AG7W	\$28143.78

# Immerse — Stack Table

## Rectangle – Painted Legs



THRA  
Class CL

## Features

- Includes top, 0.125"(3mm) thick sill (below surface), painted metal legs, painted understructure, adjustable glides and hardware.
  - Top (upper surface), high-pressure laminate (HPL), solid surface or wood veneer with knife edge.
    - HPL and wood veneer 1.18"(30mm) thick
    - Solid surface 1"(25mm) thick
  - Sill is solid surface with flat edge or laminate.
  - Solid surface is standard in Cameo White.
  - Glides have 0.5"(13mm) height adjustment and are standard in black.
  - Tops greater than 120"(3048mm) are two piece.
  - One piece tops have four legs, two piece tops have 6 legs.
  - Depth and width shown in nominal dimensions.
  - Ships unassembled.

### Specification Tips

- Separately specified power available. Use Oblong Planter (EHPO-\_\_\_\_).
  - When cutout option (-P) is selected, single piece table has one cutout and two piece tables has two cutouts. Order the correct number of planters.
  - Stack table not available painted.

## To Order, Specify:

1) Product number, including:

## 1 Surface Option:

- L** Laminate
  - S** Solid Surface
  - W** Wood

## ② Edge Option:

- F** Knife (Laminate)
  - U** Knife (Wood Surface)
  - S** Solid Surface (for use with Solid Surface only)

### **③ Cutout Option:**




- N** No Cutout
  - P** Cutout,  
(add **\$184.71** list) for  
one-piece  
(add **\$369.41** list) for  
two-piece

- 2) Top surface finish/color.
  - 3) Edge trim color (laminates only).
  - 4) Sill surface color.
  - 5) Sill edge trim color (laminates only).
  - 6) Understructure trim color.  
Grade B (add **\$60.06** list).
  - 7) Trim color. Grade B (add **\$60.06** list)

Height	Depth	Width	Number	①②③	HPL		Wood		Solid Surface
					A	B	A	B	S
39"(991mm)	60"(1524mm)	96"(2438mm)	THRA-6096-	S CG7P	\$11373.11	\$11778.87	\$21467.51	\$22744.31	\$41493.11
		120"(3048mm)	THRA-60C0-	S CG7P	15549.06	16032.02	28167.06	29763.06	53199.06
		144"(3658mm)	THRA-60E4-	S CG7P	17745.86	18306.02	32887.46	34802.66	62925.86

# Immerse — Planter

## Oblong



EHPO

Class CL



### Features

- Includes planter, brackets, and mounting hardware.
- Available in Black, Smooth Plaster, Gray Tone, and Terra Cotta.
- Available with or without power.
- When ordering with power option:
  - Includes 2 power modules with a total of 8 ports that can be configured with simplex outlets (NEMA-5-15R), or USB charging simplex outlets (with 2 USB outlets). No data or cable bay options are available.
  - Includes cable management clips.
- Corded option combines both power modules into a single NEMA-5-15P style circuit breaker plug.
- Power modules are UL listed.

### Specification Tips

- The no power option cannot be modified for power in the field.
- Specify the power and USB port options (1 configuration for both power modules).
- Power modules are color matched to the planter.
- Installs in a factory cut work surface.
- Planter, brackets, and power modules are field installed. Hand tighten mounting hardware to avoid deformation of the planter.
- For use with 120 volt, 60 hertz power source only.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.


### To Order, Specify:

- Product number.
- Trim finish.

Width	Bezel Depth	Cord Length	Port	Configuration (per side)	Number	Price
<b>No Power</b>						
					EHPO-000M-00	\$ 1077.01
<b>Corded</b>						
		6'(1829mm)	8	4 Power Receptacles	EHPO-PFOM-40	\$ 2547.09
				3 Power Receptacles, 1USB Charging	EHPO-PFOM-31	2637.20
				2 Power Receptacles, 2 USB Charging	EHPO-PFOM-22	2727.31
		12'(3658mm)	8	4 Power Receptacles	EHPO-PLOM-40	\$ 2620.67
				3 Power Receptacles, 1USB Charging	EHPO-PLOM-31	2710.78
				2 Power Receptacles, 2 USB Charging	EHPO-PLOM-22	2800.89
		21'(6401mm)	8	4 Power Receptacles	EHPO-PWOM-40	\$ 2694.25
				3 Power Receptacles, 1USB Charging	EHPO-PWOM-31	2784.36
				2 Power Receptacles, 2 USB Charging	EHPO-PWOM-22	2874.47
<b>Hardwire</b>						
		6'(1829mm)	8	4 Power Receptacles	EHPO-HFOM-40	\$ 2748.30
				3 Power Receptacles, 1USB Charging	EHPO-HFOM-31	2838.41
				2 Power Receptacles, 2 USB Charging	EHPO-HFOM-22	2928.52
		12'(3658mm)	8	4 Power Receptacles	EHPO-HLOM-40	\$ 2821.88
				3 Power Receptacles, 1USB Charging	EHPO-HLOM-31	2911.99
				2 Power Receptacles, 2 USB Charging	EHPO-HLOM-22	3002.10

# Immerse — Planter

## Round



### Features

- Includes planter, brackets, and mounting hardware.
- Available in Black, Smooth Plaster, Gray Tone, and Terra Cotta.
- Available with and without power.
- When ordering with power option:
  - Includes a power module with a total of 4 ports that can be configured with simplex outlets (NEMA-5-15R), or USB charging simplex outlets (with 2 USB outlets). No data or cable bay options are available.
- Power module is UL listed.

### Specification Tips

- The no power option cannot be modified for power in the field.
- Choosing 4 power ports and 0 USB requires the use of a NEMA-5-15P style circuit breaker plug.**
- Power modules are color matched to the planter.
- Installs in a factory cut work surface.
- Planter, brackets, and power modules are field installed. Hand tighten mounting hardware to avoid deformation of the planter.
- For use with 120 volt, 60 hertz power source only.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

### To Order, Specify:

- Product number.
- Trim finish.

Width	Bezel Depth	Cord Length	Port	Configuration (per side)	Number	Price
<b>No Power</b>						
					EHPR-000M-00	\$ 803.39
<b>Corded</b>						
6'(1829mm)	4	4	4	4 Power Receptacles	EHPR-PFOM-40	\$ 1722.39
				3 Power Receptacles, 1 USB Charging	EHPR-PFOM-31	1812.50
				2 Power Receptacles, 2 USB Charging	EHPR-PFOM-22	1902.61
12'(3658mm)	4	4	4	4 Power Receptacles	EHPR-PLOM-40	\$ 1795.97
				3 Power Receptacles, 1 USB Charging	EHPR-PLOM-31	1886.08
				2 Power Receptacles, 2 USB Charging	EHPR-PLOM-22	1976.19
21'(6401mm)	4	4	4	4 Power Receptacles	EHPR-PWOM-40	\$ 1869.55
				3 Power Receptacles, 1 USB Charging	EHPR-PWOM-31	1959.66
				2 Power Receptacles, 2 USB Charging	EHPR-PWOM-22	2049.77
<b>Hardwire</b>						
6'(1829mm)	4	4	4	4 Power Receptacles	EHPR-HFOM-40	\$ 1923.60
				3 Power Receptacles, 1 USB Charging	EHPR-HFOM-31	2013.71
				2 Power Receptacles, 2 USB Charging	EHPR-HFOM-22	2103.82
12'(3658mm)	4	4	4	4 Power Receptacles	EHPR-HLOM-40	\$ 1997.18
				3 Power Receptacles, 1 USB Charging	EHPR-HLOM-31	2087.29
				2 Power Receptacles, 2 USB Charging	EHPR-HLOM-22	2177.40


# Jive Table

# Catalog Logic


T	C	RA	-	24	60	-	L	J	S	J	B	M	4	
<b>Product Type:</b> _____														
(T) Table														
<b>Product Line:</b> _____														
(C) Jive														
<b>Shape:</b> _____														
(BN) Crescent				(RA) Rectangle										
(CE) Extended Corner				(RN) Round										
(CX) Transitional Extended Corner				(RP) Pebble										
(HP) Half Pebble				(RQ) Square										
(HT) Half Race Track				(RT) Racetrack										
(HX) Half Hexagon				(TP) Trapezoid										
<b>Depth:</b> _____														
18 - 18"(457mm)		42 - 42"(1067mm)												
24 - 24"(610mm)		48 - 48"(1219mm)												
30 - 30"(762mm)		54 - 54"(1372mm)												
36 - 36"(914mm)		60 - 60"(1524mm)												
<b>Width:</b> _____														
18 - 18"(457mm)		72 - 72"(1829mm)												
24 - 24"(610mm)		84 - 84"(2134mm)												
30 - 30"(762mm)		96 - 96"(2438mm)												
36 - 36"(914mm)		A8 - 108"(2743mm)												
42 - 42"(1067mm)		C0 - 120"(3048mm)												
48 - 48"(1219mm)		E4 - 144"(3658mm)												
54 - 54"(1372mm)		J0 - 180"(4572mm)												
60 - 60"(1524mm)		M6 - 216"(5486mm)												
<b>Surface Material:</b> _____														
(L) High-Pressure Laminate (HPL)														
(W) Wood														
<b>Edge:</b> _____														
(F) Laminate Knife		(U) Wood Knife												
(J) Laminate Edgeband		(K) Wood Edgeband												
<b>Core Type:</b> _____														
(S) Standard														
<b>Cutout:</b> _____														
(N) No Cutout				(Q) Center, Double-Sided/12 outlets										
(A) Center, Single-Sided/2 outlets				(V) Left/Right, Single-Sided/4 outlets										
(F) Center, Single-Sided/4 outlets				(K) Left/Right, Single-Sided/6 outlets										
(J) Center, Single-Sided/6 outlets				(R) 3"(76mm) Round										
(M) Center, Double-Sided/8 outlets														
<b>Base Type:</b> _____														
(B) C-Leg Round		(G) Bridge												
(C) C-Leg Extruded		(R) Swivel												
(D) Disc		(T) T-Leg Extruded												
(E) Post Extruded		(V) Post Round												
(F) T-Leg Round		(X) X Base												
<b>Base Foot and Wire Management:</b> _____														
Base - Non Flip Top			Base - Flip Top			- Diagonal Nesting			Base - Flip Top			- In-Line Nesting		
No Power			No Power						No Power					
(C) Casters			(G) Glides			(H) Casters			(F) Glides			(O) Casters		
Power Ready						Power Ready						Power Ready		
(J) Casters			(K) Glides			(L) Casters			(M) Glides			(Q) Casters		
												(R) Glides		
<b>Height:</b> _____														
1 - 16"(406mm)		4 - 29"(737mm)		7 - 42"(1067mm)										
2 - 20"(508mm)		6 - 36"(914mm)												
<b>Base Foot Finish Option:</b> _____														
(A) Painted		(B) Polished												

# Jive Table — Post Extruded Base

## Round



TORN  
Class JV



### Features

- Includes 1.18"(30mm) thick top, leg bases, adjustable glides or casters, and hardware.
- Standard table heights are 16"(406mm), 20"(508mm) and 29"(737mm).
- High-Pressure Laminate (HPL) top with knife edge or 3mm edgeband edges or wood veneer top with 3mm wood edgeband or knife edge.
- Bases are painted steel.
- 16"(406mm) and 20"(508mm) heights are available with glides only.
- 29"(737mm) height available with glides or casters.
- Casters:
  - Two locking and two non-locking casters.
  - Standard in black.
- Glides:
  - 0.625"(16mm)(16mm) adjustment.
  - Standard in black.
- Casters and glides are not interchangeable.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

### Specification Tips

- Specifying a cutout does not automatically include a Power Ready base.**
- Factory installed cutout is available for:
  - Specify the (F) option for a Center, Single-Sided/4 outlet Flip Top Unit
  - Specify the (J) option for a Center, Single-Sided/6 outlet Flip Top Unit
  - Specify the (M) option for a Center, Double-Sided/8 outlet Flip Top Unit
  - Specify the (Q) option for a Center, Double-Sided/12 outlet Flip Top Unit
- Power Ready Base:**
  - Allows for cord management through one of the Post Extruded legs.
- Powered leg location determined during installation.**
  - Casters and Glides:
    - Specify the (J) option for Casters on the Power Ready base (only available on 29"(737mm)H tables)
    - Specify the (K) option for Glides on the Power Ready base (available on 16"(406mm), 20"(508mm) and 29"(737mm)H tables)
  - Flip Top Unit circuit breaker plug will not fit in the Power Ready Base opening.**
- Power cord length determines the distance to building power source.**
- Separately specified:
  - Horizontal and Vertical Wire Management
  - Power and Data Components
  - Accessories
- Refer to Specification Guide:
  - Accessory placement and compatibility.
  - Seating capacities and leg locations.
  - Information on electrical components compatible with factory cut opening.
  - Power Ready base cable capacity.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

### To Order, Specify:

1) Product number, including:

**1 Surface Option:**

**L** Laminate

**W** Wood

**2 Edge Option:**

Laminate:

**J** Edgeband

**F** Knife

Wood:

**K** Edgeband

**U** Knife

**3 Cutout:**

**N** No Cutout

**F** Center, Single-Sided/  
4 outlets (add **\$48.13** list)

**J** Center, Single-Sided/  
6 outlets (add **\$48.13** list)

**M** Center, Double-Sided/  
8 outlets (add **\$48.13** list)

**Q** Center, Double-Sided/  
12 outlets (add **\$48.13** list)

**4 Base and Wire Management Option:**

Base - No Power:

**C** Casters (add **\$23.44** list)  
(29"(737mm) Height Only)

**G** Glides

Base - Power Ready:

**J** Casters (add **\$23.44** list)  
(29"(737mm) Height Only)

**K** Glides

2) Laminate surface color or wood finish color.

3) Edgeband trim color (laminate only).

4) Base trim color.

**Note:** **\$66.18** upcharge list for Metallic trim colors.

# Jive Table — Post Extruded Base


## Round

---


Height	Depth	Width	Number	HPL				Wood				
				A J	F	B J	F	A K	U	B K	U	
<b>Base — No Power — No Cutout</b>												
16"(406mm)	24"(610mm)	24"(610mm)	TCRN-2424-	S E 1	\$ 699.54	\$ 922.01	\$ 792.47	\$ 1014.94	\$ 1126.86	\$ 1250.62	\$ 1209.83	\$ 1340.26
30"(762mm)	30"(762mm)	TCRN-3030-	S E 1	773.58	1036.85	872.09	1135.36	1361.79	1575.64	1487.66	1722.38	
36"(914mm)	36"(914mm)	TCRN-3636-	S E 1	862.58	1166.65	967.91	1271.98	1644.34	1977.29	1821.63	2194.56	
42"(1067mm)	42"(1067mm)	TCRN-4242-	S E 1	966.54	1311.41	1079.93	1424.80	1974.51	2456.64	2211.74	2758.04	
48"(1219mm)	48"(1219mm)	TCRN-4848-	S E 1	1085.46	1471.13	1208.15	1593.82	2352.30	3012.41	2657.99	3411.36	
20"(508mm)	24"(610mm)	TCRN-2424-	S E 2	\$ 707.03	\$ 929.50	\$ 799.96	\$ 1022.43	\$ 1134.35	\$ 1258.11	\$ 1217.32	\$ 1347.75	
30"(762mm)	30"(762mm)	TCRN-3030-	S E 2	781.07	1044.34	879.58	1142.85	1369.28	1583.13	1495.15	1729.87	
36"(914mm)	36"(914mm)	TCRN-3636-	S E 2	870.07	1174.14	975.40	1279.47	1651.83	1984.78	1829.12	2202.05	
42"(1067mm)	42"(1067mm)	TCRN-4242-	S E 2	974.03	1318.90	1087.42	1432.29	1982.00	2464.13	2219.23	2765.53	
48"(1219mm)	48"(1219mm)	TCRN-4848-	S E 2	1092.95	1478.62	1215.64	1601.31	2359.79	3019.90	2665.48	3418.85	
29"(737mm)	30"(762mm)	30"(762mm)	TCRN-3030-	S E 4	\$ 803.53	\$ 1066.80	\$ 902.04	\$ 1165.31	\$ 1391.74	\$ 1605.59	\$ 1517.61	\$ 1752.33
36"(914mm)	36"(914mm)	TCRN-3636-	S E 4	892.53	1196.60	997.86	1301.93	1674.29	2007.24	1851.58	2224.51	
42"(1067mm)	42"(1067mm)	TCRN-4242-	S E 4	996.49	1341.36	1109.88	1454.75	2004.46	2486.59	2241.69	2787.99	
48"(1219mm)	48"(1219mm)	TCRN-4848-	S E 4	1115.41	1501.08	1238.10	1623.77	2382.25	3042.36	2687.94	3441.31	
54"(1372mm)	54"(1372mm)	TCRN-5454-	S E 4	1249.29	1675.76	1382.52	1808.99	2807.66	3675.15	3190.33	4185.15	
60"(1524mm)	60"(1524mm)	TCRN-6060-	S E 4	1398.13	1865.40	1543.14	2010.41	3280.69	4385.93	3748.86	5020.62	
<b>Base — Power Ready — No Cutout</b>												
16"(406mm)	24"(610mm)	24"(610mm)	TCRN-2424-	S E 1	\$ 728.03	\$ 950.50	\$ 820.96	\$ 1043.43	\$ 1155.35	\$ 1279.11	\$ 1238.32	\$ 1368.75
30"(762mm)	30"(762mm)	TCRN-3030-	S E 1	802.07	1065.34	900.58	1163.85	1390.28	1604.13	1516.15	1750.87	
36"(914mm)	36"(914mm)	TCRN-3636-	S E 1	891.07	1195.14	996.40	1300.47	1672.83	2005.78	1850.12	2223.05	
42"(1067mm)	42"(1067mm)	TCRN-4242-	S E 1	995.03	1339.90	1108.42	1453.29	2003.00	2485.13	2240.23	2786.53	
48"(1219mm)	48"(1219mm)	TCRN-4848-	S E 1	1113.95	1499.62	1236.64	1622.31	2380.79	3040.90	2686.48	3439.85	
20"(508mm)	24"(610mm)	TCRN-2424-	S E 2	\$ 735.52	\$ 957.99	\$ 828.45	\$ 1050.92	\$ 1162.84	\$ 1286.60	\$ 1245.81	\$ 1376.24	
30"(762mm)	30"(762mm)	TCRN-3030-	S E 2	809.56	1072.83	908.07	1171.34	1397.77	1611.62	1523.64	1758.36	
36"(914mm)	36"(914mm)	TCRN-3636-	S E 2	898.56	1202.63	1003.89	1307.96	1680.32	2013.27	1857.61	2230.54	
42"(1067mm)	42"(1067mm)	TCRN-4242-	S E 2	1002.52	1347.39	1115.91	1460.78	2010.49	2492.62	2247.72	2794.02	
48"(1219mm)	48"(1219mm)	TCRN-4848-	S E 2	1121.44	1507.11	1244.13	1629.80	2388.28	3048.39	2693.97	3447.34	
29"(737mm)	30"(762mm)	30"(762mm)	TCRN-3030-	S E 4	\$ 832.02	\$ 1095.29	\$ 930.53	\$ 1193.80	\$ 1420.23	\$ 1634.08	\$ 1546.10	\$ 1780.82
36"(914mm)	36"(914mm)	TCRN-3636-	S E 4	921.02	1225.09	1026.35	1330.42	1702.78	2035.73	1880.07	2253.00	
42"(1067mm)	42"(1067mm)	TCRN-4242-	S E 4	1024.98	1369.85	1138.37	1483.24	2032.95	2515.08	2270.18	2816.48	
48"(1219mm)	48"(1219mm)	TCRN-4848-	S E 4	1143.90	1529.57	1266.59	1652.26	2410.74	3070.85	2716.43	3469.80	
54"(1372mm)	54"(1372mm)	TCRN-5454-	S E 4	1277.78	1704.25	1411.01	1837.48	2836.15	3703.64	3218.82	4213.64	
60"(1524mm)	60"(1524mm)	TCRN-6060-	S E 4	1426.62	1893.89	1571.63	2038.90	3309.18	4414.42	3777.35	5049.11	

# Jive Table — Post Extruded Base

## Square



TORQ  
Class JV



### Features

- Includes 1.18"(30mm) thick top, leg bases, adjustable glides or casters, and hardware.
- Standard table heights are 16"(406mm), 20"(508mm) and 29"(737mm).
- High-Pressure Laminate (HPL) top with knife edge or 3mm edgeband edges or wood veneer top with 3mm wood edgeband or knife edge.
- Bases are painted steel.
- 16"(406mm) and 20"(508mm) heights are available with glides only.
- 29"(737mm) height available with glides or casters.
- Casters:
  - Two locking and two non-locking casters.
  - Standard in black.
- Glides:
  - 0.625"(16mm) adjustment.
  - Standard in black.
- Casters and glides are not interchangeable.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

### Specification Tips

- Edge choice allows a flat seam between tables.
- Specifying a cutout does not automatically include a Power Ready base.**
- Factory installed cutout is available for:
  - Specify the (F) option for a Center, Single-Sided/4 outlet Flip Top Unit
  - Specify the (J) option for a Center, Single-Sided/6 outlet Flip Top Unit
  - Specify the (M) option for a Center, Double-Sided/8 outlet Flip Top Unit
  - Specify the (Q) option for a Center, Double-Sided/12 outlet Flip Top Unit
- Power Ready Base:
  - Allows for cord management through one of the Post Extruded legs.
  - Powered leg location determined during installation.
- Casters and Glides:
  - Specify the (J) option for Casters on the Power Ready base (only available on 29"(737mm)H tables)
  - Specify the (K) option for Glides on the Power Ready base (available on 16"(406mm), 20"(508mm) and 29"(737mm)H tables)
- Flip Top Unit circuit breaker plug will not fit in the Power Ready Base opening.**
- Power cord length determines the distance to building power source.**
- Separately specified:
  - Ganging Mechanism - Recommended for use with power between tables.
  - Horizontal and Vertical Wire Management
  - Power and Data Components
  - Accessories
- Refer to Specification Guide:
  - Accessory placement and compatibility.
  - Seating capacities and leg locations.
  - Information on electrical components compatible with factory cut opening.
  - Power Ready base cable capacity.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

### To Order, Specify:

1) Product number, including:

**1 Surface Option:**

**L** Laminate

**W** Wood

**2 Edge Option:**

Laminate:

**J** Edgeband

**F** Knife

Wood:

**K** Edgeband

**U** Knife

**3 Cutout:**

**N** No Cutout

**F** Center, Single-Sided/  
4 outlets (add **\$48.13** list)

**J** Center, Single-Sided/  
6 outlets (add **\$48.13** list)

**M** Center, Double-Sided/  
8 outlets (add **\$48.13** list)

**Q** Center, Double-Sided/  
12 outlets (add **\$48.13** list)

**4 Base and Wire Management Option:**

Base - No Power:

**C** Casters (add **\$23.44** list)  
(29" Height Only)

**G** Glides

Base - Power Ready:

**J** Casters (add **\$23.44** list)  
(29" Height Only)

**K** Glides

2) Laminate surface color or wood finish color.

3) Edgeband trim color (laminate only).

4) Base trim color.

**Note:** **\$66.18** upcharge list for Metallic trim colors.


# Jive Table — Post Extruded Base

## Square

Height	Depth	Width	Number	HPL				Wood				
				A J	F	B J	F	A K	U	B K	U	
<b>Base — No Power — No Cutout</b>												
16"(406mm)	24"(610mm)	24"(610mm)	TCRQ-2424-	S E 1	\$ 699.54	\$ 922.01	\$ 792.47	\$ 1014.94	\$ 1126.86	\$ 1250.62	\$ 1209.83	\$ 1340.26
30"(762mm)	30"(762mm)	TCRQ-3030-	S E 1	773.58	1036.85	872.09	1135.36	1361.79	1575.64	1487.66	1722.38	
36"(914mm)	36"(914mm)	TCRQ-3636-	S E 1	862.58	1166.65	967.91	1271.98	1644.34	1977.29	1821.63	2194.56	
42"(1067mm)	42"(1067mm)	TCRQ-4242-	S E 1	966.54	1311.41	1079.93	1424.80	1974.51	2456.64	2211.74	2758.04	
48"(1219mm)	48"(1219mm)	TCRQ-4848-	S E 1	1085.46	1471.13	1208.15	1593.82	2352.30	3012.41	2657.99	3411.36	
20"(508mm)	24"(610mm)	TCRQ-2424-	S E 2	\$ 707.03	\$ 929.50	\$ 799.96	\$ 1022.43	\$ 1134.35	\$ 1258.11	\$ 1217.32	\$ 1347.75	
30"(762mm)	30"(762mm)	TCRQ-3030-	S E 2	781.07	1044.34	879.58	1142.85	1369.28	1583.13	1495.15	1729.87	
36"(914mm)	36"(914mm)	TCRQ-3636-	S E 2	870.07	1174.14	975.40	1279.47	1651.83	1984.78	1829.12	2202.05	
42"(1067mm)	42"(1067mm)	TCRQ-4242-	S E 2	974.03	1318.90	1087.42	1432.29	1982.00	2464.13	2219.23	2765.53	
48"(1219mm)	48"(1219mm)	TCRQ-4848-	S E 2	1092.95	1478.62	1215.64	1601.31	2359.79	3019.90	2665.48	3418.85	
29"(737mm)	30"(762mm)	30"(762mm)	TCRQ-3030-	S E 4	\$ 803.53	\$ 1066.80	\$ 902.04	\$ 1165.31	\$ 1391.74	\$ 1605.59	\$ 1517.61	\$ 1752.33
36"(914mm)	36"(914mm)	TCRQ-3636-	S E 4	892.53	1196.60	997.86	1301.93	1674.29	2007.24	1851.58	2224.51	
42"(1067mm)	42"(1067mm)	TCRQ-4242-	S E 4	996.49	1341.36	1109.88	1454.75	2004.46	2486.59	2241.69	2787.99	
48"(1219mm)	48"(1219mm)	TCRQ-4848-	S E 4	1115.41	1501.08	1238.10	1623.77	2382.25	3042.36	2687.94	3441.31	
54"(1372mm)	54"(1372mm)	TCRQ-5454-	S E 4	1249.29	1675.76	1382.52	1808.99	2807.66	3675.15	3190.33	4185.15	
60"(1524mm)	60"(1524mm)	TCRQ-6060-	S E 4	1398.13	1865.40	1543.14	2010.41	3280.69	4385.93	3748.86	5020.62	
<b>Base — Power Ready — No Cutout</b>												
16"(406mm)	24"(610mm)	24"(610mm)	TCRQ-2424-	S E 1	\$ 728.03	\$ 950.50	\$ 820.96	\$ 1043.43	\$ 1155.35	\$ 1279.11	\$ 1238.32	\$ 1368.75
30"(762mm)	30"(762mm)	TCRQ-3030-	S E 1	802.07	1065.34	900.58	1163.85	1390.28	1604.13	1516.15	1750.87	
36"(914mm)	36"(914mm)	TCRQ-3636-	S E 1	891.07	1195.14	996.40	1300.47	1672.83	2005.78	1850.12	2223.05	
42"(1067mm)	42"(1067mm)	TCRQ-4242-	S E 1	995.03	1339.90	1108.42	1453.29	2003.00	2485.13	2240.23	2786.53	
48"(1219mm)	48"(1219mm)	TCRQ-4848-	S E 1	1113.95	1499.62	1236.64	1622.31	2380.79	3040.90	2686.48	3439.85	
20"(508mm)	24"(610mm)	TCRQ-2424-	S E 2	\$ 735.52	\$ 957.99	\$ 828.45	\$ 1050.92	\$ 1162.84	\$ 1286.60	\$ 1245.81	\$ 1376.24	
30"(762mm)	30"(762mm)	TCRQ-3030-	S E 2	809.56	1072.83	908.07	1171.34	1397.77	1611.62	1523.64	1758.36	
36"(914mm)	36"(914mm)	TCRQ-3636-	S E 2	898.56	1202.63	1003.89	1307.96	1680.32	2013.27	1857.61	2230.54	
42"(1067mm)	42"(1067mm)	TCRQ-4242-	S E 2	1002.52	1347.39	1115.91	1460.78	2010.49	2492.62	2247.72	2794.02	
48"(1219mm)	48"(1219mm)	TCRQ-4848-	S E 2	1121.44	1507.11	1244.13	1629.80	2388.28	3048.39	2693.97	3447.34	
29"(737mm)	30"(762mm)	30"(762mm)	TCRQ-3030-	S E 4	\$ 832.02	\$ 1095.29	\$ 930.53	\$ 1193.80	\$ 1420.23	\$ 1634.08	\$ 1546.10	\$ 1780.82
36"(914mm)	36"(914mm)	TCRQ-3636-	S E 4	921.02	1225.09	1026.35	1330.42	1702.78	2035.73	1880.07	2253.00	
42"(1067mm)	42"(1067mm)	TCRQ-4242-	S E 4	1024.98	1369.85	1138.37	1483.24	2032.95	2515.08	2270.18	2816.48	
48"(1219mm)	48"(1219mm)	TCRQ-4848-	S E 4	1143.90	1529.57	1266.59	1652.26	2410.74	3070.85	2716.43	3469.80	
54"(1372mm)	54"(1372mm)	TCRQ-5454-	S E 4	1277.78	1704.25	1411.01	1837.48	2836.15	3703.64	3218.82	4213.64	
60"(1524mm)	60"(1524mm)	TCRQ-6060-	S E 4	1426.62	1893.89	1571.63	2038.90	3309.18	4414.42	3777.35	5049.11	

# Jive Table — Post Extruded Base

## Pebble

TORP-4242  
(Symmetrical)TORP-3060  
(Asymmetrical)  
Class JV

### Features

- Includes 1.18"(30mm) thick top, leg bases, adjustable glides or casters, and hardware.
- Standard table heights are 16"(406mm), 20"(508mm) and 29"(737mm).
- High-Pressure Laminate (HPL) top with knife edge or 3mm edgeband edges or wood veneer top with 3mm wood edgeband or knife edge.
- Bases are painted steel.
- 16"(406mm) and 20"(508mm) heights are available with glides only.
- 29"(737mm) height available with glides or casters.
- Casters:
  - Two locking and two non-locking casters.
  - Standard in black.
- Glides:
  - 0.625"(16mm) adjustment.
  - Standard in black.
- Casters and glides are not interchangeable.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

### Specification Tips

- Specifying a cutout does not automatically include a Power Ready base.**
- Factory installed cutout is available for:
  - Specify the (F) option for a Center, Single-Sided/4 outlet Flip Top Unit
  - Specify the (J) option for a Center, Single-Sided/6 outlet Flip Top Unit
  - Specify the (M) option for a Center, Double-Sided/8 outlet Flip Top Unit
  - Specify the (Q) option for a Center, Double-Sided/12 outlet Flip Top Unit
- Power Ready Base:**
  - Allows for cord management through one of the Post Extruded legs.
- Powered leg location determined during installation.**
  - Casters and Glides:
    - Specify the (J) option for Casters on the Power Ready base (only available on 29"(737mm)H tables)
    - Specify the (K) option for Glides on the Power Ready base (available on 16"(406mm), 20"(508mm) and 29"(737mm)H tables)
  - Flip Top Unit circuit breaker plug will not fit in the Power Ready Base opening.**
- Power cord length determines the distance to building power source.**
- Separately specified:
  - Horizontal and Vertical Wire Management
  - Power and Data Components
  - Accessories
- Refer to Specification Guide:
  - Accessory placement and compatibility.
  - Seating capacities and leg locations.
  - Information on electrical components compatible with factory cut opening.
  - Power Ready base cable capacity.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

### To Order, Specify:

1) Product number, including:

**1 Surface Option:**

**L** Laminate

**W** Wood

**2 Edge Option:**

Laminate:

**J** Edgeband

**F** Knife

Wood:

**K** Edgeband

**U** Knife

**3 Cutout:**

**N** No Cutout

**F** Center, Single-Sided/  
4 outlets (add **\$48.13** list)

**J** Center, Single-Sided/  
6 outlets (add **\$48.13** list)

**M** Center, Double-Sided/  
8 outlets (add **\$48.13** list)

**Q** Center, Double-Sided/  
12 outlets (add **\$48.13** list)

**4 Base and Wire Management Option:**

Base - No Power:

**C** Casters (add **\$23.44** list)  
(29" Height Only)

**G** Glides

Base - Power Ready:

**J** Casters (add **\$23.44** list)  
(29" Height Only)

**K** Glides

2) Laminate surface color or wood finish color.

3) Edgeband trim color (laminate only).

4) Base trim color.

**Note:** **\$66.18** upcharge list for Metallic trim colors.

# Jive Table — Post Extruded Base

## Pebble

---

Height	Depth	Width	Number	HPL				Wood				
				A J	F	B J	F	A K	U	B K	U	
<b>Symmetrical — Base — No Power — No Cutout</b>												
16"(406mm)	24"(610mm)	24"(610mm)	TCRP-2424-	S E 1	\$ 699.54	\$ 922.01	\$ 792.47	\$ 1014.94	\$ 1126.86	\$ 1250.62	\$ 1209.83	\$ 1340.26
30"(762mm)	30"(762mm)	TCRP-3030-	S E 1	773.58	1036.85	872.09	1135.36	1361.79	1575.64	1487.66	1722.38	
36"(914mm)	36"(914mm)	TCRP-3636-	S E 1	862.58	1166.65	967.91	1271.98	1644.34	1977.29	1821.63	2194.56	
42"(1067mm)	42"(1067mm)	TCRP-4242-	S E 1	966.54	1311.41	1079.93	1424.80	1974.51	2456.64	2211.74	2758.04	
48"(1219mm)	48"(1219mm)	TCRP-4848-	S E 1	1085.46	1471.13	1208.15	1593.82	2352.30	3012.41	2657.99	3411.36	
20"(508mm)	24"(610mm)	24"(610mm)	TCRP-2424-	S E 2	\$ 707.03	\$ 929.50	\$ 799.96	\$ 1022.43	\$ 1134.35	\$ 1258.11	\$ 1217.32	\$ 1347.75
30"(762mm)	30"(762mm)	TCRP-3030-	S E 2	781.07	1044.34	879.58	1142.85	1369.28	1583.13	1495.15	1729.87	
36"(914mm)	36"(914mm)	TCRP-3636-	S E 2	870.07	1174.14	975.40	1279.47	1651.83	1984.78	1829.12	2202.05	
42"(1067mm)	42"(1067mm)	TCRP-4242-	S E 2	974.03	1318.90	1087.42	1432.29	1982.00	2464.13	2219.23	2765.53	
48"(1219mm)	48"(1219mm)	TCRP-4848-	S E 2	1092.95	1478.62	1215.64	1601.31	2359.79	3019.90	2665.48	3418.85	
29"(737mm)	30"(762mm)	30"(762mm)	TCRP-3030-	S E 4	\$ 803.53	\$ 1066.80	\$ 902.04	\$ 1165.31	\$ 1391.74	\$ 1605.59	\$ 1517.61	\$ 1752.33
36"(914mm)	36"(914mm)	TCRP-3636-	S E 4	892.53	1196.60	997.86	1301.93	1674.29	2007.24	1851.58	2224.51	
42"(1067mm)	42"(1067mm)	TCRP-4242-	S E 4	996.49	1341.36	1109.88	1454.75	2004.46	2486.59	2241.69	2787.99	
48"(1219mm)	48"(1219mm)	TCRP-4848-	S E 4	1115.41	1501.08	1238.10	1623.77	2382.25	3042.36	2687.94	3441.31	
54"(1372mm)	54"(1372mm)	TCRP-5454-	S E 4	1249.29	1675.76	1382.52	1808.99	2807.66	3675.15	3190.33	4185.15	
60"(1524mm)	60"(1524mm)	TCRP-6060-	S E 4	1398.13	1865.40	1543.14	2010.41	3280.69	4385.93	3748.86	5020.62	
<b>Symmetrical — Base — Power Ready — No Cutout</b>												
16"(406mm)	24"(610mm)	24"(610mm)	TCRP-2424-	S E 1	\$ 728.03	\$ 950.50	\$ 820.96	\$ 1043.43	\$ 1155.35	\$ 1279.11	\$ 1238.32	\$ 1368.75
30"(762mm)	30"(762mm)	TCRP-3030-	S E 1	802.07	1065.34	900.58	1163.85	1390.28	1604.13	1516.15	1750.87	
36"(914mm)	36"(914mm)	TCRP-3636-	S E 1	891.07	1195.14	996.40	1300.47	1672.83	2005.78	1850.12	2223.05	
42"(1067mm)	42"(1067mm)	TCRP-4242-	S E 1	995.03	1339.90	1108.42	1453.29	2003.00	2485.13	2240.23	2786.53	
48"(1219mm)	48"(1219mm)	TCRP-4848-	S E 1	1113.95	1499.62	1236.64	1622.31	2380.79	3040.90	2686.48	3439.85	
20"(508mm)	24"(610mm)	24"(610mm)	TCRP-2424-	S E 2	\$ 735.52	\$ 957.99	\$ 828.45	\$ 1050.92	\$ 1162.84	\$ 1286.60	\$ 1245.81	\$ 1376.24
30"(762mm)	30"(762mm)	TCRP-3030-	S E 2	809.56	1072.83	908.07	1171.34	1397.77	1611.62	1523.64	1758.36	
36"(914mm)	36"(914mm)	TCRP-3636-	S E 2	898.56	1202.63	1003.89	1307.96	1680.32	2013.27	1857.61	2230.54	
42"(1067mm)	42"(1067mm)	TCRP-4242-	S E 2	1002.52	1347.39	1115.91	1460.78	2010.49	2492.62	2247.72	2794.02	
48"(1219mm)	48"(1219mm)	TCRP-4848-	S E 2	1121.44	1507.11	1244.13	1629.80	2388.28	3048.39	2693.97	3447.34	
29"(737mm)	30"(762mm)	30"(762mm)	TCRP-3030-	S E 4	\$ 832.02	\$ 1095.29	\$ 930.53	\$ 1193.80	\$ 1420.23	\$ 1634.08	\$ 1546.10	\$ 1780.82
36"(914mm)	36"(914mm)	TCRP-3636-	S E 4	921.02	1225.09	1026.35	1330.42	1702.78	2035.73	1880.07	2253.00	
42"(1067mm)	42"(1067mm)	TCRP-4242-	S E 4	1024.98	1369.85	1138.37	1483.24	2032.95	2515.08	2270.18	2816.48	
48"(1219mm)	48"(1219mm)	TCRP-4848-	S E 4	1143.90	1529.57	1266.59	1652.26	2410.74	3070.85	2716.43	3469.80	
54"(1372mm)	54"(1372mm)	TCRP-5454-	S E 4	1277.78	1704.25	1411.01	1837.48	2836.15	3703.64	3218.82	4213.64	
60"(1524mm)	60"(1524mm)	TCRP-6060-	S E 4	1426.62	1893.89	1571.63	2038.90	3309.18	4414.42	3777.35	5049.11	

# Jive Table — Post Extruded Base


## Pebble

---


Height	Depth	Width	Number	HPL				Wood					
				A J	F	B J	F	A K	U	B K	U		
<b>Asymmetrical — Base — No Power — No Cutout</b>													
16"(406mm)	30"(762mm)	48"(1219mm)	TCRP-3048-	S E 1	\$ 881.58	\$ 1186.95	\$ 993.73	\$ 1299.10	\$ 1843.41	\$ 2222.62	\$ 2067.71	\$ 2494.69	
		60"(1524mm)	TCRP-3060-	S E 1	966.24	1331.51	1084.59	1449.86	2111.81	2568.88	2385.40	2901.87	
		72"(1829mm)	TCRP-3072-	S E 1	1051.87	1482.91	1176.42	1607.46	2383.18	2925.75	2706.72	3321.46	
		36"(914mm)	60"(1524mm)	TCRP-3660-	S E 1	\$ 1044.40	\$ 1430.07	\$ 1168.95	\$ 1554.62	\$ 2360.23	\$ 2843.82	\$ 2678.70	\$ 3225.65
		72"(1829mm)	TCRP-3672-	S E 1	1145.23	1598.14	1277.22	1730.13	2679.96	3250.96	3057.07	3704.48	
20"(508mm)	30"(762mm)	48"(1219mm)	TCRP-3048-	S E 2	\$ 889.07	\$ 1194.44	\$ 1001.22	\$ 1306.59	\$ 1850.90	\$ 2230.11	\$ 2075.20	\$ 2502.18	
		60"(1524mm)	TCRP-3060-	S E 2	973.73	1339.00	1092.08	1457.35	2119.30	2576.37	2392.89	2909.36	
		72"(1829mm)	TCRP-3072-	S E 2	1059.36	1490.40	1183.91	1614.95	2390.67	2933.24	2714.21	3328.95	
		36"(914mm)	60"(1524mm)	TCRP-3660-	S E 2	\$ 1051.89	\$ 1437.56	\$ 1176.44	\$ 1562.11	\$ 2367.72	\$ 2851.31	\$ 2686.19	\$ 3233.14
		72"(1829mm)	TCRP-3672-	S E 2	1152.72	1605.63	1284.71	1737.62	2687.45	3258.45	3064.56	3711.97	
29"(737mm)	30"(762mm)	48"(1219mm)	TCRP-3048-	S E 4	\$ 911.53	\$ 1216.90	\$ 1023.68	\$ 1329.05	\$ 1873.36	\$ 2252.57	\$ 2097.66	\$ 2524.64	
		60"(1524mm)	TCRP-3060-	S E 4	996.19	1361.46	1114.54	1479.81	2141.76	2598.83	2415.35	2931.82	
		72"(1829mm)	TCRP-3072-	S E 4	1081.82	1512.86	1206.37	1637.41	2413.13	2955.70	2736.67	3351.41	
		36"(914mm)	60"(1524mm)	TCRP-3660-	S E 4	\$ 1074.35	\$ 1460.02	\$ 1198.90	\$ 1584.57	\$ 2390.18	\$ 2873.77	\$ 2708.65	\$ 3255.60
		72"(1829mm)	TCRP-3672-	S E 4	1175.18	1628.09	1307.17	1760.08	2709.91	3280.91	3087.02	3734.43	
		42"(1067mm)	72"(1829mm)	TCRP-4272-	S E 4	\$ 1268.55	\$ 1743.32	\$ 1407.98	\$ 1882.75	\$ 3006.70	\$ 3606.13	\$ 3437.37	\$ 4117.45
		48"(1219mm)	72"(1829mm)	TCRP-4872-	S E 4	\$ 1361.91	\$ 1858.55	\$ 1508.78	\$ 2005.42	\$ 3303.48	\$ 3931.34	\$ 3787.71	\$ 4500.48
<b>Asymmetrical — Base — Power Ready — No Cutout</b>													
16"(406mm)	30"(762mm)	48"(1219mm)	TCRP-3048-	S E 1	\$ 910.07	\$ 1215.44	\$ 1022.22	\$ 1327.59	\$ 1871.90	\$ 2251.11	\$ 2096.20	\$ 2523.18	
		60"(1524mm)	TCRP-3060-	S E 1	994.73	1360.00	1113.08	1478.35	2140.30	2597.37	2413.89	2930.36	
		72"(1829mm)	TCRP-3072-	S E 1	1080.36	1511.40	1204.91	1635.95	2411.67	2954.24	2735.21	3349.95	
		36"(914mm)	60"(1524mm)	TCRP-3660-	S E 1	\$ 1072.89	\$ 1458.56	\$ 1197.44	\$ 1583.11	\$ 2388.72	\$ 2872.31	\$ 2707.19	\$ 3254.14
		72"(1829mm)	TCRP-3672-	S E 1	1173.72	1626.63	1305.71	1758.62	2708.45	3279.45	3085.56	3732.97	
20"(508mm)	30"(762mm)	48"(1219mm)	TCRP-3048-	S E 2	\$ 917.56	\$ 1222.93	\$ 1029.71	\$ 1335.08	\$ 1879.39	\$ 2258.60	\$ 2103.69	\$ 2530.67	
		60"(1524mm)	TCRP-3060-	S E 2	1002.22	1367.49	1120.57	1485.84	2147.79	2604.86	2421.38	2937.85	
		72"(1829mm)	TCRP-3072-	S E 2	1087.85	1518.89	1212.40	1643.44	2419.16	2961.73	2742.70	3357.44	
		36"(914mm)	60"(1524mm)	TCRP-3660-	S E 2	\$ 1080.38	\$ 1466.05	\$ 1204.93	\$ 1590.60	\$ 2396.21	\$ 2879.80	\$ 2714.68	\$ 3261.63
		72"(1829mm)	TCRP-3672-	S E 2	1181.21	1634.12	1313.20	1766.11	2715.94	3286.94	3093.05	3740.46	
29"(737mm)	30"(762mm)	48"(1219mm)	TCRP-3048-	S E 4	\$ 940.02	\$ 1245.39	\$ 1052.17	\$ 1357.54	\$ 1901.85	\$ 2281.06	\$ 2126.15	\$ 2553.13	
		60"(1524mm)	TCRP-3060-	S E 4	1024.68	1389.95	1143.03	1508.30	2170.25	2627.32	2443.84	2960.31	
		72"(1829mm)	TCRP-3072-	S E 4	1110.31	1541.35	1234.86	1665.90	2441.62	2984.19	2765.16	3379.90	
		36"(914mm)	60"(1524mm)	TCRP-3660-	S E 4	\$ 1102.84	\$ 1488.51	\$ 1227.39	\$ 1613.06	\$ 2418.67	\$ 2902.26	\$ 2737.14	\$ 3284.09
		72"(1829mm)	TCRP-3672-	S E 4	1203.67	1656.58	1335.66	1788.57	2738.40	3309.40	3115.51	3762.92	
		42"(1067mm)	72"(1829mm)	TCRP-4272-	S E 4	\$ 1297.04	\$ 1771.81	\$ 1436.47	\$ 1911.24	\$ 3035.19	\$ 3634.62	\$ 3465.86	\$ 4145.94
		48"(1219mm)	72"(1829mm)	TCRP-4872-	S E 4	\$ 1390.40	\$ 1887.04	\$ 1537.27	\$ 2033.91	\$ 3331.97	\$ 3959.83	\$ 3816.20	\$ 4528.97

# Jive Table — Post Extruded Base

## Rectangle



TORA  
Class JV



### Features

- Includes 1.18"(30mm) thick top, leg bases, adjustable glides or casters, and hardware.
- Standard table heights are 16"(406mm), 20"(508mm) and 29"(737mm).
- High-Pressure Laminate (HPL) top with knife edge or 3mm edgeband edges or wood veneer top with 3mm wood edgeband or knife edge.
- Bases are painted steel.
- Casters:
  - Two locking and two non-locking casters.
  - Standard in black.
- Glides:
  - 0.625"(16mm) adjustment.
  - Standard in black.
- Casters and glides are not interchangeable.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

### Specification Tips

- Edge choice allows a flat seam between tables.
- Specifying a cutout does not automatically include a Power Ready base.**
- Factory installed cutout is available for:
  - Specify the (F) option for a Center, Single-Sided/4 outlet Flip Top Unit
  - Specify the (J) option for a Center, Single-Sided/6 outlet Flip Top Unit
  - Specify the (M) option for a Center, Double-Sided/8 outlet Flip Top Unit
  - Specify the (Q) option for a Center, Double-Sided/12 outlet Flip Top Unit
- Power Ready Base:
  - Allows for cord management through one of the Post Extruded legs.
- Powered leg location determined during installation.**
  - Casters and Glides:
    - Specify the (J) option for Casters on the Power Ready base (only available on 29"(737mm)H tables)
    - Specify the (K) option for Glides on the Power Ready base (available on 16"(406mm), 20"(508mm) and 29"(737mm)H tables)
- Flip Top Unit circuit breaker plug will not fit in the Power Ready Base opening.**
- Power cord length determines the distance to building power source.**
- Separately specified:
  - Ganging Mechanism - Recommended for use with power between tables.
  - Horizontal and Vertical Wire Management
  - Power and Data Components
  - Accessories
- Refer to Specification Guide:
  - Accessory placement and compatibility.
  - Seating capacities and leg locations.
  - Information on electrical components compatible with factory cut opening.
  - Power Ready base cable capacity.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

### To Order, Specify:

1) Product number, including:

**1 Surface Option:**

**L** Laminate

**W** Wood

**2 Edge Option:**

Laminate:

**J** Edgeband

**F** Knife

Wood:

**K** Edgeband

**U** Knife

**3 Cutout:**

**N** No Cutout

**F** Center, Single-Sided/  
4 outlets (add **\$48.13** list)

**J** Center, Single-Sided/  
6 outlets (add **\$48.13** list)

**M** Center, Double-Sided/  
8 outlets (add **\$48.13** list)

**Q** Center, Double-Sided/  
12 outlets (add **\$48.13** list)

**4 Base and Wire Management Option:**

Base - No Power:

**C** Casters (add **\$23.44** list)  
(29"(737mm) Height Only)

**G** Glides

Base - Power Ready:

**J** Casters (add **\$23.44** list)  
(29"(737mm) Height Only)

**K** Glides

2) Laminate surface color or wood finish color.

3) Edgeband trim color (laminate only).

4) Base trim color.

**Note:** **\$66.18** upcharge list for Metallic trim colors.

# Jive Table — Post Extruded Base

## Rectangle

Height	Depth	Width	Number	HPL				Wood						
				A J	B F	A J	B F	A K	B U	A K	B U			
<b>Base — No Power — No Cutout</b>														
16"(406mm)	30"(762mm)	48"(1219mm)	TCRA-3048-	S E 1	\$ 881.58	\$ 1186.95	\$ 993.73	\$ 1299.10	\$ 1843.41	\$ 2222.62	\$ 2067.71	\$ 2494.69		
		54"(1372mm)	TCRA-3054-	S E 1	923.79	1258.37	1039.04	1373.62	1977.24	2394.42	2226.10	2696.73		
		60"(1524mm)	TCRA-3060-	S E 1	966.24	1331.51	1084.59	1449.86	2111.81	2568.88	2385.40	2901.87		
		36"(914mm)	60"(1524mm)	TCRA-3660-	S E 1	\$ 1044.40	\$ 1430.07	\$ 1168.95	\$ 1554.62	\$ 2360.23	\$ 2843.82	\$ 2678.70	\$ 3225.65	
			72"(1829mm)	TCRA-3672-	S E 1	1145.23	1598.14	1277.22	1730.13	2679.96	3250.96	3057.07	3704.48	
20"(508mm)	30"(762mm)	48"(1219mm)	TCRA-3048-	S E 2	\$ 889.07	\$ 1194.44	\$ 1001.22	\$ 1306.59	\$ 1850.90	\$ 2230.11	\$ 2075.20	\$ 2502.18		
		54"(1372mm)	TCRA-3054-	S E 2	931.28	1265.86	1046.53	1381.11	1984.73	2401.91	2233.59	2704.22		
		60"(1524mm)	TCRA-3060-	S E 2	973.73	1339.00	1092.08	1457.35	2119.30	2576.37	2392.89	2909.36		
		36"(914mm)	60"(1524mm)	TCRA-3660-	S E 2	\$ 1051.89	\$ 1437.56	\$ 1176.44	\$ 1562.11	\$ 2367.72	\$ 2851.31	\$ 2686.19	\$ 3233.14	
			72"(1829mm)	TCRA-3672-	S E 2	1152.72	1605.63	1284.71	1737.62	2687.45	3258.45	3064.56	3711.97	
29"(737mm)	18"(457mm)	48"(1219mm)	TCRA-1848-	S E 4	\$ 785.61	N/A	\$ 887.84	N/A	\$ 1473.25	N/A	\$ 1625.15	N/A		
		54"(1372mm)	TCRA-1854-	S E 4	812.62	N/A	916.71	N/A	1558.71	N/A	1726.50	N/A		
		60"(1524mm)	TCRA-1860-	S E 4	839.87	N/A	945.82	N/A	1644.92	N/A	1828.75	N/A		
		66"(1676mm)	TCRA-1866-	S E 4	867.36	N/A	975.17	N/A	1731.87	N/A	1931.91	N/A		
			72"(1829mm)	TCRA-1872-	S E 4	895.10	N/A	1004.77	N/A	1819.57	N/A	2035.98	N/A	
		24"(610mm)	36"(914mm)	TCRA-2436-	S E 4	\$ 780.07	\$ 1013.97	\$ 882.30	\$ 1116.20	\$ 1456.24	\$ 1742.52	\$ 1604.39	\$ 1924.56	
			42"(1067mm)	TCRA-2442-	S E 4	814.20	1073.63	918.91	1178.34	1564.40	1883.88	1732.44	2090.78	
			48"(1219mm)	TCRA-2448-	S E 4	848.57	1135.01	955.76	1242.20	1673.30	2027.90	1861.40	2260.10	
			54"(1372mm)	TCRA-2454-	S E 4	883.18	1198.10	992.85	1307.77	1782.95	2174.57	1991.27	2432.52	
			60"(1524mm)	TCRA-2460-	S E 4	918.03	1262.90	1030.18	1375.05	1893.34	2323.89	2122.05	2608.04	
			66"(1676mm)	TCRA-2466-	S E 4	953.12	1329.41	1067.75	1444.04	2004.47	2475.86	2253.73	2786.66	
			72"(1829mm)	TCRA-2472-	S E 4	988.46	1397.63	1105.57	1514.74	2116.35	2630.49	2386.33	2968.39	
		30"(762mm)	36"(914mm)	TCRA-3036-	S E 4	\$ 827.83	\$ 1079.18	\$ 933.78	\$ 1185.13	\$ 1607.93	\$ 1916.92	\$ 1783.59	\$ 2129.86	
			42"(1067mm)	TCRA-3042-	S E 4	869.56	1147.19	978.61	1256.24	1740.28	2083.42	1940.17	2325.70	
			48"(1219mm)	TCRA-3048-	S E 4	911.53	1216.90	1023.68	1329.05	1873.36	2252.57	2097.66	2524.64	
			54"(1372mm)	TCRA-3054-	S E 4	953.74	1288.32	1068.99	1403.57	2007.19	2424.37	2256.05	2726.68	
			60"(1524mm)	TCRA-3060-	S E 4	996.19	1361.46	1114.54	1479.81	2141.76	2598.83	2415.35	2931.82	
			72"(1829mm)	TCRA-3072-	S E 4	1081.82	1512.86	1206.37	1637.41	2413.13	2955.70	2736.67	3351.41	
			36"(914mm)	60"(1524mm)	TCRA-3660-	S E 4	\$ 1074.35	\$ 1460.02	\$ 1198.90	\$ 1584.57	\$ 2390.18	\$ 2873.77	\$ 2708.65	\$ 3255.60
				66"(1676mm)	TCRA-3666-	S E 4	1124.65	1543.20	1252.92	1671.47	2549.68	3076.02	2897.38	3493.46
				72"(1829mm)	TCRA-3672-	S E 4	1175.18	1628.09	1307.17	1760.08	2709.91	3280.91	3087.02	3734.43
			42"(1067mm)	60"(1524mm)	TCRA-4260-	S E 4	\$ 1152.51	\$ 1558.58	\$ 1283.26	\$ 1689.33	\$ 2638.60	\$ 3148.71	\$ 3001.95	\$ 3579.38
				72"(1829mm)	TCRA-4272-	S E 4	1268.55	1743.32	1407.98	1882.75	3006.70	3606.13	3437.37	4117.45
			48"(1219mm)	72"(1829mm)	TCRA-4872-	S E 4	\$ 1361.91	\$ 1858.55	\$ 1508.78	\$ 2005.42	\$ 3303.48	\$ 3931.34	\$ 3787.71	\$ 4500.48

# Jive Table — Post Extruded Base


## Rectangle

---


Height	Depth	Width	Number	HPL			Wood						
				A J	F	B J	F	K	U	B K	U		
<b>Base — Power Ready — No Cutout</b>													
16"(406mm)	30"(762mm)	48"(1219mm)	TCRA-3048-	S E 1	\$ 910.07	\$ 1215.44	\$ 1022.22	\$ 1327.59	\$ 1871.90	\$ 2251.11	\$ 2096.20	\$ 2523.18	
		54"(1372mm)	TCRA-3054-	S E 1	952.28	1286.86	1067.53	1402.11	2005.73	2422.91	2254.59	2725.22	
		60"(1524mm)	TCRA-3060-	S E 1	994.73	1360.00	1113.08	1478.35	2140.30	2597.37	2413.89	2930.36	
		36"(914mm)	60"(1524mm)	TCRA-3660-	S E 1	\$ 1072.89	\$ 1458.56	\$ 1197.44	\$ 1583.11	\$ 2388.72	\$ 2872.31	\$ 2707.19	\$ 3254.14
		72"(1829mm)	TCRA-3672-	S E 1	1173.72	1626.63	1305.71	1758.62	2708.45	3279.45	3085.56	3732.97	
20"(508mm)	30"(762mm)	48"(1219mm)	TCRA-3048-	S E 2	\$ 917.56	\$ 1222.93	\$ 1029.71	\$ 1335.08	\$ 1879.39	\$ 2258.60	\$ 2103.69	\$ 2530.67	
		54"(1372mm)	TCRA-3054-	S E 2	959.77	1294.35	1075.02	1409.60	2013.22	2430.40	2262.08	2732.71	
		60"(1524mm)	TCRA-3060-	S E 2	1002.22	1367.49	1120.57	1485.84	2147.79	2604.86	2421.38	2937.85	
		36"(914mm)	60"(1524mm)	TCRA-3660-	S E 2	\$ 1080.38	\$ 1466.05	\$ 1204.93	\$ 1590.60	\$ 2396.21	\$ 2879.80	\$ 2714.68	\$ 3261.63
		72"(1829mm)	TCRA-3672-	S E 2	1181.21	1634.12	1313.20	1766.11	2715.94	3286.94	3093.05	3740.46	
29"(737mm)	18"(457mm)	48"(1219mm)	TCRA-1848-	S E 4	\$ 814.10	N/A	\$ 916.33	N/A	\$ 1501.74	N/A	\$ 1653.64	N/A	
		54"(1372mm)	TCRA-1854-	S E 4	841.11	N/A	945.20	N/A	1587.20	N/A	1754.99	N/A	
		60"(1524mm)	TCRA-1860-	S E 4	868.36	N/A	974.31	N/A	1673.41	N/A	1857.24	N/A	
		66"(1676mm)	TCRA-1866-	S E 4	895.85	N/A	1003.66	N/A	1760.36	N/A	1960.40	N/A	
		72"(1829mm)	TCRA-1872-	S E 4	923.59	N/A	1033.26	N/A	1848.06	N/A	2064.47	N/A	
		24"(610mm)	36"(914mm)	TCRA-2436-	S E 4	\$ 808.56	\$ 1042.46	\$ 910.79	\$ 1144.69	\$ 1484.73	\$ 1771.01	\$ 1632.88	\$ 1953.05
		42"(1067mm)	TCRA-2442-	S E 4	842.69	1102.12	947.40	1206.83	1592.89	1912.37	1760.93	2119.27	
		48"(1219mm)	TCRA-2448-	S E 4	877.06	1163.50	984.25	1270.69	1701.79	2056.39	1889.89	2288.59	
		54"(1372mm)	TCRA-2454-	S E 4	911.67	1226.59	1021.34	1336.26	1811.44	2203.06	2019.76	2461.01	
		60"(1524mm)	TCRA-2460-	S E 4	946.52	1291.39	1058.67	1403.54	1921.83	2352.38	2150.54	2636.53	
		66"(1676mm)	TCRA-2466-	S E 4	981.61	1357.90	1096.24	1472.53	2032.96	2504.35	2282.22	2815.15	
		72"(1829mm)	TCRA-2472-	S E 4	1016.95	1426.12	1134.06	1543.23	2144.84	2658.98	2414.82	2996.88	
		30"(762mm)	36"(914mm)	TCRA-3036-	S E 4	\$ 856.32	\$ 1107.67	\$ 962.27	\$ 1213.62	\$ 1636.42	\$ 1945.41	\$ 1812.08	\$ 2158.35
		42"(1067mm)	TCRA-3042-	S E 4	898.05	1175.68	1007.10	1284.73	1768.77	2111.91	1968.66	2354.19	
		48"(1219mm)	TCRA-3048-	S E 4	940.02	1245.39	1052.17	1357.54	1901.85	2281.06	2126.15	2553.13	
		54"(1372mm)	TCRA-3054-	S E 4	982.23	1316.81	1097.48	1432.06	2035.68	2452.86	2284.54	2755.17	
		60"(1524mm)	TCRA-3060-	S E 4	1024.68	1389.95	1143.03	1508.30	2170.25	2627.32	2443.84	2960.31	
		72"(1829mm)	TCRA-3072-	S E 4	1110.31	1541.35	1234.86	1665.90	2441.62	2984.19	2765.16	3379.90	
		36"(914mm)	60"(1524mm)	TCRA-3660-	S E 4	\$ 1102.84	\$ 1488.51	\$ 1227.39	\$ 1613.06	\$ 2418.67	\$ 2902.26	\$ 2737.14	\$ 3284.09
		66"(1676mm)	TCRA-3666-	S E 4	1153.14	1571.69	1281.41	1699.96	2578.17	3104.51	2925.87	3521.95	
		72"(1829mm)	TCRA-3672-	S E 4	1203.67	1656.58	1335.66	1788.57	2738.40	3309.40	3115.51	3762.92	
		42"(1067mm)	60"(1524mm)	TCRA-4260-	S E 4	\$ 1181.00	\$ 1587.07	\$ 1311.75	\$ 1717.82	\$ 2667.09	\$ 3177.20	\$ 3030.44	\$ 3607.87
		72"(1829mm)	TCRA-4272-	S E 4	1297.04	1771.81	1436.47	1911.24	3035.19	3634.62	3465.86	4145.94	
		48"(1219mm)	72"(1829mm)	TCRA-4872-	S E 4	\$ 1390.40	\$ 1887.04	\$ 1537.27	\$ 2033.91	\$ 3331.97	\$ 3959.83	\$ 3816.20	\$ 4528.97

# Jive Table — Post Extruded Base

## Racetrack



TORT  
Class JV



### Features

- Includes 1.18"(30mm) thick top, leg bases, adjustable glides or casters, and hardware.
- Standard table heights are 16"(406mm), 20"(508mm) and 29"(737mm).
- High-Pressure Laminate (HPL) top with knife edge or 3mm edgeband edges or wood veneer top with 3mm wood edgeband or knife edge.
- Bases are painted steel.
- 16"(406mm) and 20"(508mm) heights are available with glides only.
- 29"(737mm) height available with glides or casters.
- Casters:
  - Two locking and two non-locking casters.
  - Standard in black.
- Glides:
  - 0.625"(16mm) adjustment.
  - Standard in black.
- Casters and glides are not interchangeable.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

### Specification Tips

- Specifying a cutout does not automatically include a Power Ready base.**
- Factory installed cutout is available for:
  - Specify the (F) option for a Center, Single-Sided/4 outlet Flip Top Unit
  - Specify the (J) option for a Center, Single-Sided/6 outlet Flip Top Unit
  - Specify the (M) option for a Center, Double-Sided/8 outlet Flip Top Unit
  - Specify the (Q) option for a Center, Double-Sided/12 outlet Flip Top Unit
- Power Ready Base:**
  - Allows for cord management through one of the Post Extruded legs.
- Powered leg location determined during installation.**
  - Casters and Glides:
    - Specify the (J) option for Casters on the Power Ready base (only available on 29"(737mm)H tables)
    - Specify the (K) option for Glides on the Power Ready base (available on 16"(406mm), 20"(508mm) and 29"(737mm)H tables)
  - Flip Top Unit circuit breaker plug will not fit in the Power Ready Base opening.**
- Power cord length determines the distance to building power source.**
- Separately specified:
  - Horizontal and Vertical Wire Management
  - Power and Data Components
  - Accessories
- Refer to Specification Guide:
  - Accessory placement and compatibility.
  - Seating capacities and leg locations.
  - Information on electrical components compatible with factory cut opening.
  - Power Ready base cable capacity.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

### To Order, Specify:

1) Product number, including:

**1 Surface Option:**

**L** Laminate

**W** Wood

**2 Edge Option:**

Laminate:

**J** Edgeband

**F** Knife

Wood:

**K** Edgeband

**U** Knife

**3 Cutout:**

**N** No Cutout

**F** Center, Single-Sided/  
4 outlets (add **\$48.13** list)

**J** Center, Single-Sided/  
6 outlets (add **\$48.13** list)

**M** Center, Double-Sided/  
8 outlets (add **\$48.13** list)

**Q** Center, Double-Sided/  
12 outlets (add **\$48.13** list)

**4 Base and Wire Management Option:**

Base - No Power:

**C** Casters (add **\$23.44** list)  
(29"(737mm) Height Only)

**G** Glides

Base - Power Ready:

**J** Casters (add **\$23.44** list)  
(29"(737mm) Height Only)

**K** Glides

2) Laminate surface color or wood finish color.

3) Edgeband trim color (laminate only).

4) Base trim color.

**Note:** **\$66.18** upcharge list for Metallic trim colors.

# Jive Table — Post Extruded Base


## Racetrack

---


Height	Depth	Width	Number	HPL				Wood					
				A ①	B ②	J ③	F ④	A K	B U	K U	B U		
<b>Base — No Power — No Cutout</b>													
16"(406mm)	30"(762mm)	48"(1219mm)	TCRT-3048-	S E 1	\$ 881.58	\$ 1186.95	\$ 993.73	\$ 1299.10	\$ 1843.41	\$ 2222.62	\$ 2067.71	\$ 2494.69	
		60"(1524mm)	TCRT-3060-	S E 1	966.24	1331.51	1084.59	1449.86	2111.81	2568.88	2385.40	2901.87	
		72"(1829mm)	TCRT-3072-	S E 1	1051.87	1482.91	1176.42	1607.46	2383.18	2925.75	2706.72	3321.46	
		36"(914mm)	60"(1524mm)	TCRT-3660-	S E 1	\$ 1044.40	\$ 1430.07	\$ 1168.95	\$ 1554.62	\$ 2360.23	\$ 2843.82	\$ 2678.70	\$ 3225.65
			72"(1829mm)	TCRT-3672-	S E 1	1145.23	1598.14	1277.22	1730.13	2679.96	3250.96	3057.07	3704.48
20"(508mm)	30"(762mm)	48"(1219mm)	TCRT-3048-	S E 2	\$ 889.07	\$ 1194.44	\$ 1001.22	\$ 1306.59	\$ 1850.90	\$ 2230.11	\$ 2075.20	\$ 2502.18	
		60"(1524mm)	TCRT-3060-	S E 2	973.73	1339.00	1092.08	1457.35	2119.30	2576.37	2392.89	2909.36	
		72"(1829mm)	TCRT-3072-	S E 2	1059.36	1490.40	1183.91	1614.95	2390.67	2933.24	2714.21	3328.95	
		36"(914mm)	60"(1524mm)	TCRT-3660-	S E 2	\$ 1051.89	\$ 1437.56	\$ 1176.44	\$ 1562.11	\$ 2367.72	\$ 2851.31	\$ 2686.19	\$ 3233.14
			72"(1829mm)	TCRT-3672-	S E 2	1152.72	1605.63	1284.71	1737.62	2687.45	3258.45	3064.56	3711.97
29"(737mm)	30"(762mm)	48"(1219mm)	TCRT-3048-	S E 4	\$ 911.53	\$ 1216.90	\$ 1023.68	\$ 1329.05	\$ 1873.36	\$ 2252.57	\$ 2097.66	\$ 2524.64	
		60"(1524mm)	TCRT-3060-	S E 4	996.19	1361.46	1114.54	1479.81	2141.76	2598.83	2415.35	2931.82	
		72"(1829mm)	TCRT-3072-	S E 4	1081.82	1512.86	1206.37	1637.41	2413.13	2955.70	2736.67	3351.41	
		36"(914mm)	60"(1524mm)	TCRT-3660-	S E 4	\$ 1074.35	\$ 1460.02	\$ 1198.90	\$ 1584.57	\$ 2390.18	\$ 2873.77	\$ 2708.65	\$ 3255.60
			72"(1829mm)	TCRT-3672-	S E 4	1175.18	1628.09	1307.17	1760.08	2709.91	3280.91	3087.02	3734.43
		42"(1067mm)	72"(1829mm)	TCRT-4272-	S E 4	\$ 1268.55	\$ 1743.32	\$ 1407.98	\$ 1882.75	\$ 3006.70	\$ 3606.13	\$ 3437.37	\$ 4117.45
		48"(1219mm)	72"(1829mm)	TCRT-4872-	S E 4	\$ 1361.91	\$ 1858.55	\$ 1508.78	\$ 2005.42	\$ 3303.48	\$ 3931.34	\$ 3787.71	\$ 4500.48
<b>Base — Power Ready — No Cutout</b>													
16"(406mm)	30"(762mm)	48"(1219mm)	TCRT-3048-	S E 1	\$ 910.07	\$ 1215.44	\$ 1022.22	\$ 1327.59	\$ 1871.90	\$ 2251.11	\$ 2096.20	\$ 2523.18	
		60"(1524mm)	TCRT-3060-	S E 1	994.73	1360.00	1113.08	1478.35	2140.30	2597.37	2413.89	2930.36	
		72"(1829mm)	TCRT-3072-	S E 1	1080.36	1511.40	1204.91	1635.95	2411.67	2954.24	2735.21	3349.95	
		36"(914mm)	60"(1524mm)	TCRT-3660-	S E 1	\$ 1072.89	\$ 1458.56	\$ 1197.44	\$ 1583.11	\$ 2388.72	\$ 2872.31	\$ 2707.19	\$ 3254.14
			72"(1829mm)	TCRT-3672-	S E 1	1173.72	1626.63	1305.71	1758.62	2708.45	3279.45	3085.56	3732.97
20"(508mm)	30"(762mm)	48"(1219mm)	TCRT-3048-	S E 2	\$ 917.56	\$ 1222.93	\$ 1029.71	\$ 1335.08	\$ 1879.39	\$ 2258.60	\$ 2103.69	\$ 2530.67	
		60"(1524mm)	TCRT-3060-	S E 2	1002.22	1367.49	1120.57	1485.84	2147.79	2604.86	2421.38	2937.85	
		72"(1829mm)	TCRT-3072-	S E 2	1087.85	1518.89	1212.40	1643.44	2419.16	2961.73	2742.70	3357.44	
		36"(914mm)	60"(1524mm)	TCRT-3660-	S E 2	\$ 1080.38	\$ 1466.05	\$ 1204.93	\$ 1590.60	\$ 2396.21	\$ 2879.80	\$ 2714.68	\$ 3261.63
			72"(1829mm)	TCRT-3672-	S E 2	1181.21	1634.12	1313.20	1766.11	2715.94	3286.94	3093.05	3740.46
29"(737mm)	30"(762mm)	48"(1219mm)	TCRT-3048-	S E 4	\$ 940.02	\$ 1245.39	\$ 1052.17	\$ 1357.54	\$ 1901.85	\$ 2281.06	\$ 2126.15	\$ 2553.13	
		60"(1524mm)	TCRT-3060-	S E 4	1024.68	1389.95	1143.03	1508.30	2170.25	2627.32	2443.84	2960.31	
		72"(1829mm)	TCRT-3072-	S E 4	1110.31	1541.35	1234.86	1665.90	2441.62	2984.19	2765.16	3379.90	
		36"(914mm)	60"(1524mm)	TCRT-3660-	S E 4	\$ 1102.84	\$ 1488.51	\$ 1227.39	\$ 1613.06	\$ 2418.67	\$ 2902.26	\$ 2737.14	\$ 3284.09
			72"(1829mm)	TCRT-3672-	S E 4	1203.67	1656.58	1335.66	1788.57	2738.40	3309.40	3115.51	3762.92
		42"(1067mm)	72"(1829mm)	TCRT-4272-	S E 4	\$ 1297.04	\$ 1771.81	\$ 1436.47	\$ 1911.24	\$ 3035.19	\$ 3634.62	\$ 3465.86	\$ 4145.94
		48"(1219mm)	72"(1829mm)	TCRT-4872-	S E 4	\$ 1390.40	\$ 1887.04	\$ 1537.27	\$ 2033.91	\$ 3331.97	\$ 3959.83	\$ 3816.20	\$ 4528.97

# Jive Table — Post Extruded Base

## Trapezoid



TOTP  
Class JV



### Features

- Includes 1.18"(30mm) thick top, leg bases, adjustable glides or casters, and hardware.
- Standard table height is 29"(737mm).
- High Pressure Laminate (HPL) with knife edge or 3mm edgeband edges or wood veneer top with 3mm wood edgeband or knife edge.
- Bases are painted steel.
- Casters:
  - Two locking and two non-locking casters.
  - Standard in black.
- Glides:
  - 0.625"(16mm) adjustment.
  - Standard in black.
- Casters and glides are not interchangeable.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

### Specification Tips

- Edge choice allows a flat seam between tables.
- Specifying a cutout does not automatically include a Power Ready base.**
- Factory installed cutout is available for:
  - Specify the (F) option for a Center, Single-Sided/4 outlet Flip Top Unit
  - Specify the (J) option for a Center, Single-Sided/6 outlet Flip Top Unit
  - Specify the (M) option for a Center, Double-Sided/8 outlet Flip Top Unit
  - Specify the (Q) option for a Center, Double-Sided/12 outlet Flip Top Unit
- Power Ready Base:
  - Allows for cord management through one of the Post Extruded legs.
- Powered leg location determined during installation.**
  - Casters and Glides:
    - Specify the (J) option for Casters on the Power Ready base (only available on 29"(737mm)H tables)
    - Specify the (K) option for Glides on the Power Ready base (available on 29"(737mm)H tables)
  - Flip Top Unit circuit breaker plug will not fit in the Power Ready Base opening.**
- Power cord length determines the distance to building power source.**
- Separately specified:
  - Ganging Mechanism - Recommended for use with power between tables.
  - Horizontal and Vertical Wire Management
  - Power and Data Components
  - Accessories
  - Refer to Specification Guide:
  - Accessory placement and compatibility.
  - Seating capacities and leg locations.
  - Information on electrical components compatible with factory cut opening.
  - Power Ready base cable capacity.
  - Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

### To Order, Specify:

1) Product number, including:

① Surface Option:

L Laminate

W Wood

② Edge Option:

Laminate:

J Edgeband

F Knife

Wood:

K Edgeband

U Knife

③ Cutout:

N No Cutout

F Center, Single-Sided/  
4 outlets (add \$48.13 list)

J Center, Single-Sided/  
6 outlets (add \$48.13 list)

④ Base and Wire Management

Option:

Base - No Power:

C Casters (add \$23.44 list)  
(29"(737mm) Height Only)

G Glides

Base - Power Ready:

J Casters (add \$23.44 list)  
(29"(737mm) Height Only)

K Glides

2) Laminate surface color or wood finish color.

3) Edgeband trim color (laminate only).

4) Base trim color.

**Note:** \$66.18 upcharge list for Metallic trim colors.

# Jive Table — Post Extruded Base

## Trapezoid



---

Height	Depth	Width	Number	HPL				Wood								
				A ①	B ②	A ③	B ④	J	F	J	F	K	U			
<b>Base — No Power — No Cutout</b>																
29"(737mm)	24"(610mm)	48"(1219mm)	TCTP-2448-	S	E	4	\$ 848.59	\$ 1135.03	\$ 853.55	\$ 1139.99	\$ 1056.73	\$ 1411.33	\$ 1116.20	\$ 1514.90		
		54"(1372mm)	TCTP-2454-	S	E	4	883.20	1198.12	890.64	1205.56	1166.38	1558.00	1246.07	1687.32		
		60"(1524mm)	TCTP-2460-	S	E	4	918.05	1262.92	927.97	1272.84	1276.77	1707.32	1376.85	1862.84		
		66"(1676mm)	TCTP-2466-	S	E	4	953.14	1329.43	965.54	1341.83	1387.90	1859.29	1508.53	2041.46		
		72"(1829mm)	TCTP-2472-	S	E	4	988.48	1397.65	1003.36	1412.53	1499.78	2013.92	1641.13	2223.19		
		30"(762mm)	60"(1524mm)	TCTP-3060-	S	E	4	\$ 996.21	\$ 1361.48	\$ 1012.33	\$ 1377.60	\$ 1525.19	\$ 1982.26	\$ 1670.15	\$ 2186.62	
			66"(1676mm)	TCTP-3066-	S	E	4	1038.91	1436.33	1058.13	1455.55	1660.50	2159.37	1830.36	2394.86	
			72"(1829mm)	TCTP-3072-	S	E	4	1081.84	1512.88	1104.16	1535.20	1796.56	2339.13	1991.47	2606.21	
			36"(914mm)	84"(2134mm)	TCTP-3684-	S	E	4	\$ 1277.01	\$ 1803.03	\$ 1314.21	\$ 1840.23	\$ 2416.05	\$ 3082.10	\$ 2723.82	\$ 3480.47
<b>Base — Power Ready — No Cutout</b>																
29"(737mm)	24"(610mm)	48"(1219mm)	TCTP-2448-	S	E	4	\$ 877.08	\$ 1163.52	\$ 882.04	\$ 1168.48	\$ 1085.22	\$ 1439.82	\$ 1144.69	\$ 1543.39		
		54"(1372mm)	TCTP-2454-	S	E	4	911.69	1226.61	919.13	1234.05	1194.87	1586.49	1274.56	1715.81		
		60"(1524mm)	TCTP-2460-	S	E	4	946.54	1291.41	956.46	1301.33	1305.26	1735.81	1405.34	1891.33		
		66"(1676mm)	TCTP-2466-	S	E	4	981.63	1357.92	994.03	1370.32	1416.39	1887.78	1537.02	2069.95		
		72"(1829mm)	TCTP-2472-	S	E	4	1016.97	1426.14	1031.85	1441.02	1528.27	2042.41	1669.62	2251.68		
		30"(762mm)	60"(1524mm)	TCTP-3060-	S	E	4	\$ 1024.70	\$ 1389.97	\$ 1040.82	\$ 1406.09	\$ 1553.68	\$ 2010.75	\$ 1698.64	\$ 2215.11	
			66"(1676mm)	TCTP-3066-	S	E	4	1067.40	1464.82	1086.62	1484.04	1688.99	2187.86	1858.85	2423.35	
			72"(1829mm)	TCTP-3072-	S	E	4	1110.33	1541.37	1132.65	1563.69	1825.05	2367.62	2019.96	2634.70	
			36"(914mm)	84"(2134mm)	TCTP-3684-	S	E	4	\$ 1305.50	\$ 1831.52	\$ 1342.70	\$ 1868.72	\$ 2444.54	\$ 3110.59	\$ 2752.31	\$ 3508.96



# Jive Table — Post Extruded Base

## Half Racetrack

TOHT  
Class JV**Features**

- Includes 1.18"(30mm) thick top, leg bases, adjustable glides or casters, and hardware.
- Standard table height is 29"(737mm).
- High-Pressure Laminate (HPL) top with knife edge or 3mm edgeband edges or wood veneer top with 3mm wood edgeband or knife edge.
- Bases are painted steel.
- Casters:
  - Two locking and two non-locking casters.
  - Standard in black.
- Glides:
  - 0.625"(16mm) adjustment.
  - Standard in black.
- Casters and glides are not interchangeable.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

**Specification Tips**

- Edge choice allows a flat seam between tables.
- Specifying a cutout does not automatically include a Power Ready base.**
- Factory installed cutout is available for:
  - Specify the (F) option for a Center, Single-Sided/4 outlet Flip Top Unit
  - Specify the (J) option for a Center, Single-Sided/6 outlet Flip Top Unit
  - Specify the (M) option for a Center, Double-Sided/8 outlet Flip Top Unit
  - Specify the (Q) option for a Center, Double-Sided/12 outlet Flip Top Unit
- Power Ready Base:**
  - Allows for cord management through one of the Post Extruded legs.
  - Powered leg location determined during installation.**
    - Casters and Glides:
      - Specify the (J) option for Casters on the Power Ready base (only available on 29"(737mm)H tables)
      - Specify the (K) option for Glides on the Power Ready base (available on 29"(737mm)H tables)
    - Flip Top Unit circuit breaker plug will not fit in the Power Ready Base opening.**
  - Power cord length determines the distance to building power source.**
  - Separately specified:
    - Ganging Mechanism - Recommended for use with power between tables.
    - Horizontal and Vertical Wire Management
    - Power and Data Components
    - Accessories
  - Refer to Specification Guide:
    - Accessory placement and compatibility.
    - Seating capacities and leg locations.
    - Information on electrical components compatible with factory cut opening.
    - Power Ready base cable capacity.
  - Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

**To Order, Specify:**

1) Product number, including:

**1 Surface Option:****L** Laminate**W** Wood**2 Edge Option:**

Laminate:

**J** Edgeband**F** Knife

Wood:

**K** Edgeband**U** Knife**3 Cutout:****N** No Cutout**F** Center, Single-Sided/  
4 outlets (add **\$48.13** list)**J** Center, Single-Sided/  
6 outlets (add **\$48.13** list)**M** Center, Double-Sided/  
8 outlets (add **\$48.13** list)**Q** Center, Double-Sided/  
12 outlets (add **\$48.13** list)**4 Base and Wire Management Option:**

Base - No Power:

**C** Casters (add **\$23.44** list)  
(29"(737mm) Height Only)**G** Glides

Base - Power Ready:

**J** Casters (add **\$23.44** list)  
(29"(737mm) Height Only)**K** Glides

2) Laminate surface color or wood finish color.

3) Edgeband trim color (laminate only).



4) Base trim color.

**Note:** **\$66.18** upcharge list for Metallic trim colors.

Height	Depth	Width	Number	HPL				Wood				
				A	J	F	B	J	F	K	U	
<b>Base — No Power — No Cutout</b>												
29"(737mm)	42"(1067mm)	42"(1067mm)	TCHT-4242-	S E 4	\$1045.21	\$1390.08	\$1065.67	\$1410.54	\$1681.54	\$2163.67	\$1854.04	\$2400.34
48"(1219mm)	48"(1219mm)	48"(1219mm)	TCHT-4848-	S E 4	1164.13	1549.80	1193.89	1579.56	2059.33	2719.44	2300.29	3053.66
54"(1372mm)	54"(1372mm)	54"(1372mm)	TCHT-5454-	S E 4	1298.01	1724.48	1338.31	1764.78	2484.74	3352.23	2802.68	3797.50
60"(1524mm)	60"(1524mm)	60"(1524mm)	TCHT-6060-	S E 4	1446.85	1914.12	1498.93	1966.20	2957.77	4063.01	3361.21	4632.97
<b>Base — Power Ready — No Cutout</b>												
29"(737mm)	42"(1067mm)	42"(1067mm)	TCHT-4242-	S E 4	\$1073.70	\$1418.57	\$1094.16	\$1439.03	\$1710.03	\$2192.16	\$1882.53	\$2428.83
48"(1219mm)	48"(1219mm)	48"(1219mm)	TCHT-4848-	S E 4	1192.62	1578.29	1222.38	1608.05	2087.82	2747.93	2328.78	3082.15
54"(1372mm)	54"(1372mm)	54"(1372mm)	TCHT-5454-	S E 4	1326.50	1752.97	1366.80	1793.27	2513.23	3380.72	2831.17	3825.99
60"(1524mm)	60"(1524mm)	60"(1524mm)	TCHT-6060-	S E 4	1475.34	1942.61	1527.42	1994.69	2986.26	4091.50	3389.70	4661.46

# Jive Table — Post Extruded Base

## Half Pebble

TCHP  
Class JV**Features**

- Includes 1.18"(30mm) thick top, leg bases, adjustable glides or casters, and hardware.
- Standard table height is 29"(737mm).
- High-Pressure Laminate (HPL) top with knife edge or 3mm edgeband edges or wood veneer top with 3mm wood edgeband or knife edge.
- Bases are painted steel.
- Casters:
  - Two locking and two non-locking casters.
  - Standard in black.
- Glides:
  - 0.625"(16mm) adjustment.
  - Standard in black.
- Casters and glides are not interchangeable.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

**Specification Tips**

- Edge choice allows a flat seam between tables.
- Specifying a cutout does not automatically include a Power Ready base.**
- Factory installed cutout is available for:
  - Specify the (F) option for a Center, Single-Sided/4 outlet Flip Top Unit
  - Specify the (J) option for a Center, Single-Sided/6 outlet Flip Top Unit
  - Specify the (M) option for a Center, Double-Sided/8 outlet Flip Top Unit
  - Specify the (Q) option for a Center, Double-Sided/12 outlet Flip Top Unit
- Power Ready Base:
  - Allows for cord management through one of the Post Extruded legs.
- Powered leg location determined during installation.**
  - Casters and Glides:
    - Specify the (J) option for Casters on the Power Ready base (only available on 29"(737mm)H tables)
    - Specify the (K) option for Glides on the Power Ready base (available on 29"(737mm)H tables)
- Flip Top Unit circuit breaker plug will not fit in the Power Ready Base opening.**
- Power cord length determines the distance to building power source.**
- Separately specified:
  - Ganging Mechanism - Recommended for use with power between tables.
  - Horizontal and Vertical Wire Management
  - Power and Data Components
  - Accessories
- Refer to Specification Guide:
  - Accessory placement and compatibility.
  - Seating capacities and leg locations.
  - Information on electrical components compatible with factory cut opening.
  - Power Ready base cable capacity.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

**To Order, Specify:**

1) Product number, including:

**1 Surface Option:****L** Laminate**W** Wood**2 Edge Option:**

Laminate:

**J** Edgeband**F** Knife

Wood:

**K** Edgeband**U** Knife**3 Cutout:****N** No Cutout**F** Center, Single-Sided/  
4 outlets (add **\$48.13** list)**J** Center, Single-Sided/  
6 outlets (add **\$48.13** list)**M** Center, Double-Sided/  
8 outlets (add **\$48.13** list)**Q** Center, Double-Sided/  
12 outlets (add **\$48.13** list)**4 Base and Wire Management Option:**

Base - No Power:

**C** Casters (add **\$23.44** list)  
(29"(737mm) Height Only)**G** Glides

Base - Power Ready:

**J** Casters (add **\$23.44** list)  
(29"(737mm) Height Only)**K** Glides

2) Laminate surface color or wood finish color.

3) Edgeband trim color (laminate only).


4) Base trim color.

**Note:** **\$66.18** upcharge list for Metallic trim colors.


Height	Depth	Width	Number	HPL				Wood			
				A	J	F	B	J	F	K	U
<b>Base — No Power — No Cutout</b>											
29"(737mm)	42"(1067mm)	42"(1067mm)	TCHP-4242-	S	E	4	\$1045.21	\$1390.08	\$1065.67	\$1410.54	\$1681.54
48"(1219mm)	48"(1219mm)	48"(1219mm)	TCHP-4848-	S	E	4	1164.13	1549.80	1193.89	1579.56	2059.33
54"(1372mm)	54"(1372mm)	54"(1372mm)	TCHP-5454-	S	E	4	1298.01	1724.48	1338.31	1764.78	2484.74
60"(1524mm)	60"(1524mm)	60"(1524mm)	TCHP-6060-	S	E	4	1446.85	1914.12	1498.93	1966.20	2957.77
<b>Base — Power Ready — No Cutout</b>											
29"(737mm)	42"(1067mm)	42"(1067mm)	TCHP-4242-	S	E	4	\$1073.70	\$1418.57	\$1094.16	\$1439.03	\$1710.03
48"(1219mm)	48"(1219mm)	48"(1219mm)	TCHP-4848-	S	E	4	1192.62	1578.29	1222.38	1608.05	2087.82
54"(1372mm)	54"(1372mm)	54"(1372mm)	TCHP-5454-	S	E	4	1326.50	1752.97	1366.80	1793.27	2513.23
60"(1524mm)	60"(1524mm)	60"(1524mm)	TCHP-6060-	S	E	4	1475.34	1942.61	1527.42	1994.69	2986.26

# Jive Table — Post Round Base

## Round



TORN-SNV  
Class JV



### Features

- Includes 1.18"(30mm) thick top, leg bases, adjustable glides or casters, and hardware.
- Standard table heights are 16"(406mm), 20"(508mm) and 29"(737mm).
- High-Pressure Laminate (HPL) top with knife edge or 3mm edgeband edges or wood veneer top with 3mm wood edgeband or knife edge.
- Bases are painted steel.
- Casters:
  - Two locking and two non-locking casters.
  - Standard in black.
- Glides:
  - 0.625"(16mm) adjustment.
  - Standard in black.
- Casters and glides are not interchangeable.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

### Specification Tips

- Specifying a cutout does not automatically include a Power Ready base.**
- Factory installed cutout is available for:
  - Specify the (F) option for a Center, Single-Sided/4 outlet Flip Top Unit
  - Specify the (J) option for a Center, Single-Sided/6 outlet Flip Top Unit
  - Specify the (M) option for a Center, Double-Sided/8 outlet Flip Top Unit
  - Specify the (Q) option for a Center, Double-Sided/12 outlet Flip Top Unit
- Power Ready Base:**
  - Allows for cord management through one of the Post Extruded legs.
- Powered leg location determined during installation.**
  - Casters and Glides:
    - Specify the (J) option for Casters on the Power Ready base (only available on 29"(737mm)H tables)
    - Specify the (K) option for Glides on the Power Ready base (available on 16"(406mm), 20"(508mm) and 29"(737mm)H tables)
- Flip Top Unit circuit breaker plug will not fit in the Power Ready Base opening.**
- Power cord length determines the distance to building power source.**
- Separately specified:
  - Horizontal and Vertical Wire Management
  - Power and Data Components
  - Accessories
- Refer to Specification Guide:
  - Accessory placement and compatibility.
  - Seating capacities and leg locations.
  - Information on electrical components compatible with factory cut opening.
  - Power Ready base cable capacity.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

### To Order, Specify:

1) Product number, including:

**1 Surface Option:**

**L** Laminate

**W** Wood

**2 Edge Option:**

Laminate:

**J** Edgeband

**F** Knife

Wood:

**K** Edgeband

**U** Knife

**3 Cutout:**

**N** No Cutout

**F** Center, Single-Sided/  
4 outlets (add **\$48.13** list)

**J** Center, Single-Sided/  
6 outlets (add **\$48.13** list)

**M** Center, Double-Sided/  
8 outlets (add **\$48.13** list)

**Q** Center, Double-Sided/  
12 outlets (add **\$48.13** list)

**4 Base and Wire Management Option:**

Base - No Power:

**C** Casters (add **\$23.44** list)  
(29"(737mm) Height Only)

**G** Glides

Base - Power Ready:

**J** Casters (add **\$23.44** list)  
(29"(737mm) Height Only)

**K** Glides

2) Laminate surface color or wood finish color.

3) Edgeband trim color (laminate only).

4) Base trim color.

**Note:** **\$66.18** upcharge list for Metallic trim colors.

# Jive Table — Post Round Base


## Round

---


Height	Depth	Width	Number	HPL				Wood			
				A J	B F	A J	B F	A K	B U	A K	B U
<b>Base — No Power — No Cutout</b>											
16"(406mm)	24"(610mm)	24"(610mm)	TCRN-2424-	S V 1	\$ 537.03	\$ 759.50	\$ 629.96	\$ 852.43	\$ 964.35	\$ 1088.11	\$ 1047.32
30"(762mm)	30"(762mm)	TCRN-3030-	S V 1	611.07	874.34	709.58	972.85	1199.28	1413.13	1325.15	1559.87
36"(914mm)	36"(914mm)	TCRN-3636-	S V 1	700.07	1004.14	805.40	1109.47	1481.83	1814.78	1659.12	2032.05
42"(1067mm)	42"(1067mm)	TCRN-4242-	S V 1	804.03	1148.90	917.42	1262.29	1812.00	2294.13	2049.23	2595.53
48"(1219mm)	48"(1219mm)	TCRN-4848-	S V 1	922.95	1308.62	1045.64	1431.31	2189.79	2849.90	2495.48	3248.85
20"(508mm)	24"(610mm)	TCRN-2424-	S V 2	\$ 537.03	\$ 759.50	\$ 629.96	\$ 852.43	\$ 964.35	\$ 1088.11	\$ 1047.32	\$ 1177.75
30"(762mm)	30"(762mm)	TCRN-3030-	S V 2	611.07	874.34	709.58	972.85	1199.28	1413.13	1325.15	1559.87
36"(914mm)	36"(914mm)	TCRN-3636-	S V 2	700.07	1004.14	805.40	1109.47	1481.83	1814.78	1659.12	2032.05
42"(1067mm)	42"(1067mm)	TCRN-4242-	S V 2	804.03	1148.90	917.42	1262.29	1812.00	2294.13	2049.23	2595.53
48"(1219mm)	48"(1219mm)	TCRN-4848-	S V 2	922.95	1308.62	1045.64	1431.31	2189.79	2849.90	2495.48	3248.85
29"(737mm)	30"(762mm)	30"(762mm)	TCRN-3030-	S V 4	\$ 611.07	\$ 874.34	\$ 709.58	\$ 972.85	\$ 1199.28	\$ 1413.13	\$ 1325.15
36"(914mm)	36"(914mm)	TCRN-3636-	S V 4	700.07	1004.14	805.40	1109.47	1481.83	1814.78	1659.12	2032.05
42"(1067mm)	42"(1067mm)	TCRN-4242-	S V 4	804.03	1148.90	917.42	1262.29	1812.00	2294.13	2049.23	2595.53
48"(1219mm)	48"(1219mm)	TCRN-4848-	S V 4	922.95	1308.62	1045.64	1431.31	2189.79	2849.90	2495.48	3248.85
54"(1372mm)	54"(1372mm)	TCRN-5454-	S V 4	1056.83	1483.30	1190.06	1616.53	2615.20	3482.69	2997.87	3992.69
60"(1524mm)	60"(1524mm)	TCRN-6060-	S V 4	1205.67	1672.94	1350.68	1817.95	3088.23	4193.47	3556.40	4828.16
<b>Base — Power Ready — No Cutout</b>											
16"(406mm)	24"(610mm)	24"(610mm)	TORN-2424-	S V 1	\$ 565.52	\$ 787.99	\$ 658.45	\$ 880.92	\$ 992.84	\$ 1116.60	\$ 1075.81
30"(762mm)	30"(762mm)	TCRN-3030-	S V 1	639.56	902.83	738.07	1001.34	1227.77	1441.62	1353.64	1588.36
36"(914mm)	36"(914mm)	TCRN-3636-	S V 1	728.56	1032.63	833.89	1137.96	1510.32	1843.27	1687.61	2060.54
42"(1067mm)	42"(1067mm)	TCRN-4242-	S V 1	832.52	1177.39	945.91	1290.78	1840.49	2322.62	2077.72	2624.02
48"(1219mm)	48"(1219mm)	TCRN-4848-	S V 1	951.44	1337.11	1074.13	1459.80	2218.28	2878.39	2523.97	3277.34
20"(508mm)	24"(610mm)	TCRN-2424-	S V 2	\$ 565.52	\$ 787.99	\$ 658.45	\$ 880.92	\$ 992.84	\$ 1116.60	\$ 1075.81	\$ 1206.24
30"(762mm)	30"(762mm)	TCRN-3030-	S V 2	639.56	902.83	738.07	1001.34	1227.77	1441.62	1353.64	1588.36
36"(914mm)	36"(914mm)	TCRN-3636-	S V 2	728.56	1032.63	833.89	1137.96	1510.32	1843.27	1687.61	2060.54
42"(1067mm)	42"(1067mm)	TCRN-4242-	S V 2	832.52	1177.39	945.91	1290.78	1840.49	2322.62	2077.72	2624.02
48"(1219mm)	48"(1219mm)	TCRN-4848-	S V 2	951.44	1337.11	1074.13	1459.80	2218.28	2878.39	2523.97	3277.34
29"(737mm)	30"(762mm)	30"(762mm)	TCRN-3030-	S V 4	\$ 639.56	\$ 902.83	\$ 738.07	\$ 1001.34	\$ 1227.77	\$ 1441.62	\$ 1353.64
36"(914mm)	36"(914mm)	TCRN-3636-	S V 4	728.56	1032.63	833.89	1137.96	1510.32	1843.27	1687.61	2060.54
42"(1067mm)	42"(1067mm)	TCRN-4242-	S V 4	832.52	1177.39	945.91	1290.78	1840.49	2322.62	2077.72	2624.02
48"(1219mm)	48"(1219mm)	TCRN-4848-	S V 4	951.44	1337.11	1074.13	1459.80	2218.28	2878.39	2523.97	3277.34
54"(1372mm)	54"(1372mm)	TCRN-5454-	S V 4	1085.32	1511.79	1218.55	1645.02	2643.69	3511.18	3026.36	4021.18
60"(1524mm)	60"(1524mm)	TCRN-6060-	S V 4	1234.16	1701.43	1379.17	1846.44	3116.72	4221.96	3584.89	4856.65

# Jive Table — Post Round Base

## Square



TORQ-SNV  
Class JV



### Features

- Includes 1.18"(30mm) thick top, leg bases, adjustable glides or casters, and hardware.
- High-Pressure Laminate (HPL) top with knife edge or 3mm edgeband edges or wood veneer top with 3mm wood edgeband or knife edge.
- Standard table heights are 16"(406mm), 20"(508mm) and 29"(737mm).
- Bases are painted steel.
- Casters:
  - Two locking and two non-locking casters.
  - Standard in black.
- Glides:
  - 0.625"(16mm) adjustment.
  - Standard in black.
- Casters and glides are not interchangeable.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

### Specification Tips

- Edge choice allows a flat seam between tables.
- Specifying a cutout does not automatically include a Power Ready base.**
- Factory installed cutout is available for:
  - Specify the (F) option for a Center, Single-Sided/4 outlet Flip Top Unit
  - Specify the (J) option for a Center, Single-Sided/6 outlet Flip Top Unit
  - Specify the (M) option for a Center, Double-Sided/8 outlet Flip Top Unit
  - Specify the (Q) option for a Center, Double-Sided/12 outlet Flip Top Unit
- Power Ready Base:
  - Allows for cord management through one of the Post Extruded legs.
- Powered leg location determined during installation.**
  - Casters and Glides:
    - Specify the (J) option for Casters on the Power Ready base (only available on 29"(737mm)H tables)
    - Specify the (K) option for Glides on the Power Ready base (available on 16"(406mm), 20"(508mm) and 29"(737mm)H tables)
- Flip Top Unit circuit breaker plug will not fit in the Power Ready Base opening.**
- Power cord length determines the distance to building power source.**
- Separately specified:
  - Ganging Mechanism - Recommended for use with power between tables.
  - Horizontal and Vertical Wire Management
  - Power and Data Components
  - Accessories
- Refer to Specification Guide:
  - Accessory placement and compatibility.
  - Seating capacities and leg locations.
  - Information on electrical components compatible with factory cut opening.
  - Power Ready base cable capacity.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

### To Order, Specify:

1) Product number, including:

**1 Surface Option:**

**L** Laminate

**W** Wood

**2 Edge Option:**

Laminate:

**J** Edgeband

**F** Knife

Wood:

**K** Edgeband

**U** Knife

**3 Cutout:**

**N** No Cutout

**F** Center, Single-Sided/  
4 outlets (add **\$48.13** list)

**J** Center, Single-Sided/  
6 outlets (add **\$48.13** list)

**M** Center, Double-Sided/  
8 outlets (add **\$48.13** list)

**Q** Center, Double-Sided/  
12 outlets (add **\$48.13** list)

**4 Base and Wire Management Option:**

Base - No Power:

**C** Casters (add **\$23.44** list)  
(29"(737mm) Height Only)

**G** Glides

Base - Power Ready:

**J** Casters (add **\$23.44** list)  
(29"(737mm) Height Only)

**K** Glides

2) Laminate surface color or wood finish color.

3) Edgeband trim color (laminate only).

4) Base trim color.

**Note:** **\$66.18** upcharge list for Metallic trim colors.


# Jive Table — Post Round Base

## Square

Height	Depth	Width	Number	HPL				Wood			
				A J	B F	A J	B F	A K	B U	A K	B U
<b>Base — No Power — No Cutout</b>											
16"(406mm)	24"(610mm)	24"(610mm)	TCRQ-2424-	S V 1	\$ 537.03	\$ 759.50	\$ 629.96	\$ 852.43	\$ 964.35	\$ 1088.11	\$ 1047.32
30"(762mm)	30"(762mm)	TCRQ-3030-	S V 1	611.07	874.34	709.58	972.85	1199.28	1413.13	1325.15	1559.87
36"(914mm)	36"(914mm)	TCRQ-3636-	S V 1	700.07	1004.14	805.40	1109.47	1481.83	1814.78	1659.12	2032.05
42"(1067mm)	42"(1067mm)	TCRQ-4242-	S V 1	804.03	1148.90	917.42	1262.29	1812.00	2294.13	2049.23	2595.53
48"(1219mm)	48"(1219mm)	TCRQ-4848-	S V 1	922.95	1308.62	1045.64	1431.31	2189.79	2849.90	2495.48	3248.85
20"(508mm)	24"(610mm)	TCRQ-2424-	S V 2	\$ 537.03	\$ 759.50	\$ 629.96	\$ 852.43	\$ 964.35	\$ 1088.11	\$ 1047.32	\$ 1177.75
30"(762mm)	30"(762mm)	TCRQ-3030-	S V 2	611.07	874.34	709.58	972.85	1199.28	1413.13	1325.15	1559.87
36"(914mm)	36"(914mm)	TCRQ-3636-	S V 2	700.07	1004.14	805.40	1109.47	1481.83	1814.78	1659.12	2032.05
42"(1067mm)	42"(1067mm)	TCRQ-4242-	S V 2	804.03	1148.90	917.42	1262.29	1812.00	2294.13	2049.23	2595.53
48"(1219mm)	48"(1219mm)	TCRQ-4848-	S V 2	922.95	1308.62	1045.64	1431.31	2189.79	2849.90	2495.48	3248.85
29"(737mm)	30"(762mm)	30"(762mm)	TCRQ-3030-	S V 4	\$ 611.07	\$ 874.34	\$ 709.58	\$ 972.85	\$ 1199.28	\$ 1413.13	\$ 1325.15
36"(914mm)	36"(914mm)	TCRQ-3636-	S V 4	700.07	1004.14	805.40	1109.47	1481.83	1814.78	1659.12	2032.05
42"(1067mm)	42"(1067mm)	TCRQ-4242-	S V 4	804.03	1148.90	917.42	1262.29	1812.00	2294.13	2049.23	2595.53
48"(1219mm)	48"(1219mm)	TCRQ-4848-	S V 4	922.95	1308.62	1045.64	1431.31	2189.79	2849.90	2495.48	3248.85
54"(1372mm)	54"(1372mm)	TCRQ-5454-	S V 4	1056.83	1483.30	1190.06	1616.53	2615.20	3482.69	2997.87	3992.69
60"(1524mm)	60"(1524mm)	TCRQ-6060-	S V 4	1205.67	1672.94	1350.68	1817.95	3088.23	4193.47	3556.40	4828.16
<b>Base — Power Ready — No Cutout</b>											
16"(406mm)	24"(610mm)	24"(610mm)	TORQ-2424-	S V 1	\$ 565.52	\$ 787.99	\$ 658.45	\$ 880.92	\$ 992.84	\$ 1116.60	\$ 1075.81
30"(762mm)	30"(762mm)	TCRQ-3030-	S V 1	639.56	902.83	738.07	1001.34	1227.77	1441.62	1353.64	1588.36
36"(914mm)	36"(914mm)	TCRQ-3636-	S V 1	728.56	1032.63	833.89	1137.96	1510.32	1843.27	1687.61	2060.54
42"(1067mm)	42"(1067mm)	TCRQ-4242-	S V 1	832.52	1177.39	945.91	1290.78	1840.49	2322.62	2077.72	2624.02
48"(1219mm)	48"(1219mm)	TCRQ-4848-	S V 1	951.44	1337.11	1074.13	1459.80	2218.28	2878.39	2523.97	3277.34
20"(508mm)	24"(610mm)	24"(610mm)	TORQ-2424-	S V 2	\$ 565.52	\$ 787.99	\$ 658.45	\$ 880.92	\$ 992.84	\$ 1116.60	\$ 1075.81
30"(762mm)	30"(762mm)	TCRQ-3030-	S V 2	639.56	902.83	738.07	1001.34	1227.77	1441.62	1353.64	1588.36
36"(914mm)	36"(914mm)	TCRQ-3636-	S V 2	728.56	1032.63	833.89	1137.96	1510.32	1843.27	1687.61	2060.54
42"(1067mm)	42"(1067mm)	TCRQ-4242-	S V 2	832.52	1177.39	945.91	1290.78	1840.49	2322.62	2077.72	2624.02
48"(1219mm)	48"(1219mm)	TCRQ-4848-	S V 2	951.44	1337.11	1074.13	1459.80	2218.28	2878.39	2523.97	3277.34
29"(737mm)	30"(762mm)	30"(762mm)	TCRQ-3030-	S V 4	\$ 639.56	\$ 902.83	\$ 738.07	\$ 1001.34	\$ 1227.77	\$ 1441.62	\$ 1353.64
36"(914mm)	36"(914mm)	TCRQ-3636-	S V 4	728.56	1032.63	833.89	1137.96	1510.32	1843.27	1687.61	2060.54
42"(1067mm)	42"(1067mm)	TCRQ-4242-	S V 4	832.52	1177.39	945.91	1290.78	1840.49	2322.62	2077.72	2624.02
48"(1219mm)	48"(1219mm)	TCRQ-4848-	S V 4	951.44	1337.11	1074.13	1459.80	2218.28	2878.39	2523.97	3277.34
54"(1372mm)	54"(1372mm)	TCRQ-5454-	S V 4	1085.32	1511.79	1218.55	1645.02	2643.69	3511.18	3026.36	4021.18
60"(1524mm)	60"(1524mm)	TCRQ-6060-	S V 4	1234.16	1701.43	1379.17	1846.44	3116.72	4221.96	3584.89	4856.65

# Jive Table — Post Round Base

## Pebble

TCRP-4242-SNV  
(Symmetrical)TCRP-3060-SNV  
(Asymmetrical)  
Class JV

### Features

- Includes 1.18"(30mm) thick top, leg bases, adjustable glides or casters, and hardware.
- Standard table heights are 16"(406mm), 20"(508mm) and 29"(737mm).
- High-Pressure Laminate (HPL) top with knife edge or 3mm edgeband edges or wood veneer top with 3mm wood edgeband or knife edge.
- Bases are painted steel.
- Casters:
  - Two locking and two non-locking casters.
  - Standard in black.
- Glides:
  - 0.625"(16mm) adjustment.
  - Standard in black.
- Casters and glides are not interchangeable.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

### Specification Tips

- Specifying a cutout does not automatically include a Power Ready base.**
- Factory installed cutout is available for:
  - Specify the (F) option for a Center, Single-Sided/4 outlet Flip Top Unit
  - Specify the (J) option for a Center, Single-Sided/6 outlet Flip Top Unit
  - Specify the (M) option for a Center, Double-Sided/8 outlet Flip Top Unit
  - Specify the (Q) option for a Center, Double-Sided/12 outlet Flip Top Unit
- Power Ready Base:**
  - Allows for cord management through one of the Post Extruded legs.
- Powered leg location determined during installation.**
- Casters and Glides:**
  - Specify the (J) option for Casters on the Power Ready base (only available on 29"(737mm)H tables)
  - Specify the (K) option for Glides on the Power Ready base (available on 16"(406mm), 20"(508mm) and 29"(737mm)H tables)
- Flip Top Unit circuit breaker plug will not fit in the Power Ready Base opening.**
- Power cord length determines the distance to building power source.**
- Separately specified:
  - Horizontal and Vertical Wire Management
  - Power and Data Components
  - Accessories
- Refer to Specification Guide:
  - Accessory placement and compatibility.
  - Seating capacities and leg locations.
  - Information on electrical components compatible with factory cut opening.
  - Power Ready base cable capacity.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

### To Order, Specify:

1) Product number, including:

#### 1 Surface Option:

 L Laminate W Wood

#### 2 Edge Option:

Laminate:

 J Edgeband F Knife

Wood:

 K Edgeband U Knife

#### 3 Cutout:

 N No Cutout F Center, Single-Sided/  
4 outlets (add \$48.13 list) J Center, Single-Sided/  
6 outlets (add \$48.13 list) M Center, Double-Sided/  
8 outlets (add \$48.13 list) Q Center, Double-Sided/  
12 outlets (add \$48.13 list)

#### 4 Base and Wire Management Option:

Base - No Power:

 C Casters (add \$23.44 list)  
(29"(737mm) Height Only) G Glides

Base - Power Ready:

 J Casters (add \$23.44 list)  
(29"(737mm) Height Only) K Glides

2) Laminate surface color or wood finish color.

3) Edgeband trim color (laminate only).

4) Base trim color.

**Note:** \$66.18 upcharge list for Metallic trim colors.

# Jive Table — Post Round Base

## Pebble

---

Height	Depth	Width	Number	HPL				Wood			
				A ①②	B ③④	J F	J F	K U	B K U		
<b>Symmetrical — Base — No Power — No Cutout</b>											
16"(406mm)	24"(610mm)	24"(610mm)	TCRP-2424-	S V 1	\$ 537.03	\$ 759.50	\$ 629.96	\$ 852.43	\$ 964.35	\$ 1088.11	\$ 1047.32
30"(762mm)	30"(762mm)	TCRP-3030-	S V 1	611.07	874.34	709.58	972.85	1199.28	1413.13	1325.15	1559.87
36"(914mm)	36"(914mm)	TCRP-3636-	S V 1	700.07	1004.14	805.40	1109.47	1481.83	1814.78	1659.12	2032.05
42"(1067mm)	42"(1067mm)	TCRP-4242-	S V 1	804.03	1148.90	917.42	1262.29	1812.00	2294.13	2049.23	2595.53
48"(1219mm)	48"(1219mm)	TCRP-4848-	S V 1	922.95	1308.62	1045.64	1431.31	2189.79	2849.90	2495.48	3248.85
20"(508mm)	24"(610mm)	TCRP-2424-	S V 2	\$ 537.03	\$ 759.50	\$ 629.96	\$ 852.43	\$ 964.35	\$ 1088.11	\$ 1047.32	\$ 1177.75
30"(762mm)	30"(762mm)	TCRP-3030-	S V 2	611.07	874.34	709.58	972.85	1199.28	1413.13	1325.15	1559.87
36"(914mm)	36"(914mm)	TCRP-3636-	S V 2	700.07	1004.14	805.40	1109.47	1481.83	1814.78	1659.12	2032.05
42"(1067mm)	42"(1067mm)	TCRP-4242-	S V 2	804.03	1148.90	917.42	1262.29	1812.00	2294.13	2049.23	2595.53
48"(1219mm)	48"(1219mm)	TCRP-4848-	S V 2	922.95	1308.62	1045.64	1431.31	2189.79	2849.90	2495.48	3248.85
29"(737mm)	30"(762mm)	30"(762mm)	TCRP-3030-	S V 4	\$ 611.07	\$ 874.34	\$ 709.58	\$ 972.85	\$ 1199.28	\$ 1413.13	\$ 1325.15
36"(914mm)	36"(914mm)	TCRP-3636-	S V 4	700.07	1004.14	805.40	1109.47	1481.83	1814.78	1659.12	2032.05
42"(1067mm)	42"(1067mm)	TCRP-4242-	S V 4	804.03	1148.90	917.42	1262.29	1812.00	2294.13	2049.23	2595.53
48"(1219mm)	48"(1219mm)	TCRP-4848-	S V 4	922.95	1308.62	1045.64	1431.31	2189.79	2849.90	2495.48	3248.85
54"(1372mm)	54"(1372mm)	TCRP-5454-	S V 4	1056.83	1483.30	1190.06	1616.53	2615.20	3482.69	2997.87	3992.69
60"(1524mm)	60"(1524mm)	TCRP-6060-	S V 4	1205.67	1672.94	1350.68	1817.95	3088.23	4193.47	3556.40	4828.16
<b>Symmetrical — Base — Power Ready — No Cutout</b>											
16"(406mm)	24"(610mm)	24"(610mm)	TORP-2424-	S V 1	\$ 565.52	\$ 787.99	\$ 658.45	\$ 880.92	\$ 992.84	\$ 1116.60	\$ 1075.81
30"(762mm)	30"(762mm)	TCRP-3030-	S V 1	639.56	902.83	738.07	1001.34	1227.77	1441.62	1353.64	1588.36
36"(914mm)	36"(914mm)	TCRP-3636-	S V 1	728.56	1032.63	833.89	1137.96	1510.32	1843.27	1687.61	2060.54
42"(1067mm)	42"(1067mm)	TCRP-4242-	S V 1	832.52	1177.39	945.91	1290.78	1840.49	2322.62	2077.72	2624.02
48"(1219mm)	48"(1219mm)	TCRP-4848-	S V 1	951.44	1337.11	1074.13	1459.80	2218.28	2878.39	2523.97	3277.34
20"(508mm)	24"(610mm)	TCRP-2424-	S V 2	\$ 565.52	\$ 787.99	\$ 658.45	\$ 880.92	\$ 992.84	\$ 1116.60	\$ 1075.81	\$ 1206.24
30"(762mm)	30"(762mm)	TCRP-3030-	S V 2	639.56	902.83	738.07	1001.34	1227.77	1441.62	1353.64	1588.36
36"(914mm)	36"(914mm)	TCRP-3636-	S V 2	728.56	1032.63	833.89	1137.96	1510.32	1843.27	1687.61	2060.54
42"(1067mm)	42"(1067mm)	TCRP-4242-	S V 2	832.52	1177.39	945.91	1290.78	1840.49	2322.62	2077.72	2624.02
48"(1219mm)	48"(1219mm)	TCRP-4848-	S V 2	951.44	1337.11	1074.13	1459.80	2218.28	2878.39	2523.97	3277.34
29"(737mm)	30"(762mm)	30"(762mm)	TCRP-3030-	S V 4	\$ 639.56	\$ 902.83	\$ 738.07	\$ 1001.34	\$ 1227.77	\$ 1441.62	\$ 1353.64
36"(914mm)	36"(914mm)	TCRP-3636-	S V 4	728.56	1032.63	833.89	1137.96	1510.32	1843.27	1687.61	2060.54
42"(1067mm)	42"(1067mm)	TCRP-4242-	S V 4	832.52	1177.39	945.91	1290.78	1840.49	2322.62	2077.72	2624.02
48"(1219mm)	48"(1219mm)	TCRP-4848-	S V 4	951.44	1337.11	1074.13	1459.80	2218.28	2878.39	2523.97	3277.34
54"(1372mm)	54"(1372mm)	TCRP-5454-	S V 4	1085.32	1511.79	1218.55	1645.02	2643.69	3511.18	3026.36	4021.18
60"(1524mm)	60"(1524mm)	TCRP-6060-	S V 4	1234.16	1701.43	1379.17	1846.44	3116.72	4221.96	3584.89	4856.65

# Jive Table — Post Round Base


## Pebble

---


Height	Depth	Width	Number	HPL				Wood					
				A J	F	B J	F	A K	U	B K	U		
<b>Asymmetrical — Base — No Power — No Cutout</b>													
16"(406mm)	30"(762mm)	48"(1219mm)	TCRP-3048-	S V 1	\$ 719.07	\$1024.44	\$ 831.22	\$1136.59	\$1680.90	\$2060.11	\$1905.20	\$2332.18	
		60"(1524mm)	TCRP-3060-	S V 1	803.73	1169.00	922.08	1287.35	1949.30	2406.37	2222.89	2739.36	
		72"(1829mm)	TCRP-3072-	S V 1	889.36	1320.40	1013.91	1444.95	2220.67	2763.24	2544.21	3158.95	
		36"(914mm)	60"(1524mm)	TCRP-3660-	S V 1	\$ 881.89	\$1267.56	\$1006.44	\$1392.11	\$2197.72	\$2681.31	\$2516.19	\$3063.14
		72"(1829mm)	TCRP-3672-	S V 1	982.72	1435.63	1114.71	1567.62	2517.45	3088.45	2894.56	3541.97	
20"(508mm)	30"(762mm)	48"(1219mm)	TCRP-3048-	S V 2	\$ 719.07	\$1024.44	\$ 831.22	\$1136.59	\$1680.90	\$2060.11	\$1905.20	\$2332.18	
		60"(1524mm)	TCRP-3060-	S V 2	803.73	1169.00	922.08	1287.35	1949.30	2406.37	2222.89	2739.36	
		72"(1829mm)	TCRP-3072-	S V 2	889.36	1320.40	1013.91	1444.95	2220.67	2763.24	2544.21	3158.95	
		36"(914mm)	60"(1524mm)	TCRP-3660-	S V 2	\$ 881.89	\$1267.56	\$1006.44	\$1392.11	\$2197.72	\$2681.31	\$2516.19	\$3063.14
		72"(1829mm)	TCRP-3672-	S V 2	982.72	1435.63	1114.71	1567.62	2517.45	3088.45	2894.56	3541.97	
29"(737mm)	30"(762mm)	48"(1219mm)	TCRP-3048-	S V 4	\$ 719.07	\$1024.44	\$ 831.22	\$1136.59	\$1680.90	\$2060.11	\$1905.20	\$2332.18	
		60"(1524mm)	TCRP-3060-	S V 4	803.73	1169.00	922.08	1287.35	1949.30	2406.37	2222.89	2739.36	
		72"(1829mm)	TCRP-3072-	S V 4	889.36	1320.40	1013.91	1444.95	2220.67	2763.24	2544.21	3158.95	
		36"(914mm)	60"(1524mm)	TCRP-3660-	S V 4	\$ 881.89	\$1267.56	\$1006.44	\$1392.11	\$2197.72	\$2681.31	\$2516.19	\$3063.14
		72"(1829mm)	TCRP-3672-	S V 4	982.72	1435.63	1114.71	1567.62	2517.45	3088.45	2894.56	3541.97	
		42"(1067mm)	72"(1829mm)	TCRP-4272-	S V 4	\$1076.09	\$1550.86	\$1215.52	\$1690.29	\$2814.24	\$3413.67	\$3244.91	\$3924.99
		48"(1219mm)	72"(1829mm)	TCRP-4872-	S V 4	\$1169.45	\$1666.09	\$1316.32	\$1812.96	\$3111.02	\$3738.88	\$3595.25	\$4308.02
<b>Asymmetrical — Base — Power Ready — No Cutout</b>													
16"(406mm)	30"(762mm)	48"(1219mm)	TCRP-3048-	S V 1	\$ 747.56	\$1052.93	\$ 859.71	\$1165.08	\$1709.39	\$2088.60	\$1933.69	\$2360.67	
		60"(1524mm)	TCRP-3060-	S V 1	832.22	1197.49	950.57	1315.84	1977.79	2434.86	2251.38	2767.85	
		72"(1829mm)	TCRP-3072-	S V 1	917.85	1348.89	1042.40	1473.44	2249.16	2791.73	2572.70	3187.44	
		36"(914mm)	60"(1524mm)	TCRP-3660-	S V 1	\$ 910.38	\$1296.05	\$1034.93	\$1420.60	\$2226.21	\$2709.80	\$2544.68	\$3091.63
		72"(1829mm)	TCRP-3672-	S V 1	1011.21	1464.12	1143.20	1596.11	2545.94	3116.94	2923.05	3570.46	
20"(508mm)	30"(762mm)	48"(1219mm)	TCRP-3048-	S V 2	\$ 747.56	\$1052.93	\$ 859.71	\$1165.08	\$1709.39	\$2088.60	\$1933.69	\$2360.67	
		60"(1524mm)	TCRP-3060-	S V 2	832.22	1197.49	950.57	1315.84	1977.79	2434.86	2251.38	2767.85	
		72"(1829mm)	TCRP-3072-	S V 2	917.85	1348.89	1042.40	1473.44	2249.16	2791.73	2572.70	3187.44	
		36"(914mm)	60"(1524mm)	TCRP-3660-	S V 2	\$ 910.38	\$1296.05	\$1034.93	\$1420.60	\$2226.21	\$2709.80	\$2544.68	\$3091.63
		72"(1829mm)	TCRP-3672-	S V 2	1011.21	1464.12	1143.20	1596.11	2545.94	3116.94	2923.05	3570.46	
29"(737mm)	30"(762mm)	48"(1219mm)	TCRP-3048-	S V 4	\$ 747.56	\$1052.93	\$ 859.71	\$1165.08	\$1709.39	\$2088.60	\$1933.69	\$2360.67	
		60"(1524mm)	TCRP-3060-	S V 4	832.22	1197.49	950.57	1315.84	1977.79	2434.86	2251.38	2767.85	
		72"(1829mm)	TCRP-3072-	S V 4	917.85	1348.89	1042.40	1473.44	2249.16	2791.73	2572.70	3187.44	
		36"(914mm)	60"(1524mm)	TCRP-3660-	S V 4	\$ 910.38	\$1296.05	\$1034.93	\$1420.60	\$2226.21	\$2709.80	\$2544.68	\$3091.63
		72"(1829mm)	TCRP-3672-	S V 4	1011.21	1464.12	1143.20	1596.11	2545.94	3116.94	2923.05	3570.46	
		42"(1067mm)	72"(1829mm)	TCRP-4272-	S V 4	\$1104.58	\$1579.35	\$1244.01	\$1718.78	\$2842.73	\$3442.16	\$3273.40	\$3953.48
		48"(1219mm)	72"(1829mm)	TCRP-4872-	S V 4	\$1197.94	\$1694.58	\$1344.81	\$1841.45	\$3139.51	\$3767.37	\$3623.74	\$4336.51

# Jive Table — Post Round Base

## Rectangle



TORA-SNV  
Class JV



### Features

- Includes 1.18"(30mm) thick top, leg bases, adjustable glides or casters, and hardware.
- Standard table heights are 16"(406mm), 20"(508mm) and 29"(737mm).
- High-Pressure Laminate (HPL) top with knife edge or 3mm edgeband edges or wood veneer top with 3mm wood edgeband or knife edge.
- Bases are painted steel.
- Casters:
  - Two locking and two non-locking casters.
  - Standard in black.
- Glides:
  - 0.625"(16mm) adjustment.
  - Standard in black.
- Casters and glides are not interchangeable.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

### Specification Tips

- Edge choice allows a flat seam between tables.
- Specifying a cutout does not automatically include a Power Ready base.**
- Factory installed cutout is available for:
  - Specify the (F) option for a Center, Single-Sided/4 outlet Flip Top Unit
  - Specify the (J) option for a Center, Single-Sided/6 outlet Flip Top Unit
  - Specify the (M) option for a Center, Double-Sided/8 outlet Flip Top Unit
  - Specify the (Q) option for a Center, Double-Sided/12 outlet Flip Top Unit
- Power Ready Base:
  - Allows for cord management through one of the Post Extruded legs.
- Powered leg location determined during installation.**
  - Casters and Glides:
    - Specify the (J) option for Casters on the Power Ready base (only available on 29"(737mm)H tables)
    - Specify the (K) option for Glides on the Power Ready base (available on 16"(406mm), 20"(508mm) and 29"(737mm)H tables)
- Flip Top Unit circuit breaker plug will not fit in the Power Ready Base opening.**
- Power cord length determines the distance to building power source.**
- Separately specified:
  - Ganging Mechanism - Recommended for use with power between tables.
  - Horizontal and Vertical Wire Management
  - Power and Data Components
  - Accessories
- Refer to Specification Guide:
  - Accessory placement and compatibility.
  - Seating capacities and leg locations.
  - Information on electrical components compatible with factory cut opening.
  - Power Ready base cable capacity.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

### To Order, Specify:

- 1) Product number, including:

**1 Surface Option:**

**L** Laminate

**W** Wood

**2 Edge Option:**

Laminate:

**J** Edgeband

**F** Knife

Wood:

**K** Edgeband

**U** Knife

**3 Cutout:**

**N** No Cutout

**F** Center, Single-Sided/  
4 outlets (add **\$48.13** list)

**J** Center, Single-Sided/  
6 outlets (add **\$48.13** list)

**M** Center, Double-Sided/  
8 outlets (add **\$48.13** list)

**Q** Center, Double-Sided/  
12 outlets (add **\$48.13** list)

**4 Base and Wire Management Option:**

Base - No Power:

**C** Casters (add **\$23.44** list)  
(29"(737mm) Height Only)

**G** Glides

Base - Power Ready:

**J** Casters (add **\$23.44** list)  
(29"(737mm) Height Only)

**K** Glides

2) Laminate surface color or wood finish color.

3) Edgeband trim color (laminate only).

4) Base trim color.

**Note:** **\$66.18** upcharge list for Metallic trim colors.

# Jive Table — Post Round Base Rectangle

Height	Depth	Width	Number	HPL		Wood	
				A	B	A	B
Base — No Power — No Cutout							
16"(406mm)	30"(762mm)	48"(1219mm)	TCRA-3048-	S V 1	\$ 719.07	\$ 1024.44	\$ 831.22
		54"(1372mm)	TCRA-3054-	S V 1	761.28	1095.86	876.53
		60"(1524mm)	TCRA-3060-	S V 1	803.73	1169.00	922.08
36"(914mm)	60"(1524mm)	TCRA-3660-	S V 1	\$ 881.89	\$ 1267.56	\$ 1006.44	\$ 1392.11
	72"(1829mm)	TCRA-3672-	S V 1	982.72	1435.63	1114.71	1567.62
20"(508mm)	30"(762mm)	48"(1219mm)	TCRA-3048-	S V 2	\$ 719.07	\$ 1024.44	\$ 831.22
		54"(1372mm)	TCRA-3054-	S V 2	761.28	1095.86	876.53
		60"(1524mm)	TCRA-3060-	S V 2	803.73	1169.00	922.08
36"(914mm)	60"(1524mm)	TCRA-3660-	S V 2	\$ 881.89	\$ 1267.56	\$ 1006.44	\$ 1392.11
	72"(1829mm)	TCRA-3672-	S V 2	982.72	1435.63	1114.71	1567.62
29"(737mm)	18"(457mm)	48"(1219mm)	TCRA-1848-	S V 4	\$ 593.15	N/A	\$ 695.38
		54"(1372mm)	TCRA-1854-	S V 4	620.16	N/A	724.25
		60"(1524mm)	TCRA-1860-	S V 4	647.41	N/A	753.36
		66"(1676mm)	TCRA-1866-	S V 4	674.90	N/A	782.71
		72"(1829mm)	TCRA-1872-	S V 4	702.64	N/A	812.31
24"(610mm)	36"(914mm)	TCRA-2436-	S V 4	\$ 587.61	\$ 821.51	\$ 689.84	\$ 923.74
	42"(1067mm)	TCRA-2442-	S V 4	621.74	881.17	726.45	985.88
	48"(1219mm)	TCRA-2448-	S V 4	656.11	942.55	763.30	1049.74
	54"(1372mm)	TCRA-2454-	S V 4	690.72	1005.64	800.39	1115.31
	60"(1524mm)	TCRA-2460-	S V 4	725.57	1070.44	837.72	1182.59
	66"(1676mm)	TCRA-2466-	S V 4	760.66	1136.95	875.29	1251.58
	72"(1829mm)	TCRA-2472-	S V 4	796.00	1205.17	913.11	1322.28
30"(762mm)	36"(914mm)	TCRA-3036-	S V 4	\$ 635.37	\$ 886.72	\$ 741.32	\$ 992.67
	42"(1067mm)	TCRA-3042-	S V 4	677.10	954.73	786.15	1063.78
	48"(1219mm)	TCRA-3048-	S V 4	719.07	1024.44	831.22	1136.59
	54"(1372mm)	TCRA-3054-	S V 4	761.28	1095.86	876.53	1211.11
	60"(1524mm)	TCRA-3060-	S V 4	803.73	1169.00	922.08	1287.35
	72"(1829mm)	TCRA-3072-	S V 4	889.36	1320.40	1013.91	1444.95
36"(914mm)	60"(1524mm)	TCRA-3660-	S V 4	\$ 881.89	\$ 1267.56	\$ 1006.44	\$ 1392.11
	66"(1676mm)	TCRA-3666-	S V 4	932.19	1350.74	1060.46	1479.01
	72"(1829mm)	TCRA-3672-	S V 4	982.72	1435.63	1114.71	1567.62
42"(1067mm)	60"(1524mm)	TCRA-4260-	S V 4	\$ 960.05	\$ 1386.12	\$ 1090.80	\$ 1496.87
	72"(1829mm)	TCRA-4272-	S V 4	1076.09	1550.86	1215.52	1690.29
48"(1219mm)	72"(1829mm)	TCRA-4872-	S V 4	\$ 1169.45	\$ 1666.09	\$ 1316.32	\$ 1812.96

# Jive Table — Post Round Base



## Rectangle

---

Height	Depth	Width	Number	HPL				Wood				
				A J	F	B J	F	A K	U	B K	U	
<b>Base — Power Ready — No Cutout</b>												
16"(406mm)	30"(762mm)	48"(1219mm)	TCRA-3048-	S V 1	\$ 747.56	\$ 1052.93	\$ 859.71	\$ 1165.08	\$ 1709.39	\$ 2088.60	\$ 1933.69	\$ 2360.67
		54"(1372mm)	TCRA-3054-	S V 1	789.77	1124.35	905.02	1239.60	1843.22	2260.40	2092.08	2562.71
		60"(1524mm)	TCRA-3060-	S V 1	832.22	1197.49	950.57	1315.84	1977.79	2434.86	2251.38	2767.85
	36"(914mm)	60"(1524mm)	TCRA-3660-	S V 1	\$ 910.38	\$ 1296.05	\$ 1034.93	\$ 1420.60	\$ 2226.21	\$ 2709.80	\$ 2544.68	\$ 3091.63
		72"(1829mm)	TCRA-3672-	S V 1	1011.21	1464.12	1143.20	1596.11	2545.94	3116.94	2923.05	3570.46
20"(508mm)	30"(762mm)	48"(1219mm)	TCRA-3048-	S V 2	\$ 747.56	\$ 1052.93	\$ 859.71	\$ 1165.08	\$ 1709.39	\$ 2088.60	\$ 1933.69	\$ 2360.67
		54"(1372mm)	TCRA-3054-	S V 2	789.77	1124.35	905.02	1239.60	1843.22	2260.40	2092.08	2562.71
		60"(1524mm)	TCRA-3060-	S V 2	832.22	1197.49	950.57	1315.84	1977.79	2434.86	2251.38	2767.85
	36"(914mm)	60"(1524mm)	TCRA-3660-	S V 2	\$ 910.38	\$ 1296.05	\$ 1034.93	\$ 1420.60	\$ 2226.21	\$ 2709.80	\$ 2544.68	\$ 3091.63
		72"(1829mm)	TCRA-3672-	S V 2	1011.21	1464.12	1143.20	1596.11	2545.94	3116.94	2923.05	3570.46
29"(737mm)	18"(457mm)	48"(1219mm)	TCRA-1848-	S V 4	\$ 621.64	N/A	\$ 723.87	N/A	\$ 1309.28	N/A	\$ 1461.18	N/A
		54"(1372mm)	TCRA-1854-	S V 4	648.65	N/A	752.74	N/A	1394.74	N/A	1562.53	N/A
		60"(1524mm)	TCRA-1860-	S V 4	675.90	N/A	781.85	N/A	1480.95	N/A	1664.78	N/A
	66"(1676mm)	TCRA-1866-	S V 4	703.39	N/A	811.20	N/A	1567.90	N/A	1767.94	N/A	
		72"(1829mm)	TCRA-1872-	S V 4	731.13	N/A	840.80	N/A	1655.60	N/A	1872.01	N/A
	24"(610mm)	36"(914mm)	TCRA-2436-	S V 4	\$ 616.10	\$ 850.00	\$ 718.33	\$ 952.23	\$ 1292.27	\$ 1578.55	\$ 1440.42	\$ 1760.59
		42"(1067mm)	TCRA-2442-	S V 4	650.23	909.66	754.94	1014.37	1400.43	1719.91	1568.47	1926.81
		48"(1219mm)	TCRA-2448-	S V 4	684.60	971.04	791.79	1078.23	1509.33	1863.93	1697.43	2096.13
		54"(1372mm)	TCRA-2454-	S V 4	719.21	1034.13	828.88	1143.80	1618.98	2010.60	1827.30	2268.55
		60"(1524mm)	TCRA-2460-	S V 4	754.06	1098.93	866.21	1211.08	1729.37	2159.92	1958.08	2444.07
	66"(1676mm)	TCRA-2466-	S V 4	789.15	1165.44	903.78	1280.07	1840.50	2311.89	2089.76	2622.69	
		72"(1829mm)	TCRA-2472-	S V 4	824.49	1233.66	941.60	1350.77	1952.38	2466.52	2222.36	2804.42
	30"(762mm)	36"(914mm)	TCRA-3036-	S V 4	\$ 663.86	\$ 915.21	\$ 769.81	\$ 1021.16	\$ 1443.96	\$ 1752.95	\$ 1619.62	\$ 1965.89
		42"(1067mm)	TCRA-3042-	S V 4	705.59	983.22	814.64	1092.27	1576.31	1919.45	1776.20	2161.73
		48"(1219mm)	TCRA-3048-	S V 4	747.56	1052.93	859.71	1165.08	1709.39	2088.60	1933.69	2360.67
		54"(1372mm)	TCRA-3054-	S V 4	789.77	1124.35	905.02	1239.60	1843.22	2260.40	2092.08	2562.71
		60"(1524mm)	TCRA-3060-	S V 4	832.22	1197.49	950.57	1315.84	1977.79	2434.86	2251.38	2767.85
		72"(1829mm)	TCRA-3072-	S V 4	917.85	1348.89	1042.40	1473.44	2249.16	2791.73	2572.70	3187.44
	36"(914mm)	60"(1524mm)	TCRA-3660-	S V 4	\$ 910.38	\$ 1296.05	\$ 1034.93	\$ 1420.60	\$ 2226.21	\$ 2709.80	\$ 2544.68	\$ 3091.63
		66"(1676mm)	TCRA-3666-	S V 4	960.68	1379.23	1088.95	1507.50	2385.71	2912.05	2733.41	3329.49
		72"(1829mm)	TCRA-3672-	S V 4	1011.21	1464.12	1143.20	1596.11	2545.94	3116.94	2923.05	3570.46
	42"(1067mm)	60"(1524mm)	TCRA-4260-	S V 4	\$ 988.54	\$ 1394.61	\$ 1119.29	\$ 1525.36	\$ 2474.63	\$ 2984.74	\$ 2837.98	\$ 3415.41
		72"(1829mm)	TCRA-4272-	S V 4	1104.58	1579.35	1244.01	1718.78	2842.73	3442.16	3273.40	3953.48
	48"(1219mm)	72"(1829mm)	TCRA-4872-	S V 4	\$ 1197.94	\$ 1694.58	\$ 1344.81	\$ 1841.45	\$ 3139.51	\$ 3767.37	\$ 3623.74	\$ 4336.51

# Jive Table — Post Round Base

## Racetrack

TORT-SNV  
Class JV**Features**

- Includes 1.18"(30mm) thick top, leg bases, adjustable glides or casters, and hardware.
- Standard table heights are 16"(406mm), 20"(508mm) and 29"(737mm).
- High-Pressure Laminate (HPL) top with knife edge or 3mm edgeband edges or wood veneer top with 3mm wood edgeband or knife edge.
- Bases are painted steel.
- Casters:
  - Two locking and two non-locking casters.
  - Standard in black.
- Glides:
  - 0.625"(16mm) adjustment.
  - Standard in black.
- Casters and glides are not interchangeable.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

**Specification Tips**

- Specifying a cutout does not automatically include a Power Ready base.**
- Factory installed cutout is available for:
  - Specify the (F) option for a Center, Single-Sided/4 outlet Flip Top Unit
  - Specify the (J) option for a Center, Single-Sided/6 outlet Flip Top Unit
  - Specify the (M) option for a Center, Double-Sided/8 outlet Flip Top Unit
  - Specify the (Q) option for a Center, Double-Sided/12 outlet Flip Top Unit
- Power Ready Base:**
  - Allows for cord management through one of the Post Extruded legs.
- Powered leg location determined during installation.**
  - Casters and Glides:
    - Specify the (J) option for Casters on the Power Ready base (only available on 29"(737mm)H tables)
    - Specify the (K) option for Glides on the Power Ready base (available on 16"(406mm), 20"(508mm) and 29"(737mm)H tables)
- Flip Top Unit circuit breaker plug will not fit in the Power Ready Base opening.**
- Power cord length determines the distance to building power source.**
- Separately specified:
  - Horizontal and Vertical Wire Management
  - Power and Data Components
  - Accessories
- Refer to Specification Guide:
  - Accessory placement and compatibility.
  - Seating capacities and leg locations.
  - Information on electrical components compatible with factory cut opening.
  - Power Ready base cable capacity.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

**To Order, Specify:**

1) Product number, including:

**1 Surface Option:** L Laminate W Wood**2 Edge Option:**

Laminate:

 J Edgeband F Knife

Wood:

 K Edgeband U Knife**3 Cutout:** N No Cutout F Center, Single-Sided/  
4 outlets (add \$48.13 list) J Center, Single-Sided/  
6 outlets (add \$48.13 list) M Center, Double-Sided/  
8 outlets (add \$48.13 list) Q Center, Double-Sided/  
12 outlets (add \$48.13 list)**4 Base and Wire Management Option:**

Base - No Power:

 C Casters (add \$23.44 list)  
(29"(737mm) Height Only) G Glides

Base - Power Ready:

 J Casters (add \$23.44 list)  
(29"(737mm) Height Only) K Glides

2) Laminate surface color or wood finish color.

3) Edgeband trim color (laminate only).

4) Base trim color.

**Note:** \$66.18 upcharge list for Metallic trim colors.

# Jive Table — Post Round Base

## Racetrack

---


Height	Depth	Width	Number	HPL				Wood					
				A ①	B ②	J ③	F ④	A ①	B ②	K ③	U ④		
<b>Base — No Power — No Cutout</b>													
16"(406mm)	30"(762mm)	48"(1219mm)	TCRT-3048-	S V 1	\$ 719.07	\$ 1024.44	\$ 831.22	\$ 1136.59	\$ 1680.90	\$ 2060.11	\$ 1905.20	\$ 2332.18	
		60"(1524mm)	TCRT-3060-	S V 1	803.73	1169.00	922.08	1287.35	1949.30	2406.37	2222.89	2739.36	
		72"(1829mm)	TCRT-3072-	S V 1	889.36	1320.40	1013.91	1444.95	2220.67	2763.24	2544.21	3158.95	
		36"(914mm)	60"(1524mm)	TCRT-3660-	S V 1	\$ 881.89	\$ 1267.56	\$ 1006.44	\$ 1392.11	\$ 2197.72	\$ 2681.31	\$ 2516.19	\$ 3063.14
		72"(1829mm)	TCRT-3672-	S V 1	982.72	1435.63	1114.71	1567.62	2517.45	3088.45	2894.56	3541.97	
20"(508mm)	30"(762mm)	48"(1219mm)	TCRT-3048-	S V 2	\$ 719.07	\$ 1024.44	\$ 831.22	\$ 1136.59	\$ 1680.90	\$ 2060.11	\$ 1905.20	\$ 2332.18	
		60"(1524mm)	TCRT-3060-	S V 2	803.73	1169.00	922.08	1287.35	1949.30	2406.37	2222.89	2739.36	
		72"(1829mm)	TCRT-3072-	S V 2	889.36	1320.40	1013.91	1444.95	2220.67	2763.24	2544.21	3158.95	
		36"(914mm)	60"(1524mm)	TCRT-3660-	S V 2	\$ 881.89	\$ 1267.56	\$ 1006.44	\$ 1392.11	\$ 2197.72	\$ 2681.31	\$ 2516.19	\$ 3063.14
		72"(1829mm)	TCRT-3672-	S V 2	982.72	1435.63	1114.71	1567.62	2517.45	3088.45	2894.56	3541.97	
29"(737mm)	30"(762mm)	48"(1219mm)	TCRT-3048-	S V 4	\$ 719.07	\$ 1024.44	\$ 831.22	\$ 1136.59	\$ 1680.90	\$ 2060.11	\$ 1905.20	\$ 2332.18	
		60"(1524mm)	TCRT-3060-	S V 4	803.73	1169.00	922.08	1287.35	1949.30	2406.37	2222.89	2739.36	
		72"(1829mm)	TCRT-3072-	S V 4	889.36	1320.40	1013.91	1444.95	2220.67	2763.24	2544.21	3158.95	
		36"(914mm)	60"(1524mm)	TCRT-3660-	S V 4	\$ 881.89	\$ 1267.56	\$ 1006.44	\$ 1392.11	\$ 2197.72	\$ 2681.31	\$ 2516.19	\$ 3063.14
		72"(1829mm)	TCRT-3672-	S V 4	982.72	1435.63	1114.71	1567.62	2517.45	3088.45	2894.56	3541.97	
		42"(1067mm)	72"(1829mm)	TCRT-4272-	S V 4	\$ 1076.09	\$ 1550.86	\$ 1215.52	\$ 1690.29	\$ 2814.24	\$ 3413.67	\$ 3244.91	\$ 3924.99
		48"(1219mm)	72"(1829mm)	TCRT-4872-	S V 4	\$ 1169.45	\$ 1666.09	\$ 1316.32	\$ 1812.96	\$ 3111.02	\$ 3738.88	\$ 3595.25	\$ 4308.02
<b>Base — Power Ready — No Cutout</b>													
16"(406mm)	30"(762mm)	48"(1219mm)	TCRT-3048-	S V 1	\$ 747.56	\$ 1052.93	\$ 859.71	\$ 1165.08	\$ 1709.39	\$ 2088.60	\$ 1933.69	\$ 2360.67	
		60"(1524mm)	TCRT-3060-	S V 1	832.22	1197.49	950.57	1315.84	1977.79	2434.86	2251.38	2767.85	
		72"(1829mm)	TCRT-3072-	S V 1	917.85	1348.89	1042.40	1473.44	2249.16	2791.73	2572.70	3187.44	
		36"(914mm)	60"(1524mm)	TCRT-3660-	S V 1	\$ 910.38	\$ 1296.05	\$ 1034.93	\$ 1420.60	\$ 2226.21	\$ 2709.80	\$ 2544.68	\$ 3091.63
		72"(1829mm)	TCRT-3672-	S V 1	1011.21	1464.12	1143.20	1596.11	2545.94	3116.94	2923.05	3570.46	
20"(508mm)	30"(762mm)	48"(1219mm)	TCRT-3048-	S V 2	\$ 747.56	\$ 1052.93	\$ 859.71	\$ 1165.08	\$ 1709.39	\$ 2088.60	\$ 1933.69	\$ 2360.67	
		60"(1524mm)	TCRT-3060-	S V 2	832.22	1197.49	950.57	1315.84	1977.79	2434.86	2251.38	2767.85	
		72"(1829mm)	TCRT-3072-	S V 2	917.85	1348.89	1042.40	1473.44	2249.16	2791.73	2572.70	3187.44	
		36"(914mm)	60"(1524mm)	TCRT-3660-	S V 2	\$ 910.38	\$ 1296.05	\$ 1034.93	\$ 1420.60	\$ 2226.21	\$ 2709.80	\$ 2544.68	\$ 3091.63
		72"(1829mm)	TCRT-3672-	S V 2	1011.21	1464.12	1143.20	1596.11	2545.94	3116.94	2923.05	3570.46	
29"(737mm)	30"(762mm)	48"(1219mm)	TCRT-3048-	S V 4	\$ 747.56	\$ 1052.93	\$ 859.71	\$ 1165.08	\$ 1709.39	\$ 2088.60	\$ 1933.69	\$ 2360.67	
		60"(1524mm)	TCRT-3060-	S V 4	832.22	1197.49	950.57	1315.84	1977.79	2434.86	2251.38	2767.85	
		72"(1829mm)	TCRT-3072-	S V 4	917.85	1348.89	1042.40	1473.44	2249.16	2791.73	2572.70	3187.44	
		36"(914mm)	60"(1524mm)	TCRT-3660-	S V 4	\$ 910.38	\$ 1296.05	\$ 1034.93	\$ 1420.60	\$ 2226.21	\$ 2709.80	\$ 2544.68	\$ 3091.63
		72"(1829mm)	TCRT-3672-	S V 4	1011.21	1464.12	1143.20	1596.11	2545.94	3116.94	2923.05	3570.46	
		42"(1067mm)	72"(1829mm)	TCRT-4272-	S V 4	\$ 1104.58	\$ 1579.35	\$ 1244.01	\$ 1718.78	\$ 2842.73	\$ 3442.16	\$ 3273.40	\$ 3953.48
		48"(1219mm)	72"(1829mm)	TCRT-4872-	S V 4	\$ 1197.94	\$ 1694.58	\$ 1344.81	\$ 1841.45	\$ 3139.51	\$ 3767.37	\$ 3623.74	\$ 4336.51

# Jive Table — Post Round Base

## Trapezoid



TCTP-SNV  
Class JV



### Features

- Includes 1.18"(30mm) thick top, leg bases, adjustable glides or casters, and hardware.
- Standard table height is 29"(737mm).
- High-Pressure Laminate (HPL) top with knife edge or 3mm edgeband edges or wood veneer top with 3mm wood edgeband or knife edge.
- Bases are painted steel.
- Casters:
  - Two locking and two non-locking casters.
  - Standard in black.
- Glides:
  - 0.625"(16mm) adjustment.
  - Standard in black.
- Casters and glides are not interchangeable.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

### Specification Tips

- Edge choice allows a flat seam between tables.
- Specifying a cutout does not automatically include a Power Ready base.**
- Factory installed cutout is available for:
  - Specify the (F) option for a Center, Single-Sided/4 outlet Flip Top Unit
  - Specify the (J) option for a Center, Single-Sided/6 outlet Flip Top Unit
- Power Ready Base:
  - Allows for cord management through one of the Post Extruded legs.
- Powered leg location determined during installation.**
  - Casters and Glides:
    - Specify the (J) option for Casters on the Power Ready base (only available on 29"(737mm)H tables)
    - Specify the (K) option for Glides on the Power Ready base (available on 29"(737mm)H tables)
  - Flip Top Unit circuit breaker plug will not fit in the Power Ready Base opening.**
  - Power cord length determines the distance to building power source.**
  - Separately specified:
    - Ganging Mechanism - Recommended for use with power between tables.
    - Horizontal and Vertical Wire Management
    - Power and Data Components
    - Accessories
  - Refer to Specification Guide:
    - Accessory placement and compatibility.
    - Seating capacities and leg locations.
    - Information on electrical components compatible with factory cut opening.
    - Power Ready base cable capacity.
  - Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

### To Order, Specify:

1) Product number, including:

① **Surface Option:**

L Laminate

W Wood

② **Edge Option:**

Laminate:

J Edgeband

F Knife

Wood:

K Edgeband

U Knife

③ **Cutout:**

N No Cutout

F Center, Single-Sided/  
4 outlets (add \$48.13 list)

J Center, Single-Sided/  
6 outlets (add \$48.13 list)

④ **Base and Wire Management Option:**

Base - No Power:

C Casters (add \$23.44 list)  
(29"(737mm) Height Only)

G Glides

Base - Power Ready:

J Casters (add \$23.44 list)  
(29"(737mm) Height Only)

K Glides

2) Laminate surface color or wood finish color.

3) Edgeband trim color (laminate only).

4) Base trim color.

**Note:** \$66.18 upcharge list for Metallic trim colors.

# Jive Table — Post Round Base


## Trapezoid

---


Height	Depth	Width	Number	HPL				Wood						
				A J	B F	A J	B F	A K	B U	A K	B U			
<b>Base — No Power — No Cutout</b>														
29"(737mm)	24"(610mm)	48"(1219mm)	TCTP-2448-	S V 4	\$ 666.56	\$ 953.00	\$ 671.52	\$ 957.96	\$ 874.70	\$ 1229.30	\$ 934.17	\$ 1332.87		
		54"(1372mm)	TCTP-2454-	S V 4	701.17	1016.09	708.61	1023.53	984.35	1375.97	1064.04	1505.29		
		60"(1524mm)	TCTP-2460-	S V 4	736.02	1080.89	745.94	1090.81	1094.74	1525.29	1194.82	1680.81		
		66"(1676mm)	TCTP-2466-	S V 4	771.11	1147.40	783.51	1159.80	1205.87	1677.26	1326.50	1859.43		
		72"(1829mm)	TCTP-2472-	S V 4	806.45	1215.62	821.33	1230.50	1317.75	1831.89	1459.10	2041.16		
		30"(762mm)	60"(1524mm)	TCTP-3060-	S V 4	\$ 814.18	\$ 1179.45	\$ 830.30	\$ 1195.57	\$ 1343.16	\$ 1800.23	\$ 1488.12	\$ 2004.59	
			66"(1676mm)	TCTP-3066-	S V 4	856.88	1254.30	876.10	1273.52	1478.47	1977.34	1648.33	2212.83	
			72"(1829mm)	TCTP-3072-	S V 4	899.81	1330.85	922.13	1353.17	1614.53	2157.10	1809.44	2424.18	
			36"(914mm)	84"(2134mm)	TCTP-3684-	S V 4	\$ 1094.98	\$ 1621.00	\$ 1132.18	\$ 1658.20	\$ 2234.02	\$ 2900.07	\$ 2541.79	\$ 3298.44
<b>Base — Power Ready — No Cutout</b>														
29"(737mm)	24"(610mm)	48"(1219mm)	TCTP-2448-	S V 4	\$ 695.05	\$ 981.49	\$ 700.01	\$ 986.45	\$ 903.19	\$ 1257.79	\$ 962.66	\$ 1361.36		
		54"(1372mm)	TCTP-2454-	S V 4	729.66	1044.58	737.10	1052.02	1012.84	1404.46	1092.53	1533.78		
		60"(1524mm)	TCTP-2460-	S V 4	764.51	1109.38	774.43	1119.30	1123.23	1553.78	1223.31	1709.30		
		66"(1676mm)	TCTP-2466-	S V 4	799.60	1175.89	812.00	1188.29	1234.36	1705.75	1354.99	1887.92		
		72"(1829mm)	TCTP-2472-	S V 4	834.94	1244.11	849.82	1258.99	1346.24	1860.38	1487.59	2069.65		
		30"(762mm)	60"(1524mm)	TCTP-3060-	S V 4	\$ 842.67	\$ 1207.94	\$ 858.79	\$ 1224.06	\$ 1371.65	\$ 1828.72	\$ 1516.61	\$ 2033.08	
			66"(1676mm)	TCTP-3066-	S V 4	885.37	1282.79	904.59	1302.01	1506.96	2005.83	1676.82	2241.32	
			72"(1829mm)	TCTP-3072-	S V 4	928.30	1359.34	950.62	1381.66	1643.02	2185.59	1837.93	2452.67	
			36"(914mm)	84"(2134mm)	TCTP-3684-	S V 4	\$ 1123.47	\$ 1649.49	\$ 1160.67	\$ 1686.69	\$ 2262.51	\$ 2928.56	\$ 2570.28	\$ 3326.93

# Jive Table — Post Round Base

## Crescent



TOBN-SNV  
Class JV



### Features

- Includes 1.18"(30mm) thick top, leg bases, adjustable glides or casters, and hardware.
- Standard table height is 29"(737mm).
- High-Pressure Laminate (HPL) top with knife edge or 3mm edgeband edges or wood veneer top with 3mm wood edgeband or knife edge.
- Bases are painted steel.
- Casters:
  - Three locking and three non-locking casters.
  - Standard in black.
- Glides:
  - 0.625"(16mm) adjustment.
  - Standard in black.
- Casters and glides are not interchangeable.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

### Specification Tips

- Edge choice allows a flat seam between tables.
- Specifying a cutout does not automatically include a Power Ready base.**
- Factory installed cutout is available for:
  - Specify the (F) option for a Center, Single-Sided/4 outlet Flip Top Unit
  - Specify the (J) option for a Center, Single-Sided/6 outlet Flip Top Unit
- Power Ready Base:
  - Allows for cord management through one of the Post Extruded legs.
- Powered leg location determined during installation.**
  - Casters and Glides:
    - Specify the (J) option for Casters on the Power Ready base (only available on 29"(737mm)H tables)
    - Specify the (K) option for Glides on the Power Ready base (available on 29"(737mm)H tables)
  - Flip Top Unit circuit breaker plug will not fit in the Power Ready Base opening.**
  - Power cord length determines the distance to building power source.**
  - Separately specified:
    - Ganging Mechanism - Recommended for use with power between tables.
    - Horizontal and Vertical Wire Management
    - Power and Data Components
    - Accessories
  - Refer to Specification Guide:
    - Accessory placement and compatibility.
    - Seating capacities and leg locations.
    - Information on electrical components compatible with factory cut opening.
    - Power Ready base cable capacity.
  - Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

### To Order, Specify:

1) Product number, including:

① Surface Option:

L Laminate

W Wood

② Edge Option:

Laminate:

J Edgeband

F Knife

Wood:

K Edgeband

U Knife

③ Cutout:

N No Cutout

F Center, Single-Sided/  
4 outlets (add \$48.13 list)

J Center, Single-Sided/  
6 outlets (add \$48.13 list)

④ Base and Wire Management Option:

Base - No Power:

C Casters (add \$23.44 list)  
(29"(737mm) Height Only)

G Glides

Base - Power Ready:

J Casters (add \$23.44 list)  
(29"(737mm) Height Only)

K Glides

2) Laminate surface color or wood finish color.

3) Edgeband trim color (laminate only).



4) Base trim color.

**Note:** \$66.18 upcharge list for Metallic trim colors.

Depth	Width	Number	①	②	③	④	HPL		Wood								
							A	J	F	B	J	F	A	K	U	B	K
<b>Base — No Power — No Cutout</b>																	
24"(610mm)	60"(1524mm)	TOBN-2460-	S	S	V	4	\$ 767.42	\$ 1112.29	\$ 777.34	\$ 1122.21	\$ 1126.14	\$ 1556.69	\$ 1226.22	\$ 1712.21			
30"(762mm)	72"(1829mm)	TOBN-3072-	S	S	V	4	931.21	1362.25	953.53	1384.57	1645.93	2188.50	1840.84	2455.58			
36"(914mm)	84"(2134mm)	TOBN-3684-	S	S	V	4	1126.38	1652.40	1163.58	1689.60	2265.42	2931.47	2573.19	3329.84			
<b>Base — Power Ready — No Cutout</b>																	
24"(610mm)	60"(1524mm)	TOBN-2460-	S	S	V	4	\$ 795.91	\$ 1140.78	\$ 805.83	\$ 1150.70	\$ 1154.63	\$ 1585.18	\$ 1254.71	\$ 1740.70			
30"(762mm)	72"(1829mm)	TOBN-3072-	S	S	V	4	959.70	1390.74	982.02	1413.06	1674.42	2216.99	1869.33	2484.07			
36"(914mm)	84"(2134mm)	TOBN-3684-	S	S	V	4	1154.87	1680.89	1192.07	1718.09	2293.91	2959.96	2601.68	3358.33			

# Jive Table — Post Round Base

## Half Racetrack

TOHT  
Class JV**Features**

- Includes 1.18"(30mm) thick top, leg bases, adjustable glides or casters, and hardware.
- Standard table height is 29"(737mm).
- High-Pressure Laminate (HPL) top with knife edge or 3mm edgeband edges or wood veneer top with 3mm wood edgeband or knife edge.
- Bases are painted steel.
- Casters:
  - Two locking and two non-locking casters.
  - Standard in black.
- Glides:
  - 0.625"(16mm) adjustment.
  - Standard in black.
- Casters and glides are not interchangeable.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

**Specification Tips**

**Edge choice allows a flat seam between tables.**  
**Specifying a cutout does not automatically include a Power Ready base.**

**Factory installed cutout is available for:**

- Specify the (F) option for a Center, Single-Sided/4 outlet Flip Top Unit
- Specify the (J) option for a Center, Single-Sided/6 outlet Flip Top Unit
- Specify the (M) option for a Center, Double-Sided/8 outlet Flip Top Unit
- Specify the (Q) option for a Center, Double-Sided/12 outlet Flip Top Unit
- Power Ready Base:
  - Allows for cord management through one of the Post Extruded legs.
- Powered leg location determined during installation.**
  - Casters and Glides:
    - Specify the (J) option for Casters on the Power Ready base (only available on 29"(737mm)H tables)
    - Specify the (K) option for Glides on the Power Ready base (available on 29"(737mm)H tables)
- Flip Top Unit circuit breaker plug will not fit in the Power Ready Base opening.**
- Power cord length determines the distance to building power source.**
- Separately specified:
  - Ganging Mechanism - Recommended for use with power between tables.
  - Horizontal and Vertical Wire Management
  - Power and Data Components
  - Accessories
- Refer to Specification Guide:
  - Accessory placement and compatibility.
  - Seating capacities and leg locations.
  - Information on electrical components compatible with factory cut opening.
  - Power Ready base cable capacity.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

**To Order, Specify:**

1) Product number, including:

**1 Surface Option:****L** Laminate**W** Wood**2 Edge Option:**

Laminate:

**J** Edgeband**F** Knife

Wood:

**K** Edgeband**U** Knife**3 Cutout:****N** No Cutout**F** Center, Single-Sided/  
4 outlets (add **\$48.13** list)**J** Center, Single-Sided/  
6 outlets (add **\$48.13** list)**M** Center, Double-Sided/  
8 outlets (add **\$48.13** list)**Q** Center, Double-Sided/  
12 outlets (add **\$48.13** list)**4 Base and Wire Management Option:**

Base - No Power:

**C** Casters (add **\$23.44** list)  
(29"(737mm) Height Only)**G** Glides

Base - Power Ready:

**J** Casters (add **\$23.44** list)  
(29"(737mm) Height Only)**K** Glides

2) Laminate surface color or wood finish color.

3) Edgeband trim color (laminate only).



4) Base trim color.

**Note:** **\$66.18** upcharge list for Metallic trim colors.

Height	Depth	Width	Number	HPL				Wood				
				A	B	A	B	K	U	K	U	
<b>Base — No Power — No Cutout</b>												
29"(737mm)	42"(1067mm)	42"(1067mm)	TCHT-4242-	S V 4	\$ 550.75	\$ 895.62	\$ 571.21	\$ 916.08	\$ 1187.08	\$ 1669.21	\$ 1359.58	\$ 1905.88
48"(1219mm)	48"(1219mm)	48"(1219mm)	TCHT-4848-	S V 4	669.67	1055.34	699.43	1085.10	1564.87	2224.98	1805.83	2559.20
54"(1372mm)	54"(1372mm)	54"(1372mm)	TCHT-5454-	S V 4	803.55	1230.02	843.85	1270.32	1990.28	2857.77	2308.22	3303.04
60"(1524mm)	60"(1524mm)	60"(1524mm)	TCHT-6060-	S V 4	952.39	1419.66	1004.47	1471.74	2463.31	3568.55	2866.75	4138.51
<b>Base — Power Ready — No Cutout</b>												
29"(737mm)	42"(1067mm)	42"(1067mm)	TCHT-4242-	S V 4	\$ 579.24	\$ 924.11	\$ 599.70	\$ 944.57	\$ 1215.57	\$ 1697.70	\$ 1388.07	\$ 1934.37
48"(1219mm)	48"(1219mm)	48"(1219mm)	TCHT-4848-	S V 4	698.16	1083.83	727.92	1113.59	1593.36	2253.47	1834.32	2587.69
54"(1372mm)	54"(1372mm)	54"(1372mm)	TCHT-5454-	S V 4	832.04	1258.51	872.34	1298.81	2018.77	2886.26	2336.71	3331.53
60"(1524mm)	60"(1524mm)	60"(1524mm)	TCHT-6060-	S V 4	980.88	1448.15	1032.96	1500.23	2491.80	3597.04	2895.24	4167.00

# Jive Table — Post Round Base

## Half Pebble

TCHP  
Class JV**Features**

- Includes 1.18"(30mm) thick top, leg bases, adjustable glides or casters, and hardware.
- Standard table height is 29"(737mm).
- High-Pressure Laminate (HPL) top with knife edge or 3mm edgeband edges or wood veneer top with 3mm wood edgeband or knife edge.
- Bases are painted steel.
- Casters:
  - Two locking and two non-locking casters.
  - Standard in black.
- Glides:
  - 0.625"(16mm) adjustment.
  - Standard in black.
- Casters and glides are not interchangeable.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

**Specification Tips**

- Edge choice allows a flat seam between tables.
- Specifying a cutout does not automatically include a Power Ready base.**
- Factory installed cutout is available for:
  - Specify the (F) option for a Center, Single-Sided/4 outlet Flip Top Unit
  - Specify the (J) option for a Center, Single-Sided/6 outlet Flip Top Unit
  - Specify the (M) option for a Center, Double-Sided/8 outlet Flip Top Unit
  - Specify the (Q) option for a Center, Double-Sided/12 outlet Flip Top Unit
- Power Ready Base:
  - Allows for cord management through one of the Post Extruded legs.
- Powered leg location determined during installation.**
  - Casters and Glides:
    - Specify the (J) option for Casters on the Power Ready base (only available on 29"(737mm)H tables)
    - Specify the (K) option for Glides on the Power Ready base (available on 29"(737mm)H tables)
- Flip Top Unit circuit breaker plug will not fit in the Power Ready Base opening.**
- Power cord length determines the distance to building power source.**
- Separately specified:
  - Ganging Mechanism - Recommended for use with power between tables.
  - Horizontal and Vertical Wire Management
  - Power and Data Components
  - Accessories
- Refer to Specification Guide:
- Accessory placement and compatibility.
- Seating capacities and leg locations.
- Information on electrical components compatible with factory cut opening.
- Power Ready base cable capacity.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

**To Order, Specify:**

1) Product number, including:

**1 Surface Option:****L** Laminate**W** Wood**2 Edge Option:**

Laminate:

**J** Edgeband**F** Knife

Wood:

**K** Edgeband**U** Knife**3 Cutout:****N** No Cutout**F** Center, Single-Sided/  
4 outlets (add **\$48.13** list)**J** Center, Single-Sided/  
6 outlets (add **\$48.13** list)**M** Center, Double-Sided/  
8 outlets (add **\$48.13** list)**Q** Center, Double-Sided/  
12 outlets (add **\$48.13** list)**4 Base and Wire Management Option:**

Base - No Power:

**C** Casters (add **\$23.44** list)  
(29"(737mm) Height Only)**G** Glides

Base - Power Ready:

**J** Casters (add **\$23.44** list)  
(29"(737mm) Height Only)**K** Glides

2) Laminate surface color or wood finish color.

3) Edgeband trim color (laminate only).


4) Base trim color.

**Note:** **\$66.18** upcharge list for Metallic trim colors.

Height	Depth	Width	Number	HPL				Wood			
				A	B	J	F	J	F	K	U
<b>Base — No Power — No Cutout</b>											
29"(737mm)	42"(1067mm)	42"(1067mm)	TCHP-4242-	S	V	4	\$550.75	\$ 895.62	\$ 571.21	\$ 916.08	\$ 1187.08
48"(1219mm)	48"(1219mm)	48"(1219mm)	TCHP-4848-	S	V	4	669.67	1055.34	699.43	1085.10	1564.87
54"(1372mm)	54"(1372mm)	54"(1372mm)	TCHP-5454-	S	V	4	803.55	1230.02	843.85	1270.32	1990.28
60"(1524mm)	60"(1524mm)	60"(1524mm)	TCHP-6060-	S	V	4	952.39	1419.66	1004.47	1471.74	2463.31
<b>Base — Power Ready — No Cutout</b>											
29"(737mm)	42"(1067mm)	42"(1067mm)	TCHP-4242-	S	V	4	\$ 579.24	\$ 924.11	\$ 599.70	\$ 944.57	\$ 1215.57
48"(1219mm)	48"(1219mm)	48"(1219mm)	TCHP-4848-	S	V	4	698.16	1083.83	727.92	1113.59	1593.36
54"(1372mm)	54"(1372mm)	54"(1372mm)	TCHP-5454-	S	V	4	832.04	1258.51	872.34	1298.81	2018.77
60"(1524mm)	60"(1524mm)	60"(1524mm)	TCHP-6060-	S	V	4	980.88	1448.15	1032.96	1500.23	2491.80

# Jive Table — X-Base

## Round



(Base — Power Ready)

TORN-SNXF  
(Base — No Power)  
Class JV

### Features

- Includes 1.18"(30mm) thick standard top, base, adjustable glides or casters and hardware.
- Standard table heights are 16"(406mm), 20"(508mm), 29"(737mm), 36"(914mm) and 42"(1067mm).
- High-Pressure Laminate (HPL) top with knife edge or 3mm edgeband edges or wood veneer top with 3mm wood edgeband or knife edge.
- Casters:
  - Two locking and two non-locking casters.
  - Standard in black.
- Glides:
  - 0.625"(16mm) adjustment.
  - Standard in black.
- Casters and glides are not interchangeable.
- Ships unassembled.

### Specification Tips

- Base Sizes:**
  - 24"(610mm) tops includes 22"(559mm) X-Base
  - 30"(762mm) tops include 28"(711mm) X-Base
  - 36"(914mm) tops include 31"(787mm) X-Base
  - 42"(1067mm) tops include 37"(940mm) X-Base
  - 48"(1219mm) tops include 37"(940mm) X-Base
- Specifying a cutout does not automatically include a Power Ready base.**
- Factory installed cutout is available for:
  - Specify the (R) option for a Centered, Flush Mount Power - Round
- Power Ready Base:**
  - Allows for cord management through the X-Base.
  - Casters and Glides:
    - Specify the (J) option for Casters on the Power Ready base (available 29"(737mm), 36"(914mm), and 42"(1067mm)H tables)
    - Specify the (K) option for Glides on the Power Ready base (available 29"(737mm), 36"(914mm), and 42"(1067mm)H tables)
- Power cord length determines the distance to building power source.**
- Separately specified:
  - Horizontal and Vertical Wire Management
  - Power and Data Components
  - Accessories
- Refer to Specification Guide:
  - Accessory placement and compatibility.
  - Seating capacities and base location.
  - Information on electrical components compatible with factory cut opening.
  - Power Ready base cable capacity.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

### To Order, Specify:

1) Product number, including:

#### 1 Surface Option:

 L Laminate W Wood

#### 2 Edge Option:

Laminate:

 J Edgeband F Knife

Wood:

 K Edgeband U Knife

#### 3 Cutout Option:

 N No Cutout

(No Power or Power Ready)

 R 3"(76mm) Cutout (Power Ready base option only, add

\$48.13 list)

#### 4 Base and Wire Management Option:

Base — No Power:

 C Casters (add \$23.44 list) G Glides

Base — Power Ready:

 J Casters (add \$23.44 list) K Glides

#### 5 Base Finish Option:

 A Painted B Polished (add \$66.68 list)

2) Laminate surface color or wood finish color.

3) Edgeband trim color (laminate only).

4) Base trim color.

**Note:** \$66.18 upcharge list for Metallic trim colors.

# Jive Table — X-Base

## Round

Height	Depth	Width	Number	HPL				Wood				
				A J	F	B J	F	A K	U	B K	U	
<b>Base — No Power</b>												
16"(406mm)	24"(610mm)	24"(610mm)	TCRN-2424-	SNXG1	\$ 678.62	\$ 901.09	\$ 771.55	\$ 994.02	\$ 1105.94	\$ 1229.70	\$ 1188.91	\$ 1319.34
30"(762mm)	30"(762mm)	TCRN-3030-	SNXG1	752.66	1015.93	851.17	1114.44	1340.87	1554.72	1466.74	1701.46	
36"(914mm)	36"(914mm)	TCRN-3636-	SNXG1	841.66	1145.73	946.99	1251.06	1623.42	1956.37	1800.71	2173.64	
42"(1067mm)	42"(1067mm)	TCRN-4242-	SNXG1	945.62	1290.49	1059.01	1403.88	1953.59	2435.72	2190.82	2737.12	
48"(1219mm)	48"(1219mm)	TCRN-4848-	SNXG1	1064.54	1450.21	1187.23	1572.90	2331.38	2991.49	2637.07	3390.44	
20"(508mm)	24"(610mm)	TCRN-2424-	SNXG2	\$ 686.32	\$ 908.79	\$ 779.25	\$ 1001.72	\$ 1113.64	\$ 1237.40	\$ 1196.61	\$ 1327.04	
30"(762mm)	30"(762mm)	TCRN-3030-	SNXG2	760.36	1023.63	858.87	1122.14	1348.57	1562.42	1474.44	1709.16	
36"(914mm)	36"(914mm)	TCRN-3636-	SNXG2	849.36	1153.43	954.69	1258.76	1631.12	1964.07	1808.41	2181.34	
42"(1067mm)	42"(1067mm)	TCRN-4242-	SNXG2	953.32	1298.19	1066.71	1411.58	1961.29	2443.42	2198.52	2744.82	
48"(1219mm)	48"(1219mm)	TCRN-4848-	SNXG2	1072.24	1457.91	1194.93	1580.60	2339.08	2999.19	2644.77	3398.14	
29"(737mm)	24"(610mm)	TCRN-2424-	SNX 4	\$ 709.30	\$ 931.77	\$ 802.23	\$ 1024.70	\$ 1136.62	\$ 1260.38	\$ 1219.59	\$ 1350.02	
30"(762mm)	30"(762mm)	TCRN-3030-	SNX 4	783.34	1046.61	881.85	1145.12	1371.55	1585.40	1497.42	1732.14	
36"(914mm)	36"(914mm)	TCRN-3636-	SNX 4	872.34	1176.41	977.67	1281.74	1654.10	1987.05	1831.39	2204.32	
42"(1067mm)	42"(1067mm)	TCRN-4242-	SNX 4	976.30	1321.17	1089.69	1434.56	1984.27	2466.40	2221.50	2767.80	
48"(1219mm)	48"(1219mm)	TCRN-4848-	SNX 4	1095.22	1480.89	1217.91	1603.58	2362.06	3022.17	2667.75	3421.12	
36"(914mm)	24"(610mm)	TCRN-2424-	SNX 6	\$ 702.31	\$ 924.78	\$ 795.24	\$ 1017.71	\$ 1129.63	\$ 1253.39	\$ 1212.60	\$ 1343.03	
30"(762mm)	30"(762mm)	TCRN-3030-	SNX 6	776.35	1039.62	874.86	1138.13	1364.56	1578.41	1490.43	1725.15	
36"(914mm)	36"(914mm)	TCRN-3636-	SNX 6	865.35	1169.42	970.68	1274.75	1647.11	1980.06	1824.40	2197.33	
42"(1067mm)	42"(1067mm)	TCRN-4242-	SNX 6	969.31	1314.18	1082.70	1427.57	1977.28	2459.41	2214.51	2760.81	
48"(1219mm)	48"(1219mm)	TCRN-4848-	SNX 6	1088.23	1473.90	1210.92	1596.59	2355.07	3015.18	2660.76	3414.13	
42"(1067mm)	24"(610mm)	TCRN-2424-	SNX 7	\$ 717.72	\$ 940.19	\$ 810.65	\$ 1033.12	\$ 1145.04	\$ 1268.80	\$ 1228.01	\$ 1358.44	
30"(762mm)	30"(762mm)	TCRN-3030-	SNX 7	791.76	1055.03	890.27	1153.54	1379.97	1593.82	1505.84	1740.56	
36"(914mm)	36"(914mm)	TCRN-3636-	SNX 7	880.76	1184.83	986.09	1290.16	1662.52	1995.47	1839.81	2212.74	
42"(1067mm)	42"(1067mm)	TCRN-4242-	SNX 7	984.72	1329.59	1098.11	1442.98	1992.69	2474.82	2229.92	2776.22	
48"(1219mm)	48"(1219mm)	TCRN-4848-	SNX 7	1103.64	1489.31	1226.33	1612.00	2370.48	3030.59	2676.17	3429.54	
<b>Base — Power Ready</b>												
16"(406mm)	24"(610mm)	24"(610mm)	TCRN-2424-	S XK1	\$ 1005.32	\$ 1227.79	\$ 1098.25	\$ 1320.72	\$ 1432.64	\$ 1556.40	\$ 1515.61	\$ 1646.04
30"(762mm)	30"(762mm)	TCRN-3030-	S XK1	1079.36	1342.63	1177.87	1441.14	1667.57	1881.42	1793.44	2028.16	
36"(914mm)	36"(914mm)	TCRN-3636-	S XK1	1168.36	1472.43	1273.69	1577.76	1950.12	2283.07	2127.41	2500.34	
42"(1067mm)	42"(1067mm)	TCRN-4242-	S XK1	1272.32	1617.19	1385.71	1730.58	2280.29	2762.42	2517.52	3063.82	
48"(1219mm)	48"(1219mm)	TCRN-4848-	S XK1	1391.24	1776.91	1513.93	1899.60	2658.08	3318.19	2963.77	3717.14	
20"(508mm)	24"(610mm)	TCRN-2424-	S XK2	\$ 1013.02	\$ 1235.49	\$ 1105.95	\$ 1328.42	\$ 1440.34	\$ 1564.10	\$ 1523.31	\$ 1653.74	
30"(762mm)	30"(762mm)	TCRN-3030-	S XK2	1087.06	1350.33	1185.57	1448.84	1675.27	1889.12	1801.14	2035.86	
36"(914mm)	36"(914mm)	TCRN-3636-	S XK2	1176.06	1480.13	1281.39	1585.46	1957.82	2290.77	2135.11	2508.04	
42"(1067mm)	42"(1067mm)	TCRN-4242-	S XK2	1280.02	1624.89	1393.41	1738.28	2287.99	2770.12	2525.22	3071.52	
48"(1219mm)	48"(1219mm)	TCRN-4848-	S XK2	1398.94	1784.61	1521.63	1907.30	2665.78	3325.89	2971.47	3724.84	
29"(737mm)	24"(610mm)	TCRN-2424-	S X 4	\$ 1036.00	\$ 1258.47	\$ 1128.93	\$ 1351.40	\$ 1463.32	\$ 1587.08	\$ 1546.29	\$ 1676.72	
30"(762mm)	30"(762mm)	TCRN-3030-	S X 4	1110.04	1373.31	1208.55	1471.82	1698.25	1912.10	1824.12	2058.84	
36"(914mm)	36"(914mm)	TCRN-3636-	S X 4	1199.04	1503.11	1304.37	1608.44	1980.80	2313.75	2158.09	2531.02	
42"(1067mm)	42"(1067mm)	TCRN-4242-	S X 4	1303.00	1647.87	1416.39	1761.26	2310.97	2793.10	2548.20	3094.50	
48"(1219mm)	48"(1219mm)	TCRN-4848-	S X 4	1421.92	1807.59	1544.61	1930.28	2688.76	3348.87	2994.45	3747.82	
36"(914mm)	24"(610mm)	24"(610mm)	TCRN-2424-	S X 6	\$ 1029.01	\$ 1251.48	\$ 1121.94	\$ 1344.41	\$ 1456.33	\$ 1580.09	\$ 1539.30	\$ 1669.73
30"(762mm)	30"(762mm)	TCRN-3030-	S X 6	1103.05	1366.32	1201.56	1464.83	1691.26	1905.11	1817.13	2051.85	
36"(914mm)	36"(914mm)	TCRN-3636-	S X 6	1192.05	1496.12	1297.38	1601.45	1973.81	2306.76	2151.10	2524.03	
42"(1067mm)	42"(1067mm)	TCRN-4242-	S X 6	1296.01	1640.88	1409.40	1754.27	2303.98	2786.11	2541.21	3087.51	
48"(1219mm)	48"(1219mm)	TCRN-4848-	S X 6	1414.93	1800.60	1537.62	1923.29	2681.77	3341.88	2987.46	3740.83	
42"(1067mm)	24"(610mm)	TCRN-2424-	S X 7	\$ 1044.42	\$ 1266.89	\$ 1137.35	\$ 1359.82	\$ 1471.74	\$ 1595.50	\$ 1554.71	\$ 1685.14	
30"(762mm)	30"(762mm)	TCRN-3030-	S X 7	1118.46	1381.73	1216.97	1480.24	1706.67	1920.52	1832.54	2067.26	
36"(914mm)	36"(914mm)	TCRN-3636-	S X 7	1207.46	1511.53	1312.79	1616.86	1989.22	2322.17	2166.51	2539.44	
42"(1067mm)	42"(1067mm)	TCRN-4242-	S X 7	1311.42	1656.29	1424.81	1769.68	2319.39	2801.52	2556.62	3102.92	
48"(1219mm)	48"(1219mm)	TCRN-4848-	S X 7	1430.34	1816.01	1553.03	1938.70	2697.18	3357.29	3002.87	3756.24	

# Jive Table — X-Base

## Square



TORQ-SNXF  
(Base - Power Ready)



TORQ-SNX  
(Base - No Power)  
Class JV

### Features

- Includes 1.18"(30mm) thick standard top, base, adjustable glides or casters and hardware.
- Standard table heights are 16"(406mm), 20"(508mm), 29"(737mm), 36"(914mm) and 42"(1067mm).
- High-Pressure Laminate (HPL) top with knife edge or 3mm edgeband edges or wood veneer top with 3mm wood edgeband or knife edge.
- Casters:
  - Two locking and two non-locking casters.
  - Standard in black.
- Glides:
  - 0.625"(16mm) adjustment.
  - Standard in black.
- Casters and glides are not interchangeable.
- Ships unassembled.

### Specification Tips

- Edge choice allows a flat seam between tables.
- Base Sizes:
  - 24"(610mm) tops include 22"(559mm) X-Base
  - 30"(762mm) tops include 28"(711mm) X-Base
  - 36"(914mm) tops include 31"(787mm) X-Base
  - 42"(1067mm) tops include 37"(940mm) X-Base
  - 48"(1219mm) tops include 37"(940mm) X-Base
- Specifying a cutout does not automatically include a Power Ready base.**
- Factory installed cutout is available for:
  - Specify the (R) option for a Centered, Flush Mount Power - Round
- Power Ready Base:
  - Allows for cord management through the X-Base.
  - Casters and Glides:
    - Specify the (J) option for Casters on the Power Ready base (available 29"(737mm), 36"(914mm), and 42"(1067mm)H tables)
    - Specify the (K) option for Glides on the Power Ready base (available 29"(737mm), 36"(914mm), and 42"(1067mm)H tables)
- Power cord length determines the distance to building power source.**
- Separately specified:
  - Ganging Mechanism - Recommended for use with power between tables.
  - Horizontal and Vertical Wire Management
  - Power and Data Components
  - Accessories
- Refer to Specification Guide:
  - Accessory placement and compatibility.
  - Seating capacities and base location.
  - Information on electrical components compatible with factory cut opening.
  - Power Ready base cable capacity.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

### To Order, Specify:

1) Product number, including:

**1 Surface Option:**

**L** Laminate

**W** Wood

**2 Edge Option:**

Laminate:

**J** Edgeband

**F** Knife

Wood:

**K** Edgeband

**U** Knife

**3 Cutout Option:**

**N** No Cutout

(No Power or Power Ready)

**R** 3"(76mm) Cutout (Power Ready base option only, add

**\$48.13** list)

**4 Base and Wire Management Option:**

Base - No Power:

**C** Casters (add **\$23.44** list)

**G** Glides

Base - Power Ready:

**J** Casters (add **\$23.44** list)

**K** Glides

**5 Base Finish Option:**

**A** Painted

**B** Polished (add **\$66.68** list)

2) Laminate surface color or wood finish color.

3) Edgeband trim color (laminate only).

4) Base trim color.

**Note:** **\$66.18** upcharge list for Metallic trim colors.


# Jive Table — X-Base

## Square

Height	Depth	Width	Number	HPL				Wood				
				A J	B F	A J	B F	A K	B U	A K	B U	
<b>Base — No Power</b>												
16"(406mm)	24"(610mm)	24"(610mm)	TCRQ-2424-	SNXG1	\$ 678.62	\$ 901.09	\$ 771.55	\$ 994.02	\$ 1105.94	\$ 1229.70	\$ 1188.91	\$ 1319.34
30"(762mm)	30"(762mm)	TCRQ-3030-	SNXG1	752.66	1015.93	851.17	1114.44	1340.87	1554.72	1466.74	1701.46	
36"(914mm)	36"(914mm)	TCRQ-3636-	SNXG1	841.66	1145.73	946.99	1251.06	1623.42	1956.37	1800.71	2173.64	
42"(1067mm)	42"(1067mm)	TCRQ-4242-	SNXG1	945.62	1290.49	1059.01	1403.88	1953.59	2435.72	2190.82	2737.12	
48"(1219mm)	48"(1219mm)	TCRQ-4848-	SNXG1	1064.54	1450.21	1187.23	1572.90	2331.38	2991.49	2637.07	3390.44	
20"(508mm)	24"(610mm)	TCRQ-2424-	SNXG2	\$ 686.32	\$ 908.79	\$ 779.25	\$ 1001.72	\$ 1113.64	\$ 1237.40	\$ 1196.61	\$ 1327.04	
30"(762mm)	30"(762mm)	TCRQ-3030-	SNXG2	760.36	1023.63	858.87	1122.14	1348.57	1562.42	1474.44	1709.16	
36"(914mm)	36"(914mm)	TCRQ-3636-	SNXG2	849.36	1153.43	954.69	1258.76	1631.12	1964.07	1808.41	2181.34	
42"(1067mm)	42"(1067mm)	TCRQ-4242-	SNXG2	953.32	1298.19	1066.71	1411.58	1961.29	2443.42	2198.52	2744.82	
48"(1219mm)	48"(1219mm)	TCRQ-4848-	SNXG2	1072.24	1457.91	1194.93	1580.60	2339.08	2999.19	2644.77	3398.14	
29"(737mm)	24"(610mm)	TCRQ-2424-	SNX 4	\$ 709.30	\$ 931.77	\$ 802.23	\$ 1024.70	\$ 1136.62	\$ 1260.38	\$ 1219.59	\$ 1350.02	
30"(762mm)	30"(762mm)	TCRQ-3030-	SNX 4	783.34	1046.61	881.85	1145.12	1371.55	1585.40	1497.42	1732.14	
36"(914mm)	36"(914mm)	TCRQ-3636-	SNX 4	872.34	1176.41	977.67	1281.74	1654.10	1987.05	1831.39	2204.32	
42"(1067mm)	42"(1067mm)	TCRQ-4242-	SNX 4	976.30	1321.17	1089.69	1434.56	1984.27	2466.40	2221.50	2767.80	
48"(1219mm)	48"(1219mm)	TCRQ-4848-	SNX 4	1095.22	1480.89	1217.91	1603.58	2362.06	3022.17	2667.75	3421.12	
36"(914mm)	24"(610mm)	TCRQ-2424-	SNX 6	\$ 702.31	\$ 924.78	\$ 795.24	\$ 1017.71	\$ 1129.63	\$ 1253.39	\$ 1212.60	\$ 1343.03	
30"(762mm)	30"(762mm)	TCRQ-3030-	SNX 6	776.35	1039.62	874.86	1138.13	1364.56	1578.41	1490.43	1725.15	
36"(914mm)	36"(914mm)	TCRQ-3636-	SNX 6	865.35	1169.42	970.68	1274.75	1647.11	1980.06	1824.40	2197.33	
42"(1067mm)	42"(1067mm)	TCRQ-4242-	SNX 6	969.31	1314.18	1082.70	1427.57	1977.28	2459.41	2214.51	2760.81	
48"(1219mm)	48"(1219mm)	TCRQ-4848-	SNX 6	1088.23	1473.90	1210.92	1596.59	2355.07	3015.18	2660.76	3414.13	
42"(1067mm)	24"(610mm)	TCRQ-2424-	SNX 7	\$ 717.72	\$ 940.19	\$ 810.65	\$ 1033.12	\$ 1145.04	\$ 1268.80	\$ 1228.01	\$ 1358.44	
30"(762mm)	30"(762mm)	TCRQ-3030-	SNX 7	791.76	1055.03	890.27	1153.54	1379.97	1593.82	1505.84	1740.56	
36"(914mm)	36"(914mm)	TCRQ-3636-	SNX 7	880.76	1184.83	986.09	1290.16	1662.52	1995.47	1839.81	2212.74	
42"(1067mm)	42"(1067mm)	TCRQ-4242-	SNX 7	984.72	1329.59	1098.11	1442.98	1992.69	2474.82	2229.92	2776.22	
48"(1219mm)	48"(1219mm)	TCRQ-4848-	SNX 7	1103.64	1489.31	1226.33	1612.00	2370.48	3030.59	2676.17	3429.54	
<b>Base — Power Ready</b>												
16"(406mm)	24"(610mm)	24"(610mm)	TCRQ-2424-	S XK1	\$ 1005.32	\$ 1227.79	\$ 1098.25	\$ 1320.72	\$ 1432.64	\$ 1556.40	\$ 1515.61	\$ 1646.04
30"(762mm)	30"(762mm)	TCRQ-3030-	S XK1	1079.36	1342.63	1177.87	1441.14	1667.57	1881.42	1793.44	2028.16	
36"(914mm)	36"(914mm)	TCRQ-3636-	S XK1	1168.36	1472.43	1273.69	1577.76	1950.12	2283.07	2127.41	2500.34	
42"(1067mm)	42"(1067mm)	TCRQ-4242-	S XK1	1272.32	1617.19	1385.71	1730.58	2280.29	2762.42	2517.52	3063.82	
48"(1219mm)	48"(1219mm)	TCRQ-4848-	S XK1	1391.24	1776.91	1513.93	1899.60	2658.08	3318.19	2963.77	3717.14	
20"(508mm)	24"(610mm)	TCRQ-2424-	S XK2	\$ 1013.02	\$ 1235.49	\$ 1105.95	\$ 1328.42	\$ 1440.34	\$ 1564.10	\$ 1523.31	\$ 1653.74	
30"(762mm)	30"(762mm)	TCRQ-3030-	S XK2	1087.06	1350.33	1185.57	1448.84	1675.27	1889.12	1801.14	2035.86	
36"(914mm)	36"(914mm)	TCRQ-3636-	S XK2	1176.06	1480.13	1281.39	1585.46	1957.82	2290.77	2135.11	2508.04	
42"(1067mm)	42"(1067mm)	TCRQ-4242-	S XK2	1280.02	1624.89	1393.41	1738.28	2287.99	2770.12	2525.22	3071.52	
48"(1219mm)	48"(1219mm)	TCRQ-4848-	S XK2	1398.94	1784.61	1521.63	1907.30	2665.78	3325.89	2971.47	3724.84	
29"(737mm)	24"(610mm)	TCRQ-2424-	S X 4	\$ 1036.00	\$ 1258.47	\$ 1128.93	\$ 1351.40	\$ 1463.32	\$ 1587.08	\$ 1546.29	\$ 1676.72	
30"(762mm)	30"(762mm)	TCRQ-3030-	S X 4	1110.04	1373.31	1208.55	1471.82	1698.25	1912.10	1824.12	2058.84	
36"(914mm)	36"(914mm)	TCRQ-3636-	S X 4	1199.04	1503.11	1304.37	1608.44	1980.80	2313.75	2158.09	2531.02	
42"(1067mm)	42"(1067mm)	TCRQ-4242-	S X 4	1303.00	1647.87	1416.39	1761.26	2310.97	2793.10	2548.20	3094.50	
48"(1219mm)	48"(1219mm)	TCRQ-4848-	S X 4	1421.92	1807.59	1544.61	1930.28	2688.76	3348.87	2994.45	3747.82	
36"(914mm)	24"(610mm)	24"(610mm)	TCRQ-2424-	S X 6	\$ 1029.01	\$ 1251.48	\$ 1121.94	\$ 1344.41	\$ 1456.33	\$ 1580.09	\$ 1539.30	\$ 1669.73
30"(762mm)	30"(762mm)	TCRQ-3030-	S X 6	1103.05	1366.32	1201.56	1464.83	1691.26	1905.11	1817.13	2051.85	
36"(914mm)	36"(914mm)	TCRQ-3636-	S X 6	1192.05	1496.12	1297.38	1601.45	1973.81	2306.76	2151.10	2524.03	
42"(1067mm)	42"(1067mm)	TCRQ-4242-	S X 6	1296.01	1640.88	1409.40	1754.27	2303.98	2786.11	2541.21	3087.51	
48"(1219mm)	48"(1219mm)	TCRQ-4848-	S X 6	1414.93	1800.60	1537.62	1923.29	2681.77	3341.88	2987.46	3740.83	
42"(1067mm)	24"(610mm)	TCRQ-2424-	S X 7	\$ 1044.42	\$ 1266.89	\$ 1137.35	\$ 1359.82	\$ 1471.74	\$ 1595.50	\$ 1554.71	\$ 1685.14	
30"(762mm)	30"(762mm)	TCRQ-3030-	S X 7	1118.46	1381.73	1216.97	1480.24	1706.67	1920.52	1832.54	2067.26	
36"(914mm)	36"(914mm)	TCRQ-3636-	S X 7	1207.46	1511.53	1312.79	1616.86	1989.22	2322.17	2166.51	2539.44	
42"(1067mm)	42"(1067mm)	TCRQ-4242-	S X 7	1311.42	1656.29	1424.81	1769.68	2319.39	2801.52	2556.62	3102.92	
48"(1219mm)	48"(1219mm)	TCRQ-4848-	S X 7	1430.34	1816.01	1553.03	1938.70	2697.18	3357.29	3002.87	3756.24	

# Jive Table — X-Base

## Pebble



TCRP-SNX  
(Base — Power Ready)



TCRP-SNX  
(Base — No Power)  
Class JV

### Features

- Includes 1.18"(30mm) thick standard top, base, adjustable glides or casters and hardware.
- Standard table heights are 16"(406mm), 20"(508mm), 29"(737mm), 36"(914mm) and 42"(1067mm).
- High-Pressure Laminate (HPL) top with knife edge or 3mm edgeband edges or wood veneer top with 3mm wood edgeband or knife edge.
- Casters:
  - Two locking and two non-locking casters.
  - Standard in black.
- Glides:
  - 0.625"(16mm) adjustment.
  - Standard in black.
- Casters and glides are not interchangeable.
- Ships unassembled.

### Specification Tips

- Base Sizes:**
  - 24"(610mm) tops include 22"(559mm) X-Base
  - 30"(762mm) tops include 28"(711mm) X-Base
  - 36"(914mm) tops include 31"(787mm) X-Base
  - 42"(1067mm) tops include 37"(940mm) X-Base
  - 48"(1219mm) tops include 37"(940mm) X-Base
- Specifying a cutout does not automatically include a Power Ready base.**
- Factory installed cutout is available for:
  - Specify the (R) option for a Centered, Flush Mount Power - Round
- Power Ready Base:**
  - Allows for cord management through the X-Base.
  - Casters and Glides:
    - Specify the (J) option for Casters on the Power Ready base (available 29"(737mm), 36"(914mm), and 42"(1067mm)H tables)
    - Specify the (K) option for Glides on the Power Ready base (available 29"(737mm), 36"(914mm), and 42"(1067mm)H tables)
- Power cord length determines the distance to building power source.**
- Separately specified:
  - Horizontal and Vertical Wire Management
  - Power and Data Components
  - Accessories
- Refer to Specification Guide:
  - Accessory placement and compatibility.
  - Seating capacities and base location.
  - Information on electrical components compatible with factory cut opening.
  - Power Ready base cable capacity.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

### To Order, Specify:

1) Product number, including:

**1 Surface Option:**

L Laminate

W Wood

**2 Edge Option:**

Laminate:

J Edgeband

F Knife

Wood:

K Edgeband

U Knife

**3 Cutout Option:**

N No Cutout

(No Power or Power Ready)

R 3"(76mm) Cutout (Power Ready base option only, add

\$48.13 list)

**4 Base and Wire Management Option:**

Base — No Power:

C Casters (add \$23.44 list)

G Glides

Base — Power Ready:

J Casters (add \$23.44 list)

K Glides

**5 Base Finish Option:**

A Painted

B Polished (add \$66.68 list)

2) Laminate surface color or wood finish color.

3) Edgeband trim color (laminate only).

4) Base trim color.

**Note:** \$66.18 upcharge list for Metallic trim colors.


# Jive Table — X-Base

## Pebble

Height	Depth	Width	Number	HPL				Wood				
				A J	F	B J	F	A K	U	B K	U	
<b>Base — No Power</b>												
16"(406mm)	24"(610mm)	24"(610mm)	TCRP-2424-	SNXG1	\$ 678.62	\$ 901.09	\$ 771.55	\$ 994.02	\$ 1105.94	\$ 1229.70	\$ 1188.91	\$ 1319.34
30"(762mm)	30"(762mm)	TCRP-3030-	SNXG1	752.66	1015.93	851.17	1114.44	1340.87	1554.72	1466.74	1701.46	
36"(914mm)	36"(914mm)	TCRP-3636-	SNXG1	841.66	1145.73	946.99	1251.06	1623.42	1956.37	1800.71	2173.64	
42"(1067mm)	42"(1067mm)	TCRP-4242-	SNXG1	945.62	1290.49	1059.01	1403.88	1953.59	2435.72	2190.82	2737.12	
48"(1219mm)	48"(1219mm)	TCRP-4848-	SNXG1	1064.54	1450.21	1187.23	1572.90	2331.38	2991.49	2637.07	3390.44	
20"(508mm)	24"(610mm)	TCRP-2424-	SNXG2	\$ 686.32	\$ 908.79	\$ 779.25	\$ 1001.72	\$ 1113.64	\$ 1237.40	\$ 1196.61	\$ 1327.04	
30"(762mm)	30"(762mm)	TCRP-3030-	SNXG2	760.36	1023.63	858.87	1122.14	1348.57	1562.42	1474.44	1709.16	
36"(914mm)	36"(914mm)	TCRP-3636-	SNXG2	849.36	1153.43	954.69	1258.76	1631.12	1964.07	1808.41	2181.34	
42"(1067mm)	42"(1067mm)	TCRP-4242-	SNXG2	953.32	1298.19	1066.71	1411.58	1961.29	2443.42	2198.52	2744.82	
48"(1219mm)	48"(1219mm)	TCRP-4848-	SNXG2	1072.24	1457.91	1194.93	1580.60	2339.08	2999.19	2644.77	3398.14	
29"(737mm)	24"(610mm)	TCRP-2424-	SNX 4	\$ 709.30	\$ 931.77	\$ 802.23	\$ 1024.70	\$ 1136.62	\$ 1260.38	\$ 1219.59	\$ 1350.02	
30"(762mm)	30"(762mm)	TCRP-3030-	SNX 4	783.34	1046.61	881.85	1145.12	1371.55	1585.40	1497.42	1732.14	
36"(914mm)	36"(914mm)	TCRP-3636-	SNX 4	872.34	1176.41	977.67	1281.74	1654.10	1987.05	1831.39	2204.32	
42"(1067mm)	42"(1067mm)	TCRP-4242-	SNX 4	976.30	1321.17	1089.69	1434.56	1984.27	2466.40	2221.50	2767.80	
48"(1219mm)	48"(1219mm)	TCRP-4848-	SNX 4	1095.22	1480.89	1217.91	1603.58	2362.06	3022.17	2667.75	3421.12	
36"(914mm)	24"(610mm)	TCRP-2424-	SNX 6	\$ 702.31	\$ 924.78	\$ 795.24	\$ 1017.71	\$ 1129.63	\$ 1253.39	\$ 1212.60	\$ 1343.03	
30"(762mm)	30"(762mm)	TCRP-3030-	SNX 6	776.35	1039.62	874.86	1138.13	1364.56	1578.41	1490.43	1725.15	
36"(914mm)	36"(914mm)	TCRP-3636-	SNX 6	865.35	1169.42	970.68	1274.75	1647.11	1980.06	1824.40	2197.33	
42"(1067mm)	42"(1067mm)	TCRP-4242-	SNX 6	969.31	1314.18	1082.70	1427.57	1977.28	2459.41	2214.51	2760.81	
48"(1219mm)	48"(1219mm)	TCRP-4848-	SNX 6	1088.23	1473.90	1210.92	1596.59	2355.07	3015.18	2660.76	3414.13	
42"(1067mm)	24"(610mm)	TCRP-2424-	SNX 7	\$ 717.72	\$ 940.19	\$ 810.65	\$ 1033.12	\$ 1145.04	\$ 1268.80	\$ 1228.01	\$ 1358.44	
30"(762mm)	30"(762mm)	TCRP-3030-	SNX 7	791.76	1055.03	890.27	1153.54	1379.97	1593.82	1505.84	1740.56	
36"(914mm)	36"(914mm)	TCRP-3636-	SNX 7	880.76	1184.83	986.09	1290.16	1662.52	1995.47	1839.81	2212.74	
42"(1067mm)	42"(1067mm)	TCRP-4242-	SNX 7	984.72	1329.59	1098.11	1442.98	1992.69	2474.82	2229.92	2776.22	
48"(1219mm)	48"(1219mm)	TCRP-4848-	SNX 7	1103.64	1489.31	1226.33	1612.00	2370.48	3030.59	2676.17	3429.54	
<b>Base — Power Ready</b>												
16"(406mm)	24"(610mm)	24"(610mm)	TCRP-2424-	S XK1	\$ 1005.32	\$ 1227.79	\$ 1098.25	\$ 1320.72	\$ 1432.64	\$ 1556.40	\$ 1515.61	\$ 1646.04
30"(762mm)	30"(762mm)	TCRP-3030-	S XK1	1079.36	1342.63	1177.87	1441.14	1667.57	1881.42	1793.44	2028.16	
36"(914mm)	36"(914mm)	TCRP-3636-	S XK1	1168.36	1472.43	1273.69	1577.76	1950.12	2283.07	2127.41	2500.34	
42"(1067mm)	42"(1067mm)	TCRP-4242-	S XK1	1272.32	1617.19	1385.71	1730.58	2280.29	2762.42	2517.52	3063.82	
48"(1219mm)	48"(1219mm)	TCRP-4848-	S XK1	1391.24	1776.91	1513.93	1899.60	2658.08	3318.19	2963.77	3717.14	
20"(508mm)	24"(610mm)	TCRP-2424-	S XK2	\$ 1013.02	\$ 1235.49	\$ 1105.95	\$ 1328.42	\$ 1440.34	\$ 1564.10	\$ 1523.31	\$ 1653.74	
30"(762mm)	30"(762mm)	TCRP-3030-	S XK2	1087.06	1350.33	1185.57	1448.84	1675.27	1889.12	1801.14	2035.86	
36"(914mm)	36"(914mm)	TCRP-3636-	S XK2	1176.06	1480.13	1281.39	1585.46	1957.82	2290.77	2135.11	2508.04	
42"(1067mm)	42"(1067mm)	TCRP-4242-	S XK2	1280.02	1624.89	1393.41	1738.28	2287.99	2770.12	2525.22	3071.52	
48"(1219mm)	48"(1219mm)	TCRP-4848-	S XK2	1398.94	1784.61	1521.63	1907.30	2665.78	3325.89	2971.47	3724.84	
29"(737mm)	24"(610mm)	TCRP-2424-	S X 4	\$ 1036.00	\$ 1258.47	\$ 1128.93	\$ 1351.40	\$ 1463.32	\$ 1587.08	\$ 1546.29	\$ 1676.72	
30"(762mm)	30"(762mm)	TCRP-3030-	S X 4	1110.04	1373.31	1208.55	1471.82	1698.25	1912.10	1824.12	2058.84	
36"(914mm)	36"(914mm)	TCRP-3636-	S X 4	1199.04	1503.11	1304.37	1608.44	1980.80	2313.75	2158.09	2531.02	
42"(1067mm)	42"(1067mm)	TCRP-4242-	S X 4	1303.00	1647.87	1416.39	1761.26	2310.97	2793.10	2548.20	3094.50	
48"(1219mm)	48"(1219mm)	TCRP-4848-	S X 4	1421.92	1807.59	1544.61	1930.28	2688.76	3348.87	2994.45	3747.82	
36"(914mm)	24"(610mm)	24"(610mm)	TCRP-2424-	S X 6	\$ 1029.01	\$ 1251.48	\$ 1121.94	\$ 1344.41	\$ 1456.33	\$ 1580.09	\$ 1539.30	\$ 1669.73
30"(762mm)	30"(762mm)	TCRP-3030-	S X 6	1103.05	1366.32	1201.56	1464.83	1691.26	1905.11	1817.13	2051.85	
36"(914mm)	36"(914mm)	TCRP-3636-	S X 6	1192.05	1496.12	1297.38	1601.45	1973.81	2306.76	2151.10	2524.03	
42"(1067mm)	42"(1067mm)	TCRP-4242-	S X 6	1296.01	1640.88	1409.40	1754.27	2303.98	2786.11	2541.21	3087.51	
48"(1219mm)	48"(1219mm)	TCRP-4848-	S X 6	1414.93	1800.60	1537.62	1923.29	2681.77	3341.88	2987.46	3740.83	
42"(1067mm)	24"(610mm)	TCRP-2424-	S X 7	\$ 1044.42	\$ 1266.89	\$ 1137.35	\$ 1359.82	\$ 1471.74	\$ 1595.50	\$ 1554.71	\$ 1685.14	
30"(762mm)	30"(762mm)	TCRP-3030-	S X 7	1118.46	1381.73	1216.97	1480.24	1706.67	1920.52	1832.54	2067.26	
36"(914mm)	36"(914mm)	TCRP-3636-	S X 7	1207.46	1511.53	1312.79	1616.86	1989.22	2322.17	2166.51	2539.44	
42"(1067mm)	42"(1067mm)	TCRP-4242-	S X 7	1311.42	1656.29	1424.81	1769.68	2319.39	2801.52	2556.62	3102.92	
48"(1219mm)	48"(1219mm)	TCRP-4848-	S X 7	1430.34	1816.01	1553.03	1938.70	2697.18	3357.29	3002.87	3756.24	

# Jive Table — X-Base

## Rectangle



TORA-SNXF  
(Base — Power Ready)



TORA-SNX  
(Base — No Power)  
Class JV

### Features

- Includes 1.18"(30mm) thick standard top, base, adjustable glides or casters and hardware.
- Standard table heights are 16"(406mm), 20"(508mm), 29"(737mm), 36"(914mm) and 42"(1067mm).
- High-Pressure Laminate (HPL) top with knife edge or 3mm edgeband edges or wood veneer top with 3mm wood edgeband or knife edge.
- Casters:
  - Two locking and two non-locking casters.
  - Standard in black.
- Glides:
  - 0.625"(16mm) adjustment.
  - Standard in black.
- Casters and glides are not interchangeable.
- Ships unassembled.

### Specification Tips

- Base Sizes:**
  - 24"(610mm) tops include 22"(559mm) X-Base
  - 30"(762mm) tops include 28"(711mm) X-Base
  - 36"(914mm) tops include 31"(787mm) X-Base
  - 42"(1067mm) tops include 37"(940mm) X-Base
  - 48"(1219mm) tops include 37"(940mm) X-Base
- Specifying a cutout does not automatically include a Power Ready base.**
- Factory installed cutout is available for:
  - Specify the (R) option for a Centered, Flush Mount Power - Round
- Power Ready Base:**
  - Allows for cord management through the X-Base.
  - Casters and Glides:
    - Specify the (J) option for Casters on the Power Ready base (available 29"(737mm), 36"(914mm), and 42"(1067mm)H tables)
    - Specify the (K) option for Glides on the Power Ready base (available 29"(737mm), 36"(914mm), and 42"(1067mm)H tables)
- Power cord length determines the distance to building power source.**
- Separately specified:
  - Horizontal and Vertical Wire Management
  - Power and Data Components
  - Accessories
- Refer to Specification Guide:
  - Accessory placement and compatibility.
  - Seating capacities and base location.
  - Information on electrical components compatible with factory cut opening.
  - Power Ready base cable capacity.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

### To Order, Specify:

1) Product number, including:

**1 Surface Option:**

**L** Laminate

**W** Wood

**2 Edge Option:**

Laminate:

**J** Edgeband

**F** Knife

Wood:

**K** Edgeband

**U** Knife

**3 Cutout Option:**

**N** No Cutout

(No Power or Power Ready)

**R** 3"(76mm) Cutout (Power Ready base option only, add

\$48.13 list)

**4 Base and Wire Management Option:**

Base — No Power:

**C** Casters (add \$23.44 list)

**G** Glides

Base — Power Ready:

**J** Casters (add \$23.44 list)

**K** Glides

**5 Base Finish Option:**

**A** Painted

**B** Polished (add \$66.68 list)

2) Laminate surface color or wood finish color.

3) Edgeband trim color (laminate only).

4) Base trim color.

**Note:** \$66.18 upcharge list for Metallic trim colors.

# Jive Table — X-Base

## Rectangle


Height	Depth	Width	Number	HPL			Wood			
				A J	F	B J	F	K	U	B
<b>Base — No Power</b>										
16"(406mm)	24"(610mm)	30"(762mm)	TCRA-2430-	S SNXG1	\$ 695.32	\$ 905.14	\$ 795.07	\$ 1004.89	\$ 1297.95	\$ 1552.94
		36"(914mm)	TCRA-2436-	S SNXG1	729.20	963.10	831.43	1065.33	1405.37	1691.65
		30"(762mm)	36"(914mm)	TCRA-3036-	S SNXG1	776.96	1028.31	882.91	1134.26	1557.06
		42"(1067mm)	TCRA-3042-	S SNXG1	818.69	1096.32	927.74	1205.37	1689.41	2032.55
20"(508mm)	24"(610mm)	30"(762mm)	TCRA-2430-	S SNXG2	\$ 703.02	\$ 912.84	\$ 802.77	\$ 1012.59	\$ 1305.65	\$ 1560.64
		36"(914mm)	TCRA-2436-	S SNXG2	736.90	970.80	839.13	1073.03	1413.07	1699.35
		30"(762mm)	36"(914mm)	TCRA-3036-	S SNXG2	784.66	1036.01	890.61	1141.96	1564.76
		42"(1067mm)	TCRA-3042-	S SNXG2	826.39	1104.02	935.44	1213.07	1697.11	2040.25
29"(737mm)	24"(610mm)	30"(762mm)	TCRA-2430-	S SNX 4	\$ 726.00	\$ 935.82	\$ 825.75	\$ 1035.57	\$ 1328.63	\$ 1583.62
		36"(914mm)	TCRA-2436-	S SNX 4	759.88	993.78	862.11	1096.01	1436.05	1722.33
		30"(762mm)	36"(914mm)	TCRA-3036-	S SNX 4	807.64	1058.99	913.59	1164.94	1587.74
		42"(1067mm)	TCRA-3042-	S SNX 4	849.37	1127.00	958.42	1236.05	1720.09	2063.23
36"(914mm)	24"(610mm)	30"(762mm)	TCRA-2430-	S SNX 6	\$ 719.01	\$ 928.83	\$ 818.76	\$ 1028.58	\$ 1321.64	\$ 1576.63
		36"(914mm)	TCRA-2436-	S SNX 6	752.89	986.79	855.12	1089.02	1429.06	1715.34
		30"(762mm)	36"(914mm)	TCRA-3036-	S SNX 6	800.65	1052.00	906.60	1157.95	1580.75
		42"(1067mm)	TCRA-3042-	S SNX 6	842.38	1120.01	951.43	1229.06	1713.10	2056.24
42"(1067mm)	24"(610mm)	30"(762mm)	TCRA-2430-	S SNX 7	\$ 734.42	\$ 944.24	\$ 834.17	\$ 1043.99	\$ 1337.05	\$ 1592.04
		36"(914mm)	TCRA-2436-	S SNX 7	768.30	1002.20	870.53	1104.43	1444.47	1730.75
		30"(762mm)	36"(914mm)	TCRA-3036-	S SNX 7	816.06	1067.41	922.01	1173.36	1596.16
		42"(1067mm)	TCRA-3042-	S SNX 7	857.79	1135.42	966.84	1244.47	1728.51	2071.65
<b>Base — Power Ready</b>										
16"(406mm)	24"(610mm)	30"(762mm)	TCRA-2430-	S XK1	\$ 1022.02	\$ 1231.84	\$ 1121.77	\$ 1331.59	\$ 1624.65	\$ 1879.64
		36"(914mm)	TCRA-2436-	S XK1	1055.90	1289.80	1158.13	1392.03	1732.07	2018.35
		30"(762mm)	36"(914mm)	TCRA-3036-	S XK1	1103.66	1355.01	1209.61	1460.96	1883.76
		42"(1067mm)	TCRA-3042-	S XK1	1145.39	1423.02	1254.44	1532.07	2016.11	2359.25
20"(508mm)	24"(610mm)	30"(762mm)	TCRA-2430-	S XK2	\$ 1029.72	\$ 1239.54	\$ 1129.47	\$ 1339.29	\$ 1632.35	\$ 1887.34
		36"(914mm)	TCRA-2436-	S XK2	1063.60	1297.50	1165.83	1399.73	1739.77	2026.05
		30"(762mm)	36"(914mm)	TCRA-3036-	S XK2	1111.36	1362.71	1217.31	1468.66	1891.46
		42"(1067mm)	TCRA-3042-	S XK2	1153.09	1430.72	1262.14	1539.77	2023.81	2366.95
29"(737mm)	24"(610mm)	30"(762mm)	TCRA-2430-	S X 4	\$ 1052.70	\$ 1262.52	\$ 1152.45	\$ 1362.27	\$ 1655.33	\$ 1910.32
		36"(914mm)	TCRA-2436-	S X 4	1086.58	1320.48	1188.81	1422.71	1762.75	2049.03
		30"(762mm)	36"(914mm)	TCRA-3036-	S X 4	1134.34	1385.69	1240.29	1491.64	1914.44
		42"(1067mm)	TCRA-3042-	S X 4	1176.07	1453.70	1285.12	1562.75	2046.79	2389.93
36"(914mm)	24"(610mm)	30"(762mm)	TCRA-2430-	S X 6	\$ 1045.71	\$ 1255.53	\$ 1145.46	\$ 1355.28	\$ 1648.34	\$ 1903.33
		36"(914mm)	TCRA-2436-	S X 6	1079.59	1313.49	1181.82	1415.72	1755.76	2042.04
		30"(762mm)	36"(914mm)	TCRA-3036-	S X 6	1127.35	1378.70	1233.30	1484.65	1907.45
		42"(1067mm)	TCRA-3042-	S X 6	1169.08	1446.71	1278.13	1555.76	2039.80	2382.94
42"(1067mm)	24"(610mm)	30"(762mm)	TCRA-2430-	S X 7	\$ 1061.12	\$ 1270.94	\$ 1160.87	\$ 1370.69	\$ 1663.75	\$ 1918.74
		36"(914mm)	TCRA-2436-	S X 7	1095.00	1328.90	1197.23	1431.13	1771.17	2057.45
		30"(762mm)	36"(914mm)	TCRA-3036-	S X 7	1142.76	1394.11	1248.71	1500.06	1922.86
		42"(1067mm)	TCRA-3042-	S X 7	1184.49	1462.12	1293.54	1571.17	2055.21	2398.35

# Jive Table — Bridge Base

## Round



TORN-SNG  
Class JV



### Features

- Includes 1.18"(30mm) thick standard top, base, adjustable glides and hardware.
- Standard table heights are 20"(508mm) and 29"(737mm).
- High-Pressure Laminate (HPL) top with knife edge or 3mm edgeband edges or wood veneer top with 3mm wood edgeband or knife edge.
- Glides:  
-0.625"(16mm) adjustment.  
-Standard is black.
- Ships unassembled.

### Specification Tips

- Specifying a cutout does not automatically include a Power Ready base.**
- Factory installed cutout is available for:  
-Specify the (F) option for a Center, Single-Sided/4 outlet Flip Top Unit  
-Specify the (J) option for a Center, Single-Sided/6 outlet Flip Top Unit  
-Specify the (M) option for a Center, Double-Sided/8 outlet Flip Top Unit
- Power Ready Base:**  
-Allows for cord management through one of the Bridge Base columns.  
**Powered leg location determined during installation.**  
-Available with Glides only.  
**Flip Top Unit circuit breaker plug will not fit in the Power Ready Base opening.**
- Power cord length determines the distance to building power source.**
- Separately specified:  
-Horizontal and Vertical Wire Management  
-Power and Data Components  
-Accessories
- Refer to Specification Guide:  
-Accessory placement and compatibility.  
-Seating capacities and leg locations.  
-Information on electrical components compatible with factory cut opening.  
-Power Ready base cable capacity.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

### To Order, Specify:

1) Product number, including:

**1 Surface Option:**

**L** Laminate

**W** Wood

**2 Edge Option:**

Laminate:

**J** Edgeband

**F** Knife

Wood:

**K** Edgeband

**U** Knife

**3 Cutout:**

**N** No Cutout

**F** Center, Single-Sided/  
4 outlets (add **\$48.13** list)

**J** Center, Single-Sided/  
6 outlets (add **\$48.13** list)

**M** Center, Double-Sided/  
8 outlets (add **\$48.13** list)

**4 Base Finish Option:**

**A** Painted

**B** Polished (add **\$66.68** list)

2) Laminate surface color or wood finish color.

3) Edgeband trim color (laminate only).


4) Base trim color.

**Note:** **\$66.18** upcharge list for Metallic trim colors.


No. of Columns	Height	Depth	Width	Number	①	②	③	④	HPL			Wood				
									A	J	F	B	J	F		
<b>Base — No Power — No Cutout</b>																
4	20"(508mm)	48"(1219mm)	48"(1219mm)	TORN-4848-	S	G	G	2	\$ 1677.96	\$ 2063.63	\$ 1800.65	\$ 2186.32	\$ 2944.80	\$ 3604.91	\$ 3250.49	\$ 4003.86
4	54"(1372mm)	54"(1372mm)	54"(1372mm)	TCRN-5454-	S	G	G	2	1811.84	2238.31	1945.07	2371.54	3370.21	4237.70	3752.88	4747.70
4	60"(1524mm)	60"(1524mm)	60"(1524mm)	TCRN-6060-	S	G	G	2	1960.68	2427.95	2105.69	2572.96	3843.24	4948.48	4311.41	5583.17
4	29"(737mm)	48"(1219mm)	48"(1219mm)	TORN-4848-	S	G	G	4	\$ 1716.46	\$ 2102.13	\$ 1839.15	\$ 2224.82	\$ 2983.30	\$ 3643.41	\$ 3288.99	\$ 4042.36
4	54"(1372mm)	54"(1372mm)	54"(1372mm)	TCRN-5454-	S	G	G	4	1850.34	2276.81	1983.57	2410.04	3408.71	4276.20	3791.38	4786.20
4	60"(1524mm)	60"(1524mm)	60"(1524mm)	TCRN-6060-	S	G	G	4	1999.18	2466.45	2144.19	2611.46	3881.74	4986.98	4349.91	5621.67
<b>Base — Power Ready — No Cutout</b>																
4	20"(508mm)	48"(1219mm)	48"(1219mm)	TORN-4848-	S	G	K	2	\$ 1706.45	\$ 2092.12	\$ 1829.14	\$ 2214.81	\$ 2973.29	\$ 3633.40	\$ 3278.98	\$ 4032.35
4	54"(1372mm)	54"(1372mm)	54"(1372mm)	TCRN-5454-	S	G	K	2	1840.33	2266.80	1973.56	2400.03	3398.70	4266.19	3781.37	4776.19
4	60"(1524mm)	60"(1524mm)	60"(1524mm)	TCRN-6060-	S	G	K	2	1989.17	2456.44	2134.18	2601.45	3871.73	4976.97	4339.90	5611.66
4	29"(737mm)	48"(1219mm)	48"(1219mm)	TORN-4848-	S	G	K	4	\$ 1744.95	\$ 2130.62	\$ 1867.64	\$ 2253.31	\$ 3011.79	\$ 3671.90	\$ 3317.48	\$ 4070.85
4	54"(1372mm)	54"(1372mm)	54"(1372mm)	TCRN-5454-	S	G	K	4	1878.83	2305.30	2012.06	2438.53	3437.20	4304.69	3819.87	4814.69
4	60"(1524mm)	60"(1524mm)	60"(1524mm)	TCRN-6060-	S	G	K	4	2027.67	2494.94	2172.68	2639.95	3910.23	5015.47	4378.40	5650.16

# Jive Table — Bridge Base

## Square



TORQ-SNG  
Class JV



### Features

- Includes 1.18"(30mm) thick standard top, base, adjustable glides and hardware.
- Standard table heights are 20"(508mm) and 29"(737mm).
- High-Pressure Laminate (HPL) top with knife edge or 3mm edgeband edges or wood veneer top with 3mm wood edgeband or knife edge.
- Glides:  
-0.625"(16mm) adjustment.  
-Standard in black.
- Ships unassembled.

### Specification Tips

- Edge choice allows a flat seam between tables.
- Specifying a cutout does not automatically include a Power Ready base.**
- Factory installed cutout is available for:  
-Specify the (F) option for a Center, Single-Sided/4 outlet Flip Top Unit  
-Specify the (J) option for a Center, Single-Sided/6 outlet Flip Top Unit  
-Specify the (M) option for a Center, Double-Sided/8 outlet Flip Top Unit
- Power Ready Base:  
-Allows for cord management through one of the Bridge Base columns.  
**Powered leg location determined during installation.**  
-Available with Glides only.  
**Flip Top Unit circuit breaker plug will not fit in the Power Ready Base opening.**
- Power cord length determines the distance to building power source.**
- Separately specified:  
-Ganging Mechanism - Recommended for use with power between tables.  
-Horizontal and Vertical Wire Management  
-Power and Data Components  
-Accessories
- Refer to Specification Guide:  
-Accessory placement and compatibility.  
-Seating capacities and leg locations.  
-Information on electrical components compatible with factory cut opening.  
-Power Ready base cable capacity.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

### To Order, Specify:

1) Product number, including:

#### 1 Surface Option:

**L** Laminate

**W** Wood

#### 2 Edge Option:

Laminate:

**J** Edgeband

**F** Knife

Wood:

**K** Edgeband

**U** Knife

#### 3 Cutout:

**N** No Cutout

**F** Center, Single-Sided/  
4 outlets (add **\$48.13** list)

**J** Center, Single-Sided/  
6 outlets (add **\$48.13** list)

**M** Center, Double-Sided/  
8 outlets (add **\$48.13** list)

#### 4 Base Finish Option:

**A** Painted

**B** Polished (add **\$66.68** list)

2) Laminate surface color or wood finish color.

3) Edgeband trim color (laminate only).


4) Base trim color.

**Note:** **\$66.18** upcharge list for Metallic trim colors.

No. of	Columns	Height	Depth	Width	Number	①	②	③	④	HPL		Wood		
										A	J	F	B	
<b>Base — No Power — No Cutout</b>														
4	20"(508mm)	48"(1219mm)	48"(1219mm)	TORQ-4848-	S	GG2	\$ 1677.96	\$ 2063.63	\$ 1800.65	\$ 2186.32	\$ 2944.80	\$ 3604.91	\$ 3250.49	\$ 4003.86
4	54"(1372mm)	54"(1372mm)	54"(1372mm)	TCRQ-5454-	S	GG2	1811.84	2238.31	1945.07	2371.54	3370.21	4237.70	3752.88	4747.70
4	60"(1524mm)	60"(1524mm)	60"(1524mm)	TORQ-6060-	S	GG2	1960.68	2427.95	2105.69	2572.96	3843.24	4948.48	4311.41	5583.17
4	29"(737mm)	48"(1219mm)	48"(1219mm)	TORQ-4848-	S	GG4	\$ 1716.46	\$ 2102.13	\$ 1839.15	\$ 2224.82	\$ 2983.30	\$ 3643.41	\$ 3288.99	\$ 4042.36
4	54"(1372mm)	54"(1372mm)	54"(1372mm)	TCRQ-5454-	S	GG4	1850.34	2276.81	1983.57	2410.04	3408.71	4276.20	3791.38	4786.20
4	60"(1524mm)	60"(1524mm)	60"(1524mm)	TCRQ-6060-	S	GG4	1999.18	2466.45	2144.19	2611.46	3881.74	4986.98	4349.91	5621.67
<b>Base — Power Ready — No Cutout</b>														
4	20"(508mm)	48"(1219mm)	48"(1219mm)	TORQ-4848-	S	GK2	\$ 1706.45	\$ 2092.12	\$ 1829.14	\$ 2214.81	\$ 2973.29	\$ 3633.40	\$ 3278.98	\$ 4032.35
4	54"(1372mm)	54"(1372mm)	54"(1372mm)	TCRQ-5454-	S	GK2	1840.33	2266.80	1973.56	2400.03	3398.70	4266.19	3781.37	4776.19
4	60"(1524mm)	60"(1524mm)	60"(1524mm)	TCRQ-6060-	S	GK2	1989.17	2456.44	2134.18	2601.45	3871.73	4976.97	4339.90	5611.66
4	29"(737mm)	48"(1219mm)	48"(1219mm)	TORQ-4848-	S	GK4	\$ 1744.95	\$ 2130.62	\$ 1867.64	\$ 2283.31	\$ 3011.79	\$ 3671.90	\$ 3317.48	\$ 4070.85
4	54"(1372mm)	54"(1372mm)	54"(1372mm)	TCRQ-5454-	S	GK4	1878.83	2305.30	2012.06	2438.53	3437.20	4304.69	3819.87	4814.69
4	60"(1524mm)	60"(1524mm)	60"(1524mm)	TCRQ-6060-	S	GK4	2027.67	2494.94	2172.68	2639.95	3910.23	5015.47	4378.40	5650.16

# Jive Table — Bridge Base

## Pebble

TORP-5454-SNG  
(Symmetrical)TCRP-3048-SNG  
(Asymmetrical)  
Class JV**Features**

- Includes 1.18"(30mm) thick standard top, base, adjustable glides or casters and hardware.
- Standard table heights are 16"(406mm), 20"(508mm), 29"(737mm), 36"(914mm) and 42"(1067mm).
- High-Pressure Laminate (HPL) top with knife edge or 3mm edgeband edges or wood veneer top with 3mm wood edgeband or knife edge.
- Casters:
  - Two locking and two non-locking casters with 0.625"(16mm) adjustment.
  - Standard in black.
- Glides:
  - 0.625"(16mm) adjustment.
  - Standard in black.
- Casters and glides are not interchangeable.
- Ships unassembled.

**Specification Tips**

- Asymmetrical tables:  
-144"(3658mm) and 180"(4572mm) width top has two pieces;  
216"(5486mm) top has three pieces.
- Specifying a cutout does not automatically include a Power Ready base.**
- Factory installed cutout is available for tables 72"(1829mm)W or less:  
-Specify the (F) option for a Center, Single-Sided/4 outlet Flip Top Unit  
-Specify the (J) option for a Center, Single-Sided/6 outlet Flip Top Unit  
-Specify the (M) option for a Center, Double-Sided/8 outlet Flip Top Unit  
-Specify the (Q) option for a Center, Double-Sided/12 outlet Flip Top Unit
- Factory installed cutout is available for:  
-Tables greater than 72"(1829mm)W **except 84"(2134mm), 96"(2438mm) and 108"(2743mm)W:**  
-Specify the (V) option for Left/Right, Single-Sided/4 outlet Flip Top Unit  
-Specify the (K) option for Left/Right, Single-Sided/6 outlet Flip Top Unit  
-Exception:  
• 54"(1372mm) depth x 96"(2438mm) and 108"(2743mm)W will accept V and K option cutouts.
- Power Ready Base:  
-Allows for cord management through one of the Bridge Base Base columns.  
-Asymmetrical tables with 30"(762mm), 36"(914mm), 42"(1067mm) and 48"(1219mm) depths will have 2 or 3 columns. Powered leg location with:  
• Two columns is determined during installation.  
• Three columns is always centered.  
• Asymmetrical tables with 54"(1372mm) depths and Symmetrical tables will have 4 or more columns. Powered leg location with 6 and 8 columns determined at installation of interior legs.  
-Casters and Glides:  
-Specify the (J) option for Casters on the Power Ready base (only available Asymmetrical tables 29"(737mm) or 42"(1067mm)H with two columns).  
-Specify the (K) option for Glides on the Power Ready base (available on 16"(406mm), 20"(508mm), 29"(737mm), 36"(914mm) and 42"(1067mm) high tables).  
**-Flip Top Unit circuit breaker plug will not fit in the Power Ready Base opening.**
- Power cord length determines the distance to building power source.**
- Separately specified:  
-Horizontal and Vertical Wire Management  
-Power and Data Components  
-Accessories
- Refer to Specification Guide:  
-Accessory placement and compatibility.  
-Seating capacities and leg locations.  
-Information on electrical components compatible with factory cut opening.  
-Power Ready base cable capacity.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

**To Order, Specify:**

- 1) Product number, including:

**1 Surface Option:****L** Laminate**W** Wood**2 Edge Option:**

Laminate:

**J** Edgeband**F** Knife

Wood:

**K** Edgeband**U** Knife**3 Cutout:****N** No Cutout**F** Center, Single-Sided/  
4 outlets (add **\$48.13** list)**J** Center, Single-Sided/  
6 outlets (add **\$48.13** list)**M** Center, Double-Sided/  
8 outlets (add **\$48.13** list)**Q** Center, Double-Sided/  
12 outlets (add **\$48.13** list)**V** Left/Right, Single-Sided/  
4 outlets (add **\$96.27** list)**K** Left/Right, Single-Sided/  
6 outlets (add **\$96.27** list)**4 Base and Wire Management Option:**

Base - No Power:

**C** Casters (add **\$23.44** list)  
(29"(737mm) and 42"  
Heights Only)**G** Glides

Base - Power Ready:

**J** Casters (add **\$23.44** list)  
(29"(737mm) and 42"  
Heights Only)**K** Glides**5 Base Finish Option:****A** Painted  
**B** Polished (add **\$66.68** list)

- 2) Laminate surface color or wood finish color.

- 3) Edgeband trim color (laminate only).

- 4) Base trim color.

**Note:** **\$66.18** upcharge list for  
Metallic trim colors.