

Jive Table — Bridge Base

Pebble

No. of Columns	Height	Depth	Width	Number	HPL					Wood						
					1	2	3	4	5	J	F	J	F	K	U	
Symmetrical — Base — No Power — No Cutout																
4	20"(508mm)	48"(1219mm)	48"(1219mm)	TCRP-4848-	S	GG2		\$ 1677.96	\$ 2063.63	\$ 1800.65	\$ 2186.32	\$ 2944.80	\$ 3604.91	\$ 3250.49	\$ 4003.86	
4	54"(1372mm)	54"(1372mm)	54"(1372mm)	TCRP-5454-	S	GG2		1811.84	2238.31	1945.07	2371.54	3370.21	4237.70	3752.88	4747.70	
4	60"(1524mm)	60"(1524mm)	60"(1524mm)	TCRP-6060-	S	GG2		1960.68	2427.95	2105.69	2572.96	3843.24	4948.48	4311.41	5583.17	
4	29"(737mm)	48"(1219mm)	48"(1219mm)	TCRP-4848-	S	G	4	\$ 1716.46	\$ 2102.13	\$ 1839.15	\$ 2186.32	\$ 2983.30	\$ 3643.41	\$ 3288.99	\$ 4042.36	
4	54"(1372mm)	54"(1372mm)	54"(1372mm)	TCRP-5454-	S	G	4	1850.34	2276.81	1983.57	2371.54	3408.71	4276.20	3791.38	4786.20	
4	60"(1524mm)	60"(1524mm)	60"(1524mm)	TCRP-6060-	S	G	4	1999.18	2466.45	2144.19	2611.46	3881.74	4986.98	4349.91	5621.67	
Symmetrical — Base — Power Ready — No Cutout																
4	20"(508mm)	48"(1219mm)	48"(1219mm)	TCRP-4848-	S	GK2		\$ 1706.45	\$ 2092.12	\$ 1829.14	\$ 2214.81	\$ 2973.29	\$ 3633.40	\$ 3278.98	\$ 4032.35	
4	54"(1372mm)	54"(1372mm)	54"(1372mm)	TCRP-5454-	S	GK2		1840.33	2266.80	1973.56	2400.03	3398.70	4266.19	3781.37	4776.19	
4	60"(1524mm)	60"(1524mm)	60"(1524mm)	TCRP-6060-	S	GK2		1989.17	2456.44	2134.18	2601.45	3871.73	4976.97	4339.90	5611.66	
4	29"(737mm)	48"(1219mm)	48"(1219mm)	TCRP-4848-	S	G	4	\$ 1744.95	\$ 2130.62	\$ 1867.64	\$ 2214.81	\$ 3011.79	\$ 3671.90	\$ 3317.48	\$ 4070.85	
4	54"(1372mm)	54"(1372mm)	54"(1372mm)	TCRP-5454-	S	G	4	1878.83	2305.30	2012.06	2400.03	3437.20	4304.69	3819.87	4814.69	
4	60"(1524mm)	60"(1524mm)	60"(1524mm)	TCRP-6060-	S	G	4	2027.67	2494.94	2172.68	2639.95	3910.23	5015.47	4378.40	5650.16	

Jive Table — Bridge Base

Pebble

No. of Columns	Height	Depth	Width	Number	HPL			Wood					
					A ①	B ②	A ③	B ④	F ⑤	K ⑥			
Asymmetrical — Base — No Power — No Cutout													
2	16"(406mm)	30"(762mm)	48"(1219mm)	TCRP-3048-	S N G G 1	\$ 1471.84	\$ 1777.21	\$ 1583.99	\$ 1889.36	\$ 2433.67	\$ 2812.88	\$ 2657.97	\$ 3084.95
2	60"(1524mm)	TCRP-3060-	S G G 1	1556.50	1921.77	1674.85	2040.12	2702.07	3159.14	2975.66	3492.13		
2	72"(1829mm)	TCRP-3072-	S G G 1	1642.13	2073.17	1766.68	2197.72	2973.44	3516.01	3296.98	3911.72		
2	16"(406mm)	36"(914mm)	60"(1524mm)	TCRP-3660-	S G G 1	\$ 1634.66	\$ 2020.33	\$ 1759.21	\$ 2144.88	\$ 2950.49	\$ 3434.08	\$ 3268.96	\$ 3815.91
2	72"(1829mm)	TCRP-3672-	S G G 1	1735.49	2188.40	1867.48	2320.39	3270.22	3841.22	3647.33	4294.74		
2	20"(508mm)	30"(762mm)	48"(1219mm)	TCRP-3048-	S N G G 2	\$ 1546.69	\$ 1852.06	\$ 1658.84	\$ 1964.21	\$ 2508.52	\$ 2887.73	\$ 2732.82	\$ 3159.80
2	60"(1524mm)	TCRP-3060-	S G G 2	1631.35	1996.62	1749.70	2114.97	2776.92	3233.99	3050.51	3566.98		
2	72"(1829mm)	TCRP-3072-	S G G 2	1716.98	2148.02	1841.53	2272.57	3048.29	3590.86	3371.83	3986.57		
2	36"(914mm)	60"(1524mm)	TCRP-3660-	S G G 2	\$ 1709.51	\$ 2095.18	\$ 1834.06	\$ 2219.73	\$ 3025.34	\$ 3508.93	\$ 3343.81	\$ 3890.76	
2	72"(1829mm)	TCRP-3672-	S G G 2	1810.34	2263.25	1942.33	2395.24	3345.07	3916.07	3722.18	4369.59		
2	29"(737mm)	30"(762mm)	48"(1219mm)	TCRP-3048-	S N G 4	\$ 1546.69	\$ 1852.06	\$ 1658.84	\$ 1964.21	\$ 2508.52	\$ 2887.73	\$ 2732.82	\$ 3159.80
2	60"(1524mm)	TCRP-3060-	S G 4	1631.35	1996.62	1749.70	2114.97	2776.92	3233.99	3050.51	3566.98		
2	72"(1829mm)	TCRP-3072-	S G 4	1716.98	2148.02	1841.53	2272.57	3048.29	3590.86	3371.83	3986.57		
2	36"(914mm)	60"(1524mm)	TCRP-3660-	S G 4	\$ 1709.51	\$ 2095.18	\$ 1834.06	\$ 2219.73	\$ 3025.34	\$ 3508.93	\$ 3343.81	\$ 3890.76	
2	72"(1829mm)	TCRP-3672-	S G 4	1810.34	2263.25	1942.33	2395.24	3345.07	3916.07	3722.18	4369.59		
3	42"(1067mm)84"(2134mm)	TCRP-4284-	S N G 4	\$ 3643.48	\$ 4192.84	\$ 3791.59	\$ 4340.95	\$ 5635.70	\$ 6332.08	\$ 6134.34	\$ 6925.86		
3	96"(2438mm)	TCRP-4296-	S N G 4	3761.45	4391.27	3918.24	4548.06	6009.74	6810.72	6577.02	7488.75		
3	48"(1219mm)96"(2438mm)	TCRP-4896-	S N G 4	\$ 3885.22	\$ 4539.84	\$ 4051.93	\$ 4706.55	\$ 6403.25	\$ 7236.48	\$ 7041.46	\$ 7990.26		
3	108"(2743mm)	TCRP-48A8-	S N G 4	4019.36	4761.78	4195.99	4938.41	6828.63	7776.00	7544.81	8624.79		
3	120"(3048mm)	TCRP-48C0-	S G 4	4154.47	4990.57	4341.02	5177.12	7256.98	8326.13	8051.79	9271.74		
6	54"(1372mm)96"(2438mm)	TCRP-5496-	S G 4	\$ 4158.63	\$ 4838.06	\$ 4335.26	\$ 5014.69	\$ 6946.41	\$ 7811.89	\$ 7655.55	\$ 8641.41		
6	108"(2743mm)	TCRP-54A8-	S G 4	4307.98	5076.68	4495.77	5264.47	7420.15	8401.68	8215.95	9335.19		
6	120"(3048mm)	TCRP-54C0-	S G 4	4458.29	5322.13	4657.24	5521.08	7896.86	9002.08	8779.97	10041.38		
6	144"(3658mm)	TCRP-54E4-	S G 4	6349.94	7481.57	6571.21	7702.84	10865.45	12904.97	11925.16	14161.23		
8	180"(4572mm)	TCRP-54J0-	S G G 4	7011.69	8499.25	7266.44	8754.00	12530.46	14992.98	13859.99	16588.15		
8	216"(5486mm)	TCRP-54M6-	S G G 4	7602.99	9714.68	7891.22	10002.91	14567.18	17010.10	16172.44	18960.36		
2	36"(914mm)	30"(762mm)	48"(1219mm)	TCRP-3048-	S N G G 6	\$ 1584.11	\$ 1889.48	\$ 1696.26	\$ 2001.63	\$ 2545.94	\$ 2925.15	\$ 2770.24	\$ 3197.22
2	60"(1524mm)	TCRP-3060-	S G G 6	1668.77	2034.04	1787.12	2152.39	2814.34	3271.41	3087.93	3604.40		
2	72"(1829mm)	TCRP-3072-	S G G 6	1754.40	2185.44	1878.95	2309.99	3085.71	3628.28	3409.25	4023.99		
2	36"(914mm)36"(914mm)	TCRP-3660-	S G G 6	\$ 1746.93	\$ 2132.60	\$ 1871.48	\$ 2257.15	\$ 3062.76	\$ 3546.35	\$ 3381.23	\$ 3928.18		
2	72"(1829mm)	TCRP-3672-	S G G 6	1847.76	2300.67	1979.75	2432.66	3382.49	3953.49	3759.60	4407.01		
2	42"(1067mm)30"(762mm)	TCRP-3048-	S N G 7	\$ 1621.54	\$ 1926.91	\$ 1733.69	\$ 2039.06	\$ 2583.37	\$ 2962.58	\$ 2807.67	\$ 3234.65		
2	60"(1524mm)	TCRP-3060-	S G 7	1706.20	2071.47	1824.55	2189.82	2851.77	3308.84	3125.36	3641.83		
2	72"(1829mm)	TCRP-3072-	S G 7	1791.83	2222.87	1916.38	2347.42	3123.14	3665.71	3446.68	4061.42		
2	42"(1067mm)36"(914mm)	TCRP-3660-	S G 7	\$ 1784.36	\$ 2170.03	\$ 1908.91	\$ 2294.58	\$ 3100.19	\$ 3583.78	\$ 3418.66	\$ 3965.61		
2	72"(1829mm)	TCRP-3672-	S G 7	1885.19	2338.10	2017.18	2470.09	3419.92	3990.92	3797.03	4444.44		



Jive Table — Bridge Base

Pebble


No. of Columns	Height	Depth	Width	Number	HPL			Wood		
					A ①	B ②	F ③	A ④	B ⑤	K U
Asymmetrical — Base — Power Ready — No Cutout										
2	16"(406mm)	30"(762mm)	48"(1219mm)	TCRP-3048-	SNGK1	\$ 1500.33	\$ 1805.70	\$ 1612.48	\$ 1917.85	\$ 2462.16
2	60"(1524mm)	TCRP-3060-	S GK1	1584.99	1950.26	1703.34	2068.61	2730.56	3187.63	3004.15
2	72"(1829mm)	TCRP-3072-	S GK1	1670.62	2101.66	1795.17	2226.21	3001.93	3544.50	3325.47
2	16"(406mm)	36"(914mm)	60"(1524mm)	TCRP-3660-	S GK1	\$ 1663.15	\$ 2048.82	\$ 1787.70	\$ 2173.37	\$ 2978.98
2	72"(1829mm)	TCRP-3672-	S GK1	1763.98	2216.89	1895.97	2348.88	3298.71	3869.71	3675.82
2	20"(508mm)	30"(762mm)	48"(1219mm)	TCRP-3048-	SNGK2	\$ 1575.18	\$ 1880.55	\$ 1687.33	\$ 1992.70	\$ 2537.01
2	60"(1524mm)	TCRP-3060-	S GK2	1659.84	2025.11	1778.19	2143.46	2805.41	3262.48	3079.00
2	72"(1829mm)	TCRP-3072-	S GK2	1745.47	2176.51	1870.02	2301.06	3076.78	3619.35	3400.32
2	36"(914mm)	60"(1524mm)	TCRP-3660-	S GK2	\$ 1738.00	\$ 2123.67	\$ 1862.55	\$ 2248.22	\$ 3053.83	\$ 3537.42
2	72"(1829mm)	TCRP-3672-	S GK2	1838.83	2291.74	1970.82	2423.73	3373.56	3944.56	3750.67
2	29"(737mm)	30"(762mm)	48"(1219mm)	TCRP-3048-	SNG 4	\$ 1575.18	\$ 1880.55	\$ 1687.33	\$ 1992.70	\$ 2537.01
2	60"(1524mm)	TCRP-3060-	S G 4	1659.84	2025.11	1778.19	2143.46	2805.41	3262.48	3079.00
2	72"(1829mm)	TCRP-3072-	S G 4	1745.47	2176.51	1870.02	2301.06	3076.78	3619.35	3400.32
2	36"(914mm)	60"(1524mm)	TCRP-3660-	S G 4	\$ 1738.00	\$ 2123.67	\$ 1862.55	\$ 2248.22	\$ 3053.83	\$ 3537.42
2	72"(1829mm)	TCRP-3672-	S G 4	1838.83	2291.74	1970.82	2423.73	3373.56	3944.56	3750.67
3	42"(1067mm)84"(2134mm)	TCRP-4284-	SNG 4	\$ 3671.97	\$ 4221.33	\$ 3820.08	\$ 4369.44	\$ 5664.19	\$ 6360.57	\$ 6162.83
3	96"(2438mm)	TCRP-4296-	SNG 4	3789.94	4419.76	3946.73	4576.55	6038.23	6839.21	6605.51
3	48"(1219mm)96"(2438mm)	TCRP-4896-	SNG 4	\$ 3913.71	\$ 4568.33	\$ 4080.42	\$ 4735.04	\$ 6431.74	\$ 7264.97	\$ 7069.95
3	108"(2743mm)	TCRP-48A8-	SNG 4	4047.85	4790.27	4224.48	4966.90	6857.12	7804.49	7573.30
3	120"(3048mm)	TCRP-48C0-	S G 4	4182.96	5019.06	4369.51	5205.61	7285.47	8354.62	8080.28
6	54"(1372mm)96"(2438mm)	TCRP-5496-	S G 4	\$ 4187.12	\$ 4866.55	\$ 4363.75	\$ 5043.18	\$ 6974.90	\$ 7840.38	\$ 7684.04
6	108"(2743mm)	TCRP-54A8-	S G 4	4336.47	5105.17	4524.26	5292.96	7448.64	8430.17	8244.44
6	120"(3048mm)	TCRP-54C0-	S G 4	4486.78	5350.62	4685.73	5549.57	7925.35	9030.57	8808.46
6	144"(3658mm)	TCRP-54E4-	S G 4	6378.43	7510.06	6599.70	7731.33	10893.94	12933.46	11953.65
8	180"(4572mm)	TCRP-54J0-	S GK4	7040.18	8527.74	7294.93	8782.49	12558.95	15021.47	13888.48
8	216"(5486mm)	TCRP-54M6-	S GK4	7631.48	9743.17	7919.71	10031.40	14595.67	17038.59	16200.93
2	36"(914mm)	30"(762mm)	48"(1219mm)	TCRP-3048-	SNGK6	\$ 1612.60	\$ 1917.97	\$ 1724.75	\$ 2030.12	\$ 2574.43
2	60"(1524mm)	TCRP-3060-	S GK6	1697.26	2062.53	1815.61	2180.88	2842.83	3299.90	3116.42
2	72"(1829mm)	TCRP-3072-	S GK6	1782.89	2213.93	1907.44	2338.48	3114.20	3656.77	3437.74
2	36"(914mm)	36"(914mm)	60"(1524mm)	TCRP-3660-	S GK6	\$ 1775.42	\$ 2161.09	\$ 1899.97	\$ 2285.64	\$ 3091.25
2	72"(1829mm)	TCRP-3672-	S GK6	1876.25	2329.16	2008.24	2461.15	3410.98	3981.98	3788.09
2	42"(1067mm)30"(762mm)	TCRP-3048-	SNG 7	\$ 1650.03	\$ 1955.40	\$ 1762.18	\$ 2067.55	\$ 2611.86	\$ 2991.07	\$ 2836.16
2	60"(1524mm)	TCRP-3060-	S G 7	1734.69	2099.96	1853.04	2218.31	2880.26	3337.33	3153.85
2	72"(1829mm)	TCRP-3072-	S G 7	1820.32	2251.36	1944.87	2375.91	3151.63	3694.20	3475.17
2	42"(1067mm)36"(914mm)	TCRP-3660-	S G 7	\$ 1812.85	\$ 2198.52	\$ 1937.40	\$ 2323.07	\$ 3128.68	\$ 3612.27	\$ 3447.15
2	72"(1829mm)	TCRP-3672-	S G 7	1913.68	2366.59	2045.67	2498.58	3448.41	4019.41	3825.52

Jive Table — Bridge Base

Rectangle



TORA-SNG
Class JV



Features

- Includes 1.18"(30mm) thick standard top, base, adjustable glides or casters and hardware.
- Standard table heights are 16"(406mm), 20"(508mm), 29"(737mm), 36"(914mm) and 42"(1067mm).
- High-Pressure Laminate (HPL) top with knife edge or 3mm edgeband edges or wood veneer top with 3mm wood edgeband or knife edge.
- Casters:
 - Two locking and two non-locking casters with 0.625"(16mm) adjustment.
 - Standard in black.
- Glides:
 - 0.625"(16mm) adjustment.
 - Standard in black.
- Casters and glides are not interchangeable.
- Ships unassembled.

Specification Tips

- Edge choice allows a flat seam between tables.
- Tables with more than one piece:
 - 144"(3658mm) and 180"(4572mm) width top has two pieces; 216"(5486mm) top has three pieces.
- Specifying a cutout does not automatically include a Power Ready base.**
- Factory installed cutout is available for tables 72"(1829mm)W or less:
 - Specify the (F) option for a Center, Single-Sided/4 outlet Flip Top Unit
 - Specify the (J) option for a Center, Single-Sided/6 outlet Flip Top Unit
 - Specify the (M) option for a Center, Double-Sided/8 outlet Flip Top Unit
 - Specify the (Q) option for a Center, Double-Sided/12 outlet Flip Top Unit
- Factory installed cutout is available for:
 - Tables greater than 72"(1829mm)W except 84"(2134mm), 96"(2438mm) and 108"(2743mm)W:
 - Specify the (V) option for Left/Right, Single-Sided/4 outlet Flip Top Unit
 - Specify the (K) option for Left/Right, Single-Sided/6 outlet Flip Top Unit
 - Exception:
 - 54"(1372mm) depth x 96"(2438mm) and 108"(2743mm)W will accept V and K option cutouts.
- Power Ready Base:
 - Allows for cord management through one of the Bridge Base Base columns.
 - Tables with 30"(762mm), 36"(914mm), 42"(1067mm) and 48"(1219mm) depths will have 2 or 3 columns. Powered leg location with:
 - Two columns is determined during installation.
 - Three columns is always centered.
 - Tables with 54"(1372mm) depths will have 4 or more columns.
 - Powered leg location with 6 and 8 columns determined at installation of interior legs.
 - Flip Top Unit circuit breaker plug will not fit in the Power Ready Base opening.**
- Power cord length determines the distance to building power source.**
- Casters and Glides:
 - No Power Base**
 - Specify the (C) option for Casters only available with two column tables 29"(737mm) or 42"(1067mm)H
 - Specify the (G) option for Glides (available on 16"(406mm), 20"(508mm), 29"(737mm), 36"(914mm) and 42"(1067mm)H tables).
 - Power Ready Base**
 - Specify the (J) option for Casters (only available with two column tables 29"(737mm) or 42"(1067mm))
 - Specify the (K) option for Glides (available on 16"(406mm), 20"(508mm), 29"(737mm), 36"(914mm) and 42"(1067mm)H tables).
- Separately specified:
 - Ganging Mechanism
 - Recommended for use with power between tables.
 - Horizontal and Vertical Wire Management
 - Power and Data Components
 - Accessories
- Refer to Specification Guide:
 - Accessory placement and compatibility.
 - Seating capacities and leg locations.
 - Information on electrical components compatible with factory cut opening.
 - Power Ready base cable capacity.
- Application may require approval of local authority having jurisdiction

To Order, Specify:

1) Product number, including:

1 Surface Option:

L Laminate

W Wood

2 Edge Option:

Laminate:

J Edgeband

F Knife

Wood:

K Edgeband

U Knife

3 Cutout:

N No Cutout

F Center, Single-Sided/
4 outlets (add **\$48.13** list)

J Center, Single-Sided/
6 outlets (add **\$48.13** list)

M Center, Double-Sided/
8 outlets (add **\$48.13** list)

Q Center, Double-Sided/
12 outlets (add **\$48.13** list)

V Left/Right, Single-Sided/
4 outlets (add **\$96.27** list)

K Left/Right, Single-Sided/
6 outlets (add **\$96.27** list)

4 Base and Wire Management Option:

Base - No Power:

C Casters (add **\$23.44** list)
(29"(737mm) and 42"
Heights Only)

G Glides

Base - Power Ready:

J Casters (add **\$23.44** list)
(29"(737mm) and 42"
Heights Only)

K Glides

5 Base Finish Option:

A Painted

B Polished (add **\$66.68** list)

2) Laminate surface color or wood finish color.

3) Edgeband trim color (laminate only).

4) Base trim color.

Note: **\$66.18** upcharge list for Metallic trim colors.

Jive Table — Bridge Base

Rectangle

No. of Columns	Height	Depth	Width	Number	HPL			Wood		
					A J	F	B J	F	A K	U
Base — No Power — No Cutout										
2	16"(406mm)	30"(762mm)	48"(1219mm)	TCRA-3048-	S N G G 1	\$ 1471.84	\$ 1777.21	\$ 1583.99	\$ 1889.36	\$ 2433.67
2	60"(1524mm)	TCRA-3060-	S G G 1	1556.50	1921.77	1674.85	2040.12	2702.07	3159.14	2975.66
2	72"(1829mm)	TCRA-3072-	S G G 1	1642.13	2073.17	1766.68	2197.72	2973.44	3516.01	3296.98
2	16"(406mm)	36"(914mm)	60"(1524mm)	TCRA-3660-	S G G 1	\$ 1634.66	\$ 2020.33	\$ 1759.21	\$ 2144.88	\$ 2950.49
2	72"(1829mm)	TCRA-3672-	S G G 1	1735.49	2188.40	1867.48	2320.39	3270.22	3841.22	3647.33
2	20"(508mm)	30"(762mm)	48"(1219mm)	TCRA-3048-	S N G G 2	\$ 1546.69	\$ 1852.06	\$ 1658.84	\$ 1964.21	\$ 2508.52
2	60"(1524mm)	TCRA-3060-	S G G 2	1631.35	1996.62	1749.70	2114.97	2776.92	3233.99	3050.51
2	72"(1829mm)	TCRA-3072-	S G G 2	1716.98	2148.02	1841.53	2272.57	3048.29	3590.86	3371.83
2	20"(508mm)	36"(914mm)	60"(1524mm)	TCRA-3660-	S G G 2	\$ 1709.51	\$ 2095.18	\$ 1834.06	\$ 2219.73	\$ 3025.34
2	72"(1829mm)	TCRA-3672-	S G G 2	1810.34	2263.25	1942.33	2395.24	3345.07	3916.07	3722.18
2	29"(737mm)	30"(762mm)	48"(1219mm)	TCRA-3048-	S N G 4	\$ 1546.69	\$ 1852.06	\$ 1658.84	\$ 1964.21	\$ 2508.52
2	60"(1524mm)	TCRA-3060-	S G 4	1631.35	1996.62	1749.70	2114.97	2776.92	3233.99	3050.51
2	72"(1829mm)	TCRA-3072-	S G 4	1716.98	2148.02	1841.53	2272.57	3048.29	3590.86	3371.83
2	29"(737mm)	36"(914mm)	60"(1524mm)	TCRA-3660-	S G 4	\$ 1709.51	\$ 2095.18	\$ 1834.06	\$ 2219.73	\$ 3025.34
2	72"(1829mm)	TCRA-3672-	S G 4	1810.34	2263.25	1942.33	2395.24	3345.07	3916.07	3722.18
3	29"(737mm)	42"(1067mm)	84"(2134mm)	TCRA-4284-	S N G G 4	\$ 3643.48	\$ 4192.84	\$ 3791.59	\$ 4340.95	\$ 5635.70
3	96"(2438mm)	TCRA-4296-	S N G G 4	3761.45	4391.27	3918.24	4548.06	6009.74	6810.72	6577.02
3	29"(737mm)	48"(1219mm)	96"(2438mm)	TCRA-4896-	S N G G 4	\$ 3885.22	\$ 4539.84	\$ 4051.93	\$ 4706.55	\$ 6403.25
3	108"(2743mm)	TCRA-48A8-	S N G G 4	4019.36	4761.78	4195.99	4938.41	6828.63	7776.00	7544.81
3	120"(3048mm)	TCRA-48C0-	S G G 4	4154.47	4990.57	4341.02	5177.12	7256.98	8326.13	8051.79
6	29"(737mm)	54"(1372mm)	96"(2438mm)	TCRA-5496-	S G G 4	\$ 4158.63	\$ 4838.06	\$ 4335.26	\$ 5014.69	\$ 6946.41
6	108"(2743mm)	TCRA-54A8-	S G G 4	4307.98	5076.68	4495.77	5264.47	7420.15	8401.68	8215.95
6	120"(3048mm)	TCRA-54C0-	S G G 4	4458.29	5322.13	4657.24	5521.08	7896.86	9002.08	8779.97
6	144"(3658mm)	TCRA-54E4-	S G G 4	6349.94	7481.57	6571.21	7702.84	10865.45	12904.97	11925.16
8	180"(4572mm)	TCRA-54J0-	S G G 4	7011.69	8499.25	7266.44	8754.00	12530.46	14992.98	13859.99
8	216"(5486mm)	TCRA-54M6-	S G G 4	7602.99	9714.68	7891.22	10002.91	14567.18	17010.10	16172.44
2	36"(914mm)	30"(762mm)	48"(1219mm)	TCRA-3048-	S N G G 6	\$ 1584.11	\$ 1889.48	\$ 1696.26	\$ 2001.63	\$ 2545.94
2	60"(1524mm)	TCRA-3060-	S G G 6	1668.77	2034.04	1787.12	2152.39	2814.34	3271.41	3087.93
2	72"(1829mm)	TCRA-3072-	S G G 6	1754.40	2185.44	1878.95	2309.99	3085.71	3628.28	3409.25
2	36"(914mm)	36"(914mm)	60"(1524mm)	TCRA-3660-	S G G 6	\$ 1746.93	\$ 2132.60	\$ 1871.48	\$ 2257.15	\$ 3062.76
2	72"(1829mm)	TCRA-3672-	S G G 6	1847.76	2300.67	1979.75	2432.66	3382.49	3953.49	3759.60
2	42"(1067mm)	30"(762mm)	48"(1219mm)	TCRA-3048-	S N G 7	\$ 1621.54	\$ 1926.91	\$ 1733.69	\$ 2039.06	\$ 2583.37
2	60"(1524mm)	TCRA-3060-	S G 7	1706.20	2071.47	1824.55	2189.82	2851.77	3308.84	3125.36
2	72"(1829mm)	TCRA-3072-	S G 7	1791.83	2222.87	1916.38	2347.42	3123.14	3665.71	3446.68
2	42"(1067mm)	36"(914mm)	60"(1524mm)	TCRA-3660-	S G 7	\$ 1784.36	\$ 2170.03	\$ 1908.91	\$ 2294.58	\$ 3100.19
2	72"(1829mm)	TCRA-3672-	S G 7	1885.19	2338.10	2017.18	2470.09	3419.92	3990.92	3797.03


Jive Table — Bridge Base

Rectangle


No. of Columns	Height	Depth	Width	Number	HPL			Wood		
					A J	F	B J	F	A K	U
Base — Power Ready — No Cutout										
2	16"(406mm)	30"(762mm)	48"(1219mm)	TCRA-3048-	S NGK1	\$ 1500.33	\$ 1805.70	\$ 1612.48	\$ 1917.85	\$ 2462.16
2	60"(1524mm)	TCRA-3060-	S GK1	1584.99	1950.26	1703.34	2068.61	2730.56	3187.63	3004.15
2	72"(1829mm)	TCRA-3072-	S GK1	1670.62	2101.66	1795.17	2226.21	3001.93	3544.50	3325.47
2	16"(406mm)	36"(914mm)	60"(1524mm)	TCRA-3660-	S GK1	\$ 1663.15	\$ 2048.82	\$ 1787.70	\$ 2173.37	\$ 2978.98
2	72"(1829mm)	TCRA-3672-	S GK1	1763.98	2216.89	1895.97	2348.88	3298.71	3869.71	3675.82
2	20"(508mm)	30"(762mm)	48"(1219mm)	TCRA-3048-	S NGK2	\$ 1575.18	\$ 1880.55	\$ 1687.33	\$ 1992.70	\$ 2537.01
2	60"(1524mm)	TCRA-3060-	S GK2	1659.84	2025.11	1778.19	2143.46	2805.41	3262.48	3079.00
2	72"(1829mm)	TCRA-3072-	S GK2	1745.47	2176.51	1870.02	2301.06	3076.78	3619.35	3400.32
2	20"(508mm)	36"(914mm)	60"(1524mm)	TCRA-3660-	S GK2	\$ 1738.00	\$ 2123.67	\$ 1862.55	\$ 2248.22	\$ 3053.83
2	72"(1829mm)	TCRA-3672-	S GK2	1838.83	2291.74	1970.82	2423.73	3373.56	3944.56	3750.67
2	29"(737mm)	30"(762mm)	48"(1219mm)	TCRA-3048-	S NG 4	\$ 1575.18	\$ 1880.55	\$ 1687.33	\$ 1992.70	\$ 2537.01
2	60"(1524mm)	TCRA-3060-	S G 4	1659.84	2025.11	1778.19	2143.46	2805.41	3262.48	3079.00
2	72"(1829mm)	TCRA-3072-	S G 4	1745.47	2176.51	1870.02	2301.06	3076.78	3619.35	3400.32
2	29"(737mm)	36"(914mm)	60"(1524mm)	TCRA-3660-	S G 4	\$ 1738.00	\$ 2123.67	\$ 1862.55	\$ 2248.22	\$ 3053.83
2	72"(1829mm)	TCRA-3672-	S G 4	1838.83	2291.74	1970.82	2423.73	3373.56	3944.56	3750.67
3	29"(737mm)	42"(1067mm)	84"(2134mm)	TCRA-4284-	S NGK4	\$ 3671.97	\$ 4221.33	\$ 3820.08	\$ 4369.44	\$ 5664.19
3	96"(2438mm)	TCRA-4296-	S NGK4	3789.94	4419.76	3946.73	4576.55	6038.23	6839.21	6605.51
3	29"(737mm)	48"(1219mm)	96"(2438mm)	TCRA-4896-	S NGK4	\$ 3913.71	\$ 4568.33	\$ 4080.42	\$ 4735.04	\$ 6431.74
3	108"(2743mm)	TCRA-48A8-	S NGK4	4047.85	4790.27	4224.48	4966.90	6857.12	7804.49	7573.30
3	120"(3048mm)	TCRA-48C0-	S GK4	4182.96	5019.06	4369.51	5205.61	7285.47	8354.62	8080.28
6	29"(737mm)	54"(1372mm)	96"(2438mm)	TCRA-5496-	S GK4	\$ 4187.12	\$ 4866.55	\$ 4363.75	\$ 5043.18	\$ 6974.90
6	108"(2743mm)	TCRA-54A8-	S GK4	4336.47	5105.17	4524.26	5292.96	7448.64	8430.17	8244.44
6	120"(3048mm)	TCRA-54C0-	S GK4	4486.78	5350.62	4685.73	5549.57	7925.35	9030.57	8808.46
6	144"(3658mm)	TCRA-54E4-	S GK4	6378.43	7510.06	6599.70	7731.33	10893.94	12933.46	11953.65
8	180"(4572mm)	TORA-54J0-	S GK4	7040.18	8527.74	7294.93	8782.49	12558.95	15021.47	13888.48
8	216"(5486mm)	TCRA-54M6-	S GK4	7631.48	9743.17	7919.71	10031.40	14595.67	17038.59	16200.93
2	36"(914mm)	30"(762mm)	48"(1219mm)	TCRA-3048-	S NGK6	\$ 1612.60	\$ 1917.97	\$ 1724.75	\$ 2030.12	\$ 2574.43
2	60"(1524mm)	TCRA-3060-	S GK6	1697.26	2062.53	1815.61	2180.88	2842.83	3299.90	3116.42
2	72"(1829mm)	TCRA-3072-	S GK6	1782.89	2213.93	1907.44	2338.48	3114.20	3656.77	3437.74
2	36"(914mm)	36"(914mm)	60"(1524mm)	TCRA-3660-	S GK6	\$ 1775.42	\$ 2161.09	\$ 1899.97	\$ 2285.64	\$ 3091.25
2	72"(1829mm)	TCRA-3672-	S GK6	1876.25	2329.16	2008.24	2461.15	3410.98	3981.98	3788.09
2	42"(1067mm)	30"(762mm)	48"(1219mm)	TCRA-3048-	S NG 7	\$ 1650.03	\$ 1955.40	\$ 1762.18	\$ 2067.55	\$ 2611.86
2	60"(1524mm)	TCRA-3060-	S G 7	1734.69	2099.96	1853.04	2218.31	2880.26	3337.33	3153.85
2	72"(1829mm)	TCRA-3072-	S G 7	1820.32	2251.36	1944.87	2375.91	3151.63	3694.20	3475.17
2	42"(1067mm)	36"(914mm)	60"(1524mm)	TCRA-3660-	S G 7	\$ 1812.85	\$ 2198.52	\$ 1937.40	\$ 2323.07	\$ 3128.68
2	72"(1829mm)	TCRA-3672-	S G 7	1913.68	2366.59	2045.67	2498.58	3448.41	4019.41	3825.52

Jive Table — Bridge Base

Racetrack



TORT-SNG
Class JV



Features

- Includes 1.18"(30mm) thick standard top, base, adjustable glides or casters and hardware.
- Standard table heights are 16"(406mm), 20"(508mm), 29"(737mm), 36"(914mm) and 42"(1067mm).
- High-Pressure Laminate (HPL) top with knife edge or 3mm edgeband edges or wood veneer top with 3mm wood edgeband or knife edge.
- Casters:
 - Two locking and two non-locking casters with 0.625"(16mm) adjustment.
 - Standard in black.
- Glides:
 - 0.625"(16mm) adjustment.
 - Standard in black.
- Casters and glides are not interchangeable.
- Ships unassembled.

Specification Tips

- Tables with more than one piece:
-144"(3658mm) and 180"(4572mm) width top has two pieces;
216"(5486mm) top has three pieces.
- Specifying a cutout does not automatically include a Power Ready base.**
- Factory installed cutout is available for tables 72"(1829mm)W or less:
-Specify the (F) option for a Center, Single-Sided/4 outlet Flip Top Unit
-Specify the (J) option for a Center, Single-Sided/6 outlet Flip Top Unit
-Specify the (M) option for a Center, Double-Sided/8 outlet Flip Top Unit
-Specify the (Q) option for a Center, Double-Sided/12 outlet Flip Top Unit
- Factory installed cutout is available for:
-Tables greater than 72"W **except 84"(2134mm), 96"(2438mm) and 108"(2743mm)W:**
 - Specify the (V) option for Left/Right, Single-Sided/4 outlet Flip Top Unit
 - Specify the (K) option for Left/Right, Single-Sided/6 outlet Flip Top Unit
 - Exception:
• 54"(1372mm) depth x 96"(2438mm) and 108"(2743mm)W will accept V and K option cutouts.
- Power Ready Base:
-Allows for cord management through one of the Bridge Base Base columns.
-Tables with 30"(762mm), 36"(914mm), 42"(1067mm) and 48"(1219mm) depths will have 2 or 3 columns. Powered leg location with:
• Two columns is determined during installation.
• Three columns is always centered.
-Tables with 54"(1372mm) depths will have 4 or more columns. Powered leg location with 6 and 8 columns determined at installation of interior legs.
- Casters and Glides:
• Specify the (J) option for Casters on the Power Ready base (only available with two column tables 29"(737mm) or 42"(1067mm)H)
- Specify the (K) option for Glides on the Power Ready base (available on 16"(406mm), 20"(508mm), 29"(737mm), 36"(914mm) and 42"(1067mm) high tables)
- Flip Top Unit circuit breaker plug will not fit in the Power Ready Base opening.**
- Power cord length determines the distance to building power source.**
- Separately specified:
-Horizontal and Vertical Wire Management
-Power and Data Components
-Accessories
- Refer to Specification Guide:
-Accessory placement and compatibility.
-Seating capacities and leg locations.
-Information on electrical components compatible with factory cut opening.
-Power Ready base cable capacity.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:

1) Product number, including:

1 Surface Option:

L Laminate

W Wood

2 Edge Option:

Laminate:

J Edgeband

F Knife

Wood:

K Edgeband

U Knife

3 Cutout:

N No Cutout

F Center, Single-Sided/
4 outlets (add **\$48.13** list)

J Center, Single-Sided/
6 outlets (add **\$48.13** list)

M Center, Double-Sided/
8 outlets (add **\$48.13** list)

Q Center, Double-Sided/
12 outlets (add **\$48.13** list)

V Left/Right, Single-Sided/
4 outlets (add **\$96.27** list)

K Left/Right, Single-Sided/
6 outlets (add **\$96.27** list)

4 Base and Wire Management Option:

Base - No Power:

C Casters (add **\$23.44** list)
(29"(737mm) and 42"
Heights Only)

G Glides

Base - Power Ready:

J Casters (add **\$23.44** list)
(29"(737mm) and 42"
Heights Only)

K Glides

5 Base Finish Option:

A Painted

B Polished (add **\$66.68** list)

2) Laminate surface color or wood finish color.

3) Edgeband trim color (laminate only).

4) Base trim color.

Note: **\$66.18** upcharge list for
Metallic trim colors.

Jive Table — Bridge Base

Racetrack

No. of Columns	Height	Depth	Width	Number	HPL		Wood	
					A	B	A	B
Base — No Power — No Cutout								
2	16"(406mm)	30"(762mm)	48"(1219mm)	TCRT-3048-	S NGG1	\$ 1471.84\$ 1777.21 \$ 1583.99\$ 1889.36\$ 2433.67\$ 2812.88\$ 2657.97\$ 3084.95	J	F
2		60"(1524mm)	TCRT-3060-	S GG1	1556.50	1921.77	1674.85	2040.12
2	72"(1829mm)	TCRT-3072-	S GG1	1642.13	2073.17	1766.68	2197.72	2973.44
2	16"(406mm)	36"(914mm)	60"(1524mm)	TCRT-3660-	S GG1	\$ 1634.66\$ 2020.33\$ 1759.21\$ 2144.88\$ 2950.49\$ 3434.08\$ 3268.96\$ 3815.91	J	F
2		72"(1829mm)	TCRT-3672-	S GG1	1735.49	2188.40	1867.48	2320.39
2	20"(508mm)	30"(762mm)	48"(1219mm)	TCRT-3048-	S NGG2	\$ 1546.69\$ 1852.06\$ 1658.84\$ 1964.21 \$ 2508.52\$ 2887.73 \$ 2732.82\$ 3159.80	J	F
2		60"(1524mm)	TCRT-3060-	S GG2	1631.35	1996.62	1749.70	2114.97
2	72"(1829mm)	TCRT-3072-	S GG2	1716.98	2148.02	1841.53	2272.57	3048.29
2	20"(508mm)	36"(914mm)	60"(1524mm)	TCRT-3660-	S GG2	\$ 1709.51 \$ 2095.18 \$ 1834.06\$ 2219.73 \$ 3025.34\$ 3508.93\$ 3343.81 \$ 3890.76	J	F
2		72"(1829mm)	TCRT-3672-	S GG2	1810.34	2263.25	1942.33	2395.24
2	29"(737mm)	30"(762mm)	48"(1219mm)	TCRT-3048-	SNG 4	\$ 1546.69\$ 1852.06\$ 1658.84\$ 1964.21 \$ 2508.52\$ 2887.73 \$ 2732.82\$ 3159.80	J	F
2		60"(1524mm)	TCRT-3060-	S G 4	1631.35	1996.62	1749.70	2114.97
2	72"(1829mm)	TCRT-3072-	S G 4	1716.98	2148.02	1841.53	2272.57	3048.29
2	29"(737mm)	36"(914mm)	60"(1524mm)	TCRT-3660-	S G 4	\$ 1709.51 \$ 2095.18 \$ 1834.06\$ 2219.73 \$ 3025.34\$ 3508.93\$ 3343.81 \$ 3890.76	J	F
2		72"(1829mm)	TCRT-3672-	S G 4	1810.34	2263.25	1942.33	2395.24
3	29"(737mm)	42"(1067mm)	84"(2134mm)	TCRT-4284-	S NGG4	\$ 3643.48\$ 4192.84\$ 3791.59\$ 4340.95\$ 5635.70\$ 6332.08\$ 6134.34\$ 6925.86	J	F
3		96"(2438mm)	TCRT-4296-	S NGG4	3761.45	4391.27	3918.24	4548.06
3	29"(737mm)	48"(1219mm)	108"(2743mm)	TCRT-48A8-	S NGG4	\$ 4019.36\$ 4761.78\$ 4195.99\$ 4938.41 \$ 6828.63\$ 7776.00\$ 7544.81 \$ 8624.79	J	F
3		120"(3048mm)	TCRT-48C0-	S GG4	4154.47	4990.57	4341.02	5177.12
6	29"(737mm)	54"(1372mm)	96"(2438mm)	TCRT-5496-	S GG4	\$ 4158.63\$ 4838.06\$ 4335.26\$ 5014.69\$ 6946.41 \$ 7811.89\$ 7655.55\$ 8641.41	J	F
6		108"(2743mm)	TCRT-54A8-	S GG4	4307.98	5076.68	4495.77	5264.47
6	120"(3048mm)	TCRT-54C0-	S NGG4	4458.29	5322.13	4657.24	5521.08	
6	144"(3658mm)	TCRT-54E4-	S GG4	6349.94	7481.57	6571.21	7702.84	
8	180"(4572mm)	TCRT-54J0-	S GG4	7011.69	8499.25	7266.44	8754.00	
8	216"(5486mm)	TCRT-54M6-	S GG4	7602.99	9714.68	7891.22	10002.91	
2	36"(914mm)	30"(762mm)	48"(1219mm)	TCRT-3048-	S NGG6	\$ 1584.11 \$ 1889.48\$ 1696.26\$ 2001.63\$ 2545.94\$ 2925.15 \$ 2770.24\$ 3197.22	J	F
2		60"(1524mm)	TCRT-3060-	S GG6	1668.77	2034.04	1787.12	2152.39
2	72"(1829mm)	TCRT-3072-	S GG6	1754.40	2185.44	1878.95	2309.99	
2	36"(914mm)	36"(914mm)	60"(1524mm)	TCRT-3660-	S GG6	\$ 1746.93\$ 2132.60\$ 1871.48\$ 2257.15 \$ 3062.76\$ 3546.35\$ 3381.23\$ 3928.18	J	F
2		72"(1829mm)	TCRT-3672-	S GG6	1847.76	2300.67	1979.75	2432.66
2	42"(1067mm)	30"(762mm)	48"(1219mm)	TCRT-3048-	S G 7	\$ 1621.54\$ 1926.91 \$ 1733.69\$ 2039.06\$ 2583.37\$ 2962.58\$ 2807.67\$ 3234.65	J	F
2		60"(1524mm)	TCRT-3060-	S G 7	1706.20	2071.47	1824.55	2189.82
2	72"(1829mm)	TCRT-3072-	S G 7	1791.83	2222.87	1916.38	2347.42	
2	42"(1067mm)	36"(914mm)	60"(1524mm)	TCRT-3660-	S G 7	\$ 1784.36\$ 2170.03\$ 1908.91\$ 2294.58\$ 3100.19 \$ 3583.78 \$ 3418.66\$ 3965.61	J	F
2		72"(1829mm)	TCRT-3672-	S G 7	1885.19	2338.10	2017.18	2470.09


Jive Table — Bridge Base

Racetrack


No. of Columns	Height	Depth	Width	Number	HPL			Wood		
					A ①	B ②	A ③	B ④	A ⑤	B ⑥
Base — Power Ready — No Cutout										
2	16"(406mm)	30"(762mm)	48"(1219mm)	TCRT-3048-	SNGK1	\$ 1500.33	\$ 1805.70	\$ 1612.48	\$ 1917.85	\$ 2462.16
2	60"(1524mm)		TCRT-3060-	S GK1	1584.99	1950.26	1703.34	2068.61	2730.56	3187.63
2	72"(1829mm)		TCRT-3072-	S GK1	1670.62	2101.66	1795.17	2226.21	3001.93	3544.50
2	16"(406mm)	36"(914mm)	60"(1524mm)	TCRT-3660-	S GK1	\$ 1663.15	\$ 2048.82	\$ 1787.70	\$ 2173.37	\$ 2978.98
2	72"(1829mm)		TCRT-3672-	S GK1	1763.98	2216.89	1895.97	2348.88	3298.71	3869.71
2	20"(508mm)	30"(762mm)	48"(1219mm)	TCRT-3048-	SNGK2	\$ 1575.18	\$ 1880.55	\$ 1687.33	\$ 1992.70	\$ 2537.01
2	60"(1524mm)		TCRT-3060-	S GK2	1659.84	2025.11	1778.19	2143.46	2805.41	3262.48
2	72"(1829mm)		TCRT-3072-	S GK2	1745.47	2176.51	1870.02	2301.06	3076.78	3619.35
2	20"(508mm)	36"(914mm)	60"(1524mm)	TCRT-3660-	S GK2	\$ 1738.00	\$ 2123.67	\$ 1862.55	\$ 2248.22	\$ 3053.83
2	72"(1829mm)		TCRT-3672-	S GK2	1838.83	2291.74	1970.82	2423.73	3373.56	3944.56
2	29"(737mm)	30"(762mm)	48"(1219mm)	TCRT-3048-	SNG 4	\$ 1575.18	\$ 1880.55	\$ 1687.33	\$ 1992.70	\$ 2537.01
2	60"(1524mm)		TCRT-3060-	S G 4	1659.84	2025.11	1778.19	2143.46	2805.41	3262.48
2	72"(1829mm)		TCRT-3072-	S G 4	1745.47	2176.51	1870.02	2301.06	3076.78	3619.35
2	29"(737mm)	36"(914mm)	60"(1524mm)	TCRT-3660-	S G 4	\$ 1738.00	\$ 2123.67	\$ 1862.55	\$ 2248.22	\$ 3053.83
2	72"(1829mm)		TCRT-3672-	S G 4	1838.83	2291.74	1970.82	2423.73	3373.56	3944.56
3	29"(737mm)	42"(1067mm)	84"(2134mm)	TCRT-4284-	SNGK4	\$ 3671.97	\$ 4221.33	\$ 3820.08	\$ 4369.44	\$ 5664.19
3	96"(2438mm)		TCRT-4296-	SNGK4	3789.94	4419.76	3946.73	4576.55	6038.23	6839.21
3	29"(737mm)	48"(1219mm)	108"(2743mm)	TCRT-48A8-	SNGK4	\$ 4047.85	\$ 4790.27	\$ 4224.48	\$ 4966.90	\$ 6857.12
3	120"(3048mm)		TCRT-48C0-	S GK4	4182.96	5019.06	4369.51	5205.61	7285.47	8354.62
6	29"(737mm)	54"(1372mm)	96"(2438mm)	TCRT-5496-	S GK4	\$ 4187.12	\$ 4866.55	\$ 4363.75	\$ 5043.18	\$ 6974.90
6	108"(2743mm)		TCRT-54A8-	S GK4	4336.47	5105.17	4524.26	5292.96	7448.64	8430.17
6	120"(3048mm)		TCRT-54C0-	SNGK4	4486.78	5350.62	4685.73	5549.57	7925.35	9030.57
6	144"(3658mm)		TCRT-54E4-	S GK4	6378.43	7510.06	6599.70	7731.33	10893.94	12933.46
8	180"(4572mm)		TCRT-54J0-	S GK4	7040.18	8527.74	7294.93	8782.49	12558.95	15021.47
8	216"(5486mm)		TCRT-54M6-	S GK4	7631.48	9743.17	7919.71	10031.40	14595.67	17038.59
2	36"(914mm)	30"(762mm)	48"(1219mm)	TCRT-3048-	SNGK6	\$ 1612.60	\$ 1917.97	\$ 1724.75	\$ 2030.12	\$ 2574.43
2	60"(1524mm)		TCRT-3060-	S GK6	1697.26	2062.53	1815.61	2180.88	2842.83	3299.90
2	72"(1829mm)		TCRT-3072-	S GK6	1782.89	2213.93	1907.44	2338.48	3114.20	3656.77
2	36"(914mm)	36"(914mm)	60"(1524mm)	TCRT-3660-	S GK6	\$ 1775.42	\$ 2161.09	\$ 1899.97	\$ 2285.64	\$ 3091.25
2	72"(1829mm)		TCRT-3672-	S GK6	1876.25	2329.16	2008.24	2461.15	3410.98	3981.98
2	42"(1067mm)	30"(762mm)	48"(1219mm)	TCRT-3048-	S G 7	\$ 1650.03	\$ 1955.40	\$ 1762.18	\$ 2067.55	\$ 2611.86
2	60"(1524mm)		TCRT-3060-	S G 7	1734.69	2099.96	1853.04	2218.31	2880.26	3337.33
2	72"(1829mm)		TCRT-3072-	S G 7	1820.32	2251.36	1944.87	2375.91	3151.63	3694.20
2	42"(1067mm)	36"(914mm)	60"(1524mm)	TCRT-3660-	S G 7	\$ 1812.85	\$ 2198.52	\$ 1937.40	\$ 2323.07	\$ 3128.68
2	72"(1829mm)		TCRT-3672-	S G 7	1913.68	2366.59	2045.67	2498.58	3448.41	4019.41

Jive Table — Bridge Base

Half Racetrack



TCHT-SNG
Class JV



Features

- Includes 1.18"(30mm) thick standard top, base, adjustable glides or casters and hardware.
- Standard table heights are 29"(737mm) and 42"(1067mm).
- High-Pressure Laminate (HPL) top with knife edge or 3mm edgeband edges or wood veneer top with 3mm wood edgeband or knife edge.
- Casters:
 - Four locking casters with 0.625"(16mm) adjustment.
 - Standard in black.
- Glides:
 - 0.625"(16mm) adjustment.
 - Standard in black.
- Casters and glides are not interchangeable.
- Ships unassembled.

Specification Tips

- Edge choice allows a flat seam between tables.
- Specifying a cutout does not automatically include a Power Ready base.**
- Factory installed cutout available on 54"(1372mm) and 60"(1524mm) deep tables:
 - Specify the (F) option for a Center, Single-Sided/4 outlet Flip Top Unit
 - Specify the (J) option for a Center, Single-Sided/6 outlet Flip Top Unit
 - Specify the (M) option for a Center, Double-Sided/8 outlet Flip Top Unit (only available on 60"(1524mm) deep tables)
- Power Ready Base:
 - Allows for cord management through one of the Bridge Base Base columns.
 - Tables with two column Powered leg location is determined during installation.
 - Tables with 54"(1372mm) and 60"(1524mm) depths will have 4 columns.
- Powered leg location is determined during installation.**
- Casters and Glides:
 - Specify the (J) option for Casters on the Power Ready base (only available with two column tables 29"(737mm) or 42"(1067mm)H)
 - Specify the (K) option for Glides on the Power Ready base
- Flip Top Unit circuit breaker plug will not fit in the Power Ready Base opening.**
- Power cord length determines the distance to building power source.**
- Separately specified:
 - Ganging Mechanism - Recommended for use with power between tables.
 - Horizontal and Vertical Wire Management
 - Power and Data Components
 - Accessories
- Refer to Specification Guide:
 - Accessory placement and compatibility.
 - Seating capacities and leg locations.
 - Information on electrical components compatible with factory cut opening.
 - Power Ready base cable capacity.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:

1) Product number, including:

1 Surface Option:

L Laminate

W Wood

2 Edge Option:

Laminate:

J Edgeband

F Knife

Wood:

K Edgeband

U Knife

3 Cutout:

N No Cutout

F Center, Single-Sided/
4 outlets (add **\$48.13** list)

J Center, Single-Sided/
6 outlets (add **\$48.13** list)

M Center, Double-Sided/
8 outlets (add **\$48.13** list)

4 Base and Wire Management Option:

Base - No Power:

C Casters (add **\$23.44** list)

G Glides

Base - Power Ready:

J Casters (add **\$23.44** list)

K Glides

5 Base Finish Option:

A Painted

B Polished (add **\$66.68** list)

2) Laminate surface color or wood finish color.

3) Edgeband trim color (laminate only).

4) Base trim color.

Note: **\$66.18** upcharge list for Metallic trim colors.


Jive Table — Bridge Base

Half Racetrack


No. of Columns	Height	Depth	Width	Number	HPL			Wood						
					A ①②	B ③④	F ⑤	A K	B U	A K				
Base — No Power — No Cutout														
2	29"(737mm)	42"(1067mm)	42"(1067mm)	TOHT-4242-	SNG	4	\$ 1686.79	\$ 2031.66	\$ 1707.25	\$ 2052.12	\$ 2323.12	\$ 2805.25	\$ 2495.62	\$ 3041.92
2	48"(1219mm)	48"(1219mm)	48"(1219mm)	TOHT-4848-	SNG	4	1805.71	2191.38	1835.47	2221.14	2700.91	3361.02	2941.87	3695.24
4	54"(1372mm)	54"(1372mm)	54"(1372mm)	TOHT-5454-	S	GG4	1939.59	2366.06	1979.89	2406.36	3126.32	3993.81	3444.26	4439.08
4	60"(1524mm)	60"(1524mm)	60"(1524mm)	TOHT-6060-	S	GG4	2088.43	2555.70	2140.51	2607.78	3599.35	4704.59	4002.79	5274.55
2	42"(1067mm)	42"(1067mm)	42"(1067mm)	TOHT-4242-	SNG	7	\$ 1834.97	\$ 2179.84	\$ 1855.43	\$ 2200.30	\$ 2471.30	\$ 2953.43	\$ 2643.80	\$ 3190.10
2	48"(1219mm)	48"(1219mm)	48"(1219mm)	TOHT-4848-	SNG	7	1953.89	2339.56	1983.65	2369.32	2849.09	3509.20	3090.05	3843.42
4	54"(1372mm)	54"(1372mm)	54"(1372mm)	TOHT-5454-	S	GG7	2087.77	2514.24	2128.07	2554.54	3274.50	4141.99	3592.44	4587.26
4	60"(1524mm)	60"(1524mm)	60"(1524mm)	TOHT-6060-	S	GG7	2236.61	2703.88	2288.69	2755.96	3747.53	4852.77	4150.97	5422.73
Base — Power Ready — No Cutout														
2	29"(737mm)	42"(1067mm)	42"(1067mm)	TOHT-4242-	SNG	4	\$ 1715.28	\$ 2060.15	\$ 1735.74	\$ 2080.61	\$ 2351.61	\$ 2833.74	\$ 2524.11	\$ 3070.41
2	48"(1219mm)	48"(1219mm)	48"(1219mm)	TOHT-4848-	SNG	4	1834.20	2219.87	1863.96	2249.63	2729.40	3389.51	2970.36	3723.73
4	54"(1372mm)	54"(1372mm)	54"(1372mm)	TOHT-5454-	S	GK4	1968.08	2394.55	2008.38	2434.85	3154.81	4022.30	3472.75	4467.57
4	60"(1524mm)	60"(1524mm)	60"(1524mm)	TOHT-6060-	S	GK4	2116.92	2584.19	2169.00	2636.27	3627.84	4733.08	4031.28	5303.04
2	42"(1067mm)	42"(1067mm)	42"(1067mm)	TOHT-4242-	SNG	7	\$ 1863.46	\$ 2208.33	\$ 1883.92	\$ 2228.79	\$ 2499.79	\$ 2981.92	\$ 2672.29	\$ 3218.59
2	48"(1219mm)	48"(1219mm)	48"(1219mm)	TOHT-4848-	SNG	7	1982.38	2368.05	2012.14	2397.81	2877.58	3537.69	3118.54	3871.91
4	54"(1372mm)	54"(1372mm)	54"(1372mm)	TOHT-5454-	S	GK7	2116.26	2542.73	2156.56	2583.03	3302.99	4170.48	3620.93	4615.76
4	60"(1524mm)	60"(1524mm)	60"(1524mm)	TOHT-6060-	S	GK7	2265.10	2732.37	2317.18	2784.45	3776.02	4881.26	4179.46	5451.22

Jive Table — Bridge Base

Half Pebble



TOHP-SNG
Class JV



Features

- Includes 1.18"(30mm) thick standard top, base, adjustable glides or casters and hardware.
- Standard table heights are 29"(737mm) and 42"(1067mm).
- High-Pressure Laminate (HPL) top with knife edge or 3mm edgeband edges or wood veneer top with 3mm wood edgeband or knife edge.
- Casters:
 - Four locking casters with 0.625"(16mm) adjustment.
 - Standard in black.
- Glides:
 - 0.625"(16mm) adjustment.
 - Standard in black.
- Casters and glides are not interchangeable.
- Ships unassembled.

Specification Tips

- Edge choice allows a flat seam between tables.
- Specifying a cutout does not automatically include a Power Ready base.**
- Factory installed cutout available on 54"(1372mm) and 60"(1524mm) deep tables:
 - Specify the (F) option for a Center, Single-Sided/4 outlet Flip Top Unit
 - Specify the (J) option for a Center, Single-Sided/6 outlet Flip Top Unit
 - Specify the (M) option for a Center, Double-Sided/8 outlet Flip Top Unit (only available on 60"(1524mm) deep tables)
- Power Ready Base:
 - Allows for cord management through one of the Bridge Base Base columns.
 - Tables with two column Powered leg location is determined during installation.
 - Tables with 54"(1372mm) and 60"(1524mm) depths will have 4 columns. Powered leg location is determined during installation.
 - Casters and Glides:
 - Specify the (J) option for Casters on the Power Ready base (only available with two column tables 29"(737mm) or 42"(1067mm)H)
 - Specify the (K) option for Glides on the Power Ready base
 - Flip Top Unit circuit breaker plug will not fit in the Power Ready Base opening.**
 - Power cord length determines the distance to building power source.**
 - Separately specified:
 - Ganging Mechanism - Recommended for use with power between tables.
 - Horizontal and Vertical Wire Management
 - Power and Data Components
 - Accessories
 - Refer to Specification Guide:
 - Accessory placement and compatibility.
 - Seating capacities and leg locations.
 - Information on electrical components compatible with factory cut opening.
 - Power Ready base cable capacity.
 - Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:

1) Product number, including:

① **Surface Option:**

L Laminate

W Wood

② **Edge Option:**

Laminate:

J Edgeband

F Knife

Wood:

K Edgeband

U Knife

③ **Cutout:**

N No Cutout

F Center, Single-Sided/
4 outlets (add **\$48.13** list)

J Center, Single-Sided/
6 outlets (add **\$48.13** list)

M Center, Double-Sided/
8 outlets (add **\$48.13** list)

④ **Base and Wire Management Option:**

Base - No Power:

C Casters (add **\$23.44** list)

G Glides

Base - Power Ready:

J Casters (add **\$23.44** list)

K Glides

⑤ **Base Finish Option:**

A Painted

B Polished (add **\$66.68** list)

2) Laminate surface color or wood finish color.

3) Edgeband trim color (laminate only).

4) Base trim color.

Note: **\$66.18** upcharge list for Metallic trim colors.

Jive Table — Bridge Base

Half Pebble

No. of Columns	Height	Depth	Width	Number	HPL			Wood								
					1	2	3	4	5	J	F	J	F	K	U	K
Base — No Power — No Cutout																
2	29"(737mm)	42"(1067mm)	42"(1067mm)	TCHP-4242-	SNG	4		\$ 1686.79	\$ 2031.66	\$ 1707.25	\$ 2052.12	\$ 2323.12	\$ 2805.25	\$ 2495.62	\$ 3041.92	
2	48"(1219mm)	48"(1219mm)	TCHP-4848-	SNG	4		1805.71	2191.38	1835.47	2221.14	2700.91	3361.02	2941.87	3695.24		
4	54"(1372mm)	54"(1372mm)	TCHP-5454-	S G	4		1939.59	2366.06	1979.89	2406.36	3126.32	3993.81	3444.26	4439.08		
4	60"(1524mm)	60"(1524mm)	TCHP-6060-	S G	4		2088.43	2555.70	2140.51	2607.78	3599.35	4704.59	4002.79	5274.55		
2	42"(1067mm)	42"(1067mm)	42"(1067mm)	TCHP-4242-	SNG	7		\$ 1834.97	\$ 2179.84	\$ 1855.43	\$ 2200.30	\$ 2471.30	\$ 2953.43	\$ 2643.80	\$ 3190.10	
2	48"(1219mm)	48"(1219mm)	TCHP-4848-	SNG	7		1953.89	2339.56	1983.65	2369.32	2849.09	3509.20	3090.05	3843.42		
4	54"(1372mm)	54"(1372mm)	TCHP-5454-	S G	7		2087.77	2514.24	2128.07	2554.54	3274.50	4141.99	3592.44	4587.26		
4	60"(1524mm)	60"(1524mm)	TCHP-6060-	S G	7		2236.61	2703.88	2288.69	2755.96	3747.53	4852.77	4150.97	5422.73		
Base — Power Ready — No Cutout																
2	29"(737mm)	42"(1067mm)	42"(1067mm)	TCHP-4242-	SNG	4		\$ 1715.28	\$ 2060.15	\$ 1735.74	\$ 2080.61	\$ 2351.61	\$ 2833.74	\$ 2524.11	\$ 3070.41	
2	48"(1219mm)	48"(1219mm)	TCHP-4848-	SNG	4		1834.20	2219.87	1863.96	2249.63	2729.40	3389.51	2970.36	3723.73		
4	54"(1372mm)	54"(1372mm)	TCHP-5454-	S G	4		1968.08	2394.55	2008.38	2434.85	3154.81	4022.30	3472.75	4467.57		
4	60"(1524mm)	60"(1524mm)	TCHP-6060-	S G	4		2116.92	2584.19	2169.00	2636.27	3627.84	4733.08	4031.28	5303.04		
2	42"(1067mm)	42"(1067mm)	42"(1067mm)	TCHP-4242-	SNG	7		\$ 1863.46	\$ 2208.33	\$ 1883.92	\$ 2228.79	\$ 2499.79	\$ 2981.92	\$ 2672.29	\$ 3218.59	
2	48"(1219mm)	48"(1219mm)	TCHP-4848-	SNG	7		1982.38	2368.05	2012.14	2397.81	2877.58	3537.69	3118.54	3871.91		
4	54"(1372mm)	54"(1372mm)	TCHP-5454-	S G	7		2116.26	2542.73	2156.56	2583.03	3302.99	4170.48	3620.93	4615.76		
4	60"(1524mm)	60"(1524mm)	TCHP-6060-	S G	7		2265.10	2732.37	2317.18	2784.45	3776.02	4881.26	4179.46	5451.22		

Jive Table — Bridge Base

Half Hexagon



TCHX-SNG
Class JV

Features

- Includes 1.18"(30mm) thick standard top, base, adjustable glides or casters and hardware.
- Standard table heights are 29"(737mm) and 42"(1067mm).
- High-Pressure Laminate (HPL) top with knife edge or 3mm edgeband edges or wood veneer top with 3mm wood edgeband or knife edge.
- Casters:
 - Four locking casters with 0.625"(16mm) adjustment.
 - Standard in black.
- Glides:
 - 0.625"(16mm) adjustment.
 - Standard in black.
- Casters and glides are not interchangeable.
- Ships unassembled.

Specification Tips

- Edge choice allows a flat seam between tables.
- Not available with factory cutout option.**
- Power Ready Base:
 - Allows for cord management through one of the Bridge Base Base columns.
 - Powered leg location is determined during installation.**
 - Casters and Glides:
 - Specify the (J) option for Casters on the Power Ready base (only available with two column tables 29"(737mm) or 42"(1067mm)H)
 - Specify the (K) option for Glides on the Power Ready base
 - Power cord length determines the distance to building power source.**
 - Separately specified:
 - Ganging Mechanism - Recommended for use with power between tables.
 - Horizontal and Vertical Wire Management
 - Power and Data Components
 - Accessories
 - Refer to Specification Guide:
 - Accessory placement and compatibility.
 - Seating capacities and leg locations.
 - Information on electrical components compatible with factory cut opening.
 - Power Ready base cable capacity.
 - Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:

1) Product number, including:

1 Surface Option:

L Laminate

W Wood

2 Edge Option:

Laminate:

J Edgeband

F Knife

Wood:

K Edgeband

U Knife

3 Base and Wire Management Option:

Base - No Power:

C Casters (add **\$23.44** list)

G Glides

Base - Power Ready:

J Casters (add **\$23.44** list)

K Glides

4 Base Finish Option:

A Painted

B Polished (add **\$66.68** list)

2) Laminate surface color or wood finish color.

3) Edgeband trim color (laminate only).



4) Base trim color.

Note: **\$66.18** upcharge list for Metallic trim colors.

No. of	Columns	Height	Depth	Width	Number	HPL		Wood	
						A	B	A	B
Base — No Power — No Cutout									
2		29"(737mm)	48"(1219mm)	48"(1219mm)	TCHX-4848-	SNG	4	\$1805.71	\$ 2191.38
2		42"(1067mm)	48"(1219mm)	48"(1219mm)	TCHX-4848-	SNG	7	1953.89	2339.56
Base — Power Ready — No Cutout									
2		29"(737mm)	48"(1219mm)	48"(1219mm)	TCHX-4848-	SNG	4	\$1834.20	\$ 2219.87
2		42"(1067mm)	48"(1219mm)	48"(1219mm)	TCHX-4848-	SNG	7	1982.38	2368.05
								2012.14	2397.81
								2877.58	3537.69
								3118.54	3871.91

Jive Table — C-Leg — Extruded

Rectangle

TCRA-SNC
Class JV**Features**

- Includes 1.18"(30mm) thick standard top, base, adjustable glides or casters and hardware.
- Standard table heights are 29"(737mm) and 42"(1067mm).
- Laminate or wood top with 3mm edgeband on user edge and 1mm edgeband on remaining sides, or knife edge on user edge and 1mm edgeband on sides and back.
- Optional Belong Hatch cutout:
-Laminate tops only with one cutout.
-Available on worksurfaces 30"(762mm)D and widths 54"(1372mm), 60"(1524mm), 66"(1676mm) and 72"(1829mm).
-Requires separately specified Belong Hatch.
-Refer to Specification Guide for cutout details.
- Casters:
-Two locking and two non-locking casters with 0.625"(16mm) adjustment.
-Standard in black.
- Glides:
-0.625"(16mm) adjustment.
-Standard in black.
- Casters and glides are not interchangeable.
- Ships unassembled.

Specification Tips

- Edge choice allows a flat seam between tables.
- Specifying a cutout does not automatically include a Power Ready base.**
- Factory installed cutout is available for:
-Specify the (A) option for a Center, Single-Sided/2 outlet Flip Top Unit
-Specify the (F) option for a Center, Single-Sided/4 outlet Flip Top Unit
-Specify the (J) option for a Center, Single-Sided/6 outlet Flip Top Unit
-Specify the (H) option for Belong Hatch
- Power Ready Base:
-Allows for cord management through one of the Extruded C-Legs.
Powered leg location determined during installation.
-Casters and Glides:
 - Specify the (J) option for Casters on the Power Ready base (only available on 29"(737mm)H tables)
 - Specify the (K) option for Glides on the Power Ready base (available on 29"(737mm) and 42"(1067mm)H tables)**-Flip Top Unit circuit breaker plug will not fit in the Power Ready Base opening.**
- Power cord length determines the distance to building power source.**
- Separately specified:
-Ganging Mechanism - Recommended for use with power between tables.
-Horizontal and Vertical Wire Management
-Power and Data Components
-Accessories
- Refer to Specification Guide:
-Accessory placement and compatibility.
-Seating capacities and leg locations.
-Information on electrical components compatible with factory cut opening.
-Power Ready base cable capacity.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:

- 1) Product number, including:

1 Surface Option:**L** Laminate**W** Wood**2 Edge Option:**

Laminate:

J Edgeband**F** Knife

Wood:

K Edgeband**U** Knife**3 Cutout:****N** No Cutout**A** Center, Single-Sided/
2 outlets (add **\$48.13** list)**F** Center, Single-Sided/
4 outlets (add **\$48.13** list)**J** Center, Single-Sided/
6 outlets (add **\$48.13** list)**H** Belong Hatch**4 Base and Wire Management Option:**

Base - No Power:

C Casters (add **\$23.44** list)
(29"(737mm) Height Only)**G** Glides

Base - Power Ready:

J Casters (add **\$23.44** list)
(29"(737mm) Height Only)**K** Glides**5 Base Finish Option:****A** Painted**B** Polished (add **\$66.68** list)

- 2) Laminate surface color or wood finish color.

- 3) Edgeband trim color (laminate only).

- 4) Base trim color.

Note: **\$66.18** upcharge list for
Metallic trim colors.

Jive Table — C-Leg — Extruded

Rectangle

Height	Depth	Width	Number	HPL			Wood			
				A ①	B ②	F ③	J ④	F ⑤	K A	U B
Base — No Power — No Cutout										
29"(737mm)	24"(610mm)	36"(914mm)	TCRA-2436-	S C 4	\$ 969.82	\$1203.72	\$1072.05	\$1305.95	\$ 1645.99	\$ 1932.27
				S C 4	1003.95	1263.38	1108.66	1368.09	1754.15	2073.63
				S C 4	1038.32	1324.76	1145.51	1431.95	1863.05	2217.65
				S C 4	1072.93	1387.85	1182.60	1497.52	1972.70	2364.32
				S C 4	1107.78	1452.65	1219.93	1564.80	2083.09	2513.64
				S C 4	1142.87	1519.16	1257.50	1633.79	2194.22	2665.61
				S C 4	1178.21	1587.38	1295.32	1704.49	2306.10	2820.24
				S C 4	1178.21	1587.38	1295.32	1704.49	2306.10	2820.24
				S C 4	1178.21	1587.38	1295.32	1704.49	2306.10	2820.24
30"(762mm)	36"(914mm)	TCRA-3036-	S C 4	\$ 1017.58	\$1268.93	\$1123.53	\$1374.88	\$ 1797.68	\$ 2106.67	\$ 1973.34
				S C 4	1059.31	1336.94	1168.36	1445.99	1930.03	2273.17
				S C 4	1101.28	1406.65	1213.43	1518.80	2063.11	2442.32
				S C 4	1143.49	1478.07	1258.74	1593.32	2196.94	2614.12
				S C 4	1185.94	1551.21	1304.29	1669.56	2331.51	2788.58
				S C 4	1228.64	1626.06	1350.09	1747.51	2466.82	2965.69
				S C 4	1271.57	1702.61	1396.12	1827.16	2602.88	3145.45
				S C 4	1271.57	1702.61	1396.12	1827.16	2602.88	3145.45
42"(1067mm)	24"(610mm)	36"(914mm)	TCRA-2436-	S CG7	\$ 1254.22	\$1488.12	\$1356.45	\$1590.35	\$ 1930.39	\$ 2216.67
				S CG7	1288.35	1547.78	1393.06	1652.49	2038.55	2358.03
				S CG7	1322.72	1609.16	1429.91	1716.35	2147.45	2502.05
				S CG7	1357.33	1672.25	1467.00	1781.92	2257.10	2648.72
				S CG7	1392.18	1737.05	1504.33	1849.20	2367.49	2798.04
				S CG7	1427.27	1803.56	1541.90	1918.19	2478.62	2950.01
				S CG7	1462.61	1871.78	1579.72	1988.89	2590.50	3104.64
				S CG7	1462.61	1871.78	1579.72	1988.89	2590.50	3104.64
30"(762mm)	36"(914mm)	TCRA-3036-	S CG7	\$ 1301.98	\$1553.33	\$1407.93	\$1659.28	\$ 2082.08	\$ 2391.07	\$ 2257.74
				S CG7	1343.71	1621.34	1452.76	1730.39	2214.43	2557.57
				S CG7	1385.68	1691.05	1497.83	1803.20	2347.51	2726.72
				S CG7	1427.89	1762.47	1543.14	1877.72	2481.34	2898.52
				S CG7	1470.34	1835.61	1588.69	1953.96	2615.91	3072.98
				S CG7	1513.04	1910.46	1634.49	2031.91	2751.22	3250.09
				S CG7	1555.97	1987.01	1680.52	2111.56	2887.28	3429.85
				S CG7	1555.97	1987.01	1680.52	2111.56	2887.28	3429.85
				S CG7	1555.97	1987.01	1680.52	2111.56	2887.28	3429.85


Jive Table — C-Leg — Extruded

Rectangle


Height	Depth	Width	Number	HPL			Wood								
				A ①	B ②	F ③	J ④	F ⑤	K A						
Base — Power Ready — No Cutout															
29"(737mm)	24"(610mm)	36"(914mm)	TCRA-2436-	S C 4	\$ 998.31	\$ 1232.21	\$ 1100.54	\$ 1334.44	\$ 1674.48	\$ 1960.76	\$ 1822.63	\$ 2142.80			
		42"(1067mm)	TCRA-2442-	S C 4	1032.44	1291.87	1137.15	1396.58	1782.64	2102.12	1950.68	2309.02			
		48"(1219mm)	TCRA-2448-	S C 4	1066.81	1353.25	1174.00	1460.44	1891.54	2246.14	2079.64	2478.34			
		54"(1372mm)	TCRA-2454-	S C 4	1101.42	1416.34	1211.09	1526.01	2001.19	2392.81	2209.51	2650.76			
		60"(1524mm)	TCRA-2460-	S C 4	1136.27	1481.14	1248.42	1593.29	2111.58	2542.13	2340.29	2826.28			
		66"(1676mm)	TCRA-2466-	S C 4	1171.36	1547.65	1285.99	1662.28	2222.71	2694.10	2471.97	3004.90			
		72"(1829mm)	TCRA-2472-	S C 4	1206.70	1615.87	1323.81	1732.98	2334.59	2848.73	2604.57	3186.63			
		30"(762mm)	36"(914mm)	TORA-3036-	S C 4	\$ 1046.07	\$ 1297.42	\$ 1152.02	\$ 1403.37	\$ 1826.17	\$ 2135.16	\$ 2001.83	\$ 2348.10		
			42"(1067mm)	TCRA-3042-	S C 4	1087.80	1365.43	1196.85	1474.48	1958.52	2301.66	2158.41	2543.94		
			48"(1219mm)	TCRA-3048-	S C 4	1129.77	1435.14	1241.92	1547.29	2091.60	2470.81	2315.90	2742.88		
			54"(1372mm)	TCRA-3054-	S C 4	1171.98	1506.56	1287.23	1621.81	2225.43	2642.61	2474.29	2944.92		
			60"(1524mm)	TCRA-3060-	S C 4	1214.43	1579.70	1332.78	1698.05	2360.00	2817.07	2633.59	3150.06		
			66"(1676mm)	TCRA-3066-	S C 4	1257.13	1654.55	1378.58	1776.00	2495.31	2994.18	2793.80	3358.30		
			72"(1829mm)	TCRA-3072-	S C 4	1300.06	1731.10	1424.61	1855.65	2631.37	3173.94	2954.91	3569.65		
		42"(1067mm)	24"(610mm)	36"(914mm)	TCRA-2436-	S CK7	\$ 1282.71	\$ 1516.61	\$ 1384.94	\$ 1618.84	\$ 1958.88	\$ 2245.16	\$ 2107.03	\$ 2427.20	
					42"(1067mm)	TCRA-2442-	S CK7	1316.84	1576.27	1421.55	1680.98	2067.04	2386.52	2235.08	2593.42
					48"(1219mm)	TCRA-2448-	S CK7	1351.21	1637.65	1458.40	1744.84	2175.94	2530.54	2364.04	2762.74
					54"(1372mm)	TCRA-2454-	S CK7	1385.82	1700.74	1495.49	1810.41	2285.59	2677.21	2493.91	2935.16
					60"(1524mm)	TCRA-2460-	S CK7	1420.67	1765.54	1532.82	1877.69	2395.98	2826.53	2624.69	3110.68
					66"(1676mm)	TCRA-2466-	S CK7	1455.76	1832.05	1570.39	1946.68	2507.11	2978.50	2756.37	3289.30
					72"(1829mm)	TCRA-2472-	S CK7	1491.10	1900.27	1608.21	2017.38	2618.99	3133.13	2888.97	3471.03
		30"(762mm)	36"(914mm)	TCRA-3036-	S CK7	\$ 1330.47	\$ 1581.82	\$ 1436.42	\$ 1687.77	\$ 2110.57	\$ 2419.56	\$ 2286.23	\$ 2632.50		
					42"(1067mm)	TCRA-3042-	S CK7	1372.20	1649.83	1481.25	1758.88	2242.92	2586.06	2442.81	2828.34
					48"(1219mm)	TCRA-3048-	S CK7	1414.17	1719.54	1526.32	1831.69	2376.00	2755.21	2600.30	3027.28
					54"(1372mm)	TCRA-3054-	S CK7	1456.38	1790.96	1571.63	1906.21	2509.83	2927.01	2758.69	3229.32
					60"(1524mm)	TCRA-3060-	S CK7	1498.83	1864.10	1617.18	1982.45	2644.40	3101.47	2917.99	3434.46
					66"(1676mm)	TCRA-3066-	S CK7	1541.53	1938.95	1662.98	2060.40	2779.71	3278.58	3078.20	3642.70
					72"(1829mm)	TCRA-3072-	S CK7	1584.46	2015.50	1709.01	2140.05	2915.77	3458.34	3239.31	3854.05

Jive Table — C-Leg — Round

Rectangle



TORA-SNB
Class JV



Features

- Includes 1.18"(30mm) thick standard top, base, adjustable glides or casters and hardware.
- Standard table heights are 29"(737mm) and 42"(1067mm).
- Laminate or wood top with 3mm edgeband on user edge and 1mm edgeband on remaining sides, or knife edge on user edge and 1mm edgeband on sides and back.
- Optional Belong Hatch cutout:
-Laminate tops only with one cutout.
-Available on worksurfaces 54"(1372mm), 60"(1524mm), 66"(1676mm) and 72"(1829mm).
-Requires separately specified Belong Hatch.
-Refer to Specification Guide for cutout details.
- Casters:
-Two locking and two non-locking casters.
-Standard in black.
- Glides:
-0.625"(16mm) adjustment.
-Standard in black.
- Casters and glides are not interchangeable.
- Ships unassembled.

Specification Tips

- Edge choice allows a flat seam between tables.
- Specifying a cutout does not automatically include a Power Ready base.**
- Factory installed cutout is available for:
-Specify the (A) option for a Center, Single-Sided/2 outlet Flip Top Unit
-Specify the (F) option for a Center, Single-Sided/4 outlet Flip Top Unit
-Specify the (J) option for a Center, Single-Sided/6 outlet Flip Top Unit
-Specify the (H) option for Belong Hatch
- Power Ready Base:
-Allows for cord management through one of the Round C-Legs. Powered leg location determined during installation.
-Casters and Glides:
 - Specify the (J) option for Casters on the Power Ready base (only available on 29"(737mm)H tables)
 - Specify the (K) option for Glides on the Power Ready base (available on 29"(737mm) and 42"(1067mm)H tables)**-Flip Top Unit circuit breaker plug will not fit in the Power Ready Base opening.**
- Power cord length determines the distance to building power source.**
- Separately specified:
-Ganging Mechanism - Recommended for use with power between tables.
-Horizontal and Vertical Wire Management
-Power and Data Components
-Accessories
- Refer to Specification Guide:
-Accessory placement and compatibility.
-Seating capacities and leg locations.
-Information on electrical components compatible with factory cut opening.
-Power Ready base cable capacity.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:

1) Product number, including:

1 Surface Option:

L Laminate

W Wood

2 Edge Option:

Laminate:

J Edgeband

F Knife

Wood:

K Edgeband

U Knife

3 Cutout:

N No Cutout

A Center, Single-Sided/
2 outlets (add **\$48.13** list)

F Center, Single-Sided/
4 outlets (add **\$48.13** list)

J Center, Single-Sided/
6 outlets (add **\$48.13** list)

H Belong Hatch

4 Base Foot and Wire Management:

Base - No Power:

C Casters (add **\$23.44** list)
(29"(737mm) Height Only)

G Glides

Base - Power Ready:

J Casters (add **\$23.44** list)
(29"(737mm) Height Only)

K Glides

5 Base Foot Finish Option:

A Painted

B Polished (add **\$66.68** list)

2) Laminate surface color or wood finish color.

3) Edgeband trim color (laminate only).

4) Base trim color.

Note: **\$66.18** upcharge list for Metallic trim colors.

Jive Table — C-Leg — Round

Rectangle







Height	Depth	Width	Capacity	Number	Distributed Load					HPL				Wood			
					1	2	3	4	5	J	F	J	F	A	K	U	B
Base — No Power — No Cutout																	
29"(737mm)	24"(610mm)	36"(914mm)	144	TCRA-2436-	S	B	4		\$ 760.02	\$ 993.92	\$ 862.25	\$ 1096.15	\$ 1436.19	\$ 1722.47	\$ 1584.34	\$ 1904.51	
	42"(1067mm)		158	TCRA-2442-	S	B	4		794.15	1053.58	898.86	1158.29	1544.35	1863.83	1712.39	2070.73	
	48"(1219mm)		173	TCRA-2448-	S	B	4		828.52	1114.96	935.71	1222.15	1653.25	2007.85	1841.35	2240.05	
	54"(1372mm)		187	TCRA-2454-	S	B	4		863.13	1178.05	972.80	1287.72	1762.90	2154.52	1971.22	2412.47	
	60"(1524mm)		202	TCRA-2460-	S	B	4		897.98	1242.85	1010.13	1355.00	1873.29	2303.84	2102.00	2587.99	
	66"(1676mm)		216	TCRA-2466-	S	B	4		933.07	1309.36	1047.70	1423.99	1984.42	2455.81	2233.68	2766.61	
	72"(1829mm)		230	TCRA-2472-	S	B	4		968.41	1377.58	1085.52	1494.69	2096.30	2610.44	2366.28	2948.34	
	30"(762mm)	36"(914mm)	158	TCRA-3036-	S	B	4		\$ 807.78	\$ 1059.13	\$ 913.73	\$ 1165.08	\$ 1587.88	\$ 1896.87	\$ 1763.54	\$ 2109.81	
	42"(1067mm)		173	TCRA-3042-	S	B	4		849.51	1127.14	958.56	1236.19	1720.23	2063.37	1920.12	2305.65	
	48"(1219mm)		187	TCRA-3048-	S	B	4		891.48	1196.85	1003.63	1309.00	1853.31	2232.52	2077.61	2504.59	
	54"(1372mm)		202	TCRA-3054-	S	B	4		933.69	1268.27	1048.94	1383.52	1987.14	2404.32	2236.00	2706.63	
	60"(1524mm)		216	TCRA-3060-	S	B	4		976.14	1341.41	1094.49	1459.76	2121.71	2578.78	2395.30	2911.77	
	66"(1676mm)		230	TCRA-3066-	S	B	4		1018.84	1416.26	1140.29	1537.71	2257.02	2755.89	2555.51	3120.01	
	72"(1829mm)		245	TCRA-3072-	S	B	4		1061.77	1492.81	1186.32	1617.36	2393.08	2935.65	2716.62	3331.36	
42"(1067mm)	24"(610mm)	36"(914mm)	144	TCRA-2436-	S	BG7			\$ 1044.40	\$ 1278.30	\$ 1146.63	\$ 1380.53	\$ 1720.57	\$ 2006.85	\$ 1868.72	\$ 2188.89	
	42"(1067mm)		158	TCRA-2442-	S	BG7			1078.53	1337.96	1183.24	1442.67	1828.73	2148.21	1996.77	2355.11	
	48"(1219mm)		173	TCRA-2448-	S	BG7			1112.90	1399.34	1220.09	1506.53	1937.63	2292.23	2125.73	2524.43	
	54"(1372mm)		187	TCRA-2454-	S	BG7			1147.51	1462.43	1257.18	1572.10	2047.28	2438.90	2255.60	2696.85	
	60"(1524mm)		202	TCRA-2460-	S	BG7			1182.36	1527.23	1294.51	1639.38	2157.67	2588.22	2386.38	2872.37	
	66"(1676mm)		216	TCRA-2466-	S	BG7			1217.45	1593.74	1332.08	1708.37	2268.80	2740.19	2518.06	3050.99	
	72"(1829mm)		230	TCRA-2472-	S	BG7			1252.79	1661.96	1369.90	1779.07	2380.68	2894.82	2650.66	3232.72	
	30"(762mm)	36"(914mm)	158	TCRA-3036-	S	BG7			\$ 1092.16	\$ 1343.51	\$ 1198.11	\$ 1449.46	\$ 1872.26	\$ 2181.25	\$ 2047.92	\$ 2394.19	
	42"(1067mm)		173	TCRA-3042-	S	BG7			1133.89	1411.52	1242.94	1520.57	2004.61	2347.75	2204.50	2590.03	
	48"(1219mm)		187	TCRA-3048-	S	BG7			1175.86	1481.23	1288.01	1593.38	2137.69	2516.90	2361.99	2788.97	
	54"(1372mm)		202	TCRA-3054-	S	BG7			1218.07	1552.65	1333.32	1667.90	2271.52	2688.70	2520.38	2991.01	
	60"(1524mm)		216	TCRA-3060-	S	BG7			1260.52	1625.79	1378.87	1744.14	2406.09	2863.16	2679.68	3196.15	
	66"(1676mm)		230	TCRA-3066-	S	BG7			1303.22	1700.64	1424.67	1822.09	2541.40	3040.27	2839.89	3404.39	
	72"(1829mm)		245	TCRA-3072-	S	BG7			1346.15	1777.19	1470.70	1901.74	2677.46	3220.03	3001.00	3615.74	

Jive Table — C-Leg — Round

Rectangle

Height	Depth	Width	Capacity	Number	Distributed Load		HPL				Wood					
					1	2	3	4	5	J	F	J	F	A	K	U
Base — Power Ready — No Cutout																
29"(737mm)	24"(610mm)	36"(914mm)	144	TCRA-2436-	S	B	4		\$ 788.51	\$ 1022.41	\$ 890.74	\$ 1124.64	\$ 1464.68	\$ 1750.96	\$ 1612.83	\$ 1933.00
	42"(1067mm)		158	TCRA-2442-	S	B	4		822.64	1082.07	927.35	1186.78	1572.84	1892.32	1740.88	2099.22
	48"(1219mm)		173	TCRA-2448-	S	B	4		857.01	1143.45	964.20	1250.64	1681.74	2036.34	1869.84	2268.54
	54"(1372mm)		187	TCRA-2454-	S	B	4		891.62	1206.54	1001.29	1316.21	1791.39	2183.01	1999.71	2440.96
	60"(1524mm)		202	TCRA-2460-	S	B	4		926.47	1271.34	1038.62	1383.49	1901.78	2332.33	2130.49	2616.48
	66"(1676mm)		216	TCRA-2466-	S	B	4		961.56	1337.85	1076.19	1452.48	2012.91	2484.30	2262.17	2795.10
	72"(1829mm)		230	TCRA-2472-	S	B	4		996.90	1406.07	1114.01	1523.18	2124.79	2638.93	2394.77	2976.83
	30"(762mm)	36"(914mm)	158	TCRA-3036-	S	B	4		\$ 836.27	\$ 1087.62	\$ 942.22	\$ 1193.57	\$ 1616.37	\$ 1925.36	\$ 1792.03	\$ 2138.30
	42"(1067mm)		173	TCRA-3042-	S	B	4		878.00	1155.63	987.05	1264.68	1748.72	2091.86	1948.61	2334.14
	48"(1219mm)		187	TCRA-3048-	S	B	4		919.97	1225.34	1032.12	1337.49	1881.80	2261.01	2106.10	2533.08
	54"(1372mm)		202	TCRA-3054-	S	B	4		962.18	1296.76	1077.43	1412.01	2015.63	2432.81	2264.49	2735.12
	60"(1524mm)		216	TCRA-3060-	S	B	4		1004.63	1369.90	1122.98	1488.25	2150.20	2607.27	2423.79	2940.26
	66"(1676mm)		230	TCRA-3066-	S	B	4		1047.33	1444.75	1168.78	1566.20	2285.51	2784.38	2584.00	3148.50
	72"(1829mm)		245	TCRA-3072-	S	B	4		1090.26	1521.30	1214.81	1645.85	2421.57	2964.14	2745.11	3359.85
	42"(1067mm)	24"(610mm)	144	TCRA-2436-	S	BK7			\$ 1072.89	\$ 1306.79	\$ 1175.12	\$ 1409.02	\$ 1749.06	\$ 2035.34	\$ 1897.21	\$ 2217.38
	42"(1067mm)		158	TCRA-2442-	S	BK7			1107.02	1366.45	1211.73	1471.16	1857.22	2176.70	2025.26	2383.60
	48"(1219mm)		173	TCRA-2448-	S	BK7			1141.39	1427.83	1248.58	1535.02	1966.12	2320.72	2154.22	2552.92
	54"(1372mm)		187	TCRA-2454-	S	BK7			1176.00	1490.92	1285.67	1600.59	2075.77	2467.39	2284.09	2725.34
	60"(1524mm)		202	TCRA-2460-	S	BK7			1210.85	1555.72	1323.00	1667.87	2186.16	2616.71	2414.87	2900.86
	66"(1676mm)		216	TCRA-2466-	S	BK7			1245.94	1622.23	1360.57	1736.86	2297.29	2768.68	2546.55	3079.48
	72"(1829mm)		230	TCRA-2472-	S	BK7			1281.28	1690.45	1398.39	1807.56	2409.17	2923.31	2679.15	3261.21
	30"(762mm)	36"(914mm)	158	TCRA-3036-	S	BK7			\$ 1120.65	\$ 1372.00	\$ 1226.60	\$ 1477.95	\$ 1900.75	\$ 2209.74	\$ 2076.41	\$ 2422.68
	42"(1067mm)		173	TCRA-3042-	S	BK7			1162.38	1440.01	1271.43	1549.06	2033.10	2376.24	2232.99	2618.52
	48"(1219mm)		187	TCRA-3048-	S	BK7			1204.35	1509.72	1316.50	1621.87	2166.18	2545.39	2390.48	2817.46
	54"(1372mm)		202	TCRA-3054-	S	BK7			1246.56	1581.14	1361.81	1696.39	2300.01	2717.19	2548.87	3019.50
	60"(1524mm)		216	TCRA-3060-	S	BK7			1289.01	1654.28	1407.36	1772.63	2434.58	2891.65	2708.17	3224.64
	66"(1676mm)		230	TCRA-3066-	S	BK7			1331.71	1729.13	1453.16	1850.58	2569.89	3068.76	2868.38	3432.88
	72"(1829mm)		245	TCRA-3072-	S	BK7			1374.64	1805.68	1499.19	1930.23	2705.95	3248.52	3029.49	3644.23

Jive Table — C-Leg (Round or Extruded) — Flip Base Rectangle



Features

- Includes 1.18"(30mm) thick top, two C-Leg bases with round or extruded columns, stretcher and hardware
- Nesting Options:
 - Diagonal Nesting (available for round or extruded columns): Provides a compact nesting solution with parallel feet, ensuring a symmetrical look while maximizing legroom.
 - In-Line Nesting (exclusive to round columns): Optimizes storage by allowing tables to nest in a straight line, making efficient use of space.
- Table height is 29"(737mm).
- Laminate or wood top with 3mm edgeband or knife edge on all sides.
- Casters:
 - Two locking and two non-locking casters.
 - Standard in black.
- Glides:
 - 0.625"(16mm) adjustment.
 - Standard in black.
- Casters and glides are not interchangeable.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tips

- Specifying a cutout does not automatically include a Power Ready base.**
- Factory installed cutout is available for:
 - Specify the (A) option for a Center, Single-Sided/2 outlet Flip Top Unit
 - Specify the (F) option for a Center, Single-Sided/4 outlet Flip Top Unit
 - Specify the (J) option for a Center, Single-Sided/6 outlet Flip Top Unit
- Power Ready Base:
 - Allows for cord management through one of the C-Leg (Round or Extruded) Base Legs. Powered leg location determined during installation.
 - Casters and Glides:
 - Specify the (L) option for Casters on the Power Ready base (diagonal nesting)
 - Specify the (Q) option for Casters on the Power Ready base (in-line nesting)
 - Specify the (M) option for Glides on the Power Ready base (diagonal nesting)
 - Specify the (R) option for Glides on the Power Ready base (in-line nesting)
- Flip Top Unit circuit breaker plug will not fit in the Power Ready Base opening.**
- Each nested table adds 7.5"(191mm) to the overall depth.
- Power cord length determines the distance to building power source.**
- Separately specified:
 - Ganging Mechanism - Required for use with powered tables.
 - Horizontal and Vertical Wire Management
 - Power and Data Components
 - Accessories
- Refer to Specification Guide:
 - Accessory placement and compatibility.
 - Seating capacities and leg locations.
 - Information on electrical components compatible with factory cut opening.
 - Power Ready base cable capacity.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:

- 1) Product number, including:

① Surface Option:

L Laminate

W Wood

② Edge Option:

Laminate:

J Edgeband

F Knife

Wood:

K Edgeband

U Knife

③ Cutout:

N No Cutout

A Center, Single-Sided/
2 outlets (add **\$48.13** list)

F Center, Single-Sided/
4 outlets (add **\$48.13** list)

J Center, Single-Sided/
6 outlets (add **\$48.13** list)

④ Base and Wire Management Option:

Base - Diagonal Nesting
(Round or Extruded Base)

No Power:

H Casters (add **\$23.44** list)

F Glides

Power Ready:

L Casters (add **\$23.44** list)

M Glides

Base - Flip Top - In-Line Nesting
(Round Base Only)

No Power:

O Casters (add **\$23.44** list)

P Glides

Power Ready:

Q Casters (add **\$23.44** list)

R Glides

⑤ Base Finish Option:

A Painted

B Polished (add **\$66.68** list)

- 2) Surface color.

- 3) Edgeband trim color.

- 4) Base trim color.

Note: **\$66.18** upcharge list for Metallic trim colors.

Jive Table — C-Leg (Round or Extruded) — Flip Base Rectangle


Height	Depth	Width	Capacity	Number	Distributed Load		HPL		Wood							
					1	2	3	4	5	A	B	A	K			
Round — Base — No Power — No Cutout																
29"(737mm)	24"(610mm)	48"(1219mm)	173	TCRA-2448-	S	B	4		\$1480.01	\$ 1766.45	\$ 1587.20	\$ 1873.64	\$ 2304.74	\$ 2659.34	\$ 2492.84	\$ 2891.54
60"(1524mm)		202	TCRA-2460-	S	B	4			1549.47	1894.34	1661.62	2006.49	2524.78	2955.33	2753.49	3239.48
72"(1829mm)		230	TCRA-2472-	S	B	4			1619.90	2029.07	1737.01	2146.18	2747.79	3261.93	3017.77	3599.83
30"(762mm)	48"(1219mm)	187	TCRA-3048-	S	B	4			\$1542.97	\$ 1848.34	\$ 1655.12	\$ 1960.49	\$ 2504.80	\$ 2884.01	\$ 2729.10	\$ 3156.08
60"(1524mm)		216	TCRA-3060-	S	B	4			1627.63	1992.90	1745.98	2111.25	2773.20	3230.27	3046.79	3563.26
72"(1829mm)		245	TCRA-3072-	S	B	4			1713.26	2144.30	1837.81	2268.85	3044.57	3587.14	3368.11	3982.85
Extruded — Base — No Power — No Cutout																
29"(737mm)	24"(610mm)	48"(1219mm)	173	TCRA-2448-	S	C	4		\$1689.81	\$ 1976.25	\$ 1797.00	\$ 2083.44	\$ 2514.54	\$ 2869.14	\$ 2702.64	\$ 3101.34
60"(1524mm)		202	TCRA-2460-	S	C	4			1759.27	2104.14	1871.42	2216.29	2734.58	3165.13	2963.29	3449.28
72"(1829mm)		230	TCRA-2472-	S	C	4			1829.70	2238.87	1946.81	2355.98	2957.59	3471.73	3227.57	3809.63
30"(762mm)	48"(1219mm)	187	TCRA-3048-	S	C	4			\$1752.77	\$ 2058.14	\$ 1864.92	\$ 2170.29	\$ 2714.60	\$ 3093.81	\$ 2938.90	\$ 3365.88
60"(1524mm)		216	TCRA-3060-	S	C	4			1837.43	2202.70	1955.78	2321.05	2983.00	3440.07	3256.59	3773.06
72"(1829mm)		245	TCRA-3072-	S	C	4			1923.06	2354.10	2047.61	2478.65	3254.37	3796.94	3577.91	4192.65
Round — Base — Power Ready — No Cutout																
29"(737mm)	24"(610mm)	48"(1219mm)	173	TCRA-2448-	S	B	4		\$1508.50	\$ 1794.94	\$ 1615.69	\$ 1902.13	\$ 2333.23	\$ 2687.83	\$ 2521.33	\$ 2920.03
60"(1524mm)		202	TCRA-2460-	S	B	4			1577.96	1922.83	1690.11	2034.98	2553.27	2983.82	2781.98	3267.97
72"(1829mm)		230	TCRA-2472-	S	B	4			1648.39	2057.56	1765.50	2174.67	2776.28	3290.42	3046.26	3628.32
30"(762mm)	48"(1219mm)	187	TCRA-3048-	S	B	4			\$1571.46	\$ 1876.83	\$ 1683.61	\$ 1988.98	\$ 2533.29	\$ 2912.50	\$ 2757.59	\$ 3184.57
60"(1524mm)		216	TCRA-3060-	S	B	4			1656.12	2021.39	1774.47	2139.74	2801.69	3258.76	3075.28	3591.76
72"(1829mm)		245	TCRA-3072-	S	B	4			1741.75	2172.79	1866.30	2297.34	3073.06	3615.63	3396.60	4011.34
Extruded — Base — Power Ready — No Cutout																
29"(737mm)	24"(610mm)	48"(1219mm)	173	TCRA-2448-	S	C	4		\$1718.30	\$ 2004.74	\$ 1825.49	\$ 2111.93	\$ 2543.03	\$ 2897.63	\$ 2731.13	\$ 3129.83
60"(1524mm)		202	TCRA-2460-	S	C	4			1787.76	2132.63	1899.91	2244.78	2763.07	3193.62	2991.78	3477.77
72"(1829mm)		230	TCRA-2472-	S	C	4			1858.19	2267.36	1975.30	2384.47	2986.08	3500.22	3256.06	3838.12
30"(762mm)	48"(1219mm)	187	TCRA-3048-	S	C	4			\$1781.26	\$ 2086.63	\$ 1893.41	\$ 2198.78	\$ 2743.09	\$ 3122.30	\$ 2967.39	\$ 3394.37
60"(1524mm)		216	TCRA-3060-	S	C	4			1865.92	2231.19	1984.27	2349.54	3011.49	3468.56	3285.08	3801.55
72"(1829mm)		245	TCRA-3072-	S	C	4			1951.55	2382.59	2076.10	2507.14	3282.86	3825.43	3606.40	4221.14

Jive Table — Disc Base

Round



TORN-SND
Class JV



Features

- Includes 1.18"(30mm) thick standard top, base, glides and hardware.
- Standard table heights are 16"(406mm), 20"(508mm), 29"(737mm) and 36"(914mm).
- Table is available with black glides only.
- Ships unassembled.

Specification Tips

- Disc Base Diameter Sizes:
 - 24"(610mm) and 30"(762mm) tops include 21"(533mm) disc base
 - 36"(914mm) tops include 27"(686mm) disc base
- Power Ready Base:
 - Allows for cord management through the Disk Base (available on 16"(406mm), 20"(508mm), 29"(737mm) and 36"(914mm)H tables)
 - Edge mounted power is recommended.
- **Power cord length determines the distance to building power source.**
- Separately specified:
 - Horizontal and Vertical Wire Management
 - Power and Data Components
 - Accessories
- Refer to Specification Guide:
 - Accessory placement and compatibility.
 - Power Ready base cable capacity.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:

- 1) Product number, including:

① Surface Option:

L Laminate

W Wood

② Edge Option:

Laminate:

J Edgeband

F Knife

Wood:

K Edgeband

U Knife

- 2) Laminate surface color or wood finish color.

- 3) Edgeband trim color (laminate only).

- 4) Base trim color.

Note: \$66.18 upcharge list for Metallic trim colors.


Jive Table — Disc Base

Round


Height	Depth	Width	Number	①②	HPL				Wood				
					A J	F	B J	F	A K	U	B K	U	
Base — No Power													
16"(406mm)	24"(610mm)	24"(610mm)	TORN-2424-	SNDN1	\$1009.59	\$1232.06	\$1102.52	\$1324.99	\$1436.91	\$1560.67	\$1519.88	\$1650.31	
30"(762mm)	30"(762mm)	TORN-3030-	SNDN1	1083.63	1346.90	1182.14	1445.41	1671.84	1885.69	1797.71	2032.43		
36"(914mm)	36"(914mm)	TORN-3636-	SNDN1	1172.63	1476.70	1277.96	1582.03	1954.39	2287.34	2131.68	2504.61		
42"(1067mm)	42"(1067mm)	TORN-4242-	SNDN1	1276.59	1621.46	1389.98	1734.85	2284.56	2766.69	2521.79	3068.09		
48"(1219mm)	48"(1219mm)	TORN-4848-	SNDN1	1395.51	1781.18	1518.20	1903.87	2662.35	3322.46	2968.04	3721.41		
20"(508mm)	24"(610mm)	TORN-2424-	SNDN2	\$1017.69	\$1240.16	\$1110.62	\$1333.09	\$1445.01	\$1568.77	\$1527.98	\$1658.41		
30"(762mm)	30"(762mm)	TORN-3030-	SNDN2	1091.73	1355.00	1190.24	1453.51	1679.94	1893.79	1805.81	2040.53		
36"(914mm)	36"(914mm)	TORN-3636-	SNDN2	1180.73	1484.80	1286.06	1590.13	1962.49	2295.44	2139.78	2512.71		
42"(1067mm)	42"(1067mm)	TORN-4242-	SNDN2	1284.69	1629.56	1398.08	1742.95	2292.66	2774.79	2529.89	3076.19		
48"(1219mm)	48"(1219mm)	TORN-4848-	SNDN2	1403.61	1789.28	1526.30	1911.97	2670.45	3330.56	2976.14	3729.51		
29"(737mm)	24"(610mm)	24"(610mm)	TORN-2424-	SNDN4	\$1041.96	\$1264.43	\$1134.89	\$1357.36	\$1469.28	\$1593.04	\$1552.25	\$1682.68	
30"(762mm)	30"(762mm)	TORN-3030-	SNDN4	1116.00	1379.27	1214.51	1477.78	1704.21	1918.06	1830.08	2064.80		
36"(914mm)	36"(914mm)	TORN-3636-	SNDN4	1205.00	1509.07	1310.33	1614.40	1986.76	2319.71	2164.05	2536.98		
42"(1067mm)	42"(1067mm)	TORN-4242-	SNDN4	1308.96	1653.83	1422.35	1767.22	2316.93	2799.06	2554.16	3100.46		
48"(1219mm)	48"(1219mm)	TORN-4848-	SNDN4	1427.88	1813.55	1550.57	1936.24	2694.72	3354.83	3000.41	3753.78		
36"(914mm)	24"(610mm)	TORN-2424-	SNDN6	\$1050.29	\$1272.76	\$1143.22	\$1365.69	\$1477.61	\$1601.37	\$1560.58	\$1691.01		
30"(762mm)	30"(762mm)	TORN-3030-	SNDN6	1124.33	1387.60	1222.84	1486.11	1712.54	1926.39	1838.41	2073.13		
36"(914mm)	36"(914mm)	TORN-3636-	SNDN6	1213.33	1517.40	1318.66	1622.73	1995.09	2328.04	2172.38	2545.31		
42"(1067mm)	42"(1067mm)	TORN-4242-	SNDN6	1317.29	1662.16	1430.68	1775.55	2325.26	2807.39	2562.49	3108.79		
48"(1219mm)	48"(1219mm)	TORN-4848-	SNDN6	1436.21	1821.88	1558.90	1944.57	2703.05	3363.16	3008.74	3762.11		
Base — Power Ready													
16"(406mm)	24"(610mm)	TORN-2424-	SNDK1	\$1038.08	\$1260.55	\$1131.01	\$1353.48	\$1465.40	\$1589.16	\$1548.37	\$1678.80		
30"(762mm)	30"(762mm)	TORN-3030-	SNDK1	1112.12	1375.39	1210.63	1473.90	1700.33	1914.18	1826.20	2060.92		
36"(914mm)	36"(914mm)	TORN-3636-	SNDK1	1201.12	1505.19	1306.45	1610.52	1982.88	2315.83	2160.17	2533.10		
42"(1067mm)	42"(1067mm)	TORN-4242-	SNDK1	1305.08	1649.95	1418.47	1763.34	2313.05	2795.18	2550.28	3096.58		
48"(1219mm)	48"(1219mm)	TORN-4848-	SNDK1	1424.00	1809.67	1546.69	1932.36	2690.84	3350.95	2996.53	3749.90		
20"(508mm)	24"(610mm)	TORN-2424-	SNDK2	\$1046.18	\$1268.65	\$1139.11	\$1361.58	\$1473.50	\$1597.26	\$1556.47	\$1686.90		
30"(762mm)	30"(762mm)	TORN-3030-	SNDK2	1120.22	1383.49	1218.73	1482.00	1708.43	1922.28	1834.30	2069.02		
36"(914mm)	36"(914mm)	TORN-3636-	SNDK2	1209.22	1513.29	1314.55	1618.62	1990.98	2323.93	2168.27	2541.20		
42"(1067mm)	42"(1067mm)	TORN-4242-	SNDK2	1313.18	1658.05	1426.57	1771.44	2321.15	2803.28	2558.38	3104.68		
48"(1219mm)	48"(1219mm)	TORN-4848-	SNDK2	1432.10	1817.77	1554.79	1940.46	2698.94	3359.05	3004.63	3758.00		
29"(737mm)	24"(610mm)	TORN-2424-	SNDK4	\$1070.45	\$1292.92	\$1163.38	\$1385.85	\$1497.77	\$1621.53	\$1580.74	\$1711.17		
30"(762mm)	30"(762mm)	TORN-3030-	SNDK4	1144.49	1407.76	1243.00	1506.27	1732.70	1946.55	1858.57	2093.29		
36"(914mm)	36"(914mm)	TORN-3636-	SNDK4	1233.49	1537.56	1338.82	1642.89	2015.25	2348.20	2192.54	2565.47		
42"(1067mm)	42"(1067mm)	TORN-4242-	SNDK4	1337.45	1682.32	1450.84	1795.71	2345.42	2827.55	2582.65	3128.95		
48"(1219mm)	48"(1219mm)	TORN-4848-	SNDK4	1456.37	1842.04	1579.06	1964.73	2723.21	3383.32	3028.90	3782.27		
36"(914mm)	24"(610mm)	TORN-2424-	SNDK6	\$1078.78	\$1301.25	\$1171.71	\$1394.18	\$1506.10	\$1629.86	\$1589.07	\$1719.50		
30"(762mm)	30"(762mm)	TORN-3030-	SNDK6	1152.82	1416.09	1251.33	1514.60	1741.03	1954.88	1866.90	2101.62		
36"(914mm)	36"(914mm)	TORN-3636-	SNDK6	1241.82	1545.89	1347.15	1651.22	2023.58	2356.53	2200.87	2573.80		
42"(1067mm)	42"(1067mm)	TORN-4242-	SNDK6	1345.78	1690.65	1459.17	1804.04	2353.75	2835.88	2590.98	3137.28		
48"(1219mm)	48"(1219mm)	TORN-4848-	SNDK6	1464.70	1850.37	1587.39	1973.06	2731.54	3391.65	3037.23	3790.60		

Jive Table — Disc Base

Square



TORQ-SND
Class JV



Features

- Includes 1.18"(30mm) thick standard top, base, glides and hardware.
- Standard table heights are 16"(406mm), 20"(508mm), 29"(737mm) and 36"(914mm).
- Table is available with black glides only.
- Ships unassembled.

Specification Tips

- Edge choice allows a flat seam between tables.
- Disc Base Diameter Sizes:**
 - 24"(610mm) and 30"(762mm) tops include 21"(533mm) disc base
 - 36"(914mm) tops include 27"(686mm) disc base
- Power Ready Base:**
 - Allows for cord management through the Disk Base (available on 16"(406mm), 20"(508mm), 29"(737mm) and 36"(914mm)H tables)
 - Edge mounted power is recommended.
- Power cord length determines the distance to building power source.**
- Separately specified:
 - Horizontal and Vertical Wire Management
 - Power and Data Components
 - Accessories
- Refer to Specification Guide:
 - Accessory placement and compatibility.
 - Power Ready base cable capacity.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:

1) Product number, including:

1 Surface Option:

L Laminate

W Wood

2 Edge Option:

Laminate:

J Edgeband

F Knife

Wood:

K Edgeband

U Knife

2) Laminate surface color or wood finish color.

3) Edgeband trim color (laminate only).


4) Base trim color.

Note: \$66.18 upcharge list for Metallic trim colors.

Height	Depth	Width	Number	HPL		Wood	
				A J	F J	B F	A K
Base — No Power							
16"(406mm)	24"(610mm)	24"(610mm)	TCRQ-2424-	■ SNDN1	\$1009.59	\$1232.06	\$ 1102.52
30"(762mm)	30"(762mm)	TCRQ-3030-	■ SNDN1	1083.63	1346.90	1182.14	1445.41
36"(914mm)	36"(914mm)	TCRQ-3636-	■ SNDN1	1172.63	1476.70	1277.96	1582.03
20"(508mm)	24"(610mm)	24"(610mm)	TCRQ-2424-	■ SNDN2	\$ 1017.69	\$1240.16	\$ 1110.62
30"(762mm)	30"(762mm)	TCRQ-3030-	■ SNDN2	1091.73	1355.00	1190.24	1453.51
36"(914mm)	36"(914mm)	TCRQ-3636-	■ SNDN2	1180.73	1484.80	1286.06	1590.13
29"(737mm)	24"(610mm)	24"(610mm)	TCRQ-2424-	■ SNDN4	\$ 1041.96	\$1264.43	\$ 1134.89
30"(762mm)	30"(762mm)	TCRQ-3030-	■ SNDN4	1116.00	1379.27	1214.51	1477.78
36"(914mm)	36"(914mm)	TCRQ-3636-	■ SNDN4	1205.00	1509.07	1310.33	1614.40
36"(914mm)	24"(610mm)	24"(610mm)	TCRQ-2424-	■ SNDN6	\$ 1050.29	\$1272.76	\$ 1143.22
30"(762mm)	30"(762mm)	TCRQ-3030-	■ SNDN6	1124.33	1387.60	1222.84	1486.11
36"(914mm)	36"(914mm)	TCRQ-3636-	■ SNDN6	1213.33	1517.40	1318.66	1622.73
Base — Power Ready							
16"(406mm)	24"(610mm)	24"(610mm)	TCRQ-2424-	■ SNDK1	\$1038.08	\$1260.55	\$ 1131.01
30"(762mm)	30"(762mm)	TCRQ-3030-	■ SNDK1	1112.12	1375.39	1210.63	1473.90
36"(914mm)	36"(914mm)	TCRQ-3636-	■ SNDK1	1201.12	1505.19	1306.45	1610.52
20"(508mm)	24"(610mm)	24"(610mm)	TCRQ-2424-	■ SNDK2	\$1046.18	\$1268.65	\$ 1139.11
30"(762mm)	30"(762mm)	TCRQ-3030-	■ SNDK2	1120.22	1383.49	1218.73	1482.00
36"(914mm)	36"(914mm)	TCRQ-3636-	■ SNDK2	1209.22	1513.29	1314.55	1618.62
29"(737mm)	24"(610mm)	24"(610mm)	TCRQ-2424-	■ SNDK4	\$1070.45	\$1292.92	\$ 1163.38
30"(762mm)	30"(762mm)	TCRQ-3030-	■ SNDK4	1144.49	1407.76	1243.00	1506.27
36"(914mm)	36"(914mm)	TCRQ-3636-	■ SNDK4	1233.49	1537.56	1338.82	1642.89
36"(914mm)	24"(610mm)	24"(610mm)	TCRQ-2424-	■ SNDK6	\$1078.78	\$1301.25	\$ 1171.71
30"(762mm)	30"(762mm)	TCRQ-3030-	■ SNDK6	1152.82	1416.09	1251.33	1514.60
36"(914mm)	36"(914mm)	TCRQ-3636-	■ SNDK6	1241.82	1545.89	1347.15	1651.22

Jive Table — Disc Base

Pebble

TORP-SND
Class JV**Features**

- Includes 1.18"(30mm) thick standard top, base, glides and hardware.
- High-Pressure Laminate (HPL) top with knife edge or 3mm edgeband edges or wood veneer top with 3mm wood edgeband or knife edge.
- Standard table heights are 16"(406mm), 20"(508mm), 29"(737mm) and 36"(914mm).
- Table is available with black glides only.
- Ships unassembled.

Specification Tips

- Disc Base Diameter Sizes:**
 - 24"(610mm) and 30"(762mm) tops include 21"(533mm) disc base
 - 36"(914mm) tops include 27"(686mm) disc base
- Power Ready Base:**
 - Allows for cord management through the Disk Base (available on 16"(406mm), 20"(508mm), 29"(737mm) and 36"(914mm)H tables)
 - Edge mounted power is recommended.
- Power cord length determines the distance to building power source.**
- Separately specified:**
 - Horizontal and Vertical Wire Management
 - Power and Data Components
 - Accessories
- Refer to Specification Guide:**
 - Accessory placement and compatibility.
 - Power Ready base cable capacity.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.**

To Order, Specify:

1) Product number, including:

1 Surface Option:**L** Laminate**W** Wood**2 Edge Option:**

Laminate:

J Edgeband**F** Knife

Wood:

K Edgeband**U** Knife

2) Laminate surface color or wood finish color.

3) Edgeband trim color (laminate only).



4) Base trim color.

Note: \$66.18 upcharge list for Metallic trim colors.

Height	Depth	Width	Number	①②	HPL				Wood			
					A	B	A	B	K	U	K	U
Base — No Power												
16"(406mm)	24"(610mm)	24"(610mm)	TCRP-2424-	SNDN1	\$1009.59	\$1232.06	\$1102.52	\$1324.99	\$1436.91	\$1560.67	\$1519.88	\$1650.31
30"(762mm)	30"(762mm)	30"(762mm)	TCRP-3030-	SNDN1	1083.63	1346.90	1182.14	1445.41	1671.84	1885.69	1797.71	2032.43
36"(914mm)	36"(914mm)	36"(914mm)	TCRP-3636-	SNDN1	1172.63	1476.70	1277.96	1582.03	1954.39	2287.34	2131.68	2504.61
42"(1067mm)	42"(1067mm)	42"(1067mm)	TCRP-4242-	SNDN1	1276.59	1621.46	1389.98	1734.85	2284.56	2766.69	2521.79	3068.09
20"(508mm)	24"(610mm)	24"(610mm)	TCRP-2424-	SNDN2	\$1017.69	\$1240.16	\$1110.62	\$1333.09	\$1445.01	\$1568.77	\$1527.98	\$1658.41
30"(762mm)	30"(762mm)	30"(762mm)	TCRP-3030-	SNDN2	1091.73	1355.00	1190.24	1453.51	1679.94	1893.79	1805.81	2040.53
36"(914mm)	36"(914mm)	36"(914mm)	TCRP-3636-	SNDN2	1180.73	1484.80	1286.06	1590.13	1962.49	2295.44	2139.78	2512.71
42"(1067mm)	42"(1067mm)	42"(1067mm)	TCRP-4242-	SNDN2	1284.69	1629.56	1398.08	1742.95	2292.66	2774.79	2529.89	3076.19
29"(737mm)	24"(610mm)	24"(610mm)	TCRP-2424-	SNDN4	\$1041.96	\$1264.43	\$1134.89	\$1357.36	\$1469.28	\$1593.04	\$1552.25	\$1682.68
30"(762mm)	30"(762mm)	30"(762mm)	TCRP-3030-	SNDN4	1116.00	1379.27	1214.51	1477.78	1704.21	1918.06	1830.08	2064.80
36"(914mm)	36"(914mm)	36"(914mm)	TCRP-3636-	SNDN4	1205.00	1509.07	1310.33	1614.40	1986.76	2319.71	2164.05	2536.98
42"(1067mm)	42"(1067mm)	42"(1067mm)	TCRP-4242-	SNDN4	1308.96	1653.83	1422.35	1767.22	2316.93	2799.06	2554.16	3100.46
36"(914mm)	24"(610mm)	24"(610mm)	TCRP-2424-	SNDN6	\$1050.29	\$1272.76	\$1143.22	\$1365.69	\$1477.61	\$1601.37	\$1560.58	\$1691.01
30"(762mm)	30"(762mm)	30"(762mm)	TCRP-3030-	SNDN6	1124.33	1387.60	1222.84	1486.11	1712.54	1926.39	1838.41	2073.13
36"(914mm)	36"(914mm)	36"(914mm)	TCRP-3636-	SNDN6	1213.33	1517.40	1318.66	1622.73	1995.09	2328.04	2172.38	2545.31
42"(1067mm)	42"(1067mm)	42"(1067mm)	TCRP-4242-	SNDN6	1317.29	1662.16	1430.68	1775.55	2325.26	2807.39	2562.49	3108.79
Base — Power Ready												
16"(406mm)	24"(610mm)	24"(610mm)	TORP-2424-	SNDK1	\$1038.08	\$1260.55	\$1131.01	\$1353.48	\$1465.40	\$1589.16	\$1548.37	\$1678.80
30"(762mm)	30"(762mm)	30"(762mm)	TORP-3030-	SNDK1	1112.12	1375.39	1210.63	1473.90	1700.33	1914.18	1826.20	2060.92
36"(914mm)	36"(914mm)	36"(914mm)	TORP-3636-	SNDK1	1201.12	1505.19	1306.45	1610.52	1982.88	2315.83	2160.17	2533.10
42"(1067mm)	42"(1067mm)	42"(1067mm)	TORP-4242-	SNDK1	1305.08	1649.95	1418.47	1763.34	2313.05	2795.18	2550.28	3096.58
20"(508mm)	24"(610mm)	24"(610mm)	TORP-2424-	SNDK2	\$1046.18	\$1268.65	\$1139.11	\$1361.58	\$1473.50	\$1597.26	\$1556.47	\$1686.90
30"(762mm)	30"(762mm)	30"(762mm)	TORP-3030-	SNDK2	1120.22	1383.49	1218.73	1482.00	1708.43	1922.28	1834.30	2069.02
36"(914mm)	36"(914mm)	36"(914mm)	TORP-3636-	SNDK2	1209.22	1513.29	1314.55	1618.62	1990.98	2323.93	2168.27	2541.20
42"(1067mm)	42"(1067mm)	42"(1067mm)	TORP-4242-	SNDK2	1313.18	1658.05	1426.57	1771.44	2321.15	2803.28	2558.38	3104.68
29"(737mm)	24"(610mm)	24"(610mm)	TORP-2424-	SNDK4	\$1070.45	\$1292.92	\$1163.38	\$1385.85	\$1497.77	\$1621.53	\$1580.74	\$1711.17
30"(762mm)	30"(762mm)	30"(762mm)	TORP-3030-	SNDK4	1144.49	1407.76	1243.00	1506.27	1732.70	1946.55	1858.57	2093.29
36"(914mm)	36"(914mm)	36"(914mm)	TORP-3636-	SNDK4	1233.49	1537.56	1338.82	1642.89	2015.25	2348.20	2192.54	2565.47
42"(1067mm)	42"(1067mm)	42"(1067mm)	TORP-4242-	SNDK4	1337.45	1682.32	1450.84	1795.71	2345.42	2827.55	2582.65	3128.95
36"(914mm)	24"(610mm)	24"(610mm)	TORP-2424-	SNDK6	\$1078.78	\$1301.25	\$1171.71	\$1394.18	\$1506.10	\$1629.86	\$1589.07	\$1719.50
30"(762mm)	30"(762mm)	30"(762mm)	TORP-3030-	SNDK6	1152.82	1416.09	1251.33	1514.60	1741.03	1954.88	1866.90	2101.62
36"(914mm)	36"(914mm)	36"(914mm)	TORP-3636-	SNDK6	1241.82	1545.89	1347.15	1651.22	2023.58	2356.53	2200.87	2573.80
42"(1067mm)	42"(1067mm)	42"(1067mm)	TORP-4242-	SNDK6	1345.78	1690.65	1459.17	1804.04	2353.75	2835.88	2590.98	3137.28

Jive Table — Disc Base

Rectangle

TCRA-SND
Class JV**Features**

- Includes 1.18"(30mm) thick standard top, base, glides and hardware.
- High-Pressure Laminate (HPL) top with knife edge or 3mm edgeband edges or wood veneer top with 3mm wood edgeband or knife edge.
- Standard table heights are 16"(406mm), 20"(508mm), 29"(737mm) and 36"(914mm).
- Table is available with black glides only.
- Ships unassembled.

Specification Tips

- Edge choice allows a flat seam between tables.
- Disc Base Diameter Sizes:
-24"(610mm) and 30"(762mm) tops include 21"(533mm) disc base
- Power Ready Base:
-Allows for cord management through the Disk Base (available on 16"(406mm), 20"(508mm), 29"(737mm) and 36"(914mm)H tables)
-Edge mounted power is recommended.
- Power cord length determines the distance to building power source.**
- Separately specified:
-Horizontal and Vertical Wire Management
-Power and Data Components
-Accessories
- Refer to Specification Guide:
-Accessory placement and compatibility.
-Power Ready base cable capacity.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:

1) Product number, including:

1 Surface Option: L Laminate W Wood**2 Edge Option:**

Laminate:

 J Edgeband F Knife

Wood:

 K Edgeband U Knife

2) Laminate surface color or wood finish color.

3) Edgeband trim color (laminate only).


4) Base trim color.

Note: \$66.18 upcharge list for Metallic trim colors.

Height	Depth	Width	Number	①②	HPL				Wood				
					A	J	F	B	A	K	U	B	
Base — No Power													
16"(406mm)	30"(762mm)	36"(914mm)	TCRA-3036-	<input type="checkbox"/>	SNDN1	\$1107.93	\$1359.28	\$1213.88	\$1465.23	\$1888.03	\$2197.02	\$2063.69	\$2409.96
20"(508mm)			TCRA-3036-	<input type="checkbox"/>	SNDN2	1116.03	1367.38	1221.98	1473.33	1896.13	2205.12	2071.79	2418.06
29"(737mm)			TCRA-3036-	<input type="checkbox"/>	SNDN4	1140.30	1391.65	1246.25	1497.60	1920.40	2229.39	2096.06	2442.33
36"(914mm)			TCRA-3036-	<input type="checkbox"/>	SNDN6	1148.63	1399.98	1254.58	1505.93	1928.73	2237.72	2104.39	2450.66
Base — Power Ready													
16"(406mm)	30"(762mm)	36"(914mm)	TCRA-3036-	<input type="checkbox"/>	SNDK1	\$1136.42	\$1387.77	\$1242.37	\$1493.72	\$1916.52	\$2225.51	\$2092.18	\$2438.45
20"(508mm)			TCRA-3036-	<input type="checkbox"/>	SNDK2	1144.52	1395.87	1250.47	1501.82	1924.62	2233.61	2100.28	2446.55
29"(737mm)			TCRA-3036-	<input type="checkbox"/>	SNDK4	1168.79	1420.14	1274.74	1526.09	1948.89	2257.88	2124.55	2470.82
36"(914mm)			TCRA-3036-	<input type="checkbox"/>	SNDK6	1177.12	1428.47	1283.07	1534.42	1957.22	2266.21	2132.88	2479.15

Jive Table — Dual Disc Base

Pebble

TCRP-SND
Class JV**Features**

- Includes 1.18"(30mm) thick standard top, base, glides and hardware.
- High-Pressure Laminate (HPL) top with knife edge or 3mm edgeband edges or wood veneer top with 3mm wood edgeband or knife edge.
- Standard table heights are 29"(737mm) and 36"(914mm).
- Table is available with black glides only.
- Ships unassembled.

Specification Tips**Disc Base Diameter Sizes:**

- 30"(762mm) tops include 21"(533mm) two disc bases
- 36"(914mm) tops include two 27"(686mm) disc bases
- 42"(1067mm) tops include two 27"(686mm) disc bases

Specifying a cutout does not automatically include a Power Ready base.

- Factory installed cutout is available for:
 - Specify the (F) option for a Center, Single-Sided/4 outlet Flip Top Unit
 - Specify the (J) option for a Center, Single-Sided/6 outlet Flip Top Unit
 - Specify the (M) option for a Center, Double-Sided/8 outlet Flip Top Unit
 - Specify the (Q) option for a Center, Double-Sided/12 outlet Flip Top Unit
- Power Ready Base:
 - Flip Top Unit circuit breaker plug will not fit in the Power Ready Base opening.**
- Power cord length determines the distance to building power source.**
- Separately specified:
 - Horizontal and Vertical Wire Management
 - See Accessories Price List for Power and Data Components
- Refer to Specification Guide:
 - Accessory placement and compatibility.
 - Seating capacities and base location.
 - Information on electrical components compatible with factory cut opening.
 - Power Ready base cable capacity.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:

1) Product number, including:

1 Surface Option:**L** Laminate**W** Wood**2 Edge Option:**

Laminate:

J Edgeband**F** Knife

Wood:

K Edgeband**U** Knife**3 Cutout:****N** No Cutout**F** Center, Single Sided/
4 outlets (add **\$48.13** list)**J** Center, Single Sided/
6 outlets (add **\$48.13** list)**M** Center, Double Sided/
8 outlets (add **\$48.13** list)**Q** Center, Double Sided/
12 outlets (add **\$48.13** list)

2) Laminate surface color or wood finish color.

3) Edgeband trim color (laminate only).


4) Base trim color.

Note: **\$66.18** upcharge list for Metallic trim colors.


Height	Depth	Width	Number	①②③	HPL				Wood				
					A	B	J	F	J	F	K	U	
Base — No Power													
29"(737mm)	30"(762mm)	60"(1524mm)	TCRP-3060-	S	DN4	\$ 2169.49	\$ 2534.76	\$ 2287.84	\$ 2653.11	\$ 3315.06	\$ 3772.13	\$ 3588.65	\$ 4105.12
		72"(1829mm)	TCRP-3072-	S	DN4	2255.12	2686.16	2379.67	2810.71	3586.43	4129.00	3909.97	4524.71
36"(914mm)	72"(1829mm)	TCRP-3672-	S	DN4	\$ 2348.48	\$ 2801.39	\$ 2480.47	\$ 2933.38	\$ 3883.21	\$ 4454.21	\$ 4260.32	\$ 4907.73	
		84"(2134mm)	TCRP-3684-	S	DN4	2450.29	2976.31	2589.72	3115.74	4205.92	4871.97	4642.32	5398.97
42"(1067mm)	84"(2134mm)	TCRP-4284-	S	DN4	\$ 2558.85	\$ 3108.21	\$ 2706.96	\$ 3256.32	\$ 4551.07	\$ 5247.45	\$ 5049.71	\$ 5841.23	
		96"(2438mm)	TCRP-4296-	S	DN4	2676.82	3306.64	2833.61	3463.43	4925.11	5726.09	5492.39	6404.12
36"(914mm)	30"(762mm)	60"(1524mm)	TCRP-3060-	S	DN6	\$ 2186.17	\$ 2551.44	\$ 2304.52	\$ 2669.79	\$ 3331.74	\$ 3788.81	\$ 3605.33	\$ 4121.80
		72"(1829mm)	TCRP-3072-	S	DN6	2271.80	2702.84	2396.35	2827.39	3603.11	4145.68	3926.65	4541.39
36"(914mm)	72"(1829mm)	TCRP-3672-	S	DN6	\$ 2365.16	\$ 2818.07	\$ 2497.15	\$ 2950.06	\$ 3899.89	\$ 4470.89	\$ 4277.00	\$ 4924.41	
		84"(2134mm)	TCRP-3684-	S	DN6	2466.97	2992.99	2606.40	3132.42	4222.60	4888.65	4659.00	5415.65
42"(1067mm)	84"(2134mm)	TCRP-4284-	S	DN6	\$ 2575.53	\$ 3124.89	\$ 2723.64	\$ 3273.00	\$ 4567.75	\$ 5264.13	\$ 5066.39	\$ 5857.91	
		96"(2438mm)	TCRP-4296-	S	DN6	2693.50	3323.32	2850.29	3480.11	4941.79	5742.77	5509.07	6420.80
Base — Power Ready													
29"(737mm)	30"(762mm)	60"(1524mm)	TCRP-3060-	S	DK4	\$ 2197.98	\$ 2563.25	\$ 2316.33	\$ 2681.60	\$ 3343.55	\$ 3800.62	\$ 3617.14	\$ 4133.61
		72"(1829mm)	TCRP-3072-	S	DK4	2283.61	2714.65	2408.16	2839.20	3614.92	4157.49	3938.46	4553.20
36"(914mm)	72"(1829mm)	TCRP-3672-	S	DK4	\$ 2376.97	\$ 2829.88	\$ 2508.96	\$ 2961.87	\$ 3911.70	\$ 4482.70	\$ 4288.81	\$ 4936.22	
		84"(2134mm)	TCRP-3684-	S	DK4	2478.78	3004.80	2618.21	3144.23	4234.41	4900.46	4670.81	5427.46
42"(1067mm)	84"(2134mm)	TCRP-4284-	S	DK4	\$ 2587.34	\$ 3136.70	\$ 2735.45	\$ 3284.81	\$ 4579.56	\$ 5275.94	\$ 5078.20	\$ 5869.72	
		96"(2438mm)	TCRP-4296-	S	DK4	2705.31	3335.13	2862.10	3491.92	4953.60	5754.58	5520.88	6432.61
36"(914mm)	30"(762mm)	60"(1524mm)	TCRP-3060-	S	DK6	\$ 2214.66	\$ 2579.93	\$ 2333.01	\$ 2698.28	\$ 3360.23	\$ 3817.30	\$ 3633.82	\$ 4150.29
		72"(1829mm)	TCRP-3072-	S	DK6	2300.29	2731.33	2424.84	2855.88	3631.60	4174.17	3955.14	4569.88
36"(914mm)	72"(1829mm)	TCRP-3672-	S	DK6	\$ 2393.65	\$ 2846.56	\$ 2525.64	\$ 2978.55	\$ 3928.38	\$ 4499.38	\$ 4305.49	\$ 4952.90	
		84"(2134mm)	TCRP-3684-	S	DK6	2495.46	3021.48	2634.89	3160.91	4251.09	4917.14	4687.49	5444.14
42"(1067mm)	84"(2134mm)	TCRP-4284-	S	DK6	\$ 2604.02	\$ 3153.38	\$ 2752.13	\$ 3301.49	\$ 4596.24	\$ 5292.62	\$ 5094.88	\$ 5886.40	
		96"(2438mm)	TCRP-4296-	S	DK6	2721.99	3351.81	2878.78	3508.60	4970.28	5771.26	5537.56	6449.29

Jive Table — Dual Disc Base

Rectangle



TORA-SND
Class JV



Features

- Includes 1.18"(30mm) thick standard top, two bases, glides and hardware.
- High-Pressure Laminate (HPL) top with knife edge or 3mm edgeband edges or wood veneer top with 3mm wood edgeband or knife edge.
- Standard table heights are 29"(737mm) and 36"(914mm).
- Table is available with black glides only.
- Ships unassembled.

Specification Tips

- Disc Base Diameter Sizes:**
 - 30"(762mm) tops include 21"(533mm) two disc bases
 - 36"(914mm) tops include two 27"(686mm) disc bases
 - 42"(1067mm) tops include two 27"(686mm) disc bases
- Specifying a cutout does not automatically include a Power Ready base.**
- Factory installed cutout is available for:
 - Specify the (F) option for a Center, Single-Sided/4 outlet Flip Top Unit
 - Specify the (J) option for a Center, Single-Sided/6 outlet Flip Top Unit
 - Specify the (M) option for a Center, Double-Sided/8 outlet Flip Top Unit
 - Specify the (Q) option for a Center, Double-Sided/12 outlet Flip Top Unit
- Power Ready Base:**
 - Flip Top Unit circuit breaker plug will not fit in the Power Ready Base opening.**
- Power cord length determines the distance to building power source.**
- Separately specified:
 - Ganging Mechanism - Recommended for use with power between tables.
 - Horizontal and Vertical Wire Management
 - See Accessories Price List for Power and Data Components
- Refer to Specification Guide:
 - Accessory placement and compatibility.
 - Seating capacities and base location.
 - Information on electrical components compatible with factory cut opening.
 - Power Ready base cable capacity.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:

1) Product number, including:

1 Surface Option:

L Laminate

W Wood

2 Edge Option:

Laminate:

J Edgeband

F Knife

Wood:

K Edgeband

U Knife

3 Cutout:

N No Cutout

F Center, Single-Sided/
4 outlets (add **\$48.13** list)

J Center, Single-Sided/
6 outlets (add **\$48.13** list)

M Center, Double-Sided/
8 outlets (add **\$48.13** list)

Q Center, Double-Sided/
12 outlets (add **\$48.13** list)

2) Laminate surface color or wood finish color.

3) Edgeband trim color (laminate only).


4) Base trim color.

Note: **\$66.18** upcharge list for Metallic trim colors.

Height	Depth	Width	Number	①	②	③	HPL				Wood				
							A	B	J	F	J	F	K	U	K
Base — No Power															
29"(737mm)	30"(762mm)	60"(1524mm)	TCRA-3060-	S	S	DN4	\$ 2165.00	\$ 2530.27	\$ 2283.35	\$ 2648.62	\$ 3310.57	\$ 3767.64	\$ 3584.16	\$ 4100.63	
		72"(1829mm)	TCRA-3072-	S	S	DN4	2250.63	2681.67	2375.18	2806.22	3581.94	4124.51	3905.48	4520.22	
36"(914mm)	72"(1829mm)	TCRA-3672-	S	S	DN4	\$ 2343.99	\$ 2796.90	\$ 2475.98	\$ 2928.89	\$ 3878.72	\$ 4449.72	\$ 4255.83	\$ 4903.24		
		84"(2134mm)	TCRA-3684-	S	S	DN4	2445.80	2971.82	2585.23	3111.25	4201.43	4867.48	4637.83	5394.48	
42"(1067mm)	84"(2134mm)	TCRA-4284-	S	S	DN4	\$ 2554.36	\$ 3103.72	\$ 2702.47	\$ 3251.83	\$ 4546.58	\$ 5242.96	\$ 5045.22	\$ 5836.74		
		96"(2438mm)	TCRA-4296-	S	S	DN4	2672.33	3302.15	2829.12	3458.94	4920.62	5721.60	5487.90	6399.63	
36"(914mm)	30"(762mm)	60"(1524mm)	TCRA-3060-	S	S	DN6	\$ 2181.66	\$ 2546.93	\$ 2300.01	\$ 2665.28	\$ 3327.23	\$ 3784.30	\$ 3600.82	\$ 4117.29	
		72"(1829mm)	TCRA-3072-	S	S	DN6	2267.29	2698.33	2391.84	2822.88	3598.60	4141.17	3922.14	4536.88	
36"(914mm)	72"(1829mm)	TCRA-3672-	S	S	DN6	\$ 2360.65	\$ 2813.56	\$ 2492.64	\$ 2945.55	\$ 3895.38	\$ 4466.38	\$ 4272.49	\$ 4919.90		
		84"(2134mm)	TCRA-3684-	S	S	DN6	2462.46	2988.48	2601.89	3127.91	4218.09	4884.14	4654.49	5411.14	
42"(1067mm)	84"(2134mm)	TCRA-4284-	S	S	DN6	\$ 2571.02	\$ 3120.38	\$ 2719.13	\$ 3268.49	\$ 4563.24	\$ 5259.62	\$ 5061.88	\$ 5853.40		
		96"(2438mm)	TCRA-4296-	S	S	DN6	2688.99	3318.81	2845.78	3475.60	4937.28	5738.26	5504.56	6416.29	
Base — Power Ready															
29"(737mm)	30"(762mm)	60"(1524mm)	TCRA-3060-	S	DK4	\$ 2193.49	\$ 2558.76	\$ 2311.84	\$ 2677.11	\$ 3339.06	\$ 3796.13	\$ 3612.65	\$ 41291.2		
		72"(1829mm)	TCRA-3072-	S	DK4	2279.12	2710.16	2403.67	2834.71	3610.43	4153.00	3933.97	4548.71		
36"(914mm)	72"(1829mm)	TCRA-3672-	S	DK4	\$ 2372.48	\$ 2825.39	\$ 2504.47	\$ 2957.38	\$ 3907.21	\$ 4478.21	\$ 4284.32	\$ 4931.73			
		84"(2134mm)	TCRA-3684-	S	DK4	2474.29	3000.31	2613.72	3139.74	4229.92	4895.97	4666.32	5422.97		
42"(1067mm)	84"(2134mm)	TCRA-4284-	S	DK4	\$ 2582.85	\$ 3132.21	\$ 2730.96	\$ 3280.32	\$ 4575.07	\$ 527145	\$ 5073.71	\$ 5865.23			
		96"(2438mm)	TCRA-4296-	S	DK4	2700.82	3330.64	2857.61	3487.43	4949.11	5750.09	5516.39	6428.12		
36"(914mm)	30"(762mm)	60"(1524mm)	TCRA-3060-	S	DK6	\$ 2210.15	\$ 2575.42	\$ 2328.50	\$ 2693.77	\$ 3355.72	\$ 3812.79	\$ 3629.31	\$ 4145.78		
		72"(1829mm)	TCRA-3072-	S	DK6	2295.78	2726.82	2420.33	2851.37	3627.09	4169.66	3950.63	4565.37		
36"(914mm)	72"(1829mm)	TCRA-3672-	S	DK6	\$ 2389.14	\$ 2842.05	\$ 2521.13	\$ 2974.04	\$ 3923.87	\$ 4494.87	\$ 4300.98	\$ 4948.39			
		84"(2134mm)	TCRA-3684-	S	DK6	2490.95	3016.97	2630.38	3156.40	4246.58	4912.63	4682.98	5439.63		
42"(1067mm)	84"(2134mm)	TCRA-4284-	S	DK6	\$ 2599.51	\$ 3148.87	\$ 2747.62	\$ 3296.98	\$ 4591.73	\$ 5288.11	\$ 5090.37	\$ 5881.89			
		96"(2438mm)	TCRA-4296-	S	DK6	2717.48	3347.30	2874.27	3504.09	4965.77	5766.75	5533.05	6444.78		

Jive Table — Dual Disc Base

Racetrack

TCRT-SND
Class JV**Features**

- Includes 1.18"(30mm) thick standard top, two bases, glides and hardware.
- High-Pressure Laminate (HPL) top with knife edge or 3mm edgeband edges or wood veneer top with 3mm wood edgeband or knife edge.
- Standard table heights are 29"(737mm) and 36"(914mm).
- Table is available with black glides only.
- Ships unassembled.

Specification Tips

- Disc Base Diameter Sizes:**
 - 30"(762mm) tops include 21"(533mm) two disc bases
 - 36"(914mm) tops include two 27"(686mm) disc bases
 - 42"(1067mm) tops include two 27"(686mm) disc bases
- Specifying a cutout does not automatically include a Power Ready base.**
 - Factory installed cutout is available for:
 - Specify the (F) option for a Center, Single-Sided/4 outlet Flip Top Unit
 - Specify the (J) option for a Center, Single-Sided/6 outlet Flip Top Unit
 - Specify the (M) option for a Center, Double-Sided/8 outlet Flip Top Unit
 - Specify the (Q) option for a Center, Double-Sided/12 outlet Flip Top Unit
 - Power Ready Base:
 - Flip Top Unit circuit breaker plug will not fit in the Power Ready Base opening.**
- Power cord length determines the distance to building power source.**
- Separately specified:
 - Horizontal and Vertical Wire Management
 - See Accessories Price List for Power and Data Components
- Refer to Specification Guide:
 - Accessory placement and compatibility.
 - Seating capacities and base location.
 - Information on electrical components compatible with factory cut opening.
 - Power Ready base cable capacity.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:

1) Product number, including:

1 Surface Option:**L** Laminate**W** Wood**2 Edge Option:**

Laminate:

J Edgeband**F** Knife

Wood:

K Edgeband**U** Knife**3 Cutout:****N** No Cutout**F** Center, Single-Sided/
4 outlets (add **\$48.13** list)**J** Center, Single-Sided/
6 outlets (add **\$48.13** list)**M** Center, Double-Sided/
8 outlets (add **\$48.13** list)**Q** Center, Double-Sided/
12 outlets (add **\$48.13** list)

2) Laminate surface color or wood finish color.

3) Edgeband trim color (laminate only).

4) Base trim color.


Note: **\$66.18** upcharge list for Metallic trim colors.

Height	Depth	Width	Number	HPL				Wood			
				A	B	J	F	J	F	K	U
Base — No Power											
29"(737mm)	30"(762mm)	60"(1524mm)	TCRT-3060-	S	S	DN4	\$ 2169.49	\$ 2534.76	\$ 2287.84	\$ 2653.11	\$ 3315.06
		72"(1829mm)	TCRT-3072-	S	S	DN4	2255.12	2686.16	2379.67	2810.71	3586.43
36"(914mm)	72"(1829mm)	TCRT-3672-	S	S	DN4	\$ 2348.48	\$ 2801.39	\$ 2480.47	\$ 2933.38	\$ 3883.21	
		84"(2134mm)	TCRT-3684-	S	DN4	2450.29	2976.31	2589.72	3115.74	4205.92	
42"(1067mm)	84"(2134mm)	TCRT-4284-	S	DN4	\$ 2558.85	\$ 3108.21	\$ 2706.96	\$ 3256.32	\$ 4551.07		
		96"(2438mm)	TCRT-4296-	S	DN4	2676.82	3306.64	2833.61	3463.43	4925.11	
36"(914mm)	30"(762mm)	60"(1524mm)	TCRT-3060-	S	DN6	\$ 2186.17	\$ 2551.44	\$ 2304.52	\$ 2669.79	\$ 3331.74	
		72"(1829mm)	TCRT-3072-	S	DN6	2271.80	2702.84	2396.35	2827.39	3603.11	
36"(914mm)	72"(1829mm)	TCRT-3672-	S	DN6	\$ 2365.16	\$ 2818.07	\$ 2497.15	\$ 2950.06	\$ 3899.89		
		84"(2134mm)	TCRT-3684-	S	DN6	2466.97	2992.99	2606.40	3132.42	4222.60	
42"(1067mm)	84"(2134mm)	TCRT-4284-	S	DN6	\$ 2575.53	\$ 3124.89	\$ 2723.64	\$ 3273.00	\$ 4567.75		
		96"(2438mm)	TCRT-4296-	S	DN6	2693.50	3323.32	2850.29	3480.11	4941.79	
Base — Power Ready											
29"(737mm)	30"(762mm)	60"(1524mm)	TCRT-3060-	S	DK4	\$ 2197.98	\$ 2563.25	\$ 2316.33	\$ 2681.60	\$ 3343.55	
		72"(1829mm)	TCRT-3072-	S	DK4	2283.61	2714.65	2408.16	2839.20	3614.92	
36"(914mm)	72"(1829mm)	TCRT-3672-	S	DK4	\$ 2376.97	\$ 2829.88	\$ 2508.96	\$ 2961.87	\$ 3911.70		
		84"(2134mm)	TCRT-3684-	S	DK4	2478.78	3004.80	2618.21	3144.23	4234.41	
42"(1067mm)	84"(2134mm)	TCRT-4284-	S	DK4	\$ 2587.34	\$ 3136.70	\$ 2735.45	\$ 3284.81	\$ 4579.56		
		96"(2438mm)	TCRT-4296-	S	DK4	2705.31	3335.13	2862.10	3491.92	4953.60	
36"(914mm)	30"(762mm)	60"(1524mm)	TCRT-3060-	S	DK6	\$ 2214.66	\$ 2579.93	\$ 2333.01	\$ 2698.28	\$ 3360.23	
		72"(1829mm)	TCRT-3072-	S	DK6	2300.29	2731.33	2424.84	2855.88	3631.60	
36"(914mm)	72"(1829mm)	TCRT-3672-	S	DK6	\$ 2393.65	\$ 2846.56	\$ 2525.64	\$ 2978.55	\$ 3928.38		
		84"(2134mm)	TCRT-3684-	S	DK6	2495.46	3021.48	2634.89	3160.91	4251.09	
42"(1067mm)	84"(2134mm)	TCRT-4284-	S	DK6	\$ 2604.02	\$ 3153.38	\$ 2752.13	\$ 3301.49	\$ 4596.24		
		96"(2438mm)	TCRT-4296-	S	DK6	2721.99	3351.81	2878.78	3508.60	4970.28	

Jive Table — Disc Base

Pneumatic Adjustment

Round



TORN

Features

- Includes 1.18"(30mm) thick top, disc base, glides, pneumatic column with lever and hardware.
- High-Pressure Laminate (HPL) top with knife edge or 3mm edgeband or wood veneer top with 3mm wood edgeband or knife edge.
- Pneumatic height adjustment with 27"(686mm) to 44"(1118mm) continuous adjustment.
- Glides have 0.38"(9.5mm) height adjustment and are standard in black.
- Tables are available with black glides only.

Specification Tips

- Base Sizes:
 - 30"(762mm) tops include 21"(533mm) disc base.
 - 36"(914mm) tops include 27"(686mm) disc base.
- Power cannot be routed through column.
- Does not accept screen, AKP, monitor arms or any drawers or pedestals.

To Order, Specify:

1) Product number, including:

1 Surface Option:

L Laminate**W** Wood

2 Edge Option:

Laminate:

J Edgeband**F** Knife

Wood:

K Edgeband**U** Knife


2) Laminate surface color or wood finish color.

3) Edgeband trim color (laminate only).

4) Base trim color.


Note: \$66.18 upcharge list for Grade B trim colors.

Square



TORQ


Pebble

TORP
Class JV


Diameter	Number	①②	HPL				Wood						
			A	J	F	B	J	F	A	K	U	B	K
Round													
30"(762mm)	TCRN-3030-	SNDNA	\$ 1817.54		\$2080.81		\$1916.05		\$2179.32	\$2405.75	\$2619.60	\$ 2531.62	\$2766.34
36"(914mm)	TCRN-3636-	SNDNA	1906.54		2210.61		2011.87		2315.94	2688.30	3021.25	2865.59	3238.52
Square													
30"(762mm)	TCRQ-3030-	SNDNA	\$ 1817.54		\$2080.81		\$1916.05		\$2179.32	\$2405.75	\$2619.60	\$ 2531.62	\$2766.34
36"(914mm)	TCRQ-3636-	SNDNA	1906.54		2210.61		2011.87		2315.94	2688.30	3021.25	2865.59	3238.52
Pebble													
30"(762mm)	TCRP-3030-	SNDNA	\$ 1817.54		\$2080.81		\$1916.05		\$2179.32	\$2405.75	\$2619.60	\$ 2531.62	\$2766.34
36"(914mm)	TCRP-3636-	SNDNA	1906.54		2210.61		2011.87		2315.94	2688.30	3021.25	2865.59	3238.52

Jive Table — T-Leg — Extruded

Rectangle



TORA-SNT
Class JV



Features

- Includes 1.18"(30mm) thick top, two T-Leg bases with extruded columns, and hardware.
- Standard table heights are 29"(737mm), 36"(914mm) and 42"(1067mm).
- High-Pressure Laminate (HPL) top with knife edge or 3mm edgeband edges or wood veneer top with 3mm wood edgeband or knife edge.
- Optional Belong Hatch cutout:
-Laminate tops only with one cutout.
-Available on 30"D and 36"D worksurfaces:
 - 30"D - Widths 54"(1372mm), 60"(1524mm), 66"(1676mm) and 72"(1829mm). All heights.
 - 36"D - Widths 66"(1676mm) and 72"(1829mm). All heights.
 - 36"D with 60"(1524mm) only available on 29"(737mm)H table.
- Requires separately specified Belong Hatch.
- Refer to Specification Guide for cutout details.
- Casters:
-Two locking and two non-locking casters.
-Standard in black.
- Glides:
-0.625"(16mm) adjustment.
-Standard in black.
- Casters and glides are not interchangeable.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tips

- Edge choice allows a flat seam between tables.
- Specifying a cutout does not automatically include a Power Ready base.**
- Factory installed cutouts are available for:
 - Specify the (F) option for a Center, Single-Sided/4 outlet Flip Top Unit
 - Specify the (J) option for a Center, Single-Sided/6 outlet Flip Top Unit
 - Specify the (H) option for Belong Hatch
- Power Ready Base:
-Allows for cord management through one of the Extruded T-Legs. Powered leg location determined during installation.
-Casters and Glides:
 - Specify the (J) option for Casters on the Power Ready base (only available on 29"(737mm)H tables)
 - Specify the (K) option for Glides on the Power Ready base (available on 29"(737mm), 36"(914mm) and 42"(1067mm)H tables)
- Flip Top Unit circuit breaker plug will not fit in the Power Ready Base opening.**
- Power cord length determines the distance to building power source.**
- Separately specified:
-Ganging Mechanism - Recommended for use with power between tables.
-Horizontal and Vertical Wire Management
-Power and Data Components - Accessories
- Refer to Specification Guide:
-Accessory placement and compatibility.
-Seating capacities and leg locations.
-Information on electrical components compatible with factory cut opening.
-Power Ready base cable capacity.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:

1) Product number, including:

1 Surface Option:

L Laminate

W Wood

2 Edge Option:

Laminate:

J Edgeband

F Knife

Wood:

K Edgeband

U Knife

3 Cutout:

N No Cutout

F Center, Single-Sided/
4 outlets (add **\$48.13** list)

J Center, Single-Sided/
6 outlets (add **\$48.13** list)

H Belong Hatch

4 Base and Wire Management

Option:

Base - No Power:

C Casters (add **\$23.44** list)
(29"(737mm) Height Only)

G Glides

Base - Power Ready:

J Casters (add **\$23.44** list)
(29"(737mm) Height Only)

K Glides

5 Base Finish Option:

A Painted

B Polished (add **\$66.68** list)

2) Laminate surface color or wood finish color.

3) Edgeband trim color (laminate only).

4) Base trim color.

Note: **\$66.18** upcharge list for Metallic trim colors.

Jive Table — T-Leg — Extruded

Rectangle

Height	Depth	Width	Number	HPL				Wood					
				A J	B F	A J	B F	A K	B U	A K	B U		
Base — No Power — No Cutout													
29"(737mm)	18"(457mm)	48"(1219mm)	TCRA-1848-	S T 4	\$ 975.36	\$ 1242.87	\$ 1077.59	\$ 1345.10	\$ 1663.00	\$ 1992.98	\$ 1814.90	\$ 2185.31	
		54"(1372mm)	TCRA-1854-	S T 4	1002.37	1297.63	1106.46	1401.72	1748.46	2114.52	1916.25	2328.11	
		60"(1524mm)	TCRA-1860-	S T 4	1029.62	1354.09	1135.57	1460.04	1834.67	2238.70	2018.50	2474.01	
		66"(1676mm)	TCRA-1866-	S T 4	1057.11	1412.27	1164.92	1520.08	1921.62	2365.54	2121.66	2623.01	
		72"(1829mm)	TCRA-1872-	S T 4	1084.85	1472.15	1194.52	1581.82	2009.32	2495.03	2225.73	2775.12	
		24"(610mm)	TCRA-2436-	S T 4	\$ 969.82	\$ 1203.72	\$ 1072.05	\$ 1305.95	\$ 1645.99	\$ 1932.27	\$ 1794.14	\$ 2114.31	
		42"(1067mm)	TCRA-2442-	S T 4	1003.95	1263.38	1108.66	1368.09	1754.15	2073.63	1922.19	2280.53	
		48"(1219mm)	TCRA-2448-	S T 4	1038.32	1324.76	1145.51	1431.95	1863.05	2217.65	2051.15	2449.85	
		54"(1372mm)	TCRA-2454-	S T 4	1072.93	1387.85	1182.60	1497.52	1972.70	2364.32	2181.02	2622.27	
		60"(1524mm)	TCRA-2460-	S T 4	1107.78	1452.65	1219.93	1564.80	2083.09	2513.64	2311.80	2797.79	
		66"(1676mm)	TCRA-2466-	S T 4	1142.87	1519.16	1257.50	1633.79	2194.22	2665.61	2443.48	2976.41	
		72"(1829mm)	TCRA-2472-	S T 4	1178.21	1587.38	1295.32	1704.49	2306.10	2820.24	2576.08	3158.14	
		30"(762mm)	36"(914mm)	TCRA-3036-	S T 4	\$ 1017.58	\$ 1268.93	\$ 1123.53	\$ 1374.88	\$ 2106.67	\$ 1973.34	\$ 2319.61	
		42"(1067mm)	TCRA-3042-	S T 4	1059.31	1336.94	1168.36	1445.99	1930.03	2273.17	2129.92	2515.45	
		48"(1219mm)	TCRA-3048-	S T 4	1101.28	1406.65	1213.43	1518.80	2063.11	2442.32	2287.41	2714.39	
		54"(1372mm)	TCRA-3054-	S T 4	1143.49	1478.07	1258.74	1593.32	2196.94	2614.12	2445.80	2916.43	
		60"(1524mm)	TCRA-3060-	S T 4	1185.94	1551.21	1304.29	1669.56	2331.51	2788.58	2605.10	3121.57	
		66"(1676mm)	TCRA-3066-	S T 4	1228.64	1626.06	1350.09	1747.51	2466.82	2965.69	2765.31	3329.81	
		72"(1829mm)	TCRA-3072-	S T 4	1271.57	1702.61	1396.12	1827.16	2602.88	3145.45	2926.42	3541.16	
		36"(914mm)	60"(1524mm)	TCRA-3660-	S T 4	\$ 1264.10	\$ 1649.77	\$ 1388.65	\$ 1774.32	\$ 2579.93	\$ 3063.52	\$ 2898.40	\$ 3445.35
		66"(1676mm)	TCRA-3666-	S T 4	1314.40	1732.95	1442.67	1861.22	2739.43	3265.77	3087.13	3683.21	
		72"(1829mm)	TCRA-3672-	S T 4	1364.93	1817.84	1496.92	1949.83	2899.66	3470.66	3276.77	3924.18	
36"(914mm)	24"(610mm)	36"(914mm)	TCRA-2436-	S TG6	\$ 1119.51	\$ 1353.41	\$ 1221.74	\$ 1455.64	\$ 1795.68	\$ 2081.96	\$ 1943.83	\$ 2264.00	
		42"(1067mm)	TCRA-2442-	S TG6	1153.64	1413.07	1258.35	1517.78	1903.84	2223.32	2071.88	2430.22	
		48"(1219mm)	TCRA-2448-	S TG6	1188.01	1474.45	1295.20	1581.64	2012.74	2367.34	2200.84	2599.54	
		54"(1372mm)	TCRA-2454-	S TG6	1222.62	1537.54	1332.29	1647.21	2122.39	2514.01	2330.71	2771.96	
		60"(1524mm)	TCRA-2460-	S TG6	1257.47	1602.34	1369.62	1714.49	2232.78	2663.33	2461.49	2947.48	
		66"(1676mm)	TCRA-2466-	S TG6	1292.56	1668.85	1407.19	1783.48	2343.91	2815.30	2593.17	3126.10	
		72"(1829mm)	TCRA-2472-	S TG6	1327.90	1737.07	1445.01	1854.18	2455.79	2969.93	2725.77	3307.83	
		30"(762mm)	36"(914mm)	TCRA-3036-	S TG6	\$ 1167.27	\$ 1418.62	\$ 1273.22	\$ 1524.57	\$ 1947.37	\$ 2256.36	\$ 2123.03	\$ 2469.30
		42"(1067mm)	TCRA-3042-	S TG6	1209.00	1486.63	1318.05	1595.68	2079.72	2422.86	2279.61	2665.14	
		48"(1219mm)	TCRA-3048-	S TG6	1250.97	1556.34	1363.12	1668.49	2212.80	2592.01	2437.10	2864.08	
		54"(1372mm)	TCRA-3054-	S TG6	1293.18	1627.76	1408.43	1743.01	2346.63	2763.81	2595.49	3066.12	
		60"(1524mm)	TCRA-3060-	S TG6	1335.63	1700.90	1453.98	1819.25	2481.20	2938.27	2754.79	3271.26	
		66"(1676mm)	TCRA-3066-	S TG6	1378.33	1775.75	1499.78	1897.20	2616.51	3115.38	2915.00	3479.50	
		72"(1829mm)	TCRA-3072-	S TG6	1421.26	1852.30	1545.81	1976.85	2752.57	3295.14	3076.11	3690.85	
		36"(914mm)	66"(1676mm)	TCRA-3666-	S TG6	\$ 1464.09	\$ 1882.64	\$ 1592.36	\$ 2010.91	\$ 2889.12	\$ 3415.46	\$ 3236.82	\$ 3832.90
		72"(1829mm)	TCRA-3672-	S TG6	1514.62	1967.53	1646.61	2099.52	3049.35	3620.35	3426.46	4073.87	
42"(1067mm)	24"(610mm)	36"(914mm)	TCRA-2436-	S TG7	\$ 1254.22	\$ 1488.12	\$ 1356.45	\$ 1590.35	\$ 1930.39	\$ 2216.67	\$ 2078.54	\$ 2398.71	
		42"(1067mm)	TCRA-2442-	S TG7	1288.35	1547.78	1393.06	1652.49	2038.55	2358.03	2206.59	2564.93	
		48"(1219mm)	TCRA-2448-	S TG7	1322.72	1609.16	1429.91	1716.35	2147.45	2502.05	2335.55	2734.25	
		54"(1372mm)	TCRA-2454-	S TG7	1357.33	1672.25	1467.00	1781.92	2257.10	2648.72	2465.42	2906.67	
		60"(1524mm)	TCRA-2460-	S TG7	1392.18	1737.05	1504.33	1849.20	2367.49	2798.04	2596.20	3082.19	
		66"(1676mm)	TCRA-2466-	S TG7	1427.27	1803.56	1541.90	1918.19	2478.62	2950.01	2727.88	3260.81	
		72"(1829mm)	TCRA-2472-	S TG7	1462.61	1871.78	1579.72	1988.89	2590.50	3104.64	2860.48	3442.54	
		30"(762mm)	36"(914mm)	TCRA-3036-	S TG7	\$ 1301.98	\$ 1553.33	\$ 1407.93	\$ 1659.28	\$ 2082.08	\$ 2391.07	\$ 2257.74	\$ 2604.01
		42"(1067mm)	TCRA-3042-	S TG7	1343.71	1621.34	1452.76	1730.39	2214.43	2557.57	2414.32	2799.85	
		48"(1219mm)	TCRA-3048-	S TG7	1385.68	1691.05	1497.83	1803.20	2347.51	2726.72	2571.81	2998.79	
		54"(1372mm)	TCRA-3054-	S TG7	1427.89	1762.47	1543.14	1877.72	2481.34	2898.52	2730.20	3200.83	
		60"(1524mm)	TCRA-3060-	S TG7	1470.34	1835.61	1588.69	1953.96	2615.91	3072.98	2889.50	3405.97	
		66"(1676mm)	TCRA-3066-	S TG7	1513.04	1910.46	1634.49	2031.91	2751.22	3250.09	3049.71	3614.21	
		72"(1829mm)	TCRA-3072-	S TG7	1555.97	1987.01	1680.52	2111.56	2887.28	3429.85	3210.82	3825.56	
		36"(914mm)	66"(1676mm)	TCRA-3666-	S TG7	\$ 1598.80	\$ 2017.35	\$ 1727.07	\$ 2145.62	\$ 3023.83	\$ 3550.17	\$ 3371.53	\$ 3967.61
		72"(1829mm)	TCRA-3672-	S TG7	1649.33	2102.24	1781.32	2234.23	3184.06	3755.06	3561.17	4208.58	


Jive Table — T-Leg — Extruded

Rectangle

Height	Depth	Width	Number	HPL				Wood						
				A ①	B ②	F ③	J ④	A ⑤	B ⑥	K ⑦	U ⑩			
Base — Power Ready — No Cutout														
29"(737mm)	18"(457mm)	48"(1219mm)	TORA-1848-	S	T	4	\$1003.85	\$1271.36	\$1106.08	\$1373.59	\$1691.49	\$2021.47	\$1843.39	\$2213.80
		54"(1372mm)	TORA-1854-	S	T	4	1030.86	1326.12	1134.95	1430.21	1776.95	2143.01	1944.74	2356.60
		60"(1524mm)	TORA-1860-	S	T	4	1058.11	1382.58	1164.06	1488.53	1863.16	2267.19	2046.99	2502.50
		66"(1676mm)	TORA-1866-	S	T	4	1085.60	1440.76	1193.41	1548.57	1950.11	2394.03	2150.15	2651.50
		72"(1829mm)	TCRA-1872-	S	T	4	1113.34	1500.64	1223.01	1610.31	2037.81	2523.52	2254.22	2803.61
24"(610mm)	36"(914mm)	TCRA-2436-	S	T	4	\$998.31	\$1232.21	\$1100.54	\$1334.44	\$1674.48	\$1960.76	\$1822.63	\$2142.80	
	42"(1067mm)	TCRA-2442-	S	T	4	1032.44	1291.87	1137.15	1396.58	1782.64	2102.12	1950.68	2309.02	
	48"(1219mm)	TCRA-2448-	S	T	4	1066.81	1353.25	1174.00	1460.44	1891.54	2246.14	2079.64	2478.34	
	54"(1372mm)	TCRA-2454-	S	T	4	1101.42	1416.34	1211.09	1526.01	2001.19	2392.81	2209.51	2650.76	
	60"(1524mm)	TCRA-2460-	S	T	4	1136.27	1481.14	1248.42	1593.29	2111.58	2542.13	2340.29	2826.28	
	66"(1676mm)	TCRA-2466-	S	T	4	1171.36	1547.65	1285.99	1662.28	2222.71	2694.10	2471.97	3004.90	
	72"(1829mm)	TCRA-2472-	S	T	4	1206.70	1615.87	1323.81	1732.98	2334.59	2848.73	2604.57	3186.63	
30"(762mm)	36"(914mm)	TCRA-3036-	S	T	4	\$1046.07	\$1297.42	\$1152.02	\$1403.37	\$1826.17	\$2135.16	\$2001.83	\$2348.10	
	42"(1067mm)	TCRA-3042-	S	T	4	1087.80	1365.43	1196.85	1474.48	1958.52	2301.66	2158.41	2543.94	
	48"(1219mm)	TCRA-3048-	S	T	4	1129.77	1435.14	1241.92	1547.29	2091.60	2470.81	2315.90	2742.88	
	54"(1372mm)	TCRA-3054-	S	T	4	1171.98	1506.56	1287.23	1621.81	2225.43	2642.61	2474.29	2944.92	
	60"(1524mm)	TCRA-3060-	S	T	4	1214.43	1579.70	1332.78	1698.05	2360.00	2817.07	2633.59	3150.06	
	66"(1676mm)	TCRA-3066-	S	T	4	1257.13	1654.55	1378.58	1776.00	2495.31	2994.18	2793.80	3358.30	
	72"(1829mm)	TCRA-3072-	S	T	4	1300.06	1731.10	1424.61	1855.65	2631.37	3173.94	2954.91	3569.65	
36"(914mm)	60"(1524mm)	TCRA-3660-	S	T	4	\$1292.59	\$1678.26	\$1417.14	\$1802.81	\$2608.42	\$3092.01	\$2926.89	\$3473.84	
	66"(1676mm)	TCRA-3666-	S	T	4	1342.89	1761.44	1471.16	1889.71	2767.92	3294.26	3115.62	3711.70	
	72"(1829mm)	TCRA-3672-	S	T	4	1393.42	1846.33	1525.41	1978.32	2928.15	3499.15	3305.26	3952.67	
36"(914mm)	24"(610mm)	TCRA-2436-	S	TK6		\$1148.00	\$1381.90	\$1250.23	\$1484.13	\$1824.17	\$2110.45	\$1972.32	\$2292.49	
	42"(1067mm)	TCRA-2442-	S	TK6		1182.13	1441.56	1286.84	1546.27	1932.33	2251.81	2100.37	2458.71	
	48"(1219mm)	TCRA-2448-	S	TK6		1216.50	1502.94	1323.69	1610.13	2041.23	2395.83	2229.33	2628.03	
	54"(1372mm)	TCRA-2454-	S	TK6		1251.11	1566.03	1360.78	1675.70	2150.88	2542.50	2359.20	2800.45	
	60"(1524mm)	TCRA-2460-	S	TK6		1285.96	1630.83	1398.11	1742.98	2261.27	2691.82	2489.98	2975.97	
	66"(1676mm)	TCRA-2466-	S	TK6		1321.05	1697.34	1435.68	1811.97	2372.40	2843.79	2621.66	3154.59	
	72"(1829mm)	TCRA-2472-	S	TK6		1356.39	1765.56	1473.50	1882.67	2484.28	2998.42	2754.26	3336.32	
30"(762mm)	36"(914mm)	TCRA-3036-	S	TK6		\$1195.76	\$1447.11	\$1301.71	\$1553.06	\$1975.86	\$2284.85	\$2151.52	\$2497.79	
	42"(1067mm)	TCRA-3042-	S	TK6		1237.49	1515.12	1346.54	1624.17	2108.21	2451.35	2308.10	2693.63	
	48"(1219mm)	TCRA-3048-	S	TK6		1279.46	1584.83	1391.61	1696.98	2241.29	2620.50	2465.59	2892.57	
	54"(1372mm)	TCRA-3054-	S	TK6		1321.67	1656.25	1436.92	1771.50	2375.12	2792.30	2623.98	3094.61	
	60"(1524mm)	TCRA-3060-	S	TK6		1364.12	1729.39	1482.47	1847.74	2509.69	2966.76	2783.28	3299.75	
	66"(1676mm)	TCRA-3066-	S	TK6		1406.82	1804.24	1528.27	1925.69	2645.00	3143.87	2943.49	3507.99	
	72"(1829mm)	TCRA-3072-	S	TK6		1449.75	1880.79	1574.30	2005.34	2781.06	3323.63	3104.60	3719.34	
36"(914mm)	66"(1676mm)	TCRA-3666-	S	TK6		\$1492.58	\$1911.13	\$1620.85	\$2039.40	\$2917.61	\$3443.95	\$3265.31	\$3861.39	
	72"(1829mm)	TCRA-3672-	S	TK6		1543.11	1996.02	1675.10	2128.01	3077.84	3648.84	3454.95	4102.36	
42"(1067mm)	24"(610mm)	TCRA-2436-	S	TK7		\$1282.71	\$1516.61	\$1384.94	\$1618.84	\$1958.88	\$2245.16	\$2107.03	\$2427.20	
	42"(1067mm)	TCRA-2442-	S	TK7		1316.84	1576.27	1421.55	1680.98	2067.04	2386.52	2235.08	2593.42	
	48"(1219mm)	TCRA-2448-	S	TK7		1351.21	1637.65	1458.40	1744.84	2175.94	2530.54	2364.04	2762.74	
	54"(1372mm)	TCRA-2454-	S	TK7		1385.82	1700.74	1495.49	1810.41	2285.59	2677.21	2493.91	2935.16	
	60"(1524mm)	TCRA-2460-	S	TK7		1420.67	1765.54	1532.82	1877.69	2395.98	2826.53	2624.69	3110.68	
	66"(1676mm)	TCRA-2466-	S	TK7		1455.76	1832.05	1570.39	1946.68	2507.11	2978.50	2756.37	3289.30	
	72"(1829mm)	TCRA-2472-	S	TK7		1491.10	1900.27	1608.21	2017.38	2618.99	3133.13	2888.97	3471.03	
30"(762mm)	36"(914mm)	TCRA-3036-	S	TK7		\$1330.47	\$1581.82	\$1436.42	\$1687.77	\$2110.57	\$2419.56	\$2286.23	\$2632.50	
	42"(1067mm)	TCRA-3042-	S	TK7		1372.20	1649.83	1481.25	1758.88	2242.92	2586.06	2442.81	2828.34	
	48"(1219mm)	TCRA-3048-	S	TK7		1414.17	1719.54	1526.32	1831.69	2376.00	2755.21	2600.30	3027.28	
	54"(1372mm)	TCRA-3054-	S	TK7		1456.38	1790.96	1571.63	1906.21	2509.83	2927.01	2758.69	3229.32	
	60"(1524mm)	TCRA-3060-	S	TK7		1498.83	1864.10	1617.18	1982.45	2644.40	3101.47	2917.99	3434.46	
	66"(1676mm)	TCRA-3066-	S	TK7		1541.53	1938.95	1662.98	2060.40	2779.71	3278.58	3078.20	3642.70	
	72"(1829mm)	TCRA-3072-	S	TK7		1584.46	2015.50	1709.01	2140.05	2915.77	3458.34	3239.31	3854.05	
36"(914mm)	66"(1676mm)	TCRA-3666-	S	TK7		\$1627.29	\$2045.84	\$1755.56	\$2174.11	\$3052.32	\$3578.66	\$3400.02	\$3996.10	
	72"(1829mm)	TCRA-3672-	S	TK7		1677.82	2130.73	1809.81	2262.72	3212.55	3783.55	3589.66	4237.07	

Jive Table — T-Leg — Extended

Pebble

TCRP-SNT
Class JV**Features**

- Includes 1.18"(30mm) thick top, two T-Leg bases with extruded columns, and hardware.
- Standard table height is 29"(737mm).
- High-Pressure Laminate (HPL) top with knife edge or 3mm edgeband edges or wood veneer top with 3mm wood edgeband or knife edge.
- Casters:
 - Two locking and two non-locking casters.
 - Standard in black.
- Glides:
 - 0.625"(16mm) adjustment.
 - Standard in black.
- Casters and glides are not interchangeable.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tips

- Specifying a cutout does not automatically include a Power Ready base.**
- Factory installed cutout is available for:
 - Specify the (F) option for a Center, Single-Sided/4 outlet Flip Top Unit
 - Specify the (J) option for a Center, Single-Sided/6 outlet Flip Top Unit
- Power Ready Base:
 - Allows for cord management through one of the Extruded T-Leg. Powered leg location determined during installation.
 - Casters and Glides:
 - Specify the (J) option for Casters on the Power Ready base
 - Specify the (K) option for Glides on the Power Ready base
 - Flip Top Unit circuit breaker plug will not fit in the Power Ready Base opening.**
- Power cord length determines the distance to building power source.**
- Separately specified:
 - Horizontal and Vertical Wire Management
 - Power and Data Components
 - Accessories
- Refer to Specification Guide:
 - Accessory placement and compatibility.
 - Seating capacities and leg locations.
 - Information on electrical components compatible with factory cut opening.
 - Power Ready base cable capacity.
 - Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:

1) Product number, including:

1 Surface Option:**L** Laminate**W** Wood**2 Edge Option:**

Laminate:

J Edgeband**F** Knife

Wood:

K Edgeband**U** Knife**3 Cutout:****N** No Cutout**F** Center, Single-Sided/
4 outlets (add **\$48.13** list)**J** Center, Single-Sided/
6 outlets (add **\$48.13** list)**4 Base and Wire Management Option:**

Base - No Power:

C Casters (add **\$23.44** list)
(29"(737mm) Height Only)**G** Glides

Base - Power Ready:

J Casters (add **\$23.44** list)
(29"(737mm) Height Only)**K** Glides**5 Base Finish Option:****A** Painted
B Polished (add **\$66.68** list)

2) Laminate surface color or wood finish color.

3) Edgeband trim color (laminate only).



4) Base trim color.

Note: **\$66.18** upcharge list for
Metallic trim colors.

Height	Depth	Width	Number	HPL					Wood							
				1	2	3	4	5	J	F	J	F	K	U		
Base — No Power — No Cutout																
29"(737mm)	30"(762mm)	48"(1219mm)	TCRP-3048-	S	T	4			\$ 1101.28	\$ 1406.65	\$ 1213.43	\$ 1518.80	\$ 2063.11	\$ 2442.32	\$ 2287.41	\$ 2714.39
60"(1524mm)	TCRP-3060-	S	T	4					1185.94	1551.21	1304.29	1669.56	2331.51	2788.58	2605.10	3121.57
72"(1829mm)	TCRP-3072-	S	T	4					1271.57	1702.61	1396.12	1827.16	2602.88	3145.45	2926.42	3541.16
36"(914mm)	60"(1524mm)	TCRP-3660-	S	T	4				\$ 1264.10	\$ 1649.77	\$ 1388.65	\$ 1774.32	\$ 2579.93	\$ 3063.52	\$ 2898.40	\$ 3445.35
72"(1829mm)	TCRP-3672-	S	T	4					1364.93	1817.84	1496.92	1949.83	2899.66	3470.66	3276.77	3924.18
Base — Power Ready — No Cutout																
29"(737mm)	30"(762mm)	48"(1219mm)	TCRP-3048-	S	T	4			\$ 1129.77	\$ 1435.14	\$ 1241.92	\$ 1547.29	\$ 2091.60	\$ 2470.81	\$ 2315.90	\$ 2742.88
60"(1524mm)	TCRP-3060-	S	T	4					1214.43	1579.70	1332.78	1698.05	2360.00	2817.07	2633.59	3150.06
72"(1829mm)	TCRP-3072-	S	T	4					1300.06	1731.10	1424.61	1855.65	2631.37	3173.94	2954.91	3569.65
36"(914mm)	60"(1524mm)	TCRP-3660-	S	T	4				\$ 1292.59	\$ 1678.26	\$ 1417.14	\$ 1802.81	\$ 2608.42	\$ 3092.01	\$ 2926.89	\$ 3473.84
72"(1829mm)	TCRP-3672-	S	T	4					1393.42	1846.33	1525.41	1978.32	2928.15	3499.15	3305.26	3952.67

Jive Table — T-Leg — Extruded

Racetrack

TORT-SNT
Class JV**Features**

- Includes 1.18"(30mm) thick top, two T-Leg bases with extruded columns, and hardware.
- Standard table height is 29"(737mm).
- High-Pressure Laminate (HPL) top with knife edge or 3mm edgeband edges or wood veneer top with 3mm wood edgeband or knife edge.
- Casters:
 - Two locking and two non-locking casters.
 - Standard in black.
- Glides:
 - 0.625"(16mm) adjustment.
 - Standard in black.
- Casters and glides are not interchangeable.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tips

- Specifying a cutout does not automatically include a Power Ready base.**
- Factory installed cutout is available for:
 - Specify the (F) option for a Center, Single-Sided/4 outlet Flip Top Unit
 - Specify the (J) option for a Center, Single-Sided/6 outlet Flip Top Unit
- Power Ready Base:
 - Allows for cord management through one of the Extruded T-Leg. Powered leg location determined during installation.
 - Casters and Glides:
 - Specify the (J) option for Casters on the Power Ready base
 - Specify the (K) option for Glides on the Power Ready base
 - Flip Top Unit circuit breaker plug will not fit in the Power Ready Base opening.**
- Power cord length determines the distance to building power source.**
- Separately specified:
 - Horizontal and Vertical Wire Management
 - Power and Data Components
 - Accessories
- Refer to Specification Guide:
 - Accessory placement and compatibility.
 - Seating capacities and leg locations.
 - Information on electrical components compatible with factory cut opening.
 - Power Ready base cable capacity.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:

1) Product number, including:

1 Surface Option:**L** Laminate**W** Wood**2 Edge Option:**

Laminate:

J Edgeband**F** Knife

Wood:

K Edgeband**U** Knife**3 Cutout:****N** No Cutout**F** Center, Single-Sided/
4 outlets (add **\$48.13** list)**J** Center, Single-Sided/
6 outlets (add **\$48.13** list)**4 Base and Wire Management Option:**

Base - No Power:

C Casters (add **\$23.44** list)
(29"(737mm) Height Only)**G** Glides

Base - Power Ready:

J Casters (add **\$23.44** list)
(29"(737mm) Height Only)**K** Glides**5 Base Finish Option:****A** Painted**B** Polished (add **\$66.68** list)

2) Laminate surface color or wood finish color.

3) Edgeband trim color (laminate only).

4) Base trim color.

Note: **\$66.18** upcharge list for Metallic trim colors.


Height	Depth	Width	Number	HPL					Wood							
				A	B	J	F	J	F	A	B	K	U			
Base — No Power — No Cutout																
29"(737mm)	30"(762mm)	48"(1219mm)	TCRT-3048-	S	T	4		\$ 1101.28	\$ 1406.65	\$ 1213.43	\$ 1518.80	\$ 2063.11	\$ 2442.32	\$ 2287.41	\$ 2714.39	
		60"(1524mm)	TCRT-3060-	S	T	4		1185.94	1551.21	1304.29	1669.56	2331.51	2788.58	2605.10	3121.57	
		72"(1829mm)	TORT-3072-	S	T	4		1271.57	1702.61	1396.12	1827.16	2602.88	3145.45	2926.42	3541.16	
		36"(914mm)	60"(1524mm)	TORT-3660-	S	T	4		\$ 1264.10	\$ 1649.77	\$ 1388.65	\$ 1774.32	\$ 2579.93	\$ 3063.52	\$ 2898.40	\$ 3445.35
		72"(1829mm)	TORT-3672-	S	T	4		1364.93	1817.84	1496.92	1949.83	2899.66	3470.66	3276.77	3924.18	
Base — Power Ready — No Cutout																
29"(737mm)	30"(762mm)	48"(1219mm)	TCRT-3048-	S	T	4		\$ 1129.77	\$ 1435.14	\$ 1241.92	\$ 1547.29	\$ 2091.60	\$ 2470.81	\$ 2315.90	\$ 2742.88	
		60"(1524mm)	TORT-3060-	S	T	4		1214.43	1579.70	1332.78	1698.05	2360.00	2817.07	2633.59	3150.06	
		72"(1829mm)	TORT-3072-	S	T	4		1300.06	1731.10	1424.61	1855.65	2631.37	3173.94	2954.91	3569.65	
		36"(914mm)	60"(1524mm)	TORT-3660-	S	T	4		\$ 1292.59	\$ 1678.26	\$ 1417.14	\$ 1802.81	\$ 2608.42	\$ 3092.01	\$ 2926.89	\$ 3473.84
		72"(1829mm)	TCRT-3672-	S	T	4		1393.42	1846.33	1525.41	1978.32	2928.15	3499.15	3305.26	3952.67	

Jive Table — T-Leg — Extruded

Trapezoid



TOTP-SNT
Class JV



Features

- Includes 1.18"(30mm) thick top, two T-Leg bases with extruded columns, and hardware.
- Standard table height is 29"(737mm).
- High-Pressure Laminate (HPL) top with knife edge or 3mm edgeband edges or wood veneer top with 3mm wood edgeband or knife edge.
- Casters:
 - Two locking and two non-locking casters.
 - Standard in black.
- Glides:
 - 0.625"(16mm) adjustment.
 - Standard in black.
- Casters and glides are not interchangeable.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tips

- Edge choice allows a flat seam between tables.
- Specifying a cutout does not automatically include a Power Ready base.**
- Factory installed cutout is available for:
 - Specify the (F) option for a Center, Single-Sided/4 outlet Flip Top Unit
 - Specify the (J) option for a Center, Single-Sided/6 outlet Flip Top Unit
- Power Ready Base:
 - Allows for cord management through one of the Extruded T-Legs.
 - Powered leg location determined during installation.
- Casters and Glides:
 - Specify the (J) option for Casters on the Power Ready base
 - Specify the (K) option for Glides on the Power Ready base
- Flip Top Unit circuit breaker plug will not fit in the Power Ready Base opening.**
- Power cord length determines the distance to building power source.**
- Separately specified:
 - Ganging Mechanism - Recommended for use with power between tables.
 - Horizontal and Vertical Wire Management
 - Power and Data Components
 - Accessories
- Refer to Specification Guide:
 - Accessory placement and compatibility.
 - Seating capacities and leg locations.
 - Information on electrical components compatible with factory cut opening.
 - Power Ready base cable capacity.
- Application may require approval of local authority having jurisdiction (AHJ);
 - ensure compliance before placing orders and installation.
- Refer to Specification Guide for accessory placement and compatibility.

To Order, Specify:

1) Product number, including:

1 Surface Option:

L Laminate

W Wood

2 Edge Option:

Laminate:

J Edgeband

F Knife

Wood:

K Edgeband

U Knife

3 Cutout:

N No Cutout

F Center, Single-Sided/
4 outlets (add **\$48.13** list)

J Center, Single-Sided/
6 outlets (add **\$48.13** list)

4 Base and Wire Management Option:

Base - No Power:

C Casters (add **\$23.44** list)
(29"(737mm) Height Only)

G Glides

Base - Power Ready:

J Casters (add **\$23.44** list)
(29"(737mm) Height Only)

K Glides

5 Base Finish Option:

A Painted

B Polished (add **\$66.68** list)

2) Laminate surface color or wood finish color.

3) Edgeband trim color (laminate only).

4) Base trim color.

Note: **\$66.18** upcharge list for Metallic trim colors.



Jive Table — T-Leg — Extruded

Trapezoid

Height	Depth	Width	Number	HPL		Wood		A	B					
				A	B	F	J							
Base — No Power — No Cutout														
29"(737mm)	24"(610mm)	48"(1219mm)	TCTP-2448-	S	T	4	\$1038.34	\$1324.78	\$1043.30	\$1329.74	\$1246.48	\$1601.08	\$1305.95	\$1704.65
		54"(1372mm)	TCTP-2454-	S	T	4	1072.95	1387.87	1080.39	1395.31	1356.13	1747.75	1435.82	1877.07
		60"(1524mm)	TCTP-2460-	S	T	4	1107.80	1452.67	1117.72	1462.59	1466.52	1897.07	1566.60	2052.59
		66"(1676mm)	TCTP-2466-	S	T	4	1142.89	1519.18	1155.29	1531.58	1577.65	2049.04	1698.28	2231.21
		72"(1829mm)	TCTP-2472-	S	T	4	1178.23	1587.40	1193.11	1602.28	1689.53	2203.67	1830.88	2412.94
	30"(762mm)	60"(1524mm)	TCTP-3060-	S	T	4	\$1185.96	\$1551.23	\$1202.08	\$1567.35	\$1714.94	\$2172.01	\$1859.90	\$2376.37
		66"(1676mm)	TCTP-3066-	S	T	4	1228.66	1626.08	1247.88	1645.30	1850.25	2349.12	2020.11	2584.61
		72"(1829mm)	TCTP-3072-	S	T	4	1271.59	1702.63	1293.91	1724.95	1986.31	2528.88	2181.22	2795.96
	36"(914mm)	84"(2134mm)	TCTP-3684-	S	T	4	\$1466.76	\$1992.78	\$1503.96	\$2029.98	\$2605.80	\$3271.85	\$2913.57	\$3670.22
Base — Power Ready — No Cutout														
29"(737mm)	24"(610mm)	48"(1219mm)	TCTP-2448-	S	T	4	\$1066.83	\$1353.27	\$1071.79	\$1358.23	\$1274.97	\$1629.57	\$1334.44	\$1733.14
		54"(1372mm)	TCTP-2454-	S	T	4	1101.44	1416.36	1108.88	1423.80	1384.62	1776.24	1464.31	1905.56
		60"(1524mm)	TCTP-2460-	S	T	4	1136.29	1481.16	1146.21	1491.08	1495.01	1925.56	1595.09	2081.08
		66"(1676mm)	TCTP-2466-	S	T	4	1171.38	1547.67	1183.78	1560.07	1606.14	2077.53	1726.77	2259.70
		72"(1829mm)	TCTP-2472-	S	T	4	1206.72	1615.89	1221.60	1630.77	1718.02	2232.16	1859.37	2441.43
	30"(762mm)	60"(1524mm)	TCTP-3060-	S	T	4	\$1214.45	\$1579.72	\$1230.57	\$1595.84	\$1743.43	\$2200.50	\$1888.39	\$2404.86
		66"(1676mm)	TCTP-3066-	S	T	4	1257.15	1654.57	1276.37	1673.79	1878.74	2377.61	2048.60	2613.10
		72"(1829mm)	TCTP-3072-	S	T	4	1300.08	1731.12	1322.40	1753.44	2014.80	2557.37	2209.71	2824.45
	36"(914mm)	84"(2134mm)	TCTP-3684-	S	T	4	\$1495.25	\$2021.27	\$1532.45	\$2058.47	\$2634.29	\$3300.34	\$2942.06	\$3698.71

Jive Table — T-Leg — Round

Rectangle

TORA-SNF
Class JV**Features**

- Includes 1.18"(30mm) thick top, two T-Leg bases with round columns, and hardware.
- Standard table heights are 29"(737mm), 36"(914mm) and 42"(1067mm).
- High-Pressure Laminate (HPL) top with knife edge or 3mm edgeband edges or wood veneer top with 3mm wood edgeband or knife edge.
- Optional Belong Hatch cutout:

 - Laminate tops only with one cutout.
 - Available on 30"D and 36"D worksurfaces:
 - 30"D - Widths 54"(1372mm), 60"(1524mm), 66"(1676mm) and 72"(1829mm). All heights.
 - 36"D - Widths 66"(1676mm) and 72"(1829mm). All heights.
 - 36"D with 60"(1524mm) only available on 29"(737mm)H table.
 - Requires separately specified Belong Hatch.
 - Refer to Specification Guide for cutout details.

- Casters:
 - Two locking and two non-locking casters.
 - Standard in black.
- Glides:
 - 0.625"(16mm) adjustment.
 - Standard in black.
 - Casters and glides are not interchangeable.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tips

- No casters on 36"(914mm) or 42"(1067mm) height tables.
- Edge choice allows a flat seam between tables.
- Specifying a cutout does not automatically include a Power Ready base.**
- Factory installed cutout is available for:
 - Specify the (F) option for a Center, Single-Sided/4 outlet Flip Top Unit
 - Specify the (J) option for a Center, Single-Sided/6 outlet Flip Top Unit
 - Specify the (H) option for Belong Hatch
- Power Ready Base:
 - Allows for cord management through one of the Round T-Legs. Powered leg location determined during installation.
 - Casters and Glides:
 - Specify the (J) option for Casters on the Power Ready base (only available on 29"(737mm)H tables)
 - Specify the (K) option for Glides on the Power Ready base (available on 29"(737mm), 36"(914mm) and 42"(1067mm)H tables)
- Flip Top Unit circuit breaker plug will not fit in the Power Ready Base opening.**
- Power cord length determines the distance to building power source.**
- Separately specified:
 - Ganging Mechanism - Recommended for use with power between tables.
 - Horizontal and Vertical Wire Management
 - Power and Data Components
 - Accessories
- Refer to Specification Guide:
 - Accessory placement and compatibility.
 - Seating capacities and leg locations.
 - Information on electrical components compatible with factory cut opening.
 - Power Ready base cable capacity.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:

- 1) Product number, including:

1 Surface Option:**L** Laminate**W** Wood**2 Edge Option:**

Laminate:

J Edgeband**F** Knife

Wood:

K Edgeband**U** Knife**3 Cutout:****N** No Cutout**F** Center, Single-Sided/
4 outlets (add **\$48.13** list)**J** Center, Single-Sided/
6 outlets (add **\$48.13** list)**H** Belong Hatch**4 Base and Wire Management Option:**

Base - No Power:

C Casters (add **\$23.44** list)
(29"(737mm) Height Only)**G** Glides

Base - Power Ready:

J Casters (add **\$23.44** list)
(29"(737mm) Height Only)**K** Glides**5 Base Finish Option:****A** Painted**B** Polished (add **\$66.68** list)

- 2) Laminate surface color or wood finish color.

- 3) Edgeband trim color (laminate only).

- 4) Base trim color.

Note: **\$66.18** upcharge list for Metallic trim colors.

Jive Table — T-Leg — Round

Rectangle

Height	Depth	Width	Capacity	Number	Distributed Load		HPL		Wood							
					1	2	3	4	5	J	F	J	F	K	U	K
Base — No Power — No Cutout																
29"(737mm)	18"(457mm)	48"(1219mm)	158	TCRA-1848-	S	F	4		\$ 777.54	\$ 1045.05	\$ 879.77	\$ 1147.28	\$ 1465.18	\$ 1795.16	\$ 1617.08	\$ 1987.49
	54"(1372mm)		173	TCRA-1854-	S	F	4		804.55	1099.81	908.64	1203.90	1550.64	1916.70	1718.43	2130.29
	60"(1524mm)		187	TCRA-1860-	S	F	4		831.80	1156.27	937.75	1262.22	1636.85	2040.88	1820.68	2276.19
	66"(1676mm)		202	TCRA-1866-	S	F	4		859.29	1214.45	967.10	1322.26	1723.80	2167.72	1923.84	2425.19
	72"(1829mm)		216	TCRA-1872-	S	F	4		887.03	1274.33	996.70	1384.00	1811.50	2297.21	2027.91	2577.30
	24"(610mm) 36"(914mm)		144	TCRA-2436-	S	F	4		\$ 772.00	\$ 1005.90	\$ 874.23	\$ 1108.13	\$ 1448.17	\$ 1734.45	\$ 1596.32	\$ 1916.49
	42"(1067mm)		158	TCRA-2442-	S	F	4		806.13	1065.56	910.84	1170.27	1556.33	1875.81	1724.37	2082.71
	48"(1219mm)		173	TCRA-2448-	S	F	4		840.50	1126.94	947.69	1234.13	1665.23	2019.83	1853.33	2252.03
	54"(1372mm)		187	TCRA-2454-	S	F	4		875.11	1190.03	984.78	1299.70	1774.88	2166.50	1983.20	2424.45
	60"(1524mm)		202	TCRA-2460-	S	F	4		909.96	1254.83	1022.11	1366.98	1885.27	2315.82	2113.98	2599.97
	66"(1676mm)		216	TCRA-2466-	S	F	4		945.05	1321.34	1059.68	1435.97	1996.40	2467.79	2245.66	2778.59
	72"(1829mm)		230	TCRA-2472-	S	F	4		980.39	1389.56	1097.50	1506.67	2108.28	2622.42	2378.26	2960.32
	30"(762mm) 36"(914mm)		158	TCRA-3036-	S	F	4		\$ 819.76	\$ 1071.11	\$ 925.71	\$ 1177.06	\$ 1599.86	\$ 1908.85	\$ 1775.52	\$ 2121.79
	42"(1067mm)		173	TCRA-3042-	S	F	4		861.49	1139.12	970.54	1248.17	1732.21	2075.35	1932.10	2317.63
	48"(1219mm)		187	TCRA-3048-	S	F	4		903.46	1208.83	1015.61	1320.98	1865.29	2244.50	2089.59	2516.57
	54"(1372mm)		202	TCRA-3054-	S	F	4		945.67	1280.25	1060.92	1395.50	1999.12	2416.30	2247.98	2718.61
	60"(1524mm)		216	TCRA-3060-	S	F	4		988.12	1353.39	1106.47	1471.74	2133.69	2590.76	2407.28	2923.75
	66"(1676mm)		230	TCRA-3066-	S	F	4		1030.82	1428.24	1152.27	1549.69	2269.00	2767.87	2567.49	3131.99
	72"(1829mm)		245	TCRA-3072-	S	F	4		1073.75	1504.79	1198.30	1629.34	2405.06	2947.63	2728.60	3343.34
	36"(914mm) 60"(1524mm)		230	TCRA-3660-	S	F	4		\$ 1066.28	\$ 1451.95	\$ 1190.83	\$ 1576.50	\$ 2382.11	\$ 2865.70	\$ 2700.58	\$ 3247.53
	66"(1676mm)		245	TCRA-3666-	S	F	4		1116.58	1535.13	1244.85	1663.40	2541.61	3067.95	2889.31	3485.39
	72"(1829mm)		259	TCRA-3672-	S	F	4		1167.11	1620.02	1299.10	1752.01	2701.84	3272.84	3078.95	3726.36
36"(914mm)	24"(610mm) 36"(914mm)		144	TCRA-2436-	S	FG6			\$ 921.66	\$ 1155.56	\$ 1023.89	\$ 1257.79	\$ 1597.83	\$ 1884.11	\$ 1745.98	\$ 2066.15
	42"(1067mm)		158	TCRA-2442-	S	FG6			955.79	1215.22	1060.50	1319.93	1705.99	2025.47	1874.03	2232.37
	48"(1219mm)		173	TCRA-2448-	S	FG6			990.16	1276.60	1097.35	1383.79	1814.89	2169.49	2002.99	2401.69
	54"(1372mm)		187	TCRA-2454-	S	FG6			1024.77	1339.69	1134.44	1449.36	1924.54	2316.16	2132.86	2574.11
	60"(1524mm)		202	TCRA-2460-	S	FG6			1059.62	1404.49	1171.77	1516.64	2034.93	2465.48	2263.64	2749.63
	66"(1676mm)		216	TCRA-2466-	S	FG6			1094.71	1471.00	1209.34	1585.63	2146.06	2617.45	2395.32	2928.25
	72"(1829mm)		230	TCRA-2472-	S	FG6			1130.05	1539.22	1247.16	1656.33	2257.94	2772.08	2527.92	3109.98
	30"(762mm) 36"(914mm)		158	TCRA-3036-	S	FG6			\$ 969.42	\$ 1220.77	\$ 1075.37	\$ 1326.72	\$ 1749.52	\$ 2058.51	\$ 1925.18	\$ 2271.45
	42"(1067mm)		173	TCRA-3042-	S	FG6			1011.15	1288.78	1120.20	1397.83	1881.87	2225.01	2081.76	2467.29
	48"(1219mm)		187	TCRA-3048-	S	FG6			1053.12	1358.49	1165.27	1470.64	2014.95	2394.16	2239.25	2666.23
	54"(1372mm)		202	TCRA-3054-	S	FG6			1095.33	1429.91	1210.58	1545.16	2148.78	2565.96	2397.64	2868.27
	60"(1524mm)		216	TCRA-3060-	S	FG6			1137.78	1503.05	1256.13	1621.40	2283.35	2740.42	2556.94	3073.41
	66"(1676mm)		230	TCRA-3066-	S	FG6			1180.48	1577.90	1301.93	1699.35	2418.66	2917.53	2717.15	3281.65
	72"(1829mm)		245	TCRA-3072-	S	FG6			1223.41	1654.45	1347.96	1779.00	2554.72	3097.29	2878.26	3493.00
	36"(914mm) 66"(1676mm)		245	TCRA-3666-	S	FG6			\$ 1266.24	\$ 1684.79	\$ 1394.51	\$ 1813.06	\$ 2691.27	\$ 3217.61	\$ 3038.97	\$ 3635.05
	72"(1829mm)		259	TCRA-3672-	S	FG6			1316.77	1769.68	1448.76	1901.67	2851.50	3422.50	3228.61	3876.02
42"(1067mm)	24"(610mm) 36"(914mm)		144	TCRA-2436-	S	FG7			\$ 996.47	\$ 1230.37	\$ 1098.70	\$ 1332.60	\$ 1672.64	\$ 1958.92	\$ 1820.79	\$ 2140.96
	42"(1067mm)		158	TCRA-2442-	S	FG7			1030.60	1290.03	1135.31	1394.74	1780.80	2100.28	1948.84	2307.18
	48"(1219mm)		173	TCRA-2448-	S	FG7			1064.97	1351.41	1172.16	1458.60	1889.70	2244.30	2077.80	2476.50
	54"(1372mm)		187	TCRA-2454-	S	FG7			1099.58	1414.50	1209.25	1524.17	1999.35	2390.97	2207.67	2648.92
	60"(1524mm)		202	TCRA-2460-	S	FG7			1134.43	1479.30	1246.58	1591.45	2109.74	2540.29	2338.45	2824.44
	66"(1676mm)		216	TCRA-2466-	S	FG7			1169.52	1545.81	1284.15	1660.44	2220.87	2692.26	2470.13	3003.06
	72"(1829mm)		230	TCRA-2472-	S	FG7			1204.86	1614.03	1321.97	1731.14	2332.75	2846.89	2602.73	3184.79
	30"(762mm) 36"(914mm)		158	TCRA-3036-	S	FG7			\$ 1044.23	\$ 1295.58	\$ 1150.18	\$ 1401.53	\$ 1824.33	\$ 2133.32	\$ 1999.99	\$ 2346.26
	42"(1067mm)		173	TCRA-3042-	S	FG7			1085.96	1363.59	1195.01	1472.64	1956.68	2299.82	2156.57	2542.10
	48"(1219mm)		187	TCRA-3048-	S	FG7			1127.93	1433.30	1240.08	1545.45	2089.76	2468.97	2314.06	2741.04
	54"(1372mm)		202	TCRA-3054-	S	FG7			1170.14	1504.72	1285.39	1619.97	2223.59	2640.77	2472.45	2943.08
	60"(1524mm)		216	TCRA-3060-	S	FG7			1212.59	1577.86	1330.94	1696.21	2358.16	2815.23	2631.75	3148.22
	66"(1676mm)		230	TCRA-3066-	S	FG7			1255.29	1652.71	1376.74	1774.16	2493.47	2992.34	2791.96	3356.46
	72"(1829mm)		245	TCRA-3072-	S	FG7			1298.22	1729.26	1422.77	1853.81	2629.53	3172.10	2953.07	3567.81
	36"(914mm) 66"(1676mm)		245	TCRA-3666-	S	FG7			\$ 1341.05	\$ 1759.60	\$ 1469.32	\$ 1887.87	\$ 2766.08	\$ 3292.42	\$ 3113.78	\$ 3709.86
	72"(1829mm)		259	TCRA-3672-	S	FG7			1391.58	1844.49	1523.57	1976.48	2926.31	3497.31	3303.42	3950.83


Jive Table — T-Leg — Round

Rectangle

Height	Depth	Width	Capacity	Number	Distributed Load					HPL			Wood				
					1	2	3	4	5	J	F	J	F	K	U	K	U
Base — Power Ready — No Cutout																	
29"(737mm)	18"(457mm)	48"(1219mm)	158	TORA-1848-	S	F	4		\$ 806.03	\$ 1073.54	\$ 908.26	\$ 1175.77	\$ 1493.67	\$ 1823.65	\$ 1645.57	\$ 2015.98	
	54"(1372mm)		173	TORA-1854-	S	F	4		833.04	1128.30	937.13	1232.39	1579.13	1945.19	1746.92	2158.78	
	60"(1524mm)		187	TORA-1860-	S	F	4		860.29	1184.76	966.24	1290.71	1665.34	2069.37	1849.17	2304.68	
	66"(1676mm)		202	TORA-1866-	S	F	4		887.78	1242.94	995.59	1350.75	1752.29	2196.21	1952.33	2453.68	
	72"(1829mm)		216	TORA-1872-	S	F	4		915.52	1302.82	1025.19	1412.49	1839.99	2325.70	2056.40	2605.79	
	24"(610mm) 36"(914mm)		144	TCRA-2436-	S	F	4		\$ 800.49	\$ 1034.39	\$ 902.72	\$ 1136.62	\$ 1476.66	\$ 1762.94	\$ 1624.81	\$ 1944.98	
	42"(1067mm)		158	TCRA-2442-	S	F	4		834.62	1094.05	939.33	1198.76	1584.82	1904.30	1752.86	2111.20	
	48"(1219mm)		173	TCRA-2448-	S	F	4		868.99	1155.43	976.18	1262.62	1693.72	2048.32	1881.82	2280.52	
	54"(1372mm)		187	TCRA-2454-	S	F	4		903.60	1218.52	1013.27	1328.19	1803.37	2194.99	2011.69	2452.94	
	60"(1524mm)		202	TCRA-2460-	S	F	4		938.45	1283.32	1050.60	1395.47	1913.76	2344.31	2142.47	2628.46	
	66"(1676mm)		216	TCRA-2466-	S	F	4		973.54	1349.83	1088.17	1464.46	2024.89	2496.28	2274.15	2807.08	
	72"(1829mm)		230	TCRA-2472-	S	F	4		1008.88	1418.05	1125.99	1535.16	2136.77	2650.91	2406.75	2988.81	
	30"(762mm) 36"(914mm)		158	TCRA-3036-	S	F	4		\$ 848.25	\$ 1099.60	\$ 954.20	\$ 1205.55	\$ 1628.35	\$ 1937.34	\$ 1804.01	\$ 2150.28	
	42"(1067mm)		173	TCRA-3042-	S	F	4		889.98	1167.61	999.03	1276.66	1760.70	2103.84	1960.59	2346.12	
	48"(1219mm)		187	TCRA-3048-	S	F	4		931.95	1237.32	1044.10	1349.47	1893.78	2272.99	2118.08	2545.06	
	54"(1372mm)		202	TCRA-3054-	S	F	4		974.16	1308.74	1089.41	1423.99	2027.61	2444.79	2276.47	2747.10	
	60"(1524mm)		216	TCRA-3060-	S	F	4		1016.61	1381.88	1134.96	1500.23	2162.18	2619.25	2435.77	2952.24	
	66"(1676mm)		230	TCRA-3066-	S	F	4		1059.31	1456.73	1180.76	1578.18	2297.49	2796.36	2595.98	3160.48	
	72"(1829mm)		245	TCRA-3072-	S	F	4		1102.24	1533.28	1226.79	1657.83	2433.55	2976.12	2757.09	3371.83	
	36"(914mm) 60"(1524mm)		230	TCRA-3660-	S	F	4		\$ 1094.77	\$ 1480.44	\$ 1219.32	\$ 1604.99	\$ 2410.60	\$ 2894.19	\$ 2729.07	\$ 3276.02	
	66"(1676mm)		245	TCRA-3666-	S	F	4		1145.07	1563.62	1273.34	1691.89	2570.10	3096.44	2917.80	3513.88	
	72"(1829mm)		259	TCRA-3672-	S	F	4		1195.60	1648.51	1327.59	1780.50	2730.33	3301.33	3107.44	3754.85	
36"(914mm)	24"(610mm) 36"(914mm)		144	TCRA-2436-	S	FK6			\$ 950.15	\$ 1184.05	\$ 1052.38	\$ 1286.28	\$ 1626.32	\$ 1912.60	\$ 1774.47	\$ 2094.64	
	42"(1067mm)		158	TCRA-2442-	S	FK6			984.28	1243.71	1088.99	1348.42	1734.48	2053.96	1902.52	2260.86	
	48"(1219mm)		173	TCRA-2448-	S	FK6			1018.65	1305.09	1125.84	1412.28	1843.38	2197.98	2031.48	2430.18	
	54"(1372mm)		187	TCRA-2454-	S	FK6			1053.26	1368.18	1162.93	1477.85	1953.03	2344.65	2161.35	2602.60	
	60"(1524mm)		202	TCRA-2460-	S	FK6			1088.11	1432.98	1200.26	1545.13	2063.42	2493.97	2292.13	2778.12	
	66"(1676mm)		216	TCRA-2466-	S	FK6			1123.20	1499.49	1237.83	1614.12	2174.55	2645.94	2423.81	2956.74	
	72"(1829mm)		230	TCRA-2472-	S	FK6			1158.54	1567.71	1275.65	1684.82	2286.43	2800.57	2556.41	3138.47	
	30"(762mm) 36"(914mm)		158	TCRA-3036-	S	FK6			\$ 997.91	\$ 1249.26	\$ 1103.86	\$ 1355.21	\$ 1778.01	\$ 2087.00	\$ 1953.67	\$ 2299.94	
	42"(1067mm)		173	TCRA-3042-	S	FK6			1039.64	1317.27	1148.69	1426.32	1910.36	2253.50	2110.25	2495.78	
	48"(1219mm)		187	TCRA-3048-	S	FK6			1081.61	1386.98	1193.76	1499.13	2043.44	2422.65	2267.74	2694.72	
	54"(1372mm)		202	TCRA-3054-	S	FK6			1123.82	1458.40	1239.07	1573.65	2177.27	2594.45	2426.13	2896.76	
	60"(1524mm)		216	TCRA-3060-	S	FK6			1166.27	1531.54	1284.62	1649.89	2311.84	2768.91	2585.43	3101.90	
	66"(1676mm)		230	TCRA-3066-	S	FK6			1208.97	1606.39	1330.42	1727.84	2447.15	2946.02	2745.64	3310.14	
	72"(1829mm)		245	TCRA-3072-	S	FK6			1251.90	1682.94	1376.45	1807.49	2583.21	3125.78	2906.75	3521.49	
	36"(914mm) 66"(1676mm)		245	TCRA-3666-	S	FK6			\$ 1294.73	\$ 1713.28	\$ 1423.00	\$ 1841.55	\$ 2719.76	\$ 3246.10	\$ 3067.46	\$ 3663.54	
	72"(1829mm)		259	TCRA-3672-	S	FK6			1345.26	1798.17	1477.25	1930.16	2879.99	3450.99	3257.10	3904.51	
42"(1067mm)	24"(610mm) 36"(914mm)		144	TCRA-2436-	S	FK7			\$ 1024.96	\$ 1258.86	\$ 1127.19	\$ 1361.09	\$ 1701.13	\$ 1987.41	\$ 1849.28	\$ 2169.45	
	42"(1067mm)		158	TCRA-2442-	S	FK7			1059.09	1318.52	1163.80	1423.23	1809.29	2128.77	1977.33	2335.67	
	48"(1219mm)		173	TCRA-2448-	S	FK7			1093.46	1379.90	1200.65	1487.09	1918.19	2272.79	2106.29	2504.99	
	54"(1372mm)		187	TCRA-2454-	S	FK7			1128.07	1442.99	1237.74	1552.66	2027.84	2419.46	2236.16	2677.41	
	60"(1524mm)		202	TCRA-2460-	S	FK7			1162.92	1507.79	1275.07	1619.94	2138.23	2568.78	2366.94	2852.93	
	66"(1676mm)		216	TCRA-2466-	S	FK7			1198.01	1574.30	1312.64	1688.93	2249.36	2720.75	2498.62	3031.55	
	72"(1829mm)		230	TCRA-2472-	S	FK7			1233.35	1642.52	1350.46	1759.63	2361.24	2875.38	2631.22	3213.28	
	30"(762mm) 36"(914mm)		158	TCRA-3036-	S	FK7			\$ 1072.72	\$ 1324.07	\$ 1178.67	\$ 1430.02	\$ 1852.82	\$ 2161.81	\$ 2028.48	\$ 2374.75	
	42"(1067mm)		173	TCRA-3042-	S	FK7			1114.45	1392.08	1223.50	1501.13	1985.17	2328.31	2185.06	2570.59	
	48"(1219mm)		187	TCRA-3048-	S	FK7			1156.42	1461.79	1268.57	1573.94	2118.25	2497.46	2342.55	2769.53	
	54"(1372mm)		202	TCRA-3054-	S	FK7			1198.63	1533.21	1313.88	1648.46	2252.08	2669.26	2500.94	2971.57	
	60"(1524mm)		216	TCRA-3060-	S	FK7			1241.08	1606.35	1359.43	1724.70	2386.65	2843.72	2660.24	3176.71	
	66"(1676mm)		230	TCRA-3066-	S	FK7			1283.78	1681.20	1405.23	1802.65	2521.96	3020.83	2820.45	3384.95	
	72"(1829mm)		245	TCRA-3072-	S	FK7			1326.71	1757.75	1451.26	1882.30	2658.02	3200.59	2981.56	3596.30	
	36"(914mm) 66"(1676mm)		245	TCRA-3666-	S	FK7			\$ 1369.54	\$ 1788.09	\$ 1497.81	\$ 1916.36	\$ 2794.57	\$ 3320.91	\$ 3142.27	\$ 3738.35	
	72"(1829mm)		259	TCRA-3672-	S	FK7			1420.07	1872.98	1552.06	2004.97	2954.80	3525.80	3331.91	3979.32	

Jive Table — T-Leg — Round

Pebble

TORP-SNF
Class JV**Features**

- Includes 1.18"(30mm) thick top, two T-Leg bases with round columns, and hardware.
- Standard table height is 29"(737mm).
- High-Pressure Laminate (HPL) top with knife edge or 3mm edgeband edges or wood veneer top with 3mm wood edgeband or knife edge.
- Casters:
 - Two locking and two non-locking casters.
 - Standard in black.
- Glides:
 - 0.625"(16mm) adjustment.
 - Standard in black.
- Casters and glides are not interchangeable.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tips

- Specifying a cutout does not automatically include a Power Ready base.**
- Factory installed cutout is available for:
 - Specify the (F) option for a Center, Single-Sided/4 outlet Flip Top Unit
 - Specify the (J) option for a Center, Single-Sided/6 outlet Flip Top Unit
- Power Ready Base:
 - Allows for cord management through one of the Round T-Legs. Powered leg location determined during installation.
 - Casters and Glides:
 - Specify the (J) option for Casters on the Power Ready base
 - Specify the (K) option for Glides on the Power Ready base
 - Flip Top Unit circuit breaker plug will not fit in the Power Ready Base opening.**
- Power cord length determines the distance to building power source.**
- Separately specified:
 - Horizontal and Vertical Wire Management
 - Power and Data Components
 - Accessories
- Refer to Specification Guide:
 - Accessory placement and compatibility.
 - Seating capacities and leg locations.
 - Information on electrical components compatible with factory cut opening.
 - Power Ready base cable capacity.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:

1) Product number, including:

1 Surface Option:**L** Laminate**W** Wood**2 Edge Option:**

Laminate:

J Edgeband**F** Knife

Wood:

K Edgeband**U** Knife**3 Cutout:****N** No Cutout**F** Center, Single-Sided/
4 outlets (add **\$48.13** list)**J** Center, Single-Sided/
6 outlets (add **\$48.13** list)**4 Base and Wire Management Option:**

Base - No Power:

C Casters (add **\$23.44** list)
(29"(737mm) Height Only)**G** Glides

Base - Power Ready:

J Casters (add **\$23.44** list)
(29"(737mm) Height Only)**K** Glides**5 Base Finish Option:****A** Painted**B** Polished (add **\$66.68** list)

2) Laminate surface color or wood finish color.

3) Edgeband trim color (laminate only).

4) Base trim color.

Note: **\$66.18** upcharge list for Metallic trim colors.


Height	Depth	Width	Number	HPL				Wood								
				1	2	3	4	5	J	F	J	F	K	U	K	U
Base — No Power — No Top Cutout																
29"(737mm)	30"(762mm)	48"(1219mm)	TORP-3048-	S	F	4			\$ 903.46	\$ 1208.83	\$ 1015.61	\$ 1320.98	\$ 1865.29	\$ 2244.50	\$ 2089.59	\$ 2516.57
60"(1524mm)	TORP-3060-	S	F	4					988.12	1353.39	1106.47	1471.74	2133.69	2590.76	2407.28	2923.75
72"(1829mm)	TORP-3072-	S	F	4					1073.75	1504.79	1198.30	1629.34	2405.06	2947.63	2728.60	3343.34
36"(914mm)	60"(1524mm)	TORP-3660-	S	F	4				\$ 1066.28	\$ 1451.95	\$ 1190.83	\$ 1576.50	\$ 2382.11	\$ 2865.70	\$ 2700.58	\$ 3247.53
72"(1829mm)	TORP-3672-	S	F	4					1167.11	1620.02	1299.10	1752.01	2701.84	3272.84	3078.95	3726.36
Base — Power Ready — No Top Cutout																
29"(737mm)	30"(762mm)	48"(1219mm)	TORP-3048-	S	F	4			\$ 931.95	\$ 1237.32	\$ 1044.10	\$ 1349.47	\$ 1893.78	\$ 2272.99	\$ 2118.08	\$ 2545.06
60"(1524mm)	TORP-3060-	S	F	4					1016.61	1381.88	1134.96	1500.23	2162.18	2619.25	2435.77	2952.24
72"(1829mm)	TORP-3072-	S	F	4					1102.24	1533.28	1226.79	1657.83	2433.55	2976.12	2757.09	3371.83
36"(914mm)	60"(1524mm)	TORP-3660-	S	F	4				\$ 1094.77	\$ 1480.44	\$ 1219.32	\$ 1604.99	\$ 2410.60	\$ 2894.19	\$ 2729.07	\$ 3276.02
72"(1829mm)	TORP-3672-	S	F	4					1195.60	1648.51	1327.59	1780.50	2730.33	3301.33	3107.44	3754.85

Jive Table — T-Leg — Round

Racetrack



TORT-SNE
Class JV



Features

- Includes 1.18"(30mm) thick top, two T-Leg bases with round columns, and hardware.
- Standard table height is 29"(737mm).
- High-Pressure Laminate (HPL) top with knife edge or 3mm edgeband edges or wood veneer top with 3mm wood edgeband or knife edge.
- Casters:
 - Two locking and two non-locking casters.
 - Standard in black.
- Glides:
 - 0.625"(16mm) adjustment.
 - Standard in black.
- Casters and glides are not interchangeable.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tips

- Specifying a cutout does not automatically include a Power Ready base.**
- Factory installed cutout is available for:
 - Specify the (F) option for a Center, Single-Sided/4 outlet Flip Top Unit
 - Specify the (J) option for a Center, Single-Sided/6 outlet Flip Top Unit
- Power Ready Base:**
 - Allows for cord management through one of the Round T-Leg. Powered leg location determined during installation.
 - Casters and Glides:
 - Specify the (J) option for Casters on the Power Ready base
 - Specify the (K) option for Glides on the Power Ready base
 - Flip Top Unit circuit breaker plug will not fit in the Power Ready Base opening.**
- Power cord length determines the distance to building power source.**
- Separately specified:
 - Horizontal and Vertical Wire Management
 - Power and Data Components
 - Accessories
- Refer to Specification Guide:
 - Accessory placement and compatibility.
 - Seating capacities and leg locations.
 - Information on electrical components compatible with factory cut opening.
 - Power Ready base cable capacity.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:

1) Product number, including:

1 Surface Option:

L Laminate

W Wood

2 Edge Option:

Laminate:

J Edgeband

F Knife

Wood:

K Edgeband

U Knife

3 Cutout:

N No Cutout

F Center, Single-Sided/
4 outlets (add **\$48.13** list)

J Center, Single-Sided/
6 outlets (add **\$48.13** list)

4 Base Wire Management Option:

Base - No Power:

C Casters (add **\$23.44** list)
(29"(737mm) Height Only)

G Glides

Base - Power Ready:

J Casters (add **\$23.44** list)
(29"(737mm) Height Only)

K Glides

5 Base Finish Option:

A Painted

B Polished (add **\$66.68** list)

2) Laminate surface color or wood finish color.

3) Edgeband trim color (laminate only).

4) Base trim color.

Note: **\$66.18** upcharge list for Metallic trim colors.


Height	Depth	Width	Number	HPL				Wood			
				A	B	A	B	K	U	K	U
Base — No Power — No Cutout											
29"(737mm)	30"(762mm)	48"(1219mm)	TORT-3048-	S F 4	\$ 903.46	\$1208.83	\$ 1015.61	\$1320.98	\$ 1865.29	\$2244.50	\$2089.59
60"(1524mm)	TORT-3060-	S F 4	988.12	1353.39	1106.47	1471.74	2133.69	2590.76	2407.28	2923.75	
72"(1829mm)	TORT-3072-	S F 4	1073.75	1504.79	1198.30	1629.34	2405.06	2947.63	2728.60	3343.34	
36"(914mm)	60"(1524mm)	TORT-3660-	S F 4	\$1066.28	\$ 1451.95	\$ 1190.83	\$1576.50	\$2382.11	\$2865.70	\$2700.58	\$3247.53
72"(1829mm)	TORT-3672-	S F 4	1167.11	1620.02	1299.10	1752.01	2701.84	3272.84	3078.95	3726.36	
Base — Power Ready — No Cutout											
29"(737mm)	30"(762mm)	48"(1219mm)	TORT-3048-	S F 4	\$ 931.95	\$1237.32	\$1044.10	\$1349.47	\$ 1893.78	\$2272.99	\$ 2118.08
60"(1524mm)	TORT-3060-	S F 4	1016.61	1381.88	1134.96	1500.23	2162.18	2619.25	2435.77	2952.24	
72"(1829mm)	TORT-3072-	S F 4	1102.24	1533.28	1226.79	1657.83	2433.55	2976.12	2757.09	3371.83	
36"(914mm)	60"(1524mm)	TORT-3660-	S F 4	\$1094.77	\$1480.44	\$ 1219.32	\$1604.99	\$ 2410.60	\$2894.19	\$2729.07	\$3276.02
72"(1829mm)	TORT-3672-	S F 4	1195.60	1648.51	1327.59	1780.50	2730.33	3301.33	3107.44	3754.85	

Jive Table — T-Leg — Round

Trapezoid



TCTP-SNF
Class JV



Features

- Includes 1.18"(30mm) thick top, two T-Leg bases with round columns, and hardware.
- Standard table height is 29"(737mm).
- High-Pressure Laminate (HPL) top with knife edge or 3mm edgeband edges or wood veneer top with 3mm wood edgeband or knife edge.
- Casters:
 - Two locking and two non-locking casters.
 - Standard in black.
- Glides:
 - 0.625"(16mm) adjustment.
 - Standard in black.
- Casters and glides are not interchangeable.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tips

- Edge choice allows a flat seam between tables.
- Specifying a cutout does not automatically include a Power Ready base.**
- Factory installed cutout is available for:
 - Specify the (F) option for a Center, Single-Sided/4 outlet Flip Top Unit
 - Specify the (J) option for a Center, Single-Sided/6 outlet Flip Top Unit
- Power Ready Base:
 - Allows for cord management through one of the Round T-Legs. Powered leg location determined during installation.
 - Casters and Glides:
 - Specify the (J) option for Casters on the Power Ready base
 - Specify the (K) option for Glides on the Power Ready base
 - Flip Top Unit circuit breaker plug will not fit in the Power Ready Base opening.**
 - Power cord length determines the distance to building power source.**
 - Separately specified:
 - Ganging Mechanism - Recommended for use with power between tables.
 - Horizontal and Vertical Wire Management
 - Power and Data Components
 - Refer to Specification Guide:
 - Accessory placement and compatibility.
 - Seating capacities and leg locations.
 - Information on electrical components compatible with factory cut opening.
 - Power Ready base cable capacity.
 - Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.
 - Refer to Specification Guide for accessory placement and compatibility.

To Order, Specify:

1) Product number, including:

1 Surface Option:

L Laminate

W Wood

2 Edge Option:

Laminate:

J Edgeband

F Knife

Wood:

K Edgeband

U Knife

3 Cutout:

N No Cutout

F Center, Single-Sided/4 outlets (add **\$48.13** list)

J Center, Single-Sided/6 outlets (add **\$48.13** list)

4 Base and Wire Management Option:

Base - No Power:

C Casters (add **\$23.44** list)
(29"(737mm) Height Only)

G Glides

Base - Power Ready:

J Casters (add **\$23.44** list)
(29"(737mm) Height Only)

K Glides

5 Base Finish Option:

A Painted

B Polished (add **\$66.68** list)

2) Laminate surface color or wood finish color.

3) Edgeband trim color (laminate only).







4) Base trim color.

Note: **\$66.18** upcharge list for Metallic trim colors.

Jive Table — T-Leg — Round Trapezoid

Height	Depth	Width	Number	HPL				Wood				
				A J	B F	A J	B F	A K	B U	A K	B U	
Base — No Power — No Cutout												
29"(737mm)	24"(610mm)	48"(1219mm)	TCTP-2448-	S F 4	\$ 840.52	\$ 1126.96	\$ 845.48	\$ 1131.92	\$ 1048.66	\$ 1403.26	\$ 1108.13	\$ 1506.83
		54"(1372mm)	TCTP-2454-	S F 4	875.13	1190.05	882.57	1197.49	1158.31	1549.93	1238.00	1679.25
		60"(1524mm)	TCTP-2460-	S F 4	909.98	1254.85	919.90	1264.77	1268.70	1699.25	1368.78	1854.77
		66"(1676mm)	TCTP-2466-	S F 4	945.07	1321.36	957.47	1333.76	1379.83	1851.22	1500.46	2033.39
		72"(1829mm)	TCTP-2472-	S F 4	980.41	1389.58	995.29	1404.46	1491.71	2005.85	1633.06	2215.12
30"(762mm)	60"(1524mm)	TCTP-3060-	S F 4	\$ 988.14	\$ 1353.41	\$ 1004.26	\$ 1369.53	\$ 1517.12	\$ 1974.19	\$ 1662.08	\$ 2178.55	
		66"(1676mm)	TCTP-3066-	S F 4	1030.84	1428.26	1050.06	1447.48	1652.43	2151.30	1822.29	2386.79
		72"(1829mm)	TCTP-3072-	S F 4	1073.77	1504.81	1096.09	1527.13	1788.49	2331.06	1983.40	2598.14
36"(914mm)	84"(2134mm)	TCTP-3684-	S F 4	\$ 1268.94	\$ 1794.96	\$ 1306.14	\$ 1832.16	\$ 2407.98	\$ 3074.03	\$ 2715.75	\$ 3472.40	
Base — Power Ready — No Cutout												
29"(737mm)	24"(610mm)	48"(1219mm)	TCTP-2448-	S F 4	\$ 869.01	\$ 1155.45	\$ 873.97	\$ 1160.41	\$ 1077.15	\$ 1431.75	\$ 1136.62	\$ 1535.32
		54"(1372mm)	TCTP-2454-	S F 4	903.62	1218.54	911.06	1225.98	1186.80	1578.42	1266.49	1707.74
		60"(1524mm)	TCTP-2460-	S F 4	938.47	1283.34	948.39	1293.26	1297.19	1727.74	1397.27	1883.26
		66"(1676mm)	TCTP-2466-	S F 4	973.56	1349.85	985.96	1362.25	1408.32	1879.71	1528.95	2061.88
		72"(1829mm)	TCTP-2472-	S F 4	1008.90	1418.07	1023.78	1432.95	1520.20	2034.34	1661.55	2243.61
30"(762mm)	60"(1524mm)	TCTP-3060-	S F 4	\$ 1016.63	\$ 1381.90	\$ 1032.75	\$ 1398.02	\$ 1545.61	\$ 2002.68	\$ 1690.57	\$ 2207.04	
		66"(1676mm)	TCTP-3066-	S F 4	1059.33	1456.75	1078.55	1475.97	1680.92	2179.79	1850.78	2415.28
		72"(1829mm)	TCTP-3072-	S F 4	1102.26	1533.30	1124.58	1555.62	1816.98	2359.55	2011.89	2626.63
36"(914mm)	84"(2134mm)	TCTP-3684-	S F 4	\$ 1297.43	\$ 1823.45	\$ 1334.63	\$ 1860.65	\$ 2436.47	\$ 3102.52	\$ 2744.24	\$ 3500.89	

Jive Table — T-Leg (Round or Extruded) — Flip Base Rectangle



Features

- Includes 1.18"(30mm) thick top, two T-Leg bases with round or extruded columns, stretcher and hardware.
- Nesting Options:
 - Diagonal Nesting (available for round or extruded columns): Provides a compact nesting solution with parallel feet, ensuring a symmetrical look while maximizing legroom.
 - In-Line Nesting (exclusive to round columns): Optimizes storage by allowing tables to nest in a straight line, making efficient use of space.
- Table height is 29"(737mm).
- Laminate or wood top with 3mm edgeband or knife edge on all sides.
- T-Leg base with round or extruded columns are available with casters and glides.
- Casters:
 - Two locking and two non-locking casters.
 - Standard in black.
- Glides:
 - 0.625"(16mm) adjustment.
 - Standard in black.
- Casters and glides are not interchangeable.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tips

- Specifying a cutout does not automatically include a Power Ready base.**
- Factory installed cutout is available for:
 - Specify the (A) option for a Center, Single-Sided/2 outlet Flip Top Unit
 - Specify the (F) option for a Center, Single-Sided/4 outlet Flip Top Unit
 - Specify the (J) option for a Center, Single-Sided/6 outlet Flip Top Unit
- Power Ready Base:
 - Allows for cord management through one of the T-Leg (Round or Extruded) Base Legs. Powered leg location determined during installation.
 - Casters and Glides:
 - Specify the (L) option for Casters on the Power Ready base (diagonal nesting)
 - Specify the (Q) option for Casters on the Power Ready base (in-line nesting)
 - Specify the (M) option for Glides on the Power Ready base (diagonal nesting)
 - Specify the (R) option for Glides on the Power Ready base (in-line nesting)
- Flip Top Unit circuit breaker plug will not fit in the Power Ready Base opening.**
- Each nested table adds 7.5"(191mm) to the overall depth.
- Power cord length determines the distance to building power source.**
- Separately specified:
 - Ganging Mechanism - Required for use with powered tables.
 - Horizontal and Vertical Wire Management
 - Power and Data Components
 - Accessories
- Refer to Specification Guide:
 - Accessory placement and compatibility.
 - Seating capacities and leg locations.
 - Information on electrical components compatible with factory cut opening.
 - Power Ready base cable capacity.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:

- 1) Product number, including:

① Surface Option:

L Laminate

W Wood

② Edge Option:

Laminate:

J Edgeband

F Knife

Wood:

K Edgeband

U Knife

③ Cutout:

N No Cutout

A Center, Single-Sided/
2 outlets (add **\$48.13** list)

F Center, Single-Sided/
4 outlets (add **\$48.13** list)

J Center, Single-Sided/
6 outlets (add **\$48.13** list)

④ Base and Wire Management Option:

Base - Diagonal Nesting
(Round or Extruded Base)

Base - No Power:

H Casters (add **\$23.44** list)

F Glides

Base - Power Ready

L Casters (add **\$23.44** list)

M Glides

Base - In-Line Nesting
(Round Base Only)

No Power

Q Casters (add **\$23.44** list)

P Glides

Power Ready

Q Casters (add **\$23.44** list)

R Glides

⑤ Base Finish Option:

A Painted

B Polished (add **\$66.68** list)

- 2) Surface color.

- 3) Edge trim color.

- 4) Base trim color.



Note: **\$66.18** upcharge list for Metallic trim colors.

Jive Table — T-Leg (Round or Extruded) — Flip Base Rectangle

Height	Depth	Width	Capacity	Number	Distributed Load		HPL		Wood							
					1	2	3	4	5	J	F	J	F	K	U	K
Round — Base — No Power — No Cutout																
29"(737mm)	18"(457mm)	48"(1219mm)	158	TCRA-1848-	S	F	4		\$ 1429.03	\$ 1696.54	\$ 1531.26	\$ 1798.77	\$ 2116.67	\$ 2446.65	\$ 2268.57	\$ 2638.98
60"(1524mm)		187	TCRA-1860-	S	F	4		1483.29	1807.76	1589.24	1913.71	2288.34	2692.37	2472.17	2927.68	
72"(1829mm)		216	TCRA-1872-	S	F	4		1538.52	1925.82	1648.19	2035.49	2462.99	2948.70	2679.40	3228.79	
24"(610mm)	48"(1219mm)	173	TCRA-2448-	S	F	4		\$ 1491.99	\$ 1778.43	\$ 1599.18	\$ 1885.62	\$ 2316.72	\$ 2671.32	\$ 2504.82	\$ 2903.52	
60"(1524mm)		202	TCRA-2460-	S	F	4		1561.45	1906.32	1673.60	2018.47	2536.76	2967.31	2765.47	3251.46	
72"(1829mm)		230	TCRA-2472-	S	F	4		1631.88	2041.05	1748.99	2158.16	2759.77	3273.91	3029.75	3611.81	
30"(762mm)	48"(1219mm)	187	TCRA-3048-	S	F	4		\$ 1554.95	\$ 1860.32	\$ 1667.10	\$ 1972.47	\$ 2516.78	\$ 2895.99	\$ 2741.08	\$ 3168.06	
60"(1524mm)		216	TCRA-3060-	S	F	4		1639.61	2004.88	1757.96	2123.23	2785.18	3242.25	3058.77	3575.24	
72"(1829mm)		245	TCRA-3072-	S	F	4		1725.24	2156.28	1849.79	2280.83	3056.55	3599.12	3380.09	3994.83	
36"(914mm)	60"(1524mm)	230	TCRA-3660-	S	F	4		\$ 1717.77	\$ 2103.44	\$ 1842.32	\$ 2227.99	\$ 3033.60	\$ 3517.19	\$ 3352.07	\$ 3899.02	
72"(1829mm)		259	TCRA-3672-	S	F	4		1818.60	2271.51	1950.59	2403.50	3353.33	3924.33	3730.44	4377.85	
Extruded — Base — No Power — No Cutout																
29"(737mm)	18"(457mm)	48"(1219mm)	158	TCRA-1848-	S	T	4		\$ 1626.85	\$ 1894.36	\$ 1729.08	\$ 1996.59	\$ 2314.49	\$ 2644.47	\$ 2466.39	\$ 2836.80
60"(1524mm)		187	TCRA-1860-	S	T	4		1681.11	2005.58	1787.06	2111.53	2486.16	2890.19	2669.99	3125.50	
72"(1829mm)		216	TCRA-1872-	S	T	4		1736.34	2123.64	1846.01	2233.31	2660.81	3146.52	2877.22	3426.61	
24"(610mm)	48"(1219mm)	173	TCRA-2448-	S	T	4		\$ 1689.81	\$ 1976.25	\$ 1797.00	\$ 2083.44	\$ 2514.54	\$ 2869.14	\$ 2702.64	\$ 3101.34	
60"(1524mm)		202	TCRA-2460-	S	T	4		1759.27	2104.14	1871.42	2216.29	2734.58	3165.13	2963.29	3449.28	
72"(1829mm)		230	TCRA-2472-	S	T	4		1829.70	2238.87	1946.81	2355.98	2957.59	3471.73	3227.57	3809.63	
30"(762mm)	48"(1219mm)	187	TCRA-3048-	S	T	4		\$ 1752.77	\$ 2058.14	\$ 1864.92	\$ 2170.29	\$ 2714.60	\$ 3093.81	\$ 2938.90	\$ 3365.88	
60"(1524mm)		216	TCRA-3060-	S	T	4		1837.43	2202.70	1955.78	2321.05	2983.00	3440.07	3256.59	3773.06	
72"(1829mm)		245	TCRA-3072-	S	T	4		1923.06	2354.10	2047.61	2478.65	3254.37	3796.94	3577.91	4192.65	
36"(914mm)	60"(1524mm)	230	TCRA-3660-	S	T	4		\$ 1915.59	\$ 2301.26	\$ 2040.14	\$ 2425.81	\$ 3231.42	\$ 3715.01	\$ 3549.89	\$ 4096.84	
72"(1829mm)		259	TCRA-3672-	S	T	4		2016.42	2469.33	2148.41	2601.32	3551.15	4122.15	3928.26	4575.67	
Round — Base — Power Ready — No Cutout																
29"(737mm)	18"(457mm)	48"(1219mm)	158	TCRA-1848-	S	F	4		\$ 1457.52	\$ 1725.03	\$ 1559.75	\$ 1827.26	\$ 2145.16	\$ 2475.14	\$ 2297.06	\$ 2667.47
60"(1524mm)		187	TCRA-1860-	S	F	4		1511.78	1836.25	1617.73	1942.20	2316.83	2720.86	2500.66	2956.17	
72"(1829mm)		216	TCRA-1872-	S	F	4		1567.01	1954.31	1676.68	2063.98	2491.48	2977.19	2707.89	3257.28	
24"(610mm)	48"(1219mm)	173	TCRA-2448-	S	F	4		\$ 1520.48	\$ 1806.92	\$ 1627.67	\$ 1914.11	\$ 2345.21	\$ 2699.81	\$ 2533.31	\$ 2932.01	
60"(1524mm)		202	TCRA-2460-	S	F	4		1589.94	1934.81	1702.09	2046.96	2565.25	2995.80	2793.96	3279.95	
72"(1829mm)		230	TCRA-2472-	S	F	4		1660.37	2069.54	1777.48	2186.65	2788.26	3302.40	3058.24	3640.30	
30"(762mm)	48"(1219mm)	187	TCRA-3048-	S	F	4		\$ 1583.44	\$ 1888.81	\$ 1695.59	\$ 2000.96	\$ 2545.27	\$ 2924.48	\$ 2769.57	\$ 3196.55	
60"(1524mm)		216	TCRA-3060-	S	F	4		1668.10	2033.37	1786.45	2151.72	2813.67	3270.74	3087.26	3603.73	
72"(1829mm)		245	TCRA-3072-	S	F	4		1753.73	2184.77	1878.28	2309.32	3085.04	3627.61	3408.58	4023.32	
36"(914mm)	60"(1524mm)	230	TCRA-3660-	S	F	4		\$ 1746.26	\$ 2131.93	\$ 1870.81	\$ 2256.48	\$ 3062.09	\$ 3545.68	\$ 3380.56	\$ 3927.51	
72"(1829mm)		259	TCRA-3672-	S	F	4		1847.09	2300.00	1979.08	2431.99	3381.82	3952.82	3758.93	4406.34	
Extruded — Base — Power Ready — No Cutout																
29"(737mm)	18"(457mm)	48"(1219mm)	158	TCRA-1848-	S	T	4		\$ 1655.34	\$ 1922.85	\$ 1757.57	\$ 2025.08	\$ 2342.98	\$ 2672.96	\$ 2494.88	\$ 2865.29
60"(1524mm)		187	TCRA-1860-	S	T	4		1709.60	2034.07	1815.55	2140.02	2514.65	2918.68	2698.48	3153.99	
72"(1829mm)		216	TCRA-1872-	S	T	4		1764.83	2152.13	1874.50	2261.80	2689.30	3175.01	2905.71	3455.10	
24"(610mm)	48"(1219mm)	173	TCRA-2448-	S	T	4		\$ 1718.30	\$ 2004.74	\$ 1825.49	\$ 2111.93	\$ 2543.03	\$ 2897.63	\$ 2731.13	\$ 3129.83	
60"(1524mm)		202	TCRA-2460-	S	T	4		1787.76	2132.63	1899.91	2244.78	2763.07	3193.62	2991.78	3477.77	
72"(1829mm)		230	TCRA-2472-	S	T	4		1858.19	2267.36	1975.30	2384.47	2986.08	3500.22	3256.06	3838.12	
30"(762mm)	48"(1219mm)	187	TCRA-3048-	S	T	4		\$ 1781.26	\$ 2086.63	\$ 1893.41	\$ 2198.78	\$ 2743.09	\$ 3122.30	\$ 2967.39	\$ 3394.37	
60"(1524mm)		216	TCRA-3060-	S	T	4		1865.92	2231.19	1984.27	2349.54	3011.49	3468.56	3285.08	3801.55	
72"(1829mm)		245	TCRA-3072-	S	T	4		1951.55	2382.59	2076.10	2507.14	3282.86	3825.43	3606.40	4221.14	
36"(914mm)	60"(1524mm)	230	TCRA-3660-	S	T	4		\$ 1944.08	\$ 2329.75	\$ 2068.63	\$ 2454.30	\$ 3259.91	\$ 3743.50	\$ 3578.38	\$ 4125.33	
72"(1829mm)		259	TCRA-3672-	S	T	4		2044.91	2497.82	2176.90	2629.81	3579.64	4150.64	3956.75	4604.16	

Jive Table — Swivel Base

Square



TVRQ-LJSNR
Class JV

Features

- Includes 1.18"(30mm) top, leg bases with magnetic ganging mechanism, adjustable casters or glides and hardware.
- Standard table height is 29"(737mm).
- Laminate top with 3mm edgeband or wood veneer top with 3mm wood edgeband.
- Top available in standard core only.
- Leg bases are painted aluminum.
- Casters have 0.5"(13mm) height adjustment.
- Glides have 0.75"(19mm) height adjustment.
- Grommets are available for field installation; separately specified.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tips

- 24"(610mm) depth tables not designed to support screens or monitors.
- Screen and Monitor Arm application (approved with casters or glides): -30"(762mm)-48"(1219mm) deep table supports a 27"(686mm)H Belong screen or monitor(s) up to 25 lbs.
- Power cord length determines the distance to building power source.**
- Separately specified:
 - Horizontal and Vertical Wire Management
 - See Accessories Price List for Power and Data Components
 - Accessories
- Refer to Specification Guide:
 - Accessory placement and compatibility.
 - Seating capacities and leg locations.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:

1) Product number, including:

1 Surface Option:

L Laminate

W Wood

2 Edge Option:

J Edgeband

K Wood Edgeband

3 Base Style:

C Casters (add \$23.44 list)

G Glides

2) Laminate surface color or wood surface color.

3) Edge trim color (laminate only).



4) Base trim color.

Note: \$66.18 upcharge list for Metallic trim colors.

Depth	Width	Number	①	②	③	HPL		Wood	
						A	B	A	B
24"(610mm)	24"(610mm)	TVRQ-2424-			SNRG4	\$ 1136.22	\$1136.22	\$1232.22	\$1239.90
30"(762mm)	30"(762mm)	TVRQ-3030-			SNR 4	1215.06	1220.46	1458.63	1479.93
36"(914mm)	36"(914mm)	TVRQ-3636-			SNR 4	1309.34	1321.34	1727.94	1765.46
42"(1067mm)	42"(1067mm)	TVRQ-4242-			SNR 4	1419.06	1438.86	2040.15	2096.49
48"(1219mm)	48"(1219mm)	TVRQ-4848-			SNR 4	1544.22	1573.02	2395.26	2473.02

Jive Table — Swivel Base

Rectangle



TVRA-LJSNR
Class JV

Features

- Includes 1.18"(30mm) top, leg bases with magnetic ganging mechanism, adjustable casters or glides and hardware.
- Standard table height is 29"(737mm).
- Laminate top with 3mm edgeband or wood veneer top with 3mm wood edgeband.
- Top available in standard core only.
- Leg bases are painted aluminum.
- Casters have 0.5"(13mm) height adjustment.
- Glides have 0.75"(19mm) height adjustment.
- Grommets are available for field installation; separately specified.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tips

- 24"(610mm) depth tables not designed to support screens or monitors.
- Screen and Monitor Arm application (approved with casters or glides): -30"(762mm)-48"(1219mm) deep table supports a 27"(686mm)H Belong screen or monitor(s) up to 25 lbs.
- Power cord length determines the distance to building power source.**
- Separately specified:
 - Horizontal and Vertical Wire Management
 - See Accessories Price List for Power and Data Components
 - Accessories
- Refer to Specification Guide:
 - Accessory placement and compatibility.
 - Seating capacities and leg locations.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:

1) Product number, including:

1 Surface Option:

L Laminate

W Wood

2 Edge Option:

J Edgeband

K Wood Edgeband

3 Base Style:

C Casters (add \$23.44 list)

G Glides

2) Laminate surface color or wood surface color.

3) Edge trim color (laminate only).



4) Base trim color.

Note: \$66.18 upcharge list for Metallic trim colors.

Depth	Width	Number	1	2	3	HPL		Wood	
			A	B		A	B	A	B
18"(457mm)	48"(1219mm)	TVRA-1848-	SNR	4		\$1028.82	\$1121.75	\$1400.46	\$1465.20
	54"(1372mm)	TVRA-1854-	SNR	4		1051.26	1146.05	1472.61	1550.28
	60"(1524mm)	TVRA-1860-	SNR	4		1073.70	1170.35	1544.76	1635.36
	66"(1676mm)	TVRA-1866-	SNR	4		1096.14	1194.65	1616.91	1720.44
	72"(1829mm)	TVRA-1872-	SNR	4		1118.58	1218.95	1689.06	1805.52
24"(610mm)	36"(914mm)	TVRA-2436-	SNR	4		\$1028.82	\$1121.75	\$1400.46	\$1465.20
	42"(1067mm)	TVRA-2442-	SNR	4		1058.74	1154.15	1496.66	1578.64
	48"(1219mm)	TVRA-2448-	SNR	4		1088.66	1186.55	1592.86	1692.08
	54"(1372mm)	TVRA-2454-	SNR	4		1118.58	1218.95	1689.06	1805.52
	60"(1524mm)	TVRA-2460-	SNR	4		1148.50	1251.35	1785.26	1918.96
	66"(1676mm)	TVRA-2466-	SNR	4		1178.42	1283.75	1881.46	2032.40
	72"(1829mm)	TVRA-2472-	SNR	4		1208.34	1316.15	1977.66	2145.84
30"(762mm)	36"(914mm)	TVRA-3036-	SNR	4		\$1073.70	\$1170.35	\$1544.76	\$1635.36
	42"(1067mm)	TVRA-3042-	SNR	4		1111.10	1210.85	1665.01	1777.16
	48"(1219mm)	TVRA-3048-	SNR	4		1148.50	1251.35	1785.26	1918.96
	54"(1372mm)	TVRA-3054-	SNR	4		1185.90	1291.85	1905.51	2060.76
	60"(1524mm)	TVRA-3060-	SNR	4		1223.30	1332.35	2025.76	2202.56
	66"(1676mm)	TVRA-3066-	SNR	4		1260.70	1372.85	2146.01	2344.36
	72"(1829mm)	TVRA-3072-	SNR	4		1298.10	1413.35	2266.26	2486.16
36"(914mm)	66"(1676mm)	TVRA-3666-	SNR	4		\$1342.98	\$1461.95	\$2410.56	\$2656.32
	72"(1829mm)	TVRA-3672-	SNR	4		1387.86	1510.55	2554.86	2826.48

Jive Table — Swivel Base

Trapezoid



TVTP-LJSNR
Class JV

- Includes 1.18"(30mm) top, 4 legs with magnetic ganging mechanism, adjustable casters or glides and hardware.
- Standard table height is 29"(737mm).
- Laminate top with 3mm edgeband or wood veneer top with 3mm wood edgeband.
- Top available in standard core only.
- Leg bases are painted aluminum.
- Casters have 0.5"(13mm) height adjustment.
- Glides have 0.75"(19mm) height adjustment.
- Grommets are available for field installation; separately specified.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tips

- Enhanced Power Module and Table Dome are available for field installation; separately specified.
- Magnetic field can be harmful to pacemaker wearers.**
- 24"(610mm) depth tables not designed to support screens or monitors.
- Screen and Monitor Arm application (with or without casters):
 - 30"(762mm)-48"(1219mm) deep table supports a 27"(686mm)H Belong screen or monitor(s) up to 25 lbs.
- Power cord length determines the distance to building power source.**
- Separately specified:
 - Horizontal and Vertical Wire Management
 - See Accessories Price List for Power and Data Components
 - Accessories
- Refer to Specification Guide:
 - Accessory placement and compatibility.
 - Seating capacities and leg locations.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:

1) Product number, including:

1 Surface Option:

L Laminate

W Wood

2 Edge Option:

J Edgeband

K Wood Edgeband

3 Base Style:

C Casters (add **\$23.44** list)

G Glides

2) Laminate surface color or wood surface color.

3) Edge trim color (laminate only).



4) Base trim color.

Note: **\$66.18** upcharge list for Metallic trim colors.

Depth	Width	Number	1	2	3	HPL		Wood	
			A	B	A	B	A	B	
24"(610mm)	48"(1219mm)	TVTP-2448-	SNR	4	\$ 1215.56	\$1220.20	\$1422.85	\$1482.32	
	54"(1372mm)	TVTP-2454-	SNR	4	1249.93	1256.89	1532.33	1612.02	
	60"(1524mm)	TVTP-2460-	SNR	4	1284.54	1293.82	1642.54	1742.62	
	66"(1676mm)	TVTP-2466-	SNR	4	1319.39	1330.99	1753.49	1874.12	
	72"(1829mm)	TVTP-2472-	SNR	4	1354.49	1368.41	1865.17	2006.52	
30"(762mm)	60"(1524mm)	TVTP-3060-	SNR	4	\$1362.10	\$1377.18	\$1890.84	\$2035.80	
	66"(1676mm)	TVTP-3066-	SNR	4	1404.50	1422.48	2025.97	2195.82	
	72"(1829mm)	TVTP-3072-	SNR	4	1447.13	1468.01	2161.82	2356.74	

Jive Table — Swivel Base

Crescent



TVBN-LJSNR
Class JV

Features

- Includes 1.18"(30mm) top, 4 legs with magnetic ganging mechanism, one post leg, adjustable casters or glides and hardware.
- Standard table height is 29"(737mm).
- Laminate top with 3mm edgeband or wood veneer top with 3mm wood edgeband.
- Top available in standard core only.
- Leg bases are painted aluminum.
- Casters have 0.5"(13mm) height adjustment.
- Glides have 0.75"(19mm) height adjustment.
- Grommets are available for field installation; separately specified.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tips

- Enhanced Power Module and Table Dome are available for field installation; separately specified.
- Magnetic field can be harmful to pacemaker wearers.**
- 24"(610mm) depth tables not designed to support screens or monitors.
- Screen and Monitor Arm application (with or without casters):
 - 30"(762mm)-48"(1219mm) deep table supports a 27"(686mm)H Belong screen or monitor(s) up to 25 lbs.
- Power cord length determines the distance to building power source.**
- Separately specified:
 - Horizontal and Vertical Wire Management
 - See Accessories Price List for Power and Data Components
 - Accessories
- Refer to Specification Guide:
 - Accessory placement and compatibility.
 - Seating capacities and leg locations.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:

- 1) Product number, including:

1 Surface Option:

L Laminate

W Wood

2 Edge Option:

J Edgeband

K Wood Edgeband

3 Base Style:

C Casters (add **\$23.44** list)

G Glides

- 2) Laminate surface color or wood surface color.

- 3) Edge trim color (laminate only).


- 4) Base trim color.

Note: **\$66.18** upcharge list for Metallic trim colors.

Depth	Width	Number	①	②	③	HPL		Wood	
						A	B	A	B
24"(610mm)	60"(1524mm)	TVBN-2460-	SNR	4		\$1758.97	\$1768.57	\$2130.73	\$2235.37
30"(762mm)	72"(1829mm)	TVBN-3072-	SNR	4		1928.07	1949.67	2670.54	2874.11
36"(914mm)	84"(2134mm)	TVBN-3684-	SNR	4		2129.55	2165.55	3313.94	3635.25

Jive Table — Swivel Base

Corner, Transitional Extended



TVCX-LJSNRP
Class JV

Features

- Includes 1.18"(30mm) top, adjustable casters or glides and hardware:
- Legs:
- 24"(610mm)/18"(457mm) depth - 2 legs with magnetic ganging mechanisms and 3 post legs
- 24"(610mm)/30"(762mm) depth - 4 legs with magnetic ganging mechanisms and 1 post leg
- 18"(457mm) depth always has the post leg
- 24"(610mm) and 30"(762mm) depth always has the magnetic ganging mechanism
- Standard table height is 29"(737mm).
- Laminate top with 3mm edgeband or wood veneer top with 3mm wood edgeband.
- Top available in standard core only.
- Leg bases are painted aluminum.
- Casters have 0.5"(13mm) height adjustment.
- Glides have 0.75"(19mm) height adjustment.
- Grommets are available for field installation; separately specified.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tips

- Enhanced Power Module and Table Dome are available for field installation; separately specified.
- Magnetic field can be harmful to pacemaker wearers.**
- 24"(610mm) depth tables not designed to support screens or monitors.
- Screen and Monitor Arm application (with or without casters):
-30"(762mm)-48"(1219mm) deep table supports a 27"(686mm)H Belong screen or monitor(s) up to 25 lbs.
- Power cord length determines the distance to building power source.**
- Separately specified:
-Horizontal and Vertical Wire Management
-See Accessories Price List for Power and Data Components
-Accessories
- Refer to Specification Guide:
-Accessory placement and compatibility.
-Seating capacities and leg locations.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:

1) Product number, including:

1 Surface Option:

L Laminate

W Wood

2 Edge Option:

J Edgeband

K Wood Edgeband

3 Base Style:

C Casters (add **\$23.44** list)

G Glides

2) Laminate surface color or wood surface color.

3) Edge trim color (laminate only).


4) Base trim color.

Note: **\$66.18** upcharge list for Metallic trim colors.

Left/Right Depth	Width	Length	Number	HPL		Wood				
				①	②	③	A	B	A	B
Left-Hand										
18"(457mm)/24"(610mm)	42"(1067mm)	60"(1524mm)	TVCX-4260-	■	■ SNR	■ P	\$ 1641.72	\$ 1652.82	\$ 2117.91	\$ 2237.61
		72"(1829mm)	TVCX-4272-	■	■ SNR	■ P	1847.98	1875.36	3095.59	3390.85
Right-Hand										
24"(610mm)/18"(457mm)	42"(1067mm)	60"(1524mm)	TVCX-4260-	■	■ SNR	■ U	\$ 1647.39	\$ 1658.49	\$ 2117.91	\$ 2237.61
		72"(1829mm)	TVCX-4272-	■	■ SNR	■ U	1853.92	1881.30	3095.59	3390.85
Left-Hand										
24"(610mm)/30"(762mm)	48"(1219mm)	60"(1524mm)	TVCX-4860-	■	■ SNR	■ R	\$ 1642.26	\$ 1653.36	\$ 2117.91	\$ 2237.61
		72"(1829mm)	TVCX-4872-	■	■ SNR	■ R	1848.79	1876.17	3095.59	3390.85
Right-Hand										
30"(762mm)/24"(610mm)	48"(1219mm)	60"(1524mm)	TVCX-4860-	■	■ SNR	■ W	\$ 1648.20	\$ 1659.30	\$ 2117.91	\$ 2237.61
		72"(1829mm)	TVCX-4872-	■	■ SNR	■ W	1854.46	1881.84	3095.59	3390.85

Jive Table — Swivel Base

Corner, Extended



TVCE-LJSNR
Class JV

Features

- Includes 1.18"(30mm) top, 4 legs with magnetic ganging mechanism, one post leg, adjustable casters or glides and hardware.
- Standard table height is 29"(737mm).
- Laminate top with 3mm edgeband or wood veneer top with 3mm wood edgeband.
- Top available in standard core only.
- Leg bases are painted aluminum.
- Casters have 0.5"(13mm) height adjustment.
- Glides have 0.75"(19mm) height adjustment.
- Grommets are available for field installation; separately specified.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tips

- Enhanced Power Module and Table Dome are available for field installation; separately specified.
- Magnetic field can be harmful to pacemaker wearers.**
- 24"(610mm) depth tables not designed to support screens or monitors.
- Screen and Monitor Arm application (with or without casters):
 - 30"(762mm)-48"(1219mm) deep table supports a 27"(686mm)H Belong screen or monitor(s) up to 25 lbs.
- Power cord length determines the distance to building power source.**
- Separately specified:
 - Horizontal and Vertical Wire Management
 - See Accessories Price List for Power and Data Components
 - Accessories
- Refer to Specification Guide:
 - Accessory placement and compatibility.
 - Seating capacities and leg locations.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:

1) Product number, including:

1 Surface Option:

L Laminate

W Wood

2 Edge Option:

J Edgeband

K Wood Edgeband

3 Base Style:

C Casters (add **\$23.44** list)

G Glides

2) Laminate surface color or wood surface color.

3) Edge trim color (laminate only).


4) Base trim color.

Note: **\$66.18** upcharge list for Metallic trim colors.

Left/Right	Width	Length	Number	①②	③	HPL A	B	Wood A	B
Left-Hand									
24"(610mm)/24"(610mm)	42"(1067mm)	60"(1524mm)	TVCE-4260-	SNR	E	\$1644.96	\$1656.06	\$ 2117.91	\$ 2237.61
		72"(1829mm)	TVCE-4272-	SNR	E	1851.22	1878.60	3095.59	3390.85
24"(610mm)/24"(610mm)	48"(1219mm)	60"(1524mm)	TVCE-4860-	SNR	E	\$1644.96	\$1656.06	\$ 2117.91	\$ 2237.61
		72"(1829mm)	TVCE-4872-	SNR	E	1851.22	1878.60	3095.59	3390.85
Right-Hand									
24"(610mm)/24"(610mm)	42"(1067mm)	60"(1524mm)	TVCE-4260-	SNR	H	\$1644.96	\$1656.06	\$ 2117.91	\$ 2237.61
		72"(1829mm)	TVCE-4272-	SNR	H	1851.22	1878.60	3095.59	3390.85
24"(610mm)/24"(610mm)	48"(1219mm)	60"(1524mm)	TVCE-4860-	SNR	H	\$1644.96	\$1656.06	\$ 2117.91	\$ 2237.61
		72"(1829mm)	TVCE-4872-	SNR	H	1851.22	1878.60	3095.59	3390.85
Left-Hand									
30"(762mm)/30"(762mm)	48"(1219mm)	60"(1524mm)	TVCE-4860-	SNR	F	\$1645.50	\$1656.60	\$ 2117.91	\$ 2237.61
		72"(1829mm)	TVCE-4872-	SNR	F	1852.03	1879.41	3095.59	3390.85
Right-Hand									
30"(762mm)/30"(762mm)	48"(1219mm)	60"(1524mm)	TVCE-4860-	SNR	J	\$1645.50	\$1656.60	\$ 2117.91	\$ 2237.61
		72"(1829mm)	TVCE-4872-	SNR	J	1852.03	1879.41	3095.59	3390.85

Masters Series Table

Round



XZAM-1S
Class RA1

Features

- Includes round top and 27"(686mm) disc base.
- 30"(762mm) and 36"(914mm) includes 21"(533mm) disc base.
- 42"(1067mm) and 48"(1219mm) includes 27"(686mm) disc base.
- Fixed height base: 29.25"(743mm).
- 1.18"(30mm) thick high-pressure laminate (HPL) worksurface with T-mold edgeband.
- 1.18"(30mm) thick wood worksurface with a choice of profiled edge (Square or Bevel). Double-cut veneers available with Square 3mm Radius edge only.

To Order, Specify:

1) Product number, including:

1 Edge Option:

Wood:

1 Square

5 Bevel (add **\$286.99** list)

2) Finish code (laminate or wood).

3) Laminate edge trim color (if laminate specified).


4) Trim code for disc base.

Note: **\$23.81** upcharge (list) for metallic or accent trim colors.

Height	Diameter	Number	①	HPL		Wood	
				A	B	A	B
Laminate							
29.25"(743mm)	30"(762mm)	XLAM-3000-JS		\$ 2128.70	\$ 2219.92	N/A	N/A
	36"(914mm)	XLAM-3600-JS		2338.39	2425.54	N/A	N/A
	42"(1067mm)	XLAM-4200-JS		2585.10	2667.44	N/A	N/A
	48"(1219mm)	XLAM-4800-JS		2868.83	2945.62	N/A	N/A
Wood							
29.25"(743mm)	30"(762mm)	XZAM-3000-	S	N/A	N/A	\$2280.04	\$2432.43
	36"(914mm)	XZAM-3600-	S	N/A	N/A	2580.82	2750.70
	42"(1067mm)	XZAM-4200-	S	N/A	N/A	2929.62	3119.79
	48"(1219mm)	XZAM-4800-	S	N/A	N/A	3326.44	3539.70

Pip

Catalog Logic



Pip Table

Personal Laptop



STP-P26-TH
Class QA6

Features

- Includes table top, base and hardware.
- Top available in laminate, painted MDF or planked wood in White Oak or Walnut.
- Laminate top features a knife-edge profile with 1mm edge banding that seamlessly matches the surface.
- Wood tops are designed to be unique using solid wood planks with a clear, low-gloss finish showing natural variation.
- Base: Painted aluminum support plate and column with painted steel base plate.
- Ships unassembled.

To Order, Specify:

1) Product number, including:

1 Surface Material:

- | | |
|----------|--------------|
| L | Laminate |
| P | Painted MDF |
| W | Planked Wood |

2 Glide Type:


- | | |
|----------|--------------|
| H | Hard Plastic |
| F | Felt |

2) Top surface and color.

3) Base trim color.

Height	Depth	Width	Number ① ②	HPL A B	Painted MDF	White Oak	Walnut
26"(660mm)	13"(330mm)	21.25"(540mm)	STP- 26-T	\$960.00 \$981.33	\$814.60	\$1480.39	\$1664.46

Collaborative



S970
Class QA6

Features

- Includes: 1:18"(30mm) standard top with two columns on a painted steel base.
- High-Pressure Laminate (HPL) or wood veneer top with knife edge.
- Standard with clear non-adjustable glides.

Specification Tips

- Designed for use with lounge seating to provide a seated height surface.
- Cannot route power through legs.
- Ships unassembled.

To Order, Specify:

1) Product number, including:

1 Surface Type:

- | | |
|----------|-------------|
| L | Laminate |
| W | Wood Veneer |

2) Laminate surface color or wood finish color.

3) Edge color (laminate only).


4) Base trim color.

Height	Depth	Width	Number ①	HPL A B	Wood A B
28"(711mm)	30"(762mm)	54"(1372mm)	S970- 00-H	\$2651.32 \$2680.38	\$2840.19 \$2905.57

Planes Collaborative Table — Y-Leg

Rectangular

Flip Top Table



Non-Flip Top Table



TARA
Class TA1

Features

- Includes 1.18"(30mm) thick top, two Y-leg assemblies, stretcher and hardware.
- Standard table height is 29"(737mm) with 27.88"(708mm) knee clearance.
- High-Pressure Laminate (HPL) top with knife edge or 3mm edgeband edges or wood veneer top with 3mm wood edgeband or knife edge.
- Base Options:
 - Flip Top Table with casters (H) or with glides (F).
 - Non-flip Top Table with casters (C) or with glides (G).
- Flip Top Table:
 - Table top flips from horizontal to vertical position via pneumatic assist mechanism activated by two finger pulls.
 - Tables nest when flipped to vertical position. Refer to Specification Guide for details.
- Base and stretcher are painted aluminum.
- Stretcher provides lay-in cable management.
- Optional Flip top unit electrical modules are separately specified. Refer to electrical components for appropriate product specification.
- Optional casters (two locking) or glides are field interchangeable.
- Casters have light platinum hub with graphite tread.
- Glides are light platinum with 0.5"(13mm) height adjustment.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tips

- 3mm edgeband edge is recommended to allow a flat seam between tables.
- The following Planes products are separately specified:
 - Ganging clip
 - Flip top unit electrical modules
 - Grommets (field cut opening)
 - Vertical wire management
 - Y-leg Bumper

To Order, Specify:

- 1) Product number, including:

1 Surface Options:

L Laminate

W Wood

2 Edge Options:

Laminate:

J Edgeband

F Knife

Wood:

K Edgeband

U Knife

3 Flip Top Unit Cutout(s):

N None

F Center – single-sided/
4 outlets (add **\$45.40** list)

J Center – single-sided/
6 outlets (add **\$45.40** list)

4 Base Option (Flip/Non-Flip):

H Flip Top Table – Casters
(add **\$456.56** list)

F Flip Top Table – Glides (add
\$562.94 list)

C Non-flip Top Table: Casters

G Non-flip Top Table: Glides
(add **\$106.38** list)

2) Laminate surface or wood finish color.

3) Edge trim color (laminate only).

4) Base/Stretcher trim color.


Note: **\$62.43** upcharge list for
Metallic and accent trim colors.

Depth	Width	Number	1	2	3	4	HPL		Wood					
							A	J	F	B	J	F		
Flip Top Tables														
30"(762mm)	60"(1524mm)	TARA-3060-	S	S	Y	4	\$ 1715.86	\$ 2058.80	\$ 1809.73	\$ 2152.67	\$ 2206.99	\$ 2632.73	\$ 2240.78	\$ 2679.12
	66"(1676mm)	TARA-3066-	S	S	Y	4	1801.62	2163.64	1904.74	2266.76	2348.39	2798.73	2388.95	2852.73
	72"(1829mm)	TARA-3072-	S	S	Y	4	1887.38	2268.48	1999.75	2380.85	2489.79	2964.73	2537.12	3026.34
36"(914mm)	60"(1524mm)	TARA-3660-	S	S	Y	4	\$ 1883.42	\$ 2245.44	\$ 1995.79	\$ 2357.81	\$ 2477.19	\$ 2927.53	\$ 2523.80	\$ 2987.58
	66"(1676mm)	TARA-3666-	S	S	Y	4	1985.54	2366.64	2109.01	2490.11	2644.35	3119.29	2698.94	3188.16
	72"(1829mm)	TARA-3672-	S	S	Y	4	2087.66	2487.84	2222.23	2622.41	2811.51	3311.05	2874.08	3388.74
Non-Flip Top Tables														
30"(762mm)	60"(1524mm)	TARA-3060-	S	S	Y	4	\$ 1715.86	\$ 2058.80	\$ 1809.73	\$ 2152.67	\$ 2206.99	\$ 2632.73	\$ 2240.78	\$ 2679.12
	66"(1676mm)	TARA-3066-	S	S	Y	4	1801.62	2163.64	1904.74	2266.76	2348.39	2798.73	2388.95	2852.73
	72"(1829mm)	TARA-3072-	S	S	Y	4	1887.38	2268.48	1999.75	2380.85	2489.79	2964.73	2537.12	3026.34
36"(914mm)	60"(1524mm)	TARA-3660-	S	S	Y	4	\$ 1883.42	\$ 2245.44	\$ 1995.79	\$ 2357.81	\$ 2477.19	\$ 2927.53	\$ 2523.80	\$ 2987.58
	66"(1676mm)	TARA-3666-	S	S	Y	4	1985.54	2366.64	2109.01	2490.11	2644.35	3119.29	2698.94	3188.16
	72"(1829mm)	TARA-3672-	S	S	Y	4	2087.66	2487.84	2222.23	2622.41	2811.51	3311.05	2874.08	3388.74
	78"(1981mm)	TARA-3678-	S	S	Y	4	2189.78	2609.04	2335.45	2754.71	2978.67	3502.81	3049.22	3589.32
	84"(2134mm)	TARA-3684-	S	S	Y	4	2291.90	2730.24	2448.67	2887.01	3145.83	3694.57	3224.36	3789.90
	90"(2286mm)	TARA-3690-	S	S	Y	4	2394.02	2851.44	2561.89	3019.31	3312.99	3886.33	3399.50	3990.48
	96"(2438mm)	TARA-3696-	S	S	Y	4	2496.14	2972.64	2675.11	3151.61	3480.15	4078.09	3574.64	4191.06

Planes Collaborative Table — Y-Leg

Pebble

Flip Top Table



Non-Flip Top Table



TARP
Class TA1

Features

- Includes 1.18"(30mm) thick top, two Y-leg assemblies, stretcher and hardware.
- Standard table height is 29"(737mm) with 27.88"(708mm) knee clearance.
- High-Pressure Laminate (HPL) top with knife edge or 3mm edgeband edges or wood veneer top with 3mm wood edgeband or knife edge.
- Base Options:
 - Flip Top Table with casters (H) or with glides (F).
 - Non-flip Top Table with casters (C) or with glides (G).
- Flip Top Table:
 - Table top flips from horizontal to vertical position via pneumatic assist mechanism activated by two finger pulls.
 - Tables nest when flipped to vertical position. Refer to Specification Guide for details.
- Base and stretcher are painted aluminum.
- Stretcher provides lay-in cable management.
- Optional Flip top unit electrical modules are separately specified. Refer to electrical components for appropriate product specification.
- Optional casters (two locking) or glides are field interchangeable.
- Casters have light platinum hub with graphite tread.
- Glides are light platinum with 0.5"(13mm) height adjustment.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tips

- The following Planes products are separately specified:
 - Ganging clip
 - Flip top unit electrical modules
 - Grommets (field cut opening)
 - Vertical wire management
 - Y-leg Bumper

To Order, Specify:

- 1) Product number, including:

1 Surface Options:

L Laminate

W Wood

2 Edge Options:

Laminate:

J Edgeband

F Knife

Wood:

K Edgeband

U Knife

3 Flip Top Unit Cutout(s):

N None

F Center – single sided/
4 outlets (add **\$45.40** list)

J Center – single-sided/
6 outlets (add **\$45.40** list)

4 Base Option (Flip/Non-Flip):

H Flip Top Table – Casters
(add **\$456.56** list)

F Flip Top Table – Glides (add
\$562.94 list)

C Non-flip Top Table: Casters

G Non-flip Top Table: Glides
(add **\$106.38** list)

- 2) Laminate surface or wood finish color.

- 3) Edge trim color (laminate only).


- 4) Base/Stretcher trim color.

Note: **\$62.43** upcharge list for Metallic and accent trim colors.

Depth	Width	Number	①	②	③	④	HPL		Wood						
							A	J	F	B	A	K	U	B	K
Flip Top Tables															
30"(762mm)	60"(1524mm)	TARP-3060-	S	S	Y	4	\$ 1730.26	\$ 2038.06	\$ 1824.13	\$ 2131.93	\$ 2206.99	\$ 2575.99	\$ 2240.78	\$ 2622.38	
	66"(1676mm)	TARP-3066-	S	S	Y	4	1816.98	2145.30	1920.10	2248.42	2348.39	2741.99	2388.95	2795.99	
	72"(1829mm)	TARP-3072-	S	S	Y	4	1903.70	2252.54	2016.07	2364.91	2489.79	2907.99	2537.12	2969.60	
36"(914mm)	60"(1524mm)	TARP-3660-	S	S	Y	4	\$ 1898.78	\$ 2227.10	\$ 2011.15	\$ 2339.47	\$ 2477.19	\$ 2870.79	\$ 2523.80	\$ 2930.84	
	66"(1676mm)	TARP-3666-	S	S	Y	4	2001.86	2350.70	2125.33	2474.17	2644.35	3062.55	2698.94	3131.42	
	72"(1829mm)	TARP-3672-	S	S	Y	4	2104.94	2474.30	2239.51	2608.87	2811.51	3254.31	2874.08	3332.00	
Non-Flip Top Tables															
30"(762mm)	60"(1524mm)	TARP-3060-	S	S	Y	4	\$ 1730.26	\$ 2038.06	\$ 1824.13	\$ 2131.93	\$ 2206.99	\$ 2575.99	\$ 2240.78	\$ 2622.38	
	66"(1676mm)	TARP-3066-	S	S	Y	4	1816.98	2145.30	1920.10	2248.42	2348.39	2741.99	2388.95	2795.99	
	72"(1829mm)	TARP-3072-	S	S	Y	4	1903.70	2252.54	2016.07	2364.91	2489.79	2907.99	2537.12	2969.60	
36"(914mm)	60"(1524mm)	TARP-3660-	S	S	Y	4	\$ 1898.78	\$ 2227.10	\$ 2011.15	\$ 2339.47	\$ 2477.19	\$ 2870.79	\$ 2523.80	\$ 2930.84	
	66"(1676mm)	TARP-3666-	S	S	Y	4	2001.86	2350.70	2125.33	2474.17	2644.35	3062.55	2698.94	3131.42	
	72"(1829mm)	TARP-3672-	S	S	Y	4	2104.94	2474.30	2239.51	2608.87	2811.51	3254.31	2874.08	3332.00	
	78"(1981mm)	TARP-3678-	S	S	Y	4	2208.02	2597.90	2353.69	2743.57	2978.67	3446.07	3049.22	3532.58	
	84"(2134mm)	TARP-3684-	S	S	Y	4	2311.10	2721.50	2467.87	2878.27	3145.83	3637.83	3224.36	3733.16	
	90"(2286mm)	TARP-3690-	S	S	Y	4	2414.18	2845.10	2582.05	3012.97	3312.99	3829.59	3399.50	3933.74	
	96"(2438mm)	TARP-3696-	S	S	Y	4	2517.26	2968.70	2696.23	3147.67	3480.15	4021.35	3574.64	4134.32	

Planes Collaborative Table — Y-Leg Hexagon

Flip Top Table



Non-Flip Top Table



TARX
Class TA1

Features

- Includes 1.18"(30mm) thick top, two Y-leg assemblies, stretcher and hardware.
- Standard table height is 29"(737mm) with 27.88"(708mm) knee clearance.
- High-Pressure Laminate (HPL) top with knife edge or 3mm edgeband edges or wood veneer top with 3mm wood edgeband or knife edge.
- Base Options:
 - Flip Top Table with casters (H) or with glides (F).
 - Non-flip Top Table with casters (C) or with glides (G).
- Flip Top Table:
 - Table top flips from horizontal to vertical position via pneumatic assist mechanism activated by two finger pulls.
 - Tables nest when flipped to vertical position. Refer to Specification Guide for details.
- Base and stretcher are painted aluminum.
- Stretcher provides lay-in cable management
- Optional Flip top unit electrical modules are separately specified. Refer to electrical components for appropriate product specification.
- Optional casters (two locking) or glides are field interchangeable.
- Casters have light platinum hub with graphite tread.
- Glides are light platinum with 0.5"(13mm) height adjustment.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tips

- The following Planes products are separately specified:
 - Ganging clip
 - Flip top unit electrical modules
 - Grommets (field cut opening)
 - Vertical wire management
 - Y-leg Bumper

To Order, Specify:

- 1) Product number, including:

1 Surface Options:

L Laminate

W Wood

2 Edge Options:

Laminate:

J Edgeband

F Knife

Wood:

K Edgeband

U Knife

3 Flip Top Unit Cutout(s):

N None

F Center – single-sided/
34 outlets (add **\$45.40** list)

J Center – single-sided/
36 outlets (add **\$45.40** list)

4 Base Option (Flip/Non-Flip):

H Flip Top Table – Casters
(add **\$456.56** list)

F Flip Top Table – Glides (add
\$562.94 list)

C Non-flip Top Table: Casters

G Non-flip Top Table: Glides
(add **\$106.38** list)

2) Laminate surface or wood finish color.

3) Edge trim color (laminate only).

4) Base/Stretcher trim color.


Note: **\$62.43** upcharge list for Metallic and accent trim colors.

Depth	Width	Number	①	②	③	④	HPL		Wood								
							A	J	F	B	J	F	A	K	U	B	K
Flip Top Tables																	
30"(762mm)	60"(1524mm)	TARX-3060-	S	S	Y	4	\$ 1730.26	\$ 2094.80	\$ 1824.13	\$ 2188.67	\$ 2206.99	\$ 2632.73	\$ 2240.78	\$ 2679.12			
	66"(1676mm)	TARX-3066-	S	S	Y	4	1816.98	2202.04	1920.10	2305.16	2348.39	2798.73	2388.95	2852.73			
	72"(1829mm)	TARX-3072-	S	S	Y	4	1903.70	2309.28	2016.07	2421.65	2489.79	2964.73	2537.12	3026.34			
36"(914mm)	60"(1524mm)	TARX-3660-	S	S	Y	4	\$ 1898.78	\$ 2283.84	\$ 2011.15	\$ 2396.21	\$ 2477.19	\$ 2927.53	\$ 2523.80	\$ 2987.58			
	66"(1676mm)	TARX-3666-	S	S	Y	4	2001.86	2407.44	2125.33	2530.91	2644.35	3119.29	2698.94	3188.16			
	72"(1829mm)	TARX-3672-	S	S	Y	4	2104.94	2531.04	2239.51	2665.61	2811.51	3311.05	2874.08	3388.74			
Non-Flip Top Tables																	
30"(762mm)	60"(1524mm)	TARX-3060-	S	S	Y	4	\$ 1730.26	\$ 2094.80	\$ 1824.13	\$ 2188.67	\$ 2206.99	\$ 2632.73	\$ 2240.78	\$ 2679.12			
	66"(1676mm)	TARX-3066-	S	S	Y	4	1816.98	2202.04	1920.10	2305.16	2348.39	2798.73	2388.95	2852.73			
	72"(1829mm)	TARX-3072-	S	S	Y	4	1903.70	2309.28	2016.07	2421.65	2489.79	2964.73	2537.12	3026.34			
36"(914mm)	60"(1524mm)	TARX-3660-	S	S	Y	4	\$ 1898.78	\$ 2283.84	\$ 2011.15	\$ 2396.21	\$ 2477.19	\$ 2927.53	\$ 2523.80	\$ 2987.58			
	66"(1676mm)	TARX-3666-	S	S	Y	4	2001.86	2407.44	2125.33	2530.91	2644.35	3119.29	2698.94	3188.16			
	72"(1829mm)	TARX-3672-	S	S	Y	4	2104.94	2531.04	2239.51	2665.61	2811.51	3311.05	2874.08	3388.74			
	78"(1981mm)	TARX-3678-	S	S	Y	4	2208.02	2654.64	2353.69	2800.31	2978.67	3502.81	3049.22	3589.32			
	84"(2134mm)	TARX-3684-	S	S	Y	4	2311.10	2778.24	2467.87	2935.01	3145.83	3694.57	3224.36	3789.90			
	90"(2286mm)	TARX-3690-	S	S	Y	4	2414.18	2901.84	2582.05	3069.71	3312.99	3886.33	3399.50	3990.48			
	96"(2438mm)	TARX-3696-	S	S	Y	4	2517.26	3025.44	2696.23	3204.41	3480.15	4078.09	3574.64	4191.06			

Planes Collaborative Table — Y-Leg

Half Round

Flip Top Table



Non-Flip Top Table



TAHN
Class TA1

Features

- Includes 1.18"(30mm) thick top, two Y-leg assemblies, stretcher and hardware.
- Standard table height is 29"(737mm) with 27.88"(708mm) knee clearance.
- High-Pressure Laminate (HPL) top with knife edge or 3mm edgeband edges or wood veneer top with 3mm wood edgeband or knife edge.
- Base Options:
 - Flip Top Table with casters (H) or with glides (F).
 - Non-flip Top Table with casters (C) or with glides (G).
- Flip Top Table:
 - Table top flips from horizontal to vertical position via pneumatic assist mechanism activated by two finger pulls.
 - Tables nest when flipped to vertical position. Refer to Specification Guide for details.
- Base and stretcher are painted aluminum.
- Stretcher provides lay-in cable management.
- Optional Flip top unit electrical modules are separately specified. Refer to electrical components for appropriate product specification.
- Optional casters (two locking) or glides are field interchangeable.
- Casters have light platinum hub with graphite tread.
- Glides are light platinum with 0.5"(13mm) height adjustment.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tips

- 3mm edgeband edge is recommended to allow a flat seam between tables.
- Width is meant to accommodate two 36"(914mm) tables.
- The following Planes products are separately specified:
 - Ganging clip
 - Flip top unit electrical modules
 - Grommets (field cut opening)
 - Vertical wire management
 - Y-leg Bumper

To Order, Specify:

- 1) Product number, including:

1 Surface Options:

L Laminate

W Wood

2 Edge Options:

Laminate:

J Edgeband

F Knife

Wood:

K Edgeband

U Knife

3 Flip Top Unit Cutout(s):

N None

F Center – single-sided/
4 outlets (add **\$45.40** list)

J Center – single-sided/
6 outlets (add **\$45.40** list)

4 Base Option (Flip/Non-Flip):

H Flip Top Table – Casters
(add **\$456.56** list)

F Flip Top Table – Glides (add
\$562.94 list)

C Non-flip Top Table: Casters

G Non-flip Top Table: Glides
(add **\$106.38** list)

- 2) Laminate surface or wood finish color.

- 3) Edge trim color (laminate only).

- 4) Base/Stretcher trim color.



Note: **\$62.43** upcharge list for
Metallic and accent trim colors.

Depth	Width	Number	HPL				Wood							
			A	J	F	B	J	F	A	K	U	B	K	U
Flip Top Table														
36"(914mm)	72"(1829mm)	TAHN-3672-	S	S	Y	4	\$2067.04	\$2406.16	\$2199.33	\$2538.45	\$2777.32	\$3211.48	\$2836.99	\$3290.59
Non-Flip Top Table														
36"(914mm)	72"(1829mm)	TAHN-3672-	S	S	Y	4	\$2067.04	\$2406.16	\$2199.33	\$2538.45	\$2777.32	\$3211.48	\$2836.99	\$3290.59


Planes Collaborative Table — Y-Leg

Polygon

Flip Top Table



Non-Flip Top Table



TACV
Class TAI

Features

- Includes 1.18"(30mm) thick top, two Y-leg assemblies, stretcher and hardware.
- Standard table height is 29"(737mm) with 27.88"(708mm) knee clearance.
- High-Pressure Laminate (HPL) top with knife edge or 3mm edgeband edges or wood veneer top with 3mm wood edgeband or knife edge.
- Base Options:
 - Flip Top Table with casters (H) or with glides (F).
 - Non-flip Top Table with casters (C) or with glides (G).
- Flip Top Table:
 - Table top flips from horizontal to vertical position via pneumatic assist mechanism activated by two finger pulls.
 - Tables nest when flipped to vertical position. Refer to Specification Guide for details.
- Base and stretcher are painted aluminum.
- Stretcher provides lay-in cable management.
- Optional Flip top unit electrical modules are separately specified. Refer to electrical components for appropriate product specification.
- Optional casters (two locking) or glides are field interchangeable.
- Casters have light platinum hub with graphite tread.
- Glides are light platinum with 0.5"(13mm) height adjustment.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tips

- 3mm edgeband edge is recommended to allow a flat seam between tables.
- Depth matches 30"(762mm) or 36"(914mm)D rectangular tables.
- The following Planes products are separately specified:
 - Ganging clip
 - Flip top unit electrical modules
 - Grommets (field cut opening)
 - Vertical wire management
 - Y-leg Bumper

To Order, Specify:

- 1) Product number, including:

1 Surface Options:

L Laminate

W Wood

2 Edge Options:

Laminate:

J Edgeband

F Knife

Wood:

K Edgeband

U Knife

3 Flip Top Unit Cutout(s):

N None

F Center – single-sided/
4 outlets (add **\$45.40** list)

J Center – single-sided/
6 outlets (add **\$45.40** list)

4 Base Option (Flip/Non-Flip):

H Flip Top Table – Casters
(add **\$456.56** list)

F Flip Top Table – Glides (add
\$562.94 list)

C Non-flip Top Table: Casters

G Non-flip Top Table: Glides,
add **\$106.38** list)

2) Laminate surface or wood finish color.

3) Edge trim color (laminate only).


4) Base/Stretcher trim color.

Note: **\$62.43** upcharge list for
Metallic and accent trim colors.

Depth	Width	Number	1	2	3	4	HPL		Wood					
							A J	F	B J	F	A K	U	B K	U
Flip Top Tables														
30"(762mm)	60"(1524mm)	TACV-3060-	S	S	Y	4	\$ 1704.88	\$ 2078.42	\$ 1800.09	\$ 2173.63	\$ 2255.71	\$ 2571.65	\$ 2294.01	\$ 2626.15
36"(914mm)	72"(1829mm)	TACV-3672-	S	S	Y	4	2093.40	2606.33	2230.63	2743.56	2853.27	3283.26	2929.06	3382.38
Non-Flip Top Tables														
30"(762mm)	60"(1524mm)	TACV-3060-	S	S	Y	4	\$ 1704.88	\$ 2078.42	\$ 1800.09	\$ 2173.63	\$ 2255.71	\$ 2571.65	\$ 2294.01	\$ 2626.15
36"(914mm)	72"(1829mm)	TACV-3672-	S	S	Y	4	2093.40	2606.33	2230.63	2743.56	2853.27	3283.26	2929.06	3382.38

Planes Collaborative Table Accessories

Vertical Wire Management



Features

- Includes one plastic wire manager sleeve
- Standard in light platinum color
- Field installed


Specification Tips

- For use on the Y-leg assembly for flip top unit wire management
- Snaps into top portion of Y-leg assembly.

Width	Length	Number	Price
2"(51mm)	12"(305mm)	TA01-0212	\$60.81

TA01-0212
Class TA1

Y-Leg Bumper



Feature

- Includes 4 bumpers in light platinum.


Specification Tip

- Protects Y-leg tables when nested.

Description	Number	Price
For use on 36"(914mm)D top	TA01-0213	\$11.75
For use on 30"(762mm)D top	TA01-0214	11.75

TA01-0213
TA01-0214
Class TA1

Ganging Mechanism



Features

- Includes four (two sets) ganging mechanisms and attachment hardware.
- Standard in black.
- Ganging Mechanism required for in-line powered Planes C-Leg and Y-Leg or Jive C-Leg and T-Leg Training Tables.
- Field installed.

Specification Tips

- Planes C-Leg Training Tables are drilled for ganging mechanisms.
- Designed to connect flat edges. It will not connect knife edge to knife edge or knife edge to flat edge.

Number	Price
TA01-0222	\$158.03

TA01-0222
(one set)
Class TA1

Ganging Clip



Features

- Includes set of two ganging clips and installation hardware.
- Standard in black.

Specification Tip



- Designed to connect flat or knife edges.

Number	Price
TA01-0001	\$62.62

TA01-0001
Class TA1

Planes Collaborative Table Accessories

Casters



TA01-0216
Class TA1

Features

- Includes 4 casters; 2 locking, 2 non-locking.
- Casters are available with:
Light platinum or fog hub with graphite tread, or black hub with black tread.

Specification Tip



- Casters are for use with Y-leg tables, carts and easels. Not designed for interior or perimeter leg conference tables.

To Order, Specify:

- 1) Product number.
- 2) Trim color for hub.

Number	Price
TA01-0216	\$50.09

Glides



TA01-0215
Class TA1

Description

Painted Stem

Number

TA01-0215

Price

\$174.31

Features

- Includes 4 glides.
- Glides have 0.5"(13mm) height adjustment.
- Glides stems are either painted (specify paint trim color) or polished aluminum.
- Glide base disc is available in light platinum, fog or black (specify trim color).


Specification Tip

- Glides are for use with Y-leg tables, carts and easels. Not designed for interior or perimeter leg conference tables.


To Order, Specify:

- 1) Product number.
- 2) Stem trim color (for painted Glide).
- 3) Base Disc trim color.


Planes Table — X Base



TARN-NXC



TARQ-NXC



TARP-NXG

Class TA1

Features

- High-Pressure Laminate (HPL) top with knife edge or 3mm edgeband edges or wood veneer top with 3mm wood edgeband or knife edge. Edgeband tops are 3mm on user edge and 1mm on remaining edges.
- Includes 1.18"(30mm) thick standard top, base and hardware.
- Fixed table height options are 21"(533mm), 29"(737mm) and 41"(1041mm).
- Caster and glides are not interchangeable.
- Casters (two locking/two non-locking) are available with: Light platinum or fog hub with graphite tread, or black hub with black tread.
- Glides are graphite and provide 0.5"(13mm) glide adjustment.
- Ships unassembled.

Specification Tips

- Base Sizes:
-30"(762mm) and 36"(914mm) tops include 27.25"(692mm) X-Base.
-42"(1067mm) and 48"(1219mm) tops include 33.75"(857mm) X-Base.

To Order, Specify:

- 1) Product number, including:

1 Surface Options:

 L Laminate W Wood

2 Edge Options:

Laminate:

 J Edgeband F Knife

Wood:

 K Edgeband U Knife

3 Base:

 C Caster G Glide (add \$93.81 list)

4 Base Material:

 A Painted B Polished (add \$383.08 list)

- 2) Laminate surface color or Wood finish color.

- 3) Edge trim color (laminate only).

- 4) Base trim color (painted only).


- 5) Caster color.

Note: \$62.43 upcharge list for Metallic and accent trim colors.

Planes Table — X Base

Height	Depth	Width	Number	HPL				Wood			
				A ①②	B ③④	J F	J F	A K	B U		
Round											
21"(533mm)	30"(762mm)	30"(762mm)	TARN-3030-	SNX 2	\$ 957.66	\$ 1224.85	\$ 1050.07	\$ 1317.26	\$ 1431.76	\$ 1703.63	\$ 1464.03
36"(914mm)	36"(914mm)	TARN-3636-	SNX 2	1144.84	1453.79	1257.49	1566.44	1704.83	2102.41	1754.00	2183.53
42"(1067mm)	42"(1067mm)	TARN-4242-	SNX 2	1364.22	1714.93	1500.79	1851.50	2021.44	2572.40	2090.19	2686.47
48"(1219mm)	48"(1219mm)	TARN-4848-	SNX 2	1615.80	2008.27	1779.97	2172.44	2381.59	3114.33	2472.60	3266.38
29"(737mm)	30"(762mm)	30"(762mm)	TARN-3030-	SNX 4	\$ 981.11	\$ 1248.30	\$ 1073.52	\$ 1340.71	\$ 1455.21	\$ 1727.08	\$ 1487.48
36"(914mm)	36"(914mm)	TARN-3636-	SNX 4	1168.29	1477.24	1280.94	1589.89	1728.28	2125.86	1777.45	2206.98
42"(1067mm)	42"(1067mm)	TARN-4242-	SNX 4	1387.67	1738.38	1524.24	1874.95	2044.89	2595.85	2113.64	2709.92
48"(1219mm)	48"(1219mm)	TARN-4848-	SNX 4	1639.25	2031.72	1803.42	2195.89	2405.04	3137.78	2496.05	3289.83
41"(1041mm)	30"(762mm)	30"(762mm)	TARN-3030-	SNX 7	\$ 1004.58	\$ 1271.77	\$ 1096.99	\$ 1364.18	\$ 1478.68	\$ 1750.55	\$ 1510.95
36"(914mm)	36"(914mm)	TARN-3636-	SNX 7	1191.76	1500.71	1304.41	1613.36	1751.75	2149.33	1800.92	2230.45
42"(1067mm)	42"(1067mm)	TARN-4242-	SNX 7	1411.14	1761.85	1547.71	1898.42	2068.36	2619.32	2137.11	2733.39
48"(1219mm)	48"(1219mm)	TARN-4848-	SNX 7	1662.72	2055.19	1826.89	2219.36	2428.51	3161.25	2519.52	3313.30
Square											
21"(533mm)	30"(762mm)	30"(762mm)	TARQ-3030-	SNX 2	\$ 956.46	\$ 1214.05	\$ 1048.87	\$ 1306.46	\$ 1431.76	\$ 1564.82	\$ 1464.03
36"(914mm)	36"(914mm)	TARQ-3636-	SNX 2	1143.40	1440.83	1256.05	1553.48	1704.83	1935.84	1754.00	2003.12
42"(1067mm)	42"(1067mm)	TARQ-4242-	SNX 2	1362.54	1699.81	1499.11	1836.38	2021.44	2378.70	2090.19	2476.68
48"(1219mm)	48"(1219mm)	TARQ-4848-	SNX 2	1613.88	1990.99	1778.05	2155.16	2381.59	2892.23	2472.60	3025.84
29"(737mm)	30"(762mm)	30"(762mm)	TARQ-3030-	SNX 4	\$ 979.91	\$ 1237.50	\$ 1072.32	\$ 1329.91	\$ 1455.21	\$ 1588.27	\$ 1487.48
36"(914mm)	36"(914mm)	TARQ-3636-	SNX 4	1166.85	1464.28	1279.50	1576.93	1728.28	1959.29	1777.45	2026.57
42"(1067mm)	42"(1067mm)	TARQ-4242-	SNX 4	1385.99	1723.26	1522.56	1859.83	2044.89	2402.15	2113.64	2500.13
48"(1219mm)	48"(1219mm)	TARQ-4848-	SNX 4	1637.33	2014.44	1801.50	2178.61	2405.04	2915.68	2496.05	3049.29
41"(1041mm)	30"(762mm)	30"(762mm)	TARQ-3030-	SNX 7	\$ 1003.38	\$ 1260.97	\$ 1095.79	\$ 1353.38	\$ 1478.68	\$ 1611.74	\$ 1510.95
36"(914mm)	36"(914mm)	TARQ-3636-	SNX 7	1190.32	1487.75	1302.97	1600.40	1751.75	1982.76	1800.92	2050.04
42"(1067mm)	42"(1067mm)	TARQ-4242-	SNX 7	1409.46	1746.73	1546.03	1883.30	2068.36	2425.62	2137.11	2523.60
48"(1219mm)	48"(1219mm)	TARQ-4848-	SNX 7	1660.80	2037.91	1824.97	2202.08	2428.51	2939.15	2519.52	3072.76
Pebble											
21"(533mm)	30"(762mm)	30"(762mm)	TARP-3030-	SNX 2	\$ 956.46	\$ 1214.05	\$ 1048.87	\$ 1306.46	\$ 1431.76	\$ 1564.82	\$ 1464.03
36"(914mm)	36"(914mm)	TARP-3636-	SNX 2	1143.40	1440.83	1256.05	1553.48	1704.83	1935.84	1754.00	2003.12
42"(1067mm)	42"(1067mm)	TARP-4242-	SNX 2	1362.54	1699.81	1499.11	1836.38	2021.44	2378.70	2090.19	2476.68
48"(1219mm)	48"(1219mm)	TARP-4848-	SNX 2	1613.88	1990.99	1778.05	2155.16	2381.59	2892.23	2472.60	3025.84
29"(737mm)	30"(762mm)	30"(762mm)	TARP-3030-	SNX 4	\$ 979.91	\$ 1237.50	\$ 1072.32	\$ 1329.91	\$ 1455.21	\$ 1588.27	\$ 1487.48
36"(914mm)	36"(914mm)	TARP-3636-	SNX 4	1166.85	1464.28	1279.50	1576.93	1728.28	1959.29	1777.45	2026.57
42"(1067mm)	42"(1067mm)	TARP-4242-	SNX 4	1385.99	1723.26	1522.56	1859.83	2044.89	2402.15	2113.64	2500.13
48"(1219mm)	48"(1219mm)	TARP-4848-	SNX 4	1637.33	2014.44	1801.50	2178.61	2405.04	2915.68	2496.05	3049.29
41"(1041mm)	30"(762mm)	30"(762mm)	TARP-3030-	SNX 7	\$ 1003.38	\$ 1260.97	\$ 1095.79	\$ 1353.38	\$ 1478.68	\$ 1611.74	\$ 1510.95
36"(914mm)	36"(914mm)	TARP-3636-	SNX 7	1190.32	1487.75	1302.97	1600.40	1751.75	1982.76	1800.92	2050.04
42"(1067mm)	42"(1067mm)	TARP-4242-	SNX 7	1409.46	1746.73	1546.03	1883.30	2068.36	2425.62	2137.11	2523.60
48"(1219mm)	48"(1219mm)	TARP-4848-	SNX 7	1660.80	2037.91	1824.97	2202.08	2428.51	2939.15	2519.52	3072.76

Planes Table — Disc Base




TARN-NDN
Class TA1

Features


- High-Pressure Laminate (HPL) top with knife edge or 3mm edgeband edges or wood veneer top with 3mm wood edgeband or knife edge.
- Includes 1.18"(30mm) thick standard top, base and hardware.
- Fixed table height options are 21"(533mm), 29"(737mm) and 41"(1041mm).
- Ships unassembled.

Specification Tips

- Base Sizes:
 - 30"(762mm) and 36"(914mm) tops include 21"(533mm) disc base.
 - 42"(1067mm) and 48"(1219mm) tops include 27"(686mm) disc base.



TARQ-NDN
Class TA1



TARP-NDN
Class TA1

To Order, Specify:

- 1) Product number, including:

1 Surface Options:

L Laminate

W Wood

2 Edge Options:

Laminate:

J Edgeband

F Knife

Wood:

K Edgeband

U Knife

- 2) Laminate surface color or Wood finish color.

- 3) Edge trim color (laminate only).

- 4) Base trim color.


Note: \$62.43 upcharge list for Metallic and accent trim colors.

Planes Table — Disc Base


Height	Depth	Width	Number	①②	HPL				Wood				
					A J	F	B J	F	A K	U	B K	U	
Round													
21"(533mm)	30"(762mm)	30"(762mm)	TARN-3030-	SNDN2A	\$1284.00	\$ 1551.19	\$ 1376.41	\$ 1643.60	\$ 1758.10	\$ 2029.97	\$ 1790.37	\$ 2083.12	
36"(914mm)	36"(914mm)	TARN-3636-	SNDN2A	1471.18	1780.13	1583.83	1892.78	2031.17	2428.75	2080.34	2509.87		
42"(1067mm)	42"(1067mm)	TARN-4242-	SNDN2A	1690.56	2041.27	1827.13	2177.84	2347.78	2898.74	2416.53	3012.81		
48"(1219mm)	48"(1219mm)	TARN-4848-	SNDN2A	1942.14	2334.61	2106.31	2498.78	2707.93	3440.67	2798.94	3592.72		
29"(737mm)	30"(762mm)	30"(762mm)	TARN-3030-	SNDN4A	\$1307.45	\$ 1574.64	\$ 1399.86	\$ 1667.05	\$ 1781.55	\$ 2053.42	\$ 1813.82	\$ 2106.57	
36"(914mm)	36"(914mm)	TARN-3636-	SNDN4A	1494.63	1803.58	1607.28	1916.23	2054.62	2452.20	2103.79	2533.32		
42"(1067mm)	42"(1067mm)	TARN-4242-	SNDN4A	1714.01	2064.72	1850.58	2201.29	2371.23	2922.19	2439.98	3036.26		
48"(1219mm)	48"(1219mm)	TARN-4848-	SNDN4A	1965.59	2358.06	2129.76	2522.23	2731.38	3464.12	2822.39	3616.17		
41"(1041mm)	30"(762mm)	30"(762mm)	TARN-3030-	SNDN7A	\$1330.92	\$ 1598.11	\$ 1423.33	\$ 1690.52	\$ 1805.02	\$ 2076.89	\$ 1837.29	\$ 2130.04	
36"(914mm)	36"(914mm)	TARN-3636-	SNDN7A	1518.10	1827.05	1630.75	1939.70	2078.09	2475.67	2127.26	2556.79		
42"(1067mm)	42"(1067mm)	TARN-4242-	SNDN7A	1737.48	2088.19	1874.05	2224.76	2394.70	2945.66	2463.45	3059.73		
48"(1219mm)	48"(1219mm)	TARN-4848-	SNDN7A	1989.06	2381.53	2153.23	2545.70	2754.85	3487.59	2845.86	3639.64		
Square													
21"(533mm)	30"(762mm)	30"(762mm)	TARQ-3030-	SNDN2A	\$ 1281.43	\$ 1539.02	\$ 1373.84	\$ 1631.43	\$ 1756.73	\$ 1889.79	\$ 1789.00	\$ 1931.41	
36"(914mm)	36"(914mm)	TARQ-3636-	SNDN2A	1468.37	1765.80	1581.02	1878.45	2029.80	2260.81	2078.97	2328.09		
42"(1067mm)	42"(1067mm)	TARQ-4242-	SNDN2A	1687.51	2024.78	1824.08	2161.35	2346.41	2703.67	2415.16	2801.65		
48"(1219mm)	48"(1219mm)	TARQ-4848-	SNDN2A	1938.85	2315.96	2103.02	2480.13	2706.56	3217.20	2797.57	3350.81		
29"(737mm)	30"(762mm)	30"(762mm)	TARQ-3030-	SNDN4A	\$1304.88	\$ 1562.47	\$ 1397.29	\$ 1654.88	\$ 1780.18	\$ 1913.24	\$ 1812.45	\$ 1954.86	
36"(914mm)	36"(914mm)	TARQ-3636-	SNDN4A	1491.82	1789.25	1604.47	1901.90	2053.25	2284.26	2102.42	2351.54		
42"(1067mm)	42"(1067mm)	TARQ-4242-	SNDN4A	1710.96	2048.23	1847.53	2184.80	2369.86	2727.12	2438.61	2825.10		
48"(1219mm)	48"(1219mm)	TARQ-4848-	SNDN4A	1962.30	2339.41	2126.47	2503.58	2730.01	3240.65	2821.02	3374.26		
41"(1041mm)	30"(762mm)	30"(762mm)	TARQ-3030-	SNDN7A	\$1328.35	\$ 1585.94	\$ 1420.76	\$ 1678.35	\$ 1803.65	\$ 1936.71	\$ 1835.92	\$ 1978.33	
36"(914mm)	36"(914mm)	TARQ-3636-	SNDN7A	1515.29	1812.72	1627.94	1925.37	2076.72	2307.73	2125.89	2375.01		
42"(1067mm)	42"(1067mm)	TARQ-4242-	SNDN7A	1734.43	2071.70	1871.00	2208.27	2393.33	2750.59	2462.08	2848.57		
48"(1219mm)	48"(1219mm)	TARQ-4848-	SNDN7A	1985.77	2362.88	2149.94	2527.05	2753.48	3264.12	2844.49	3397.73		
Pebble													
21"(533mm)	30"(762mm)	30"(762mm)	TARP-3030-	SNDN2A	\$1282.80	\$ 1540.39	\$ 1375.21	\$ 1632.80	\$ 1758.10	\$ 1891.16	\$ 1790.37	\$ 1932.78	
36"(914mm)	36"(914mm)	TARP-3636-	SNDN2A	1469.74	1767.17	1582.39	1879.82	2031.17	2262.18	2080.34	2329.46		
42"(1067mm)	42"(1067mm)	TARP-4242-	SNDN2A	1688.88	2026.15	1825.45	2162.72	2347.78	2705.04	2416.53	2803.02		
48"(1219mm)	48"(1219mm)	TARP-4848-	SNDN2A	1940.22	2317.33	2104.39	2481.50	2707.93	3218.57	2798.94	3352.18		
29"(737mm)	30"(762mm)	30"(762mm)	TARP-3030-	SNDN4A	\$1306.25	\$ 1563.84	\$ 1398.66	\$ 1656.25	\$ 1781.55	\$ 1914.61	\$ 1813.82	\$ 1956.23	
36"(914mm)	36"(914mm)	TARP-3636-	SNDN4A	1493.19	1790.62	1605.84	1903.27	2054.62	2285.63	2103.79	2352.91		
42"(1067mm)	42"(1067mm)	TARP-4242-	SNDN4A	1712.33	2049.60	1848.90	2186.17	2371.23	2728.49	2439.98	2826.47		
48"(1219mm)	48"(1219mm)	TARP-4848-	SNDN4A	1963.67	2340.78	2127.84	2504.95	2731.38	3242.02	2822.39	3375.63		
41"(1041mm)	30"(762mm)	30"(762mm)	TARP-3030-	SNDN7A	\$1329.72	\$ 1587.31	\$ 1422.13	\$ 1679.72	\$ 1805.02	\$ 1938.08	\$ 1837.29	\$ 1979.70	
36"(914mm)	36"(914mm)	TARP-3636-	SNDN7A	1516.66	1814.09	1629.31	1926.74	2078.09	2309.10	2127.26	2376.38		
42"(1067mm)	42"(1067mm)	TARP-4242-	SNDN7A	1735.80	2073.07	1872.37	2209.64	2394.70	2751.96	2463.45	2849.94		
48"(1219mm)	48"(1219mm)	TARP-4848-	SNDN7A	1987.14	2364.25	2151.31	2528.42	2754.85	3265.49	2845.86	3399.10		

Planes Table — Dual X Base

Rectangle



TARA-XC

TARA-XG
Class TA1

Features

- High-Pressure Laminate (HPL) top with knife edge or 3mm edgeband edges or wood veneer top with 3mm wood edgeband or knife edge. Edgeband tops are 3mm on user edge and 1mm on remaining edges.
- Includes 1.18"(30mm) thick standard top, bases and hardware.
- Fixed table height options are 29"(737mm) and 41"(1041mm).
- Casters (two locking/two non-locking) are available with: Light platinum or fog hub with graphite tread, or black hub with black tread.
- Glides available in graphite only and provide 0.5"(13mm) adjustment.
- Casters and glides are not interchangeable.
- Power modules are available for field installation; separately specified. Refer to Specification Guide.
- Ships unassembled.

Specification Tips

- Cutouts are designed for single sided flip top units.
- The following Planes products are separately specified:
 - Power modules
 - Grommet (field cut opening)
 - Wire Management

To Order, Specify:

1) Product number, including:

1 Surface Options:

L Laminate

W Wood

2 Edge Options:

Laminate:

J Edgeband

F Knife

Wood:

K Edgeband

U Knife

3 Cutout:

N No Cutout

F Center, Single-Sided/
4 outlets (add **\$45.40** list)

J Center, Single-Sided/
6 outlets (add **\$45.40** list)

4 Base:

C Caster

G Glide (add **\$187.62** list)

5 Base Material:

A Painted

B Polished (add **\$766.15** list)

2) Laminate surface color or wood finish color.

3) Edge trim color (laminate only).

4) Base trim color.

5) Caster color.

Note: **\$62.43** upcharge list for Metallic and accent trim colors.


Planes Table — Dual X Base

Rectangle


Height	Depth	Width	Number	HPL					Wood							
				1	2	3	4	5	J	F	J	F	K	U		
29"(737mm)	30"(762mm)	60"(1524mm)	TARA-3060-	S	X	4			1851.39	\$ 2212.18	\$ 1948.00	\$ 2308.79	\$ 2360.26	\$ 2796.65	\$ 2398.31	\$ 2847.30
66"(1676mm)		TARA-3066-	S	X	4				1939.45	2320.40	2045.56	2426.51	2505.74	2967.33	2551.15	3026.18
72"(1829mm)		TARA-3072-	S	X	4				2027.51	2428.62	2143.12	2544.23	2651.22	3138.01	2703.99	3205.06
78"(1981mm)		TARA-3078-	S	X	4				2115.57	2536.84	2240.68	2661.95	2796.70	3308.69	2856.83	3383.94
84"(2134mm)		TARA-3084-	S	X	4				2203.63	2645.06	2338.24	2779.67	2942.18	3479.37	3009.67	3562.82
90"(2286mm)		TARA-3090-	S	X	4				2291.69	2753.28	2435.80	2897.39	3087.66	3650.05	3162.51	3741.70
96"(2438mm)		TARA-3096-	S	X	4				2379.75	2861.50	2533.36	3015.11	3233.14	3820.73	3315.35	3920.58
36"(914mm)	60"(1524mm)	TARA-3660-	S	X	4				\$ 2023.55	\$ 2404.50	\$ 2139.16	\$ 2520.11	\$ 2638.14	\$ 3099.73	\$ 2689.95	\$ 3164.98
66"(1676mm)		TARA-3666-	S	X	4				2128.43	2529.54	2255.44	2656.55	2810.10	3296.89	2870.55	3371.62
72"(1829mm)		TARA-3672-	S	X	4				2233.31	2654.58	2371.72	2792.99	2982.06	3494.05	3051.15	3578.26
78"(1981mm)		TARA-3678-	S	X	4				2338.19	2779.62	2488.00	2929.43	3154.02	3691.21	3231.75	3784.90
84"(2134mm)		TARA-3684-	S	X	4				2443.07	2904.66	2604.28	3065.87	3325.98	3888.37	3412.35	3991.54
90"(2286mm)		TARA-3690-	S	X	4				2547.95	3029.70	2720.56	3202.31	3497.94	4085.53	3592.95	4198.18
96"(2438mm)		TARA-3696-	S	X	4				2652.83	3154.74	2836.84	3338.75	3669.90	4282.69	3773.55	4404.82
42"(1067mm)	60"(1524mm)	TARA-4260-	S	X	4				\$ 2195.71	\$ 2596.82	\$ 2330.32	\$ 2731.43	\$ 2916.02	\$ 3402.81	\$ 2981.59	\$ 3482.66
66"(1676mm)		TARA-4266-	S	X	4				2317.41	2738.68	2465.32	2886.59	3114.46	3626.45	3189.95	3717.06
72"(1829mm)		TARA-4272-	S	X	4				2439.11	2880.54	2600.32	3041.75	3312.90	3850.09	3398.31	3951.46
78"(1981mm)		TARA-4278-	S	X	4				2560.81	3022.40	2735.32	3196.91	3511.34	4073.73	3606.67	4185.86
84"(2134mm)		TARA-4284-	S	X	4				2682.51	3164.26	2870.32	3352.07	3709.78	4297.37	3815.03	4420.26
90"(2286mm)		TARA-4290-	S	X	4				2804.21	3306.12	3005.32	3507.23	3908.22	4521.01	4023.39	4654.66
96"(2438mm)		TARA-4296-	S	X	4				2925.91	3447.98	3140.32	3662.39	4106.66	4744.65	4231.75	4889.06
48"(1219mm)	60"(1524mm)	TARA-4860-	S	X	4				\$ 2367.87	\$ 2789.14	\$ 2521.48	\$ 2942.75	\$ 3193.90	\$ 3705.89	\$ 3273.23	\$ 3800.34
66"(1676mm)		TARA-4866-	S	X	4				2506.39	2947.82	2675.20	3116.63	3418.82	3956.01	3509.35	4062.50
72"(1829mm)		TARA-4872-	S	X	4				2644.91	3106.50	2828.92	3290.51	3643.74	4206.13	3745.47	4324.66
78"(1981mm)		TARA-4878-	S	X	4				2783.43	3265.18	2982.64	3464.39	3868.66	4456.25	3981.59	4586.82
84"(2134mm)		TARA-4884-	S	X	4				2921.95	3423.86	3136.36	3638.27	4093.58	4706.37	4217.71	4848.98
90"(2286mm)		TARA-4890-	S	X	4				3060.47	3582.54	3290.08	3812.15	4318.50	4956.49	4453.83	5111.14
96"(2438mm)		TARA-4896-	S	X	4				3198.99	3741.22	3443.80	3986.03	4543.42	5206.61	4689.95	5373.30
41"(1041mm)	30"(762mm)	60"(1524mm)	TARA-3060-	S	X	7			\$ 1945.21	\$ 2306.00	\$ 2041.82	\$ 2402.61	\$ 2454.08	\$ 2890.47	\$ 2492.13	\$ 2941.12
66"(1676mm)		TARA-3066-	S	X	7				2033.27	2414.22	2139.38	2520.33	2599.56	3061.15	2644.97	3120.00
72"(1829mm)		TARA-3072-	S	X	7				2121.33	2522.44	2236.94	2638.05	2745.04	3231.83	2797.81	3298.88
78"(1981mm)		TARA-3078-	S	X	7				2209.39	2630.66	2334.50	2755.77	2890.52	3402.51	2950.65	3477.76
84"(2134mm)		TARA-3084-	S	X	7				2297.45	2738.88	2432.06	2873.49	3036.00	3573.19	3103.49	3656.64
90"(2286mm)		TARA-3090-	S	X	7				2385.51	2847.10	2529.62	2991.21	3181.48	3743.87	3256.33	3835.52
96"(2438mm)		TARA-3096-	S	X	7				2473.57	2955.32	2627.18	3108.93	3326.96	3914.55	3409.17	4014.40
36"(914mm)	60"(1524mm)	TARA-3660-	S	X	7				\$ 2117.37	\$ 2498.32	\$ 2232.98	\$ 2613.93	\$ 2731.96	\$ 3193.55	\$ 2783.77	\$ 3258.80
66"(1676mm)		TARA-3666-	S	X	7				2222.25	2623.36	2349.26	2750.37	2903.92	3390.71	2964.37	3465.44
72"(1829mm)		TARA-3672-	S	X	7				2327.13	2748.40	2465.54	2886.81	3075.88	3587.87	3144.97	3672.08
78"(1981mm)		TARA-3678-	S	X	7				2432.01	2873.44	2581.82	3023.25	3247.84	3785.03	3325.57	3878.72
84"(2134mm)		TARA-3684-	S	X	7				2536.89	2998.48	2698.10	3159.69	3419.80	3982.19	3506.17	4085.36
90"(2286mm)		TARA-3690-	S	X	7				2641.77	3123.52	2814.38	3296.13	3591.76	4179.35	3686.77	4292.00
96"(2438mm)		TARA-3696-	S	X	7				2746.65	3248.56	2930.66	3432.57	3763.72	4376.51	3867.37	4498.64
42"(1067mm)	60"(1524mm)	TARA-4260-	S	X	7				\$ 2289.53	\$ 2690.64	\$ 2424.14	\$ 2825.25	\$ 3009.84	\$ 3496.63	\$ 3075.41	\$ 3576.48
66"(1676mm)		TARA-4266-	S	X	7				2411.23	2832.50	2559.14	2980.41	3208.28	3720.27	3283.77	3810.88
72"(1829mm)		TARA-4272-	S	X	7				2532.93	2974.36	2694.14	3135.57	3406.72	3943.91	3492.13	4045.28
78"(1981mm)		TARA-4278-	S	X	7				2654.63	3116.22	2829.14	3290.73	3605.16	4167.55	3700.49	4279.68
84"(2134mm)		TARA-4284-	S	X	7				2776.33	3258.08	2964.14	3445.89	3803.60	4391.19	3908.85	4514.08
90"(2286mm)		TARA-4290-	S	X	7				2898.03	3399.94	3099.14	3601.05	4002.04	4614.83	4117.21	4748.48
96"(2438mm)		TARA-4296-	S	X	7				3019.73	3541.80	3234.14	3756.21	4200.48	4838.47	4325.57	4982.88
48"(1219mm)	60"(1524mm)	TARA-4860-	S	X	7				\$ 2461.69	\$ 2882.96	\$ 2615.30	\$ 3036.57	\$ 3287.72	\$ 3799.71	\$ 3367.05	\$ 3894.16
66"(1676mm)		TARA-4866-	S	X	7				2600.21	3041.64	2769.02	3210.45	3512.64	4049.83	3603.17	4156.32
72"(1829mm)		TARA-4872-	S	X	7				2738.73	3200.32	2922.74	3384.33	3737.56	4299.95	3839.29	4418.48
78"(1981mm)		TARA-4878-	S	X	7				2877.25	3359.00	3076.46	3558.21	3962.48	4550.07	4075.41	4680.64
84"(2134mm)		TARA-4884-	S	X	7				3015.77	3517.68	3230.18	3732.09	4187.40	4800.19	4311.53	4942.80
90"(2286mm)		TARA-4890-	S	X	7				3154.29	3676.36	3383.90	3905.97	4412.32	5050.31	4547.65	5204.96
96"(2438mm)		TARA-4896-	S	X	7				3292.81	3835.04	3537.62	4079.85	4637.24	5300.43	4783.77	5467.12

Planes Table — Dual X Base

Hexagon



TARX-XC



TARX-XG
Class TA1

Features

- High-Pressure Laminate (HPL) top with knife edge or 3mm edgeband edges or wood veneer top with 3mm wood edgeband or knife edge. Edgeband tops are 3mm on user edge and 1mm on remaining edges.
- Includes 1.18"(30mm) thick standard top, bases and hardware.
- Fixed table height options are 29"(737mm) and 41"(1041mm).
- Casters (two locking/two non-locking) are available with: Light platinum or fog hub with graphite tread, or black hub with black tread.
- Glides available in graphite only and provide 0.5"(13mm) adjustment.
- Casters and glides are not interchangeable.
- Power modules are available for field installation; separately specified. Refer to Specification Guide.
- Ships unassembled.

Specification Tips

- Cutouts are designed for single sided flip top units.
- The following Planes products are separately specified:
 - Power modules
 - Grommet (field cut opening)
 - Wire Management

To Order, Specify:

1) Product number, including:

① Surface Options:

L Laminate

W Wood

② Edge Options:

Laminate:

J Edgeband

F Knife

Wood:

K Edgeband

U Knife

③ Cutout:

N No Cutout

F Center, Single-Sided/
4 outlets (add **\$45.40** list)

J Center, Single-Sided/
6 outlets (add **\$45.40** list)

④ Base:

C Caster

G Glide (add **\$187.62** list)

⑤ Base Material:

A Painted

B Polished (add **\$766.15** list)

2) Laminate surface color or wood finish color.

3) Edge trim color (laminate only).

4) Base trim color.

5) Caster color.

Note: **\$62.43** upcharge list for Metallic and accent trim colors.

Planes Table — Dual X Base

Hexagon

Height	Depth	Width	Number	HPL					Wood				
				A	B	F	J	A	K	U	B	K	U
29"(737mm)	30"(762mm)	60"(1524mm)	TARX-3060-	S X 4	\$ 1905.59	\$ 2277.18	\$ 2002.20	\$ 2373.79	\$ 2398.26	\$ 2834.65	\$ 2436.31	\$ 2885.30	
66"(1676mm)		TARX-3066-	S X 4	1994.73	2387.20	2100.84	2493.31	2543.74	3005.33	2589.15	3064.18		
72"(1829mm)		TARX-3072-	S X 4	2083.87	2497.22	2199.48	2612.83	2689.22	3176.01	2741.99	3243.06		
78"(1981mm)		TARX-3078-	S X 4	2173.01	2607.24	2298.12	2732.35	2834.70	3346.69	2894.83	3421.94		
84"(2134mm)		TARX-3084-	S X 4	2262.15	2717.26	2396.76	2851.87	2980.18	3517.37	3047.67	3600.82		
90"(2286mm)		TARX-3090-	S X 4	2351.29	2827.28	2495.40	2971.39	3125.66	3688.05	3200.51	3779.70		
96"(2438mm)		TARX-3096-	S X 4	2440.43	2937.30	2594.04	3090.91	3271.14	3858.73	3353.35	3958.58		
36"(914mm)	60"(1524mm)	TARX-3660-	S X 4	\$ 2078.83	\$ 2471.30	\$ 2194.44	\$ 2586.91	\$ 2676.14	\$ 3137.73	\$ 2727.95	\$ 3202.98		
66"(1676mm)		TARX-3666-	S X 4	2184.79	2598.14	2311.80	2725.15	2848.10	3334.89	2908.55	3409.62		
72"(1829mm)		TARX-3672-	S X 4	2290.75	2724.98	2429.16	2863.39	3020.06	3532.05	3089.15	3616.26		
78"(1981mm)		TARX-3678-	S X 4	2396.71	2851.82	2546.52	3001.63	3192.02	3729.21	3269.75	3822.90		
84"(2134mm)		TARX-3684-	S X 4	2502.67	2978.66	2663.88	3139.87	3363.98	3926.37	3450.35	4029.54		
90"(2286mm)		TARX-3690-	S X 4	2608.63	3105.50	2781.24	3278.11	3535.94	4123.53	3630.95	4236.18		
96"(2438mm)		TARX-3696-	S X 4	2714.59	3232.34	2898.60	3416.35	3707.90	4320.69	3811.55	4442.82		
42"(1067mm)	60"(1524mm)	TARX-4260-	S X 4	\$ 2252.07	\$ 2665.42	\$ 2386.68	\$ 2800.03	\$ 2954.02	\$ 3440.81	\$ 3019.59	\$ 3520.66		
66"(1676mm)		TARX-4266-	S X 4	2374.85	2809.08	2522.76	2956.99	3152.46	3664.45	3227.95	3755.06		
72"(1829mm)		TARX-4272-	S X 4	2497.63	2952.74	2658.84	3113.95	3350.90	3888.09	3436.31	3989.46		
78"(1981mm)		TARX-4278-	S X 4	2620.41	3096.40	2794.92	3270.91	3549.34	4111.73	3644.67	4223.86		
84"(2134mm)		TARX-4284-	S X 4	2743.19	3240.06	2931.00	3427.87	3747.78	4335.37	3853.03	4458.26		
90"(2286mm)		TARX-4290-	S X 4	2865.97	3383.72	3067.08	3584.83	3946.22	4559.01	4061.39	4692.66		
96"(2438mm)		TARX-4296-	S X 4	2988.75	3527.38	3203.16	3741.79	4144.66	4782.65	4269.75	4927.06		
48"(1219mm)	60"(1524mm)	TARX-4860-	S X 4	\$ 2425.31	\$ 2859.54	\$ 2578.92	\$ 3013.15	\$ 3231.90	\$ 3743.89	\$ 3311.23	\$ 3838.34		
66"(1676mm)		TARX-4866-	S X 4	2564.91	3020.02	2733.72	3188.83	3456.82	3994.01	3547.35	4100.50		
72"(1829mm)		TARX-4872-	S X 4	2704.51	3180.50	2888.52	3364.51	3681.74	4244.13	3783.47	4362.66		
78"(1981mm)		TARX-4878-	S X 4	2844.11	3340.98	3043.32	3540.19	3906.66	4494.25	4019.59	4624.82		
84"(2134mm)		TARX-4884-	S X 4	2983.71	3501.46	3198.12	3715.87	4131.58	4744.37	4255.71	4886.98		
90"(2286mm)		TARX-4890-	S X 4	3123.31	3661.94	3352.92	3891.55	4356.50	4994.49	4491.83	5149.14		
96"(2438mm)		TARX-4896-	S X 4	3262.91	3822.42	3507.72	4067.23	4581.42	5244.61	4727.95	5411.30		
41"(1041mm)	30"(762mm)	TARX-3060-	S X 7	\$ 1999.41	\$ 2371.00	\$ 2096.02	\$ 2467.61	\$ 2492.08	\$ 2928.47	\$ 2530.13	\$ 2979.12		
66"(1676mm)		TARX-3066-	S X 7	2088.55	2481.02	2194.66	2587.13	2637.56	3099.15	2682.97	3158.00		
72"(1829mm)		TARX-3072-	S X 7	2177.69	2591.04	2293.30	2706.65	2783.04	3269.83	2835.81	3336.88		
78"(1981mm)		TARX-3078-	S X 7	2266.83	2701.06	2391.94	2826.17	2928.52	3440.51	2988.65	3515.76		
84"(2134mm)		TARX-3084-	S X 7	2355.97	2811.08	2490.58	2945.69	3074.00	3611.19	3141.49	3694.64		
90"(2286mm)		TARX-3090-	S X 7	2445.11	2921.10	2589.22	3065.21	3219.48	3781.87	3294.33	3873.52		
96"(2438mm)		TARX-3096-	S X 7	2534.25	3031.12	2687.86	3184.73	3364.96	3952.55	3447.17	4052.40		
36"(914mm)	60"(1524mm)	TARX-3660-	S X 7	\$ 2172.65	\$ 2565.12	\$ 2288.26	\$ 2680.73	\$ 2769.96	\$ 3231.55	\$ 2821.77	\$ 3296.80		
66"(1676mm)		TARX-3666-	S X 7	2278.61	2691.96	2405.62	2818.97	2941.92	3428.71	3002.37	3503.44		
72"(1829mm)		TARX-3672-	S X 7	2384.57	2818.80	2522.98	2957.21	3113.88	3625.87	3182.97	3710.08		
78"(1981mm)		TARX-3678-	S X 7	2490.53	2945.64	2640.34	3095.45	3285.84	3823.03	3363.57	3916.72		
84"(2134mm)		TARX-3684-	S X 7	2596.49	3072.48	2757.70	3233.69	3457.80	4020.19	3544.17	4123.36		
90"(2286mm)		TARX-3690-	S X 7	2702.45	3199.32	2875.06	3371.93	3629.76	4217.35	3724.77	4330.00		
96"(2438mm)		TARX-3696-	S X 7	2808.41	3326.16	2992.42	3510.17	3801.72	4414.51	3905.37	4536.64		
42"(1067mm)	60"(1524mm)	TARX-4260-	S X 7	\$ 2345.89	\$ 2759.24	\$ 2480.50	\$ 2893.85	\$ 3047.84	\$ 3534.63	\$ 3113.41	\$ 3614.48		
66"(1676mm)		TARX-4266-	S X 7	2468.67	2902.90	2616.58	3050.81	3246.28	3758.27	3321.77	3848.88		
72"(1829mm)		TARX-4272-	S X 7	2591.45	3046.56	2752.66	3207.77	3444.72	3981.91	3530.13	4083.28		
78"(1981mm)		TARX-4278-	S X 7	2714.23	3190.22	2888.74	3364.73	3643.16	4205.55	3738.49	4317.68		
84"(2134mm)		TARX-4284-	S X 7	2837.01	3333.88	3024.82	3521.69	3841.60	4429.19	3946.85	4552.08		
90"(2286mm)		TARX-4290-	S X 7	2959.79	3477.54	3160.90	3678.65	4040.04	4652.83	4155.21	4786.48		
96"(2438mm)		TARX-4296-	S X 7	3082.57	3621.20	3296.98	3835.61	4238.48	4876.47	4363.57	5020.88		
48"(1219mm)	60"(1524mm)	TARX-4860-	S X 7	\$ 2519.13	\$ 2953.36	\$ 2672.74	\$ 3106.97	\$ 3325.72	\$ 3837.71	\$ 3405.05	\$ 3932.16		
66"(1676mm)		TARX-4866-	S X 7	2658.73	3113.84	2827.54	3282.65	3550.64	4087.83	3641.17	4194.32		
72"(1829mm)		TARX-4872-	S X 7	2798.33	3274.32	2982.34	3458.33	3775.56	4337.95	3877.29	4456.48		
78"(1981mm)		TARX-4878-	S X 7	2937.93	3434.80	3137.14	3634.01	4000.48	4588.07	4113.41	4718.64		
84"(2134mm)		TARX-4884-	S X 7	3077.53	3595.28	3291.94	3809.69	4225.40	4838.19	4349.53	4980.80		
90"(2286mm)		TARX-4890-	S X 7	3217.13	3755.76	3446.74	3985.37	4450.32	5088.31	4585.65	5242.96		
96"(2438mm)		TARX-4896-	S X 7	3356.73	3916.24	3601.54	4161.05	4675.24	5338.43	4821.77	5505.12		

Planes Table — Dual X Base

Pebble



TARP-XC



TARP-XG
Class TA1

Features

- High-Pressure Laminate (HPL) top with knife edge or 3mm edgeband edges or wood veneer top with 3mm wood edgeband or knife edge. Edgeband tops are 3mm on user edge and 1mm on remaining edges.
- Includes 1.18"(30mm) thick standard top, bases and hardware.
- Fixed table height options are 29"(737mm) and 41"(1041mm).
- Casters (two locking/two non-locking) are available with: Light platinum or fog hub with graphite tread, or black hub with black tread.
- Glides available in graphite only and provide 0.5"(13mm) adjustment.
- Casters and glides are not interchangeable.
- Power modules are available for field installation; separately specified. Refer to Specification Guide.
- Ships unassembled.

Specification Tips

- Cutouts are designed for single sided flip top units.
- The following Planes products are separately specified:
 - Power modules
 - Grommet (field cut opening)
 - Wire Management

To Order, Specify:

1) Product number, including:

1 Surface Options:

L Laminate

W Wood

2 Edge Options:

Laminate:

J Edgeband

F Knife

Wood:

K Edgeband

U Knife

3 Cutout:

N No Cutout

F Center, Single-Sided/
4 outlets (add **\$45.40** list)

J Center, Single-Sided/
6 outlets (add **\$45.40** list)

4 Base:

C Caster

G Glide (add **\$187.62** list)

5 Base Material:

A Painted

B Polished (add **\$766.15** list)

2) Laminate surface color or wood finish color.

3) Edge trim color (laminate only).

4) Base trim color.

5) Caster color.

Note: **\$62.43** upcharge list for Metallic and accent trim colors.



Planes Table — Dual X Base

Pebble

Height	Depth	Width	Number	HPL					Wood							
				1	2	3	4	5	J	F	J	F	K	U		
29"(737mm)	30"(762mm)	60"(1524mm)	TARP-3060-	S	X	4			1905.59	\$ 2218.79	\$ 2002.20	\$ 2315.40	\$ 2398.26	\$ 2776.26	\$ 2436.31	\$ 2826.91
66"(1676mm)		TARP-3066-	S	X	4				1994.73	2328.81	2100.84	2434.92	2543.74	2946.94	2589.15	3005.79
72"(1829mm)		TARP-3072-	S	X	4				2083.87	2438.83	2199.48	2554.44	2689.22	3117.62	2741.99	3184.67
78"(1981mm)		TARP-3078-	S	X	4				2173.01	2548.85	2298.12	2673.96	2834.70	3288.30	2894.83	3363.55
84"(2134mm)		TARP-3084-	S	X	4				2262.15	2658.87	2396.76	2793.48	2980.18	3458.98	3047.67	3542.43
90"(2286mm)		TARP-3090-	S	X	4				2351.29	2768.89	2495.40	2913.00	3125.66	3629.66	3200.51	3721.31
96"(2438mm)		TARP-3096-	S	X	4				2440.43	2878.91	2594.04	3032.52	3271.14	3800.34	3353.35	3900.19
36"(914mm)	60"(1524mm)	TARP-3660-	S	X	4				\$ 2078.83	\$ 2412.91	\$ 2194.44	\$ 2528.52	\$ 2676.14	\$ 3079.34	\$ 2727.95	\$ 3144.59
66"(1676mm)		TARP-3666-	S	X	4				2184.79	2539.75	2311.80	2666.76	2848.10	3276.50	2908.55	3351.23
72"(1829mm)		TARP-3672-	S	X	4				2290.75	2666.59	2429.16	2805.00	3020.06	3473.66	3089.15	3557.87
78"(1981mm)		TARP-3678-	S	X	4				2396.71	2793.43	2546.52	2943.24	3192.02	3670.82	3269.75	3764.51
84"(2134mm)		TARP-3684-	S	X	4				2502.67	2920.27	2663.88	3081.48	3363.98	3867.98	3450.35	3971.15
90"(2286mm)		TARP-3690-	S	X	4				2608.63	3047.11	2781.24	3219.72	3535.94	4065.14	3630.95	4177.79
96"(2438mm)		TARP-3696-	S	X	4				2714.59	3173.95	2898.60	3357.96	3707.90	4262.30	3811.55	4384.43
42"(1067mm)	60"(1524mm)	TARP-4260-	S	X	4				\$ 2252.07	\$ 2607.03	\$ 2386.68	\$ 2741.64	\$ 2954.02	\$ 3382.42	\$ 3019.59	\$ 3462.27
66"(1676mm)		TARP-4266-	S	X	4				2374.85	2750.69	2522.76	2898.60	3152.46	3606.06	3227.95	3696.67
72"(1829mm)		TARP-4272-	S	X	4				2497.63	2894.35	2658.84	3055.56	3350.90	3829.70	3436.31	3931.07
78"(1981mm)		TARP-4278-	S	X	4				2620.41	3038.01	2794.92	3212.52	3549.34	4053.34	3644.67	4165.47
84"(2134mm)		TARP-4284-	S	X	4				2743.19	3181.67	2931.00	3369.48	3747.78	4276.98	3853.03	4399.87
90"(2286mm)		TARP-4290-	S	X	4				2865.97	3325.33	3067.08	3526.44	3946.22	4500.62	4061.39	4634.27
96"(2438mm)		TARP-4296-	S	X	4				2988.75	3468.99	3203.16	3683.40	4144.66	4724.26	4269.75	4868.67
48"(1219mm)	60"(1524mm)	TARP-4860-	S	X	4				\$ 2425.31	\$ 2801.15	\$ 2578.92	\$ 2954.76	\$ 3231.90	\$ 3685.50	\$ 3311.23	\$ 3779.95
66"(1676mm)		TARP-4866-	S	X	4				2564.91	2961.63	2733.72	3130.44	3456.82	3935.62	3547.35	4042.11
72"(1829mm)		TARP-4872-	S	X	4				2704.51	3122.11	2888.52	3306.12	3681.74	4185.74	3783.47	4304.27
78"(1981mm)		TARP-4878-	S	X	4				2844.11	3282.59	3043.32	3481.80	3906.66	4435.86	4019.59	4566.43
84"(2134mm)		TARP-4884-	S	X	4				2983.71	3443.07	3198.12	3657.48	4131.58	4685.98	4255.71	4828.59
90"(2286mm)		TARP-4890-	S	X	4				3123.31	3603.55	3352.92	3833.16	4356.50	4936.10	4491.83	5090.75
96"(2438mm)		TARP-4896-	S	X	4				3262.91	3764.03	3507.72	4008.84	4581.42	5186.22	4727.95	5352.91
41"(1041mm)	30"(762mm)	60"(1524mm)	TARP-3060-	S	X	7			\$ 1999.41	\$ 2312.61	\$ 2096.02	\$ 2409.22	\$ 2492.08	\$ 2870.08	\$ 2530.13	\$ 2920.73
66"(1676mm)		TARP-3066-	S	X	7				2088.55	2422.63	2194.66	2528.74	2637.56	3040.76	2682.97	3099.61
72"(1829mm)		TARP-3072-	S	X	7				2177.69	2532.65	2293.30	2648.26	2783.04	3211.44	2835.81	3278.49
78"(1981mm)		TARP-3078-	S	X	7				2266.83	2642.67	2391.94	2767.78	2928.52	3382.12	2988.65	3457.37
84"(2134mm)		TARP-3084-	S	X	7				2355.97	2752.69	2490.58	2887.30	3074.00	3552.80	3141.49	3636.26
90"(2286mm)		TARP-3090-	S	X	7				2445.11	2862.71	2589.22	3006.82	3219.48	3723.48	3294.33	3815.13
96"(2438mm)		TARP-3096-	S	X	7				2534.25	2972.73	2687.86	3126.34	3364.96	3894.16	3447.17	3994.01
36"(914mm)	60"(1524mm)	TARP-3660-	S	X	7				\$ 2172.65	\$ 2506.73	\$ 2288.26	\$ 2622.34	\$ 2769.96	\$ 3173.16	\$ 2821.77	\$ 3238.41
66"(1676mm)		TARP-3666-	S	X	7				2278.61	2633.57	2405.62	2760.58	2941.92	3370.32	3002.37	3445.05
72"(1829mm)		TARP-3672-	S	X	7				2384.57	2760.41	2522.98	2898.82	3113.88	3567.48	3182.97	3651.69
78"(1981mm)		TARP-3678-	S	X	7				2490.53	2887.25	2640.34	3037.06	3285.84	3764.64	3363.57	3858.33
84"(2134mm)		TARP-3684-	S	X	7				2596.49	3014.09	2757.70	3175.30	3457.80	3961.80	3544.17	4064.97
90"(2286mm)		TARP-3690-	S	X	7				2702.45	3140.93	2875.06	3313.54	3629.76	4158.96	3724.77	4271.61
96"(2438mm)		TARP-3696-	S	X	7				2808.41	3267.77	2992.42	3451.78	3801.72	4356.12	3905.37	4478.25
42"(1067mm)	60"(1524mm)	TARP-4260-	S	X	7				\$ 2345.89	\$ 2700.85	\$ 2480.50	\$ 2835.46	\$ 3047.84	\$ 3476.24	\$ 3113.41	\$ 3556.09
66"(1676mm)		TARP-4266-	S	X	7				2468.67	2844.51	2616.58	2992.42	3246.28	3699.88	3321.77	3790.49
72"(1829mm)		TARP-4272-	S	X	7				2591.45	2988.17	2752.66	3149.38	3444.72	3923.52	3530.13	4024.89
78"(1981mm)		TARP-4278-	S	X	7				2714.23	3131.83	2888.74	3306.34	3643.16	4147.16	3738.49	4259.29
84"(2134mm)		TARP-4284-	S	X	7				2837.01	3275.49	3024.82	3463.30	3841.60	4370.80	3946.85	4493.69
90"(2286mm)		TARP-4290-	S	X	7				2959.79	3419.15	3160.90	3620.26	4040.04	4594.44	4155.21	4728.09
96"(2438mm)		TARP-4296-	S	X	7				3082.57	3562.81	3296.98	3777.22	4238.48	4818.08	4363.57	4962.49
48"(1219mm)	60"(1524mm)	TARP-4860-	S	X	7				\$ 2519.13	\$ 2894.97	\$ 2672.74	\$ 3048.58	\$ 3325.72	\$ 3779.32	\$ 3405.05	\$ 3873.77
66"(1676mm)		TARP-4866-	S	X	7				2658.73	3055.45	2827.54	3224.26	3550.64	4029.44	3641.17	4135.93
72"(1829mm)		TARP-4872-	S	X	7				2798.33	3215.93	2982.34	3399.94	3775.56	4279.56	3877.29	4398.09
78"(1981mm)		TARP-4878-	S	X	7				2937.93	3376.41	3137.14	3575.62	4000.48	4529.68	4113.41	4660.25
84"(2134mm)		TARP-4884-	S	X	7				3077.53	3536.89	3291.94	3751.30	4225.40	4779.80	4349.53	4922.41
90"(2286mm)		TARP-4890-	S	X	7				3217.13	3697.37	3446.74	3926.98	4450.32	5029.92	4585.65	5184.57
96"(2438mm)		TARP-4896-	S	X	7				3356.73	3857.85	3601.54	4102.66	4675.24	5280.04	4821.77	5446.73

Planes Table — Dual Disc Base

Rectangle



TARA-D
Class TA1

Features

- High-Pressure Laminate (HPL) top with knife edge or 3mm edgeband edges or wood veneer top with 3mm wood edgeband or knife edge. Edgeband tops are 3mm on user edge and 1mm on remaining edges.
- Includes 1.18"(30mm) thick standard top, bases and hardware.
- Fixed table height options are 29"(737mm) and 41"(1041mm).
- Power modules are available for field installation; separately specified. Refer to Specification Guide.
- Ships unassembled.

Specification Tips

- Cutouts are designed for single sided flip top units.
- The following Planes products are separately specified:
 - Power modules
 - Grommet (field cut opening)
 - Wire Management

To Order, Specify:

- 1) Product number, including:

1 Surface Options:

L Laminate

W Wood

2 Edge Options:

Laminate:

J Edgeband

F Knife

Wood:

K Edgeband

U Knife

3 Cutout:

N No Cutout

F Center, Single-Sided/
4 outlets (add **\$45.40** list)

J Center, Single-Sided/
6 outlets (add **\$45.40** list)

- 2) Laminate surface color or wood finish color.

- 3) Edge trim color (laminate only).

- 4) Base trim color.

Note: **\$62.43** upcharge list for Metallic and accent trim colors.


Planes Table — Dual Disc Base

Rectangle

Height	Depth	Width	Number	HPL				Wood				
				A ①②	B ③④	J F	J F	A K	B U			
29"(737mm)	30"(762mm)	60"(1524mm)	TARA-3060-	S DN4A	\$ 3013.80	\$ 3374.59	\$ 3110.41	\$ 3471.20	\$ 3522.67	\$ 3959.06	\$ 3560.72	\$ 4009.71
66"(1676mm)	TARA-3066-	S DN4A	3101.86	3482.81	3207.97	3588.92	3668.15	4129.74	3713.56	4188.59		
72"(1829mm)	TARA-3072-	S DN4A	3189.92	3591.03	3305.53	3706.64	3813.63	4300.42	3866.40	4367.47		
78"(1981mm)	TARA-3078-	S DN4A	3277.98	3699.25	3403.09	3824.36	3959.11	4471.10	4019.24	4546.35		
84"(2134mm)	TARA-3084-	S DN4A	3366.04	3807.47	3500.65	3942.08	4104.59	4641.78	4172.08	4725.23		
90"(2286mm)	TARA-3090-	S DN4A	3454.10	3915.69	3598.21	4059.80	4250.07	4812.46	4324.92	4904.11		
96"(2438mm)	TARA-3096-	S DN4A	3542.16	4023.91	3695.77	4177.52	4395.55	4983.14	4477.76	5082.99		
36"(914mm)	60"(1524mm)	TARA-3660-	S DN4A	\$ 3185.96	\$ 3566.91	\$ 3301.57	\$ 3682.52	\$ 3800.55	\$ 4262.14	\$ 3852.36	\$ 4327.39	
66"(1676mm)	TARA-3666-	S DN4A	3290.84	3691.95	3417.85	3818.96	3972.51	4459.30	4032.96	4534.03		
72"(1829mm)	TARA-3672-	S DN4A	3395.72	3816.99	3534.13	3955.40	4144.47	4656.46	4213.56	4740.67		
78"(1981mm)	TARA-3678-	S DN4A	3500.60	3942.03	3650.41	4091.84	4316.43	4853.62	4394.16	4947.31		
84"(2134mm)	TARA-3684-	S DN4A	3605.48	4067.07	3766.69	4228.28	4488.39	5050.78	4574.76	5153.95		
90"(2286mm)	TARA-3690-	S DN4A	3710.36	4192.11	3882.97	4364.72	4660.35	5247.94	4755.36	5360.59		
96"(2438mm)	TARA-3696-	S DN4A	3815.24	4317.15	3999.25	4501.16	4832.31	5445.10	4935.96	5567.23		
42"(1067mm)	60"(1524mm)	TARA-4260-	S DN4A	\$ 3358.12	\$ 3759.23	\$ 3492.73	\$ 3893.84	\$ 4078.43	\$ 4565.22	\$ 4144.00	\$ 4645.07	
66"(1676mm)	TARA-4266-	S DN4A	3479.82	3901.09	3627.73	4049.00	4276.87	4788.86	4352.36	4879.47		
72"(1829mm)	TARA-4272-	S DN4A	3601.52	4042.95	3762.73	4204.16	4475.31	5012.50	4560.72	5113.87		
78"(1981mm)	TARA-4278-	S DN4A	3723.22	4184.81	3897.73	4359.32	4673.75	5236.14	4769.08	5348.27		
84"(2134mm)	TARA-4284-	S DN4A	3844.92	4326.67	4032.73	4514.48	4872.19	5459.78	4977.44	5582.67		
90"(2286mm)	TARA-4290-	S DN4A	3966.62	4468.53	4167.73	4669.64	5070.63	5683.42	5185.80	5817.07		
96"(2438mm)	TARA-4296-	S DN4A	4088.32	4610.39	4302.73	4824.80	5269.07	5907.06	5394.16	6051.47		
48"(1219mm)	60"(1524mm)	TARA-4860-	S DN4A	\$ 3530.28	\$ 3951.55	\$ 3683.89	\$ 4105.16	\$ 4356.31	\$ 4868.30	\$ 4435.64	\$ 4962.75	
66"(1676mm)	TARA-4866-	S DN4A	3668.80	4110.23	3837.61	4279.04	4581.23	5118.42	4671.76	5224.91		
72"(1829mm)	TARA-4872-	S DN4A	3807.32	4268.91	3991.33	4452.92	4806.15	5368.54	4907.88	5487.07		
78"(1981mm)	TARA-4878-	S DN4A	3945.84	4427.59	4145.05	4626.80	5031.07	5618.66	5144.00	5749.23		
84"(2134mm)	TARA-4884-	S DN4A	4084.36	4586.27	4298.77	4800.68	5255.99	5868.78	5380.12	6011.39		
90"(2286mm)	TARA-4890-	S DN4A	4222.88	4744.95	4452.49	4974.56	5480.91	6118.90	5616.24	6273.55		
96"(2438mm)	TARA-4896-	S DN4A	4361.40	4903.63	4606.21	5148.44	5705.83	6369.02	5852.36	6535.71		
41"(1041mm)	30"(762mm)	60"(1524mm)	TARA-3060-	S DN7A	\$ 3107.62	\$ 3468.41	\$ 3204.23	\$ 3565.02	\$ 3616.49	\$ 4052.88	\$ 3654.54	\$ 4103.53
66"(1676mm)	TARA-3066-	S DN7A	3195.68	3576.63	3301.79	3682.74	3761.97	4223.56	3807.38	4282.41		
72"(1829mm)	TARA-3072-	S DN7A	3283.74	3684.85	3399.35	3800.46	3907.45	4394.24	3960.22	4461.29		
78"(1981mm)	TARA-3078-	S DN7A	3371.80	3793.07	3496.91	3918.18	4052.93	4564.92	4113.06	4640.17		
84"(2134mm)	TARA-3084-	S DN7A	3459.86	3901.29	3594.47	4035.90	4198.41	4735.60	4265.90	4819.05		
90"(2286mm)	TARA-3090-	S DN7A	3547.92	4009.51	3692.03	4153.62	4343.89	4906.28	4418.74	4997.93		
96"(2438mm)	TARA-3096-	S DN7A	3635.98	4117.73	3789.59	4271.34	4489.37	5076.96	4571.58	5176.81		
36"(914mm)	60"(1524mm)	TARA-3660-	S DN7A	\$ 3279.78	\$ 3660.73	\$ 3395.39	\$ 3776.34	\$ 3894.37	\$ 4355.96	\$ 3946.18	\$ 4421.21	
66"(1676mm)	TARA-3666-	S DN7A	3384.66	3785.77	3511.67	3912.78	4066.33	4553.12	4126.78	4627.85		
72"(1829mm)	TARA-3672-	S DN7A	3489.54	3910.81	3627.95	4049.22	4238.29	4750.28	4307.38	4834.49		
78"(1981mm)	TARA-3678-	S DN7A	3594.42	4035.85	3744.23	4185.66	4410.25	4947.44	4487.98	5041.13		
84"(2134mm)	TARA-3684-	S DN7A	3699.30	4160.89	3860.51	4322.10	4582.21	5144.60	4668.58	5247.77		
90"(2286mm)	TARA-3690-	S DN7A	3804.18	4285.93	3976.79	4458.54	4754.17	5341.76	4849.18	5454.41		
96"(2438mm)	TARA-3696-	S DN7A	3909.06	4410.97	4093.07	4594.98	4926.13	5538.92	5029.78	5661.06		
42"(1067mm)	60"(1524mm)	TARA-4260-	S DN7A	\$ 3451.94	\$ 3853.05	\$ 3586.55	\$ 3987.66	\$ 4172.25	\$ 4659.04	\$ 4237.82	\$ 4738.89	
66"(1676mm)	TARA-4266-	S DN7A	3573.64	3994.91	3721.55	4142.82	4370.69	4882.68	4446.18	4973.29		
72"(1829mm)	TARA-4272-	S DN7A	3695.34	4136.77	3856.55	4297.98	4569.13	5106.32	4654.54	5207.69		
78"(1981mm)	TARA-4278-	S DN7A	3817.04	4278.63	3991.55	4453.14	4767.57	5329.96	4862.90	5442.09		
84"(2134mm)	TARA-4284-	S DN7A	3938.74	4420.49	4126.55	4608.30	4966.01	5553.60	5071.26	5676.49		
90"(2286mm)	TARA-4290-	S DN7A	4060.44	4562.35	4261.55	4763.46	5164.45	5777.24	5279.62	5910.89		
96"(2438mm)	TARA-4296-	S DN7A	4182.14	4704.21	4396.55	4918.62	5362.89	6000.88	5487.98	6145.29		
48"(1219mm)	60"(1524mm)	TARA-4860-	S DN7A	\$ 3624.10	\$ 4045.37	\$ 3777.71	\$ 4198.98	\$ 4450.13	\$ 4962.12	\$ 4529.46	\$ 5056.57	
66"(1676mm)	TARA-4866-	S DN7A	3762.62	4204.05	3931.43	4372.86	4675.05	5212.24	4765.58	5318.73		
72"(1829mm)	TARA-4872-	S DN7A	3901.14	4362.73	4085.15	4546.74	4899.97	5462.36	5001.70	5580.89		
78"(1981mm)	TARA-4878-	S DN7A	4039.66	4521.41	4238.87	4720.62	5124.89	5712.48	5237.82	5843.05		
84"(2134mm)	TARA-4884-	S DN7A	4178.18	4680.09	4392.59	4894.50	5349.81	5962.60	5473.94	6105.21		
90"(2286mm)	TARA-4890-	S DN7A	4316.70	4838.77	4546.31	5068.38	5574.73	6212.72	5710.06	6367.37		
96"(2438mm)	TARA-4896-	S DN7A	4455.22	4997.45	4700.03	5242.26	5799.65	6462.84	5946.18	6629.53		

Planes Table — Dual Disc Base

Hexagon



TARX-D
Class TA1

Features

- High-Pressure Laminate (HPL) top with knife edge or 3mm edgeband edges or wood veneer top with 3mm wood edgeband or knife edge. Edgeband tops are 3mm on user edge and 1mm on remaining edges.
- Includes 1.18"(30mm) thick standard top, bases and hardware.
- Fixed table height options are 29"(737mm) and 41"(1041mm).
- Power modules are available for field installation; separately specified. Refer to Specification Guide.
- Ships unassembled.

Specification Tips

- Cutouts are designed for single sided flip top units.
- The following Planes products are separately specified:
 - Power modules
 - Grommet (field cut opening)
 - Wire Management

To Order, Specify:

1) Product number, including:

1 Surface Options:

L Laminate

W Wood

2 Edge Options:

Laminate:

J Edgeband

F Knife

Wood:

K Edgeband

U Knife

3 Cutout:

N No Cutout

F Center, Single-Sided/
4 outlets (add **\$45.40** list)

J Center, Single-Sided/
6 outlets (add **\$45.40** list)

2) Laminate surface color or wood finish color.

3) Edge trim color (laminate only).

4) Base trim color.

Note: **\$62.43** upcharge list for Metallic and accent trim colors.


Planes Table — Dual Disc Base

Hexagon

Height	Depth	Width	Number	HPL				Wood				
				A	B	A	B	K	U	K	U	
①	②	③	④	J	F	J	F	K	U	K	U	
29"(737mm)	30"(762mm)	60"(1524mm)	TARX-3060-	S DN4A	\$3068.00	\$3439.59	\$3164.61	\$3536.20	\$3560.67	\$3997.06	\$3598.72	\$4047.71
66"(1676mm)	TARX-3066-	S DN4A	3157.14	3549.61	3263.25	3655.72	3706.15	4167.74	3751.56	4226.59		
72"(1829mm)	TARX-3072-	S DN4A	3246.28	3659.63	3361.89	3775.24	3851.63	4338.42	3904.40	4405.47		
78"(1981mm)	TARX-3078-	S DN4A	3335.42	3769.65	3460.53	3894.76	3997.11	4509.10	4057.24	4584.35		
84"(2134mm)	TARX-3084-	S DN4A	3424.56	3879.67	3559.17	4014.28	4142.59	4679.78	4210.08	4763.23		
90"(2286mm)	TARX-3090-	S DN4A	3513.70	3989.69	3657.81	4133.80	4288.07	4850.46	4362.92	4942.11		
96"(2438mm)	TARX-3096-	S DN4A	3602.84	4099.71	3756.45	4253.32	4433.55	5021.14	4515.76	5120.99		
36"(914mm)	60"(1524mm)	TARX-3660-	S DN4A	\$ 3241.24	\$ 3633.71	\$ 3356.85	\$ 3749.32	\$ 3838.55	\$ 4300.14	\$ 3890.36	\$ 4365.39	
66"(1676mm)	TARX-3666-	S DN4A	3347.20	3760.55	3474.21	3887.56	4010.51	4497.30	4070.96	4572.03		
72"(1829mm)	TARX-3672-	S DN4A	3453.16	3887.39	3591.57	4025.80	4182.47	4694.46	4251.56	4778.67		
78"(1981mm)	TARX-3678-	S DN4A	3559.12	4014.23	3708.93	4164.04	4354.43	4891.62	4432.16	4985.31		
84"(2134mm)	TARX-3684-	S DN4A	3665.08	4141.07	3826.29	4302.28	4526.39	5088.78	4612.76	5191.95		
90"(2286mm)	TARX-3690-	S DN4A	3771.04	4267.91	3943.65	4440.52	4698.35	5285.94	4793.36	5398.59		
96"(2438mm)	TARX-3696-	S DN4A	3877.00	4394.75	4061.01	4578.76	4870.31	5483.10	4973.96	5605.23		
42"(1067mm)	60"(1524mm)	TARX-4260-	S DN4A	\$ 3414.48	\$ 3827.83	\$ 3549.09	\$ 3962.44	\$ 4116.43	\$ 4603.22	\$ 4182.00	\$ 4683.07	
66"(1676mm)	TARX-4266-	S DN4A	3537.26	3971.49	3685.17	4119.40	4314.87	4826.86	4390.36	4917.47		
72"(1829mm)	TARX-4272-	S DN4A	3660.04	4115.15	3821.25	4276.36	4513.31	5050.50	4598.72	5151.87		
78"(1981mm)	TARX-4278-	S DN4A	3782.82	4258.81	3957.33	4433.32	4711.75	5274.14	4807.08	5386.27		
84"(2134mm)	TARX-4284-	S DN4A	3905.60	4402.47	4093.41	4590.28	4910.19	5497.78	5015.44	5620.67		
90"(2286mm)	TARX-4290-	S DN4A	4028.38	4546.13	4229.49	4747.24	5108.63	5721.42	5223.80	5855.07		
96"(2438mm)	TARX-4296-	S DN4A	4151.16	4689.79	4365.57	4904.20	5307.07	5945.06	5432.16	6089.47		
48"(1219mm)	60"(1524mm)	TARX-4860-	S DN4A	\$ 3587.72	\$ 4021.95	\$ 3741.33	\$ 4175.56	\$ 4394.31	\$ 4906.30	\$ 4473.64	\$ 5000.75	
66"(1676mm)	TARX-4866-	S DN4A	3727.32	4182.43	3896.13	4351.24	4619.23	5156.42	4709.76	5262.91		
72"(1829mm)	TARX-4872-	S DN4A	3866.92	4342.91	4050.93	4526.92	4844.15	5406.54	4945.88	5525.07		
78"(1981mm)	TARX-4878-	S DN4A	4006.52	4503.39	4205.73	4702.60	5069.07	5656.66	5182.00	5787.23		
84"(2134mm)	TARX-4884-	S DN4A	4146.12	4663.87	4360.53	4878.28	5293.99	5906.78	5418.12	6049.39		
90"(2286mm)	TARX-4890-	S DN4A	4285.72	4824.35	4515.33	5053.96	5518.91	6156.90	5654.24	6311.55		
96"(2438mm)	TARX-4896-	S DN4A	4425.32	4984.83	4670.13	5229.64	5743.83	6407.02	5890.36	6573.71		
41"(1041mm)	30"(762mm)	TARX-3060-	S DN7A	\$ 3161.82	\$ 3533.41	\$ 3258.43	\$ 3630.02	\$ 3654.49	\$ 4090.88	\$ 3692.54	\$ 4141.53	
66"(1676mm)	TARX-3066-	S DN7A	3250.96	3643.43	3357.07	3749.54	3799.97	4261.56	3845.38	4320.41		
72"(1829mm)	TARX-3072-	S DN7A	3340.10	3753.45	3455.71	3869.06	3945.45	4432.24	3998.22	4499.29		
78"(1981mm)	TARX-3078-	S DN7A	3429.24	3863.47	3554.35	3988.58	4090.93	4602.92	4151.06	4678.17		
84"(2134mm)	TARX-3084-	S DN7A	3518.38	3973.49	3652.99	4108.10	4236.41	4773.60	4303.90	4857.05		
90"(2286mm)	TARX-3090-	S DN7A	3607.52	4083.51	3751.63	4227.62	4381.89	4944.28	4456.74	5035.93		
96"(2438mm)	TARX-3096-	S DN7A	3696.66	4193.53	3850.27	4347.14	4527.37	5114.96	4609.58	5214.81		
36"(914mm)	60"(1524mm)	TARX-3660-	S DN7A	\$ 3335.06	\$ 3727.53	\$ 3450.67	\$ 3843.14	\$ 3932.37	\$ 4393.96	\$ 3984.18	\$ 4459.21	
66"(1676mm)	TARX-3666-	S DN7A	3441.02	3854.37	3568.03	3981.38	4104.33	4591.12	4164.78	4665.85		
72"(1829mm)	TARX-3672-	S DN7A	3546.98	3981.21	3685.39	4119.62	4276.29	4788.28	4345.38	4872.49		
78"(1981mm)	TARX-3678-	S DN7A	3652.94	4108.05	3802.75	4257.86	4448.25	4985.44	4525.98	5079.13		
84"(2134mm)	TARX-3684-	S DN7A	3758.90	4234.89	3920.11	4396.10	4620.21	5182.60	4706.58	5285.77		
90"(2286mm)	TARX-3690-	S DN7A	3864.86	4361.73	4037.47	4534.34	4792.17	5379.76	4887.18	5492.41		
96"(2438mm)	TARX-3696-	S DN7A	3970.82	4488.57	4154.83	4672.58	4964.13	5576.92	5067.78	5699.05		
42"(1067mm)	60"(1524mm)	TARX-4260-	S DN7A	\$ 3508.30	\$ 3921.65	\$ 3642.91	\$ 4056.26	\$ 4210.25	\$ 4697.04	\$ 4275.82	\$ 4776.89	
66"(1676mm)	TARX-4266-	S DN7A	3631.08	4065.31	3778.99	4213.22	4408.69	4920.68	4484.18	5011.29		
72"(1829mm)	TARX-4272-	S DN7A	3753.86	4208.97	3915.07	4370.18	4607.13	5144.32	4692.54	5245.69		
78"(1981mm)	TARX-4278-	S DN7A	3876.64	4352.63	4051.15	4527.14	4805.57	5367.96	4900.90	5480.09		
84"(2134mm)	TARX-4284-	S DN7A	3999.42	4496.29	4187.23	4684.10	5004.01	5591.60	5109.26	5714.49		
90"(2286mm)	TARX-4290-	S DN7A	4122.20	4639.95	4323.31	4841.06	5202.45	5815.24	5317.62	5948.89		
96"(2438mm)	TARX-4296-	S DN7A	4244.98	4783.61	4459.39	4998.02	5400.89	6038.88	5525.98	6183.29		
48"(1219mm)	60"(1524mm)	TARX-4860-	S DN7A	\$ 3681.54	\$ 4115.77	\$ 3835.15	\$ 4269.38	\$ 4488.13	\$ 5000.12	\$ 4567.46	\$ 5094.57	
66"(1676mm)	TARX-4866-	S DN7A	3821.14	4276.25	3989.95	4445.06	4713.05	5250.24	4803.58	5356.73		
72"(1829mm)	TARX-4872-	S DN7A	3960.74	4436.73	4144.75	4620.74	4937.97	5500.36	5039.70	5618.89		
78"(1981mm)	TARX-4878-	S DN7A	4100.34	4597.21	4299.55	4796.42	5162.89	5750.48	5275.82	5881.05		
84"(2134mm)	TARX-4884-	S DN7A	4239.94	4757.69	4454.35	4972.10	5387.81	6000.60	5511.94	6143.21		
90"(2286mm)	TARX-4890-	S DN7A	4379.54	4918.17	4609.15	5147.78	5612.73	6250.72	5748.06	6405.37		
96"(2438mm)	TARX-4896-	S DN7A	4519.14	5078.65	4763.95	5323.46	5837.65	6500.84	5984.18	6667.53		

Planes Table — Dual Disc Base

Pebble



TARP-D
Class TA1

Features

- High-Pressure Laminate (HPL) top with knife edge or 3mm edgeband edges or wood veneer top with 3mm wood edgeband or knife edge. Edgeband tops are 3mm on user edge and 1mm on remaining edges.
- Includes 1.18"(30mm) thick standard top, bases and hardware.
- Fixed table height options are 29"(737mm) and 41"(1041mm).
- Power modules are available for field installation; separately specified. Refer to Specification Guide.
- Ships unassembled.

Specification Tips

- Cutouts are designed for single sided flip top units.
- The following Planes products are separately specified:
 - Power modules
 - Grommet (field cut opening)
 - Wire Management

To Order, Specify:

- 1) Product number, including:

1 Surface Options:

L Laminate

W Wood

2 Edge Options:

Laminate:

J Edgeband

F Knife

Wood:

K Edgeband

U Knife

3 Cutout:

N No Cutout

F Center, Single-Sided/
4 outlets (add \$45.40 list)

J Center, Single-Sided/
6 outlets (add \$45.40 list)

- 2) Laminate surface color or wood finish color.

- 3) Edge trim color (laminate only).

- 4) Base trim color.

Note: \$62.43 upcharge list for Metallic and accent trim colors.

Planes Table — Dual Disc Base


Pebble

Height	Depth	Width	Number	HPL				Wood					
				A	B	J	F	A	B	K	U		
29"(737mm)	30"(762mm)	60"(1524mm)	TARP-3060-	S	DN4A	\$ 3068.00	\$ 3381.20	\$ 3164.61	\$ 3477.81	\$ 3560.67	\$ 3938.67	\$ 3598.72	\$ 3989.32
66"(1676mm)	TARP-3066-	S	DN4A	3157.14	3491.22	3263.25	3597.33	3706.15	4109.35	3751.56	4168.20		
72"(1829mm)	TARP-3072-	S	DN4A	3246.28	3601.24	3361.89	3716.85	3851.63	4280.03	3904.40	4347.08		
78"(1981mm)	TARP-3078-	S	DN4A	3335.42	3711.26	3460.53	3836.37	3997.11	4450.71	4057.24	4525.96		
84"(2134mm)	TARP-3084-	S	DN4A	3424.56	3821.28	3559.17	3955.89	4142.59	4621.39	4210.08	4704.84		
90"(2286mm)	TARP-3090-	S	DN4A	3513.70	3931.30	3657.81	4075.41	4288.07	4792.07	4362.92	4883.72		
96"(2438mm)	TARP-3096-	S	DN4A	3602.84	4041.32	3756.45	4194.93	4433.55	4962.75	4515.76	5062.60		
36"(914mm)	60"(1524mm)	TARP-3660-	S	DN4A	\$ 3241.24	\$ 3575.32	\$ 3356.85	\$ 3690.93	\$ 3838.55	\$ 4241.75	\$ 3890.36	\$ 4307.00	
66"(1676mm)	TARP-3666-	S	DN4A	3347.20	3702.16	3474.21	3829.17	4010.51	4438.91	4070.96	4513.64		
72"(1829mm)	TARP-3672-	S	DN4A	3453.16	3829.00	3591.57	3967.41	4182.47	4636.07	4251.56	4720.28		
78"(1981mm)	TARP-3678-	S	DN4A	3559.12	3955.84	3708.93	4105.65	4354.43	4833.23	4432.16	4926.92		
84"(2134mm)	TARP-3684-	S	DN4A	3665.08	4082.68	3826.29	4243.89	4526.39	5030.39	4612.76	5133.56		
90"(2286mm)	TARP-3690-	S	DN4A	3771.04	4209.52	3943.65	4382.13	4698.35	5227.55	4793.36	5340.20		
96"(2438mm)	TARP-3696-	S	DN4A	3877.00	4336.36	4061.01	4520.37	4870.31	5424.71	4973.96	5546.84		
42"(1067mm)	60"(1524mm)	TARP-4260-	S	DN4A	\$ 3414.48	\$ 3769.44	\$ 3549.09	\$ 3904.05	\$ 4116.43	\$ 4544.83	\$ 4182.00	\$ 4624.68	
66"(1676mm)	TARP-4266-	S	DN4A	3537.26	3913.10	3685.17	4061.01	4314.87	4768.47	4390.36	4859.08		
72"(1829mm)	TARP-4272-	S	DN4A	3660.04	4056.76	3821.25	4217.97	4513.31	4992.11	4598.72	5093.48		
78"(1981mm)	TARP-4278-	S	DN4A	3782.82	4200.42	3957.33	4374.93	4711.75	5215.75	4807.08	5327.88		
84"(2134mm)	TARP-4284-	S	DN4A	3905.60	4344.08	4093.41	4531.89	4910.19	5439.39	5015.44	5562.28		
90"(2286mm)	TARP-4290-	S	DN4A	4028.38	4487.74	4229.49	4688.85	5108.63	5663.03	5223.80	5796.68		
96"(2438mm)	TARP-4296-	S	DN4A	4151.16	4631.40	4365.57	4845.81	5307.07	5886.67	5432.16	6031.08		
48"(1219mm)	60"(1524mm)	TARP-4860-	S	DN4A	\$ 3587.72	\$ 3963.56	\$ 3741.33	\$ 4117.17	\$ 4394.31	\$ 4847.91	\$ 4473.64	\$ 4942.36	
66"(1676mm)	TARP-4866-	S	DN4A	3727.32	4124.04	3896.13	4292.85	4619.23	5098.03	4709.76	5204.52		
72"(1829mm)	TARP-4872-	S	DN4A	3866.92	4284.52	4050.93	4468.53	4844.15	5348.15	4945.88	5466.68		
78"(1981mm)	TARP-4878-	S	DN4A	4006.52	4445.00	4205.73	4644.21	5069.07	5598.27	5182.00	5728.84		
84"(2134mm)	TARP-4884-	S	DN4A	4146.12	4605.48	4360.53	4819.89	5293.99	5848.39	5418.12	5991.00		
90"(2286mm)	TARP-4890-	S	DN4A	4285.72	4765.96	4515.33	4995.57	5518.91	6098.51	5654.24	6253.16		
96"(2438mm)	TARP-4896-	S	DN4A	4425.32	4926.44	4670.13	5171.25	5743.83	6348.63	5890.36	6515.32		
41"(1041mm)	30"(762mm)	TARP-3060-	S	DN7A	\$ 3161.82	\$ 3475.02	\$ 3258.43	\$ 3571.63	\$ 3654.49	\$ 4032.49	\$ 3692.54	\$ 4083.14	
66"(1676mm)	TARP-3066-	S	DN7A	3250.96	3585.04	3357.07	3691.15	3799.97	4203.17	3845.38	4262.02		
72"(1829mm)	TARP-3072-	S	DN7A	3340.10	3695.06	3455.71	3810.67	3945.45	4373.85	3998.22	4440.90		
78"(1981mm)	TARP-3078-	S	DN7A	3429.24	3805.08	3554.35	3930.19	4090.93	4544.53	4151.06	4619.78		
84"(2134mm)	TARP-3084-	S	DN7A	3518.38	3915.10	3652.99	4049.71	4236.41	4715.21	4303.90	4798.66		
90"(2286mm)	TARP-3090-	S	DN7A	3607.52	4025.12	3751.63	4169.23	4381.89	4885.89	4456.74	4977.54		
96"(2438mm)	TARP-3096-	S	DN7A	3696.66	4135.14	3850.27	4288.75	4527.37	5056.57	4609.58	5156.42		
36"(914mm)	60"(1524mm)	TARP-3660-	S	DN7A	\$ 3335.06	\$ 3669.14	\$ 3450.67	\$ 3784.75	\$ 3932.37	\$ 4335.57	\$ 3984.18	\$ 4400.82	
66"(1676mm)	TARP-3666-	S	DN7A	3441.02	3795.98	3568.03	3922.99	4104.33	4532.73	4164.78	4607.46		
72"(1829mm)	TARP-3672-	S	DN7A	3546.98	3922.82	3685.39	4061.23	4276.29	4729.89	4345.38	4814.10		
78"(1981mm)	TARP-3678-	S	DN7A	3652.94	4049.66	3802.75	4199.47	4448.25	4927.05	4525.98	5020.74		
84"(2134mm)	TARP-3684-	S	DN7A	3758.90	4176.50	3920.11	4337.71	4620.21	5124.21	4706.58	5227.38		
90"(2286mm)	TARP-3690-	S	DN7A	3864.86	4303.34	4037.47	4475.95	4792.17	5321.37	4887.18	5434.02		
96"(2438mm)	TARP-3696-	S	DN7A	3970.82	4430.18	4154.83	4614.19	4964.13	5518.53	5067.78	5640.66		
42"(1067mm)	60"(1524mm)	TARP-4260-	S	DN7A	\$ 3508.30	\$ 3863.26	\$ 3642.91	\$ 3997.87	\$ 4210.25	\$ 4638.65	\$ 4275.82	\$ 4718.50	
66"(1676mm)	TARP-4266-	S	DN7A	3631.08	4006.92	3778.99	4154.83	4408.69	4862.29	4484.18	4952.90		
72"(1829mm)	TARP-4272-	S	DN7A	3753.86	4150.58	3915.07	4311.79	4607.13	5085.93	4692.54	5187.30		
78"(1981mm)	TARP-4278-	S	DN7A	3876.64	4294.24	4051.15	4468.75	4805.57	5309.57	4900.90	5421.70		
84"(2134mm)	TARP-4284-	S	DN7A	3999.42	4437.90	4187.23	4625.71	5004.01	5533.21	5109.26	5656.10		
90"(2286mm)	TARP-4290-	S	DN7A	4122.20	4581.56	4323.31	4782.67	5202.45	5756.85	5317.62	5890.50		
96"(2438mm)	TARP-4296-	S	DN7A	4244.98	4725.22	4459.39	4939.63	5400.89	5980.49	5525.98	6124.90		
48"(1219mm)	60"(1524mm)	TARP-4860-	S	DN7A	\$ 3681.54	\$ 4057.38	\$ 3835.15	\$ 4210.99	\$ 4488.13	\$ 4941.73	\$ 4567.46	\$ 5036.18	
66"(1676mm)	TARP-4866-	S	DN7A	3821.14	4217.86	3989.95	4386.67	4713.05	5191.85	4803.58	5298.34		
72"(1829mm)	TARP-4872-	S	DN7A	3960.74	4378.34	4144.75	4562.35	4937.97	5441.97	5039.70	5560.50		
78"(1981mm)	TARP-4878-	S	DN7A	4100.34	4538.82	4299.55	4738.03	5162.89	5692.09	5275.82	5822.66		
84"(2134mm)	TARP-4884-	S	DN7A	4239.94	4699.30	4454.35	4913.71	5387.81	5942.21	5511.94	6084.82		
90"(2286mm)	TARP-4890-	S	DN7A	4379.54	4859.78	4609.15	5089.39	5612.73	6192.33	5748.06	6346.98		
96"(2438mm)	TARP-4896-	S	DN7A	4519.14	5020.26	4763.95	5265.07	5837.65	6442.45	5984.18	6609.14		


Planes Training Table

Terminology

Flip Top Table



Non-Flip Top Table



Planes Training Table


Catalog Logic

T	A	RA	- 24	60	- W	K	S	N	CH	4
Product Type: _____										
(T) Table										
Platform: _____										
(A) Plane										
Shape: _____										
(BN) Crescent										
(RA) Rectangle										
(CV) Polygon										
(TP) Trapezoid										
Depth: _____										
20 - 20"(508mm)										
24 - 24"(610mm)										
30 - 30"(762mm)										
Width: _____										
36 - 36"(914mm)										
42 - 42"(1067mm)										
48 - 48"(1219mm)										
54 - 54"(1372mm)										
55 - 55"(1397mm)										
60 - 60"(1524mm)										
66 - 66"(1676mm)										
68 - 68"(1727mm)										
72 - 72"(1829mm)										
78 - 78"(1981mm)										
84 - 84"(2134mm)										
90 - 90"(2286mm)										
96 - 96"(2438mm)										
Surface Material: _____										
(L) High-Pressure Laminate (HPL)										
(W) Wood										
Edge: _____										
(J) 3mm Edgeband										
(F) Knife Edge										
(K) Wood Edgeband										
(U) Wood Knife Edge										
Core Material: _____										
(S) Standard										
Flip Top Unit Cutout Location: _____										
(A) 2 Outlet Cutout Single-sided - Centered Back										
(B) 2 Outlet Cutout Single-sided - Left/Right Back										
(F) 4 Outlet Cutout Single-sided - Centered Back										
(V) 4 Outlet Cutout Single-sided - Left/Right Back										
(J) 6 Outlet Cutout Single-sided - Centered Back										
(K) 6 Outlet Cutout Single-sided - Left/Right Back										
(N) No Cutouts										
Base: _____										
(CG) C-Leg, Non-Flip, Glides										
(CC) C-Leg, Non-Flip, Casters										
(CF) C-Leg, Flip Top, Glides										
(CH) C-Leg, Flip Top, Casters										
Height: _____										
4 - 29"(737mm)										
Base/Stretcher Option: _____										
(A) - Painted										
(B) - Polished										


Planes Training Table

Rectangular

Flip Top Table



Non-Flip Top Table



TARA
Class TA1



Features

- Includes 1.18"(30mm) thick top, two C-Leg bases, stretcher and hardware.
- Standard table height is 29"(737mm).
- High-Pressure Laminate Top (HPL) or wood veneer top with 3mm edgeband on user edge and 1mm edgeband on remaining sides, or knife edge on user edge and 1mm edgeband on sides and back.
- Reinforcement bar included with 72"(1829mm) or greater tops.
- Base Options:
 - Flip Top Table with casters (H) or with glides (F).
 - Non-flip Top Table with casters (C) or with glides (G).
- Flip Top Table:
 - Table top flips from horizontal to vertical position via pneumatic assist mechanism activated by two finger pulls.
 - Tables nest when flipped to vertical position. Refer to Specification Guide for details.
- Base and Stretcher Finish Options:
 - (A) Painted aluminum C-leg bases, glide stem and stretcher. Stretcher end caps and support arms or stretcher brackets match base trim color. (Specify trim color.)
 - (B) Polished aluminum C-leg bases and glide stem. Stretcher and support arms or stretcher brackets are painted and require a trim color specification.
- Flip Top Unit Cutout Options include:
 - One cutout centered along back edge, or
 - One left and one right cutout along back edge.
- Optional casters or glides are field interchangeable:
 - Casters (two looking/two non-looking) are available with: Light platinum or fog hub with graphite tread, or black hub with black tread.
 - Optional glides (four) are available in light platinum, fog or black with 0.5"(13mm) height adjustment.
 - Glide stem is painted or polished to match base; glide base disc color must be specified.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tip

- The following Planes products are separately specified:
 - Ganging Mechanism - Required for use with powered tables.
 - Flip Top Unit electrical modules
 - Electrical Components
 - Grommet (field cut opening)
 - Modesty Panel
 - Vertical Wire Manager
 - Horizontal Wire Manager
 - Wire Management Clips

To Order, Specify:

- Product number, including:

① Surface Options:

L Laminate

W Wood

② Edge Options:

Laminate:

J Edgeband

F Knife

Wood:

K Edgeband

U Knife

③ Flip Top Unit Cutout Options by Width:

36"(914mm) - 54"(1372mm)

(Options: A, F, J, N)

60"(1524mm) - 96"(2438mm)

(Options: A, B, F, V, J, K, N)

N No cutout

A 2 outlet cutout - centered back (add \$45.40 list)

B 2 outlet cutout - left and right back (add \$90.80 list)

F 4 outlet cutout - centered back (add \$45.40 list)

V 4 outlet cutout - left and right back (add \$90.80 list)

J 6 outlet cutout - centered back (add \$45.40 list)

K 6 outlet cutout - left and right back (add \$90.80 list)

④ Base Options (Flip/Non-Flip):

H Flip Top Table: Casters (add \$250.93 list)

F Flip Top Table: Glides (add \$357.30 list)

C Non-flip Top Table: Casters

G Non-flip Top Table: Glides (add \$106.38 list)

⑤ Base/Stretcher Finish Options:

A Painted

B Polished (add \$746.69, must specify trim color for stretcher)

2) Laminate surface or wood finish color.

3) Edge trim color (laminate only).

4) Base/Stretcher trim color.

5) Caster/Glide Base Disc trim color.

Note: \$62.43 upcharge list for Metallic and accent trim colors.

Planes Training Table


Rectangular

Depth	Width	Capacity	Number	Distributed Load					HPL				Wood			
				1	2	3	4	5	J	F	J	F	K	U	K	B
Flip Top Tables																
24"(610mm)	36"(914mm)	144	TARA-2436-	S	C	4		\$ 1129.41	\$ 1383.49	\$ 1174.84	\$ 1428.92	\$ 1459.17	\$ 1698.85	\$ 1469.81	\$ 1750.29	
	42"(1067mm)	158	TARA-2442-	S	C	4		1310.52	1584.28	1363.47	1637.23	1669.80	1927.72	1683.52	1986.32	
	48"(1219mm)	173	TARA-2448-	S	C	4		1491.63	1785.07	1552.10	1845.54	1880.43	2156.59	1897.23	2222.35	
	54"(1372mm)	187	TARA-2454-	S	C	4		1672.74	1985.86	1740.73	2053.85	2091.06	2385.46	2110.94	2458.38	
	60"(1524mm)	202	TARA-2460-	S	C	4		1853.85	2186.65	1929.36	2262.16	2301.69	2614.33	2324.65	2694.41	
	66"(1676mm)	216	TARA-2466-	S	C	4		2034.96	2387.44	2117.99	2470.47	2512.32	2843.20	2538.36	2930.44	
	72"(1829mm)	230	TARA-2472-	S	C	4		2216.07	2588.23	2306.62	2678.78	2722.95	3072.07	2752.07	3166.47	
30"(762mm)																
30"(762mm)	36"(914mm)	158	TARA-3036-	S	C	4		\$ 1283.11	\$ 1556.87	\$ 1339.82	\$ 1613.58	\$ 1640.47	\$ 1898.39	\$ 1655.31	\$ 1958.11	
	42"(1067mm)	173	TARA-3042-	S	C	4		1475.41	1768.85	1541.52	1834.96	1861.33	2137.49	1879.81	2204.93	
	48"(1219mm)	187	TARA-3048-	S	C	4		1667.71	1980.83	1743.22	2056.34	2082.19	2376.59	2104.31	2451.75	
	54"(1372mm)	202	TARA-3054-	S	C	4		1860.01	2192.81	1944.92	2277.72	2303.05	2615.69	2328.81	2698.57	
	60"(1524mm)	216	TARA-3060-	S	C	4		2052.31	2404.79	2146.62	2499.10	2523.91	2854.79	2553.31	2945.39	
	66"(1676mm)	230	TARA-3066-	S	C	4		2244.61	2616.77	2348.32	2720.48	2744.77	3093.89	2777.81	3192.21	
	72"(1829mm)	245	TARA-3072-	S	C	4		2436.91	2828.75	2550.02	2941.86	2965.63	3332.99	3002.31	3439.03	
Non-Flip Top Tables																
20"(508mm) 36"(914mm)	134	TARA-2036-	S	C	4		\$ 1082.25	\$ 1323.21	\$ 1120.16	\$ 1361.12	\$ 1393.61	\$ 1621.13	\$ 1401.45	\$ 1667.05		
	42"(1067mm)	149	TARA-2042-	S	C	4		1252.17	1512.81	1295.72	1556.36	1594.01	1839.77	1604.37	1892.29	
	48"(1219mm)	163	TARA-2048-	S	C	4		1433.28	1713.60	1484.35	1764.67	1804.64	2068.64	1818.08	2128.32	
	54"(1372mm)	178	TARA-2054-	S	C	4		1603.20	1903.20	1659.91	1959.91	2005.04	2287.28	2021.00	2353.56	
	60"(1524mm)	192	TARA-2060-	S	C	4		1773.12	2092.80	1835.47	2155.15	2205.44	2505.92	2223.92	2578.80	
	66"(1676mm)	206	TARA-2066-	S	C	4		1954.23	2293.59	2024.10	2363.46	2416.07	2734.79	2437.63	2814.83	
	72"(1829mm)	221	TARA-2072-	S	C	4		2124.15	2483.19	2199.66	2558.70	2616.47	2953.43	2640.55	3040.07	
	78"(1981mm)	235	TARA-2078-	S	C	4		2358.76	2737.48	2439.91	2818.63	2881.56	3236.76	2908.16	3330.00	
	84"(2134mm)	250	TARA-2084-	S	C	4		2549.82	2948.22	2638.49	3036.89	3102.14	3475.58	3131.82	3575.98	
	90"(2286mm)	264	TARA-2090-	S	C	4		2729.69	3147.77	2824.00	3242.08	3312.49	3704.17	3344.69	3811.17	
	96"(2438mm)	278	TARA-2096-	S	C	4		2909.56	3347.32	3009.51	3447.27	3522.84	3932.76	3557.56	4046.36	
24"(610mm)																
24"(610mm)	36"(914mm)	144	TARA-2436-	S	C	4		\$ 1129.41	\$ 1383.49	\$ 1174.84	\$ 1428.92	\$ 1459.17	\$ 1698.85	\$ 1469.81	\$ 1750.29	
	42"(1067mm)	158	TARA-2442-	S	C	4		1310.52	1584.28	1363.47	1637.23	1669.80	1927.72	1683.52	1986.32	
	48"(1219mm)	173	TARA-2448-	S	C	4		1491.63	1785.07	1552.10	1845.54	1880.43	2156.59	1897.23	2222.35	
	54"(1372mm)	187	TARA-2454-	S	C	4		1672.74	1985.86	1740.73	2053.85	2091.06	2385.46	2110.94	2458.38	
	60"(1524mm)	202	TARA-2460-	S	C	4		1853.85	2186.65	1929.36	2262.16	2301.69	2614.33	2324.65	2694.41	
	66"(1676mm)	216	TARA-2466-	S	C	4		2034.96	2387.44	2117.99	2470.47	2512.32	2843.20	2538.36	2930.44	
	72"(1829mm)	230	TARA-2472-	S	C	4		2216.07	2588.23	2306.62	2678.78	2722.95	3072.07	2752.07	3166.47	
	78"(1981mm)	245	TARA-2478-	S	C	4		2461.87	2853.71	2559.94	2951.78	2998.27	3365.63	3030.47	3467.19	
	84"(2134mm)	259	TARA-2484-	S	C	4		2652.93	3064.45	2758.52	3170.04	3218.85	3604.45	3254.13	3713.17	
	90"(2286mm)	274	TARA-2490-	S	C	4		2843.99	3275.19	2957.10	3388.30	3439.43	3843.27	3477.79	3959.15	
	96"(2438mm)	288	TARA-2496-	S	C	4		3035.05	3485.93	3155.68	3606.56	3660.01	4082.09	3701.45	4205.13	
30"(762mm)																
30"(762mm)	36"(914mm)	158	TARA-3036-	S	C	4		\$ 1283.11	\$ 1556.87	\$ 1339.82	\$ 1613.58	\$ 1640.47	\$ 1898.39	\$ 1655.31	\$ 1958.11	
	42"(1067mm)	173	TARA-3042-	S	C	4		1475.41	1768.85	1541.52	1834.96	1861.33	2137.49	1879.81	2204.93	
	48"(1219mm)	187	TARA-3048-	S	C	4		1667.71	1980.83	1743.22	2056.34	2082.19	2376.59	2104.31	2451.75	
	54"(1372mm)	202	TARA-3054-	S	C	4		1860.01	2192.81	1944.92	2277.72	2303.05	2615.69	2328.81	2698.57	
	60"(1524mm)	216	TARA-3060-	S	C	4		2052.31	2404.79	2146.62	2499.10	2523.91	2854.79	2553.31	2945.39	
	66"(1676mm)	230	TARA-3066-	S	C	4		2244.61	2616.77	2348.32	2720.48	2744.77	3093.89	2777.81	3192.21	
	72"(1829mm)	245	TARA-3072-	S	C	4		2436.91	2828.75	2550.02	2941.86	2965.63	3332.99	3002.31	3439.03	
	78"(1981mm)	259	TARA-3078-	S	C	4		2693.90	3105.42	2816.41	3227.93	3251.18	3636.78	3291.50	3750.54	
	84"(2134mm)	274	TARA-3084-	S	C	4		2896.15	3327.35	3028.06	3459.26	3481.99	3885.83	3525.95	4007.31	
	90"(2286mm)	288	TARA-3090-	S	C	4		3098.40	3549.28	3239.71	3690.59	3712.80	4134.88	3760.40	4264.08	
	96"(2438mm)	302	TARA-3096-	S	C	4		3300.65	3771.21	3451.36	3921.92	3943.61	4383.93	3994.85	4520.85	


Planes Training Table

Crescent

Flip Top Table



Non-Flip Top Table



TABN
Class TA1



Features

- Includes 1.18"(30mm) thick top, two C-Leg bases, stretcher and hardware.
- Standard table height is 29"(737mm).
- High-Pressure Laminate Top (HPL) or wood veneer top with 3mm edgeband on user edge and 1mm edgeband on remaining sides, or knife edge on user edge and 1mm edgeband on sides and back.
- Base Options:
 - Flip Top Table with casters (H) or with glides (F).
 - Non-flip Top Table with casters (C) or with glides (G).
- Flip Top Table:
 - Table top flips from horizontal to vertical position via pneumatic assist mechanism activated by two finger pulls.
 - Tables nest when flipped to vertical position. Refer to Specification Guide for details.
- Base and Stretcher Finish Options:
 - (A) Painted aluminum C-leg bases, glide stem and stretcher. Stretcher end caps and support arms or stretcher brackets match base trim color. (Specify trim color)
 - (B) Polished aluminum C-leg bases and glide stem. Stretcher and support arms or stretcher brackets are painted and require a trim color specification.
- Flip Top Unit Cutout Options include:
 - One cutout centered along back edge.
- Optional casters or glides are field interchangeable:
 - Casters (two locking/two non-locking) are available with:
 - Light platinum or fog hub with graphite tread, or black hub with black tread.
 - Optional glides (four) are available in light platinum, fog or black with 0.5"(13mm) height adjustment.
 - Glide stem is painted or polished to match base; glide base disc color must be specified.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tip

- The following Planes products are separately specified:
 - Ganging Mechanism - Required for use with powered tables.
 - Flip Top Unit electrical modules
 - Electrical Components
 - Grommet (field cut opening)
 - Vertical Wire Manager
 - Horizontal Wire Manager
 - Wire Management Clips

To Order, Specify:

- 1) Product number, including:

1 Surface Options:

- L Laminate
- W Wood

2 Edge Options:

- J Edgeband
- F Knife
- K Edgeband
- U Knife

3 Flip Top Unit Cutout Options:

- N No cutout
 - A 2 outlet cutout - centered back (add \$45.40 list)
 - F 4 outlet cutout - centered back (add \$45.40 list)
 - J 6 outlet cutout - centered back (add \$45.40 list)
- 4 Base Options (Flip/Non-Flip):**
- H Flip Top Table: Casters (add \$250.93 list)
 - F Flip Top Table: Glides (add \$357.30 list)
 - C Non-flip Top Table: Casters
 - G Non-flip Top Table: Glides (add \$106.38 list)

5 Base/Stretcher Finish Options:

- A Painted
- B Polished (add \$746.69, must specify trim color for stretcher)

- 2) Laminate surface or wood finish color.
- 3) Edge trim color (laminate only).
- 4) Base/Stretcher trim color.
- 5) Caster/Glide Base Disc trim color.


Note: \$62.43 upcharge list for Metallic and accent trim colors.

Depth	Width	Number	1	2	3	4	5	HPL		Wood			
			J	F	J	F	K	U	K	U	K	U	
30"(762mm)	68"(1727mm)	TABN-3068-	S	C	4	\$2214.18	\$2592.90	\$2320.20	\$2698.92	\$2779.01	\$3134.21	\$2825.22	\$3247.06


Planes Training Table

Trapezoid

Flip Top Table



Non-Flip Top Table



TATP
Class TA1



Features

- Includes 1.18"(30mm) thick top, two C-Leg bases, stretcher and hardware.
- Standard table height is 29"(737mm).
- High-Pressure Laminate Top (HPL) or wood veneer top with 3mm edgeband on user edge and 1mm edgeband on remaining sides, or knife edge on user edge and 1mm edgeband on sides and back.
- Base Options:
 - Flip Top Table with casters (H) or with glides (F).
 - Non-flip Top Table with casters (C) or with glides (G).
- Flip Top Table:
 - Table top flips from horizontal to vertical position via pneumatic assist mechanism activated by two finger pulls.
 - Tables nest when flipped to vertical position. Refer to Specification Guide for details.
- Base and Stretcher Finish Options:
 - (A) Painted aluminum C-leg bases, glide stem and stretcher. Stretcher end caps and support arms or stretcher brackets match base trim color. (Specify trim color)
 - (B) Polished aluminum C-leg bases and glide stem. Stretcher and support arms or stretcher brackets are painted and require a trim color specification.
- Flip Top Unit Cutout Options include:
 - One cutout centered along back edge.
- Optional casters or glides are field interchangeable:
 - Casters (two locking/two non-locking) are available with:
 - Light platinum or fog hub with graphite tread, or black hub with black tread.
 - Optional glides (four) are available in light platinum, fog or black with 0.5"(13mm) height adjustment.
 - Glide stem is painted or polished to match base; glide base disc color must be specified.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tip

- The following Planes products are separately specified:
 - Ganging Mechanism - Required for use with powered tables.
 - Flip Top Unit electrical modules
 - Electrical Components
 - Grommet (field cut opening)
 - Modesty Panel
 - Vertical Wire Manager
 - Horizontal Wire Manager
 - Wire Management Clips

To Order, Specify:

- 1) Product number, including:

1 Surface Options:

- L** Laminate
W Wood

2 Edge Options:

- Laminate:
J Edgeband
F Knife
Wood:
K Edgeband
U Knife

3 Flip Top Unit Cutout Options:

- N** No cutout
A 2 outlet cutout - centered back (add **\$45.40** list)
F 4 outlet cutout - centered back (add **\$45.40** list)
J 6 outlet cutout - centered back (add **\$45.40** list)
- 4 Base Options (Flip/Non-Flip):**
- H** Flip Top Table: Casters (add **\$250.93** list)
F Flip Top Table: Glides (add **\$357.30** list)
C Non-flip Top Table: Casters
G Non-flip Top Table: Glides (add **\$106.38** list)

5 Base/Stretcher Finish Options:

- A** Painted
B Polished (add **\$746.69**, must specify trim color for stretcher)

- 2) Laminate surface or wood finish color.
- 3) Edge trim color (laminate only).
- 4) Base/Stretcher trim color.
- 5) Caster/Glide Base Disc trim color.



Note: **\$62.43** upcharge list for Metallic and accent trim colors.

Depth	Width	Number	HPL		Wood								
			A	J	F	J	F	K	U	K	U		
30"(762mm)	60"(1524mm)	TATP-3060-	S	C	4	\$2050.08	\$2402.56	\$2144.85	\$2497.33	\$2572.08	\$2906.56	\$2611.68	\$2953.36


Planes Training Table

Polygon

Flip Top Table



Non-Flip Top Table



TACV
Class TA1



Features

- Includes 1.18"(30mm) thick top, two C-Leg bases, stretcher and hardware.
- Standard table height is 29"(737mm).
- High-Pressure Laminate Top (HPL) or wood veneer top with 3mm edgeband on user edge and 1mm edgeband on remaining sides, or knife edge on user edge and 1mm edgeband on sides and back.
- Base Options:
 - Flip Top Table with casters (H) or with glides (F).
 - Non-flip Top Table with casters (C) or with glides (G).
- Flip Top Table:
 - Table top flips from horizontal to vertical position via pneumatic assist mechanism activated by two finger pulls.
 - Tables nest when flipped to vertical position. Refer to Specification Guide for details.
- Base and Stretcher Finish Options:
 - (A) Painted aluminum C-leg bases, glide stem and stretcher. Stretcher end caps and support arms or stretcher brackets match base trim color. (Specify trim color)
 - (B) Polished aluminum C-leg bases and glide stem. Stretcher and support arms or stretcher brackets are painted and require a trim color specification.
- Flip Top Unit Cutout Options include:
 - One cutout centered along back edge.
- Optional casters or glides are field interchangeable:
 - Casters (two locking/two non-locking) are available with:
 - Light platinum or fog hub with graphite tread, or black hub with black tread.
 - Optional glides (four) are available in light platinum, fog or black with 0.5"(13mm) height adjustment.
 - Glide stem is painted or polished to match base; glide base disc color must be specified.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tip

- The following Planes products are separately specified:
 - Ganging Mechanism - Required for use with powered tables.
 - Flip Top Unit electrical modules
 - Electrical Components
 - Grommet (field cut opening)
 - Modesty Panel
 - Vertical Wire Manager
 - Horizontal Wire Manager
 - Wire Management Clips

To Order, Specify:

- 1) Product number, including:

1 Surface Options:

L Laminate

W Wood

2 Edge Options:

Laminate:

J Edgeband

F Knife

Wood:

K Edgeband

U Knife

3 Flip Top Unit Cutout Options:

N No cutout

A 2 outlet cutout - centered back (add **\$45.40** list)

F 4 outlet cutout - centered back (add **\$45.40** list)

J 6 outlet cutout - centered back (add **\$45.40** list)

4 Base Options (Flip/Non-Flip):

H Flip Top Table: Casters (add **\$250.93** list)

F Flip Top Table: Glides (add **\$357.30** list)

C Non-flip Top Table: Casters

G Non-flip Top Table: Glides (add **\$106.38** list)

5 Base/Stretcher Finish Options:

A Painted

B Polished (add **\$746.69**
(must specify trim color for
stretcher))

2) Laminate surface or wood finish color.

3) Edge trim color.

4) Base/Stretcher trim color (laminate only).


5) Caster/Glide Base Disc trim color.

Note: **\$62.43** upcharge list for
Metallic and accent trim colors.

Depth	Width	Number	1	2	3	4	5	HPL		Wood					
								A	J	F	B	J	F		
24"(610mm)	55"(1397mm)	TAOV-2455-	S	S	C	C	4	\$1730.61	\$1962.65	\$1896.53	\$2128.57	\$2102.28	\$2362.54	\$2135.47	\$2395.73
30"(762mm)	66"(1676mm)	TACV-3066-	S	S	C	C	4	2180.32	2513.58	2346.24	2679.50	2774.28	3154.06	2832.37	3212.15

Planes Training Table

Pie Connector



TAPC
Class TA1

Features

- Includes 1.18"(30mm) thick top and two sets of ganging mechanisms required for support.
- High-Pressure Laminate Top (HPL) or wood veneer top with 3mm edgeband on user edge and 1mm edgeband on remaining sides, or knife edge on user edge and 1mm edgeband on sides and back.
- Depth shown in nominal dimensions.
- Ships unassembled.

Specification Tips

- Requires two same-depth Planes C-Leg Training Tables for support; separately specified.
- Additional Table Pass-Through Connector may be required based upon application.
- Wire Manager Clips are available if needed; separately specified.

To Order, Specify:

- 1) Product number, including:

1 Surface Options:

L Laminate

W Wood

2 Edge Options:

Laminate:

J Edgeband

F Knife

Wood:

K Edgeband

U Knife

- 2) Laminate surface or wood finish color.

- 3) Edge trim color (laminate only).

Depth	Number	①②	HPL				Wood			
			A J	B F	A J	B F	A K	B U	A K	B U
20"(508mm)	TAPC-2015-	SN	\$423.14	\$544.61	\$ 456.33	\$577.80	\$414.83	\$478.54	\$431.43	\$495.14
	TAPC-2030-	SN	456.33	577.80	489.52	610.99	448.02	511.73	464.62	528.33
	TAPC-2045-	SN	489.52	610.99	522.71	644.18	481.21	544.92	497.81	561.52
	TAPC-2090-	SN	555.90	677.37	589.09	710.56	547.59	611.30	564.19	627.90
24"(610mm)	TAPC-2415-	SN	\$522.71	\$644.18	\$555.90	\$677.37	\$ 514.40	\$578.11	\$ 531.00	\$594.71
	TAPC-2430-	SN	555.90	677.37	589.09	710.56	547.59	611.30	564.19	627.90
	TAPC-2445-	SN	589.09	710.56	622.28	743.75	580.78	644.49	597.38	661.09
	TAPC-2490-	SN	655.47	776.94	688.66	810.13	647.16	710.87	663.76	727.47
30"(762mm)	TAPC-3015-	SN	\$622.28	\$743.75	\$655.47	\$776.94	\$ 613.97	\$677.68	\$630.57	\$694.28
	TAPC-3030-	SN	655.47	776.94	688.66	810.13	647.16	710.87	663.76	727.47
	TAPC-3045-	SN	688.66	810.13	721.85	843.32	680.35	744.06	696.95	760.66
	TAPC-3090-	SN	755.04	876.51	788.23	909.70	746.73	810.44	763.33	827.04

Planes Training Table Modesty Panels



TAOM
Class TA1

Features

- Includes modesty panel and attachment hardware.
- Modesty Panels are 11.59"(294mm)H (actual) and 0.56"(14mm) thick.
- Modesty Panels are mounted 1.4"(36mm) below the table top to allow for wire pass-through.
- Finish surface is non-tackable.
- Hinged bracket allows for table nesting without modesty panel removal.
- Modesty panel is removable. Modesty bracket snaps into the table brackets. No tools required.
- Screen and hardware are field installed.

Specification Tip

- Modesty Panels are available for use on Training Tables in shapes/sizes indicated. Refer to Specification Guide for application guidelines.

To Order, Specify:

1) Product number, including:

① Modesty Panel Options:

F Full width (add \$82.14 list)

P Powered Table

2) Surface Colors Options:

Fabric:

-Fabric Color

Laminate:

-Laminate Surface Color

-Edgeband trim color

Wood:

-Wood Finish Color*

Note: Modesty Panel Options:

-(F) Full-width modesty panel will be width of the rectangular table and not for use with tables that are connected with 2-Circuit Modular Power or Quick Connect Two electrical components.

-(P) Must be ordered for tables with 2-Circuit Modular Power or Flip Top Units with Quick Connect Two Power base feed. Modesty Panels are inset 3"(76mm) from each end.

Table Width	Option (P) Modesty	Option (F) Modesty		Number	①	Fabric					E	F	G
		Actual Width	Actual Width			A	B	C	D				
Rectangle													
36"(914mm)	29.5"(749mm)	35.5"(902mm)	TAOM-1336-F			\$345.06	\$ 427.20	\$443.68	\$ 463.40	\$ 492.94	\$ 522.53	\$ 558.68	
42"(1067mm)	35.5"(902mm)	41.5"(1054mm)	TAOM-1342-F			402.57	484.71	501.19	520.91	550.45	580.04	616.19	
48"(1219mm)	41.5"(1064mm)	47.5"(1207mm)	TAOM-1348-F			460.08	542.22	558.70	578.42	607.96	637.55	673.70	
54"(1372mm)	47.5"(1207mm)	53.5"(1359mm)	TAOM-1354-F			517.59	599.73	616.21	635.93	665.47	695.06	731.21	
60"(1524mm)	53.5"(1369mm)	59.5"(1511mm)	TAOM-1360-F			575.10	657.24	673.72	693.44	722.98	752.57	788.72	
66"(1676mm)	59.5"(1511mm)	65.5"(1664mm)	TAOM-1366-F			632.61	714.75	731.23	750.95	780.49	810.08	846.23	
72"(1829mm)	65.5"(1664mm)	71.5"(1816mm)	TAOM-1372-F			690.12	772.26	788.74	808.46	838.00	867.59	903.74	
78"(1981mm)	71.5"(1816mm)	77.5"(1969mm)	TAOM-1378-F			747.63	829.77	846.25	865.97	895.51	925.10	961.25	
84"(2134mm)	77.5"(1969mm)	83.5"(2121mm)	TAOM-1384-F			805.14	887.28	903.76	923.48	953.02	982.61	1018.76	
90"(2286mm)	83.5"(2121mm)	89.5"(2273mm)	TAOM-1390-F			862.65	944.79	961.27	980.99	1010.53	1040.12	1076.27	
96"(2438mm)	89.5"(2273mm)	95.5"(2426mm)	TAOM-1396-F			920.16	1002.30	1018.78	1038.50	1068.04	1097.63	1133.78	
Polygon													
55"(1397mm)	41.5"(1054mm)		TAOM-1348-FP			\$460.08	\$ 542.22	\$558.70	\$ 578.42	\$ 607.96	\$ 637.55	\$ 673.70	
66"(1676mm)	47.5"(1207mm)	53.5"(1359mm)	TAOM-1354-F			517.59	599.73	616.21	635.93	665.47	695.06	731.21	
Trapezoid													
60"(1524mm)	28"(711mm)		TAOM-1360-FP			\$ 575.10	\$ 657.24	\$ 673.72	\$ 693.44	\$ 722.98	\$ 752.57	\$ 788.72	
Half Round													
60"(1524mm)	53.5"(1359mm)	59.5"(1511mm)	TAOM-1360-F			\$ 575.10	\$ 657.24	\$ 673.72	\$ 693.44	\$ 722.98	\$ 752.57	\$ 788.72	

Planes Training Table Modesty Panels


Table Width	Option (P) Modesty Actual Width	Option (F) Modesty Actual Width	Number ①	HPL A	B
Rectangle					
36"(914mm)	29.5"(749mm)	35.5"(902mm)	TAOM-1336-L	\$ 184.84	\$ 194.20
42"(1067mm)	35.5"(902mm)	41.5"(1054mm)	TAOM-1342-L	213.69	225.39
48"(1219mm)	41.5"(1054mm)	47.5"(1207mm)	TAOM-1348-L	242.54	256.58
54"(1372mm)	47.5"(1207mm)	53.5"(1359mm)	TAOM-1354-L	271.39	287.77
60"(1524mm)	53.5"(1359mm)	59.5"(1511mm)	TAOM-1360-L	300.24	318.96
66"(1676mm)	59.5"(1511mm)	65.5"(1664mm)	TAOM-1366-L	329.09	350.15
72"(1829mm)	65.5"(1664mm)	71.5"(1816mm)	TAOM-1372-L	357.94	381.34
78"(1981mm)	71.5"(1816mm)	77.5"(1969mm)	TAOM-1378-L	386.79	412.53
84"(2134mm)	77.5"(1969mm)	83.5"(2121mm)	TAOM-1384-L	415.64	443.72
90"(2286mm)	83.5"(2121mm)	89.5"(2273mm)	TAOM-1390-L	444.49	474.91
96"(2438mm)	89.5"(2273mm)	95.5"(2426mm)	TAOM-1396-L	473.34	506.10
Polygon					
55"(1397mm)	41.5"(1054mm)		TAOM-1348-LP	\$ 242.54	\$ 256.58
66"(1676mm)	47.5"(1207mm)	53.5"(1359mm)	TAOM-1354-L	271.39	287.77
Trapezoid					
60"(1524mm)	28"(711mm)		TAOM-1360-LP	\$300.24	318.96
Half Round					
60"(1524mm)	53.5"(1359mm)	59.5"(1511mm)	TAOM-1396-L	\$300.24	318.96

Table Width	Option (P) Modesty Actual Width	Option (F) Modesty Actual Width	Number ①	HPL A	B
Rectangle					
36"(914mm)	29.5"(749mm)	35.5"(902mm)	TAOM-1336-W	\$ 528.33	\$ 609.98
42"(1067mm)	35.5"(902mm)	41.5"(1054mm)	TAOM-1342-W	586.08	678.00
48"(1219mm)	41.5"(1054mm)	47.5"(1207mm)	TAOM-1348-W	643.83	746.02
54"(1372mm)	47.5"(1207mm)	53.5"(1359mm)	TAOM-1354-W	701.58	814.04
60"(1524mm)	53.5"(1359mm)	59.5"(1511mm)	TAOM-1360-W	759.33	882.06
66"(1676mm)	59.5"(1511mm)	65.5"(1664mm)	TAOM-1366-W	817.08	950.08
72"(1829mm)	65.5"(1664mm)	71.5"(1816mm)	TAOM-1372-W	874.83	1018.10
78"(1981mm)	71.5"(1816mm)	77.5"(1969mm)	TAOM-1378-W	932.58	1086.12
84"(2134mm)	77.5"(1969mm)	83.5"(2121mm)	TAOM-1384-W	990.33	1154.14
90"(2286mm)	83.5"(2121mm)	89.5"(2273mm)	TAOM-1390-W	1048.08	1222.16
96"(2438mm)	89.5"(2273mm)	95.5"(2426mm)	TAOM-1396-W	1105.83	1290.18
Polygon					
55"(1397mm)	41.5"(1054mm)		TAOM-1348-WP	\$ 643.83	\$ 746.02
66"(1676mm)	47.5"(1207mm)	53.5"(1359mm)	TAOM-1354-W	701.58	814.04
Trapezoid					
60"(1524mm)	28"(711mm)		TAOM-1360-WP	\$ 759.33	\$ 882.06
Half Round					
60"(1524mm)	53.5"(1359mm)	59.5"(1511mm)	TAOM-1360-W	\$ 759.33	\$ 882.06

Planes Training Table Modular Power Components

Single Circuit Corded Base Feed — for use with 2-Circuit, 20 Amp

20 Amp Plug




EAEB-2024-2C

Class TA1



Hardwire Modular Base Feed — 2-Circuit



EAEB

Class TA1



Feature

- Includes one 24"(610mm) black cord with NEMA 5-20P plug plus a 48"(1219mm) flexible metal conduit (unpainted) with modular male connector standard in black.

Specification Tips

- For use on Planes C-Leg Training Tables only.**
- Provides power to circuit one only.
- For use with 120 volt 60 hertz power source only.**
- Electric application requires prior approval by authority having jurisdiction.**
- Base Feed accesses common ground only.
- Requires a 20 Amp, 125 volt power receptacle (NEMA 5 20-R) for connection to building power (not included).
- Not for use in Canada due to electrical code restrictions.**
- Corded Base Feed is PVC free.

Description

Number

Price

20 Amp (USA Only)

EAEB-2024-2C

\$520.93

To Order, Specify:

- Product number.
(No finish specification required.)

Feature

- Includes one flexible metal conduit (unpainted) base feed with four 12-gauge wires for up to two 20 Amp circuits of power and one modular male connector standard in black.

Specification Tips

- For 2-circuit modular power components. Do not mix with other systems.
- For use for floor, column or wall hardwire connections.
- For use with 120 volt 60 hertz power source only.**
- Electric application requires prior approval by authority having jurisdiction.**
- Base Feed accesses common ground only.

Description


Length

Number

Price

20 Amp	48"(1219mm)	EAEB-2048-2H	\$ 156.11
	60"(1524mm)	EAEB-2060-2H	172.53
	72"(1829mm)	EAEB-2072-2H	188.95
	96"(2438mm)	EAEB-2096-2H	221.79
	120"(3048mm)	EAEB-20C0-2H	254.63
	180"(4572mm)	EAEB-20J0-2H	336.73
	240"(6096mm)	EAEB-20Q0-2H	418.83
	300"(7620mm)	EAEB-20W0-2H	500.93

Wall Feed — 2-Circuit



EAWP-0004-21

Class TA1



Features

- Includes one 2-circuit wall feed with female connector and four 12-gauge wires for up to two 20 Amp circuits.
- Standard in black.

Specification Tips

- For use with 2-Circuit components only. Do not mix with other power systems.
- For use with separately specified 2-circuit Pass-Through Connector.
- For use with 120 volt 60 hertz power source only.**
- Electric application requires prior approval by authority having jurisdiction.**
- For mounting on vertical surfaces only.

To Order, Specify:

- Product number.
(No finish specification required.)

Number


Price

EAWP-0004-21

\$151.18

Planes Training Table Modular Power Components

Pass-Through Connector — 2-Circuit



EAEJ
Class TA1



Features

- Includes one flexible metal conduit (unpainted) connector with modular male connectors standard in black.
- System is 4-wire with 2 circuits, 20 Amps each.
- Modular connectors are PVC-free.

To Order, Specify:

- Product number. (No finish specification required.)

Specification Tips


- For use with other 2-Circuit components only. Do not mix with other systems.
- Required for use with wall feed component to bring building power to Planes Training tables or for use to pass power between tables.
- For use with 120 volt 60 hertz power source only.**
- Electric application requires prior approval by authority having jurisdiction.**
- Pass-Through Connectors cannot be coupled together; separately specify Four-Port Splitter to connect Pass-Through Connectors.

Connector Width


Width	Number	Price
10"(254mm)	EAEJ-0010-2	\$ 95.85
18"(457mm)	EAEJ-0018-2	106.83
24"(610mm)	EAEJ-0024-2	115.06
30"(762mm)	EAEJ-0030-2	123.29
36"(914mm)	EAEJ-0036-2	131.52
42"(1067mm)	EAEJ-0042-2	139.75
48"(1219mm)	EAEJ-0048-2	147.98
54"(1372mm)	EAEJ-0054-2	156.21
60"(1524mm)	EAEJ-0060-2	164.44
66"(1676mm)	EAEJ-0066-2	172.67
72"(1829mm)	EAEJ-0072-2	180.90
78"(1981mm)	EAEJ-0078-2	189.13
96"(2438mm)	EAEJ-0096-2	213.82

Planes Training Table Modular Power Components

Modular Power Kits — 2-Circuit



One receptacle

EAEM Two receptacles
Class TA1

Features

- Kit with one receptacle includes two Pass-Through Connectors with flexible metal conduit (unpainted) with modular male connectors standard in black, one duplex receptacle (NEMA 5-15R configuration) and one Four-Port Splitter both standard in black.
- Kit with two receptacles includes two Pass-Through Connectors with flexible metal conduit (unpainted) with modular male connectors standard in black and two duplex receptacles (NEMA 5-15R configuration) standard in black.
- Receptacle(s) have two 15 Amp outlets (NEMA 5-15R configuration).
- Kit with one receptacle includes a circuit one receptacle.
- Kit with two receptacles includes a circuit one and a circuit two receptacle.
- Receptacles are circuit specific, accessing only common ground.
- System is 4-wire with 2 circuits; system rated for 20 Amps.
- Components are PVC-free.

Specification Tips

- Designed for use with Planes C-Leg Training Tables only.**
- Included Pass-Through Connector is for use with in-line Planes Training Table applications; additional Pass-Through Connectors may be required for non-linear table applications.
- For use with separately specified corded Flip Top Unit.
- Separately specified table ganging mechanisms are required.
- For use with 120 volt 60 hertz power source only.**
- Electric application requires prior approval by authority having jurisdiction.**
- Up to 13 duplex receptacles allowed per circuit. (10 duplex receptacles in Canada)
- Up to 26 duplex receptacles per hardwired modular base feed. (20 duplex receptacles in Canada)


Table Width	Number of Receptacles	Number	Price
Rectangle			
36"(914mm)	1	EAEM-3624-2JB	\$453.55
42"(1067mm)	2	EAEM-4224-2JB	460.13
48"(1219mm)	2	EAEM-4824-2JB	466.71
54"(1372mm)	2	EAEM-5424-2JB	473.29
60"(1524mm)	2	EAEM-6024-2JB	479.87
66"(1676mm)	2	EAEM-6624-2JB	486.45
72"(1829mm)	2	EAEM-7224-2JB	493.03
78"(1981mm)	2	EAEM-7824-2JB	499.61
84"(2134mm)	2	EAEM-8424-2JB	506.19
90"(2286mm)	2	EAEM-9024-2JB	512.77
96"(2438mm)	2	EAEM-9624-2JB	519.35
Polygon			
55"(1397mm)	2	EAEM-5524-2JB	\$479.87
66"(1676mm)	2	EAEM-6624-2JBP	486.45
Trapezoid			
60"(1524mm)	2	EAEM-6024-2JBT	\$466.71
Crescent			
68"(1727mm)	2	EAEM-6824-2JB	\$493.03
Half Round			
60"(1524mm)	2	EAEM-6024-2JBH	\$479.87

To Order, Specify:

- Product number.
(No finish specification required.)

Planes Training Table Modular Power Components

Receptacles — 15 Amp 2-Circuit



EAER
Class TA1



Features

- Includes one modular 15 Amp duplex receptacle (NEMA 5-15R) with integral latching system.
- Receptacles are PVC-free and standard in black.

Specification Tips


- For use with 2-Circuit components only. Do not mix with other power systems.
- Receptacle(s) are included with Modular Power Kits.
- For use with 120 volt 60 hertz power source only.**
- Electric application requires prior approval by authority having jurisdiction.**
- Up to 13 duplex receptacles allowed per circuit. (10 duplex receptacles in Canada)
- Up to 26 duplex receptacles per hardwired modular base feed. (20 duplex receptacles in Canada)

To Order, Specify:

- Product number.
(No finish specification required.)

Description	Circuit Access	Number	Price
2-Circuit	1	EAER-0015-21G	\$98.61
	2	EAER-0015-22G	98.61

Receptacle Block Connector



EAED-0000-22
Class TA1



Features

- Includes one receptacle block connector.
- Receptacle Block Connectors are PVC-free and standard in black.

Specification Tips

- For use with 2-Circuit components only. Do not mix with other power systems.
- Used for connecting two receptacles.
- For use with 120 volt 60 hertz power source only.**
- Electric application requires prior approval by authority having jurisdiction.**


To Order, Specify:

- Product number.
(No finish specification required.)

Description	Number	Price
2-Circuit, 2-Port	EAED-0000-22	\$21.35

Planes Training Table Modular Power Components

Four-Port Splitter



EAED-0000-24
Class TA1



Features

- Includes one four-port splitter.
- Four-Port Splitters are PVC-free and standard in black.

Specification Tips


- For use with 2-Circuit components only. Do not mix with other power systems.
- Used for connecting pass-through connectors.
- Four-Port Splitters are included with Modular Power Kits.
- **For use with 120 volt 60 hertz power source only.**
- **Electric application requires prior approval by authority having jurisdiction.**

To Order, Specify:

- 1) Product number.
(No finish specification required.)

Description	Number	Price
2-Circuit, 4-Port	EAED-0000-24	\$38.67

Mounting Bracket — Receptacle



TA01-0224
Class TA1

Features

- Includes one mounting bracket and mounting screws.
- Standard in black.
- Field installed.

Specification Tips

- For use to mount receptacles to table bottom in reconfiguration applications if needed.
- Mounting Brackets are included with all Planes C-Leg Training Tables.



To Order, Specify:

- 1) Product number.
(No finish specification required.)

Description	Number	Price
	TA01-0224	\$8.23

Planes Training Table Modular Power Components

Quick Connect Two Power — Flip Top Unit with Smooth Bezel



Features

- Includes flip top with smooth bezel module with 2, 4, or 6 ports configured with simplex outlets (NEMA 5-15R), USB charging port (USB-C 60W, Smart USB-A+C), data port(s) or cable bay, 60"(1524mm) modular connectors (one female, one male) and mounting hardware.
- Modular connection provides power distribution between tables.
- Non-sequential modular power connections allow easy table reconfiguration.
- Data jack adapters accommodate most varieties of field supplied data jacks or separately specified AV cables. Occupies one port.
- Each cable bay can accept up to two pull out data/AV cables.
- Smart USB-A+C can provide fast charge for a mobile phone and tablets. Occupies one charging port.
- USB-C 60W can charge phone, tablets and some laptops. Occupies two ports.
- Smooth bezel is painted and features non mitered corners.
- Port color is either black or white based on smooth bezel color.
- Flip top unit is flush mounted with spring release cover.
- Flip top unit overall height is 2 3/4"(70mm) and will extend below the table top.

Specification Tips

- Applications may have up to eight modular connections; a combination of eight Flip Top Units with Smooth Bezel and/or Pass-Through Connectors per Starter Box.
- Separately specify Starter Box to provide power to Flip Top Units with Smooth Bezel.**
- Furniture that shares electrical connections must be mechanically connected to each other.
- Recommend ganging mechanisms (TA01-0222) for table applications.
- Cable bay cannot be retrofitted to accept data jacks.
- For use with 120 volt 60 hertz power source only.**
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.


To Order, Specify:

- Product number.
- Finish color for Bezel/Port.

TR-PM1	Silver/White
TR-PM2	Midnight Black/Black
TR-PM8	Matte White/White
TR-PM9	Matte Grey/Black

Note: Order flip top units to match flip top unit cutout option specified for each table (A/B, F/V or J/K).

2, 4, and 6 Port Examples



Planes Training Table Modular Power Components


Quick Connect Two Power — Flip Top Unit with Smooth Bezel

Bezel Width	Bezel Depth	Port Configuration	Flip Top Unit Cutout Code Options	Number	Price
Single Circuit Base Feed Power					
5.25"(127mm)	4.38"(102mm)	2	1 Power Receptacle, 1 Smart USB-A+C Charging	A, B	EUQ1-Q51P-101000
			1 Power Receptacle, 1 Data Port	A, B	EUQ1-Q51P-100010
			2 Power Receptacles	A, B	EUQ1-Q51P-200000
8.31"(203mm)	4.38"(102mm)	4	1 Power Receptacle, 1 Smart USB-A+C Charging, 1 Cable Bay	F, V	EUQ1-Q51P-101001
			1 Power Receptacle, 1 Data Port, 1 Cable Bay	F, V	EUQ1-Q51P-100011
			1 Power Receptacle, 1 Smart USB-A+C Charging, 1 USB-C 60W Charging, 1 USB-C 60W Charging	F, V	EUQ1-Q51P-110100
			1 Power Receptacle, 2 Smart USB-A+C Charging, 1 Data Port	F, V	EUQ1-Q51P-111010
			2 Power Receptacles, 1 Cable Bay	F, V	EUQ1-Q51P-200001
			2 Power Receptacles, 1 Smart USB-A+C Charging, 1 Data Port	F, V	EUQ1-Q51P-201010
			2 Power Receptacles, 2 Smart USB-A+C Charging	F, V	EUQ1-Q51P-211000
			2 Power Receptacles, 1 USB-C 60W Charging	F, V	EUQ1-Q51P-200100
			2 Power Receptacles, 2 Data Ports	F, V	EUQ1-Q51P-200020
			3 Power Receptacles, 1 Smart USB-A+C Charging	F, V	EUQ1-Q51P-301000
			3 Power Receptacles, 1 Data Port	F, V	EUQ1-Q51P-300010
11.25"(286mm)	4.38"(102mm)	6	1 Power Receptacle, 2 Smart USB-A+C Charging, 1 Data Port, 1 Cable Bay	J, K	EUQ1-Q51P-111011
			1 Power Receptacle, 2 Smart USB-A+C Charging, 3 Data Ports	J, K	EUQ1-Q51P-111030
			1 Power Receptacle, 1 Smart USB-A+C Charging, 1 USB-C 60W Charging, 1 Cable Bay	J, K	EUQ1-Q51P-101101
			1 Power Receptacle, 1 Smart USB-A+C Charging, 1 USB-C 60W Charging, 2 Data Ports	J, K	EUQ1-Q51P-101120
			1 Power Receptacle, 1 Smart USB-A+C Charging, 2 Data Ports, 1 Cable Bay	J, K	EUQ1-Q51P-101021
			1 Power Receptacle, 1 USB-C 60W Charging, 3 Data Ports	J, K	EUQ1-Q51P-100130
			1 Power Receptacle, 3 Data Ports, 1 Cable Bay	J, K	EUQ1-Q51P-100031
			2 Power Receptacles, 2 Smart USB-A+C Charging, 1 Cable Bay	J, K	EUQ1-Q51P-211001
			2 Power Receptacles, 1 Smart USB-A+C Charging, 1 USB-C 60W Charging, 1 Data Port	J, K	EUQ1-Q51P-201110
			2 Power Receptacles, 2 Smart USB-A+C Charging, 2 Data Ports	J, K	EUQ1-Q51P-211020
			2 Power Receptacles, 1 USB-C 60W Charging, 2 Data Ports	J, K	EUQ1-Q51P-200120
			2 Power Receptacles, 1 USB-C 60W Charging, 1 Cable Bay	J, K	EUQ1-Q51P-200101
			2 Power Receptacles, 2 Data Ports, 1 Cable Bay	J, K	EUQ1-Q51P-200021
			2 Power Receptacles, 4 Data	J, K	EUQ1-Q51P-200040
			3 Power Receptacles, 1 Smart USB-A+C Charging, 1 Cable Bay	J, K	EUQ1-Q51P-301001
			3 Power Receptacles, 1 USB-C 60W Charging, 1 Data Port	J, K	EUQ1-Q51P-300110
			3 Power Receptacles, 1 Data Port, 1 Cable Bay	J, K	EUQ1-Q51P-300011
			3 Power Receptacles, 2 Smart USB-A+C Charging, 1 Data Port	J, K	EUQ1-Q51P-311010
			3 Power Receptacles, 1 Smart USB-A+C Charging, 2 Data Ports	J, K	EUQ1-Q51P-301020
			3 Power Receptacles, 3 Data Ports	J, K	EUQ1-Q51P-300030

Planes Training Table Modular Power Components

Quick Connect Two Power — Flip Top Unit with Smooth Bezel

Starter Box



EUQB-0072-1
Class YA



Features

- Includes 10'(3048mm) 15 Amp cord with plug (NEMA 5-15P) starter box with female connector and attachment material.
- Starter box with 12 Amp breaker features system indicator to limit number of connections.

Specification Tips

- Modular Connection attaches to a Quick Connect Two Smooth Bezel Flip Top Unit or Pass-Through Connector.
- Plug connects to building power receptacle (NEMA 5-15R).
- Applications may have up to eight modular connections; eight Flip Top Units with Smooth Bezel and/or Pass-Through Connectors per Starter Box.
- For use with 120 volt 60 hertz power source only.**
- Refer to Specification Guide for application guidelines.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:

- Product number.
(No finish specification required.)

Pass-Through Connector



EUQJ-1
Class YA



Features

- Includes 36"(914mm) or 60"(1524mm) Pass-Through Connector with male and female connections.
- For use when additional length is required between Quick Connect Two Smooth Bezel Flip Top Units with Smooth Bezel.

Specification Tips

- Needed for rectangular surfaces greater than 60"(1524mm).
- May be needed for non-linear powered Table applications.
- For use with 120 volt 60 hertz power source only.**
- Refer to Specification Guide for application guidelines.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:

- Product number.
(No finish specification required.)

Length

Number

Price


10'(3048mm)	EUQB-0072-1	\$856.34
-------------	-------------	----------

Length	Number	Price
36"(914mm)	EUQJ-0036-1	\$169.55
60"(1524mm)	EUQJ-0060-1	169.55

Planes Training Table Modular Power Components

Quick Connect Two Power — Flip Top Unit with Smooth Bezel

Starter Box Bracket



TA01-0227

Class TA1

Features

- Includes one starter box bracket for mounting starter box under table (outside of stretcher).
- Standard in black.
- Field installed.


Specification Tips

- Recommended to secure Starter Box.
- For use with tables without trough/stretcher.

To Order, Specify:

- 1) Product number.
(No finish specification required.)

Wire Manager Clips



TA01-0225

Class TA1

Features

- Includes ten wire manager clips and screws.
- Standard in black plastic.
- Field installed.

Specification Tip

- Specify for cord management as needed.

To Order, Specify:

- 1) Product number.
(No finish specification required.)

Number

TA01-0227

Price

\$16.42

Number


TA01-0225

Price

\$32.87

Planes Training Table Accessories

Ganging Mechanism



Features

- Includes four (two sets) ganging mechanisms and attachment hardware.
- Standard in black.
- Ganging Mechanism required for in-line powered Planes C-Leg and Y-Leg Training Tables.
- Field installed.



Specification Tip

- Planes C-Leg Training Tables are drilled for ganging mechanisms.

To Order, Specify:

- Product number.
(No finish specification required.)

Casters



TA01-0216
Class TA1

Features

- Includes 4 casters: 2 locking, 2 non-locking.
- Casters are available with:
 - Light platinum or fog hub with graphite tread, or black hub with black tread.
- Field installed.

Specification Tips



- Casters are for use with Planes C-Leg and Y-Leg Training Tables and carts.
- Casters and glides are field interchangeable.

To Order, Specify:

- Product number.
- Trim color for hub.

Number	Price
TA01-0216	\$50.09

Glides



TA01-0215
Class TA1

Features

- Includes 4 adjustable glides.
- Glides have 0.5"(13mm) height adjustment.
- Glides stems are either painted (specify paint trim color) or polished aluminum.
- Glide base disc is available in light platinum, fog or black (specify trim color).
- Field installed.

To Order, Specify:

- Product number.
- Stem trim color (for painted Glide).
- Base Disc trim color.


Specification Tips

- Glides are for use with Planes C-Leg and Y-Leg Training Tables and carts.
- Casters and glides are field interchangeable.

Description	Number	Price
Painted Stem	TA01-0215	\$174.31
Polished Stem	TA01-0223	\$174.31

Planes Training Table Accessories

Wire Manager Clips



TA01-0225
Class TA1

Features

- Includes ten wire manager clips and screws.
- Standard in black.
- Field installed.

Specification Tip


- Specify for cord management as needed.

To Order, Specify:

- 1) Product number.
(No finish specification required.)

Number	Price
TA01-0225	\$32.87

Vertical Wire Manager



TA01-0228
Class TA1

Features

- Includes one plastic wire manager.
- Standard in black.
- Field installed.

Specification Tip

- For use on Planes C-Leg Training Tables for wire management.
- Snaps into top portion of C-leg base.

Length	Number	Price
16"(406mm)	TA01-0228-F	\$60.81

Grommet



WQAG-PS
Class PT


Features

- Includes one 3"(76mm) diameter grommet with cover.
- Requires 2.75"(70mm) diameter field drilled hole.
- Field installed.

Top Thickness	Number	Price
1.18"(30mm)	WQAG-0303-PS	\$63.92

Planes Cart

Small Media



GAKF-1919
Class TA1

Features

- Includes cart with one door, shelf and hardware.
- High-Pressure Laminate (HPL) with 1mm edgeband.
- Rails are aluminum and available in metallic trim colors only.
- Cart top has overhang with 22"(559mm) x 22.5"(572mm) usable top surface.
- Standard with one adjustable shelf – 1"(25mm) increments.
- Cart door has touch latch with locking option.
- Optional locks are available in black or chrome.
- For lock options refer to Lock Program Price List.
- Optional casters or glides are field interchangeable:
 - Casters (two locking/two non-locking) are available with:
 - Light platinum or fog hub with graphite tread, or black hub with black tread.
 - Optional glides (four) are available in light platinum, fog or black with 0.5"(13mm) height adjustment.
 - Glide stem is painted to match base; glide base disc color must be specified.
- Cart interior dimensions:
17.38"(441mm) W x 21.62"(549mm) H x 16.88"(429mm) D
- Cart door opening: 16.5"(419mm) W x 21.62"(549mm) H
- Ships assembled.

To Order, Specify:

1) Product number, including:

① Door Locking Option:

- | | |
|---------------------------------------|----------------------------|
| <input type="checkbox"/> N | Non-locking |
| <input checked="" type="checkbox"/> A | Locking (add \$94.81 list) |

② Base Option:

- | | |
|----------------------------|--------|
| <input type="checkbox"/> C | Caster |
| <input type="checkbox"/> G | Glide |

2) Laminate surface color.

3) Edge trim color.


4) Rail trim color.
(Metallic and accent trim colors only.)

5) Caster/Glide base disc trim color:
Black – TR-F
Fog – TR-7
Light Platinum – TR-LPL

6) Lock plug trim color.
Black – LR-BL
Chrome – LR-BP

Height	Depth	Width	Number	①②	HPL	A	B
Laminate							
29"(737mm)	22"(559mm)	22.5"(572mm)	GAKF-1919-LJ SN	<input checked="" type="checkbox"/> 4	\$1805.13	\$1903.47	

Medium Media



GAKE-1919
Class TA1

Features

- Includes cart with four doors and hardware.
- High-Pressure Laminate (HPL) with 1mm edgeband.
- Standard with dual handles.
- Rails and handles are aluminum and available in metallic trim colors only.
- Cart standard with 2.75"(70mm) diameter bottom cutout for wire access to floor. Optional grommet separately specified for field retrofitting.
- Cart door configuration:
 - 6.38"(162mm)H upper touch latch flap door in front and back that folds down flat to allow air flow and is standard with locking option
 - 21.75"(552mm) lower touch latch door in front and back with locking option with adjustable shelf in 1"(25mm) increments
- 4"(102mm)D full-height enclosure in front for power and cable management.
- Optional locks are available in black or chrome.
- For lock options refer to Lock Program Price List.
- Optional casters or glides are field interchangeable:
 - Casters (two locking/two non-locking) are available with:
 - Light platinum or fog hub with graphite tread, or black hub with black tread.
 - Optional glides (four) are available in light platinum, fog or black with 0.5"(13mm) height adjustment.
 - Glide stem is painted to match base; glide base disc color must be specified.
- Glides are light platinum with 0.5"(13mm) height adjustment.
- Ships assembled.

To Order, Specify:

1) Product number, including:

① Door Locking Option:

- | | |
|---------------------------------------|----------------------------|
| <input type="checkbox"/> N | Non-locking |
| <input checked="" type="checkbox"/> A | Locking (add \$94.81 list) |

② Base Option:

- | | |
|----------------------------|--------|
| <input type="checkbox"/> C | Caster |
| <input type="checkbox"/> G | Glide |

2) Laminate surface color.

3) Edge trim color.

4) Rail trim color.
(Metallic and accent trim colors only.)

5) Caster/Glide base disc trim color:
Black – TR-F
Fog – TR-7
Light Platinum – TR-LPL

6) Lock plug trim color.
Black – LR-BL
Chrome – LR-BP

Height	Depth	Width	Number	①②	HPL	A	B
Laminate							
36"(914mm)	19"(483mm)	19"(483mm)	GAKE-1919-LJ SN	<input checked="" type="checkbox"/> 6	\$2468.90	\$2567.24	

Planes Cart

Catering



GAKG-1935
Class TA1

Features

- Includes cart, shelf and shelf hardware.
- High-Pressure Laminate (HPL) with 1mm edgeband.
- Standard with dual handles.
- Rails and handles are aluminum and available in metallic trim colors only.
- Standard with center adjustable shelf; 3.5"(89mm) increments.
- Each cart end has upper and lower open stationary shelves with shelf rails to accommodate beverage containers.
- Optional casters or glides are field interchangeable:
 - Casters (two locking/two non-locking) are available with:
Light platinum or fog hub with graphite tread, or black hub with black tread.
 - Optional glides (four) are available in light platinum, fog or black with 0.5"(13mm) height adjustment.
-Glide stem is painted to match base; glide base disc color must be specified.
- Ships assembled.

To Order, Specify:

1) Product number, including:

1 Base Option:

C Caster

G Glide

2) Laminate surface color.

3) Edge trim color.

4) Rail and handles trim color.
(Metallic and accent trim colors only.)

5) Caster/Glide base disc trim color:
Black – TR-F
Fog – TR-7
Light Platinum – TR-LPL


HPL

A

B

Height	Depth	Width	Number	①	A	B
36"(914mm)	19"(483mm)	35.25"(895mm)	GAKG-1935-LJ SNN	6	\$2184.41	\$2282.75

Podium



GAKD-1919
Class TA1

Features

- Includes podium, shelf and hardware.
- High-Pressure Laminate (HPL) with 1mm edgeband.
- Podium sloping top is 22.5"(572mm)W x 16.38"(416mm)D with paper ledge.
- Rails are aluminum and available in metallic trim colors only.
- Optional casters or glides are field interchangeable:
 - Casters (two locking/two non-locking) are available with:
Light platinum or fog hub with graphite tread, or black hub with black tread.
 - Optional glides (four) are available in light platinum, fog or black with 0.5"(13mm) height adjustment.
-Glide stem is painted to match base; glide base disc color must be specified.
- Podium doors are touch latch and available as all locking or all non-locking.
- Optional locks are available in black or chrome.
- For lock options refer to Lock Program Price List.
- Podium user side has open shelf, lower storage with lockable touch latch door and one adjustable shelf.
- Podium back has touch latch, lockable full height door with full-height enclosure for power and cable management.
- Podium bottom has 2.75"(70mm) cutout for wire access to floor. Optional grommet can be ordered separately for field installation.
- Ships assembled.

Specification Tip

The following Planes products are separately specified:

–Grommet

To Order, Specify:

1) Product number, including:

1 Door Locking Option:

N Non-locking, all

A Locking (add **\$94.81** list)

2 Base Option:

C Caster

G Glide

2) Laminate surface color.

3) Edge trim color.

4) Rail trim color.
(Metallic and accent trim colors only.)

5) Caster/Glide base disc trim color:
Black – TR-F
Fog – TR-7
Light Platinum – TR-LPL

6) Lock plug trim color.

Black – LR-BL

Chrome – LR-BP


HPL

A

B

Height	Depth	Width	Number	②	A	B
HPL						
46"(1168mm)	22.25"(565mm)	22.5"(572mm)	GAKD-1919-LJ SN	9	\$3039.58	\$3137.92

Planes Credenza Base – 19”H



GAC1
Class TA1

Features

- Includes 19"(483mm)H base cabinet with one or more shelves, doors, legs and hardware.
- Credenza top is ordered separately.**
- High-Pressure Laminate (HPL) with 1mm edgeband or wood veneer with wood 1mm edgeband.
- Wood door fronts are matched veneer.
- 0.125"(3mm) reveal between credenza top and base
- Credenza base available in standard core.
- Cabinet doors have touch latches.
- Optional locks are available in Black or Chrome.
- For lock options refer to Lock Program Price List.
- Leg is 2.25"(57mm)H painted aluminum.
- Available with black glides only; 1.5"(38mm) height adjustment.
- Includes one adjustable shelf per cabinet with 1.25"(32mm) adjustment increments.
- 36"(914mm)W has two doors and four legs
- 48"(1219mm)W has three doors and four legs
- 54"(1372mm)W has three doors and four legs
- 72"(1829mm)W has four doors and six legs
- 96"(2438mm)W has six doors and eight legs
- 108"(2743mm)W has six doors and eight legs
- Ships unassembled.

Specification Tips

- Must order a 1.18"(30mm) thick credenza top separately.**
- Grommets are ordered separately and requires field cutting and installation.

To Order, Specify:

1) Product number, including:

① Locking Option:

N Non-locking

A All locking (add **\$90.50** list)

2) Laminate surface color or wood finish color.

3) Edge trim color for laminate.

4) Leg trim color.

5) Lock plug trim color.

Black - LR-BL

Chrome - LR-BP

Note: **\$62.43** upcharge list for Metallic trim colors.

Overall

Height*

Depth

Width

Number

①

HPL

A

B

Wood

A

B

HPL


19"(483mm)	20"(508mm)	36"(914mm)	GAC1-2036-LNSN G2	\$ 1538.71	\$ 1632.58
		48"(1219mm)	GAC1-2048-LNSN G2	2041.53	2185.72
		54"(1372mm)	GAC1-2054-LNSN G2	2292.94	2462.29
		72"(1829mm)	GAC1-2072-LNSN G2	3047.17	3292.00
		96"(2438mm)	GAC1-2096-LNSN G2	4052.81	4398.28
		108"(2743mm)	GAC1-20A8-LNSN G2	4555.63	4951.42

Wood

19"(483mm)	20"(508mm)	36"(914mm)	GAC1-2036-WNSN G2	\$2603.08	\$2668.99
		48"(1219mm)	GAC1-2048-WNSN G2	3457.88	3577.47
		54"(1372mm)	GAC1-2054-WNSN G2	3885.28	4031.71
		72"(1829mm)	GAC1-2072-WNSN G2	5167.48	5394.43
		96"(2438mm)	GAC1-2096-WNSN G2	6877.08	7211.39
		108"(2743mm)	GAC1-20A8-WNSN G2	7731.88	8119.87

* Overall height includes credenza base, legs, reveal and separately specified credenza top.

Planes Credenza Base with Slider Unit – 29”H



Features

- Includes 19"(483mm)H base cabinet with one shelf, doors, legs and 10"(254mm)H upper slider unit with glass or translucent slider doors, pulls and hardware.
- Credenza top is ordered separately.**
- High-Pressure Laminate (HPL) with 1mm edgeband or wood veneer with 1mm wood edgeband.
- Wood grain on door fronts of the base unit will be matched, while side panels of the base unit and slider may not have matching wood grain.
- 0.125"(3mm) reveal between base and slider unit and between slider unit and credenza top.
- Available in standard core.
- Cabinet doors have touch latches.
- Slider unit doors are glass or translucent with painted aluminum bar pulls.
- Optional locks are available in black or chrome.
- For lock options refer to Lock Program Price List.
- Leg is 2.25"(57mm)H painted metal.
- Available with black glides only; 1.5"(38mm) height adjustment.
- Cabinet includes one adjustable shelf per cabinet with 1.25"(32mm) adjustment increments.
- 36"(914mm)W has two doors and four legs
- 48"(1219mm)W has three doors and four legs
- 54"(1372mm)W has three doors and four legs
- 72"(1829mm)W has four doors and six legs
- 96"(2438mm)W has six doors and eight legs
- 108"(2743mm)W has six doors and eight legs
- Ships unassembled.

Specification Tip

- Must order a 1.18"(30mm) thick credenza top separately.

To Order, Specify:

1) Product number, including:

1 Locking Option:

N Non-locking

A All locking (add **\$181.04** list)

L Slider unit locking only (add **\$90.50** list)

2) Laminate surface color or wood finish color.

3) Edge trim color for laminate.

4) Leg and slider pull trim color.

5) Slider unit glass/translucent door.

6) Lock plug trim color.

Black - LR-BL

Chrome - LR-BP

Note: **\$62.43** upcharge list for Metallic trim colors.

Planes Credenza Base with Slider Unit - 29"H

Overall Height*	Depth	Width	Number	①	Glass			Translucent
					A	C	F	
HPL - Grade A								
29"(737mm)	20"(508mm)	36"(914mm)	GAC2-2036-LGSN	G4	\$ 2375.11	\$ 2996.35	\$ 3276.86	\$ 2650.01
		48"(1219mm)	GAC2-2048-LGSN	G4	3162.25	3990.67	4364.62	3527.71
		54"(1372mm)	GAC2-2054-LGSN	G4	3555.82	4487.83	4908.50	3966.56
		72"(1829mm)	GAC2-2072-LGSN	G4	4736.53	5979.31	6540.14	5283.11
		96"(2438mm)	GAC2-2096-LGSN	G4	6310.81	7967.95	8715.66	7038.51
		108"(2743mm)	GAC2-20A8-LGSN	G4	7097.95	8962.27	9803.42	7916.21
HPL - Grade B								
29"(737mm)	20"(508mm)	36"(914mm)	GAC2-2036-LGSN	G4	\$ 2566.20	\$ 3187.44	\$ 3467.95	\$ 2841.10
		48"(1219mm)	GAC2-2048-LGSN	G4	3416.38	4244.80	4618.75	3781.84
		54"(1372mm)	GAC2-2054-LGSN	G4	3841.47	4773.48	5194.15	4252.21
		72"(1829mm)	GAC2-2072-LGSN	G4	5116.74	6359.52	6920.35	5663.32
		96"(2438mm)	GAC2-2096-LGSN	G4	6817.10	8474.24	9221.95	7544.80
		108"(2743mm)	GAC2-20A8-LGSN	G4	7667.28	9531.60	10372.75	8485.54
Wood Group A								
29"(737mm)	20"(508mm)	36"(914mm)	GAC2-2036-WGSN	G4	\$ 4212.20	\$ 4833.44	\$ 5113.95	\$ 4487.10
		48"(1219mm)	GAC2-2048-WGSN	G4	5498.82	6327.24	6701.19	5864.28
		54"(1372mm)	GAC2-2054-WGSN	G4	6142.13	7074.14	7494.81	6552.87
		72"(1829mm)	GAC2-2072-WGSN	G4	8072.06	9314.84	9875.67	8618.64
		96"(2438mm)	GAC2-2096-WGSN	G4	10645.30	12302.44	13050.15	11373.00
		108"(2743mm)	GAC2-20A8-WGSN	G4	11931.92	13796.24	14637.39	12750.18
Wood Group B								
29"(737mm)	20"(508mm)	36"(914mm)	GAC2-2036-WGSN	G4	\$ 4322.84	\$ 4944.08	\$ 5224.59	\$ 4597.74
		48"(1219mm)	GAC2-2048-WGSN	G4	5639.32	6467.74	6841.69	6004.78
		54"(1372mm)	GAC2-2054-WGSN	G4	6297.56	7229.57	7650.24	6708.30
		72"(1829mm)	GAC2-2072-WGSN	G4	8272.28	9515.06	10075.89	8818.86
		96"(2438mm)	GAC2-2096-WGSN	G4	10905.24	12562.38	13310.09	11632.94
		108"(2743mm)	GAC2-20A8-WGSN	G4	12221.72	14086.04	14927.19	13039.98


* Overall height includes credenza base, legs, reveal, slider unit and separately specified credenza top.

Planes Credenza Base with Slider Unit — 35"H


(35" high)




36"




48"



54"




72"



96"



108"



GAC2
Class TA1

Features

- Includes 19"(483mm)H base cabinet with one shelf, doors, legs and 16"(406mm)H upper slider unit with one shelf, glass or acrylic slider doors, door tracks, pulls and hardware.
- Credenza top is ordered separately.**
- High-Pressure Laminate (HPL) with 1mm edgeband or wood veneer with 1mm wood edgeband.
- Wood grain on door fronts of the base unit will be matched, while side panels of the base unit and slider may not have matching wood grain.
- 0.125"(3mm) reveal between base and slider unit and between slider unit and credenza top.
- Credenza available in standard core.
- Cabinet doors have touch latches.
- Slider unit doors are glass or translucent with painted aluminum bar pulls.
- Optional locks are available in black or chrome.
- For lock options refer to Lock Program Price List.
- Leg is 2.25"(57mm)H painted metal.
- Available with Black glides only; 1.5"(38mm) height adjustment.
- Slider unit includes one adjustable shelf per unit with 1.25"(32mm) adjustment increments.
- Cabinet includes one adjustable shelf per cabinet with 1.25"(32mm) adjustment increments.
- 36"(914mm)W has two doors and four legs
- 48"(1219mm)W has three doors and four legs
- 54"(1372mm)W has three doors and four legs
- 72"(1829mm)W has four doors and six legs
- 96"(2438mm)W has six doors and eight legs
- 108"(2743mm)W has six doors and eight legs
- Ships unassembled.

Specification Tip

- Must order a 1.18"(30mm) thick credenza top separately.**

To Order, Specify:

1) Product number, including:

① Locking Option:

 N Non-locking A All locking (add **\$181.04** list) L Slider unit locking only (add **\$90.50** list)

2) Laminate surface color or wood finish color.

3) Edge trim color for laminate.

4) Leg and slider door pull trim color.

5) Slider unit glass/translucent door.

6) Lock plug trim color.

Black - LR-BL

Chrome - LR-BP


Note: **\$62.43** upcharge list for Metallic trim colors.

Planes Credenza Base with Slider Unit — 35”H

Overall Height*	Depth	Width	Number	Glass				Translucent
				①	A	C	F	
HPL - Grade A								
35"(889mm)	20"(508mm)	36"(914mm)	GAC2-2036-LGSN	G6	\$ 2851.15	\$ 3472.39	\$ 3752.90	\$ 3126.05
		48"(1219mm)	GAC2-2048-LGSN	G6	3792.49	4620.91	4994.86	4157.95
		54"(1372mm)	GAC2-2054-LGSN	G6	4263.16	5195.17	5615.84	4673.90
		72"(1829mm)	GAC2-2072-LGSN	G6	5675.17	6917.95	7478.78	6221.75
		96"(2438mm)	GAC2-2096-LGSN	G6	7557.85	9214.99	9962.70	8285.55
		108"(2743mm)	GAC2-20A8-LGSN	G6	8499.19	10363.51	11204.66	9317.45
HPL - Grade B								
35"(889mm)	20"(508mm)	36"(914mm)	GAC2-2036-LGSN	G6	\$ 3042.24	\$ 3663.48	\$ 3943.99	\$ 3317.14
		48"(1219mm)	GAC2-2048-LGSN	G6	4046.62	4875.04	5248.99	4412.08
		54"(1372mm)	GAC2-2054-LGSN	G6	4548.81	5480.82	5901.49	4959.55
		72"(1829mm)	GAC2-2072-LGSN	G6	6055.38	7298.16	7858.99	6601.96
		96"(2438mm)	GAC2-2096-LGSN	G6	8064.14	9721.28	10468.99	8791.84
		108"(2743mm)	GAC2-20A8-LGSN	G6	9068.52	10932.84	11773.99	9886.78
Wood Group A								
35"(889mm)	20"(508mm)	36"(914mm)	GAC2-2036-WGSN	G6	\$ 4688.24	\$ 5309.48	\$ 5589.99	\$ 4963.14
		48"(1219mm)	GAC2-2048-WGSN	G6	6129.06	6957.48	7331.43	6494.52
		54"(1372mm)	GAC2-2054-WGSN	G6	6849.47	7781.48	8202.15	7260.21
		72"(1829mm)	GAC2-2072-WGSN	G6	9010.70	10253.48	10814.31	9557.28
		96"(2438mm)	GAC2-2096-WGSN	G6	11892.34	13549.48	14297.19	12620.04
		108"(2743mm)	GAC2-20A8-WGSN	G6	13333.16	15197.48	16038.63	14151.42
Wood Group B								
35"(889mm)	20"(508mm)	36"(914mm)	GAC2-2036-WGSN	G6	\$ 4798.88	\$ 5420.12	\$ 5700.63	\$ 5073.78
		48"(1219mm)	GAC2-2048-WGSN	G6	6269.56	7097.98	7471.93	6635.02
		54"(1372mm)	GAC2-2054-WGSN	G6	7004.90	7936.91	8357.58	7415.64
		72"(1829mm)	GAC2-2072-WGSN	G6	9210.92	10453.70	11014.53	9757.50
		96"(2438mm)	GAC2-2096-WGSN	G6	12152.28	13809.42	14557.13	12879.98
		108"(2743mm)	GAC2-20A8-WGSN	G6	13622.96	15487.28	16328.43	14441.22

* Overall height includes credenza base legs, reveal, slider unit and credenza top.

Planes Credenza Base – 29”H



GAC1
Class TA1

Features

- Includes 29"(737mm)H base cabinet with two shelves, doors, legs and hardware.
- Credenza top is ordered separately.**
- High-Pressure Laminate (HPL) with 1mm edgeband or wood veneer with 1mm wood edgeband.
- Wood door fronts are matched veneer.
- 0.125"(3mm) reveal between base unit and credenza top.
- Credenza available in standard core.
- Cabinet doors have touch latches.
- Optional locks are available in black or chrome.
- For lock options refer to Lock Program Price List.
- Leg is 2.25"(57mm)H painted metal.
- Available with black glides only; 1.5"(38mm) height adjustment.
- Includes one adjustable shelf per cabinet with 0.25"(6mm) adjustment increments.
- 36"(914mm)W has two doors and four legs
- 48"(1219mm)W has three doors and four legs
- 54"(1372mm)W has three doors and four legs
- 72"(1829mm)W has four doors and six legs
- 96"(2438mm)W has six doors and eight legs
- 108"(2743mm)W has six doors and eight legs
- Ships unassembled.

Specification Tips

- Must order a 1.18"(30mm) thick credenza top separately.**
- Grommets are ordered separately and requires field cutting and installation.

To Order, Specify:

1) Product number, including:

① Locking Option:

N Non-locking

A All locking (add **\$90.50** list)

2) Laminate surface color or wood finish color.

3) Edge trim color for laminate.

4) Leg trim color.

5) Lock plug trim color.

Black - LR-BL


Chrome - LR-BP

Note: **\$62.43** upcharge list for Metallic trim colors.

Overall Height*	Depth	Width	Number	①	HPL		Wood	
					A	B	A	B
HPL								
29"(737mm)	20"(508mm)	36"(914mm)	GAC1-2036-LNSN G4		\$ 2051.35	\$ 2145.22		
		48"(1219mm)	GAC1-2048-LNSN G4		2739.29	2883.48		
		54"(1372mm)	GAC1-2054-LNSN G4		3076.14	3245.49		
		72"(1829mm)	GAC1-2072-LNSN G4		4072.45	4317.28		
		96"(2438mm)	GAC1-2096-LNSN G4		5434.09	5779.56		
		108"(2743mm)	GAC1-20A8-LNSN G4		6107.79	6503.58		
Wood								
29"(737mm)	20"(508mm)	36"(914mm)	GAC1-2036-WNSN G4				\$ 3115.72	\$ 3181.63
		48"(1219mm)	GAC1-2048-WNSN G4				4155.64	4275.23
		54"(1372mm)	GAC1-2054-WNSN G4				4668.48	4814.91
		72"(1829mm)	GAC1-2072-WNSN G4				6192.76	6419.71
		96"(2438mm)	GAC1-2096-WNSN G4				8258.36	8592.67
		108"(2743mm)	GAC1-20A8-WNSN G4				9284.04	9672.03

* Overall height includes credenza base legs, reveal, slider unit and separately specified credenza top.

Planes Credenza Base with Slider Unit — 39"H



GAC2
Class TA1

Features

- Includes 29"(737mm)H base cabinet with two shelves, doors, legs and 10"(254mm)H upper slider unit with glass or acrylic slider doors, pulls and hardware.
- Credenza top is ordered separately.**
- High-Pressure Laminate (HPL) with 1mm edgeband or wood veneer with 1mm wood edgeband.
- Wood grain on door fronts of the base unit will be matched, while side panels of the base unit and slider may not have matching wood grain.
- 0.125"(3mm) reveal between base and slider unit and between slider unit and credenza top.
- Credenza available in standard core.
- Cabinet doors have touch latches.
- Slider unit doors are glass or translucent with painted aluminum bar pulls.
- Optional locks are available in black or chrome.
- For lock options refer to Lock Program Price List.
- Leg is 2.25"(57mm)H painted metal.
- Available with black glides only; 1.5"(38mm) height adjustment.
- Cabinet includes one adjustable shelf per cabinet with 0.25"(6mm) adjustment increments.
- 36"(914mm)W has two doors and four legs
- 48"(1219mm)W has three doors and four legs
- 54"(1372mm)W has three doors and four legs
- 72"(1829mm)W has four doors and six legs
- 96"(2438mm)W has six doors and eight legs
- 108"(2743mm)W has six doors and eight legs
- Ships unassembled.

Specification Tip

- Must order a 1.18"(30mm) thick credenza top separately.

To Order, Specify:

1) Product number, including:

1 Locking Option:

N Non-locking

A All locking (add **\$181.04** list)

L Slider unit locking only (add **\$90.50** list)

2) Laminate surface color or wood finish color.

3) Edge trim color for laminate.

4) Leg and slider pull trim color.

5) Slider unit glass/translucent door.

6) Lock plug trim color.

Black - LR-BL

Chrome - LR-BP


Note: **\$62.43** upcharge list for Metallic trim colors.

Planes Credenza Base with Slider Unit — 39”H

Overall Height*	Depth	Width	Number	Glass				Translucent
				①	A	C	F	
HPL - Grade A								
39"(991mm)	20"(508mm)	36"(914mm)	GAC2-2036-LGSN G7	\$ 2874.62	\$ 3495.86	\$ 3776.37	\$ 3149.52	
		48"(1219mm)	GAC2-2048-LGSN G7	3828.34	4656.76	5030.71	4193.80	
		54"(1372mm)	GAC2-2054-LGSN G7	4305.20	5237.21	5657.88	4715.94	
		72"(1829mm)	GAC2-2072-LGSN G7	5735.78	6978.56	7539.39	6282.36	
		96"(2438mm)	GAC2-2096-LGSN G7	7643.22	9300.36	10048.07	8370.92	
		108"(2743mm)	GAC2-20A8-LGSN G7	8596.94	10461.26	11302.41	9415.20	
HPL - Grade B								
39"(991mm)	20"(508mm)	36"(914mm)	GAC2-2036-LGSN G7	\$ 3065.71	\$ 3686.95	\$ 3967.46	\$ 3340.61	
		48"(1219mm)	GAC2-2048-LGSN G7	4082.47	4910.89	5284.84	4447.93	
		54"(1372mm)	GAC2-2054-LGSN G7	4590.85	5522.86	5943.53	5001.59	
		72"(1829mm)	GAC2-2072-LGSN G7	6115.99	7358.77	7919.60	6662.57	
		96"(2438mm)	GAC2-2096-LGSN G7	8149.51	9806.65	10554.36	8877.21	
		108"(2743mm)	GAC2-20A8-LGSN G7	9166.27	11030.59	11871.74	9984.53	
Wood Group A								
39"(991mm)	20"(508mm)	36"(914mm)	GAC2-2036-WGSN G7	\$ 4711.71	\$ 5332.95	\$ 5613.46	\$ 4986.61	
		48"(1219mm)	GAC2-2048-WGSN G7	6164.91	6993.33	7367.28	6530.37	
		54"(1372mm)	GAC2-2054-WGSN G7	6891.51	7823.52	8244.19	7302.25	
		72"(1829mm)	GAC2-2072-WGSN G7	9071.31	10314.09	10874.92	9617.89	
		96"(2438mm)	GAC2-2096-WGSN G7	11977.71	13634.85	14382.56	12705.41	
		108"(2743mm)	GAC2-20A8-WGSN G7	13430.91	15295.23	16136.38	14249.17	
Wood Group B								
39"(991mm)	20"(508mm)	36"(914mm)	GAC2-2036-WGSN G7	\$ 4822.35	\$ 5443.59	\$ 5724.10	\$ 5097.25	
		48"(1219mm)	GAC2-2048-WGSN G7	6305.41	7133.83	7507.78	6670.87	
		54"(1372mm)	GAC2-2054-WGSN G7	7046.94	7978.95	8399.62	7457.68	
		72"(1829mm)	GAC2-2072-WGSN G7	9271.53	10514.31	11075.14	9818.11	
		96"(2438mm)	GAC2-2096-WGSN G7	12237.65	13894.79	14642.50	12965.35	
		108"(2743mm)	GAC2-20A8-WGSN G7	13720.71	15585.03	16426.18	14538.97	

* Overall height includes credenza base legs, reveal, slider unit and separately specified credenza top.

Planes Credenza Base with Slider Unit — 45"H



Features

- Includes 29"(737mm)H base cabinet with two shelves, doors, legs and 16"(406mm)H upper slider unit with one shelf, glass or translucent slider doors, pulls and hardware.
- **Credenza top is ordered separately.**
- High-Pressure Laminate (HPL) with 1mm edgeband or wood veneer with 1mm wood edgeband.
- Wood grain on door fronts of the base unit will be matched, while side panels of the base unit and slider may not have matching wood grain.
- 0.125"(3mm) reveal between base and slider unit and between slider unit and credenza top.
- Credenza available in standard core.
- Cabinet doors have touch latches.
- Slider unit doors are glass or translucent with painted aluminum bar pulls.
- Optional locks are available in black or chrome.
- Lock plugs and keys are shipped with random numbering unless specified as keyed-alike or master-keyed.
- Leg is 2.25"(57mm)H painted metal.
- Available with black glides only; 1.5"(38mm) height adjustment.
- Slider unit includes one adjustable shelf per unit.
- Cabinet includes one adjustable shelf per cabinet with 1.25"(32mm) adjustment increments.
- 36"(914mm)W has two doors and four legs
- 48"(1219mm)W has three doors and four legs
- 54"(1372mm)W has three doors and four legs
- 72"(1829mm)W has four doors and six legs
- 96"(2438mm)W has six doors and eight legs
- 108"(2743mm)W has six doors and eight legs
- Ships unassembled.

Specification Tip

- Must order a 1.18"(30mm) thick credenza top separately.

To Order, Specify:

1) Product number, including:

1 Locking Option:

N Non-locking

A All locking (add **\$181.94** list)

L Slider unit locking only (add **\$90.50** list)

2) Laminate surface color or wood finish color.

3) Edge trim color for laminate.

4) Leg and slider pull trim color.

5) Slider unit glass/translucent door.

6) Lock plug trim color.

Black - LR-BL

Chrome - LR-BP


Note: **\$62.43** upcharge list for Metallic trim color.

Planes Credenza Base with Slider Unit — 45”H

Overall Height*	Depth	Width	Number	Glass				Translucent
				①	A	C	F	
HPL - Grade A								
45"(1143mm)	20"(508mm)	36"(914mm)	GAC2-2036-LGSN G9	\$ 3343.95	\$ 3965.19	\$ 4245.70	\$ 3618.85	
		48"(1219mm)	GAC2-2048-LGSN G9	4452.27	5280.69	5654.64	4817.73	
		54"(1372mm)	GAC2-2054-LGSN G9	5006.43	5938.44	6359.11	5417.17	
		72"(1829mm)	GAC2-2072-LGSN G9	6668.91	7911.69	8472.52	7215.49	
		96"(2438mm)	GAC2-2096-LGSN G9	8885.55	10542.69	11290.40	9613.25	
		108"(2743mm)	GAC2-20A8-LGSN G9	9993.87	11858.19	12699.34	10812.13	
HPL - Grade B								
45"(1143mm)	20"(508mm)	36"(914mm)	GAC2-2036-LGSN G9	\$ 3535.04	\$ 4156.28	\$ 4436.79	\$ 3809.94	
		48"(1219mm)	GAC2-2048-LGSN G9	4706.40	5534.82	5908.77	5071.86	
		54"(1372mm)	GAC2-2054-LGSN G9	5292.08	6224.09	6644.76	5702.82	
		72"(1829mm)	GAC2-2072-LGSN G9	7049.12	8291.90	8852.73	7595.70	
		96"(2438mm)	GAC2-2096-LGSN G9	9391.84	11048.98	11796.69	10119.54	
		108"(2743mm)	GAC2-20A8-LGSN G9	10563.20	12427.52	13268.67	11381.46	
Wood Group A								
45"(1143mm)	20"(508mm)	36"(914mm)	GAC2-2036-WGSN G9	\$ 5181.04	\$ 5802.28	\$ 6082.79	\$ 5455.94	
		48"(1219mm)	GAC2-2048-WGSN G9	6788.84	7617.26	7991.21	7154.30	
		54"(1372mm)	GAC2-2054-WGSN G9	7592.74	8524.75	8945.42	8003.48	
		72"(1829mm)	GAC2-2072-WGSN G9	10004.44	11247.22	11808.05	10551.02	
		96"(2438mm)	GAC2-2096-WGSN G9	13220.04	14877.18	15624.89	13947.74	
		108"(2743mm)	GAC2-20A8-WGSN G9	14827.84	16692.16	17533.31	15646.10	
Wood Group B								
45"(1143mm)	20"(508mm)	36"(914mm)	GAC2-2036-WGSN G9	\$ 5291.68	\$ 5912.92	\$ 6193.43	\$ 5566.58	
		48"(1219mm)	GAC2-2048-WGSN G9	6929.34	7757.76	8131.71	7294.80	
		54"(1372mm)	GAC2-2054-WGSN G9	7748.17	8680.18	9100.85	8158.91	
		72"(1829mm)	GAC2-2072-WGSN G9	10204.66	11447.44	12008.27	10751.24	
		96"(2438mm)	GAC2-2096-WGSN G9	13479.98	15137.12	15884.83	14207.68	
		108"(2743mm)	GAC2-20A8-WGSN G9	15117.64	16981.96	17823.11	15935.90	

Planes Credenza Top

Credenza Top



GACJ
Class TA1

Features

- Includes one 1.18"(30mm) thick credenza top and hardware for use on Planes credenza bases.
- High-Pressure Laminate (HPL) with 1mm edgeband or wood veneer with 1mm wood edgeband.
- Credenza top available in standard core.
- Top installs on credenza base with 0.25"(6mm) reveal.

Specification Tip

- Must be used with credenza base for finished aesthetic.

To Order, Specify:

- Product number.
- Laminate surface color or wood finish color.
- Edge trim color for laminate.

Depth	Width	Number	HPL		Wood	
			A	B	A	B
HPL						
20"(508mm)	36"(914mm)	GACJ-2036-LJSNNNN	\$ 409.00	\$ 502.87		
	48"(1219mm)	GACJ-2048-LJSNNNN	546.44	656.09		
	54"(1372mm)	GACJ-2054-LJSNNNN	615.16	732.70		
	72"(1829mm)	GACJ-2072-LJSNNNN	821.32	962.53		
	96"(2438mm)	GACJ-2096-LJSNNNN	1096.20	1268.97		
	108"(2743mm)	GACJ-20A8-LJSNNNN	1233.64	1422.19		
Wood						
20"(508mm)	36"(914mm)	GACJ-2036-WKSNNNN			\$ 657.08	\$ 671.76
	48"(1219mm)	GACJ-2048-WKSNNNN			875.00	902.52
	54"(1372mm)	GACJ-2054-WKSNNNN			983.96	1017.90
	72"(1829mm)	GACJ-2072-WKSNNNN			1310.84	1364.04
	96"(2438mm)	GACJ-2096-WKSNNNN			1746.68	1825.56
	108"(2743mm)	GACJ-20A8-WKSNNNN			1964.60	2056.32

Grommet



TA01
Class TA1

Features

- Includes one grommet.
- Field installed into field cut opening.

To Order, Specify:


- Product number.
 - Trim color.
- Note:** \$8.31 upcharge list for Metallic and accent trim colors.

Top Thickness	Diameter	Number	Price
0.75"(19mm)	2.75"(70mm)	TA01-0220	\$53.95

Planes Conference Table — Interior Leg

Round, Square, Rectangular

Round




TARN

Square



TARQ

Rectangular

TARA
Class TA1

Features

- Includes 1.18"(30mm) top, interior leg bases and hardware.
- Standard table height is 29"(737mm).
- High-Pressure Laminate Top (HPL) with 3mm edgeband or knife edges based upon shape.
- 3mm edgeband or knife edge not available on 42"(1067mm)-60"(1524mm) round tables.
- Table top seams are 1mm edgeband on two piece tops.
- Interior legs are painted aluminum.
- Interior leg is 1.125"(29mm) x 3.25"(83mm).
- Optional Flip top unit electrical modules are separately specified. Refer to electrical components for appropriate product specification.
- Optional cable base can be specified for tables 36"(914mm)D and deeper: -36"(914mm)D tables will ship with 8"(203mm) x 14"(356mm) cable base. -42"(1067mm)D and deeper tables will ship with 14"(356mm) x 14"(356mm) cable base.
- One piece tops will include one cable base to be centered under table top.
- Two piece tops will include one cable base to be centered on seams under table top.
- Cable base and table top(s) are laminate and can be specified in different surface colors and edge trim colors.
- Optional Cable Base may reduce number of legs shipped with product.
- Refer to Specification Guide for use guidelines and details.
- Available with glides only; 0.5"(13mm) height adjustment.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tips

- Cable base not recommended for 30"(762mm)D tables.
- Cable base for 36"(914mm)D table is not compatible with Fliptop Cutout Options (M) and (Q).
- Tables with multiple-piece tops have equal sized pieces.
- The following Planes products are separately specified:
 - Grommets (field cut opening)
 - Flip top unit electrical modules
 - Horizontal wire manager
- Refer to Specification Guide for seating capacities with Cable Base Option and leg locations.

To Order, Specify:

- 1) Product number, including:

1 Edge Option:

 J Edgeband F Knife

2 Flip top unit Cutout(s):

Cutout options F, J, M, Q:

(add \$45.40 list) for one-piece top; (add \$90.80 list) for two-piece top

 N None F Center – single-sided/
4 outlets J Center – single-sided/
6 outlets M Center – double-sided/
8 outlets Q Center – double-sided/
12 outlets

3 Cable Base Option:

 N None C Cable Base:

(add \$912.60 list) for

36"(914mm) deep tables;

(add \$962.36 list) for

42"(1067mm) deep and

deeper tables

- 2) Laminate surface color.

- 3) 1mm edgeband trim color.

(Cascade edge/multiple-tops
only)*

- 4) Edge trim color.

- 5) Base trim color.

- 6) Laminate surface – Cable Base

- 7) Edge trim color – Cable Base

Note: \$62.43 upcharge list for
Metallic and accent trim colors.

Planes Conference Table — Interior Leg

Round, Square, Rectangular

No. of Pieces	No. of Legs	Seating Capacity*	Depth	Width	Number	HPL			A		B	
						①	②	③	J	F	J	F
Round												
1	4	4	42"(1067mm)	42"(1067mm)	TARN-4242-L	S	S	JG4N	\$ 1060.19	\$ 1406.43	\$ 1154.49	\$ 1500.73
1	4	4	48"(1219mm)	48"(1219mm)	TARN-4848-L	S	S	JG4N	1316.33	1703.85	1438.68	1826.20
1	4	4	54"(1372mm)	54"(1372mm)	TARN-5454-L	S	S	JG4N	1605.31	2034.11	1759.45	2188.25
1	4	4	60"(1524mm)	60"(1524mm)	TARN-6060-L	S	S	JG4N	1927.13	2397.21	2116.80	2586.88
2	6	6	66"(1676mm)	66"(1676mm)	TARN-6666-L	S	S	JG4	\$ 2847.67	\$ 3457.10	\$ 3076.61	\$ 3686.04
2	6	6	72"(1829mm)	72"(1829mm)	TARN-7272-L	S	S	JG4	3342.95	3993.66	3614.90	4265.61
Square												
1	4	4	42"(1067mm)	42"(1067mm)	TARQ-4242-L	S	S	JG4N	\$ 1060.19	\$ 1406.43	\$ 1154.49	\$ 1500.73
1	4	4	48"(1219mm)	48"(1219mm)	TARQ-4848-L	S	S	JG4N	1316.33	1703.85	1438.68	1826.20
1	4	4	54"(1372mm)	54"(1372mm)	TARQ-5454-L	S	S	JG4N	1605.31	2034.11	1759.45	2188.25
1	4	8	60"(1524mm)	60"(1524mm)	TARQ-6060-L	S	S	JG4N	1927.13	2397.21	2116.80	2586.88
2	6	8	66"(1676mm)	66"(1676mm)	TARQ-6666-L	S	S	JG4	\$ 2847.67	\$ 3413.62	\$ 3076.61	\$ 3642.56
2	6	8	72"(1829mm)	72"(1829mm)	TARQ-7272-L	S	S	JG4	3342.95	3950.18	3614.90	4222.13
Rectangular												
1	4	4	30"(762mm)	60"(1524mm)	TARA-3060-L	S	S	JG4N	\$ 1131.97	\$ 1495.25	\$ 1227.22	\$ 1590.50
1	4	4		66"(1676mm)	TARA-3066-L	S	S	JG4N	1218.47	1602.15	1323.37	1707.05
1	6	4		72"(1829mm)	TARA-3072-L	S	S	JG4N	1304.97	1709.05	1419.52	1823.60
1	4	4	36"(914mm)	60"(1524mm)	TARA-3660-L	S	S	JG4	\$ 1301.37	\$ 1685.05	\$ 1415.92	\$ 1799.60
1	4	4		66"(1676mm)	TARA-3666-L	S	S	JG4	1404.45	1808.53	1530.58	1934.66
				72"(1829mm)	TARA-3672-L	S	S	JG4	1507.53	1932.01	1645.24	2069.72
1	4	4	42"(1067mm)	48"(1219mm)	TARA-4248-L	S	S	JG4	\$ 1231.45	\$ 1594.73	\$ 1338.28	\$ 1701.56
1	4	4		54"(1372mm)	TARA-4254-L	S	S	JG4	1351.11	1734.79	1471.45	1855.13
1	4	4		60"(1524mm)	TARA-4260-L	S	S	JG4	1470.77	1874.85	1604.62	2008.70
1	4	6		66"(1676mm)	TARA-4266-L	S	S	JG4	1590.43	2014.91	1737.79	2162.27
1	6	6		72"(1829mm)	TARA-4272-L	S	S	JG4	1710.09	2154.97	1870.96	2315.84
1	6	6		78"(1981mm)	TARA-4278-L	S	S	JG4	1829.75	2295.03	2004.13	2469.41
1	4	4	48"(1219mm)	54"(1372mm)	TARA-4854-L	S	S	JG4	\$ 1503.93	\$ 1908.01	\$ 1641.64	\$ 2045.72
1	4	4		60"(1524mm)	TARA-4860-L	S	S	JG4	1640.17	2064.65	1793.32	2217.80
1	4	6		66"(1676mm)	TARA-4866-L	S	S	JG4	1776.41	2221.29	1945.00	2389.88
1	6	6		72"(1829mm)	TARA-4872-L	S	S	JG4	1912.65	2377.93	2096.68	2561.96
1	6	8		78"(1981mm)	TARA-4878-L	S	S	JG4	2048.89	2534.57	2248.36	2734.04
1	4	4	54"(1372mm)	60"(1524mm)	TARA-5460-L	S	S	JG4	\$ 1809.57	\$ 2254.45	\$ 1982.02	\$ 2426.90
1	4	6		66"(1676mm)	TARA-5466-L	S	S	JG4	1962.39	2427.67	2152.21	2617.49
1	6	6		72"(1829mm)	TARA-5472-L	S	S	JG4	2115.21	2600.89	2322.40	2808.08
1	6	6		78"(1981mm)	TARA-5478-L	S	S	JG4	2268.03	2774.11	2492.59	2998.67
1	4	8	60"(1524mm)	66"(1676mm)	TARA-6066-L	S	S	JG4	\$ 2148.37	\$ 2634.05	\$ 2359.42	\$ 2845.10
1	6	8		72"(1829mm)	TARA-6072-L	S	S	JG4	2317.77	2823.85	2548.12	3054.20
1	6	8		78"(1981mm)	TARA-6078-L	S	S	JG4	2487.17	3013.65	2736.82	3263.30

*Recommended seating capacity based upon 27"(686mm) per chair.

Planes Conference Table — Interior Leg

Half Round



TAHN
Class TA1

Features

- Includes 1.18"(30mm) thick top, interior leg bases and hardware.
- Standard table height is 29"(737mm).
- High-Pressure Laminate Top (HPL) with 3mm edgeband or knife edges.
- Bases are painted aluminum.
- Optional Flip top unit electrical modules are separately specified. Refer to electrical components for appropriate product specification.
- Available with glides only; 0.5"(13mm) height adjustment.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tips

- Cable base not recommended for half round tables.
- 3mm edgeband edge is recommended to allow a flat seam between tables.
- Width is meant to accommodate two 30"(762mm) or 36"(914mm)D rectangular tables.
- The following Planes products are separately specified:
 - Grommets (field cut opening)
 - Flip top unit electrical modules
 - Horizontal wire manager
- Refer to Specification Guide for leg locations.

To Order, Specify:

1) Product number, including:

① Edge Option:

J Edgeband

F Knife

② Flip Top Unit Cutout(s):

N None

F Center – single sided/
4 outlets (add **\$45.40** list)

J Center – single-sided/
6 outlets (add **\$45.40** list)

2) Laminate surface color.

3) Edge trim color.


4) Base trim color.

Note: **\$62.43** upcharge list for
Metallic and accent trim colors.

No. of Pieces	No. of Legs	Depth	Width	Number	①	②	HPL		B	
							A <input type="checkbox"/> J	F <input type="checkbox"/> F	J <input type="checkbox"/> J	F <input type="checkbox"/> F
1	4	30"(762mm)	60"(1524mm)	TAHN-3060-L	<input type="checkbox"/> S	<input type="checkbox"/> JG4N	\$ 1122.91	\$1493.70	\$ 1217.68	\$ 1588.47
1	4	30"(762mm)	72"(1829mm)	TAHN-3672-L	<input type="checkbox"/> S	<input type="checkbox"/> JG4N	1495.37	1930.62	1631.50	2066.75

Planes Conference Table — Interior Leg

Polygon



TACV
Class TA1

Features

- Includes 1.18"(30mm) thick top, interior leg bases and hardware.
- Standard table height is 29"(737mm).
- High-Pressure Laminate Top (HPL) with 3mm edgeband or knife edges.
- Bases are painted aluminum.
- Optional Flip Top unit electrical modules are separately specified. Refer to electrical components for appropriate product specification.
- Available with glides only; 0.5"(13mm) height adjustment.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tips

- Cable base not recommended for polygon table.
- 3mm edgeband edge is recommended to allow a flat seam between tables.
- Depth matches 30"(762mm) or 36"(914mm)D rectangular tables.
- The following Planes products are separately specified:
 - Grommets (field cut opening)
 - Flip top unit electrical modules
 - Horizontal wire manager
- Refer to Specification Guide for leg locations.

To Order, Specify:

1) Product number, including:

1 Edge Option:

J Edgeband

F Knife

2 Flip Top Unit Cutout(s):

N None

F Center – single-sided/
4 outlets (add **\$45.40** list)

J Center – single-sided/
6 outlets (add **\$45.40** list)

2) Laminate surface color.

3) Edge trim color.


4) Base trim color.

Note: **\$62.43** upcharge list for
Metallic and accent trim colors.

No. of Pieces	No. of Legs	Depth	Width	Number	HPL		A			B		
					①	②	J	F	J	F	J	F
1	5	30"(762mm)	60"(1524mm)	TACV-3060-L	S	JG4N	\$ 1129.45	\$1490.93	\$1224.70	\$ 1586.18		
1	5	36"(914mm)	72"(1829mm)	TACV-3672-L	S	JG4N	1504.44	1926.37	1642.15	2064.08		

Planes Conference Table — Interior Leg

Rectangular



TARA
Class TA1

Features

- Includes 1.18"(30mm) thick top, interior leg bases and hardware.
- Standard table height is 29"(737mm).
- High-Pressure Laminate Top (HPL) with 3mm edgeband or knife edges based upon shape.
- Interior legs are painted aluminum.
- Interior leg is 1.125"(29mm) x 3.25"(83mm).
- Optional cable base can be specified for tables 36"(914mm)D and deeper:
-36"(914mm)D tables will ship with 8"(203mm) x 14"(356mm) cable base.
-42"(1067mm)D and deeper tables will ship with 14"(356mm) x 14"(356mm) cable base.
- One piece tops will include one cable base to be centered under table top.
- Cable base and table top(s) are laminate and can be specified in different surface colors and edge trim colors.
- Refer to Specification Guide for use guidelines.
- Optional Flip top unit electrical modules are separately specified. Refer to electrical components for appropriate product specification.
- Available with glides only; 0.5"(13mm) height adjustment.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tips

- Cable base for 36"(914mm)D table is not compatible with Flip Top Cut Out Options (M) and (Q).
- The following Planes products are separately specified:
-Grommets (field cut opening)
-Flip top unit electrical modules
-Horizontal wire management
- Refer to Specification Guide for seating capacities with Cable Base Option and leg locations.

To Order, Specify:

1) Product number, including:

1 Edge Option:

- J Edgeband
 F Knife

2 Flip Top Unit Cutout(s):

- N None
 F Center – single-sided/
4 outlets (add **\$45.40** list)
 V Left/Right – single-sided/
4 outlets (add **\$90.80** list)
 J Center – single-sided/
6 outlets, (add **\$45.40** list)
 K Left/Right – single-sided/
6 outlets (add **\$90.80** list)
 M Center – double-sided/
8 outlets (add **\$45.40** list)
 P Left/Right – double-sided/
8 outlets (add **\$90.80** list)
 Q Center – double-sided/
12 outlets (add **\$45.40** list)
 T Left/Right – double-sided/
12 outlets (add **\$90.80** list)

3 Cable Base Option:

- N None
 C Cable Base:
(add **\$912.60** list) for
36"(914mm) deep tables;
(add **\$962.36** list) for
42"(1067mm) deep and
deeper tables

- 2) Laminate surface color.
- 3) Edge trim color.
- 4) Base trim color.
- 5) Laminate surface – Cable Base
- 6) Edge trim color – Cable Base

Note: **\$62.43** upcharge list for
Metallic and accent trim colors.

Planes Conference Table — Interior Leg


Rectangular

No. of Pieces	Seating Capacity*	Depth	Width	Number	HPL		A		B		
					①	②	③	J	F	J	F
6	6	36"(914mm)	72"(1829mm)	TARA-3672-L S JG4				\$ 1507.53	\$ 1932.01	\$ 1645.24	\$ 2069.72
6	6	78"(1981mm)	72"(1829mm)	TARA-3678-L S JG4				1610.61	2055.49	1759.90	2204.78
6	6	84"(2134mm)	72"(1829mm)	TARA-3684-L S JG4				1713.69	2178.97	1874.56	2339.84
6	8	90"(2286mm)	72"(1829mm)	TARA-3690-L S JG4				1816.77	2302.45	1989.22	2474.90
6	8	96"(2438mm)	72"(1829mm)	TARA-3696-L S JG4				1919.85	2425.93	2103.88	2609.96
6	6	42"(1067mm)	84"(2134mm)	TARA-4284-L S JG4				\$ 1949.41	\$ 2435.09	\$ 2137.30	\$ 2622.98
6	8	90"(2286mm)	84"(2134mm)	TARA-4290-L S JG4				2069.07	2575.15	2270.47	2776.55
6	8	96"(2438mm)	84"(2134mm)	TARA-4296-L S JG4				2188.73	2715.21	2403.64	2930.12
6	8	102"(2591mm)	84"(2134mm)	TARA-42A2-L S JG4				2308.39	2855.27	2536.81	3083.69
6	10	108"(2743mm)	84"(2134mm)	TARA-42A8-L S JG4				2428.05	2995.33	2669.98	3237.26
6	10	114"(2896mm)	84"(2134mm)	TARA-42B4-L S JG4				2547.71	3135.39	2803.15	3390.83
6	10	120"(3048mm)	84"(2134mm)	TARA-42C0-L S JG4				2667.37	3275.45	2936.32	3544.40
6	6	48"(1291mm)	84"(2134mm)	TARA-4884-L S JG4				\$ 2185.13	\$ 2691.21	\$ 2400.04	\$ 290612
6	8	90"(2286mm)	84"(2134mm)	TARA-4890-L S JG4				2321.37	2847.85	2551.72	3078.20
6	8	96"(2438mm)	84"(2134mm)	TARA-4896-L S JG4				2457.61	3004.49	2703.40	3250.28
6	8	102"(2591mm)	84"(2134mm)	TARA-48A2-L S JG4				2593.85	3161.13	2855.08	3422.36
6	10	108"(2743mm)	84"(2134mm)	TARA-48A8-L S JG4				2730.09	3317.77	3006.76	3594.44
6	10	114"(2896mm)	84"(2134mm)	TARA-48B4-L S JG4				2866.33	3474.41	3158.44	3766.52
6	10	120"(3048mm)	84"(2134mm)	TARA-48C0-L S JG4				3002.57	3631.05	3310.12	3938.60
6	8	54"(1372mm)	84"(2134mm)	TARA-5484-L S JG4				\$ 2420.85	\$ 2947.33	\$ 2662.78	\$ 3189.26
6	10	90"(2286mm)	84"(2134mm)	TARA-5490-L S JG4				2573.67	3120.55	2832.97	3379.85
6	10	96"(2438mm)	84"(2134mm)	TARA-5496-L S JG4				2726.49	3293.77	3003.16	3570.44
6	10	102"(2591mm)	84"(2134mm)	TARA-54A2-L S JG4				2879.31	3466.99	3173.35	3761.03
6	10	108"(2743mm)	84"(2134mm)	TARA-54A8-L S JG4				3032.13	3640.21	3343.54	3951.62
6	10	114"(2896mm)	84"(2134mm)	TARA-54B4-L S JG4				3184.95	3813.43	3513.73	4142.21
6	10	120"(3048mm)	84"(2134mm)	TARA-54C0-L S JG4				3337.77	3986.65	3683.92	4332.80
6	10	60"(1524mm)	84"(2134mm)	TARA-6084-L S JG4				\$ 2656.57	\$ 3203.45	\$ 2925.52	\$ 3472.40
6	10	90"(2286mm)	84"(2134mm)	TARA-6090-L S JG4				2825.97	3393.25	3114.22	3681.50
6	10	96"(2438mm)	84"(2134mm)	TARA-6096-L S JG4				2995.37	3583.05	3302.92	3890.60
6	10	102"(2591mm)	84"(2134mm)	TARA-60A2-L S JG4				3164.77	3772.85	3491.62	4099.70
6	10	108"(2743mm)	84"(2134mm)	TARA-60A8-L S JG4				3334.17	3962.65	3680.32	4308.80
6	10	114"(2896mm)	84"(2134mm)	TARA-60B4-L S JG4				3503.57	4152.45	3869.02	4517.90
6	10	120"(3048mm)	84"(2134mm)	TARA-60C0-L S JG4				3672.97	4342.25	4057.72	4727.00

*Recommended seating capacity based upon 27"(686mm) per chair.

Planes Conference Table — Interior Leg

Pebble



TARP
Class TA1

Features

- Includes 1.18"(30mm) thick top, interior leg bases and hardware.
- Standard table height is 29"(737mm).
- High-Pressure Laminate Top (HPL) with 3mm edgeband or knife edges.
- Top available in standard core.
- Interior legs are painted aluminum.
- Interior leg is 1.125"(29mm) x 3.25"(83mm).
- Optional cable base can be specified for tables 36"(914mm)D and deeper:
-36"(914mm)D tables will ship with 8"(203mm) x 14"(356mm) cable base.
-42"(1067mm)D and deeper tables will ship with 14"(356mm) x 14"(356mm) cable base.
- One piece tops will include one cable base to be centered under table top.
- Cable base and table top(s) are laminate and can be specified in different surface colors and edge trim colors.
- Refer to Specification Guide for use guidelines.
- Optional Flip top unit electrical modules are separately specified. Refer to electrical components for appropriate product specification.
- Available with glides only; 0.5"(13mm) height adjustment.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tips

- Cable base for 36"(914mm)D table is not compatible with Flip Top Cut Out Options (M) and (Q).
- The following Planes products are separately specified:
-Grommets (field cut grommet)
-Flip top unit electrical modules
-Horizontal wire management
- Refer to Specification Guide for seating capacities with Cable Base Option and leg locations.

To Order, Specify:

1) Product number, including:

1 Edge Option:

- J Edgeband
 F Knife

2 Flip Top Unit Cutout(s):

- N None
 F Center – single-sided/
4 outlets (add **\$45.40** list)
 V Left/Right – single-sided/
4 outlets (add **\$90.80** list)
 J Center – single-sided/
6 outlets (add **\$45.40** list)
 K Left/Right – single-sided/
6 outlets (add **\$90.80** list)
 M Center – double-sided/
8 outlets (add **\$45.40** list)
 P Left/Right – double-sided/
8 outlets (add **\$90.80** list)
 Q Center – double-sided/
12 outlets (add **\$45.40** list)
 T Left/Right – double-sided/
12 outlets (add **\$90.80** list)

3 Cable Base Option:

- N None
 C Cable Base:
(add **\$912.60** list) for
36"(914mm) deep tables;
(add **\$962.36** list) for
42"(1067mm) deep and
deeper tables

- 2) Laminate surface color.
- 3) Edge trim color.
- 4) Base trim color.
- 5) Laminate surface – Cable Base
- 6) Edge trim color – Cable Base

Note: **\$62.43** upcharge list for
Metallic and accent trim colors.


Planes Conference Table — Interior Leg

Pebble

No. of Legs	Seating Capacity*	Depth	Width	Number	HPL						
					①	②	③	A J	F	B J	F
4	6	36"(914mm)	72"(1829mm)	TARP-3672-L	S	JG4	S	\$ 1507.53	\$ 1932.01	\$ 1645.24	\$ 2069.72
6	6		78"(1981mm)	TARP-3678-L	S	JG4	S	1610.61	2055.49	1759.90	2204.78
6	6		84"(2134mm)	TARP-3684-L	S	JG4	S	1713.69	2178.97	1874.56	2339.84
6	8		90"(2286mm)	TARP-3690-L	S	JG4	S	1816.77	2302.45	1989.22	2474.90
6	8		96"(2438mm)	TARP-3696-L	S	JG4	S	1919.85	2425.93	2103.88	2609.96
6	6	42"(1067mm)	84"(2134mm)	TARP-4284-L	S	JG4	S	\$ 1949.41	\$ 2435.09	\$ 2137.30	\$ 2622.98
6	8		90"(2286mm)	TARP-4290-L	S	JG4	S	2069.07	2575.15	2270.47	2776.55
6	8		96"(2438mm)	TARP-4296-L	S	JG4	S	2188.73	2715.21	2403.64	2930.12
6	8		102"(2591mm)	TARP-42A2-L	S	JG4	S	2308.39	2855.27	2536.81	3083.69
6	10		108"(2743mm)	TARP-42A8-L	S	JG4	S	2428.05	2995.33	2669.98	3237.26
6	10		114"(2896mm)	TARP-42B4-L	S	JG4	S	2547.71	3135.39	2803.15	3390.83
6	10		120"(3048mm)	TARP-42C0-L	S	JG4	S	2667.37	3275.45	2936.32	3544.40
6	6	48"(1291mm)	84"(2134mm)	TARP-4884-L	S	JG4	S	\$ 2185.13	\$ 2691.21	\$ 2400.04	\$ 2906.12
6	8		90"(2286mm)	TARP-4890-L	S	JG4	S	2321.37	2847.85	2551.72	3078.20
6	8		96"(2438mm)	TARP-4896-L	S	JG4	S	2457.61	3004.49	2703.40	3250.28
6	8		102"(2591mm)	TARP-48A2-L	S	JG4	S	2593.85	3161.13	2855.08	3422.36
6	10		108"(2743mm)	TARP-48A8-L	S	JG4	S	2730.09	3317.77	3006.76	3594.44
6	10		114"(2896mm)	TARP-48B4-L	S	JG4	S	2866.33	3474.41	3158.44	3766.52
6	10		120"(3048mm)	TARP-48C0-L	S	JG4	S	3002.57	3631.05	3310.12	3938.60
6	8	54"(1372mm)	84"(2134mm)	TARP-5484-L	S	JG4	S	\$ 2420.85	\$ 2947.33	\$ 2662.78	\$ 3189.26
6	10		90"(2286mm)	TARP-5490-L	S	JG4	S	2573.67	3120.55	2832.97	3379.85
6	10		96"(2438mm)	TARP-5496-L	S	JG4	S	2726.49	3293.77	3003.16	3570.44
6	10		102"(2591mm)	TARP-54A2-L	S	JG4	S	2879.31	3466.99	3173.35	3761.03
6	10		108"(2743mm)	TARP-54A8-L	S	JG4	S	3032.13	3640.21	3343.54	3951.62
6	10		114"(2896mm)	TARP-54B4-L	S	JG4	S	3184.95	3813.43	3513.73	4142.21
6	10		120"(3048mm)	TARP-54C0-L	S	JG4	S	3337.77	3986.65	3683.92	4332.80
6	10	60"(1524mm)	84"(2134mm)	TARP-6084-L	S	JG4	S	\$ 2656.57	\$ 3203.45	\$ 2925.52	\$ 3472.40
6	10		90"(2286mm)	TARP-6090-L	S	JG4	S	2825.97	3393.25	3114.22	3681.50
6	10		96"(2438mm)	TARP-6096-L	S	JG4	S	2995.37	3583.05	3302.92	3890.60
6	10		102"(2591mm)	TARP-60A2-L	S	JG4	S	3164.77	3772.85	3491.62	4099.70
6	10		108"(2743mm)	TARP-60A8-L	S	JG4	S	3334.17	3962.65	3680.32	4308.80
6	10		114"(2896mm)	TARP-60B4-L	S	JG4	S	3503.57	4152.45	3869.02	4517.90
6	10		120"(3048mm)	TARP-60C0-L	S	JG4	S	3672.97	4342.25	4057.72	4727.00

*Recommended seating capacity based upon 27"(686mm) per chair.

Planes Conference Table — Interior Leg Hexagon



TARX
Class TA1

Features

- Includes 1.18"(30mm) thick top, interior leg bases and hardware.
- Standard table height is 29"(737mm).
- High-Pressure Laminate Top (HPL) with 3mm edgeband and knife edges.
- Top available in standard core.
- Interior legs are painted aluminum.
- Interior leg is 1.125"(29mm) x 3.25"(83mm).
- Optional cable base can be specified for tables 36"(914mm)D and deeper:
-36"(914mm)D tables will ship with 8"(203mm) x 14"(356mm) cable base.
-42"(1067mm)D and deeper tables will ship with 14"(356mm) x 14"(356mm) cable base.
- One piece tops will include one cable base to be centered under table top.
- Cable base and table top(s) are laminate and can be specified in different surface colors and edge trim colors.
- Refer to Specification Guide for use guidelines.
- Optional Flip top unit electrical modules are separately specified. Refer to electrical components for appropriate product specification.
- Available with glides only; 0.5"(13mm) height adjustment.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tips

- Cable base for 36"(914mm)D table is not compatible with Flip Top Cut Out Options (M) and (Q).
- The following Planes products are separately specified:
-Grommets (field cut opening)
-Flip top unit electrical modules
-Horizontal wire management
- Refer to Specification Guide for seating capacities with Cable Base Option and leg locations.

To Order, Specify:

1) Product number, including:

1 Edge Option:

- J Edgeband
 F Knife

2 Flip Top Unit Cutout(s):

- N None
 F Center – single-sided/
4 outlets (add **\$45.40** list)
 V Left/Right – single-sided/
4 outlets (add **\$90.80** list)
 J Center – single-sided/
6 outlets (add **\$45.40** list)
 K Left/Right – single-sided/
6 outlets (add **\$90.80** list)
 M Center – double-sided/
8 outlets (add **\$45.40** list)
 P Left/Right – double-sided/
8 outlets (add **\$90.80** list)
 Q Center – double-sided/
12 outlets (add **\$45.40** list)
 T Left/Right – double-sided/
12 outlets (add **\$90.80** list)

3 Cable Base Option:

- N None
 C Cable Base:
(add **\$912.60** list) for
36"(914mm)D tables;
(add **\$962.36** list) for
42"(1067mm)D and deeper
tables

- 2) Laminate surface color.
- 3) Edge trim color.
- 4) Base trim color.
- 5) Laminate surface – Cable Base
- 6) Edge trim color – Cable Base

Note: **\$62.43** upcharge list for
Metallic and accent trim colors.

Planes Conference Table — Interior Leg

Hexagon

No. of Legs	Seating Capacity*	Depth	Width	Number	HPL			B			
					①	②	③	J	F	J	
4	6	36"(914mm)	72"(1829mm)	TARX-3672-L	S	JG4	S	\$ 1507.53	\$ 1932.01	\$ 1645.24	\$ 2069.72
6	6	78"(1981mm)	72"(1829mm)	TARX-3678-L	S	JG4	S	1610.61	2055.49	1759.90	2204.78
6	6	84"(2134mm)	72"(1829mm)	TARX-3684-L	S	JG4	S	1713.69	2178.97	1874.56	2339.84
6	8	90"(2286mm)	72"(1829mm)	TARX-3690-L	S	JG4	S	1816.77	2302.45	1989.22	2474.90
6	8	96"(2438mm)	72"(1829mm)	TARX-3696-L	S	JG4	S	1919.85	2425.93	2103.88	2609.96
6	6	42"(1067mm)	84"(2134mm)	TARX-4284-L	S	JG4	S	\$ 1949.41	\$ 2435.09	\$ 2137.30	\$ 2622.98
6	8	90"(2286mm)	84"(2134mm)	TARX-4290-L	S	JG4	S	2069.07	2575.15	2270.47	2776.55
6	8	96"(2438mm)	84"(2134mm)	TARX-4296-L	S	JG4	S	2188.73	2715.21	2403.64	2930.12
6	8	102"(2591mm)	84"(2134mm)	TARX-42A2-L	S	JG4	S	2308.39	2855.27	2536.81	3083.69
6	10	108"(2743mm)	84"(2134mm)	TARX-42A8-L	S	JG4	S	2428.05	2995.33	2669.98	3237.26
6	10	114"(2896mm)	84"(2134mm)	TARX-42B4-L	S	JG4	S	2547.71	3135.39	2803.15	3390.83
6	10	120"(3048mm)	84"(2134mm)	TARX-42C0-L	S	JG4	S	2667.37	3275.45	2936.32	3544.40
6	6	48"(1291mm)	84"(2134mm)	TARX-4884-L	S	JG4	S	\$ 2185.13	\$ 2691.21	\$ 2400.04	\$ 2906.12
6	8	90"(2286mm)	84"(2134mm)	TARX-4890-L	S	JG4	S	2321.37	2847.85	2551.72	3078.20
6	8	96"(2438mm)	84"(2134mm)	TARX-4896-L	S	JG4	S	2457.61	3004.49	2703.40	3250.28
6	8	102"(2591mm)	84"(2134mm)	TARX-48A2-L	S	JG4	S	2593.85	3161.13	2855.08	3422.36
6	10	108"(2743mm)	84"(2134mm)	TARX-48A8-L	S	JG4	S	2730.09	3317.77	3006.76	3594.44
6	10	114"(2896mm)	84"(2134mm)	TARX-48B4-L	S	JG4	S	2866.33	3474.41	3158.44	3766.52
6	10	120"(3048mm)	84"(2134mm)	TARX-48C0-L	S	JG4	S	3002.57	3631.05	3310.12	3938.60
6	8	54"(1372mm)	84"(2134mm)	TARX-5484-L	S	JG4	S	\$ 2420.85	\$ 2947.33	\$ 2662.78	\$ 3189.26
6	10	90"(2286mm)	84"(2134mm)	TARX-5490-L	S	JG4	S	2573.67	3120.55	2832.97	3379.85
6	10	96"(2438mm)	84"(2134mm)	TARX-5496-L	S	JG4	S	2726.49	3293.77	3003.16	3570.44
6	10	102"(2591mm)	84"(2134mm)	TARX-54A2-L	S	JG4	S	2879.31	3466.99	3173.35	3761.03
6	10	108"(2743mm)	84"(2134mm)	TARX-54A8-L	S	JG4	S	3032.13	3640.21	3343.54	3951.62
6	10	114"(2896mm)	84"(2134mm)	TARX-54B4-L	S	JG4	S	3184.95	3813.43	3513.73	4142.21
6	10	120"(3048mm)	84"(2134mm)	TARX-54C0-L	S	JG4	S	3337.77	3986.65	3683.92	4332.80
6	10	60"(1524mm)	84"(2134mm)	TARX-6084-L	S	JG4	S	\$ 2656.57	\$ 3203.45	\$ 2925.52	\$ 3472.40
6	10	90"(2286mm)	84"(2134mm)	TARX-6090-L	S	JG4	S	2825.97	3393.25	3114.22	3681.50
6	10	96"(2438mm)	84"(2134mm)	TARX-6096-L	S	JG4	S	2995.37	3583.05	3302.92	3890.60
6	10	102"(2591mm)	84"(2134mm)	TARX-60A2-L	S	JG4	S	3164.77	3772.85	3491.62	4099.70
6	10	108"(2743mm)	84"(2134mm)	TARX-60A8-L	S	JG4	S	3334.17	3962.65	3680.32	4308.80
6	10	114"(2896mm)	84"(2134mm)	TARX-60B4-L	S	JG4	S	3503.57	4152.45	3869.02	4517.90
6	10	120"(3048mm)	84"(2134mm)	TARX-60C0-L	S	JG4	S	3672.97	4342.25	4057.72	4727.00

*Recommended seating capacity based upon 27"(686mm) per chair.

Planes Conference Table — Interior Leg

Rectangular — Two-Piece Top



TARA
Class TA1

Features

- Includes 1.18"(30mm) thick tops, interior leg bases and hardware.
- Standard table height is 29"(737mm).
- High-Pressure Laminate Top (HPL) with 3mm edgeband or knife edges.
- Table top seam is 1mm edgeband.
- Interior legs are painted aluminum.
- Interior leg is 1.125"(29mm) x 3.25"(83mm).
- Optional cable base is available:
 - 42"(1067mm)D and deeper tables will ship with 14"(356mm) x 14"(356mm) cable base
 - Two piece tops will include one cable base to be centered on seam under table top.
 - Cable base and table top(s) are laminate and can be specified in different surface colors and edge trim colors.
 - Refer to Specification Guide for use guidelines.
- Optional Flip top unit electrical modules are separately specified. Refer to electrical components for appropriate product specification.
- Available with glides only; 0.5"(13mm) height adjustment.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tips

- Tables with multiple-piece tops have equal sized pieces.
- The following Planes products are separately specified:
 - Grommets (field cut opening)
 - Flip top unit electrical modules
 - Horizontal wire management
- Refer to Specification Guide for seating capacities with Cable Base Option and leg locations.

To Order, Specify:

1) Product number, including:

1 Edge Option:

J Edgeband

F Knife

2 Flip Top Unit Cutout(s):

N None

F Center – single-sided/
4 outlets (add **\$90.80** list)

V Left/Right – single-sided/
4 outlets (add **\$181.61** list)

J Center – single-sided/
6 outlets (add **\$90.80** list)

K Left/Right – single-sided/
6 outlets (add **\$181.61** list)

M Center – double-sided/
8 outlets (add **\$90.80** list)

P Left/Right – double-sided/
8 outlets (add **\$181.61** list)

Q Center – double-sided/
12 outlets (add **\$90.80** list)

T Left/Right – double-sided/
12 outlets (add **\$181.61** list)

3 Cable Base Option:

N None

C Cable Base (add **\$962.36**
list)

2) Laminate surface color.

3) 1mm edgeband trim color.
(Cascade edge/multiple-tops
only)*

4) Edge trim color.

5) Base trim color.

6) Laminate surface – Cable Base

7) Edge trim color – Cable Base

Note: **\$62.43** upcharge list for
Metallic and accent trim colors.

Planes Conference Table — Interior Leg


Rectangular — Two-Piece Top

No. of Legs	Seating Capacity*	Depth	Width	Number	HPL			
					①	②	③	A J
6	10	42"(1067mm)	126"(3200mm)	TARA-42C6-L	S	JG4	S	\$ 3545.56
6	10		132"(3353mm)	TARA-42D2-L	S	JG4	S	3699.23
10	10		138"(3505mm)	TARA-42D8-L	S	JG4	S	3852.90
10	10		144"(3658mm)	TARA-42E4-L	S	JG4	S	4006.57
10	10		150"(3810mm)	TARA-42F0-L	S	JG4	S	4160.24
10	12		156"(3962mm)	TARA-42F6-L	S	JG4	S	4313.91
10	12		162"(4115mm)	TARA-42G2-L	S	JG4	S	4467.58
10	12		168"(4267mm)	TARA-42G8-L	S	JG4	S	4621.25
10	12		174"(4420mm)	TARA-42H4-L	S	JG4	S	4774.92
10	12		180"(4572mm)	TARA-42J0-L	S	JG4	S	4928.59
6	10	48"(1219mm)	126"(3200mm)	TARA-48C6-L	S	JG4	S	\$ 4006.18
6	10		132"(3353mm)	TARA-48D2-L	S	JG4	S	4176.43
10	10		138"(3505mm)	TARA-48D8-L	S	JG4	S	4346.68
10	10		144"(3658mm)	TARA-48E4-L	S	JG4	S	4516.93
10	10		150"(3810mm)	TARA-48F0-L	S	JG4	S	4687.18
10	12		156"(3962mm)	TARA-48F6-L	S	JG4	S	4857.43
10	12		162"(4115mm)	TARA-48G2-L	S	JG4	S	5027.68
10	12		168"(4267mm)	TARA-48G8-L	S	JG4	S	5197.93
10	12		174"(4420mm)	TARA-48H4-L	S	JG4	S	5368.18
10	12		180"(4572mm)	TARA-48J0-L	S	JG4	S	5538.43
6	10	54"(1372mm)	126"(3200mm)	TARA-54C6-L	S	JG4	S	\$ 4466.80
6	10		132"(3353mm)	TARA-54D2-L	S	JG4	S	4653.63
10	10		138"(3505mm)	TARA-54D8-L	S	JG4	S	4840.46
10	10		144"(3658mm)	TARA-54E4-L	S	JG4	S	5027.29
10	10		150"(3810mm)	TARA-54F0-L	S	JG4	S	5214.12
10	12		156"(3962mm)	TARA-54F6-L	S	JG4	S	5400.95
10	12		162"(4115mm)	TARA-54G2-L	S	JG4	S	5587.78
10	12		168"(4267mm)	TARA-54G8-L	S	JG4	S	5774.61
10	14		174"(4420mm)	TARA-54H4-L	S	JG4	S	5961.44
10	14		180"(4572mm)	TARA-54J0-L	S	JG4	S	6148.27
6	10	60"(1524mm)	126"(3200mm)	TARA-60C6-L	S	JG4	S	\$ 4927.42
6	10		132"(3353mm)	TARA-60D2-L	S	JG4	S	5130.83
10	10		138"(3505mm)	TARA-60D8-L	S	JG4	S	5334.24
10	10		144"(3658mm)	TARA-60E4-L	S	JG4	S	5537.65
10	10		150"(3810mm)	TARA-60F0-L	S	JG4	S	5741.06
10	12		156"(3962mm)	TARA-60F6-L	S	JG4	S	5944.47
10	12		162"(4115mm)	TARA-60G2-L	S	JG4	S	6147.88
10	12		168"(4267mm)	TARA-60G8-L	S	JG4	S	6351.29
10	14		174"(4420mm)	TARA-60H4-L	S	JG4	S	6554.70
10	14		180"(4572mm)	TARA-60J0-L	S	JG4	S	6758.11

*Recommended seating capacity based upon 27"(686mm) per chair.

Planes Conference Table — Interior Leg

Pebble — Two-Piece Top



TARP
Class TA1

Features

- Includes 1.18"(30mm) thick tops, interior leg bases and hardware.
- Standard table height is 29"(737mm).
- High-Pressure Laminate Top (HPL) with 3mm edgeband or knife edges.
- Table top seam is 1mm edgeband.
- Interior legs are painted aluminum.
- Interior leg is 1.125"(29mm) x 3.25"(83mm).
- Optional cable base is available:
 - 42"(1067mm)D and deeper tables will ship with 14"(356mm) x 14"(356mm) cable base
 - Two piece tops will include one cable base to be centered on seam under table top.
 - Cable base and table top(s) are laminate and can be specified in different surface colors and edge trim colors.
 - Refer to Specification Guide for use guidelines.
- Optional Flip top unit electrical modules are separately specified. Refer to electrical components for appropriate product specification.
- Available with glides only; 0.5"(13mm) height adjustment.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tips

- Tables with multiple-piece tops have equal sized pieces.
- The following Planes products are separately specified:
 - Grommets (field cut openings)
 - Flip top unit electrical modules
 - Horizontal wire management
- Refer to Specification Guide for seating capacities with Cable Base Option and leg locations.

To Order, Specify:

1) Product number, including:

1 Edge Option:

- J Edgeband
 F Knife

2 Flip Top Unit Cutout(s):

- N None
 F Center – single-sided/
4 outlets (add **\$90.80** list)
 V Left/Right – single-sided/
4 outlets (add **\$181.61** list)
 J Center – single-sided/
6 outlets (add **\$90.80** list)
 K Left/Right – single-sided/
6 outlets (add **\$181.61** list)
 M Center – double-sided/
8 outlets (add **\$90.80** list)
 P Left/Right – double-sided/
8 outlets (add **\$181.61** list)
 Q Center – double-sided/
12 outlets (add **\$90.80** list)
 T Left/Right – double-sided/
12 outlets (add **\$181.61** list)

3 Cable Base Option:

- N None
 C Cable Base (add **\$962.36**
list)

- 2) Laminate surface color.
- 3) 1mm edgeband trim color.
(Cascade edge/multiple-tops
only)*
- 4) Edge trim color.
- 5) Base trim color.
- 6) Laminate surface – Cable Base
- 7) Edge trim color – Cable Base

Note: **\$62.43** upcharge list for
Metallic and accent trim colors.

Planes Conference Table — Interior Leg


Pebble — Two-Piece Top

No. of Legs	Seating Capacity*	Depth	Width	Number	HPL			A		B	
					①	②	③	J	F	J	F
6	10	42"(1067mm)	126"(3200mm)	TARP-42C6-L	S	JG4	S	\$ 3545.56	\$ 4210.21	\$ 3828.02	\$ 4492.67
6	10		132"(3353mm)	TARP-42D2-L	S	JG4	S	3699.23	4384.28	3995.20	4680.25
6	10		138"(3505mm)	TARP-42D8-L	S	JG4	S	3852.90	4558.35	4162.38	4867.83
6	10		144"(3658mm)	TARP-42E4-L	S	JG4	S	4006.57	4732.42	4329.56	5055.41
10	10		150"(3810mm)	TARP-42F0-L	S	JG4	S	4160.24	4906.49	4496.74	5242.99
10	10		156"(3962mm)	TARP-42F6-L	S	JG4	S	4313.91	5080.56	4663.92	5430.57
10	10		162"(4115mm)	TARP-42G2-L	S	JG4	S	4467.58	5254.63	4831.10	5618.15
10	12		168"(4267mm)	TARP-42G8-L	S	JG4	S	4621.25	5428.70	4998.28	5805.73
10	12		174"(4420mm)	TARP-42H4-L	S	JG4	S	4774.92	5602.77	5165.46	5993.31
10	12		180"(4572mm)	TARP-42J0-L	S	JG4	S	4928.59	5776.84	5332.64	6180.89
6	10	48"(1219mm)	126"(3200mm)	TARP-48C6-L	S	JG4	S	\$ 4006.18	\$ 4691.23	\$ 4329.17	\$ 5014.22
6	10		132"(3353mm)	TARP-48D2-L	S	JG4	S	4176.43	4881.88	4514.86	5220.31
6	10		138"(3505mm)	TARP-48D8-L	S	JG4	S	4346.68	5072.53	4700.55	5426.40
6	10		144"(3658mm)	TARP-48E4-L	S	JG4	S	4516.93	5263.18	4886.24	5632.49
10	10		150"(3810mm)	TARP-48F0-L	S	JG4	S	4687.18	5453.83	5071.93	5838.58
10	10		156"(3962mm)	TARP-48F6-L	S	JG4	S	4857.43	5644.48	5257.62	6044.67
10	10		162"(4115mm)	TARP-48G2-L	S	JG4	S	5027.68	5835.13	5443.31	6250.76
10	10		168"(4267mm)	TARP-48G8-L	S	JG4	S	5197.93	6025.78	5629.00	6456.85
10	12		174"(4420mm)	TARP-48H4-L	S	JG4	S	5368.18	6216.43	5814.69	6662.94
10	12		180"(4572mm)	TARP-48J0-L	S	JG4	S	5538.43	6407.08	6000.38	6869.03
6	10	54"(1372mm)	126"(3200mm)	TARP-54C6-L	S	JG4	S	\$ 4466.80	\$ 5172.25	\$ 4830.32	\$ 5535.77
6	10		132"(3353mm)	TARP-54D2-L	S	JG4	S	4653.63	5379.48	5034.52	5760.37
6	10		138"(3505mm)	TARP-54D8-L	S	JG4	S	4840.46	5586.71	5238.72	5984.97
6	10		144"(3658mm)	TARP-54E4-L	S	JG4	S	5027.29	5793.94	5442.92	6209.57
10	10		150"(3810mm)	TARP-54F0-L	S	JG4	S	5214.12	6001.17	5647.12	6434.17
10	10		156"(3962mm)	TARP-54F6-L	S	JG4	S	5400.95	6208.40	5851.32	6658.77
10	10		162"(4115mm)	TARP-54G2-L	S	JG4	S	5587.78	6415.63	6055.52	6883.37
10	10		168"(4267mm)	TARP-54G8-L	S	JG4	S	5774.61	6622.86	6259.72	7107.97
10	12		174"(4420mm)	TARP-54H4-L	S	JG4	S	5961.44	6830.09	6463.92	7332.57
10	12		180"(4572mm)	TARP-54J0-L	S	JG4	S	6148.27	7037.32	6668.12	7557.17
6	10	60"(1524mm)	126"(3200mm)	TARP-60C6-L	S	JG4	S	\$ 4927.42	\$ 5653.27	\$ 5331.47	\$ 6057.32
6	10		132"(3353mm)	TARP-60D2-L	S	JG4	S	5130.83	5877.08	5554.18	6300.43
6	10		138"(3505mm)	TARP-60D8-L	S	JG4	S	5334.24	6100.89	5776.89	6543.54
6	10		144"(3658mm)	TARP-60E4-L	S	JG4	S	5537.65	6324.70	5999.60	6786.65
10	10		150"(3810mm)	TARP-60F0-L	S	JG4	S	5741.06	6548.51	6222.31	7029.76
10	10		156"(3962mm)	TARP-60F6-L	S	JG4	S	5944.47	6772.32	6445.02	7272.87
10	10		162"(4115mm)	TARP-60G2-L	S	JG4	S	6147.88	6996.13	6667.73	7515.98
10	10		168"(4267mm)	TARP-60G8-L	S	JG4	S	6351.29	7219.94	6890.44	7759.09
10	12		174"(4420mm)	TARP-60H4-L	S	JG4	S	6554.70	7443.75	7113.15	8002.20
10	12		180"(4572mm)	TARP-60J0-L	S	JG4	S	6758.11	7667.56	7335.86	8245.31

*Recommended seating capacity based upon 27"(686mm) per chair.

Planes Conference Table — Interior Leg

Hexagon — Two-Piece Top



TARX
Class TA1

Features

- Includes 1.18"(30mm) thick tops, interior leg bases and hardware.
- Standard table height is 29"(737mm).
- High-Pressure Laminate Top (HPL) with 3mm edgeband or knife edges.
- Table top seam is 1mm edgeband.
- Interior legs are painted aluminum.
- Interior leg is 1.125"(29mm) x 3.25"(83mm).
- Optional cable base is available:
 - 42"(1067mm)D and deeper tables will ship with 14"(356mm) x 14"(356mm) cable base
 - Two piece tops will include one cable base to be centered on seam under table top.
 - Cable base and table top(s) are laminate and can be specified in different surface colors and edge trim colors.
 - Refer to Specification Guide for use guidelines.
- Optional Flip top unit electrical modules are separately specified. Refer to electrical components for appropriate product specification.
- Available with glides only; 0.5"(13mm) height adjustment.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tips

- Tables with multiple-piece tops have equal sized pieces.
- The following Planes products are separately specified:
 - Grommets (field cut openings)
 - Flip top unit electrical modules
 - Horizontal wire management
- Refer to Specification Guide for seating capacities with Cable Base Option and leg locations.

To Order, Specify:

1) Product number, including:

1 Edge Option:

- J Edgeband
 F Knife

2 Flip Top Unit Cutout(s):

- N None
 F Center – single-sided/
4 outlets (add **\$90.80** list)
 V Left/Right – single-sided/
4 outlets (add **\$181.61** list)
 J Center – single-sided/
6 outlets (add **\$90.80** list)
 K Left/Right – single-sided/
6 outlets (add **\$181.61** list)
 M Center – double-sided/
8 outlets (add **\$90.80** list)
 P Left/Right – double-sided/
8 outlets (add **\$181.61** list)
 Q Center – double-sided/
12 outlets (add **\$90.80** list)
 T Left/Right – double-sided/
12 outlets (add **\$181.61** list)

3 Cable Base Option:

- N None
 C Cable Base (add **\$962.36**
list)

- 2) Laminate surface color.
- 3) 1mm edgeband trim color.
(Cascade edge/multiple-tops
only)*
- 4) Edge trim color.
- 5) Base trim color.
- 6) Laminate surface – Cable Base
- 7) Edge trim color – Cable Base

Note: **\$62.43** upcharge list for
Metallic and accent trim colors.

Planes Conference Table — Interior Leg

Hexagon — Two-Piece Top

No. of Legs	Seating Capacity*	Depth	Width	Number	HPL			A			B		
					①	②	③	J	F	J	F	J	F
6	10	42"(1067mm)	126"(3200mm)	TARX-42C6-L	S	JG4	S	\$ 3545.56	\$ 4210.21	\$ 3828.02	\$ 4492.67		
6	10		132"(3353mm)	TARX-42D2-L	S	JG4	S	3699.23	4384.28	3995.20	4680.25		
6	10		138"(3505mm)	TARX-42D8-L	S	JG4	S	3852.90	4558.35	4162.38	4867.83		
6	10		144"(3658mm)	TARX-42E4-L	S	JG4	S	4006.57	4732.42	4329.56	5055.41		
10	10		150"(3810mm)	TARX-42F0-L	S	JG4	S	4160.24	4906.49	4496.74	5242.99		
10	10		156"(3962mm)	TARX-42F6-L	S	JG4	S	4313.91	5080.56	4663.92	5430.57		
10	10		162"(4115mm)	TARX-42G2-L	S	JG4	S	4467.58	5254.63	4831.10	5618.15		
10	10		168"(4267mm)	TARX-42G8-L	S	JG4	S	4621.25	5428.70	4998.28	5805.73		
10	12		174"(4420mm)	TARX-42H4-L	S	JG4	S	4774.92	5602.77	5165.46	5993.31		
10	12		180"(4572mm)	TARX-42J0-L	S	JG4	S	4928.59	5776.84	5332.64	6180.89		
6	10	48"(1219mm)	126"(3200mm)	TARX-48C6-L	S	JG4	S	\$ 4006.18	\$ 4691.23	\$ 4329.17	\$ 5014.22		
6	10		132"(3353mm)	TARX-48D2-L	S	JG4	S	4176.43	4881.88	4514.86	5220.31		
6	10		138"(3505mm)	TARX-48D8-L	S	JG4	S	4346.68	5072.53	4700.55	5426.40		
6	10		144"(3658mm)	TARX-48E4-L	S	JG4	S	4516.93	5263.18	4886.24	5632.49		
10	10		150"(3810mm)	TARX-48F0-L	S	JG4	S	4687.18	5453.83	5071.93	5838.58		
10	10		156"(3962mm)	TARX-48F6-L	S	JG4	S	4857.43	5644.48	5257.62	6044.67		
10	10		162"(4115mm)	TARX-48G2-L	S	JG4	S	5027.68	5835.13	5443.31	6250.76		
10	10		168"(4267mm)	TARX-48G8-L	S	JG4	S	5197.93	6025.78	5629.00	6456.85		
10	12		174"(4420mm)	TARX-48H4-L	S	JG4	S	5368.18	6216.43	5814.69	6662.94		
10	12		180"(4572mm)	TARX-48J0-L	S	JG4	S	5538.43	6407.08	6000.38	6869.03		
6	10	54"(1372mm)	126"(3200mm)	TARX-54C6-L	S	JG4	S	\$ 4466.80	\$ 5172.25	\$ 4830.32	\$ 5535.77		
6	10		132"(3353mm)	TARX-54D2-L	S	JG4	S	4653.63	5379.48	5034.52	5760.37		
6	10		138"(3505mm)	TARX-54D8-L	S	JG4	S	4840.46	5586.71	5238.72	5984.97		
6	10		144"(3658mm)	TARX-54E4-L	S	JG4	S	5027.29	5793.94	5442.92	6209.57		
10	10		150"(3810mm)	TARX-54F0-L	S	JG4	S	5214.12	6001.17	5647.12	6434.17		
10	10		156"(3962mm)	TARX-54F6-L	S	JG4	S	5400.95	6208.40	5851.32	6658.77		
10	10		162"(4115mm)	TARX-54G2-L	S	JG4	S	5587.78	6415.63	6055.52	6883.37		
10	10		168"(4267mm)	TARX-54G8-L	S	JG4	S	5774.61	6622.86	6259.72	7107.97		
10	12		174"(4420mm)	TARX-54H4-L	S	JG4	S	5961.44	6830.09	6463.92	7332.57		
10	12		180"(4572mm)	TARX-54J0-L	S	JG4	S	6148.27	7037.32	6668.12	7557.17		
6	10	60"(1524mm)	126"(3200mm)	TARX-60C6-L	S	JG4	S	\$ 4927.42	\$ 5653.27	\$ 5331.47	\$ 6057.32		
6	10		132"(3353mm)	TARX-60D2-L	S	JG4	S	5130.83	5877.08	5554.18	6300.43		
6	10		138"(3505mm)	TARX-60D8-L	S	JG4	S	5334.24	6100.89	5776.89	6543.54		
6	10		144"(3658mm)	TARX-60E4-L	S	JG4	S	5537.65	6324.70	5999.60	6786.65		
10	10		150"(3810mm)	TARX-60F0-L	S	JG4	S	5741.06	6548.51	6222.31	7029.76		
10	10		156"(3962mm)	TARX-60F6-L	S	JG4	S	5944.47	6772.32	6445.02	7272.87		
10	10		162"(4115mm)	TARX-60G2-L	S	JG4	S	6147.88	6996.13	6667.73	7515.98		
10	10		168"(4267mm)	TARX-60G8-L	S	JG4	S	6351.29	7219.94	6890.44	7759.09		
10	12		174"(4420mm)	TARX-60H4-L	S	JG4	S	6554.70	7443.75	7113.15	8002.20		
10	12		180"(4572mm)	TARX-60J0-L	S	JG4	S	6758.11	7667.56	7335.86	8245.31		

*Recommended seating capacity based upon 27"(686mm) per chair.

Planes Conference Table — Interior Leg

Rectangular — Three-Piece Top



TARA
Class TA1

Features

- Includes 1.18"(30mm) thick tops, interior leg bases and hardware.
- Standard table height is 29"(737mm).
- High-Pressure Laminate Top (HPL) with 3mm edgeband or knife edges.
- Table top seams are 1mm edgeband.
- Interior legs are painted aluminum.
- Interior leg is 1.125"(29mm) x 3.25"(83mm).
- Optional cable bases are available:
-42"(1067mm)D and deeper tables will ship with 14"(356mm) x 14"(356mm) cable bases.
-Three piece tops will include two cable bases to be centered on seams.
-Cable base and table top(s) are laminate and can be specified in different surface colors and edge trim colors.
-Refer to Specification Guide for use guidelines.
- Optional Flip top unit electrical modules are separately specified. Refer to electrical components for appropriate product specification.
- Available with glides only; 0.5"(13mm) height adjustment.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tips

- Tables with multiple-piece tops have equal sized pieces.
- The following Planes products are separately specified:
-Grommets (field cut opening)
-Flip top unit electrical modules
-Horizontal wire management
- Refer to Specification Guide for seating capacities with Cable Base Option and leg locations.

To Order, Specify:

1) Product number, including:

1 Edge Option:

- J Edgeband
 F Knife

2 Flip Top Unit Cutout(s):

- N None
 F Center – single-sided/
4 outlets (add **\$136.21** list)
 V Left/Right – single-sided/
4 outlets (add **\$272.41** list)
 J Center – single-sided/
6 outlets (add **\$136.21** list)
 K Left/Right – single-sided/
6 outlets (add **\$272.41** list)
 M Center – double-sided/
8 outlets (add **\$136.21** list)
 P Left/Right – double-sided/
8 outlets (add **\$272.41** list)
 Q Center – double-sided/
12 outlets (add **\$136.21** list)
 T Left/Right – double-sided/
12 outlets (add **\$272.41** list)

3 Cable Base Option:

- N None
 C Cable Bases (2) (add
\$1924.66 list)

- 2) Laminate surface color.
- 3) 1mm edgeband trim color.
(Cascade edge/multiple-tops only)*
- 4) Edge trim color.
- 5) Base trim color.
- 6) Laminate surface – Cable Bases
- 7) Edge trim color – Cable Bases

Note: **\$62.43** upcharge list for
Metallic and accent trim colors.

Planes Conference Table — Interior Leg

Rectangular — Three-Piece Top

No. of Legs	Seating Capacity*	Depth	Width	Number	HPL						
					①	②	③	J	F	J	F
8	14	42"(1067mm)	186"(4724mm)	TARA-42J6-L	S	JG4		\$5099.32	\$ 6014.86	\$ 5516.88	\$ 6432.42
8	14		192"(4877mm)	TARA-42K2-L	S	JG4		5252.99	6188.93	5684.06	6620.00
8	14		198"(5029mm)	TARA-42K8-L	S	JG4		5406.66	6363.00	5851.24	6807.58
14	14		204"(5182mm)	TARA-42L4-L	S	JG4		5560.33	6537.07	6018.42	6995.16
14	14		210"(5334mm)	TARA-42M0-L	S	JG4		5714.00	6711.14	6185.60	7182.74
14	14		216"(5486mm)	TARA-42M6-L	S	JG4		5867.67	6885.21	6352.78	7370.32
14	16		222"(5639mm)	TARA-42N2-L	S	JG4		6021.34	7059.28	6519.96	7557.90
14	16		228"(5791mm)	TARA-42N8-L	S	JG4		6175.01	7233.35	6687.14	7745.48
14	16		234"(5944mm)	TARA-42P4-L	S	JG4		6328.68	7407.42	6854.32	7933.06
14	16		240"(6096mm)	TARA-42Q0-L	S	JG4		6482.35	7581.49	7021.50	8120.64
14	16		246"(6248mm)	TARA-42Q6-L	S	JG4		6636.02	7755.56	7188.68	8308.22
14	16		252"(6401mm)	TARA-42R2-L	S	JG4		6789.69	7929.63	7355.86	8495.80
14	18		258"(6553mm)	TARA-42R8-L	S	JG4		6943.36	8103.70	7523.04	8683.38
14	18		264"(6706mm)	TARA-42S4-L	S	JG4		7097.03	8277.77	7690.22	8870.96
14	20		270"(6858mm)	TARA-42T0-L	S	JG4		7348.66	8451.84	7955.36	9058.54
8	14	48"(1219mm)	186"(4724mm)	TARA-48J6-L	S	JG4		\$ 5725.74	\$ 6661.68	\$ 6203.13	\$ 7139.07
8	14		192"(4877mm)	TARA-48K2-L	S	JG4		5895.99	6852.33	6388.82	7345.16
8	14		198"(5029mm)	TARA-48K8-L	S	JG4		6066.24	7042.98	6574.51	7551.25
14	14		204"(5182mm)	TARA-48L4-L	S	JG4		6236.49	7233.63	6760.20	7757.34
14	14		210"(5334mm)	TARA-48M0-L	S	JG4		6406.74	7424.28	6945.89	7963.43
14	14		216"(5486mm)	TARA-48M6-L	S	JG4		6576.99	7614.93	7131.58	8169.52
14	16		222"(5639mm)	TARA-48N2-L	S	JG4		6747.24	7805.58	7317.27	8375.61
14	16		228"(5791mm)	TARA-48N8-L	S	JG4		6917.49	7996.23	7502.96	8581.70
14	16		234"(5944mm)	TARA-48P4-L	S	JG4		7087.74	8186.88	7688.65	8787.79
14	16		240"(6096mm)	TARA-48Q0-L	S	JG4		7257.99	8377.53	7874.34	8993.88
14	16		246"(6248mm)	TARA-48Q6-L	S	JG4		7428.24	8568.18	8060.03	9199.97
14	16		252"(6401mm)	TARA-48R2-L	S	JG4		7598.49	8758.83	8245.72	9406.06
14	18		258"(6553mm)	TARA-48R8-L	S	JG4		7768.74	8949.48	8431.41	9612.15
14	18		264"(6706mm)	TARA-48S4-L	S	JG4		7938.99	9140.13	8617.10	9818.24
14	20		270"(6858mm)	TARA-48T0-L	S	JG4		8109.24	9330.78	8802.79	10024.33
8	14	54"(1372mm)	186"(4724mm)	TARA-54J6-L	S	JG4		\$ 6254.20	\$ 7308.50	\$ 6791.42	\$ 7845.72
8	14		192"(4877mm)	TARA-54K2-L	S	JG4		6441.03	7515.73	6995.62	8070.32
8	14		198"(5029mm)	TARA-54K8-L	S	JG4		6627.86	7722.96	7199.82	8294.92
14	14		204"(5182mm)	TARA-54L4-L	S	JG4		6814.69	7930.19	7404.02	8519.52
14	14		210"(5334mm)	TARA-54M0-L	S	JG4		7001.52	8137.42	7608.22	8744.12
14	14		216"(5486mm)	TARA-54M6-L	S	JG4		7188.35	8344.65	7812.42	8968.72
14	16		222"(5639mm)	TARA-54N2-L	S	JG4		7375.18	8551.88	8016.62	9193.32
14	16		228"(5791mm)	TARA-54N8-L	S	JG4		7562.01	8759.11	8220.82	9417.92
14	16		234"(5944mm)	TARA-54P4-L	S	JG4		7748.84	8966.34	8425.02	9642.52
14	16		240"(6096mm)	TARA-54Q0-L	S	JG4		7935.67	9173.57	8629.22	9867.12
14	16		246"(6248mm)	TARA-54Q6-L	S	JG4		8122.50	9380.80	8833.42	10091.72
14	16		252"(6401mm)	TARA-54R2-L	S	JG4		8309.33	9588.03	9037.62	10316.32
14	18		258"(6553mm)	TARA-54R8-L	S	JG4		8496.16	9795.26	9241.82	10540.92
14	18		264"(6706mm)	TARA-54S4-L	S	JG4		8682.99	10002.49	9446.02	10765.52
14	20		270"(6858mm)	TARA-54T0-L	S	JG4		8869.82	10209.72	9650.22	10990.12
8	14	60"(1524mm)	186"(4724mm)	TARA-60J6-L	S	JG4		\$ 6782.67	\$ 7955.32	\$ 7379.72	\$ 8552.37
8	14		192"(4877mm)	TARA-60K2-L	S	JG4		6986.08	8179.13	7602.43	8795.48
8	14		198"(5029mm)	TARA-60K8-L	S	JG4		7189.49	8402.94	7825.14	9038.59
14	14		204"(5182mm)	TARA-60L4-L	S	JG4		7392.90	8626.75	8047.85	9281.70
14	14		210"(5334mm)	TARA-60M0-L	S	JG4		7596.31	8850.56	8270.56	9524.81
14	14		216"(5486mm)	TARA-60M6-L	S	JG4		7799.72	9074.37	8493.27	9767.92
14	16		222"(5639mm)	TARA-60N2-L	S	JG4		8003.13	9298.18	8715.98	10011.03
14	16		228"(5791mm)	TARA-60N8-L	S	JG4		8206.54	9521.99	8938.69	10254.14
14	16		234"(5944mm)	TARA-60P4-L	S	JG4		8409.95	9745.80	9161.40	10497.25
14	16		240"(6096mm)	TARA-60Q0-L	S	JG4		8613.36	9969.61	9384.11	10740.36
14	16		246"(6248mm)	TARA-60Q6-L	S	JG4		8816.77	10193.42	9606.82	10983.47
14	16		252"(6401mm)	TARA-60R2-L	S	JG4		9020.18	10417.23	9829.53	11226.58
14	18		258"(6553mm)	TARA-60R8-L	S	JG4		9223.59	10641.04	10052.24	11469.69
14	18		264"(6706mm)	TARA-60S4-L	S	JG4		9427.00	10864.85	10274.95	11712.80
14	20		270"(6858mm)	TARA-60T0-L	S	JG4		9630.41	11088.66	10497.66	11955.91

*Recommended seating capacity based upon 27"(686mm) per chair.

Planes Conference Table — Interior Leg

Pebble — Three-Piece Top



TARP
Class TA1

Features

- Includes 1.18"(30mm) thick tops, interior leg bases and hardware.
- Standard table height is 29"(737mm).
- High-Pressure Laminate Top (HPL) with 3mm edgeband or knife edges.
- Table top seams are 1mm edgeband.
- Interior legs are painted aluminum.
- Interior leg is 1.125"(29mm) x 3.25"(83mm).
- Optional cable bases are available:
-42"(1067mm)D and deeper tables will ship with 14"(356mm) x 14"(356mm) cable bases.
-Three piece tops will include two cable bases to be centered on seams.
-Cable base and table top(s) are laminate and can be specified in different surface colors and edge trim colors.
-Refer to Specification Guide for use guidelines.
-Optional Flip top unit electrical modules are separately specified. Refer to electrical components for appropriate product specification.
- Available with glides only; 0.5"(13mm) height adjustment.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tips

- Tables with multiple-piece tops have equal sized pieces.
- The following Planes products are separately specified:
-Grommets (field cut opening)
-Flip top unit electrical modules
-Horizontal wire management
- Refer to Specification Guide for seating capacities with Cable Base Option and leg locations.

To Order, Specify:

1) Product number, including:

1 Edge Option:

- J Edgeband
 F Knife

2 Flip Top Unit Cutout(s):

- N None
 F Center – single-sided/
4 outlets (add **\$136.21** list)
 V Left/Right – single-sided/
4 outlets (add **\$272.41** list)
 J Center – single-sided/
6 outlets (add **\$136.21** list)
 K Left/Right – single-sided/
6 outlets (add **\$272.41** list)
 M Center – double-sided/
8 outlets (add **\$136.21** list)
 P Left/Right – double-sided/
8 outlets (add **\$272.41** list)
 Q Center – double-sided/
12 outlets (add **\$136.21** list)
 T Left/Right – double-sided/
12 outlets (add **\$272.41** list)

3 Cable Base Option:

- N None
 C Cable Bases (2) (add
\$1924.66 list)

- 2) Laminate surface color.
- 3) 1mm edgeband trim color.
(Cascade edge/multiple-tops only)*
- 4) Edge trim color.
- 5) Base trim color.
- 6) Laminate surface – Cable Bases
- 7) Edge trim color – Cable Bases

Note: **\$62.43** upcharge list for
Metallic and accent trim colors.

Planes Conference Table — Interior Leg

Pebble — Three-Piece Top

No. of Legs	Seating Capacity*	Depth	Width	Number	HPL						
					①	②	③	J	F	J	F
8	14	42"(1067mm)	186"(4724mm)	TARP-42J6-L	S	JG4		\$5099.32	\$ 6014.86	\$ 5516.88	\$ 6432.42
8	14		192"(4877mm)	TARP-42K2-L	S	JG4		5252.99	6188.93	5684.06	6620.00
8	14		198"(5029mm)	TARP-42K8-L	S	JG4		5406.66	6363.00	5851.24	6807.58
10	14		204"(5182mm)	TARP-42L4-L	S	JG4		5560.33	6537.07	6018.42	6995.16
10	14		210"(5334mm)	TARP-42M0-L	S	JG4		5714.00	6711.14	6185.60	7182.74
10	14		216"(5486mm)	TARP-42M6-L	S	JG4		5867.67	6885.21	6352.78	7370.32
14	14		222"(5639mm)	TARP-42N2-L	S	JG4		6021.34	7059.28	6519.96	7557.90
14	14		228"(5791mm)	TARP-42N8-L	S	JG4		6175.01	7233.35	6687.14	7745.48
14	14		234"(5944mm)	TARP-42P4-L	S	JG4		6328.68	7407.42	6854.32	7933.06
14	14		240"(6096mm)	TARP-42Q0-L	S	JG4		6482.35	7581.49	7021.50	8120.64
14	14		246"(6248mm)	TARP-42Q6-L	S	JG4		6636.02	7755.56	7188.68	8308.22
14	14		252"(6401mm)	TARP-42R2-L	S	JG4		6789.69	7929.63	7355.86	8495.80
14	14		258"(6553mm)	TARP-42R8-L	S	JG4		6943.36	8103.70	7523.04	8683.38
14	14		264"(6706mm)	TARP-42S4-L	S	JG4		7097.03	8277.77	7690.22	8870.96
14	16		270"(6858mm)	TARP-42T0-L	S	JG4		7250.70	8451.84	7857.40	9058.54
8	14	48"(1219mm)	186"(4724mm)	TARP-48J6-L	S	JG4		\$ 5725.74	\$ 6661.68	\$ 6203.13	\$ 7139.07
8	14		192"(4877mm)	TARP-48K2-L	S	JG4		5895.99	6852.33	6388.82	7345.16
8	14		198"(5029mm)	TARP-48K8-L	S	JG4		6066.24	7042.98	6574.51	7551.25
8	14		204"(5182mm)	TARP-48L4-L	S	JG4		6236.49	7233.63	6760.20	7757.34
8	14		210"(5334mm)	TARP-48M0-L	S	JG4		6406.74	7424.28	6945.89	7963.43
8	14		216"(5486mm)	TARP-48M6-L	S	JG4		6576.99	7614.93	7131.58	8169.52
14	14		222"(5639mm)	TARP-48N2-L	S	JG4		6747.24	7805.58	7317.27	8375.61
14	14		228"(5791mm)	TARP-48N8-L	S	JG4		6917.49	7996.23	7502.96	8581.70
14	14		234"(5944mm)	TARP-48P4-L	S	JG4		7087.74	8186.88	7688.65	8787.79
14	14		240"(6096mm)	TARP-48Q0-L	S	JG4		7257.99	8377.53	7874.34	8993.88
14	14		246"(6248mm)	TARP-48Q6-L	S	JG4		7428.24	8568.18	8060.03	9199.97
14	14		252"(6401mm)	TARP-48R2-L	S	JG4		7598.49	8758.83	8245.72	9406.06
14	14		258"(6553mm)	TARP-48R8-L	S	JG4		7768.74	8949.48	8431.41	9612.15
14	14		264"(6706mm)	TARP-48S4-L	S	JG4		7938.99	9140.13	8617.10	9818.24
14	16		270"(6858mm)	TARP-48T0-L	S	JG4		8109.24	9330.78	8802.79	10024.33
8	14	54"(1372mm)	186"(4724mm)	TARP-54J6-L	S	JG4		\$ 6254.20	\$ 7308.50	\$ 6791.42	\$ 7845.72
8	14		192"(4877mm)	TARP-54K2-L	S	JG4		6441.03	7515.73	6995.62	8070.32
8	14		198"(5029mm)	TARP-54K8-L	S	JG4		6627.86	7722.96	7199.82	8294.92
8	14		204"(5182mm)	TARP-54L4-L	S	JG4		6814.69	7930.19	7404.02	8519.52
8	14		210"(5334mm)	TARP-54M0-L	S	JG4		7001.52	8137.42	7608.22	8744.12
8	14		216"(5486mm)	TARP-54M6-L	S	JG4		7188.35	8344.65	7812.42	8968.72
14	14		222"(5639mm)	TARP-54N2-L	S	JG4		7375.18	8551.88	8016.62	9193.32
14	14		228"(5791mm)	TARP-54N8-L	S	JG4		7562.01	8759.11	8220.82	9417.92
14	14		234"(5944mm)	TARP-54P4-L	S	JG4		7748.84	8966.34	8425.02	9642.52
14	14		240"(6096mm)	TARP-54Q0-L	S	JG4		7935.67	9173.57	8629.22	9867.12
14	14		246"(6248mm)	TARP-54Q6-L	S	JG4		8122.50	9380.80	8833.42	10091.72
14	14		252"(6401mm)	TARP-54R2-L	S	JG4		8309.33	9588.03	9037.62	10316.32
14	14		258"(6553mm)	TARP-54R8-L	S	JG4		8496.16	9795.26	9241.82	10540.92
14	14		264"(6706mm)	TARP-54S4-L	S	JG4		8682.99	10002.49	9446.02	10765.52
14	16		270"(6858mm)	TARP-54T0-L	S	JG4		8869.82	10209.72	9650.22	10990.12
8	14	60"(1524mm)	186"(4724mm)	TARP-60J6-L	S	JG4		\$ 6782.67	\$ 7955.32	\$ 7379.72	\$ 8552.37
8	14		192"(4877mm)	TARP-60K2-L	S	JG4		6986.08	8179.13	7602.43	8795.48
8	14		198"(5029mm)	TARP-60K8-L	S	JG4		7189.49	8402.94	7825.14	9038.59
8	14		204"(5182mm)	TARP-60L4-L	S	JG4		7392.90	8626.75	8047.85	9281.70
8	14		210"(5334mm)	TARP-60M0-L	S	JG4		7596.31	8850.56	8270.56	9524.81
8	14		216"(5486mm)	TARP-60M6-L	S	JG4		7799.72	9074.37	8493.27	9767.92
14	14		222"(5639mm)	TARP-60N2-L	S	JG4		8003.13	9298.18	8715.98	10011.03
14	14		228"(5791mm)	TARP-60N8-L	S	JG4		8206.54	9521.99	8938.69	10254.14
14	14		234"(5944mm)	TARP-60P4-L	S	JG4		8409.95	9745.80	9161.40	10497.25
14	14		240"(6096mm)	TARP-60Q0-L	S	JG4		8613.36	9969.61	9384.11	10740.36
14	14		246"(6248mm)	TARP-60Q6-L	S	JG4		8816.77	10193.42	9606.82	10983.47
14	14		252"(6401mm)	TARP-60R2-L	S	JG4		9020.18	10417.23	9829.53	11226.58
14	14		258"(6553mm)	TARP-60R8-L	S	JG4		9223.59	10641.04	10052.24	11469.69
14	14		264"(6706mm)	TARP-60S4-L	S	JG4		9427.00	10864.85	10274.95	11712.80
14	16		270"(6858mm)	TARP-60T0-L	S	JG4		9630.41	11088.66	10497.66	11955.91

*Recommended seating capacity based upon 27"(686mm) per chair.

Planes Conference Table — Interior Leg

Hexagon — Three-Piece Top



TARX
Class TA1

Features

- Includes 1.18"(30mm) thick top, interior leg bases and hardware.
- Standard table height is 29"(737mm).
- High-Pressure Laminate Top (HPL) with 3mm edgeband or knife edges.
- Table top seams are 1mm edgeband.
- Interior legs are painted aluminum.
- Interior leg is 1.125"(29mm) x 3.25"(83mm).
- Optional cable bases are available:
-42"(1067mm)D and deeper tables will ship with 14"(356mm) x 14"(356mm) cable bases.
-Three piece tops will include two cable bases to be centered on seams.
-Cable base and table top(s) are laminate and can be specified in different surface colors and edge trim colors.
-Refer to Specification Guide for use guidelines.
- Optional Flip top unit electrical modules are separately specified. Refer to electrical components for appropriate product specification.
- Available with glides only; 0.5"(13mm) height adjustment.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tips

- Tables with multiple-piece tops have equal sized pieces.
- The following Planes products are separately specified:
-Grommets (field cut opening)
-Flip top unit electrical modules
-Horizontal wire management
- Refer to Specification Guide for seating capacities with Cable Base Option and leg locations.

To Order, Specify:

1) Product number, including:

1 Edge Option:

- J Edgeband
 F Knife

2 Flip Top Unit Cutout(s):

- N None
 F Center – single-sided/
4 outlets (add **\$136.21** list)
 V Left/Right – single-sided/
4 outlets (add **\$272.41** list)
 J Center – single-sided/
6 outlets (add **\$136.21** list)
 K Left/Right – single-sided/
6 outlets (add **\$272.41** list)
 M Center – double-sided/
8 outlets (add **\$136.21** list)
 P Left/Right – double-sided/
8 outlets (add **\$272.41** list)
 Q Center – double-sided/
12 outlets (add **\$136.21** list)
 T Left/Right – double-sided/
12 outlets (add **\$272.41** list)

3 Cable Base Option:

- N None
 C Cable Bases (2) (add
\$1924.66 list)

- 2) Laminate surface color.
- 3) 1mm edgeband trim color.
(Cascade edge/multiple-tops only)*
- 4) Edge trim color.
- 5) Base trim color.
- 6) Laminate surface – Cable Bases
- 7) Edge trim color – Cable Bases

Note: **\$62.43** upcharge list for
Metallic and accent trim colors.

Planes Conference Table — Interior Leg

Hexagon — Three-Piece Top

No. of Legs	Seating Capacity*	Depth	Width	Number	HPL						
					①	②	③	J	F	J	F
8	14	42"(1067mm)	186"(4724mm)	TARX-42J6-L	S	JG4		\$5099.32	\$ 6014.86	\$ 5516.88	\$ 6432.42
8	14		192"(4877mm)	TARX-42K2-L	S	JG4		5252.99	6188.93	5684.06	6620.00
8	14		198"(5029mm)	TARX-42K8-L	S	JG4		5406.66	6363.00	5851.24	6807.58
10	14		204"(5182mm)	TARX-42L4-L	S	JG4		5560.33	6537.07	6018.42	6995.16
10	14		210"(5334mm)	TARX-42M0-L	S	JG4		5714.00	6711.14	6185.60	7182.74
10	14		216"(5486mm)	TARX-42M6-L	S	JG4		5867.67	6885.21	6352.78	7370.32
14	14		222"(5639mm)	TARX-42N2-L	S	JG4		6021.34	7059.28	6519.96	7557.90
14	14		228"(5791mm)	TARX-42N8-L	S	JG4		6175.01	7233.35	6687.14	7745.48
14	14		234"(5944mm)	TARX-42P4-L	S	JG4		6328.68	7407.42	6854.32	7933.06
14	14		240"(6096mm)	TARX-42Q0-L	S	JG4		6482.35	7581.49	7021.50	8120.64
14	14		246"(6248mm)	TARX-42Q6-L	S	JG4		6636.02	7755.56	7188.68	8308.22
14	14		252"(6401mm)	TARX-42R2-L	S	JG4		6789.69	7929.63	7355.86	8495.80
14	14		258"(6553mm)	TARX-42R8-L	S	JG4		6943.36	8103.70	7523.04	8683.38
14	14		264"(6706mm)	TARX-42S4-L	S	JG4		7097.03	8277.77	7690.22	8870.96
14	16		270"(6858mm)	TARX-42T0-L	S	JG4		7250.70	8451.84	7857.40	9058.54
8	14	48"(1219mm)	186"(4724mm)	TARX-48J6-L	S	JG4		\$ 5725.74	\$ 6661.68	\$ 6203.13	\$ 7139.07
8	14		192"(4877mm)	TARX-48K2-L	S	JG4		5895.99	6852.33	6388.82	7345.16
8	14		198"(5029mm)	TARX-48K8-L	S	JG4		6066.24	7042.98	6574.51	7551.25
8	14		204"(5182mm)	TARX-48L4-L	S	JG4		6236.49	7233.63	6760.20	7757.34
8	14		210"(5334mm)	TARX-48M0-L	S	JG4		6406.74	7424.28	6945.89	7963.43
8	14		216"(5486mm)	TARX-48M6-L	S	JG4		6576.99	7614.93	7131.58	8169.52
14	14		222"(5639mm)	TARX-48N2-L	S	JG4		6747.24	7805.58	7317.27	8375.61
14	14		228"(5791mm)	TARX-48N8-L	S	JG4		6917.49	7996.23	7502.96	8581.70
14	14		234"(5944mm)	TARX-48P4-L	S	JG4		7087.74	8186.88	7688.65	8787.79
14	14		240"(6096mm)	TARX-48Q0-L	S	JG4		7257.99	8377.53	7874.34	8993.88
14	14		246"(6248mm)	TARX-48Q6-L	S	JG4		7428.24	8568.18	8060.03	9199.97
14	14		252"(6401mm)	TARX-48R2-L	S	JG4		7598.49	8758.83	8245.72	9406.06
14	14		258"(6553mm)	TARX-48R8-L	S	JG4		7768.74	8949.48	8431.41	9612.15
14	14		264"(6706mm)	TARX-48S4-L	S	JG4		7938.99	9140.13	8617.10	9818.24
14	16		270"(6858mm)	TARX-48T0-L	S	JG4		8109.24	9330.78	8802.79	10024.33
8	14	54"(1372mm)	186"(4724mm)	TARX-54J6-L	S	JG4		\$ 6254.20	\$ 7308.50	\$ 6791.42	\$ 7845.72
8	14		192"(4877mm)	TARX-54K2-L	S	JG4		6441.03	7515.73	6995.62	8070.32
8	14		198"(5029mm)	TARX-54K8-L	S	JG4		6627.86	7722.96	7199.82	8294.92
8	14		204"(5182mm)	TARX-54L4-L	S	JG4		6814.69	7930.19	7404.02	8519.52
8	14		210"(5334mm)	TARX-54M0-L	S	JG4		7001.52	8137.42	7608.22	8744.12
8	14		216"(5486mm)	TARX-54M6-L	S	JG4		7188.35	8344.65	7812.42	8968.72
14	14		222"(5639mm)	TARX-54N2-L	S	JG4		7375.18	8551.88	8016.62	9193.32
14	14		228"(5791mm)	TARX-54N8-L	S	JG4		7562.01	8759.11	8220.82	9417.92
14	14		234"(5944mm)	TARX-54P4-L	S	JG4		7748.84	8966.34	8425.02	9642.52
14	14		240"(6096mm)	TARX-54Q0-L	S	JG4		7935.67	9173.57	8629.22	9867.12
14	14		246"(6248mm)	TARX-54Q6-L	S	JG4		8122.50	9380.80	8833.42	10091.72
14	14		252"(6401mm)	TARX-54R2-L	S	JG4		8309.33	9588.03	9037.62	10316.32
14	14		258"(6553mm)	TARX-54R8-L	S	JG4		8496.16	9795.26	9241.82	10540.92
14	14		264"(6706mm)	TARX-54S4-L	S	JG4		8682.99	10002.49	9446.02	10765.52
14	16		270"(6858mm)	TARX-54T0-L	S	JG4		8869.82	10209.72	9650.22	10990.12
8	14	60"(1524mm)	186"(4724mm)	TARX-60J6-L	S	JG4		\$ 6782.67	\$ 7955.32	\$ 7379.72	\$ 8552.37
8	14		192"(4877mm)	TARX-60K2-L	S	JG4		6986.08	8179.13	7602.43	8795.48
8	14		198"(5029mm)	TARX-60K8-L	S	JG4		7189.49	8402.94	7825.14	9038.59
8	14		204"(5182mm)	TARX-60L4-L	S	JG4		7392.90	8626.75	8047.85	9281.70
8	14		210"(5334mm)	TARX-60M0-L	S	JG4		7596.31	8850.56	8270.56	9524.81
8	14		216"(5486mm)	TARX-60M6-L	S	JG4		7799.72	9074.37	8493.27	9767.92
14	14		222"(5639mm)	TARX-60N2-L	S	JG4		8003.13	9298.18	8715.98	10011.03
14	14		228"(5791mm)	TARX-60N8-L	S	JG4		8206.54	9521.99	8938.69	10254.14
14	14		234"(5944mm)	TARX-60P4-L	S	JG4		8409.95	9745.80	9161.40	10497.25
14	14		240"(6096mm)	TARX-60Q0-L	S	JG4		8613.36	9969.61	9384.11	10740.36
14	14		246"(6248mm)	TARX-60Q6-L	S	JG4		8816.77	10193.42	9606.82	10983.47
14	14		252"(6401mm)	TARX-60R2-L	S	JG4		9020.18	10417.23	9829.53	11226.58
14	14		258"(6553mm)	TARX-60R8-L	S	JG4		9223.59	10641.04	10052.24	11469.69
14	14		264"(6706mm)	TARX-60S4-L	S	JG4		9427.00	10864.85	10274.95	11712.80
14	16		270"(6858mm)	TARX-60T0-L	S	JG4		9630.41	11088.66	10497.66	11955.91

*Recommended seating capacity based upon 27"(686mm) per chair.

Planes Conference Table — Perimeter Leg


Square, Rectangular – 2"(51mm) Edge

Square



TARQ

Rectangular



TARA
Class TA1

Features

- Includes 2"(51mm) thick top, perimeter leg bases, and hardware.
- Standard table height is 30"(762mm).
- High-Pressure Laminate Top (HPL) with 3mm edgeband edges only.
- Table top seam is 3mm edgeband on multiple piece tops.
- Perimeter legs are painted aluminum.
- Perimeter leg is 1.38"(35mm) x 4"(102mm).
- Optional cable base can be specified for tables 36"(914mm)D and deeper:
-36"(914mm)D tables will ship with 8"(203mm) x 14"(356mm) cable base.
-42"(1067mm)D and deeper tables will ship with 14"(356mm) x 14"(356mm) cable base.
- One piece tops will include one cable base to be centered under table top.
- Two piece tops will include one cable base to be centered on seam under table top.
- Cable base and table top(s) are laminate and can be specified in different surface colors and edge trim colors.
- Refer to Specification Guide for use guidelines.
- Optional Flip top unit electrical modules are separately specified. Refer to electrical components for appropriate product specification.
- Available with glides only; 0.5"(13mm) height adjustment.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tips

- Cable base not recommended to 30"(762mm)D tables.
- Cable base for 36"(914mm)D table is not compatible with Flip Top Cut Out Options (M) and (Q).
- Tables with multiple-piece tops have equal sized pieces.
- The following Planes products are separately specified:
 - Grommets (field cut opening)
 - Flip top unit electrical modules
 - Horizontal wire management
- Refer to Specification Guide for seating capacities with Cable Base Option and leg locations.

To Order, Specify:

- 1) Product number, including:

1 Flip Top Unit Cutout(s):

Cutout options F, J, M, Q:
(add **\$45.40** list) for one-piece top; (add **\$90.80** list) for two-piece top

N None

F Center – single-sided/
4 outlets

J Center – single-sided/
6 outlets

M Center – double-sided/
8 outlets

Q Center – double-sided/
12 outlets

2 Cable Base Option:

N None

C Cable Base:
(add **\$912.60** list) for
36"(914mm)D tables;
(add **\$962.36** list) for
42"(1067mm)D and deeper tables

2) Laminate surface color.

3) Edge trim color.

4) Base trim color.

5) Laminate Surface – Cable Base

6) Edge trim color – Cable Base

Note: **\$62.43** upcharge list for Metallic and accent trim colors.

Planes Conference Table — Perimeter Leg


Square, Rectangular – 2"(51mm) Edge

No. of Pieces	No. of Legs	Seating Capacity*	Depth	Width	Number	①	②	HPL A	B
Square									
1	4	4	42"(1067mm)	42"(1067mm)	TARQ-4242-LJM	PG4N		\$ 1172.84	\$ 1267.14
1	4	4	48"(1219mm)	48"(1219mm)	TARQ-4848-LJM	PG4N		1468.58	1590.93
1	4	4	54"(1372mm)	54"(1372mm)	TARQ-5454-LJM	PG4N		1802.44	1956.58
1	4	4	60"(1524mm)	60"(1524mm)	TARQ-6060-LJM	PG4N		2174.42	2364.09
2	6	6	66"(1676mm)	66"(1676mm)	TARQ-6666-LJM	PG4		\$ 3548.17	\$ 3777.11
2	6	6	72"(1829mm)	72"(1829mm)	TARQ-7272-LJM	PG4		4082.60	4354.55
Rectangular									
1	4	4	30"(762mm)	60"(1524mm)	TARA-3060-LJM	PG4N		\$ 1279.95	\$ 1375.20
1	4	4		66"(1676mm)	TARA-3066-LJM	PG4N		1377.55	1482.45
1	6	4		72"(1829mm)	TARA-3072-LJM	PG4N		1475.15	1589.70
1	4	4	36"(914mm)	60"(1524mm)	TARA-3660-LJM	PG4		\$ 1471.55	\$ 1586.10
1	4	4		66"(1676mm)	TARA-3666-LJM	PG4		1587.95	1714.08
1	4	4	42"(1067mm)	48"(1219mm)	TARA-4248-LJM	PG4		\$ 1392.75	\$ 1499.58
1	4	4		54"(1372mm)	TARA-4254-LJM	PG4		1527.95	1648.29
1	4	4		60"(1524mm)	TARA-4260-LJM	PG4		1663.15	1797.00
1	4	6		66"(1676mm)	TARA-4266-LJM	PG4		1798.35	1945.71
1	6	6		72"(1829mm)	TARA-4272-LJM	PG4		1933.55	2094.42
1	6	6		78"(1981mm)	TARA-4278-LJM	PG4		2068.75	2243.13
1	4	4	48"(1219mm)	54"(1372mm)	TARA-4854-LJM	PG4		\$ 1700.75	\$ 1838.46
1	4	4		60"(1524mm)	TARA-4860-LJM	PG4		1854.75	2007.90
1	4	6		66"(1676mm)	TARA-4866-LJM	PG4		2008.75	2177.34
1	6	6		72"(1829mm)	TARA-4872-LJM	PG4		2162.75	2346.78
1	6	8		78"(1981mm)	TARA-4878-LJM	PG4		2316.75	2516.22
1	4	4	54"(1372mm)	60"(1524mm)	TARA-5460-LJM	PG4		\$ 2046.35	\$ 2218.80
1	4	6		66"(1676mm)	TARA-5466-LJM	PG4		2219.15	2408.97
1	6	6		72"(1829mm)	TARA-5472-LJM	PG4		2391.95	2599.14
1	6	6		78"(1981mm)	TARA-5478-LJM	PG4		2564.75	2789.31
1	4	8	60"(1524mm)	66"(1676mm)	TARA-6066-LJM	PG4		\$ 2429.55	\$ 2640.60
1	6	8		72"(1829mm)	TARA-6072-LJM	PG4		2621.15	2851.50
1	6	8		78"(1981mm)	TARA-6078-LJM	PG4		2812.75	3062.40

*Recommended seating capacity based upon 27"(686mm) per chair.

Planes Conference Table — Perimeter Leg

Rectangular – 2"(51mm) Edge



TARA
Class TA1

Features

- Includes 2"(51mm) thick top, perimeter leg bases, and hardware.
- Standard table height is 30"(762mm).
- High Pressure Laminate Top (HPL) with 3mm edgeband edges only.
- Perimeter legs are painted aluminum.
- Perimeter leg is 1.38"(35mm) x 4"(102mm).
- Optional cable base can be specified for tables 36"(914mm)D and deeper:
-36"(914mm)D tables will ship with 8"(203mm) x 14"(356mm) cable base.
-42"(1067mm)D and deeper tables will ship with 14"(356mm) x 14"(356mm) cable base.
- One piece tops will include one cable base to be centered under table top.
- Cable base and table top(s) are laminate and can be specified in different surface colors and edge trim colors.
- Refer to Specification Guide for use guidelines.
- Optional Flip top unit electrical modules are separately specified. Refer to electrical components for appropriate product specification.
- Available with glides only; 0.5"(13mm) height adjustment.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tips

- The following Planes products are separately specified:
 - Grommets (field cut opening)
 - Flip top unit electrical modules
 - Horizontal wire management
- Refer to Specification Guide for seating capacities with Cable Base Option and leg locations.

To Order, Specify:

1) Product number, including:

1 **Flip Top Unit Cutout(s):**

- N** None
- F** Center – single-sided/
4 outlets (add **\$45.40** list)
- V** Left/Right – single-sided/
4 outlets (add **\$90.80** list)
- J** Center – single-sided/
6 outlets (add **\$45.40** list)
- K** Left/Right – single-sided/
6 outlets (add **\$90.80** list)
- M** Center – double-sided/
8 outlets (add **\$45.40** list)
- P** Left/Right – double-sided/
8 outlets (add **\$90.80** list)
- Q** Center – double-sided/
12 outlets (add **\$45.40** list)
- T** Left/Right – double-sided/
12 outlets (add **\$90.80** list)

2 **Cable Base Option:**

- N** None
- C** Cable Base:
(add **\$912.60** list) for
36"(914mm)D tables;
(add **\$962.36** list) for
42"(1067mm)D and deeper
tables

- 2) Laminate surface color.
- 3) Edge trim color.
- 4) Base trim color.
- 5) Laminate Surface – Cable Base
- 6) Edge trim color – Cable Base

Note: **\$62.43** upcharge list for
Metallic and accent trim colors.

Planes Conference Table — Perimeter Leg

Rectangular – 2"(51mm) Edge

No. of Legs	Seating Capacity*	Depth	Width	Number	HPL		A	B
					①	②		
6	6	36"(914mm)	72"(1829mm)	TARA-3672-LJM	PG4	PG4	\$ 1704.35	\$ 1842.06
6	6		78"(1981mm)	TARA-3678-LJM	PG4	PG4	1820.75	1970.04
6	6		84"(2134mm)	TARA-3684-LJM	PG4	PG4	1937.15	2098.02
6	8		90"(2286mm)	TARA-3690-LJM	PG4	PG4	2053.55	2226.00
6	8		96"(2438mm)	TARA-3696-LJM	PG4	PG4	2169.95	2353.98
6	6	42"(1067mm)	84"(2134mm)	TARA-4284-LJM	PG4	PG4	\$ 2203.95	\$ 2391.84
6	8		90"(2286mm)	TARA-4290-LJM	PG4	PG4	2339.15	2540.55
6	8		96"(2438mm)	TARA-4296-LJM	PG4	PG4	2474.35	2689.26
6	8		102"(2591mm)	TARA-42A2-LJM	PG4	PG4	2609.55	2837.97
6	10		108"(2743mm)	TARA-42A8-LJM	PG4	PG4	2744.75	2986.68
6	10		114"(2896mm)	TARA-42B4-LJM	PG4	PG4	2879.95	3135.39
6	10		120"(3048mm)	TARA-42C0-LJM	PG4	PG4	3015.15	3284.10
6	6	48"(1219mm)	84"(2134mm)	TARA-4884-LJM	PG4	PG4	\$ 2470.75	\$ 2685.66
6	8		90"(2286mm)	TARA-4890-LJM	PG4	PG4	2624.75	2855.10
6	8		96"(2438mm)	TARA-4896-LJM	PG4	PG4	2778.75	3024.54
6	8		102"(2591mm)	TARA-48A2-LJM	PG4	PG4	2932.75	3193.98
6	10		108"(2743mm)	TARA-48A8-LJM	PG4	PG4	3086.75	3363.42
6	10		114"(2896mm)	TARA-48B4-LJM	PG4	PG4	3240.75	3532.86
6	10		120"(3048mm)	TARA-48C0-LJM	PG4	PG4	3394.75	3702.30
6	8	54"(1372mm)	84"(2134mm)	TARA-5484-LJM	PG4	PG4	\$ 2737.55	\$ 2979.48
6	10		90"(2286mm)	TARA-5490-LJM	PG4	PG4	2910.35	3169.65
6	10		96"(2438mm)	TARA-5496-LJM	PG4	PG4	3083.15	3359.82
6	10		102"(2591mm)	TARA-54A2-LJM	PG4	PG4	3255.95	3549.99
6	10		108"(2743mm)	TARA-54A8-LJM	PG4	PG4	3428.75	3740.16
6	10		114"(2896mm)	TARA-54B4-LJM	PG4	PG4	3601.55	3930.33
6	10		120"(3048mm)	TARA-54C0-LJM	PG4	PG4	3774.35	4120.50
6	10	60"(1524mm)	84"(2134mm)	TARA-6084-LJM	PG4	PG4	\$ 3004.35	\$ 3273.30
6	10		90"(2286mm)	TARA-6090-LJM	PG4	PG4	3195.95	3484.20
6	10		96"(2438mm)	TARA-6096-LJM	PG4	PG4	3387.55	3695.10
6	10		102"(2591mm)	TARA-60A2-LJM	PG4	PG4	3579.15	3906.00
6	10		108"(2743mm)	TARA-60A8-LJM	PG4	PG4	3770.75	4116.90
6	10		114"(2896mm)	TARA-60B4-LJM	PG4	PG4	3962.35	4327.80
6	10		120"(3048mm)	TARA-60C0-LJM	PG4	PG4	4153.95	4538.70

*Recommended seating capacity based upon 27"(686mm) per chair.

Planes Conference Table — Perimeter Leg

Rectangular – 2"(51mm) Edge — Two-Piece Top



TARA
Class TA1

Features

- Includes 2"(51mm) thick top, perimeter leg bases, and hardware.
- Standard table height is 30"(762mm).
- High-Pressure Laminate Top (HPL) with 3mm edgeband edges only.
- Table top seam is 3mm edgeband.
- Perimeter legs are painted aluminum.
- Perimeter leg is 1.38"(35mm) x 4"(102mm).
- Optional cable base is available:
 - 42"(1067mm)D and deeper tables will ship with 14"(356mm) x 14"(356mm) cable base.
 - Two piece tops will include one cable base to be centered on seams under table top.
 - Cable base and table top(s) are laminate and can be specified in different surface colors and edge trim colors.
 - Refer to Specification Guide for use guidelines.
- Optional Flip top unit electrical modules are separately specified. Refer to electrical components for appropriate product specification.
- Available with glides only; 0.5"(13mm) height adjustment.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tips

- Tables with multiple-piece tops have equal sized pieces.
- The following Planes products are separately specified:
 - Grommets (field cut opening)
 - Flip top unit electrical modules
 - Horizontal wire management
- Refer to Specification Guide for seating capacities with Cable Base Option and leg locations.

To Order, Specify:

1) Product number, including:

1 **Flip Top Unit Cutout(s):**

- N** None
- F** Center – single-sided/
4 outlets (add **\$90.80** list)
- V** Left/Right – single-sided/
4 outlets (add **\$181.61** list)
- J** Center – single-sided/
6 outlets (add **\$90.80** list)
- K** Left/Right – single-sided/
6 outlets (add **\$181.61** list)
- M** Center – double-sided/
8 outlets (add **\$90.80** list)
- P** Left/Right – double-sided/
8 outlets (add **\$181.61** list)
- Q** Center – double-sided/
12 outlets (add **\$90.80** list)
- T** Left/Right – double-sided/
12 outlets (add **\$181.61** list)

2 **Cable Base Option:**

- N** None
- C** Cable Base (add **\$962.36** list)

- 2) Laminate surface color.
- 3) Edge trim color.
- 4) Base trim color.
- 5) Laminate Surface – Cable Base
- 6) Edge trim color – Cable Base

Note: **\$62.43** upcharge list for Metallic and accent trim colors.

Planes Conference Table — Perimeter Leg

Rectangular - 2"(51mm) Edge — Two-Piece Top

No. of Legs	Seating Capacity*	Depth	Width	Number	HPL		A	B
					①	②		
6	10	42"(1067mm)	126"(3200mm)	TARA-42C6-LJM	PG4	PG4	\$ 4401.90	\$ 4684.36
6	10		132"(3353mm)	TARA-42D2-LJM	PG4	PG4	4591.70	4887.67
10	10		138"(3505mm)	TARA-42D8-LJM	PG4	PG4	4781.50	5090.98
10	10		144"(3658mm)	TARA-42E4-LJM	PG4	PG4	4971.30	5294.29
10	10		150"(3810mm)	TARA-42F0-LJM	PG4	PG4	5161.10	5497.60
10	12		156"(3962mm)	TARA-42F6-LJM	PG4	PG4	5350.90	5700.91
10	12		162"(4115mm)	TARA-42G2-LJM	PG4	PG4	5540.70	5904.22
10	12		168"(4267mm)	TARA-42G8-LJM	PG4	PG4	5730.50	6107.53
10	12		174"(4420mm)	TARA-42H4-LJM	PG4	PG4	5920.30	6310.84
10	14		180"(4572mm)	TARA-42J0-LJM	PG4	PG4	6110.10	6514.15
6	10	48"(1219mm)	126"(3200mm)	TARA-48C6-LJM	PG4	PG4	\$ 4952.05	\$ 5275.04
6	10		132"(3353mm)	TARA-48D2-LJM	PG4	PG4	5169.28	5507.71
10	10		138"(3505mm)	TARA-48D8-LJM	PG4	PG4	5386.51	5740.38
10	10		144"(3658mm)	TARA-48E4-LJM	PG4	PG4	5603.74	5973.05
10	10		150"(3810mm)	TARA-48F0-LJM	PG4	PG4	5820.97	6205.72
10	12		156"(3962mm)	TARA-48F6-LJM	PG4	PG4	6038.20	6438.39
10	12		162"(4115mm)	TARA-48G2-LJM	PG4	PG4	6255.43	6671.06
10	12		168"(4267mm)	TARA-48G8-LJM	PG4	PG4	6472.66	6903.73
10	12		174"(4420mm)	TARA-48H4-LJM	PG4	PG4	6689.89	7136.40
10	14		180"(4572mm)	TARA-48J0-LJM	PG4	PG4	6907.12	7369.07
6	10	54"(1372mm)	126"(3200mm)	TARA-54C6-LJM	PG4	PG4	\$ 5502.26	\$ 5865.78
6	10		132"(3353mm)	TARA-54D2-LJM	PG4	PG4	5743.43	6124.32
10	10		138"(3505mm)	TARA-54D8-LJM	PG4	PG4	5984.60	6382.86
10	10		144"(3658mm)	TARA-54E4-LJM	PG4	PG4	6225.77	6641.40
10	10		150"(3810mm)	TARA-54F0-LJM	PG4	PG4	6466.94	6899.94
10	12		156"(3962mm)	TARA-54F6-LJM	PG4	PG4	6708.11	7158.48
10	12		162"(4115mm)	TARA-54G2-LJM	PG4	PG4	6949.28	7417.02
10	12		168"(4267mm)	TARA-54G8-LJM	PG4	PG4	7190.45	7675.56
10	14		174"(4420mm)	TARA-54H4-LJM	PG4	PG4	7431.62	7934.10
10	14		180"(4572mm)	TARA-54J0-LJM	PG4	PG4	7672.79	8192.64
6	10	60"(1524mm)	126"(3200mm)	TARA-60C6-LJM	PG4	PG4	\$ 6052.43	\$ 6456.48
6	10		132"(3353mm)	TARA-60D2-LJM	PG4	PG4	6317.57	6740.92
10	10		138"(3505mm)	TARA-60D8-LJM	PG4	PG4	6582.71	7025.36
10	10		144"(3658mm)	TARA-60E4-LJM	PG4	PG4	6847.85	7309.80
10	10		150"(3810mm)	TARA-60F0-LJM	PG4	PG4	7112.99	7594.24
10	12		156"(3962mm)	TARA-60F6-LJM	PG4	PG4	7378.13	7878.68
10	12		162"(4115mm)	TARA-60G2-LJM	PG4	PG4	7643.27	8163.12
10	12		168"(4267mm)	TARA-60G8-LJM	PG4	PG4	7908.41	8447.56
10	14		174"(4420mm)	TARA-60H4-LJM	PG4	PG4	8173.55	8732.00
10	14		180"(4572mm)	TARA-60J0-LJM	PG4	PG4	7816.86	8394.61

*Recommended seating capacity based upon 27"(686mm) per chair.

Planes Conference Table — Perimeter Leg

Rectangular – 2"(51mm) Edge — Three-Piece Top



TARA
Class TA1

Features

- Includes 2"(51mm) thick top, perimeter leg bases, and hardware.
- Standard table height is 30"(762mm).
- High-Pressure Laminate Top (HPL) with 3mm edgeband edges only.
- Table top seams are 3mm edgeband.
- Perimeter legs are painted aluminum.
- Perimeter leg is 1.38"(35mm) x 4"(102mm).
- Optional cable bases are available:
-42"(1067mm)D and deeper tables will ship with 14"(356mm) x 14"(356mm) cable base.
-Three piece tops will include two cable bases to be centered on seams.
-Cable base and table top(s) are laminate and can be specified in different surface colors and edge trim colors.
-Refer to Specification Guide for use guidelines.
- Optional Flip top unit electrical modules are separately specified. Refer to electrical components for appropriate product specification.
- Available with glides only; 0.5"(13mm) height adjustment.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tips

- Tables with multiple-piece tops have equal sized pieces.
- The following Planes products are separately specified:
-Grommets (field cut opening)
-Flip top unit electrical modules
-Horizontal wire management
- Refer to Specification Guide for seating capacities with Cable Base Option and leg locations.

To Order, Specify:

1) Product number, including:

1 **Flip Top Unit Cutout(s):**

- | | |
|----------|---|
| N | None |
| F | Center – single-sided/
4 outlets (add \$136.21 list) |
| V | Left/Right – single-sided/
4 outlets (add \$272.41 list) |
| J | Center – single-sided/
6 outlets (add \$136.21 list) |
| K | Left/Right – single-sided/
6 outlets (add \$272.41 list) |
| M | Center – double-sided/
8 outlets (add \$136.21 list) |
| P | Left/Right – double-sided/
8 outlets (add \$272.41 list) |
| Q | Center – double-sided/
12 outlets (add \$136.21 list) |
| T | Left/Right – double-sided/
12 outlets (add \$272.41 list) |

2 **Cable Base Option:**

- | | |
|----------|---|
| N | None |
| C | Cable Base (2) (add
\$1924.66 list) |

- 2) Laminate surface color.
- 3) Edge trim color.
- 4) Base trim color.
- 5) Laminate Surface – Cable Base
- 6) Edge trim color – Cable Base

Note: **\$62.43** upcharge list for Metallic and accent trim colors.

Planes Conference Table — Perimeter Leg

Rectangular - 2"(51mm) Edge — Three-Piece Top

No. of Legs	Seating Capacity*	Depth	Width	Number	HPL		A	B
					①	②		
8	14	42"(1067mm)	186"(4724mm)	TARA-42J6-LJM	PG4		\$ 6234.70	\$ 6652.26
8	14		192"(4877mm)	TARA-42K2-LJM	PG4		6424.50	6855.57
8	14		198"(5029mm)	TARA-42K8-LJM	PG4		6614.30	7058.88
14	14		204"(5182mm)	TARA-42L4-LJM	PG4		6804.10	7262.19
14	14		210"(5334mm)	TARA-42M0-LJM	PG4		6993.90	7465.50
14	14		216"(5486mm)	TARA-42M6-LJM	PG4		7183.70	7668.81
14	16		222"(5639mm)	TARA-42N2-LJM	PG4		7373.50	7872.12
14	16		228"(5791mm)	TARA-42N8-LJM	PG4		7563.30	8075.43
14	16		234"(5944mm)	TARA-42P4-LJM	PG4		7753.10	8278.74
14	16		240"(6096mm)	TARA-42Q0-LJM	PG4		7942.90	8482.05
14	16		246"(6248mm)	TARA-42Q6-LJM	PG4		8132.70	8685.36
14	16		252"(6401mm)	TARA-42R2-LJM	PG4		8322.50	8888.67
14	18		258"(6553mm)	TARA-42R8-LJM	PG4		8512.30	9091.98
14	18		264"(6706mm)	TARA-42S4-LJM	PG4		8702.10	9295.29
14	20		270"(6858mm)	TARA-42T0-LJM	PG4		9179.33	9786.03
8	14	48"(1219mm)	186"(4724mm)	TARA-48J6-LJM	PG4		\$ 7046.75	\$ 7524.14
8	14		192"(4877mm)	TARA-48K2-LJM	PG4		7260.54	7753.37
8	14		198"(5029mm)	TARA-48K8-LJM	PG4		7474.33	7982.60
14	14		204"(5182mm)	TARA-48L4-LJM	PG4		7688.12	8211.83
14	14		210"(5334mm)	TARA-48M0-LJM	PG4		7901.91	8441.06
14	14		216"(5486mm)	TARA-48M6-LJM	PG4		8115.70	8670.29
14	14		222"(5639mm)	TARA-48N2-LJM	PG4		8329.49	8899.52
14	16		228"(5791mm)	TARA-48N8-LJM	PG4		8543.28	9128.75
14	16		234"(5944mm)	TARA-48P4-LJM	PG4		8757.07	9357.98
14	16		240"(6096mm)	TARA-48Q0-LJM	PG4		8970.86	9587.21
14	16		246"(6248mm)	TARA-48Q6-LJM	PG4		9184.65	9816.44
14	16		252"(6401mm)	TARA-48R2-LJM	PG4		9398.44	10045.67
14	18		258"(6553mm)	TARA-48R8-LJM	PG4		9612.23	10274.90
14	18		264"(6706mm)	TARA-48S4-LJM	PG4		9826.02	10504.13
14	20		270"(6858mm)	TARA-48T0-LJM	PG4		10039.81	10733.36
8	14	54"(1372mm)	186"(4724mm)	TARA-54J6-LJM	PG4		\$ 7760.87	\$ 8298.09
8	14		192"(4877mm)	TARA-54K2-LJM	PG4		7998.60	8553.19
8	14		198"(5029mm)	TARA-54K8-LJM	PG4		8236.33	8808.29
14	14		204"(5182mm)	TARA-54L4-LJM	PG4		8474.06	9063.39
14	14		210"(5334mm)	TARA-54M0-LJM	PG4		8711.79	9318.49
14	14		216"(5486mm)	TARA-54M6-LJM	PG4		8949.52	9573.59
14	16		222"(5639mm)	TARA-54N2-LJM	PG4		9187.25	9828.69
14	16		228"(5791mm)	TARA-54N8-LJM	PG4		9424.98	10083.79
14	16		234"(5944mm)	TARA-54P4-LJM	PG4		9662.71	10338.89
14	16		240"(6096mm)	TARA-54Q0-LJM	PG4		9900.44	10593.99
14	16		246"(6248mm)	TARA-54Q6-LJM	PG4		10138.17	10849.09
14	16		252"(6401mm)	TARA-54R2-LJM	PG4		10375.90	11104.19
14	18		258"(6553mm)	TARA-54R8-LJM	PG4		10613.63	11359.29
14	18		264"(6706mm)	TARA-54S4-LJM	PG4		10851.36	11614.39
14	20		270"(6858mm)	TARA-54T0-LJM	PG4		11089.09	11869.49
8	14	60"(1524mm)	186"(4724mm)	TARA-60J6-LJM	PG4		\$ 8406.26	\$ 9003.31
8	14		192"(4877mm)	TARA-60K2-LJM	PG4		8667.97	9284.32
8	14		198"(5029mm)	TARA-60K8-LJM	PG4		8929.68	9565.33
14	14		204"(5182mm)	TARA-60L4-LJM	PG4		9191.39	9846.34
14	14		210"(5334mm)	TARA-60M0-LJM	PG4		9453.10	10127.35
14	14		216"(5486mm)	TARA-60M6-LJM	PG4		9714.81	10408.36
14	16		222"(5639mm)	TARA-60N2-LJM	PG4		9976.52	10689.37
14	16		228"(5791mm)	TARA-60N8-LJM	PG4		10238.23	10970.38
14	16		234"(5944mm)	TARA-60P4-LJM	PG4		10499.94	11251.39
14	16		240"(6096mm)	TARA-60Q0-LJM	PG4		10761.65	11532.40
14	16		246"(6248mm)	TARA-60Q6-LJM	PG4		11023.36	11813.41
14	16		252"(6401mm)	TARA-60R2-LJM	PG4		11285.07	12094.42
14	18		258"(6553mm)	TARA-60R8-LJM	PG4		11546.78	12375.43
14	18		264"(6706mm)	TARA-60S4-LJM	PG4		11808.49	12656.44
14	20		270"(6858mm)	TARA-60T0-LJM	PG4		12070.20	12937.45

*Recommended seating capacity based upon 27"(686mm) per chair.

Planes Conference Table Top

for use with Column Base


Catalog Logic

TA	RA	-	48	CO	-	L	F	S	Q	B	N	N
Platform: _____												
(TA) Planes Tables												
Top Shape: _____												
(RA) Rectangle												
(RP) Pebble												
(RX) Hexagon												
(RN) Round (RQ) Square												
Depth: _____												
36 - 36"(914mm)												
42 - 42"(1067mm)												
48 - 48"(1219mm)												
54 - 54"(1372mm)												
60 - 60"(1524mm)												
Width: _____												
36 - 36"(914mm)		F6 - 156"(3962mm)										
42 - 42"(1067mm)		G2 - 162"(4115mm)										
48 - 48"(1219mm)		G8 - 168"(4267mm)										
54 - 54"(1372mm)		H4 - 174"(4420mm)										
60 - 60"(1524mm)		JO - 180"(4572mm)										
66 - 66"(1676mm)		J6 - 186"(4724mm)										
72 - 72"(1829mm)		K2 - 192"(4877mm)										
78 - 78"(1981mm)		K8 - 198"(5029mm)										
84 - 84"(2134mm)		L4 - 2046"(51968mm)										
90 - 90"(2286mm)		M0 - 210"(5334mm)										
96 - 96"(2438mm)		M6 - 216"(5486mm)										
A2 - 102"(2591mm)		N2 - 222"(5639mm)										
A8 - 108"(2743mm)		N8 - 228"(5791mm)										
B4 - 114"(2896mm)		P4 - 234"(5944mm)										
C0 - 120"(3048mm)		Q0 - 240"(6096mm)										
C6 - 126"(3200mm)		Q6 - 246"(6248mm)										
D2 - 132"(3353mm)		R2 - 252"(6401mm)										
D8 - 138"(3505mm)		R8 - 258"(6553mm)										
E4 - 144"(3658mm)		S4 - 264"(6706mm)										
FO - 150"(3810mm)		TO - 270"(6858mm)										
Surface Material: _____												
(L) High-Pressure Laminate (HPL)												
Edge HPL: _____												
(F) Knife Edge												
(J) Edgeband												
Core Type: _____												
(S) Standard												
Cutout: _____												
(N) No Cutouts												
(F) 4 Outlet Cutout Single-sided, Center												
(V) 4 Outlet Cutout Single-sided, Left/Right												
(J) 6 Outlet Cutout Single-sided, Center												
(K) 6 Outlet Cutout Single-side, Left/Right												
(M) 8 Outlet Double-sided, Center												
(P) 8 Outlet Double-sided, Left/Right												
(Q) 12 Outlet Double-sided, Center												
(T) 12 Outlet Double-sided, Left/Right												
Base Type: _____												
(B) Column Base												
Base Foot: _____												
(N) NA												
Height/Mechanism: _____												
(N) NA												
Cable Base: _____												
(N) NA												

Planes Conference Table with Column Base

Component Specification Overview

Planes Conference Top(s), Column Base Frame(s), Column Base Plate(s) and J-Channel(s) are separately specified. See below for required component specification.



Conference Top

- The number of tops depend on the width of the conference table. Top options include a 1-piece top, 2-piece top or 3-piece top.

Column Base Frames

- Column Base Frames are square and include cladding. Available in two widths: 9"(229mm) and 12"(305mm), and in three heights: 26"(660mm) for lounge height, 28"(711mm) for seated height, and 40"(1016mm) for standing height. Cladding shapes can be round or flat. Round Cladding is only available painted, while Flat Cladding can be High Pressure Laminate (HPL), or made of wood. Column Base Frame is available painted without cladding.
-The table top width and the number of pieces determine the quantity of column base frames needed. **Refer to Matrix-A for details.**
-The table top depth determines the column base frame size, either 9"(229mm) or 12"(305mm) square. **Refer to Matrix-B for details.**

Column Base Plate

- Round or Square Column Base Plates are available in four sizes: 21"(533mm), 24"(610mm), 27"(686mm) and 30"(762mm).
-The column base plate size is specific to the column frame size of 9"(229mm) or 12"(305mm); specify accordingly.
-The column frame width and the table top depth dictate the size of the column base plate. **Refer to Matrix-B for details.**

J-Channel

- Provides wire management and the required support below the Conference Table Top.
-J-Channel is specified as one pair per catalog number. A pair of J-Channels are used between each column base.
-The table top width and column size dictate the number of pairs and length of J-Channel. **Refer to Matrix-A for details.**

J-Channel Tray - Optional

- J-Channel Trays are optional and provide additional wire management between columns; lays in J-Channels.
-Specify J-Channel Tray width to match Column Frame size.
-The J-Channel length dictates the maximum number of J-Channel Trays. **Refer to Matrix-A for details.**

Planes Conference Table with Column Base

Component Specification Overview

MATRIX - A

Column Base Frame Quantity & J Channel Quantity and Size - Specification Matrix							
Table Width	Number of Pieces in Top	Number of Column Base Frames	Number of Pairs of J Channel	9"(229mm) x 9"(229mm) Column Base Frame		12"(305mm) x 12"(305mm) Column Base Frame	
				J Channel Length Nominal/(Actual)	# of Trays (Maximum)	J Channel Length Nominal/(Actual)	# of Trays (Maximum)
96"(2438mm)	1	2	1	29"(737mm)/22.25"(566mm)	1	26"(660mm)/19.25"(489mm)	1
102"(2591mm)	1	2	1	35"(889mm)/28.25"(718mm)	1	32"(813mm)/25.25"(641mm)	1
108"(2743mm)	1	2	1	41"(1041mm)/34.25"(870mm)	2	38"(965mm)/31.25"(794mm)	2
114"(2896mm)	1	2	1	47"(1194mm)/40.25"(1022mm)	2	44"(1118mm)/37.25"(946mm)	2
120"(3048mm)	1	2	1	53"(1346mm)/46.25"(1175mm)	3	50"(1270mm)/43.25"(1099mm)	2
126"(3200mm)	2	2	1	59"(1499mm)/52.25"(1327mm)	3	56"(1422mm)/49.25"(1251mm)	3
132"(3353mm)	2	2	1	65"(1651mm)/58.25"(1480mm)	3	62"(1575mm)/55.25"(1403mm)	3
138"(3505mm)	2	2	1	71"(1803mm)/64.25"(1632mm)	4	68"(1727mm)/61.25"(1556mm)	4
144"(3658mm)	2	2	1	77"(1956mm)/70.25"(1784mm)	4	74"(1880mm)/67.25"(1708mm)	4
150"(3810mm)	2	2	1	83"(2108mm)/76.25"(1937mm)	5	80"(2032mm)/73.25"(1861mm)	5
156"(3962mm)	2	2	1	89"(2261mm)/82.25"(2089mm)	5	86"(2184mm)/79.25"(2013mm)	5
162"(4115mm)	2	2	1	95"(2413mm)/88.25"(2242mm)	6	92"(2337mm)/85.25"(2165mm)	5
168"(4267mm)	2	2	1	100"(2540mm)/94.25"(2394mm)	6	98"(2489mm)/91.25"(2318mm)	6
174"(4420mm)	2	3	2	50"(1270mm)/43.25"(1099mm)	2	47"(1194mm)/40.25"(1022mm)	2
180"(4572mm)	2	3	2	53"(1346mm)/46.25"(1175mm)	3	50"(1270mm)/43.25"(1099mm)	2
186"(4724mm)	3	3	2	56"(1422mm)/49.25"(1251mm)	3	53"(1346mm)/46.25"(1175mm)	3
192"(4877mm)	3	3	2	59"(1499mm)/52.25"(1327mm)	3	56"(1422mm)/49.25"(1251mm)	3
198"(5029mm)	3	3	2	62"(1575mm)/55.25"(1403mm)	3	59"(1499mm)/52.25"(1327mm)	3
204"(5182mm)	3	3	2	65"(1651mm)/58.25"(1480mm)	3	62"(1575mm)/55.25"(1403mm)	3
210"(5334mm)	3	3	2	68"(1727mm)/61.25"(1556mm)	4	65"(1651mm)/58.25"(1480mm)	3
216"(5486mm)	3	3	2	71"(1803mm)/64.25"(1632mm)	4	68"(1727mm)/61.25"(1556mm)	4
222"(5639mm)	3	3	2	74"(1880mm)/67.25"(1708mm)	4	71"(1803mm)/64.25"(1632mm)	4
228"(5791mm)	3	3	2	77"(1956mm)/70.25"(1784mm)	4	74"(1880mm)/67.25"(1708mm)	4
234"(5944mm)	3	3	2	80"(2032mm)/73.25"(1861mm)	5	77"(1956mm)/70.25"(1784mm)	4
240"(6096mm)	3	3	2	83"(2108mm)/76.25"(1937mm)	5	80"(2032mm)/73.25"(1861mm)	5
246"(6248mm)	3	3	2	86"(2184mm)/79.25"(2013mm)	5	83"(2108mm)/76.25"(1937mm)	5
252"(6401mm)	3	3	2	89"(2261mm)/82.25"(2089mm)	5	86"(2184mm)/79.25"(2013mm)	5
258"(6553mm)	3	3	2	92"(2337mm)/85.25"(2165mm)	5	89"(2261mm)/82.25"(2089mm)	5
264"(6706mm)	3	3	2	95"(2413mm)/88.25"(2242mm)	6	92"(2337mm)/85.25"(2165mm)	5
270"(6858mm)	3	3	2	98"(2489mm)/91.25"(2318mm)	6	95"(2413mm)/88.25"(2242mm)	6

MATRIX - B

Column Frame Size & Column Base Plate Size - Specification Matrix					
Table Depth	9"(229mm) x 9"(229mm) Column Base Frame		12"(305mm) x 12"(305mm) Column Base Frame		
	21"(533mm) Base Plate (Round or Square)	24"(610mm) Base Plate (Round or Square)	24"(610mm) Base Plate (Round or Square)	27"(686mm) Base Plate (Round or Square)	30"(762mm) Base Plate (Round or Square)
36"(914mm)	✓	✓	✓	✓	✓
42"(1067mm)		✓	✓	✓	✓
48"(1219mm)				✓	✓
54"(1372mm)				✓ (Square only)	✓
60"(1524mm)				✓ (Square only)	✓

Planes Conference Table Top


Round, Square, Pebble (for use with Column Base)

Round



TARN

Square



TARQ

Pebble

TARP
Class TA1

Features

- Includes 1.18"(30mm) thick top.
- High-Pressure Laminate Top (HPL) with 3mm edgeband or knife, based upon shape.
- Top available in standard core.
- Requires separately specified Column Base.**
- Optional power modules are separately specified.
- Depth and width shown in nominal dimensions.

Specification Tips

- Conference Top requires separately specified components for Column Base:
 - Column Base Frame
 - Column Base Plate
- Cutouts are optional. If specified they are factory installed.
- Each cutout requires a separately specified flip top unit electrical module.
- Separately specified Planes grommets are available for field installation.
- For separately specified required components refer to the **Component Specification Overview** located in the front of the price list; see Planes Conference Table Tops (for use with Column Base).

To Order, Specify:

- 1) Product number, including:

1 Edge Options:

Laminate:

J Edgeband**F** Knife

2 Cutout Options:

N No Cutout**F** Center, Single-Sided/
4 outlets (add **\$45.40** list)**J** Center, Single-Sided/
6 outlets (add **\$45.40** list)**M** Center, Double-Sided/
8 outlets (add **\$45.40** list)**Q** Center, Double-Sided/
12 outlets (add **\$45.40** list)

- 2) Laminate surface color.


- 3) Edgeband trim color.

No. of Pieces	Seating Capacity*	Depth	Width	Number	HPL		A		B	
					①	②	J	F	J	F
Round										
1	4	36"(914mm)	36"(914mm)	TARN-3636-L	<input type="checkbox"/> S	<input type="checkbox"/> BNNN	\$ 528.51	\$ 833.47	\$ 619.17	\$ 924.13
1	4	42"(1067mm)	42"(1067mm)	TARN-4242-L	<input type="checkbox"/> S	<input type="checkbox"/> BNNN	743.62	1089.86	857.81	1204.05
1	4	48"(1219mm)	48"(1219mm)	TARN-4848-L	<input type="checkbox"/> S	<input type="checkbox"/> BNNN	990.31	1377.83	1131.65	1519.17
1	8	54"(1372mm)	54"(1372mm)	TARN-5454-L	<input type="checkbox"/> S	<input type="checkbox"/> BNNN	1268.58	1697.38	1440.69	1869.49
1	8	60"(1524mm)	60"(1524mm)	TARN-6060-L	<input type="checkbox"/> S	<input type="checkbox"/> BNNN	1578.43	2048.51	1784.93	2255.01
Square										
1	4	36"(914mm)	36"(914mm)	TARQ-3636-L	<input type="checkbox"/> S	<input type="checkbox"/> BNNN	\$ 527.07	\$ 820.51	\$ 617.73	\$ 911.17
1	4	42"(1067mm)	42"(1067mm)	TARQ-4242-L	<input type="checkbox"/> S	<input type="checkbox"/> BNNN	741.94	1074.74	856.13	1188.93
1	4	48"(1219mm)	48"(1219mm)	TARQ-4848-L	<input type="checkbox"/> S	<input type="checkbox"/> BNNN	988.39	1360.55	1129.73	1501.89
1	8	54"(1372mm)	54"(1372mm)	TARQ-5454-L	<input type="checkbox"/> S	<input type="checkbox"/> BNNN	1266.42	1677.94	1438.53	1850.05
1	8	60"(1524mm)	60"(1524mm)	TARQ-6060-L	<input type="checkbox"/> S	<input type="checkbox"/> BNNN	1576.03	2026.91	1782.53	2233.41
Pebble										
1	4	36"(914mm)	36"(914mm)	TARP-3636-L	<input type="checkbox"/> S	<input type="checkbox"/> BNNN	\$ 528.51	\$ 833.47	\$ 619.17	\$ 924.13
1	4	42"(1067mm)	42"(1067mm)	TARP-4242-L	<input type="checkbox"/> S	<input type="checkbox"/> BNNN	743.62	1089.86	857.81	1204.05
1	4	48"(1219mm)	48"(1219mm)	TARP-4848-L	<input type="checkbox"/> S	<input type="checkbox"/> BNNN	990.31	1377.83	1131.65	1519.17
1	8	54"(1372mm)	54"(1372mm)	TARP-5454-L	<input type="checkbox"/> S	<input type="checkbox"/> BNNN	1268.58	1697.38	1440.69	1869.49
1	8	60"(1524mm)	60"(1524mm)	TARP-6060-L	<input type="checkbox"/> S	<input type="checkbox"/> BNNN	1578.43	2048.51	1784.93	2255.01

*Recommended seating capacity based upon 27"(687mm) per chair.

Planes Conference Table Top

Rectangle (for use with Column Base)



TARA
Class TA1

Features

- Includes 1.18"(30mm) thick top.
- High-Pressure Laminate Top (HPL) with 3mm edgeband or knife edge. Multiple piece tops are 1mm edgeband at the seams.
- Table top seams are 1mm edgeband.
- Requires separately specified Column Base and J Channels.**
- Optional power modules are separately specified.
- Depth and width shown in nominal dimensions.

Specification Tips

- Multiple piece conference tops have equal sized pieces and are shipped unassembled.
- Conference Top requires separately specified components for Column Base:
 - Column Base Frame
 - Column Base Plate
- Conference Top requires separately specified J Channels for support and load purposes.
- Cutouts are optional. If specified they are factory installed.
- Each cutout requires a separately specified flip top unit electrical module.
- Separately specified Planes grommets are available for field installation.
- For separately specified required components refer to the **Component Specification Overview** located in the front of the price list; see Planes Conference Table Tops (for use with Column Base).

To Order, Specify:

1) Product number, including:

1 Edge Options:

Laminate:

J Edgeband

F Knife

2 Cutout Options:

N No Cutout

F Center, Single-Sided/
4 outlets, see chart for
upcharge

V Left/Right, Single-Sided/
4 outlets, see chart for
upcharge

J Center, Single-Sided/
6 outlets, see chart for
upcharge

K Left/Right, Single-Sided/
6 outlets, see chart for
upcharge

M Center, Double-Sided/
8 outlets, see chart for
upcharge

P Left/Right, Double-Sided/
8 outlets, see chart for
upcharge

Q Center, Double-Sided/
12 outlets, see chart for
upcharge

T Left/Right, Double-Sided/
12 outlets, see chart for
upcharge

2) Laminate surface color.

3) Edgeband trim color.

Cutout Option Upcharges

Cutout	1 Piece	2 Piece	3 Piece
F	\$45.40	\$90.80	\$136.21
V	\$90.80	\$181.61	\$272.41
J	\$45.40	\$90.80	\$136.21
K	\$90.80	\$181.61	\$272.41
M	\$45.40	\$90.80	\$136.21
P	\$90.80	\$181.61	\$272.41
Q	\$45.40	\$90.80	\$136.21
T	\$90.80	\$181.61	\$272.41

Planes Conference Table Top

Rectangle (for use with Column Base)

No. of Pieces	Seating Capacity*	Depth	Width	Number	HPL		A		B	
					①	②	J	F	J	F
1	8	42"(1067mm)	96"(2438mm)	TARA-4296-L S BNNN	\$ 1754.36		\$ 2256.00		\$ 1960.03	\$ 2461.67
1	8		102"(2591mm)	TARA-42A2-L S BNNN	1869.42		2390.38		2087.97	2608.93
1	10		108"(2743mm)	TARA-42A8-L S BNNN	1984.48		2524.76		2215.91	2756.19
1	10		114"(2896mm)	TARA-42B4-L S BNNN	2099.54		2659.14		2343.85	2903.45
1	10		120"(3048mm)	TARA-42C0-L S BNNN	2214.60		2793.52		2471.79	3050.71
2	10		126"(3200mm)	TARA-42C6-L S BNNN	3059.02		3694.25		3329.09	3964.32
2	10		132"(3353mm)	TARA-42D2-L S BNNN	3206.79		3861.34		3489.74	4144.29
2	12		138"(3505mm)	TARA-42D8-L S BNNN	3354.56		4028.43		3650.39	4324.26
2	12		144"(3658mm)	TARA-42E4-L S BNNN	3502.33		4195.52		3811.04	4504.23
2	12		150"(3810mm)	TARA-42F0-L S BNNN	3650.10		4362.61		3971.69	4684.20
2	12		156"(3962mm)	TARA-42F6-L S BNNN	3797.87		4529.70		4132.34	4864.17
2	14		162"(4115mm)	TARA-42G2-L S BNNN	3945.64		4696.79		4292.99	5044.14
2	14		168"(4267mm)	TARA-42G8-L S BNNN	4093.41		4863.88		4453.64	5224.11
2	14		174"(4420mm)	TARA-42H4-L S BNNN	4241.18		5030.97		4614.29	5404.08
2	14		180"(4572mm)	TARA-42J0-L S BNNN	4388.95		5198.06		4774.94	5584.05
3	14		186"(4724mm)	TARA-42J6-L S BNNN	4553.05		5428.76		4951.92	5827.63
3	16		192"(4877mm)	TARA-42K2-L S BNNN	4700.82		5595.85		5112.57	6007.60
3	16		198"(5029mm)	TARA-42K8-L S BNNN	4848.59		5762.94		5273.22	6187.57
3	16		204"(5182mm)	TARA-42L4-L S BNNN	4996.36		5930.03		5433.87	6367.54
3	16		210"(5334mm)	TARA-42M0-L S BNNN	5144.13		6097.12		5594.52	6547.51
3	18		216"(5486mm)	TARA-42M6-L S BNNN	5291.90		6264.21		5755.17	6727.48
3	18		222"(5639mm)	TARA-42N2-L S BNNN	5439.67		6431.30		5915.82	6907.45
3	18		228"(5791mm)	TARA-42N8-L S BNNN	5587.44		6598.39		6076.47	7087.42
3	18		234"(5944mm)	TARA-42P4-L S BNNN	5735.21		6765.48		6237.12	7267.39
3	18		240"(6096mm)	TARA-42Q0-L S BNNN	5882.98		6932.57		6397.77	7447.36
3	20		246"(6248mm)	TARA-42Q6-L S BNNN	6030.75		7099.66		6558.42	7627.33
3	20		252"(6401mm)	TARA-42R2-L S BNNN	6178.52		7266.75		6719.07	7807.30
3	20		258"(6553mm)	TARA-42R8-L S BNNN	6326.29		7433.84		6879.72	7987.27
3	20		264"(6706mm)	TARA-42S4-L S BNNN	6474.06		7600.93		7040.37	8167.24
3	22		270"(6858mm)	TARA-42T0-L S BNNN	6621.83		7768.02		7201.02	8347.21
1	8	48"(1219mm)	96"(2438mm)	TARA-4896-L S BNNN	\$ 2012.88		\$ 2533.84		\$ 2247.99	\$ 2768.95
1	8		102"(2591mm)	TARA-48A2-L S BNNN	2143.88		2684.16		2393.71	2933.99
1	10		108"(2743mm)	TARA-48A8-L S BNNN	2274.88		2834.48		2539.43	3099.03
1	10		114"(2896mm)	TARA-48B4-L S BNNN	2405.88		2984.80		2685.15	3264.07
1	10		120"(3048mm)	TARA-48C0-L S BNNN	2536.88		3135.12		2830.87	3429.11
2	10		126"(3200mm)	TARA-48C6-L S BNNN	3501.89		4156.44		3810.60	4465.15
2	10		132"(3353mm)	TARA-48D2-L S BNNN	3665.60		4339.47		3989.03	4662.90
2	12		138"(3505mm)	TARA-48D8-L S BNNN	3829.31		4522.50		4167.46	4860.65
2	12		144"(3658mm)	TARA-48E4-L S BNNN	3993.02		4705.53		4345.89	5058.40
2	12		150"(3810mm)	TARA-48F0-L S BNNN	4156.73		4888.56		4524.32	5256.15
2	12		156"(3962mm)	TARA-48F6-L S BNNN	4320.44		5071.59		4702.75	5453.90
2	14		162"(4115mm)	TARA-48G2-L S BNNN	4484.15		5254.62		4881.18	5651.65
2	14		168"(4267mm)	TARA-48G8-L S BNNN	4647.86		5437.65		5059.61	5849.40
2	14		174"(4420mm)	TARA-48H4-L S BNNN	4811.57		5620.68		5238.04	6047.15
2	14		180"(4572mm)	TARA-48J0-L S BNNN	4975.28		5803.71		5416.47	6244.90
3	14		186"(4724mm)	TARA-48J6-L S BNNN	5155.32		6050.35		5611.23	6506.26
3	16		192"(4877mm)	TARA-48K2-L S BNNN	5319.03		6233.38		5789.66	6704.01
3	16		198"(5029mm)	TARA-48K8-L S BNNN	5482.74		6416.41		5968.09	6901.76
3	16		204"(5182mm)	TARA-48L4-L S BNNN	5646.45		6599.44		6146.52	7099.51
3	16		210"(5334mm)	TARA-48M0-L S BNNN	5810.16		6782.47		6324.95	7297.26
3	18		216"(5486mm)	TARA-48M6-L S BNNN	5973.87		6965.50		6503.38	7495.01
3	18		222"(5639mm)	TARA-48N2-L S BNNN	6137.58		7148.53		6681.81	7692.76
3	18		228"(5791mm)	TARA-48N8-L S BNNN	6301.29		7331.56		6860.24	7890.51
3	18		234"(5944mm)	TARA-48P4-L S BNNN	6465.00		7514.59		7038.67	8088.26
3	18		240"(6096mm)	TARA-48Q0-L S BNNN	6628.71		7697.62		7217.10	8286.01
3	20		246"(6248mm)	TARA-48Q6-L S BNNN	6792.42		7880.65		7395.53	8483.76
3	20		252"(6401mm)	TARA-48R2-L S BNNN	6956.13		8063.68		7573.96	8681.51
3	20		258"(6553mm)	TARA-48R8-L S BNNN	7119.84		8246.71		7752.39	8879.26
3	20		264"(6706mm)	TARA-48S4-L S BNNN	7283.55		8429.74		7930.82	9077.01
3	22		270"(6858mm)	TARA-48T0-L S BNNN	7447.26		8612.77		8109.25	9274.76

*Recommended seating capacity based upon 27"(687mm) per chair.

Planes Conference Table Top


Rectangle (for use with Column Base)

No. of Pieces	Seating Capacity*	Depth	Width	Number	HPL		A		B	
					①	②	J	F	J	F
1	10	54"(1372mm)	96"(2438mm)	TARA-5496-L	S	BNNN	\$ 2271.40	\$ 2811.68	\$ 2535.95	\$ 3076.23
1	10		102"(2591mm)	TARA-54A2-L	S	BNNN	2418.34	2977.94	2699.45	3259.05
1	12		108"(2743mm)	TARA-54A8-L	S	BNNN	2565.28	3144.20	2862.95	3441.87
1	12		114"(2896mm)	TARA-54B4-L	S	BNNN	2712.22	3310.46	3026.45	3624.69
1	12		120"(3048mm)	TARA-54C0-L	S	BNNN	2859.16	3476.72	3189.95	3807.51
2	12		126"(3200mm)	TARA-54C6-L	S	BNNN	3944.76	4618.63	4292.11	4965.98
2	12		132"(3353mm)	TARA-54D2-L	S	BNNN	4124.41	4817.60	4488.32	5181.51
2	14		138"(3505mm)	TARA-54D8-L	S	BNNN	4304.06	5016.57	4684.53	5397.04
2	14		144"(3658mm)	TARA-54E4-L	S	BNNN	4483.71	5215.54	4880.74	5612.57
2	14		150"(3810mm)	TARA-54F0-L	S	BNNN	4663.36	5414.51	5076.95	5828.10
2	14		156"(3962mm)	TARA-54F6-L	S	BNNN	4843.01	5613.48	5273.16	6043.63
2	16		162"(4115mm)	TARA-54G2-L	S	BNNN	5022.66	5812.45	5469.37	6259.16
2	16		168"(4267mm)	TARA-54G8-L	S	BNNN	5202.31	6011.42	5665.58	6474.69
2	16		174"(4420mm)	TARA-54H4-L	S	BNNN	5381.96	6210.39	5861.79	6690.22
2	16		180"(4572mm)	TARA-54J0-L	S	BNNN	5561.61	6409.36	6058.00	6905.75
3	16		186"(4724mm)	TARA-54J6-L	S	BNNN	5663.41	6671.94	6176.36	7184.89
3	18		192"(4877mm)	TARA-54K2-L	S	BNNN	5843.06	6870.91	6372.57	7400.42
3	18		198"(5029mm)	TARA-54K8-L	S	BNNN	6022.71	7069.88	6568.78	7615.95
3	18		204"(5182mm)	TARA-54L4-L	S	BNNN	6202.36	7268.85	6764.99	7831.48
3	18		210"(5334mm)	TARA-54M0-L	S	BNNN	6382.01	7467.82	6961.20	8047.01
3	20		216"(5486mm)	TARA-54M6-L	S	BNNN	6561.66	7666.79	7157.41	8262.54
3	20		222"(5639mm)	TARA-54N2-L	S	BNNN	6741.31	7865.76	7353.62	8478.07
3	20		228"(5791mm)	TARA-54N8-L	S	BNNN	6920.96	8064.73	7549.83	8693.60
3	20		234"(5944mm)	TARA-54P4-L	S	BNNN	7100.61	8263.70	7746.04	8909.13
3	20		240"(6096mm)	TARA-54Q0-L	S	BNNN	7280.26	8462.67	7942.25	9124.66
3	22		246"(6248mm)	TARA-54Q6-L	S	BNNN	7459.91	8661.64	8138.46	9340.19
3	22		252"(6401mm)	TARA-54R2-L	S	BNNN	7639.56	8860.61	8334.67	9555.72
3	22		258"(6553mm)	TARA-54R8-L	S	BNNN	7819.21	9059.58	8530.88	9771.25
3	22		264"(6706mm)	TARA-54S4-L	S	BNNN	7998.86	9258.55	8727.09	9986.78
3	24		270"(6858mm)	TARA-54T0-L	S	BNNN	8178.51	9457.52	8923.30	10202.31
1	10	60"(1524mm)	96"(2438mm)	TARA-6096-L	S	BNNN	\$ 2529.92	\$ 3089.52	\$ 2823.91	\$ 3383.51
1	10		102"(2591mm)	TARA-60A2-L	S	BNNN	2692.80	3271.72	3005.19	3584.11
1	12		108"(2743mm)	TARA-60A8-L	S	BNNN	2855.68	3435.92	3186.47	3784.71
1	12		114"(2896mm)	TARA-60B4-L	S	BNNN	3018.56	3636.12	3367.75	3985.31
1	12		120"(3048mm)	TARA-60C0-L	S	BNNN	3181.44	3818.32	3549.03	4185.91
2	12		126"(3200mm)	TARA-60C6-L	S	BNNN	4387.63	5080.82	4773.62	5466.81
2	12		132"(3353mm)	TARA-60D2-L	S	BNNN	4583.22	5295.73	4987.61	5700.12
2	14		138"(3505mm)	TARA-60D8-L	S	BNNN	4778.81	5510.64	5201.60	5933.43
2	14		144"(3658mm)	TARA-60E4-L	S	BNNN	4974.40	5725.55	5415.59	6166.74
2	14		150"(3810mm)	TARA-60F0-L	S	BNNN	5169.99	5940.46	5629.58	6400.05
2	14		156"(3962mm)	TARA-60F6-L	S	BNNN	5365.58	6155.37	5843.57	6633.36
2	16		162"(4115mm)	TARA-60G2-L	S	BNNN	5561.17	6370.28	6057.56	6866.67
2	16		168"(4267mm)	TARA-60G8-L	S	BNNN	5756.76	6585.19	6271.55	7099.98
2	16		174"(4420mm)	TARA-60H4-L	S	BNNN	5952.35	6800.10	6485.54	7333.29
2	16		180"(4572mm)	TARA-60J0-L	S	BNNN	6147.94	7015.01	6699.53	7566.60
3	16		186"(4724mm)	TARA-60J6-L	S	BNNN	6171.49	7293.53	6741.48	7863.52
3	18		192"(4877mm)	TARA-60K2-L	S	BNNN	6367.08	7508.44	6955.47	8096.83
3	18		198"(5029mm)	TARA-60K8-L	S	BNNN	6562.67	7723.35	7169.46	8330.14
3	18		204"(5182mm)	TARA-60L4-L	S	BNNN	6758.26	7938.26	7383.45	8563.45
3	18		210"(5334mm)	TARA-60M0-L	S	BNNN	6953.85	8153.17	7597.44	8796.76
3	20		216"(5486mm)	TARA-60M6-L	S	BNNN	7149.44	8368.08	7811.43	9030.07
3	20		222"(5639mm)	TARA-60N2-L	S	BNNN	7345.03	8582.99	8025.42	9263.38
3	20		228"(5791mm)	TARA-60N8-L	S	BNNN	7540.62	8797.90	8239.41	9496.69
3	20		234"(5944mm)	TARA-60P4-L	S	BNNN	7736.21	9012.81	8453.40	9730.00
3	20		240"(6096mm)	TARA-60Q0-L	S	BNNN	7931.80	9227.72	8667.39	9963.31
3	22		246"(6248mm)	TARA-60Q6-L	S	BNNN	8127.39	9442.63	8881.38	10196.62
3	22		252"(6401mm)	TARA-60R2-L	S	BNNN	8322.98	9657.54	9095.37	10429.93
3	22		258"(6553mm)	TARA-60R8-L	S	BNNN	8518.57	9872.45	9309.36	10663.24
3	22		264"(6706mm)	TARA-60S4-L	S	BNNN	8714.16	10087.36	9523.35	10896.55
3	24		270"(6858mm)	TARA-60T0-L	S	BNNN	8909.75	10302.27	9737.34	11129.86

*Recommended seating capacity based upon 27"(687mm) per chair.

Planes Conference Table Top

Pebble (for use with Column Base)



TARP
Class TA1

Features

- Includes 1.18"(30mm) thick top(s).
- High-Pressure Laminate Top (HPL) with 3mm edgeband or knife edge. Multiple piece tops are 1mm edgeband at the seams.
- Table top seams are 1mm edgeband.
- Requires separately specified Column Base and J Channels.**
- Optional power modules are separately specified.
- Depth and width shown in nominal dimensions.

Specification Tips

- Multiple piece conference tops have equal sized pieces and are shipped unassembled.
- Conference Top requires separately specified components for Column Base:
 - Column Base Frame
 - Column Base Plate
- Conference Top requires separately specified J Channels for support and load purposes.
- Cutouts are optional. If specified they are factory installed.
- Each cutout requires a separately specified flip top unit electrical module.
- Separately specified Planes grommets are available for field installation.
- For separately specified required components refer to the **Component Specification Overview** located in the front of the price list; see Planes Conference Table Tops (for use with Column Base).

To Order, Specify:

1) Product number, including:

1 Edge Options:

Laminate:

J Edgeband

F Knife

2 Cutout Options:

N No Cutout

F Center, Single-Sided/
4 outlets, see chart for
upcharge

V Left/Right, Single-Sided/
4 outlets, see chart for
upcharge

J Center, Single-Sided/
6 outlets, see chart for
upcharge

K Left/Right, Single-Sided/
6 outlets, see chart for
upcharge

M Center, Double-Sided/
8 outlets, see chart for
upcharge

P Left/Right, Double-Sided/
8 outlets, see chart for
upcharge

Q Center, Double-Sided/
12 outlets, see chart for
upcharge

T Left/Right, Double-Sided/
12 outlets, see chart for
upcharge

2) Laminate surface color.

3) Edgeband trim color.

Cutout Option Upcharges

Cutout	1 Piece	2 Piece	3 Piece
F	\$45.40	\$90.80	\$136.21
V	\$90.80	\$181.61	\$272.41
J	\$45.40	\$90.80	\$136.21
K	\$90.80	\$181.61	\$272.41
M	\$45.40	\$90.80	\$136.21
P	\$90.80	\$181.61	\$272.41
Q	\$45.40	\$90.80	\$136.21
T	\$90.80	\$181.61	\$272.41

Planes Conference Table Top

Pebble (for use with Column Base)

No. of Pieces	Seating Capacity*	Depth	Width	Number	HPL		A		B	
					①	②	J	F	J	F
1	8	42"(1067mm)	96"(2438mm)	TARP-4296-L S BNNN	\$ 1754.36		\$ 2256.00		\$ 1960.03	\$ 2461.67
1	8		102"(2591mm)	TARP-42A2-L S BNNN	1869.42		2390.38		2087.97	2608.93
1	10		108"(2743mm)	TARP-42A8-L S BNNN	1984.48		2524.76		2215.91	2756.19
1	10		114"(2896mm)	TARP-42B4-L S BNNN	2099.54		2659.14		2343.85	2903.45
1	10		120"(3048mm)	TARP-42C0-L S BNNN	2214.60		2793.52		2471.79	3050.71
2	10		126"(3200mm)	TARP-42C6-L S BNNN	3059.02		3694.25		3329.09	3964.32
2	10		132"(3353mm)	TARP-42D2-L S BNNN	3206.79		3861.34		3489.74	4144.29
2	12		138"(3505mm)	TARP-42D8-L S BNNN	3354.56		4028.43		3650.39	4324.26
2	12		144"(3658mm)	TARP-42E4-L S BNNN	3502.33		4195.52		3811.04	4504.23
2	12		150"(3810mm)	TARP-42F0-L S BNNN	3650.10		4362.61		3971.69	4684.20
2	12		156"(3962mm)	TARP-42F6-L S BNNN	3797.87		4529.70		4132.34	4864.17
2	14		162"(4115mm)	TARP-42G2-L S BNNN	3945.64		4696.79		4292.99	5044.14
2	14		168"(4267mm)	TARP-42G8-L S BNNN	4093.41		4863.88		4453.64	5224.11
2	14		174"(4420mm)	TARP-42H4-L S BNNN	4241.18		5030.97		4614.29	5404.08
2	14		180"(4572mm)	TARP-42J0-L S BNNN	4388.95		5198.06		4774.94	5584.05
3	14		186"(4724mm)	TARP-42J6-L S BNNN	4553.05		5428.76		4951.92	5827.63
3	16		192"(4877mm)	TARP-42K2-L S BNNN	4700.82		5595.85		5112.57	6007.60
3	16		198"(5029mm)	TARP-42K8-L S BNNN	4848.59		5762.94		5273.22	6187.57
3	16		204"(5182mm)	TARP-42L4-L S BNNN	4996.36		5930.03		5433.87	6367.54
3	16		210"(5334mm)	TARP-42M0-L S BNNN	5144.13		6097.12		5594.52	6547.51
3	18		216"(5486mm)	TARP-42M6-L S BNNN	5291.90		6264.21		5755.17	6727.48
3	18		222"(5639mm)	TARP-42N2-L S BNNN	5439.67		6431.30		5915.82	6907.45
3	18		228"(5791mm)	TARP-42N8-L S BNNN	5587.44		6598.39		6076.47	7087.42
3	18		234"(5944mm)	TARP-42P4-L S BNNN	5735.21		6765.48		6237.12	7267.39
3	18		240"(6096mm)	TARP-42Q0-L S BNNN	5882.98		6932.57		6397.77	7447.36
3	20		246"(6248mm)	TARP-42Q6-L S BNNN	6030.75		7099.66		6558.42	7627.33
3	20		252"(6401mm)	TARP-42R2-L S BNNN	6178.52		7266.75		6719.07	7807.30
3	20		258"(6553mm)	TARP-42R8-L S BNNN	6326.29		7433.84		6879.72	7987.27
3	20		264"(6706mm)	TARP-42S4-L S BNNN	6474.06		7600.93		7040.37	8167.24
3	22		270"(6858mm)	TARP-42T0-L S BNNN	6621.83		7768.02		7201.02	8347.21
1	8	48"(1219mm)	96"(2438mm)	TARP-4896-L S BNNN	\$ 2012.88		\$ 2533.84		\$ 2247.99	\$ 2768.95
1	8		102"(2591mm)	TARP-48A2-L S BNNN	2143.88		2684.16		2393.71	2933.99
1	10		108"(2743mm)	TARP-48A8-L S BNNN	2274.88		2834.48		2539.43	3099.03
1	10		114"(2896mm)	TARP-48B4-L S BNNN	2405.88		2984.80		2685.15	3264.07
1	10		120"(3048mm)	TARP-48C0-L S BNNN	2536.88		3135.12		2830.87	3429.11
2	10		126"(3200mm)	TARP-48C6-L S BNNN	3501.89		4156.44		3810.60	4465.15
2	10		132"(3353mm)	TARP-48D2-L S BNNN	3665.60		4339.47		3989.03	4662.90
2	12		138"(3505mm)	TARP-48D8-L S BNNN	3829.31		4522.50		4167.46	4860.65
2	12		144"(3658mm)	TARP-48E4-L S BNNN	3993.02		4705.53		4345.89	5058.40
2	12		150"(3810mm)	TARP-48F0-L S BNNN	4156.73		4888.56		4524.32	5256.15
2	12		156"(3962mm)	TARP-48F6-L S BNNN	4320.44		5071.59		4702.75	5453.90
2	14		162"(4115mm)	TARP-48G2-L S BNNN	4484.15		5254.62		4881.18	5651.65
2	14		168"(4267mm)	TARP-48G8-L S BNNN	4647.86		5437.65		5059.61	5849.40
2	14		174"(4420mm)	TARP-48H4-L S BNNN	4811.57		5620.68		5238.04	6047.15
2	14		180"(4572mm)	TARP-48J0-L S BNNN	4975.28		5803.71		5416.47	6244.90
3	14		186"(4724mm)	TARP-48J6-L S BNNN	5155.32		6050.35		5611.23	6506.26
3	16		192"(4877mm)	TARP-48K2-L S BNNN	5319.03		6233.38		5789.66	6704.01
3	16		198"(5029mm)	TARP-48K8-L S BNNN	5482.74		6416.41		5968.09	6901.76
3	16		204"(5182mm)	TARP-48L4-L S BNNN	5646.45		6599.44		6146.52	7099.51
3	16		210"(5334mm)	TARP-48M0-L S BNNN	5810.16		6782.47		6324.95	7297.26
3	18		216"(5486mm)	TARP-48M6-L S BNNN	5973.87		6965.50		6503.38	7495.01
3	18		222"(5639mm)	TARP-48N2-L S BNNN	6137.58		7148.53		6681.81	7692.76
3	18		228"(5791mm)	TARP-48N8-L S BNNN	6301.29		7331.56		6860.24	7890.51
3	18		234"(5944mm)	TARP-48P4-L S BNNN	6465.00		7514.59		7038.67	8088.26
3	18		240"(6096mm)	TARP-48Q0-L S BNNN	6628.71		7697.62		7217.10	8286.01
3	20		246"(6248mm)	TARP-48Q6-L S BNNN	6792.42		7880.65		7395.53	8483.76
3	20		252"(6401mm)	TARP-48R2-L S BNNN	6956.13		8063.68		7573.96	8681.51
3	20		258"(6553mm)	TARP-48R8-L S BNNN	7119.84		8246.71		7752.39	8879.26
3	20		264"(6706mm)	TARP-48S4-L S BNNN	7283.55		8429.74		7930.82	9077.01
3	22		270"(6858mm)	TARP-48T0-L S BNNN	7447.26		8612.77		8109.25	9274.76

*Recommended seating capacity based upon 27"(687mm) per chair.

Planes Conference Table Top


Pebble (for use with Column Base)

No. of Pieces	Seating Capacity*	Depth	Width	Number	HPL		A		B	
					①	②	J	F	J	F
1	10	54"(1372mm)	96"(2438mm)	TARP-5496-L	S	BNNN	\$ 2271.40	\$ 2811.68	\$ 2535.95	\$ 3076.23
1	10		102"(2591mm)	TARP-54A2-L	S	BNNN	2418.34	2977.94	2699.45	3259.05
1	12		108"(2743mm)	TARP-54A8-L	S	BNNN	2565.28	3144.20	2862.95	3441.87
1	12		114"(2896mm)	TARP-54B4-L	S	BNNN	2712.22	3310.46	3026.45	3624.69
1	12		120"(3048mm)	TARP-54C0-L	S	BNNN	2859.16	3476.72	3189.95	3807.51
2	12		126"(3200mm)	TARP-54C6-L	S	BNNN	3944.76	4618.63	4292.11	4965.98
2	12		132"(3353mm)	TARP-54D2-L	S	BNNN	4124.41	4817.60	4488.32	5181.51
2	14		138"(3505mm)	TARP-54D8-L	S	BNNN	4304.06	5016.57	4684.53	5397.04
2	14		144"(3658mm)	TARP-54E4-L	S	BNNN	4483.71	5215.54	4880.74	5612.57
2	14		150"(3810mm)	TARP-54F0-L	S	BNNN	4663.36	5414.51	5076.95	5828.10
2	14		156"(3962mm)	TARP-54F6-L	S	BNNN	4843.01	5613.48	5273.16	6043.63
2	16		162"(4115mm)	TARP-54G2-L	S	BNNN	5022.66	5812.45	5469.37	6259.16
2	16		168"(4267mm)	TARP-54G8-L	S	BNNN	5202.31	6011.42	5665.58	6474.69
2	16		174"(4420mm)	TARP-54H4-L	S	BNNN	5381.96	6210.39	5861.79	6690.22
2	16		180"(4572mm)	TARP-54J0-L	S	BNNN	5561.61	6409.36	6058.00	6905.75
3	16		186"(4724mm)	TARP-54J6-L	S	BNNN	5663.41	6671.94	6176.36	7184.89
3	18		192"(4877mm)	TARP-54K2-L	S	BNNN	5843.06	6870.91	6372.57	7400.42
3	18		198"(5029mm)	TARP-54K8-L	S	BNNN	6022.71	7069.88	6568.78	7615.95
3	18		204"(5182mm)	TARP-54L4-L	S	BNNN	6202.36	7268.85	6764.99	7831.48
3	18		210"(5334mm)	TARP-54M0-L	S	BNNN	6382.01	7467.82	6961.20	8047.01
3	20		216"(5486mm)	TARP-54M6-L	S	BNNN	6561.66	7666.79	7157.41	8262.54
3	20		222"(5639mm)	TARP-54N2-L	S	BNNN	6741.31	7865.76	7353.62	8478.07
3	20		228"(5791mm)	TARP-54N8-L	S	BNNN	6920.96	8064.73	7549.83	8693.60
3	20		234"(5944mm)	TARP-54P4-L	S	BNNN	7100.61	8263.70	7746.04	8909.13
3	20		240"(6096mm)	TARP-54Q0-L	S	BNNN	7280.26	8462.67	7942.25	9124.66
3	22		246"(6248mm)	TARP-54Q6-L	S	BNNN	7459.91	8661.64	8138.46	9340.19
3	22		252"(6401mm)	TARP-54R2-L	S	BNNN	7639.56	8860.61	8334.67	9555.72
3	22		258"(6553mm)	TARP-54R8-L	S	BNNN	7819.21	9059.58	8530.88	9771.25
3	22		264"(6706mm)	TARP-54S4-L	S	BNNN	7998.86	9258.55	8727.09	9986.78
3	24		270"(6858mm)	TARP-54T0-L	S	BNNN	8178.51	9457.52	8923.30	10202.31
1	10	60"(1524mm)	96"(2438mm)	TARP-6096-L	S	BNNN	\$ 2529.92	\$ 3089.52	\$ 2823.91	\$ 3383.51
1	10		102"(2591mm)	TARP-60A2-L	S	BNNN	2692.80	3271.72	3005.19	3584.11
1	12		108"(2743mm)	TARP-60A8-L	S	BNNN	2855.68	3453.92	3186.47	3784.71
1	12		114"(2896mm)	TARP-60B4-L	S	BNNN	3018.56	3636.12	3367.75	3985.31
1	12		120"(3048mm)	TARP-60C0-L	S	BNNN	3181.44	3818.32	3549.03	4185.91
2	12		126"(3200mm)	TARP-60C6-L	S	BNNN	4387.63	5080.82	4773.62	5466.81
2	12		132"(3353mm)	TARP-60D2-L	S	BNNN	4583.22	5295.73	4987.61	5700.12
2	14		138"(3505mm)	TARP-60D8-L	S	BNNN	4778.81	5510.64	5201.60	5933.43
2	14		144"(3658mm)	TARP-60E4-L	S	BNNN	4974.40	5725.55	5415.59	6166.74
2	14		150"(3810mm)	TARP-60F0-L	S	BNNN	5169.99	5940.46	5629.58	6400.05
2	14		156"(3962mm)	TARP-60F6-L	S	BNNN	5365.58	6155.37	5843.57	6633.36
2	16		162"(4115mm)	TARP-60G2-L	S	BNNN	5561.17	6370.28	6057.56	6866.67
2	16		168"(4267mm)	TARP-60G8-L	S	BNNN	5756.76	6585.19	6271.55	7099.98
2	16		174"(4420mm)	TARP-60H4-L	S	BNNN	5952.35	6800.10	6485.54	7333.29
2	16		180"(4572mm)	TARP-60J0-L	S	BNNN	6147.94	7015.01	6699.53	7566.60
3	16		186"(4724mm)	TARP-60J6-L	S	BNNN	6171.49	7293.53	6741.48	7863.52
3	18		192"(4877mm)	TARP-60K2-L	S	BNNN	6367.08	7508.44	6955.47	8096.83
3	18		198"(5029mm)	TARP-60K8-L	S	BNNN	6562.67	7723.35	7169.46	8330.14
3	18		204"(5182mm)	TARP-60L4-L	S	BNNN	6758.26	7938.26	7383.45	8563.45
3	18		210"(5334mm)	TARP-60M0-L	S	BNNN	6953.85	8153.17	7597.44	8796.76
3	20		216"(5486mm)	TARP-60M6-L	S	BNNN	7149.44	8368.08	7811.43	9030.07
3	20		222"(5639mm)	TARP-60N2-L	S	BNNN	7345.03	8582.99	8025.42	9263.38
3	20		228"(5791mm)	TARP-60N8-L	S	BNNN	7540.62	8797.90	8239.41	9496.69
3	20		234"(5944mm)	TARP-60P4-L	S	BNNN	7736.21	9012.81	8453.40	9730.00
3	20		240"(6096mm)	TARP-60Q0-L	S	BNNN	7931.80	9227.72	8667.39	9963.31
3	22		246"(6248mm)	TARP-60Q6-L	S	BNNN	8127.39	9442.63	8881.38	10196.62
3	22		252"(6401mm)	TARP-60R2-L	S	BNNN	8322.98	9657.54	9095.37	10429.93
3	22		258"(6553mm)	TARP-60R8-L	S	BNNN	8518.57	9872.45	9309.36	10663.24
3	22		264"(6706mm)	TARP-60S4-L	S	BNNN	8714.16	10087.36	9523.35	10896.55
3	24		270"(6858mm)	TARP-60T0-L	S	BNNN	8909.75	10302.27	9737.34	11129.86

*Recommended seating capacity based upon 27"(687mm) per chair.

Planes Conference Table Top

Hexagon (for use with Column Base)



TARX
Class TA1

Features

- Includes 1.18"(30mm) thick top(s).
- High-Pressure Laminate Top (HPL) with 3mm edgeband or knife edge. Multiple piece tops are 1mm edgeband at the seams.
- Table top seams are 1mm edgeband.
- Requires separately specified Column Base and J Channels.**
- Optional power modules are separately specified.
- Depth and width shown in nominal dimensions.

Specification Tips

- Multiple piece conference tops have equal sized pieces and are shipped unassembled.
- Conference Top requires separately specified components for Column Base:
 - Column Base
 - Column Base Plate
- Conference Top requires separately specified J Channels for support and load purposes.
- Cutouts are optional. If specified they are factory installed.
- Each cutout requires a separately specified flip top unit electrical module.
- Separately specified Planes grommets are available for field installation.
- For separately specified required components refer to the **Component Specification Overview** located in the front of the price list; see Planes Conference Table Tops (for use with Column Base).

To Order, Specify:

1) Product number, including:

1 Edge Options:

Laminate:

J Edgeband

F Knife

2 Cutout Options:

N No Cutout

F Center, Single-Sided/
4 outlets, see chart for
upcharge

V Left/Right, Single-Sided/
4 outlets, see chart for
upcharge

J Center, Single-Sided/
6 outlets, see chart for
upcharge

K Left/Right, Single-Sided/
6 outlets, see chart for
upcharge

M Center, Double-Sided/
8 outlets, see chart for
upcharge

P Left/Right, Double-Sided/
8 outlets, see chart for
upcharge

Q Center, Double-Sided/
12 outlets, see chart for
upcharge

T Left/Right, Double-Sided/
12 outlets, see chart for
upcharge

2) Laminate surface color.

3) Edgeband trim color.

Cutout Option Upcharges

Cutout	1 Piece	2 Piece	3 Piece
F	\$45.40	\$90.80	\$136.21
V	\$90.80	\$181.51	\$272.41
J	\$45.40	\$90.80	\$136.21
K	\$90.80	\$181.61	\$272.41
M	\$45.40	\$90.80	\$136.21
P	\$90.80	\$181.51	\$272.41
Q	\$45.40	\$90.80	\$136.21
T	\$90.80	\$181.61	\$272.41

Planes Conference Table Top

Hexagon (for use with Column Base)

No. of Pieces	Seating Capacity*	Depth	Width	Number	HPL		A		B	
					①	②	J	F	J	F
1	8	42"(1067mm)	96"(2438mm)	TARX-4296-L	S	BNNN	\$ 1754.36	\$ 2256.00	\$ 1960.03	\$ 2461.67
1	8		102"(2591mm)	TARX-42A2-L	S	BNNN	1869.42	2390.38	2087.97	2608.93
1	10		108"(2743mm)	TARX-42A8-L	S	BNNN	1984.48	2524.76	2215.91	2756.19
1	10		114"(2896mm)	TARX-42B4-L	S	BNNN	2099.54	2659.14	2343.85	2903.45
1	10		120"(3048mm)	TARX-42C0-L	S	BNNN	2214.60	2793.52	2471.79	3050.71
2	10		126"(3200mm)	TARX-42C6-L	S	BNNN	3059.02	3694.25	3329.09	3964.32
2	10		132"(3353mm)	TARX-42D2-L	S	BNNN	3206.79	3861.34	3489.74	4144.29
2	12		138"(3505mm)	TARX-42D8-L	S	BNNN	3354.56	4028.43	3650.39	4324.26
2	12		144"(3658mm)	TARX-42E4-L	S	BNNN	3502.33	4195.52	3811.04	4504.23
2	12		150"(3810mm)	TARX-42F0-L	S	BNNN	3650.10	4362.61	3971.69	4684.20
2	12		156"(3962mm)	TARX-42F6-L	S	BNNN	3797.87	4529.70	4132.34	4864.17
2	14		162"(4115mm)	TARX-42G2-L	S	BNNN	3945.64	4696.79	4292.99	5044.14
2	14		168"(4267mm)	TARX-42G8-L	S	BNNN	4093.41	4863.88	4453.64	5224.11
2	14		174"(4420mm)	TARX-42H4-L	S	BNNN	4241.18	5030.97	4614.29	5404.08
2	14		180"(4572mm)	TARX-42J0-L	S	BNNN	4388.95	5198.06	4774.94	5584.05
3	14		186"(4724mm)	TARX-42J6-L	S	BNNN	4553.05	5428.76	4951.92	5827.63
3	16		192"(4877mm)	TARX-42K2-L	S	BNNN	4700.82	5595.85	5112.57	6007.60
3	16		198"(5029mm)	TARX-42K8-L	S	BNNN	4848.59	5762.94	5273.22	6187.57
3	16		204"(5182mm)	TARX-42L4-L	S	BNNN	4996.36	5930.03	5433.87	6367.54
3	16		210"(5334mm)	TARX-42M0-L	S	BNNN	5144.13	6097.12	5594.52	6547.51
3	18		216"(5486mm)	TARX-42M6-L	S	BNNN	5291.90	6264.21	5755.17	6727.48
3	18		222"(5639mm)	TARX-42N2-L	S	BNNN	5439.67	6431.30	5915.82	6907.45
3	18		228"(5791mm)	TARX-42N8-L	S	BNNN	5587.44	6598.39	6076.47	7087.42
3	18		234"(5944mm)	TARX-42P4-L	S	BNNN	5735.21	6765.48	6237.12	7267.39
3	18		240"(6096mm)	TARX-42Q0-L	S	BNNN	5882.98	6932.57	6397.77	7447.36
3	20		246"(6248mm)	TARX-42Q6-L	S	BNNN	6030.75	7099.66	6558.42	7627.33
3	20		252"(6401mm)	TARX-42R2-L	S	BNNN	6178.52	7266.75	6719.07	7807.30
3	20		258"(6553mm)	TARX-42R8-L	S	BNNN	6326.29	7433.84	6879.72	7987.27
3	20		264"(6706mm)	TARX-42S4-L	S	BNNN	6474.06	7600.93	7040.37	8167.24
3	22		270"(6858mm)	TARX-42T0-L	S	BNNN	6621.83	7768.02	7201.02	8347.21
1	8	48"(1219mm)	96"(2438mm)	TARX-4896-L	S	BNNN	\$ 2012.88	\$ 2533.84	\$ 2247.99	\$ 2768.95
1	8		102"(2591mm)	TARX-48A2-L	S	BNNN	2143.88	2684.16	2393.71	2933.99
1	10		108"(2743mm)	TARX-48A8-L	S	BNNN	2274.88	2834.48	2539.43	3099.03
1	10		114"(2896mm)	TARX-48B4-L	S	BNNN	2405.88	2984.80	2685.15	3264.07
1	10		120"(3048mm)	TARX-48C0-L	S	BNNN	2536.88	3135.12	2830.87	3429.11
2	10		126"(3200mm)	TARX-48C6-L	S	BNNN	3501.89	4156.44	3810.60	4465.15
2	10		132"(3353mm)	TARX-48D2-L	S	BNNN	3665.60	4339.47	3989.03	4662.90
2	12		138"(3505mm)	TARX-48D8-L	S	BNNN	3829.31	4522.50	4167.46	4860.65
2	12		144"(3658mm)	TARX-48E4-L	S	BNNN	3993.02	4705.53	4345.89	5058.40
2	12		150"(3810mm)	TARX-48F0-L	S	BNNN	4156.73	4888.56	4524.32	5256.15
2	12		156"(3962mm)	TARX-48F6-L	S	BNNN	4320.44	5071.59	4702.75	5453.90
2	14		162"(4115mm)	TARX-48G2-L	S	BNNN	4484.15	5254.62	4881.18	5651.65
2	14		168"(4267mm)	TARX-48G8-L	S	BNNN	4647.86	5437.65	5059.61	5849.40
2	14		174"(4420mm)	TARX-48H4-L	S	BNNN	4811.57	5620.68	5238.04	6047.15
2	14		180"(4572mm)	TARX-48J0-L	S	BNNN	4975.28	5803.71	5416.47	6244.90
3	14		186"(4724mm)	TARX-48J6-L	S	BNNN	5155.32	6050.35	5611.23	6506.26
3	16		192"(4877mm)	TARX-48K2-L	S	BNNN	5319.03	6233.38	5789.66	6704.01
3	16		198"(5029mm)	TARX-48K8-L	S	BNNN	5482.74	6416.41	5968.09	6901.76
3	16		204"(5182mm)	TARX-48L4-L	S	BNNN	5646.45	6599.44	6146.52	7099.51
3	16		210"(5334mm)	TARX-48M0-L	S	BNNN	5810.16	6782.47	6324.95	7297.26
3	18		216"(5486mm)	TARX-48M6-L	S	BNNN	5973.87	6965.50	6503.38	7495.01
3	18		222"(5639mm)	TARX-48N2-L	S	BNNN	6137.58	7148.53	6681.81	7692.76
3	18		228"(5791mm)	TARX-48N8-L	S	BNNN	6301.29	7331.56	6860.24	7890.51
3	18		234"(5944mm)	TARX-48P4-L	S	BNNN	6465.00	7514.59	7038.67	8088.26
3	18		240"(6096mm)	TARX-48Q0-L	S	BNNN	6628.71	7697.62	7217.10	8286.01
3	20		246"(6248mm)	TARX-48Q6-L	S	BNNN	6792.42	7880.65	7395.53	8483.76
3	20		252"(6401mm)	TARX-48R2-L	S	BNNN	6956.13	8063.68	7573.96	8681.51
3	20		258"(6553mm)	TARX-48R8-L	S	BNNN	7119.84	8246.71	7752.39	8879.26
3	20		264"(6706mm)	TARX-48S4-L	S	BNNN	7283.55	8429.74	7930.82	9077.01
3	22		270"(6858mm)	TARX-48T0-L	S	BNNN	7447.26	8612.77	8109.25	9274.76

*Recommended seating capacity based upon 27"(687mm) per chair.

Planes Conference Table Top


Hexagon (for use with Column Base)

No. of Pieces	Seating Capacity*	Depth	Width	Number	HPL		A		B	
					①	②	J	F	J	F
1	10	54"(1372mm)	96"(2438mm)	TARX-5496-L	S	BNNN	\$ 2271.40	\$ 2811.68	\$ 2535.95	\$ 3076.23
1	10		102"(2591mm)	TARX-54A2-L	S	BNNN	2418.34	2977.94	2699.45	3259.05
1	12		108"(2743mm)	TARX-54A8-L	S	BNNN	2565.28	3144.20	2862.95	3441.87
1	12		114"(2896mm)	TARX-54B4-L	S	BNNN	2712.22	3310.46	3026.45	3624.69
1	12		120"(3048mm)	TARX-54C0-L	S	BNNN	2859.16	3476.72	3189.95	3807.51
2	12		126"(3200mm)	TARX-54C6-L	S	BNNN	3944.76	4618.63	4292.11	4965.98
2	12		132"(3353mm)	TARX-54D2-L	S	BNNN	4124.41	4817.60	4488.32	5181.51
2	12		138"(3505mm)	TARX-54D8-L	S	BNNN	4304.06	5016.57	4684.53	5397.04
2	14		144"(3658mm)	TARX-54E4-L	S	BNNN	4483.71	5215.54	4880.74	5612.57
2	14		150"(3810mm)	TARX-54F0-L	S	BNNN	4663.36	5414.51	5076.95	5828.10
2	14		156"(3962mm)	TARX-54F6-L	S	BNNN	4843.01	5613.48	5273.16	6043.63
2	16		162"(4115mm)	TARX-54G2-L	S	BNNN	5022.66	5812.45	5469.37	6259.16
2	16		168"(4267mm)	TARX-54G8-L	S	BNNN	5202.31	6011.42	5665.58	6474.69
2	16		174"(4420mm)	TARX-54H4-L	S	BNNN	5381.96	6210.39	5861.79	6690.22
2	16		180"(4572mm)	TARX-54J0-L	S	BNNN	5561.61	6409.36	6058.00	6905.75
3	16		186"(4724mm)	TARX-54J6-L	S	BNNN	5663.41	6671.94	6176.36	7184.89
3	18		192"(4877mm)	TARX-54K2-L	S	BNNN	5843.06	6870.91	6372.57	7400.42
3	18		198"(5029mm)	TARX-54K8-L	S	BNNN	6022.71	7069.88	6568.78	7615.95
3	18		204"(5182mm)	TARX-54L4-L	S	BNNN	6202.36	7268.85	6764.99	7831.48
3	18		210"(5334mm)	TARX-54M0-L	S	BNNN	6382.01	7467.82	6961.20	8047.01
3	20		216"(5486mm)	TARX-54M6-L	S	BNNN	6561.66	7666.79	7157.41	8262.54
3	20		222"(5639mm)	TARX-54N2-L	S	BNNN	6741.31	7865.76	7353.62	8478.07
3	20		228"(5791mm)	TARX-54N8-L	S	BNNN	6920.96	8064.73	7549.83	8693.60
3	20		234"(5944mm)	TARX-54P4-L	S	BNNN	7100.61	8263.70	7746.04	8909.13
3	20		240"(6096mm)	TARX-54Q0-L	S	BNNN	7280.26	8462.67	7942.25	9124.66
3	22		246"(6248mm)	TARX-54Q6-L	S	BNNN	7459.91	8661.64	8138.46	9340.19
3	22		252"(6401mm)	TARX-54R2-L	S	BNNN	7639.56	8860.61	8334.67	9555.72
3	22		258"(6553mm)	TARX-54R8-L	S	BNNN	7819.21	9059.58	8530.88	9771.25
3	22		264"(6706mm)	TARX-54S4-L	S	BNNN	7998.86	9258.55	8727.09	9986.78
3	24		270"(6858mm)	TARX-54T0-L	S	BNNN	8178.51	9457.52	8923.30	10202.31
1	10	60"(1524mm)	96"(2438mm)	TARX-6096-L	S	BNNN	\$ 2529.92	\$ 3089.52	\$ 2823.91	\$ 3383.51
1	10		102"(2591mm)	TARX-60A2-L	S	BNNN	2692.80	3271.72	3005.19	3584.11
1	12		108"(2743mm)	TARX-60A8-L	S	BNNN	2855.68	3435.92	3186.47	3784.71
1	12		114"(2896mm)	TARX-60B4-L	S	BNNN	3018.56	3636.12	3367.75	3985.31
1	12		120"(3048mm)	TARX-60C0-L	S	BNNN	3181.44	3818.32	3549.03	4185.91
2	12		126"(3200mm)	TARX-60C6-L	S	BNNN	4387.63	5080.82	4773.62	5466.81
2	12		132"(3353mm)	TARX-60D2-L	S	BNNN	4583.22	5295.73	4987.61	5700.12
2	14		138"(3505mm)	TARX-60D8-L	S	BNNN	4778.81	5510.64	5201.60	5933.43
2	14		144"(3658mm)	TARX-60E4-L	S	BNNN	4974.40	5725.55	5415.59	6166.74
2	14		150"(3810mm)	TARX-60F0-L	S	BNNN	5169.99	5940.46	5629.58	6400.05
2	14		156"(3962mm)	TARX-60F6-L	S	BNNN	5365.58	6155.37	5843.57	6633.36
2	16		162"(4115mm)	TARX-60G2-L	S	BNNN	5561.17	6370.28	6057.56	6866.67
2	16		168"(4267mm)	TARX-60G8-L	S	BNNN	5756.76	6585.19	6271.55	7099.98
2	16		174"(4420mm)	TARX-60H4-L	S	BNNN	5952.35	6800.10	6485.54	7333.29
2	16		180"(4572mm)	TARX-60J0-L	S	BNNN	6147.94	7015.01	6699.53	7566.60
3	16		186"(4724mm)	TARX-60J6-L	S	BNNN	6171.49	7293.53	6741.48	7863.52
3	18		192"(4877mm)	TARX-60K2-L	S	BNNN	6367.08	7508.44	6955.47	8096.83
3	18		198"(5029mm)	TARX-60K8-L	S	BNNN	6562.67	7723.35	7169.46	8330.14
3	18		204"(5182mm)	TARX-60L4-L	S	BNNN	6758.26	7938.26	7383.45	8563.45
3	18		210"(5334mm)	TARX-60M0-L	S	BNNN	6953.85	8153.17	7597.44	8796.76
3	20		216"(5486mm)	TARX-60M6-L	S	BNNN	7149.44	8368.08	7811.43	9030.07
3	20		222"(5639mm)	TARX-60N2-L	S	BNNN	7345.03	8582.99	8025.42	9263.38
3	20		228"(5791mm)	TARX-60N8-L	S	BNNN	7540.62	8797.90	8239.41	9496.69
3	20		234"(5944mm)	TARX-60P4-L	S	BNNN	7736.21	9012.81	8453.40	9730.00
3	20		240"(6096mm)	TARX-60Q0-L	S	BNNN	7931.80	9227.72	8667.39	9963.31
3	22		246"(6248mm)	TARX-60Q6-L	S	BNNN	8127.39	9442.63	8881.38	10196.62
3	22		252"(6401mm)	TARX-60R2-L	S	BNNN	8322.98	9657.54	9095.37	10429.93
3	22		258"(6553mm)	TARX-60R8-L	S	BNNN	8518.57	9872.45	9309.36	10663.24
3	22		264"(6706mm)	TARX-60S4-L	S	BNNN	8714.16	10087.36	9523.35	10896.55
3	24		270"(6858mm)	TARX-60T0-L	S	BNNN	8909.75	10302.27	9737.34	11129.86

*Recommended seating capacity based upon 27"(687mm) per chair.


Planes Conference End Supported Top

Catalog Logic



Planes End Supported Top with Column Base Component Specification Overview

The outboard end of an End Supported Top requires a column base for floor support and the opposite end requires brackets for attachment to a structural wall, Compose or Enclose panel. See below for required component specification.



End Supported Top

- Always a 1-piece top.
-Requires one column base for floor support and brackets for attachment to a structural building wall, Compose or Enclose panel.

Floor Support: Column Base

Each Column Base requires separately specified components: **Column Frame and Cladding. The Column Base Plate is optional.**

Column Base Frames

- Column Base Frames are square and include cladding. Available in two widths: 9"(229mm) and 12"(305mm), and in three heights: 26"(660mm) for lounge height, 28"(711mm) for seated height, and 40"(1016mm) for standing height. Cladding shapes can be round or flat. Round Cladding is only available painted, while Flat Cladding can be High Pressure Laminate (HPL), or made of wood. Column Base Frame is available painted without cladding.
-The table top width and the number of pieces determine the quantity of column base frames needed. **Refer to Matrix-A for details.**
-The table top depth determines the column base frame size, either 9" (229mm) or 12" (305mm) square. **Refer to Matrix-B for details.**

Column Base Plate - Optional

- Column Base Plate is an optional component for an End Support Top.** (Note: Required for a Conference Table with Column Base)
- Round or Square Column Base Plates are available in four sizes: 21"(533mm), 24"(610mm), 27"(686mm) and 30"(762mm).
-The column base plate size is specific to the column frame size of 9"(229mm) or 12"(305mm); specify accordingly.
-The column frame width and the table top depth dictate the size of the column base plate. **Refer to Matrix-A for details.**

MATRIX - A

Column Base Frame Quantity & J Channel Quantity and Size - Specification Matrix					
Table Depth	9"(229mm) x 9"(229mm) Column Base Frame		12"(305mm) x 12"(305mm) Column Base Frame		
	21"(533mm) Base Plate (Round or Square)	24"(610mm) Base Plate (Round or Square)	24"(610mm) Base Plate (Round or Square)	27"(686mm) Base Plate (Round or Square)	30"(762mm) Base Plate (Round or Square)
36"(914mm)	✓	✓	✓	✓	✓
42"(1067mm)		✓	✓	✓	✓
48"(1219mm)				✓	✓
54"(1372mm)				✓	✓
60"(1524mm)				✓	✓

Planes End Supported Top with Column Base

Component Specification Overview

Attached End: Bracket Options

- The attached end of the End Supported Top requires separately specified attachment brackets for a structural building wall, Compose or Enclose panel.

Specify the appropriate type of attachment bracket and quantity per End Supported Top application. See below for options:

Structural Building Wall Application

- Specify the required quantity to accommodate the depth of the End Supported Top.


Wall Mount Bracket

Bracket Quantity	
Depth of End Supported Top	Number of Brackets Required
36"(914mm)-42"(1067mm)	Quantity: (2)
48"(1219mm)-60"(1524mm)	Quantity: (3)

Compose and/or Enclose Panel Application


- Specify the appropriate side/corner bracket per worktop edge option. One left- and one right-hand bracket is required per Compose or Enclose panel for an attached End Supported Top.

For use with Edgeband trim:



Side/Corner Bracket


For use with Cascade, T-Mold and Knife edge trim options:



Side Bracket for use with Knife Edge

Planes End Supported Top

D-Shape Convergent (for use with Column Base)



TARD
Class TA1

Features

- Includes 1.18"(30mm) thick top.
- High-Pressure Laminate (HPL) top with knife edge or 3mm edgeband edges. Edgeband tops are 3mm on user edge and 1mm on end supported edge.
- Requires separately specified Column Base for one end and support brackets for opposite end.**
- Optional power modules are separately specified.
- Depth and width shown in nominal dimensions.

Specification Tips

- Each end of top requires separate support components:
One end of top requires separately specified components for Column Base:
–Column Base Frame
–Optional Column Base Plate
- Opposite End of top requires support brackets for attachment to the building wall or support brackets for Enclose or Compose.**
- Does not require J Channels.
- Cutouts are optional. If specified they are factory installed.
- Each cutout requires a separately specified Flip Top Unit Power Module or Flush Mount Power Module with Sliding Door (Accessories Price List).
- Separately specified Planes grommets are available for field installation.
- For separately specified required components refer to the **Component Specification Overview** located in the front of the price list; see Planes End Supported Tops (for use with Column Base).

To Order, Specify:

- 1) Product number, including:

① Edge Options:

HPL:

- J** Edgeband
F Knife

② Cutout Options:

- N** No Cutout
F Center, Single-Sided/
4 outlets (add **\$45.40** list)
J Center, Single-Sided/
6 outlets (add **\$45.40** list)
M Center, Double-Sided/
8 outlets (add **\$45.40** list)
Q Center, Double-Sided/
12 outlets (add **\$45.40** list)

- 2) Laminate surface color.


- 3) Edge trim color.

Depth	Width	Number	① ②		HPL			
			A	J	F	B	J	
42"(1067mm)	48"(1219mm)	TARD-4248-L	S	BNNN	\$ 833.87	\$ 1180.95	\$ 940.18	\$ 1287.26
	54"(1372mm)	TARD-4254-L	S	BNNN	948.93	1315.33	1068.12	1434.52
	60"(1524mm)	TARD-4260-L	S	BNNN	1063.99	1449.71	1196.06	1581.78
	66"(1676mm)	TARD-4266-L	S	BNNN	1179.05	1584.09	1324.00	1729.04
	72"(1829mm)	TARD-4272-L	S	BNNN	1294.11	1718.47	1451.94	1876.30
48"(1219mm)	48"(1219mm)	TARD-4848-L	S	BNNN	\$ 964.87	\$ 1331.27	\$ 1085.90	\$ 1452.30
	54"(1372mm)	TARD-4854-L	S	BNNN	1095.87	1481.59	1231.62	1617.34
	60"(1524mm)	TARD-4860-L	S	BNNN	1226.87	1631.91	1377.34	1782.38
	66"(1676mm)	TARD-4866-L	S	BNNN	1357.87	1782.23	1523.06	1947.42
	72"(1829mm)	TARD-4872-L	S	BNNN	1488.87	1932.55	1668.78	2112.46
54"(1372mm)	54"(1372mm)	TARD-5454-L	S	BNNN	\$ 1242.81	\$ 1647.85	\$ 1395.12	\$ 1800.16
	60"(1524mm)	TARD-5460-L	S	BNNN	1389.75	1814.11	1558.62	1982.98
	66"(1676mm)	TARD-5466-L	S	BNNN	1536.69	1980.37	1722.12	2165.80
	72"(1829mm)	TARD-5472-L	S	BNNN	1683.63	2146.63	1885.62	2348.62
60"(1524mm)	60"(1524mm)	TARD-6060-L	S	BNNN	\$ 1552.63	\$ 1996.31	\$ 1739.90	\$ 2183.58
	66"(1676mm)	TARD-6066-L	S	BNNN	1715.51	2178.51	1921.18	2384.18
	72"(1829mm)	TARD-6072-L	S	BNNN	1878.39	2360.71	2102.46	2584.78
	78"(1981mm)	TARD-6078-L	S	BNNN	2041.27	2542.91	2283.74	2785.38
	84"(2134mm)	TARD-6084-L	S	BNNN	2204.15	2725.11	2465.02	2985.98

*Recommended seating capacity based upon 27"(686mm) per chair.

Planes End Supported Top

Rectangular Conference End (for use with Column Base)



TARU
Class TA1

Features

- Includes 1.18"(30mm) thick top.
- High-Pressure Laminate (HPL) top with knife edge or 3mm edgeband edges. Edgeband tops are 3mm on user edge and 1mm on end supported edge.
- Requires separately specified Column Base for one end and support brackets for opposite end.**
- Optional power modules are separately specified.
- Depth and width shown in nominal dimensions.

Specification Tips

- Each end of top requires separate support components:
One end of top requires separately specified components for Column Base:
–Column Base
–Optional Column Base Plate
- Opposite End of top requires support brackets for attachment to the building wall or support brackets for Enclose or Compose.**
- Does not require J Channels.
- Cutouts are optional. If specified they are factory installed.
- Each cutout requires a separately specified Flip Top Unit Power Module or Flush Mount Power Module with Sliding Door (Accessories Price List).
- Separately specified Planes grommets are available for field installation.
- For separately specified required components refer to the **Component Specification Overview** located in the front of the price list; see Planes End Supported Tops (for use with Column Base).

To Order, Specify:

- 1) Product number, including:

1 Edge Options:

HPL:

J Edgeband

F Knife

2 Cutout Options:

N No Cutout

F Center, Single-Sided/
4 outlets (add **\$45.40** list)

J Center, Single-Sided/
6 outlets (add **\$45.40** list)

M Center, Double-Sided/
8 outlets (add **\$45.40** list)

Q Center, Double-Sided/
12 outlets (add **\$45.40** list)

- 2) Laminate surface color.


- 3) Edge trim color.

Legs	Width	Number	HPL		B	J	F
			A	J			
36"(914mm)	48"(1219mm)	TARU-3648-L S BNNN	\$ 702.87	\$ 1030.63	\$ 794.46	\$ 1122.22	
	54"(1372mm)	TARU-3654-L S BNNN	801.99	1149.07			904.62 1251.70
	60"(1524mm)	TARU-3660-L S BNNN	901.11	1267.51			1014.78 1381.18
	66"(1676mm)	TARU-3666-L S BNNN	1000.23	1385.95			1124.94 1510.66
	72"(1829mm)	TARU-3672-L S BNNN	1099.35	1504.39			1235.10 1640.14
42"(1067mm)	48"(1219mm)	TARU-4248-L S BNNN	\$ 833.87	\$ 1180.95	\$ 940.18	\$ 1287.26	
	54"(1372mm)	TARU-4254-L S BNNN	948.93	1315.33			1068.12 1434.52
	60"(1524mm)	TARU-4260-L S BNNN	1063.99	1449.71			1196.06 1581.78
	66"(1676mm)	TARU-4266-L S BNNN	1179.05	1584.09			1324.00 1729.04
	72"(1829mm)	TARU-4272-L S BNNN	1294.11	1718.47			1451.94 1876.30
48"(1219mm)	48"(1219mm)	TARU-4848-L S BNNN	\$ 964.87	\$ 1331.27	\$ 1085.90	\$ 1452.30	
	54"(1372mm)	TARU-4854-L S BNNN	1095.87	1481.59			1231.62 1617.34
	60"(1524mm)	TARU-4860-L S BNNN	1226.87	1631.91			1377.34 1782.38
	66"(1676mm)	TARU-4866-L S BNNN	1357.87	1782.23			1523.06 1947.42
	72"(1829mm)	TARU-4872-L S BNNN	1488.87	1932.55			1668.78 2112.46
54"(1372mm)	54"(1372mm)	TARU-5454-L S BNNN	\$ 1242.81	\$ 1647.85	\$ 1395.12	\$ 1800.16	
	60"(1524mm)	TARU-5460-L S BNNN	1389.75	1814.11			1558.62 1982.98
	66"(1676mm)	TARU-5466-L S BNNN	1536.69	1980.37			1722.12 2165.80
	72"(1829mm)	TARU-5472-L S BNNN	1683.63	2146.63			1885.62 2348.62
60"(1524mm)	60"(1524mm)	TARU-6060-L S BNNN	\$ 1552.63	\$ 1996.31	\$ 1739.90	\$ 2183.58	
	66"(1676mm)	TARU-6066-L S BNNN	1715.51	2178.51			1921.18 2384.18
	72"(1829mm)	TARU-6072-L S BNNN	1878.39	2360.71			2102.46 2584.78
	78"(1981mm)	TARU-6078-L S BNNN	2041.27	2542.91			2283.74 2785.38
	84"(2134mm)	TARU-6084-L S BNNN	2204.15	2725.11			2465.02 2985.98

*Recommended seating capacity based upon 27"(686mm) per chair.

Planes End Supported Top

Key Conference (for use with Column Base)



TARY
Class TA1

Features

- Includes 1.18"(30mm) thick top.
- High-Pressure Laminate (HPL) top with knife edge or 3mm edgeband edges. Edgeband tops are 3mm on user edge and 1mm on end supported edge.
- Requires separately specified Column Base for one end and support brackets for opposite end.**
- Optional power modules are separately specified.
- Depth and width shown in nominal dimensions.

Specification Tips

- Each end of top requires separate support components:
One end of top requires separately specified components for Column Base:
–Column Base
–Optional Column Base Plate
- Opposite End of top requires support brackets for attachment to the building wall or support brackets for Enclose or Compose.**
- Does not require J Channels.
- Cutouts are optional. If specified they are factory installed.
- Each cutout requires a separately specified Flip Top Unit Power Module or Flush Mount Power Module with Sliding Door (Accessories Price List).
- Separately specified Planes grommets are available for field installation.
- For separately specified required components refer to the **Component Specification Overview** located in the front of the price list; see Planes End Supported Tops (for use with Column Base).

To Order, Specify:

1) Product number, including:

① Edge Options:

HPL:

- J** Edgeband
F Knife

② Cutout Options:

- N** No Cutout
F Center, Single-Sided/
4 outlets (add **\$45.40** list)
J Center, Single-Sided/
6 outlets (add **\$45.40** list)
M Center, Double-Sided/
8 outlets (add **\$45.40** list)
Q Center, Double-Sided/
12 outlets (add **\$45.40** list)


2) Laminate surface color.

3) Edge trim color.


Legs	Width	Number	HPL		\$ 812.24	\$ 1140.00
			A	J		
42"(1067mm)	42"(1067mm)	TARY-4242-L S BNNN	\$ 718.81	\$ 1046.57	\$ 812.24	\$ 1140.00
	48"(1219mm)	TARY-4248-L S BNNN	833.87	1180.95	940.18	1287.26
	54"(1372mm)	TARY-4254-L S BNNN	948.93	1315.33	1068.12	1434.52
	60"(1524mm)	TARY-4260-L S BNNN	1063.99	1449.71	1196.06	1581.78
48"(1219mm)	48"(1219mm)	TARY-4848-L S BNNN	\$ 964.87	\$ 1331.27	\$ 1085.90	\$ 1452.30
	54"(1372mm)	TARY-4854-L S BNNN	1095.87	1481.59	1231.62	1617.34
	60"(1524mm)	TARY-4860-L S BNNN	1226.87	1631.91	1377.34	1782.38
	66"(1676mm)	TARY-4866-L S BNNN	1357.87	1782.23	1523.06	1947.42
	72"(1829mm)	TARY-4872-L S BNNN	1488.87	1932.55	1668.78	2112.46
54"(1372mm)	54"(1372mm)	TARY-5454-L S BNNN	\$ 1242.81	\$ 1647.85	\$ 1395.12	\$ 1800.16
	60"(1524mm)	TARY-5460-L S BNNN	1389.75	1814.11	1558.62	1982.98
	66"(1676mm)	TARY-5466-L S BNNN	1536.69	1980.37	1722.12	2165.80
	72"(1829mm)	TARY-5472-L S BNNN	1683.63	2146.63	1885.62	2348.62
60"(1524mm)	60"(1524mm)	TARY-6060-L S BNNN	\$ 1552.63	\$ 1996.31	\$ 1739.90	\$ 2183.58
	66"(1676mm)	TARY-6066-L S BNNN	1715.51	2178.51	1921.18	2384.18
	72"(1829mm)	TARY-6072-L S BNNN	1878.39	2360.71	2102.46	2584.78
	78"(1981mm)	TARY-6078-L S BNNN	2041.27	2542.91	2283.74	2785.38
	84"(2134mm)	TARY-6084-L S BNNN	2204.15	2725.11	2465.02	2985.98

*Recommended seating capacity based upon 27"(686mm) per chair.


Planes Conference Table Column Base Frame



TAOD-PF



TACD-PR

TACD-LF
TACD-WF
Class TA1

Features

- Includes:
 - Flat painted: One painted square column frame, painted access door, glides, light block and mounting hardware.
 - Round painted or flat laminate or wood: One black square column frame, a set of claddings, glides, light block and mounting hardware.
- Available in two widths, 9"(229mm) x 9"(229mm) or 12"(305mm) x 12"(305mm), and three heights, 26"(660mm), 28"(711mm) or 40"(1016mm).
- Glide adjustment is 0.5" (13mm).
- For use with Planes Conference Table Top and End Supported Top.
- The quantity and width of the column frame is dependent on the top size.
- Requires separately specified column base plate (Exception: base plate is optional for End Supported Top.)

To Order, Specify:

- Product number.
- Painted, laminate or wood surface color.
- Edgeband trim color (laminate only).

Specification Tips


- Specify column base plate to match column frame width.
- For separately specified required components refer to the **Component Specification Overview** located in the front of the price list.

Surface Material	Shape	Height	Width	Number	Price
Painted - No Cladding	Flat	26"(660mm)	9"(229mm)	TACD-0900-PF3	\$ 2761.45
			12"(305mm)	TACD-1200-PF3	2838.21
		28"(711mm)	9"(229mm)	TACD-0900-PF4	2761.45
			12"(305mm)	TACD-1200-PF4	2838.21
		40"(1016mm)	9"(229mm)	TACD-0900-PF7	2884.12
			12"(305mm)	TACD-1200-PF7	2960.88
Painted - Cladding	Round	26"(660mm)	9"(229mm)	TACD-0900-PR3	\$ 2822.85
			12"(305mm)	TACD-1200-PR3	2899.61
		28"(711mm)	9"(229mm)	TACD-0900-PR4	2822.85
			12"(305mm)	TACD-1200-PR4	2899.61
		40"(1016mm)	9"(229mm)	TACD-0900-LF7	2348.50
Laminate - Cladding	Flat	26"(660mm)	9"(229mm)	TACD-0900-LF3	\$ 2269.01
			12"(305mm)	TACD-1200-LF3	2302.52
		28"(711mm)	9"(229mm)	TACD-0900-LF4	2269.01
			12"(305mm)	TACD-1200-LF4	2302.52
		40"(1016mm)	9"(229mm)	TACD-0900-LF7	2382.01
Wood - Cladding	Flat	26"(660mm)	9"(229mm)	TACD-0900-WF3	\$ 2945.49
			12"(305mm)	TACD-1200-WF3	2991.54
		28"(711mm)	9"(229mm)	TACD-0900-WF4	2945.49
			12"(305mm)	TACD-1200-WF4	2991.54
		40"(1016mm)	9"(229mm)	TACD-0900-WF7	3037.50
			12"(305mm)	TACD-1200-WF7	3083.55

Planes Conference Table Column Base Plate

Square and Round

Square



Features

- Includes 0.38"(10mm) thick square or round column base plate with attached glides.
- A base plate with a 8"(203mm)x 8"(203mm) cutout accepts a 12"(305mm) column frame; base plate with a 6"(152mm) x 6"(152mm) cutout accepts a 9"(229mm) column frame.
- Column base plate attachment hardware is included with the column frame.
- The column base plate levels by adjusting the attachment hardware; 0.75"(19mm) adjustment range.
- Available in a painted finish.


Specification Tips

- Specify the appropriate column base plate size for use with a 9"(229mm) or 12"(305mm) column frame width.
- For use with separately specified column base frame.
- Column Base Plate is required for Planes Conference Table Top and is optional for End Supported Top.
- For separately specified required components refer to the **Component Specification Overview** located in the front of the price list.

To Order, Specify:

- Product number:
- Paint surface color.

Round




TAPL-R
Class TA1

Size	For use with Column Frame Width	Number	Paint	
			A	B
Square				
21"(533mm)	9"(229mm)	TAPL-2109-SA	\$ 805.38	\$ 822.24
24"(610mm)	9"(229mm)	TAPL-2409-SA	\$ 958.79	\$ 975.65
	12"(305mm)	TAPL-2412-SA	958.79	975.65
27"(686mm)	12"(305mm)	TAPL-2712-SA	\$ 1112.20	\$ 1129.06
Round				
21"(533mm)	9"(229mm)	TAPL-2109-RA	\$ 728.68	\$ 745.54
24"(610mm)	9"(229mm)	TAPL-2409-RA	\$ 882.09	\$ 898.95
	12"(305mm)	TAPL-2412-RA	882.09	898.95
27"(686mm)	12"(305mm)	TAPL-2712-RA	\$1035.50	\$1052.36
30"(762mm)	12"(305mm)	TAPL-3012-RA	\$1342.29	\$1359.15

Planes Conference Table Column Base J-Channel

J-Channel



TAJC
Class TA1

Features

- Includes one pair of J-Channels and mounting hardware.
- Provides wire management and support below the Conference Table Top.
- Attaches to the underside of the Conference Table Top with screws.
- The Conference Table Top width and the column frame size determines the J-Channel width.
- Field-installed.
- Available in black finish color only.

Specification Tips

- J-Channels are required for Planes Conference Table Top.
- J-Channels are not required for Planes End Supported Tops.
- For separately specified required components refer to the **Component Specification Overview** located in the front of the price list.

To Order, Specify:

- Product number.
(No finish specification required.)

Actual

Width

Nominal


Width

Number

Price

19.25"(489mm)	26"(660mm)	TAJC-2600	\$ 346.70
22.25"(565mm)	29"(737mm)	TAJC-2900	387.51
25.25"(641mm)	32"(813mm)	TAJC-3200	427.79
28.25"(718mm)	35"(889mm)	TAJC-3500	468.07
31.25"(794mm)	38"(965mm)	TAJC-3800	508.35
34.25"(870mm)	41"(1041mm)	TAJC-4100	548.63
37.25"(946mm)	44"(1118mm)	TAJC-4400	589.44
40.25"(1022mm)	47"(1194mm)	TAJC-4700	629.72
43.25"(1099mm)	50"(1270mm)	TAJC-5000	670.00
46.25"(1175mm)	53"(1346mm)	TAJC-5300	710.28
49.25"(1251mm)	56"(1422mm)	TAJC-5600	750.56
52.25"(1327mm)	59"(1499mm)	TAJC-5900	791.37
55.25"(1403mm)	62"(1575mm)	TAJC-6200	831.65
58.25"(1480mm)	65"(1651mm)	TAJC-6500	871.93
61.25"(1556mm)	68"(1727mm)	TAJC-6800	912.21
64.25"(1632mm)	71"(1803mm)	TAJC-7100	952.49
67.25"(1708mm)	74"(1880mm)	TAJC-7400	993.30
70.25"(1784mm)	77"(1956mm)	TAJC-7700	1033.58
73.25"(1861mm)	80"(2032mm)	TAJC-8000	1073.86
76.25"(1937mm)	83"(2108mm)	TAJC-8300	1114.14
79.25"(2013mm)	86"(2184mm)	TAJC-8600	1154.42
82.25"(2089mm)	89"(2261mm)	TAJC-8900	1195.23
85.25"(2165mm)	92"(2337mm)	TAJC-9200	1235.51
88.25"(2242mm)	95"(2413mm)	TAJC-9500	1275.79
91.25"(2318mm)	98"(2489mm)	TAJC-9800	1316.07
94.25"(2394mm)	100"(2540mm)	TAJC-A100	1356.35

J-Channel Tray



TA01
Class TA1

Features

- Includes one J-Channel Tray.
- Provides additional wire management between columns; wires lay in J-Channels.
- Field-installed.
- Available in black finish color only.

Specification Tips

- J-Channel Tray is an optional component.
- Specify the appropriate size for use with a 9"(229mm) or 12"(305mm)W column frame.

To Order, Specify:

- Product number.
(No finish specification required.)

Width

Number

Price

9"(229mm)	TA01-JT09	\$18.79
12"(305mm)	TA01-JT12	18.79

Planes Conference Table End Supported Top Bracket

Wall Mount Bracket



ZUBW-0000-PN
Class TA1

Features

- Includes one wall mount bracket and attachment hardware to top.
- Screws/anchors for attachment to wall are field supplied.
- Supports one end of a Planes End Supported Top.
- Standard in black finish only.

Specification Tips


- Supports the straight end of an End Supported Top in a wall mount application. Opposite end of top requires a column base.
- Number of brackets required is dependent on depth of the End Supported Top; see chart for quantity.
- Must be properly anchored to a structural wall.

Wall Mount Bracket Requirement:

Width of End Supported Top	Number of Brackets Required
36"(914mm)-42"(1067mm)	Quantity: (2)
48"-60"	Quantity: (3)

Description	Number	Price
Single	ZUBW-0000-PN	\$38.18

Side/Corner Bracket



ZZBA-0000-PR
ZZBA-0000-PL
Class TA1

Features


- Includes one left- or right-hand bracket, mounting screws and dislodgement clip.
- Standard in charcoal finish.
- Installs into Compose or Enclose panel frame slots and attaches to top.
- For use with Edgeband trim only.

Specification Tips

- Supports the straight end of an End Supported Top in a Compose or Enclose panel mount application. Opposite end of top requires a column base.
- A left- and right-hand bracket is required for one End Supported Top.

Description	Number	Price
Right-hand	ZZBA-0000-PR	\$30.94
Left-hand	ZZBA-0000-PL	\$30.94

Side Bracket for use with Knife Edge



ZZBA-0000-PRF
ZZBA-0000-PLF
Class TA1

Features

- Includes one left- or right-hand bracket, mounting screws and dislodgement clip.
- Installs into Compose or Enclose panel frame slots and attaches to top.
- For use with Knife Edge, Cascade and T-Mold trim options.

Specification Tips

- Supports the straight end of an End Supported Top in a Compose or Enclose panel mount application. Opposite end of top requires a column base.
- A left- and right-hand bracket is required for one End Supported Top with Knife edge trim option, only.

Description	Number	Price
Right-hand	ZZBA-0000-PRF	\$91.41
Left-hand	ZZBA-0000-PLF	\$91.41

To Order, Specify:

- Product number.
(No finish specification required.)

To Order, Specify:

- Product number.
(No finish specification required.)

To Order, Specify:


- Product number.

- Trim color.

Note: \$24.64 upcharge list for Metallic and accent trim colors.

Planes Conference Table Accessories

Cable Base



TA01-0814

Features

- Includes 28"(711mm)H cable base and mounting hardware.
- High-Pressure Laminate (HPL) with 1mm edgeband.
- Provides internal cable management with removable panels for access.
- Standard in green core.
- Bracket is standard in charcoal.
- Includes 1"(25mm) adjustable glides.
- Ships assembled.

Specification Tips


- Refer to Specification Guide for use guidelines.
- Cable base not recommended for use with 30"(762mm)D tables, half round tables, polygon tables or Y-leg tables or 36"(914mm)D tables with (M) or (Q) flip top unit cutout options.**
- Specify 8"(203mm) x 14"(356mm) cable base for 36"(914mm)D tables.
- Specify 14"(356mm) x 14"(356mm) cable base for 42"(1067mm)D and deeper tables.
- One and two-piece table tops – one cable base.
- Three-piece table tops – two cable bases.
- Cable base cord access:
 - 1.5"(38mm) at top
 - adjustable side panels allow 1"(25mm) gap at bottom edges
 - 8"(203mm) depth base has a 3"(76mm)D cutout in bottom;
 - 14"(356mm) depth base has an 8"(203mm)D cutout in bottom

The following Planes products are separately specified:

- Horizontal wire management

To Order, Specify:

- Product number.
- Laminate surface color.
- Edge trim color.

TA01-1414
Class TA1

Height	Depth	Width	Number	HPL A	B
Laminate					
28"(711mm)	8"(203mm)	14"(356mm)	TA01-0814-L	\$898.43	\$ 970.49
	14"(356mm)	14"(356mm)	TA01-1414-L	957.02	1034.12

Cable Column

TA01-0217
Class TA1

Features

- Cable Column offers a wire management option for conference tables when the Cable Base Option cannot be used.
- Includes one Cable Column with mounting hardware for attaching to underside of table.
- Hardware for attaching Cable Column to floor is field supplied.
- Ships unassembled.

Specification Tips

- Cable Column attaches to underside of table, extends to the floor where it is also attached.
- Cable Column is not load bearing and does not replace table leg(s).
- Cable Column can be installed anywhere under a conference table unless it would interfere with table legs, Horizontal Wire Manager or Flip Top Power/Data Units.
- The Cable Column can be used with the Horizontal Wire Manager for cable management.


To Order, Specify:

- Product number.
- Trim color.

Height	Depth	Width	Number	Price
28"(711mm)	2"(51mm)	4.5"(114mm)	TA01-0217	\$341.67

Planes Conference Table Electrical Accessories

Cable Reel



TA01-CR48
Class TA1

Features


- Includes cable reel with spring loaded retractor mechanism with one cable which can extend 48"(1219mm).
- Cable Reel available with one VGA or one HDMI cable.
- VGA Cable Reel has female VGA connector on housing for connection of VGA patch cable.
- HDMI Cable Reel has female HDMI connector on housing for connection of HDMI patch cable.
- VGA or HDMI patch cable typically routes to TV Monitor.
- VGA cable conveys video only - no audio content.
- Black only.

Specification Tips

- For use with cable reel bracket, column frame and power modules equipped with cable bay(s), seated, standing or lounge height column frame.
- Separately specify cable reel bracket.
- Cable reels compatible with the following power modules specified with cable bay(s):
 - flip top power module
 - flush mount power module

Description	Extension Length	Number	Price
60"(1524mm) HDMI	48"(1219mm)	TA01-CR48-H	\$1128.65
60"(1524mm) VGA	48"(1219mm)	TA01-CR48-V	1128.65

Cable Reel Bracket



TA01-CRBK
Class TA1

Features

- Includes bracket and mounting hardware to mount cable reels to column frame.
- 9"(229mm) cable reel bracket for use with 9"(229mm) column frame and allows mounting of up to two cable reels.
- 12"(305mm) cable reel bracket for use with 12"(305mm) column frame and allows mounting of up to four cable reels.
- Available in black only.

Specification Tips

- For use with 9"(229mm) or 12"(305mm) base frames, seated, standing or lounge heights.
- Specify VGA or HDMI cable reels separately.
- Specify column frame, cladding, power module and table separately.

Description	Number	Price
9"(229mm)	TA01-CRBK-P09	\$75.24
12"(305mm)	TA01-CRBK-P12	75.24


To Order, Specify:

- Product number.
(No finish specification required.)

Planes Conference Table Electrical Components

Belong View

Table Mount With Shroud



EWVT-SASD-P


Features

- Includes:
 - With Shroud: shroud, black monitor mounting bracket with front trim and attachment hardware.
 - Without Shroud: monitor mounting bracket with front trim and attachment hardware.
- Front trim is 6"(152mm)H x 4"(102mm)D
- Table Mount extends below horizontal top:
 - with shroud:
 - without shroud:1.25"(32mm)

To Order, Specify:

- 1) Product number.
- 2) Trim color for shroud and front trim.

Without Shroud



EWVT-SAND-P

Class YA

Specification Tips

- Refer to Fixed Heights Tables Price List Specification Guide for minimum table sizes and appropriate monitor size(s).
- Not for use with Cultivate 2"(51mm) Thick Tops.
- Field installation required.
- LED monitors are highly recommended with 70 pounds maximum weight.
- Table Mount accommodates monitors with VESA® mounting patterns in a central location: 200mm x 200mm - 400mm x 400mm.
- For Table Mount without Shroud; recommend placing against a wall as monitor mounting bracket is exposed.
- Separately specified if applicable:
 - Wire management

Monitor Size (diagonal)

Height

Depth

Width

Front Trim Width

Number

Trim A B

With Shroud

40"(1016mm)/42"(1067mm)	31.5"(800mm)	8.44"(214mm)	41"(1041mm)	33"(838mm)	EWVT-SASD-P	\$2984.69	\$3074.29
46"(1168mm)/47"(1194mm)	34.06"(865mm)	8.44"(214mm)	46"(1168mm)	38"(965mm)	EWVT-SBSD-P	3280.36	3369.96
52"(1321mm)/55"(1397mm)	38.25"(972mm)	8.44"(214mm)	53"(1346mm)	45"(1143mm)	EWVT-SCSD-P	3737.29	3826.89


Without Shroud

40"(1016mm)/42"(1067mm)	27.31"(694mm)	8.25"(210mm)	24.375"(619mm)	33"(838mm)	EWVT-SAND-P	\$ 1388.76	\$ 1478.36
46"(1168mm)/47"(1194mm)	29.375"(746mm)	8.25"(210mm)	24.375"(619mm)	38"(965mm)	EWVT-SBND-P	1612.76	1702.36
52"(1321mm)/55"(1397mm)	33.06"(840mm)	8.25"(210mm)	28.375"(721mm)	45"(1143mm)	EWVT-SCND-P	2060.74	2150.34

Planes Conference Table Electrical Components


Belong View

Table Mount With Shroud Dual Monitor



EWVT-DCSD-P

Without Shroud



EWVT-DCND-P

Class YA

Features

- Includes:
 - With Shroud: shroud, black monitor mounting bracket with front trim and attachment hardware.
 - Without Shroud: black monitor mounting bracket with front trim and attachment hardware.
- Front trim is 6"(152mm)H x 4"(102mm)D X 52.5"(1334mm)W
- Table Mount extends below horizontal top:
 - with shroud: 1.44"(37mm)

Specification Tips

- Refer to Fixed Heights Tables Price List Specification Guide for minimum table sizes and appropriate monitor size(s).
- Not for use with Cultivate 2"(51mm) Thick Tops.
- Field installation required.
- LED monitors are highly recommended with 35 pounds maximum weight per monitor.
- Table Mount accommodates monitors with VESA® mounting patterns in a central location: 100mm x 100mm - 300mm x 300mm.
- For Table Mount without Shroud; recommend placing against a wall as monitor mounting bracket is exposed.
- Separately specified if applicable:
 - Wire management

To Order, Specify:

- 1) Product number.
- 2) Trim color for shroud and front trim.

Monitor Size

(diagonal)

Height

Depth

Width

Front Trim Width

Number

Trim

A

B

With Shroud

32"(813mm) x 2"(51mm)	27.5"(699mm)	8.44"(214mm)	64"(1626mm)	52.5"(1334mm)	EWVT-DCSD-P	\$ 4124.40	\$ 4214.00
-----------------------	--------------	--------------	-------------	---------------	-------------	------------	------------

Without Shroud

32"(813mm) x 2"(51mm)	24.75"(629mm)	8.25"(210mm)	46"(1168mm)	52.5"(1334mm)	EWVT-DCND-P	\$ 2472.92	\$ 2562.52
-----------------------	---------------	--------------	-------------	---------------	-------------	------------	------------


PopUp Table

Catalog Logic

TA	RA	- 48	CO	- L	F	S	Q	B	N	N
Platform: _____										
(TP) PopUp										
Shape: _____										
(RA) Rectangle										
(RP) Oval										
(RT) Racetrack										
Depth: _____										
18 - 18"(457mm)										
24 - 24"(610mm)										
30 - 30"(762mm)										
Width: _____										
48 - 48"(1219mm)										
54 - 54"(1372mm)										
60 - 60"(1524mm)										
66 - 66"(1676mm)										
72 - 72"(1829mm)										
Surface Material: _____										
(L) High-Pressure Laminate (HPL)										
(W) Wood										
Edge: _____										
Laminmate:	Wood:									
(J) Edgeband	(K) Edgeband									
(F) Knife	(U) Knife									
Core Material: _____										
(S) Standard										
Cutout: _____										
(N) None										
Leg Type: _____										
(A) Angled Leg										
Base Foot: _____										
(C) Caster										
(G) Glide										
Height: _____										
4 - 29"(737mm)										
6 - 36"(914mm)										
7 - 41"(1041mm)										
Foot Rail: _____										
(F) Foot Rail										
(N) No Foot Rail										

PopUp Table

Rectangle




TPRA-SNA
Class CL

Features

- Includes 1.18"(30mm) thick standard top, legs and hardware.
- High-Pressure Laminate (HPL) top with knife edge or 3mm edgeband edges or wood veneer top with 3mm wood edgeband or knife edge.
- Fixed table heights are 29"(737mm), 36"(914mm) and 41"(1041mm).
- Casters (two locking/two non-locking) are available with: Light platinum or fog hub with graphite tread, or black hub with black tread.
- Glides available in black only and provide 0.5"(13mm) adjustment.
- Casters and glides are not interchangeable.
- Leg and foot rail can be the same or different trim colors.
- Ships unassembled.

Specification Tips

- When (N) No Foot Rail is specified for 29"(737mm)H tables the leg trim color will be applied to the horizontal leg rails.
- Not for use with screens, modesty, AKP, monitor arms or suspended pedestal.
- Separately specified, as needed:
 - Power modules
 - Vertical Wire Channel (TPVW)
 - Accent Plate (TPAP)
 - Bag Hook (KUWH)



To Order, Specify:

1) Product number, including:

1 Surface Option:

L Laminate

W Wood

2 Edge Option:

Laminate:

J Edgeband

F Knife

Wood:

K Edgeband

U Knife

3 Base Foot:

C Casters (add **\$97.23** list)

G Glides

4 Foot Rail (29"(737mm) only):

N No Foot Rail

F Foot Rail (add **\$150** list)

2) Laminate surface color or wood finish color.

3) Edgeband trim color (laminate only).

4) Leg trim color.

5) Foot rail color.

6) Caster color (if applicable).

Note: Foot rail: **\$14.18** upcharge list for Metallic and Accent trim colors.

Legs: **\$42.54** upcharge list for Metallic and Accent trim colors.

PopUp Table

Rectangle

Height	Depth	Width	Number	HPL				Wood				
				A ①②	B ③④	J F	J F	A K	B U			
29"(737mm)	18"(457mm)	48"(1219mm)	TPRA-1848-	SNA 4	\$ 1492.82	\$ 1841.64	\$ 1634.06	\$ 1982.88	\$ 1912.51	\$ 2336.39	\$ 1997.75	\$ 2421.63
		54"(1372mm)	TPRA-1854-	SNA 4	1529.48	1918.02	1673.06	2061.60	1970.44	2423.36	2064.74	2517.66
		60"(1524mm)	TPRA-1860-	SNA 4	1566.14	1994.40	1712.06	2140.32	2028.37	2510.33	2131.73	2613.69
		66"(1676mm)	TPRA-1866-	SNA 4	1602.80	2070.78	1751.06	2219.04	2086.30	2597.30	2198.72	2709.72
		72"(1829mm)	TPRA-1872-	SNA 4	1639.46	2147.16	1790.06	2297.76	2144.23	2684.27	2265.71	2805.75
		24"(610mm)	TPRA-2448-	SNA 4	\$ 1574.54	\$ 1948.56	\$ 1722.02	\$ 2096.04	\$ 2050.95	\$ 2492.59	\$ 2160.35	\$ 2601.99
		54"(1372mm)	TPRA-2454-	SNA 4	1620.98	2034.72	1771.58	2185.32	2125.75	2596.43	2247.23	2717.91
		60"(1524mm)	TPRA-2460-	SNA 4	1667.42	2120.88	1821.14	2274.60	2200.55	2700.27	2334.11	2833.83
		66"(1676mm)	TPRA-2466-	SNA 4	1713.86	2207.04	1870.70	2363.88	2275.35	2804.11	2420.99	2949.75
		72"(1829mm)	TPRA-2472-	SNA 4	1760.30	2293.20	1920.26	2453.16	2350.15	2907.95	2507.87	3065.67
		30"(762mm)	TPRA-3048-	SNA 4	\$ 1656.26	\$ 2055.48	\$ 1809.98	\$ 2209.20	\$ 2189.39	\$ 2648.79	\$ 2322.95	\$ 2782.35
		54"(1372mm)	TPRA-3054-	SNA 4	1712.48	2151.42	1870.10	2309.04	2281.06	2769.50	2429.72	2918.16
		60"(1524mm)	TPRA-3060-	SNA 4	1768.70	2247.36	1930.22	2408.88	2372.73	2890.21	2536.49	3053.97
		66"(1676mm)	TPRA-3066-	SNA 4	1824.92	2343.30	1990.34	2508.72	2464.40	3010.92	2643.26	3189.78
		72"(1829mm)	TPRA-3072-	SNA 4	1881.14	2439.24	2050.46	2608.56	2556.07	3131.63	2750.03	3325.59
		36"(914mm)	TPRA-1848-	SNA 6F	\$ 1699.94	\$ 2048.76	\$ 1841.18	\$ 2190.00	\$ 2119.63	\$ 2543.51	\$ 2204.87	\$ 2628.75
		54"(1372mm)	TPRA-1854-	SNA 6F	1736.60	2125.14	1880.18	2268.72	2177.56	2630.48	2271.86	2724.78
		60"(1524mm)	TPRA-1860-	SNA 6F	1773.26	2201.52	1919.18	2347.44	2235.49	2717.45	2338.85	2820.81
		66"(1676mm)	TPRA-1866-	SNA 6F	1809.92	2277.90	1958.18	2426.16	2293.42	2804.42	2405.84	2916.84
		72"(1829mm)	TPRA-1872-	SNA 6F	1846.58	2354.28	1997.18	2504.88	2351.35	2891.39	2472.83	3012.87
		24"(610mm)	TPRA-2448-	SNA 6F	\$ 1781.66	\$ 2155.68	\$ 1929.14	\$ 2303.16	\$ 2258.07	\$ 2699.71	\$ 2367.47	\$ 2809.11
		54"(1372mm)	TPRA-2454-	SNA 6F	1828.10	2241.84	1978.70	2392.44	2332.87	2803.55	2454.35	2925.03
		60"(1524mm)	TPRA-2460-	SNA 6F	1874.54	2328.00	2028.26	2481.72	2407.67	2907.39	2541.23	3040.95
		66"(1676mm)	TPRA-2466-	SNA 6F	1920.98	2414.16	2077.82	2571.00	2482.47	3011.23	2628.11	3156.87
		72"(1829mm)	TPRA-2472-	SNA 6F	1967.42	2500.32	2127.38	2660.28	2557.27	3115.07	2714.99	3272.79
		30"(762mm)	TPRA-3048-	SNA 6F	\$ 1863.38	\$ 2262.60	\$ 2017.10	\$ 2416.32	\$ 2396.51	\$ 2855.91	\$ 2530.07	\$ 2989.47
		54"(1372mm)	TPRA-3054-	SNA 6F	1919.60	2358.54	2077.22	2516.16	2488.18	2976.62	2636.84	3125.28
		60"(1524mm)	TPRA-3060-	SNA 6F	1975.82	2454.48	2137.34	2616.00	2579.85	3097.33	2743.61	3261.09
		66"(1676mm)	TPRA-3066-	SNA 6F	2032.04	2550.42	2197.46	2715.84	2671.52	3218.04	2850.38	3396.90
		72"(1829mm)	TPRA-3072-	SNA 6F	2088.26	2646.36	2257.58	2815.68	2763.19	3338.75	2957.15	3532.71
		41"(1041mm)	TPRA-1848-	SNA 7F	\$ 1740.74	\$ 2089.56	\$ 1881.98	\$ 2230.80	\$ 2160.43	\$ 2584.31	\$ 2245.67	\$ 2669.55
		54"(1372mm)	TPRA-1854-	SNA 7F	1777.40	2165.94	1920.98	2309.52	2218.36	2671.28	2312.66	2765.58
		60"(1524mm)	TPRA-1860-	SNA 7F	1814.06	2242.32	1959.98	2388.24	2276.29	2758.25	2379.65	2861.61
		66"(1676mm)	TPRA-1866-	SNA 7F	1850.72	2318.70	1998.98	2466.96	2334.22	2845.22	2446.64	2957.64
		72"(1829mm)	TPRA-1872-	SNA 7F	1887.38	2395.08	2037.98	2545.68	2392.15	2932.19	2513.63	3053.67
		24"(610mm)	TPRA-2448-	SNA 7F	\$ 1822.46	\$ 2196.48	\$ 1969.94	\$ 2343.96	\$ 2298.87	\$ 2740.51	\$ 2408.27	\$ 2849.91
		54"(1372mm)	TPRA-2454-	SNA 7F	1868.90	2282.64	2019.50	2433.24	2373.67	2844.35	2495.15	2965.83
		60"(1524mm)	TPRA-2460-	SNA 7F	1915.34	2368.80	2069.06	2522.52	2448.47	2948.19	2582.03	3081.75
		66"(1676mm)	TPRA-2466-	SNA 7F	1961.78	2454.96	2118.62	2611.80	2523.27	3052.03	2668.91	3197.67
		72"(1829mm)	TPRA-2472-	SNA 7F	2008.22	2541.12	2168.18	2701.08	2598.07	3155.87	2755.79	3313.59
		30"(762mm)	TPRA-3048-	SNA 7F	\$ 1904.18	\$ 2303.40	\$ 2057.90	\$ 2457.12	\$ 2437.31	\$ 2896.71	\$ 2570.87	\$ 3030.27
		54"(1372mm)	TPRA-3054-	SNA 7F	1960.40	2399.34	2118.02	2556.96	2528.98	3017.42	2677.64	3166.08
		60"(1524mm)	TPRA-3060-	SNA 7F	2016.62	2495.28	2178.14	2656.80	2620.65	3138.13	2784.41	3301.89
		66"(1676mm)	TPRA-3066-	SNA 7F	2072.84	2591.22	2238.26	2756.64	2712.32	3258.84	2891.18	3437.70
		72"(1829mm)	TPRA-3072-	SNA 7F	2129.06	2687.16	2298.38	2856.48	2803.99	3379.55	2997.95	3573.51

PopUp Table

Oval (Rectangular Radius Corner)






TPRP-SNA
Class CL

Features

- Includes 1.18"(30mm) thick standard top, legs and hardware.
- High-Pressure Laminate (HPL) top with knife edge or 3mm edgeband edges or wood veneer top with 3mm wood edgeband or knife edge.
- Fixed table heights are 29"(737mm), 36"(914mm) and 41"(1041mm).
- Casters (two locking/two non-locking) are available with: Light platinum or fog hub with black tread, or black hub with black tread.
- Glides available in black only and provide 0.5"(13mm) adjustment.
- Casters and glides are not interchangeable.
- Leg and foot rail can be the same or different trim colors.
- Ships unassembled.

Specification Tips

- When (N) No Foot Rail is specified for 29"(737mm)H tables the leg trim color will be applied to the horizontal leg rails.
- Not for use with screens, modesty, AKP, monitor arms or suspended pedestal.
- Separately specified, as needed:
 - Power modules
 - Vertical Wire Channel (TPVW)
 - Accent Plate (TPAP)
 - Bag Hook (KUWH)



To Order, Specify:

1) Product number, including:

1 Surface Option:

L Laminate

W Wood

2 Edge Option:

Laminate:

J Edgeband

F Knife

Wood:

K Edgeband

U Knife

3 Base Foot:

C Casters (add \$97.23 list)

G Glides

4 Foot Rail (29"(737mm) only):

N No Foot Rail

F Foot Rail (add \$150 list)

2) Laminate surface color or wood finish color.

3) Edgeband trim color (laminate only).

4) Leg trim color.

5) Foot rail color.

6) Caster color (if applicable).

Note: Foot rail: \$14.18 upcharge list for Metallic and Accent trim colors.

Legs: \$42.54 upcharge list for Metallic and Accent trim colors.

PopUp Table

Oval (Rectangular Radius Corner)

Height	Depth	Width	Number	HPL				Wood							
				A ①②	B ③④	J F	J F	A K	B U	K	U				
29"(737mm)	18"(457mm)	48"(1219mm)	TPRP-1848-	SNA 4	\$ 1666.75	\$ 2015.57	\$ 1807.99	\$ 2156.81	\$ 2086.44	\$ 2510.32	\$ 2171.68	\$ 2595.56			
		54"(1372mm)	TPRP-1854-	SNA 4	1703.41	2091.95	1846.99	2235.53	2144.37	2597.29	2238.67	2691.59			
		60"(1524mm)	TPRP-1860-	SNA 4	1740.07	2168.33	1885.99	2314.25	2202.30	2684.26	2305.66	2787.62			
		66"(1676mm)	TPRP-1866-	SNA 4	1776.73	2244.71	1924.99	2392.97	2260.23	2771.23	2372.65	2883.65			
		72"(1829mm)	TPRP-1872-	SNA 4	1813.39	2321.09	1963.99	2471.69	2318.16	2858.20	2439.64	2979.68			
		24"(610mm)	48"(1219mm)	TPRP-2448-	SNA 4	\$ 1748.47	\$ 2122.49	\$ 1895.95	\$ 2269.97	\$ 2224.88	\$ 2666.52	\$ 2334.28	\$ 2775.92		
			54"(1372mm)	TPRP-2454-	SNA 4	1794.91	2208.65	1945.51	2359.25	2299.68	2770.36	2421.16	2891.84		
			60"(1524mm)	TPRP-2460-	SNA 4	1841.35	2294.81	1995.07	2448.53	2374.48	2874.20	2508.04	3007.76		
			66"(1676mm)	TPRP-2466-	SNA 4	1887.79	2380.97	2044.63	2537.81	2449.28	2978.04	2594.92	3123.68		
			72"(1829mm)	TPRP-2472-	SNA 4	1934.23	2467.13	2094.19	2627.09	2524.08	3081.88	2681.80	3239.60		
		30"(762mm)	48"(1219mm)	TPRP-3048-	SNA 4	\$ 1830.19	\$ 2229.41	\$ 1983.91	\$ 2383.13	\$ 2363.32	\$ 2822.72	\$ 2496.88	\$ 2956.28		
			54"(1372mm)	TPRP-3054-	SNA 4	1886.41	2325.35	2044.03	2482.97	2454.99	2943.43	2603.65	3092.09		
			60"(1524mm)	TPRP-3060-	SNA 4	1942.63	2421.29	2104.15	2582.81	2546.66	3064.14	2710.42	3227.90		
			66"(1676mm)	TPRP-3066-	SNA 4	1998.85	2517.23	2164.27	2682.65	2638.33	3184.85	2817.19	3363.71		
			72"(1829mm)	TPRP-3072-	SNA 4	2055.07	2613.17	2224.39	2782.49	2730.00	3305.56	2923.96	3499.52		
		36"(914mm)	18"(457mm)	TPRP-1848-	SNA 6F	\$ 1873.87	\$ 2222.69	\$ 2015.11	\$ 2363.93	\$ 2293.56	\$ 2717.44	\$ 2378.80	\$ 2802.68		
			54"(1372mm)	TPRP-1854-	SNA 6F	1910.53	2299.07	2054.11	2442.65	2351.49	2804.41	2445.79	2898.71		
			60"(1524mm)	TPRP-1860-	SNA 6F	1947.19	2375.45	2093.11	2521.37	2409.42	2891.38	2512.78	2994.74		
			66"(1676mm)	TPRP-1866-	SNA 6F	1983.85	2451.83	2132.11	2600.09	2467.35	2978.35	2579.77	3090.77		
			72"(1829mm)	TPRP-1872-	SNA 6F	2020.51	2528.21	2171.11	2678.81	2525.28	3065.32	2646.76	3186.80		
			24"(610mm)	48"(1219mm)	TPRP-2448-	SNA 6F	\$ 1955.59	\$ 2329.61	\$ 2103.07	\$ 2477.09	\$ 2432.00	\$ 2873.64	\$ 2541.40	\$ 2983.04	
				54"(1372mm)	TPRP-2454-	SNA 6F	2002.03	2415.77	2152.63	2566.37	2506.80	2977.48	2628.28	3098.96	
				60"(1524mm)	TPRP-2460-	SNA 6F	2048.47	2501.93	2202.19	2655.65	2581.60	3081.32	2715.16	3214.88	
				66"(1676mm)	TPRP-2466-	SNA 6F	2094.91	2588.09	2251.75	2744.93	2656.40	3185.16	2802.04	3330.80	
				72"(1829mm)	TPRP-2472-	SNA 6F	2141.35	2674.25	2301.31	2834.21	2731.20	3289.00	2888.92	3446.72	
		30"(762mm)	48"(1219mm)	TPRP-3048-	SNA 6F	\$ 2037.31	\$ 2436.53	\$ 2191.03	\$ 2590.25	\$ 2570.44	\$ 3029.84	\$ 2704.00	\$ 3163.40		
				54"(1372mm)	TPRP-3054-	SNA 6F	2093.53	2532.47	2251.15	2690.09	2662.11	3150.55	2810.77	3299.21	
				60"(1524mm)	TPRP-3060-	SNA 6F	2149.75	2628.41	2311.27	2789.93	2753.78	3271.26	2917.54	3435.02	
				66"(1676mm)	TPRP-3066-	SNA 6F	2205.97	2724.35	2371.39	2889.77	2845.45	3391.97	3024.31	3570.83	
				72"(1829mm)	TPRP-3072-	SNA 6F	2262.19	2820.29	2431.51	2989.61	2937.12	3512.68	3131.08	3706.64	
		41"(1041mm)	18"(457mm)	TPRP-1848-	SNA 7F	\$ 1914.67	\$ 2263.49	\$ 2055.91	\$ 2404.73	\$ 2334.36	\$ 2758.24	\$ 2419.60	\$ 2843.48		
				54"(1372mm)	TPRP-1854-	SNA 7F	1951.33	2339.87	2094.91	2483.45	2392.29	2845.21	2486.59	2939.51	
				60"(1524mm)	TPRP-1860-	SNA 7F	1987.99	2416.25	2133.91	2562.17	2450.22	2932.18	2553.58	3035.54	
				66"(1676mm)	TPRP-1866-	SNA 7F	2024.65	2492.63	2172.91	2640.89	2508.15	3019.15	2620.57	3131.57	
				72"(1829mm)	TPRP-1872-	SNA 7F	2061.31	2569.01	2211.91	2719.61	2566.08	3106.12	2687.56	3227.60	
				24"(610mm)	48"(1219mm)	TPRP-2448-	SNA 7F	\$ 1996.39	\$ 2370.41	\$ 2143.87	\$ 2517.89	\$ 2472.80	\$ 2914.44	\$ 2582.20	\$ 3023.84
					54"(1372mm)	TPRP-2454-	SNA 7F	2042.83	2456.57	2193.43	2607.17	2547.60	3018.28	2669.08	3139.76
					60"(1524mm)	TPRP-2460-	SNA 7F	2089.27	2542.73	2242.99	2696.45	2622.40	3122.12	2755.96	3255.68
					66"(1676mm)	TPRP-2466-	SNA 7F	2135.71	2628.89	2292.55	2785.73	2697.20	3225.96	2842.84	3371.60
					72"(1829mm)	TPRP-2472-	SNA 7F	2182.15	2715.05	2342.11	2875.01	2772.00	3329.80	2929.72	3487.52
		30"(762mm)	48"(1219mm)	TPRP-3048-	SNA 7F	\$ 2078.11	\$ 2477.33	\$ 2231.83	\$ 2631.05	\$ 2611.24	\$ 3070.64	\$ 2744.80	\$ 3204.20		
				54"(1372mm)	TPRP-3054-	SNA 7F	2134.33	2573.27	2291.95	2730.89	2702.91	3191.35	2851.57	3340.01	
				60"(1524mm)	TPRP-3060-	SNA 7F	2190.55	2669.21	2352.07	2830.73	2794.58	3312.06	2958.34	3475.82	
				66"(1676mm)	TPRP-3066-	SNA 7F	2246.77	2765.15	2412.19	2930.57	2886.25	3432.77	3065.11	3611.63	
				72"(1829mm)	TPRP-3072-	SNA 7F	2302.99	2861.09	2472.31	3030.41	2977.92	3553.48	3171.88	3747.44	

PopUp Table

Racetrack




TPRT-SNA
Class CL

Features

- Includes 1.18"(30mm) thick standard top, legs and hardware.
- High-Pressure Laminate (HPL) top with knife edge or 3mm edgeband edges or wood veneer top with 3mm wood edgeband or knife edge.
- Fixed table heights are 29"(737mm), 36"(914mm) and 41"(1041mm).
- Casters (two locking/two non-locking) are available with: Light platinum or fog hub with graphite tread, or black hub with black tread.
- Glides available in black only and provide 0.5"(13mm) adjustment.
- Casters and glides are not interchangeable.
- Leg and foot rail can be the same or different trim colors.
- Ships unassembled.

Specification Tips

- When (N) No Foot Rail is specified for 29"(737mm)H tables the leg trim color will be applied to the horizontal leg rails.
- Not for use with screens, modesty, AKP, monitor arms or suspended pedestal.
- Separately specified, as needed:
 - Power modules
 - Vertical Wire Channel (TPVW)
 - Accent Plate (TPAP)
 - Bag Hook (KUWH)



To Order, Specify:

1) Product number, including:

1 Surface Option:

L Laminate

W Wood

2 Edge Option:

Laminate:

J Edgeband

F Knife

Wood:

K Edgeband

U Knife

3 Base Foot:

C Casters (add \$97.23 list)

G Glides

4 Foot Rail (29"(737mm) only):

N No Foot Rail

F Foot Rail (add \$150 list)

2) Laminate surface color or wood finish color.

3) Edgeband trim color (laminate only).

4) Leg trim color.

5) Foot rail color.

6) Caster color (if applicable).

Note: Foot rail: \$14.18 upcharge list for Metallic and Accent trim colors.

Legs: \$42.54 upcharge list for Metallic and Accent trim colors.


PopUp Table

Racetrack

Height	Depth	Width	Number	HPL				Wood				
				A	J	F	B	A	K	U	B	
36"(914mm)	18"(457mm)	48"(1219mm)	TPRT-1848-	SNA 4	\$ 1666.75	\$ 2015.57	\$ 1807.99	\$ 2156.81	\$ 2086.44	\$ 2510.32	\$ 2171.68	\$ 2595.56
		54"(1372mm)	TPRT-1854-	SNA 4	1703.41	2091.95	1846.99	2235.53	2144.37	2597.29	2238.67	2691.59
		60"(1524mm)	TPRT-1860-	SNA 4	1740.07	2168.33	1885.99	2314.25	2202.30	2684.26	2305.66	2787.62
		66"(1676mm)	TPRT-1866-	SNA 4	1776.73	2244.71	1924.99	2392.97	2260.23	2771.23	2372.65	2883.65
		72"(1829mm)	TPRT-1872-	SNA 4	1813.39	2321.09	1963.99	2471.69	2318.16	2858.20	2439.64	2979.68
	24"(610mm)	60"(1524mm)	TPRT-2460-	SNA 4	\$ 1841.35	\$ 2294.81	\$ 1995.07	\$ 2448.53	\$ 2374.48	\$ 2874.20	\$ 2508.04	\$ 3007.76
		66"(1676mm)	TPRT-2466-	SNA 4	1887.79	2380.97	2044.63	2537.81	2449.28	2978.04	2594.92	3123.68
		72"(1829mm)	TPRT-2472-	SNA 4	1934.23	2467.13	2094.19	2627.09	2524.08	3081.88	2681.80	3239.60
	30"(762mm)	72"(1829mm)	TPRT-3072-	SNA 4	\$ 2055.07	\$ 2613.17	\$ 2224.39	\$ 2782.49	\$ 2730.00	\$ 3305.56	\$ 2923.96	\$ 3499.52
36"(914mm)	18"(457mm)	48"(1219mm)	TPRT-1848-	SNA 6F	\$ 1873.87	\$ 2222.69	\$ 2015.11	\$ 2363.93	\$ 2293.56	\$ 2717.44	\$ 2378.80	\$ 2802.68
		54"(1372mm)	TPRT-1854-	SNA 6F	1910.53	2299.07	2054.11	2442.65	2351.49	2804.41	2445.79	2898.71
		60"(1524mm)	TPRT-1860-	SNA 6F	1947.19	2375.45	2093.11	2521.37	2409.42	2891.38	2512.78	2994.74
		66"(1676mm)	TPRT-1866-	SNA 6F	1983.85	2451.83	2132.11	2600.09	2467.35	2978.35	2579.77	3090.77
		72"(1829mm)	TPRT-1872-	SNA 6F	2020.51	2528.21	2171.11	2678.81	2525.28	3065.32	2646.76	3186.80
	24"(610mm)	60"(1524mm)	TPRT-2460-	SNA 6F	\$ 2048.47	\$ 2501.93	\$ 2202.19	\$ 2655.65	\$ 2581.60	\$ 3081.32	\$ 2715.16	\$ 3214.88
		66"(1676mm)	TPRT-2466-	SNA 6F	2094.91	2588.09	2251.75	2744.93	2656.40	3185.16	2802.04	3330.80
		72"(1829mm)	TPRT-2472-	SNA 6F	2141.35	2674.25	2301.31	2834.21	2731.20	3289.00	2888.92	3446.72
	30"(762mm)	72"(1829mm)	TPRT-3072-	SNA 6F	\$ 2262.19	\$ 2820.29	\$ 2431.51	\$ 2989.61	\$ 2937.12	\$ 3512.68	\$ 3131.08	\$ 3706.64
41"(1041mm)	18"(457mm)	48"(1219mm)	TPRT-1848-	SNA 7F	\$ 1914.67	\$ 2263.49	\$ 2055.91	\$ 2404.73	\$ 2334.36	\$ 2758.24	\$ 2419.60	\$ 2843.48
		54"(1372mm)	TPRT-1854-	SNA 7F	1951.33	2339.87	2094.91	2483.45	2392.29	2845.21	2486.59	2939.51
		60"(1524mm)	TPRT-1860-	SNA 7F	1987.99	2416.25	2133.91	2562.17	2450.22	2932.18	2553.58	3035.54
		66"(1676mm)	TPRT-1866-	SNA 7F	2024.65	2492.63	2172.91	2640.89	2508.15	3019.15	2620.57	3131.57
		72"(1829mm)	TPRT-1872-	SNA 7F	2061.31	2569.01	2211.91	2719.61	2566.08	3106.12	2687.56	3227.60
	24"(610mm)	60"(1524mm)	TPRT-2460-	SNA 7F	\$ 2089.27	\$ 2542.73	\$ 2242.99	\$ 2696.45	\$ 2622.40	\$ 3122.12	\$ 2755.96	\$ 3255.68
		66"(1676mm)	TPRT-2466-	SNA 7F	2135.71	2628.89	2292.55	2785.73	2697.20	3225.96	2842.84	3371.60
		72"(1829mm)	TPRT-2472-	SNA 7F	2182.15	2715.05	2342.11	2875.01	2772.00	3329.80	2929.72	3487.52
	30"(762mm)	72"(1829mm)	TPRT-3072-	SNA 7F	\$ 2302.99	\$ 2861.09	\$ 2472.31	\$ 3030.41	\$ 2977.92	\$ 3553.48	\$ 3171.88	\$ 3747.44

PopUp Table Accessories

Accent Plate



TPAP
Class CL

Feature

- Includes two painted or wood accent plate and attachment hardware.

Specification Tips

- Not for use on 18"(457mm) depth PopUp tables.
- Leg accent plate is located in the top center section of each leg assembly and allows for a user-specified accent color for aesthetic purposes.
- Size must match depth and height of table.

To Order, Specify:

- 1) Product number, including:

① Surface Option:


P Paint

W Wood

- 2) Paint or wood finish color.

Depth	Width	Number ①	Trim		Wood	
			A	B	A	B
24"(610mm)	29"(737mm)	TPAP-2429-	\$303.69	\$312.60	N/A	N/A
	36"(914mm)	TPAP-2436-	303.69	312.60	\$448.28	\$476.61
	41"(1041mm)	TPAP-2441-	303.69	312.60	448.28	476.61
30"(762mm)	29"(737mm)	TPAP-3029-	\$318.21	\$328.80	N/A	N/A
	36"(914mm)	TPAP-3036-	318.21	328.80	\$462.80	\$493.71
	41"(1041mm)	TPAP-3041-	318.21	328.80	462.80	493.71

Vertical Wire Channel - Leg Attached



Feature

- Includes one painted vertical wire channel and attachment hardware.

Specification Tip


- When specifying a Vertical Wire Channel no Accent Plate or with Accent Plate, order correct model for table height.

To Order, Specify:

- 1) Product number.

- 2) Trim color.

For Use With	Width	Number	Trim	
			A	B
No Accent Plate				
29"(737mm)H Table	2"(51mm)	TPVW-2902-PN	\$ 173.49	\$ 180.72
36"(914mm)H Table	2"(51mm)	TPVW-3602-PN	186.51	194.64
41"(1041mm)H Table	2"(51mm)	TPVW-4102-PN	208.21	217.84
With Accent Plate				
29"(737mm)H Table	2"(51mm)	TPVW-2902-PA	\$ 173.49	\$ 180.72
36"(914mm)H Table	2"(51mm)	TPVW-3302-PA	173.49	180.72
41"(1041mm)H Table	2"(51mm)	TPVW-3802-PA	195.19	203.92



TPVW
Class CL

Fixed Height Tables Resources

[Surfaces Materials](#)

[Index](#)

[Warranty](#)

Compose Table

Finish/Color Legend

Wood

Grade A

Double Cut

2P-RL	Applegate
CQ-HKL	Auburn
CQ-HBF	Clove
WE-RD	Dune
WJ-RE	Ebony
2N-RL	Echo
W3-HR	Harbor
WE-RT	Melba
W4-PB	Pebble
CQ-WG	Walnut Grove

Grade B

Cherry

VC-CA1	Amber
VC-W23	American
VC-HKF	Burgundy
VC-W33	Caramel
VC-W30	Heritage
VC-W32	Pacific
VC-HKA	Toffee

Maple

VP-LM	Light
VP-N	Natural

Maple Quarter Cut

NM-N	Natural
------	---------

Oak

VJ-HKC	Urban
--------	-------

Rift Cut White Oak

NR-W35	Clear
NR-W15	Espresso
NR-W40	Mocha

Walnut

VR-CPK	Bourbon
VR-HKG	Colombian
VR-W15	Espresso
VR-W31	Retro

Walnut Quarter Cut

NW-W35	Clear
NW-W31	Retro

Grade D

Figured Anegre

VU-W07	Light
VU-W08	Golden

HPL

Grade A

Solid Color

H-34	Beige
H-AK	Chalk
H-8J	Charcoal
H-3J	Graphite
H-62	Gray Tone
H-WL	Linen
H-3P	Platinum
H-AA	Putty
H-3E	Smoke

Patterned

H-P1	Linen Casual
H-P2	Linen Classic
H-P3	Linen Crisp
H-P4	Linen Flax

Wood

H-B06	Brazilwood
H-E79	Colombian Walnut
H-AE	Maple
H-DYP	New Age Oak
H-E15	River Cherry
H-C09	Williamsburg Cherry

Grade B

Premium Wood Grain

H-C8	Blonde Modern Cherry
H-D1	Daintree
H-KP	Field Elm
H-KN	Grey Elm
H-KM	Landmark Wood
H-D2	Mocha Modern Cherry
H-KL	Neo Walnut
H-KR	Phantom Ecoru
H-KS	Phantom Pearl
H-C9	Spiced Modern Cherry

Grade E

Premium

H-C1	Hay
H-C2	Drift
H-C3	Pecan
H-C4	Molasses
H-C5	Mineral
H-C6	Hatch
H-C7	Tanned

Edgeband

Solid Color

HP-34	Beige
HP-AK	Chalk
HP-8J	Charcoal
HP-3J	Graphite
HP-62	Gray Tone
HP-WL	Linen
HP-3P	Platinum
HP-AA	Putty
HP-3E	Smoke

Patterned

HP-P1	Linen Casual
HP-P2	Linen Classic
HP-P3	Linen Crisp
HP-P4	Linen Flax

Wood Grain

HP-C8	Blonde Modern Cherry
HP-B06	Brazilwood
HP-E79	Colombian Walnut
HP-D1	Daintree
HP-KP	Field Elm
HP-KN	Grey Elm
HP-KM	Landmark Wood
HP-AE	Maple
HP-D2	Mocha Modern Cherry
HP-KL	Neo Walnut
HP-DYP	New Age Oak
HP-KR	Phantom Ecoru
HP-KS	Phantom Pearl
HP-E15	River Cherry
HP-C9	Spiced Modern Cherry
HP-C09	Williamsburg Cherry

Ply-Edge

HP-PW

Ply-Edge

HP-C1	Hay
HP-C2	Drift
HP-C3	Pecan
HP-C4	Molasses
HP-C5	Mineral
HP-C6	Hatch
HP-C7	Tanned

Trim

Grade A

Smooth

TR-R	Beige
TR-F	Black
TR-AK	Chalk
TR-K	Charcoal
TR-C1	Cocoa
TR-J	Graphite
TR-G	Gray Tone
TR-AA	Putty
TR-E	Smoke
TR-PLS	Smooth Plaster
TR-FM	Snow

Textured

TR-TG	Grout
TR-TF	Pitch

TR-TW	Plaster
-------	---------

Grade B

Smooth

TR-IC	Accent Blue
TR-IG	Blue Jay
TR-IR	Brownstone
TR-IN	Night
TR-IQ	Park
TR-RR	Rusty Red
TR-IM	Sable
TR-1J	Sky Blue

Smooth Metallic

TR-MC	Metallic Champagne
TR-DM	Metallic Dark Bronze
TR-MG	Metallic Gunmetal
TR-LE	Metallic Silver

Textured Metallic

TR-AR	Argent
TR-HE	Hellenic

Forest Stewardship Council® (FSC®) Statement:

In our continuing support of sustainable forestry and responsible purchasing, Haworth North America is offering FSC certified wood products at no up-charge. By providing FSC certified material, Haworth is supporting our client's green building goals and demonstrating our collective commitment to source materials more sustainably. Haworth will provide to you the necessary FSC certified paperwork with your shipment. For more information, FAQs, and a complete FSC product list (including product exceptions), go to the Library and search FSC. Haworth FSC Trademark License #FSC-C002821

Cultivate Table

Finish/Color Legend

Wood

Grade A

Double Cut

2P-RL	Applegate
CQ-HKL	Auburn
CQ-HBF	Clove
WE-RD	Dune
WJ-RE	Ebony
2N-RL	Echo
W3-HR	Harbor
WE-RT	Melba
W4-PB	Pebble
CQ-WG	Walnut Grove

Grade B

Cherry

VC-CA1	Amber
VC-W23	American
VC-HKF	Burgundy
VC-W33	Caramel
VC-W30	Heritage
VC-W32	Pacific
VC-HKA	Toffee

Maple

VP-LM	Light
VP-N	Natural

Maple Quarter Cut

NM-N	Natural
------	---------

Oak

VJ-HKC	Urban
--------	-------

Rift Cut White Oak

NR-W35	Clear
NR-W15	Espresso
NR-W40	Mocha

Walnut

VR-CPK	Bourbon
VR-HKG	Colombian
VR-W15	Espresso
VR-W31	Retro

Walnut Quarter Cut

NW-W35	Clear
NW-W31	Retro

Grade D

Figured Anegre

VU-W07	Light
VU-W08	Golden

HPL

Grade A

Solid Color

H-34	Beige
H-AK	Chalk
H-8J	Charcoal
H-3J	Graphite
H-62	Gray Tone
H-WL	Linen
H-3P	Platinum
H-AA	Putty
H-3E	Smoke

Patterned

H-P1	Linen Casual
H-P2	Linen Classic
H-P3	Linen Crisp
H-P4	Linen Flax

Wood

H-B06	Brazilwood
H-E79	Colombian Walnut
H-AE	Maple
H-DYP	New Age Oak
H-E15	River Cherry
H-C09	Williamsburg Cherry

Grade B

Premium Wood Grain

H-C8	Blonde Modern Cherry
H-D1	Daintree
H-KP	Field Elm
H-KN	Grey Elm
H-KM	Landmark Wood
H-D2	Mocha Modern Cherry
H-KL	Neo Walnut
H-KR	Phantom Ecru
H-KS	Phantom Pearl
H-C9	Spiced Modern Cherry

Edgeband

Solid Color

HP-34	Beige
HP-AK	Chalk
HP-8J	Charcoal
HP-3J	Graphite
HP-62	Gray Tone
HP-WL	Linen
HP-3P	Platinum
HP-AA	Putty
HP-3E	Smoke

Patterned

HP-P1	Linen Casual
HP-P2	Linen Classic
HP-P3	Linen Crisp
HP-P4	Linen Flax

Wood Grain

HP-C8	Blonde Modern Cherry
HP-B06	Brazilwood
HP-E79	Colombian Walnut
HP-D1	Daintree
HP-KP	Field Elm
HP-KN	Grey Elm
HP-KM	Landmark Wood
HP-AE	Maple
HP-D2	Mocha Modern Cherry
HP-KL	Neo Walnut
HP-DYP	New Age Oak
HP-KR	Phantom Ecru
HP-KS	Phantom Pearl
HP-E15	River Cherry
HP-C9	Spiced Modern Cherry
HP-C09	Williamsburg Cherry

Ply-Edge

HP-PW	Ply-Edge
-------	----------

Trim

Grade A

Smooth

TR-R	Beige
TR-AK	Chalk
TR-K	Charcoal
TR-C1	Cocoa
TR-J	Graphite
TR-G	Gray Tone
TR-AA	Putty
TR-E	Smoke
TR-PLS	Smooth Plaster
TR-FM	Snow

Textured

TR-TG	Grout
TR-TF	Pitch
TR-TW	Plaster

Grade B

Smooth

TR-IC	Accent Blue
TR-IG	Blue Jay
TR-IR	Brownstone
TR-IN	Night
TR-IQ	Park
TR-RR	Rusty Red
TR-IM	Sable
TR-IJ	Sky Blue

Smooth Metallic

TR-MC	Metallic Champagne
TR-DM	Metallic Dark Bronze
TR-MG	Metallic Gunmetal
TR-LE	Metallic Silver

Textured Metallic

TR-AR	Argent
TR-HE	Hellenic

Forest Stewardship Council® (FSC®) Statement:

In our continuing support of sustainable forestry and responsible purchasing, Haworth North America is offering FSC certified wood products at no up-charge. By providing FSC certified material, Haworth is supporting our client's green building goals and demonstrating our collective commitment to source materials more sustainably. Haworth will provide to you the necessary FSC certified paperwork with your shipment. For more information, FAQs, and a complete FSC product list (including product exceptions), go to the Library and search FSC. Haworth FSC Trademark License #FSC-C002821

Immerse Table

Finish/Color Legend

Wood

Grade A

Double Cut

2P-RL	Applegate
CQ-HKL	Auburn
CQ-HBF	Clove
WE-RD	Dune
WJ-RE	Ebony
2N-RL	Echo
W3-HR	Harbor
WE-RT	Melba
W4-PB	Pebble
CQ-WG	Walnut Grove

Grade B

Cherry

YD-CA1	Amber
YD-W23	American
YD-W33	Caramel
YD-W30	Heritage
YD-W32	Pacific

Maple

YL-LM	Light
YLN	Natural
Maple Quarter Cut	
YM-N	Natural
Rift Cut White Oak	
YB-W35	Clear
YB-W15	Espresso
YB-W40	Mocha

Walnut

YN-W15	Espresso
YN-W31	Retro
Walnut Quarter Cut	
Y9-W35	Clear
Y9-W31	Retro

Grade D

Figured Anegre

VU-W07	Light
VU-W08	Golden

Paint Top

Grade A

Solid Color

PW-F	Black
PW-AK	Chalk
PW-PL	Polar
PW-SY	Stormy
PW-VR	Vapor

HPL

Grade A

Solid Color

H-34	Beige
H-AK	Chalk
H-8J	Charcoal
H-3J	Graphite
H-62	Gray Tone
H-WL	Linen
H-3P	Platinum
H-AA	Putty
H-3E	Smoke

Wood

H-B06	Brazilwood
H-E79	Colombian Walnut
H-AE	Maple
H-DYP	New Age Oak
H-E15	River Cherry
H-C09	Williamsburg Cherry

Grade B

Premium Wood Grain

H-C8	Blonde Modern Cherry
H-D1	Daintree
H-KP	Field Elm
H-KN	Grey Elm
H-KM	Landmark Wood
H-D2	Mocha Modern Cherry
H-KL	Neo Walnut
H-KR	Phantom Ecru
H-KS	Phantom Pearl
H-C9	Spiced Modern Cherry

Edgeband

Solid Color

HP-34	Beige
HP-AK	Chalk
HP-8J	Charcoal
HP-3J	Graphite
HP-62	Gray Tone
HP-WL	Linen
HP-3P	Platinum
HP-AA	Putty
HP-3E	Smoke

Wood Grain

HP-C8	Blonde Modern Cherry
HP-B06	Brazilwood
HP-E79	Colombian Walnut
HP-D1	Daintree
HP-KP	Field Elm
HP-KN	Grey Elm
HP-KM	Landmark Wood
HP-AE	Maple
HP-D2	Mocha Modern Cherry
HP-KL	Neo Walnut
HP-DYP	New Age Oak
HP-KR	Phantom Ecru
HP-KS	Phantom Pearl
HP-E15	River Cherry
HP-C9	Spiced Modern Cherry
HP-C09	Williamsburg Cherry

Ply-Edge

HP-PW	Ply-Edge
-------	----------

Solid Surface Top Finish

SS-CW	Cameo White
-------	-------------

Planter Finishes

TR-F	Black
TR-G	Gray Tone
TR-PLS	Smooth Plaster
TR-TC	Terra Cotta

Wood Leg Finishes

M5-W35	Clear on Oak
M6-W35	Clear on Walnut
M7-W43	Ink on Ash

Trim

Grade A

Smooth

TR-R	Beige
TR-AK	Chalk
TR-K	Charcoal
TR-C1	Cocoa
TR-J	Graphite
TR-G	Gray Tone
TR-AA	Putty
TR-E	Smoke
TR-PLS	Smooth Plaster
TR-FM	Snow

Textured

TR-TG	Grout
TR-TF	Pitch
TR-TW	Plaster

Grade B

Smooth

TR-IC	Accent Blue
TR-IG	Blue Jay
TR-IR	Brownstone
TR-IN	Night
TR-IQ	Park
TR-RR	Rusty Red
TR-IM	Sable
TR-IJ	Sky Blue

Smooth Metallic

TR-MC	Metallic Champagne
TR-DM	Metallic Dark Bronze
TR-MG	Metallic Gunmetal
TR-LE	Metallic Silver

Textured Metallic

TR-AR	Argent
TR-HE	Hellenic

ALERT: These materials are current, however they are being considered for future obsolescence due to low volume.

Wood

YP-W42	Brindle
2R-RL	Butternut
Y9-W15	Espresso
YC-W08	Golden
YC-W07	Light
Y2-U	Medium
YN-W12	Naturally Walnut
WC-RW	Wenge

HPL

H-AM	Amber Cherry
H-AD	Medium Cherry

Trim

TR-IF	Accent Red
TR-IE	Accent Orange
TR-CTS	Chartreuse
TR-IH	Terra
TR-IK	Wren

Forest Stewardship Council® (FSC®) Statement:

In our continuing support of sustainable forestry and responsible purchasing, Haworth North America is offering FSC certified wood products at no up-charge. By providing FSC certified material, Haworth is supporting our client's green building goals and demonstrating our collective commitment to source materials more sustainably. Haworth will provide to you the necessary FSC certified paperwork with your shipment. For more information, FAQs, and a complete FSC product list (including product exceptions), go to the Library and search FSC. Haworth FSC Trademark License #FSC-C002821

Jive Table

Finish/Color Legend

Wood

Grade A

Double Cut

2P-RL	Applegate
CQ-HKL	Auburn
CQ-HBF	Clove
WE-RD	Dune
WJ-RE	Ebony
2N-RL	Echo
W3-HR	Harbor
WE-RT	Melba
W4-PB	Pebble
CQ-WG	Walnut Grove

Grade B

Cherry

VC-CA1	Amber
VC-W23	American
VC-HKF	Burgundy
VC-W33	Caramel
VC-W30	Heritage
VC-W32	Pacific
VC-HKA	Toffee

Maple

VP-LM	Light
VP-N	Natural

Maple Quarter Cut

NM-N	Natural
------	---------

Oak

VJ-HKC	Urban
--------	-------

Rift Cut White Oak

NR-W35	Clear
NR-W15	Espresso
NR-W40	Mocha

Walnut

VR-CPK	Bourbon
VR-HKG	Colombian
VR-W15	Espresso
VR-W31	Retro

Walnut Quarter Cut

NW-W35	Clear
NW-W31	Retro

HPL

Grade A

Solid Color

H-34	Beige
H-AK	Chalk
H-8J	Charcoal
H-3J	Graphite
H-62	Gray Tone
H-WL	Linen
H-3P	Platinum
H-AA	Putty
H-3E	Smoke

Wood

H-B06	Brazilwood
H-E79	Colombian Walnut
H-AE	Maple
H-DYP	New Age Oak
H-E15	River Cherry
H-C09	Williamsburg Cherry

Grade B

Premium Wood Grain

H-C8	Blonde Modern Cherry
H-D1	Daintree
H-KP	Field Elm
H-KN	Grey Elm
H-KM	Landmark Wood
H-D2	Mocha Modern Cherry
H-KL	Neo Walnut
H-KR	Phantom Ecru
H-KS	Phantom Pearl
H-C9	Spiced Modern Cherry

Grade E

Premium

H-C1	Hay
H-C2	Drift
H-C3	Pecan
H-C4	Molasses
H-C5	Mineral
H-C6	Hatch
H-C7	Tanned

Edgeband

Solid Color

HP-34	Beige
HP-AK	Chalk
HP-8J	Charcoal
HP-3J	Graphite
HP-62	Gray Tone
HP-WL	Linen
HP-3P	Platinum
HP-AA	Putty
HP-3E	Smoke

Wood Grain

HP-C8	Blonde Modern Cherry
HP-B06	Brazilwood
HP-E79	Colombian Walnut
HP-D1	Daintree
HP-KP	Field Elm
HP-KN	Grey Elm
HP-KM	Landmark Wood
HP-AE	Maple
HP-D2	Mocha Modern Cherry
HP-KL	Neo Walnut
HP-DYP	New Age Oak
HP-KR	Phantom Ecru
HP-KS	Phantom Pearl
HP-E15	River Cherry
HP-C9	Spiced Modern Cherry
HP-C09	Williamsburg Cherry

Ply-Edge

HP-PW	Ply-Edge
-------	----------

Premium

HP-C1	Hay
HP-C2	Drift
HP-C3	Pecan
HP-C4	Molasses
HP-C5	Mineral
HP-C6	Hatch
HP-C7	Tanned

Trim

Grade A

Smooth

TR-R	Beige
TR-AK	Chalk
TR-K	Charcoal
TR-C1	Cocoa
TR-J	Graphite
TR-G	Gray Tone
TR-AA	Putty
TR-E	Smoke
TR-PLS	Smooth Plaster
TR-FM	Snow

Textured

TR-TG	Grout
TR-TF	Pitch

TR-TW	Plaster
-------	---------

Grade B

Smooth

TR-IC	Accent Blue
TR-IG	Blue Jay
TR-IR	Brownstone
TR-IN	Night
TR-IQ	Park
TR-RR	Rusty Red
TR-IM	Sable
TR-IJ	Sky Blue

Smooth Metallic

TR-MC	Metallic Champagne
TR-DM	Metallic Dark Bronze
TR-MG	Metallic Gunmetal
TR-LE	Metallic Silver

Textured Metallic

TR-AR	Argent
TR-HE	Hellenic

Casters

TR-F	Black
TR-7	Fog

TR-LPL	Light Platinum
--------	----------------

ALERT: These materials are current, however they are being considered for future obsolescence due to low volume.

Wood

VJ-W42	Brindle
2R-RL	Butternut
NW-W15	Espresso
NP-W08	Golden
NP-W07	Light
NX-U	Medium
VR-W12	Naturally Walnut
WC-RW	Wenge

HPL

H-AM	Amber Cherry
H-AD	Medium Cherry

Trim

TR-1F	Accent Red
TR-IE	Accent Orange
TR-CTS	Chartreuse
TR-1H	Terra
TR-1K	Wren

Forest Stewardship Council® (FSC®) Statement:

In our continuing support of sustainable forestry and responsible purchasing, Haworth North America is offering FSC certified wood products at no up-charge. By providing FSC certified material, Haworth is supporting our client's green building goals and demonstrating our collective commitment to source materials more sustainably. Haworth will provide to you the necessary FSC certified paperwork with your shipment. For more information, FAQs, and a complete FSC product list (including product exceptions), go to the Library and search FSC. Haworth FSC Trademark License #FSC-C002821

Masters Series Table

Finish/Color Legend

Wood

Grade A

Double Cut

2P-RL	Applegate
CQ-HKL	Auburn
CQ-HBF	Clove
WE-RD	Dune
WJ-RE	Ebony
2N-RL	Echo
W3-HR	Harbor
WE-RT	Melba
W4-PB	Pebble
CQ-WG	Walnut Grove

Cherry

VC-OA1	Amber
VC-W23	American
VC-HFK	Burgundy
VC-W33	Caramel
VC-W30	Heritage
VC-W32	Pacific
VC-HKA	Toffee

Maple

VP-LM	Light
VP-N	Natural

Maple Quarter Cut

NM-N	Natural
------	---------

Oak

VJ-HKC	Urban
--------	-------

Rift Cut White Oak

NR-W35	Clear
NR-W15	Espresso
NR-W40	Mocha

Walnut

VR-CPK	Bourbon
VR-HKG	Colombian
VR-W15	Espresso
VR-W31	Retro

Walnut Quarter Cut

NW-W35	Clear
NW-W31	Retro

HPL

Grade A

Solid Color

H-34	Beige
H-AK	Chalk
H-8J	Charcoal
H-3J	Graphite
H-62	Gray Tone
H-WL	Linen
H-3P	Platinum
H-AA	Putty
H-3E	Smoke

Patterned

H-P1	Linen Casual
H-P2	Linen Classic
H-P3	Linen Crisp
H-P4	Linen Flax

Wood

H-B06	Brazilwood
H-E79	Colombian Walnut
H-AE	Maple
H-DYP	New Age Oak
H-E15	River Cherry
H-C09	Williamsburg Cherry

Grade B

Premium Wood Grain

H-C8	Blonde Modern Cherry
H-D1	Daintree
H-KP	Field Elm
H-KN	Grey Elm
H-KM	Landmark Wood
H-D2	Mocha Modern Cherry
H-KL	Neo Walnut
H-KR	Phantom Ecru
H-KS	Phantom Pearl
H-C9	Spiced Modern Cherry

Edgeband

Solid Color

HP-34	Beige
HP-AK	Chalk
HP-8J	Charcoal
HP-3J	Graphite
HP-62	Gray Tone
HP-WL	Linen
HP-3P	Platinum
HP-AA	Putty
HP-3E	Smoke

Patterned

H-P1	Linen Casual
H-P2	Linen Classic
H-P3	Linen Crisp
H-P4	Linen Flax

Wood Grain

HP-C8	Blonde Modern Cherry
HP-B06	Brazilwood
HP-E79	Colombian Walnut
HP-D1	Daintree
HP-KP	Field Elm
HP-KN	Grey Elm
HP-KM	Landmark Wood
HP-AE	Maple
HP-D2	Mocha Modern Cherry
HP-KL	Neo Walnut
HP-DYP	New Age Oak
HP-KR	Phantom Ecru
HP-KS	Phantom Pearl
HP-E15	River Cherry
HP-C9	Spiced Modern Cherry
HP-C09	Williamsburg Cherry

Ply-Edge

HP-PW	Ply-Edge
-------	----------

Trim

Grade A

Smooth

TR-R	Beige
TR-AK	Chalk
TR-K	Charcoal
TR-C1	Cocoa
TR-J	Graphite
TR-G	Gray Tone
TR-AA	Putty
TR-E	Smoke
TR-PLS	Smooth Plaster
TR-FM	Snow

Textured

TR-TG	Grout
TR-TF	Pitch
TR-TW	Plaster

Grade B

Smooth

TR-IC	Accent Blue
TR-IG	Blue Jay
TR-IR	Brownstone
TR-IN	Night
TR-IQ	Park
TR-RR	Rusty Red
TR-IM	Sable
TR-IJ	Sky Blue

Smooth Metallic

TR-MC	Metallic Champagne
TR-DM	Metallic Dark Bronze
TR-MG	Metallic Gunmetal
TR-LE	Metallic Silver

Textured Metallic

TR-AR	Argent
TR-HE	Hellenic

Wood

VJ-W42	Brindle
2R-RL	Butternut
NW-W15	Espresso
NP-W08	Golden
NP-W07	Light
NX-U	Medium
VR-W12	Naturally Walnut
WC-RW	Wenge

HPL

H-AM

H-AD

Amber Cherry

Medium Cherry

Trim

TR-1F	Accent Red
TR-IE	Accent Orange
TR-CTS	Chartreuse
TR-1H	Terra
TR-1K	Wren

Forest Stewardship Council® (FSC®) Statement:

In our continuing support of sustainable forestry and responsible purchasing, Haworth North America is offering FSC certified wood products at no up-charge. By providing FSC certified material, Haworth is supporting our client's green building goals and demonstrating our collective commitment to source materials more sustainably. Haworth will provide to you the necessary FSC certified paperwork with your shipment. For more information, FAQs, and a complete FSC product list (including product exceptions), go to the Library and search FSC. Haworth FSC Trademark License #FSO-C002821

Pip Table

Finish/Color Legend

Trim

Grade A

Smooth

TR-R	Beige
TR-AK	Chalk
TR-K	Charcoal
TR-C1	Cocoa
TR-J	Graphite
TR-G	Gray Tone
TR-AA	Putty
TR-E	Smoke
TR-PLS	Smooth Plaster
TR-FM	Snow

Textured

TR-TG	Grout
TR-TF	Pitch
TR-TW	Plaster

Grade B

Smooth

TR-1C	Accent Blue
TR-1G	Blue Jay
TR-1R	Brownstone
TR-1N	Night
TR-1Q	Park
TR-RR	Rusty Red
TR-1M	Sable
TR-1J	Sky Blue

Smooth Metallic

TR-MC	Metallic Champagne
TR-DM	Metallic Dark Bronze
TR-MG	Metallic Gunmetal
TR-LE	Metallic Silver

Textured Metallic

TR-AR	Argent
TR-HE	Hellenic

ALERT: These materials are current, however they are being considered for future obsolescence due to low volume.

Trim

TR-1F	Accent Red
TR-1E	Accent Orange
TR-CTS	Chartreuse
TR-1H	Terra
TR-1K	Wren

Forest Stewardship Council® (FSC®) Statement:

In our continuing support of sustainable forestry and responsible purchasing, Haworth North America is offering FSC certified wood products at no up-charge. By providing FSC certified material, Haworth is supporting our client's green building goals and demonstrating our collective commitment to source materials more sustainably. Haworth will provide to you the necessary FSC certified paperwork with your shipment. For more information, FAQs, and a complete FSC product list (including product exceptions), go to the Library and search FSC. Haworth FSC Trademark License #FSC-C002821

Planes Table

Finish/Color Legend

Wood

Grade A

Double Cut

2P-RL	Applegate
CQ-HKL	Auburn
CQ-HBF	Clove
WE-RD	Dune
WJ-RE	Ebony
2N-RL	Echo
W3-HR	Harbor
WE-RT	Melba
W4-PB	Pebble
CQ-WG	Walnut Grove

Grade B

Cherry

VC-CA1	Amber
VC-W23	American
VC-HKF	Burgundy
VC-W33	Caramel
VC-W30	Heritage
VC-W32	Pacific
VC-HKA	Toffee

Maple

VP-LM	Light
VP-N	Natural

Maple Quarter Cut

NM-N	Natural
------	---------

Oak

VJ-HKC	Urban
--------	-------

Rift Cut White Oak

NR-W35	Clear
NR-W15	Espresso
NR-W40	Mocha

Walnut

VR-CPK	Bourbon
VR-HKG	Colombian
VR-W15	Espresso
VR-W31	Retro

Walnut Quarter Cut

NW-W35	Clear
NW-W31	Retro

HPL

Grade A

Solid Color

H-34	Beige
H-AK	Chalk
H-8J	Charcoal
H-3J	Graphite
H-62	Gray Tone
H-WL	Linen
H-3P	Platinum
H-AA	Putty
H-3E	Smoke

Wood

H-B06	Brazilwood
H-E79	Colombian Walnut
H-AE	Maple
H-DYP	New Age Oak
H-E15	River Cherry
H-C09	Williamsburg Cherry

Grade B

Premium Wood Grain

H-C8	Blonde Modern Cherry
H-D1	Daintree
H-KP	Field Elm
H-KN	Grey Elm
H-KM	Landmark Wood
H-D2	Mocha Modern Cherry
H-KL	Neo Walnut
H-KR	Phantom Ecru
H-KS	Phantom Pearl
H-C9	Spiced Modern Cherry

Grade E

Premium

H-C1	Hay
H-C2	Drift
H-C3	Pecan
H-C4	Molasses
H-C5	Mineral
H-C6	Hatch
H-C7	Tanned

Edgeband

Solid Color

HP-34	Beige
HP-AK	Chalk
HP-8J	Charcoal
HP-3J	Graphite
HP-62	Gray Tone
HP-WL	Linen
HP-3P	Platinum
HP-AA	Putty
HP-3E	Smoke

Wood Grain

HP-C8	Blonde Modern Cherry
HP-B06	Brazilwood
HP-E79	Colombian Walnut
HP-D1	Daintree
HP-KP	Field Elm
HP-KN	Grey Elm
HP-KM	Landmark Wood
HP-AE	Maple
HP-D2	Mocha Modern Cherry
HP-KL	Neo Walnut
HP-DYP	New Age Oak
HP-KR	Phantom Ecru
HP-KS	Phantom Pearl
HP-E15	River Cherry
HP-C9	Spiced Modern Cherry
HP-C09	Williamsburg Cherry

Ply-Edge

HP-PW	Ply-Edge
-------	----------

Premium

HP-C1	Hay
HP-C2	Drift
HP-C3	Pecan
HP-C4	Molasses
HP-C5	Mineral
HP-C6	Hatch
HP-C7	Tanned

Trim

Grade A

Smooth

TR-R	Beige
TR-AK	Chalk
TR-K	Charcoal
TR-C1	Cocoa
TR-J	Graphite
TR-G	Gray Tone
TR-AA	Putty
TR-E	Smoke
TR-PLS	Smooth Plaster
TR-FM	Snow

Textured

TR-TG	Grout
TR-TF	Pitch
TR-TW	Plaster

Grade B

Smooth

TR-IC	Accent Blue
TR-IG	Blue Jay
TR-IR	Brownstone
TR-IN	Night
TR-IQ	Park
TR-RR	Rusty Red
TR-IM	Sable
TR-IJ	Sky Blue

Smooth Metallic

TR-MC	Metallic Champagne
TR-DM	Metallic Dark Bronze
TR-MG	Metallic Gunmetal
TR-LE	Metallic Silver

Textured Metallic

TR-AR	Argent
TR-HE	Hellenic

Casters

TR-F	Black
TR-7	Fog
TR-LPL	Light Platinum

Lock Plugs

LR-BL	Black
LR-BP	Chrome

ALERT: These materials are current, however they are being considered for future obsolescence due to low volume.

Wood

VJ-W42	Brindle
2R-RL	Butternut
NW-W15	Espresso
NP-W08	Golden
NP-W07	Light
NX-U	Medium
VR-W12	Naturally Walnut
WC-RW	Wenge

HPL

H-AM	Amber Cherry
H-AD	Medium Cherry

Trim

TR-IF	Accent Red
TR-IE	Accent Orange
TR-CTS	Chartreuse
TR-1H	Terra
TR-1K	Wren

Forest Stewardship Council® (FSC®) Statement:

In our continuing support of sustainable forestry and responsible purchasing, Haworth North America is offering FSC certified wood products at no up-charge. By providing FSC certified material, Haworth is supporting our client's green building goals and demonstrating our collective commitment to source materials more sustainably. Haworth will provide to you the necessary FSC certified paperwork with your shipment. For more information, FAQs, and a complete FSC product list (including product exceptions), go to the Library and search FSC. Haworth FSC Trademark License #FSC-C002821

Planes Table

Fabrics/Color Legends

Vertical Fabrics

Grade A

(6X)	Chevron
(35)	Etch
(L6)	Highlands
(C1)	Striae
(PY)	Tailored
(3A)	Tellure

Grade B

(33)	Camp
(L5)	Classic
(34)	Fields
(6)	Hue
(32)	Peca
(PV)	Ritz
(WS)	Shimmer

Grade C

(SW)	Sisal
------	-------

* For most current finish and fabric availability please reference surfaces.haworth.com.

ALERT: These materials are current, however they are being considered for future obsolescence due to low volume.

Fabrics

Grade C

(PH)	Birds Nest
------	------------

Haworth+

For information on the Haworth+ alliance program, including images and product availability, please refer to: Haworth.com > Surface Collection > Haworth+ Library

Customer's Own Material (COM)

For general Customer's Own Material (COM) information including processes and forms, please refer to:

Haworth.com > Surface Collection > Resources > COM

For information on approved COM's, please refer to:

Haworth.com > Surface Collection > COM Library

PopUp Table

Fabrics/Color Legend

Wood

Grade A

Double Cut

2P-RL	Applegate
CQ-HKL	Auburn
CQ-HBF	Clove
WJ-RE	Ebony
2N-RL	Echo
W3-HR	Harbor
WE-RT	Melba
W4-PB	Pebble
CQ-WG	Walnut Grove

Grade B

Cherry

VC-CA1	Amber
VC-W23	American
VC-HKF	Burgundy
VC-W33	Caramel
VC-W30	Heritage
VC-W32	Pacific
VC-HKA	Toffee

Maple

VP-LM	Light
VP-N	Natural

Maple Quarter Cut

NM-N	Natural
------	---------

Oak

VJ-HKC	Urban
--------	-------

Rift Cut White Oak

NR-W35	Clear
NR-W15	Espresso
NR-W40	Mocha

Walnut

VR-CPK	Bourbon
VR-HKG	Colombian
VR-W15	Espresso
VR-W31	Retro

Walnut Quarter Cut

NW-W35	Clear
NW-W31	Retro

HPL

Grade A

Solid Color

H-34	Beige
H-AK	Chalk
H-8J	Charcoal
H-3J	Graphite
H-62	Gray Tone
H-WL	Linen
H-3P	Platinum
H-AA	Putty
H-3E	Smoke

Patterned

H-P1	Linen Casual
H-P2	Linen Classic
H-P3	Linen Crisp
H-P4	Linen Flax

Wood

H-B06	Brazilwood
H-E79	Colombian Walnut
H-AE	Maple
H-DYP	New Age Oak
H-E15	River Cherry
H-C09	Williamsburg Cherry

Grade B

Premium Wood Grain

H-C8	Blonde Modern Cherry
H-D1	Daintree
H-KP	Field Elm
H-KN	Grey Elm
H-KM	Landmark Wood
H-D2	Mocha Modern Cherry
H-KL	Neo Walnut
H-KR	Phantom Ecru
H-KS	Phantom Pearl
H-C9	Spiced Modern Cherry

Grade E

Premium

H-C1	Hay
H-C2	Drift
H-C3	Pecan
H-C4	Molasses
H-C5	Mineral
H-C6	Hatch
H-C7	Tanned

Edgeband

Solid Color

HP-34	Beige
HP-AK	Chalk
HP-8J	Charcoal
HP-3J	Graphite
HP-62	Gray Tone
HP-WL	Linen
HP-3P	Platinum
HP-AA	Putty
HP-3E	Smoke

Patterned

HP-P1	Linen Casual
HP-P2	Linen Classic
HP-P3	Linen Crisp
HP-P4	Linen Flax

Wood Grain

HP-C8	Blonde Modern Cherry
HP-B06	Brazilwood
HP-E79	Colombian Walnut
HP-D1	Daintree
HP-KP	Field Elm
HP-KN	Grey Elm
HP-KM	Landmark Wood
HP-AE	Maple
HP-D2	Mocha Modern Cherry
HP-KL	Neo Walnut
HP-DYP	New Age Oak
HP-KR	Phantom Ecru
HP-KS	Phantom Pearl
HP-E15	River Cherry
HP-C9	Spiced Modern Cherry
HP-C09	Williamsburg Cherry

Ply-Edge

HP-PW	Ply-Edge
-------	----------

Trim

Grade A

Smooth

TR-R	Beige
TR-AK	Chalk
TR-K	Charcoal
TR-C1	Cocoa
TR-J	Graphite
TR-G	Gray Tone
TR-AA	Putty
TR-E	Smoke
TR-PLS	Smooth Plaster
TR-FM	Snow

Textured

TR-TG	Grout
TR-TF	Pitch
TR-TW	Plaster

Grade B

Smooth

TR-IC	Accent Blue
TR-IG	Blue Jay
TR-IR	Brownstone
TR-IN	Night
TR-IQ	Park
TR-RR	Rusty Red
TR-IM	Sable
TR-IJ	Sky Blue

Smooth Metallic

TR-MC	Metallic Champagne
TR-DM	Metallic Dark Bronze
TR-MG	Metallic Gunmetal
TR-LE	Metallic Silver

Textured Metallic

TR-AR	Argent
TR-HE	Hellenic

Forest Stewardship Council® (FSC®) Statement:

In our continuing support of sustainable forestry and responsible purchasing, Haworth North America is offering FSC certified wood products at no up-charge. By providing FSC certified material, Haworth is supporting our client's green building goals and demonstrating our collective commitment to source materials more sustainably. Haworth will provide to you the necessary FSC certified paperwork with your shipment. For more information, FAQs, and a complete FSC product list (including product exceptions), go to the Library and search FSC. Haworth FSC Trademark License #FSC-C002821

Index

Products are listed alphabetically in this index by alpha-numeric prefix/suffix codes.

Product Code	Product Description	Page
EAEB	Planes Training Table Modular Power Components - Hardwire Modular Base Feed — 2-Circuit	.190
EAEB-2024-2C	Planes Training Table Modular Power Components - Single Circuit Corded Base Feed — for use with 2-Circuit, 20 Amp	.190
EAED-0000-22	Planes Training Table Modular Power Components - Receptacle Block Connector	.193
EAED-0000-24	Planes Training Table Modular Power Components - Four-Port Splitter	.194
EAEJ	Planes Training Table Modular Power Components - Pass-Through Connector — 2-Circuit	.191
EAEM	Planes Training Table Modular Power Components - Modular Power Kits — 2-Circuit	.192
EAER	Planes Training Table Modular Power Components - Receptacles — 15 Amp 2-Circuit	.193
EAWP-0004-21	Planes Training Table Modular Power Components - Wall Feed — 2-Circuit	.190
EHPO	Immerse — Planter - Oblong	.53
EHPR	Immerse — Planter - Round	.54
EUDB-0000	Cultivate Power Module Clips and Brackets - Mounting Bracket for Enhanced Power Modules	.24
EUMO-0201	Cultivate Power Module Clips and Brackets - Mounting Clip for Flip Top Unit	.24
EUQ1-QS1P	Planes Training Table Modular Power Components - Quick Connect Two Power — Flip Top Unit with Smooth Bezel	.195
EUQ1-QS1P	Planes Training Table Modular Power Components - Quick Connect Two Power — Flip Top Unit with Smooth Bezel	.195
EUQB-0072-1	Planes Training Table Modular Power Components - Quick Connect Two Power — Flip Top Unit with Smooth Bezel — Starter Box	.197
EUQJ-1	Planes Training Table Modular Power Components - Quick Connect Two Power — Flip Top Unit with Smooth Bezel — Pass-Through Connector	.197
EWVT-DCND-P	Planes Conference Table Electrical Components - Belong View	.270
EWVT-DOSD-P	Planes Conference Table Electrical Components - Belong View	.270
EWVT-SAND-P	Planes Conference Table Electrical Components - Belong View	.269
EWVT-SASD-P	Planes Conference Table Electrical Components - Belong View	.269
GAC1	Planes Credenza Base - 19"H	.203
GAC1	Planes Credenza Base - 29"H	.208
GAC2	Planes Credenza Base with Slider Unit — 35"H	.206
GAC2	Planes Credenza Base with Slider Unit — 39"H	.209
GAC2	Planes Credenza Base with Slider Unit — 45"H	.211
GAC2	Planes Credenza Base with Slider Unit — 29"H	.204
GACJ	Planes Credenza Top - Credenza Top	.213
GAKD-1919	Planes Cart - Podium	.202
GAKE-1919	Planes Cart - Medium Media	.201
GAKF-1919	Planes Cart - Small Media	.201
GAKG-1935	Planes Cart - Catering	.202
KUWH-0202	Cultivate Table Accessories - Bag Hook	.24
S970	Pip - Collaborative	.156
STP-P26-TH	Pip Table - Personal Laptop	.156
TA01	Planes Conference Table Column Base J-Channel Tray	.265
TA01	Planes Credenza Top - Grommet	.213
TA01-0001	Planes Collaborative Tables — Accessories - Ganging Clip	.162
TA01-0212	Planes Collaborative Table Accessories - Vertical Wire Management	.162
TA01-0213	Planes Collaborative Tables — Accessories - Y-Leg Bumper	.162
TA01-0214	Planes Collaborative Tables — Accessories - Y-Leg Bumper	.162
TA01-0215	Planes Collaborative Tables — Accessories - Glides	.163
TA01-0215	Planes Training Table Accessories - Glides	.199
TA01-0216	Planes Collaborative Table Accessories - Casters	.163
TA01-0216	Planes Training Table Accessories - Casters	.199
TA01-0217	Planes Conference Table Accessories - Cable Column	.267
TA01-0222	Planes Collaborative Tables — Accessories - Ganging Mechanism	.162
TA01-0222	Planes Training Table Accessories - Ganging Mechanism	.199

Index

Product Code	Product Description	Page
TA01-0224	Planes Training Table Modular Power Components – Mounting Bracket — Receptacle194
TA01-0225	Planes Training Table Accessories – Wire Manager Clips200
TA01-0225	Planes Training Table Modular Power Components – Quick Connect Two Power — Flip Top Unit with Smooth Bezel — Wire Manager Clips198
TA01-0227	Planes Training Table Modular Power Components – Quick Connect Two Power — Flip Top Unit with Smooth Bezel — Starter Box Bracket198
TA01-0228	Planes Training Table Accessories – Vertical Wire Manager200
TA01-0814	Planes Conference Table Accessories – Cable Base267
TA01-1414	Planes Conference Table Accessories – Cable Base267
TA01-CR48	Planes Conference Table Electrical Accessories –268
TA01-CRBK	Planes Conference Table Electrical Accessories – Cable Reel Bracket268
TAOM	Planes Training Table Modesty Panels188
TABC	Cultivate Wire Management – Basket Cover25
TABN	Planes Training Table – Crescent — Flip Top Table — Non-Flip Top Table184
TACB-2	Planes Conference Table Column Base Frame – (for use with End Supported Top)263
TACB-4	Planes Conference Table Column Base Frame – (for use with End Supported Top)263
TACB-7	Planes Conference Table Column Base Frame – (for use with End Supported Top)263
TACV	Planes Collaborative Table — Y-Leg – Polygon — Flip Top Table — Non-Flip Top Table161
TACV	Planes Conference Table — Interior Leg – Polygon217
TACV	Planes Training Table – Polygon — Flip Flop Table — Non-Flip Top Table186
TAHN	Planes Collaborative Tables — Y-Leg – Half Round — Flip Top Table — Non-Flip Top Table160
TAHN	Planes Conference Table — Interior Leg – Half Round216
TAJC	Planes Conference Table Column Base J-Channel265
TAPC	Planes Training Table – Pie Connector187
TAPL-R	Planes Conference Table Column Base Plate – Square and Round264
TAPL-S	Planes Conference Table Column Base Plate – Square and Round264
TARA	Planes Collaborative Table — Y-Leg – Rectangular — Flip Top Table — Non-Flip Top Table157
TARA	Planes Conference Table — Interior Leg – Rectangular — Three-Piece Top230
TARA	Planes Conference Table — Interior Leg – Rectangular — Two-Piece Top224
TARA	Planes Conference Table — Interior Leg – Round, Square, Rectangular214
TARA	Planes Conference Table — Perimeter Leg – Rectangular – 2"(51mm) Edge238
TARA	Planes Conference Table — Perimeter Leg – Square, Rectangular – 2"(51mm) Edge236
TARA	Planes Conference Table — Perimeter Leg – Rectangular – 2"(51mm) Edge — Three-Piece Top242
TARA	Planes Conference Table — Perimeter Leg – Rectangular – 2"(51mm) Edge — Two-Piece Top240
TARA	Planes Conference Table Top – Rectangle (for use with Column Base)248
TARA	Planes Conference Tables — Interior Leg – Rectangular218
TARA	Planes Training Table – Rectangular — Flip Top Table — Non-Flip Top Table182
TARA-D	Planes Table — Dual Disc Base – Rectangle174
TARA-XC	Planes Table — Dual X Base – Rectangle168
TARA-XG	Planes Table — Dual X Base – Rectangle168
TARD	Planes End Supported Top – D-Shape Convergent (for use with Column Base)260
TARN	Planes Conference Table — Interior Leg – Round, Square, Rectangular214
TARN	Planes Conference Table Top – Round, Square, Pebble (for use with Column Base)247
TARN-NDN	Planes Table — Disc Base166
TARN-NXC	Planes Table — X Base164
TARP	Planes Collaborative Table — Y-Leg – Pebble — Flip Top Table — Non-Flip Top Table158
TARP	Planes Conference Table — Interior Leg – Pebble220
TARP	Planes Conference Table — Interior Leg – Pebble — Three-Piece Top232
TARP	Planes Conference Table — Interior Leg – Pebble — Two-Piece Top226
TARP	Planes Conference Table Top – Pebble (for use with Column Base)251
TARP	Planes Conference Table Top – Round, Square, Pebble (for use with Column Base)247
TARP-D	Planes Table — Dual Disc Base – Pebble178

Index

Product Code	Product Description	Page
TARP-NDN	Planes Table — Disc Base166
TARP-NXG	Planes Table — X Base164
TARP-XC	Planes Table — Dual X Base — Pebble172
TARP-XG	Planes Table — Dual X Base — Pebble172
TARQ	Planes Conference Table — Interior Leg — Round, Square, Rectangular214
TARQ	Planes Conference Table — Perimeter Leg — Square, Rectangular — 2"(51mm) Edge236
TARQ	Planes Conference Table Top — Round, Square, Pebble (for use with Column Base)247
TARQ-NDN	Planes Table — Disc Base166
TARQ-NXC	Planes Table — X Base164
TARU	Planes End Supported Top — Rectangular Conference End (for use with Column Base)261
TARX	Planes Collaborative Table — Y-Leg — Hexagon — Flip Top Table — Non-Flip Top Table159
TARX	Planes Conference Table — Interior Leg — Hexagon222
TARX	Planes Conference Table — Interior Leg — Hexagon — Three-Piece Top234
TARX	Planes Conference Table — Interior Leg — Hexagon — Two-Piece Top228
TARX	Planes Conference Table Top — Hexagon (for use with Column Base)254
TARX-D	Planes Table — Dual Disc Base — Hexagon176
TARX-XC	Planes Table — Dual X Base — Hexagon170
TARX-XG	Planes Table — Dual X Base — Hexagon170
TARY	Planes End Supported Top — Key Conference (for use with Column Base)262
TATP	Planes Training Table — Trapezoid — Flip Top Table — Non-Flip Top Table185
TAWB	Cultivate Table Wire Management — Wire Management Basket25
TCBN	Jive Table — Post Extruded Base — Crescent70
TCBN-SNV	Jive Table — Post Round Base — Crescent87
TCHP	Jive Table — Post Extruded Base — Half Pebble72
TCHP	Jive Table — Post Round Base — Half Pebble89
TCHP-SNG	Jive Table — Bridge Base — Half Pebble112
TCHT	Jive Table — Post Extruded Base — Half Racetrack71
TCHT	Jive Table — Post Round Base — Half Racetrack88
TCHT-SNG	Jive Table — Bridge Base — Half Racetrack110
TCHX-SNG	Jive Table — Bridge Base — Half Hexagon114
TCRA	Jive Table — Post Extruded Base — Rectangle63
TCRA-SNB	Jive Table — C-Leg — Round — Rectangle118
TCRA-SNC	Jive Table — C-Leg — Extruded — Rectangle115
TCRA-SND	Jive Table — Disc Base — Rectangle127
TCRA-SND	Jive Table — Dual Disc Base — Rectangle129
TCRA-SNF	Jive Table — T-Leg — Round — Rectangle139
TCRA-SNFH4	Jive Table — T-Leg (Round or Extruded) — Flip Base — Rectangle146
TCRA-SNG	Jive Table — Bridge Base — Rectangle104
TCRA-SNH	Jive Table — C-Leg (Round or Extruded) — Flip Base — Rectangle121
TCRA-SNT	Jive Table — T-Leg — Extruded — Rectangle132
TCRA-SNV	Jive Table — Post Round Base — Rectangle80
TCRA-SNX	Jive Table — X-Base — Rectangle96
TCRA-SNXF	Jive Table — X-Base — Rectangle96
TCRN	Jive Table — Disc Base — Pneumatic Adjustment — Round — Square — Pebble131
TCRN	Jive Table — Post Extruded Base — Round56
TCRN-SND	Jive Table — Disc Base — Round123
TCRN-SNG	Jive Table — Bridge Base — Round98
TCRN-SNV	Jive Table — Post Round Base — Round73
TCRN-SNXF	Jive Table — X-Base — Round90
TCRP	Jive Table — Disc Base — Pneumatic Adjustment — Round — Square — Pebble131
TCRP-3048-SNG	Jive Table — Bridge Base — Pebble100
TCRP-3060	Jive Table — Post Extruded Base — Pebble60

Index

Product Code	Product Description	Page
TORP-3060-SNV	Jive Table — Post Round Base — Pebble77
TCRP-4242	Jive Table — Post Extruded Base — Pebble60
TCRP-4242-SNV	Jive Table — Post Round Base — Pebble77
TCRP-5454-SNG	Jive Table — Bridge Base — Pebble100
TCRP-SND	Jive Table — Disc Base — Pebble126
TCRP-SND	Jive Table — Dual Disc Base — Pebble128
TCRP-SNF	Jive Table — T-Leg — Round — Pebble142
TCRP-SNT	Jive Table — T-Leg — Extended — Pebble135
TCRP-SNX	Jive Table — X-Base — Pebble94
TCRP-SNXF	Jive Table — X-Base — Pebble94
TCRQ	Jive Table — Disc Base — Pneumatic Adjustment — Round — Square — Pebble131
TCRQ	Jive Table — Post Extruded Base — Square58
TCRQ-SND	Jive Table — Disc Base — Square125
TCRQ-SNG	Jive Table — Bridge Base — Square99
TCRQ-SNV	Jive Table — Post Round Base — Square75
TCRQ-SNX	Jive Table — X-Base — Square92
TCRQ-SNXF	Jive Table — X-Base — Square92
TCRT	Jive Table — Post Extruded Base — Racetrack66
TCRT-SND	Jive Table — Dual Disc Base — Racetrack130
TCRT-SNE	Jive Table — T-Leg — Round — Racetrack143
TCRT-SNG	Jive Table — Bridge Base — Racetrack107
TCRT-SNT	Jive Table — T-Leg — Extruded — Racetrack136
TCRT-SNV	Jive Table — Post Round Base — Racetrack83
TCTP	Jive Table — Post Extruded Base — Trapezoid68
TCTP-SNF	Jive Table — T-Leg — Round — Trapezoid144
TCTP-SNT	Jive Table — T-Leg — Extruded — Trapezoid137
TCTP-SNV	Jive Table — Post Round Base — Trapezoid85
THLD	Immerse — Ledge Table — Rectangle — Painted Legs26
THLD	Immerse — Ledge Table — Rectangle — Wood Legs27
THRA	Immerse — Single Table — Rectangle — Painted Legs46
THRA	Immerse — Single Table — Rectangle — Wood Legs50
THRA	Immerse — Stack Table — Rectangle — Painted Legs52
THRD	Immerse — Overlap Table — Rectangle/Round — Painted Legs30
THRD	Immerse — Overlap Table — Rectangle/Round — Wood Legs35
THRD	Immerse — Shift Table — Rectangle/Round — Painted Legs39
THRD	Immerse — Shift Table — Rectangle/Round — Wood Legs42
THRL	Immerse — Overlap Table — Rectangle/Ledge — Painted Legs32
THRL	Immerse — Overlap Table — Rectangle/Ledge — Wood Legs37
THRN	Immerse — Single Table — Round — Painted Legs44
THRN	Immerse — Single Table — Round — Wood Legs48
THRQ	Immerse — Single Table — Square — Painted Legs45
THRQ	Immerse — Single Table — Square — Wood Legs49
THRR	Executive Wood Tables — Rectangle/Rectangle — Painted Legs38
THRR	Immerse — Overlap Table — Rectangle/Rectangle — Painted Legs28
THRR	Immerse — Overlap Table — Rectangle/Rectangle — Wood Legs33
THRR	Immerse — Shift Table — Rectangle/Rectangle — Wood Legs41
THRT	Immerse — Single Table — Racetrack — Painted Legs47
THRT	Immerse — Single Table — Racetrack — Wood Legs51
THTD	Immerse — Overlap Table — Racetrack/Round — Painted Legs31
THTD	Immerse — Overlap Table — Racetrack/Round — Wood Legs36
THTD	Immerse — Shift Table — Racetrack/Round — Painted Legs40
THTD	Immerse — Shift Table — Racetrack/Round — Wood Legs43

Index

Product Code	Product Description	Page
TPAP	PopUp Table Accessories – Accent Plate278
TPRA-SNA	PopUp Table – Rectangle272
TPRP-SNA	PopUp Table – Oval (Rectangular Radius Corner)274
TPRT-SNA	PopUp Table – Racetrack276
TPVW	PopUp Table Accessories – Vertical Wire Channel – Leg Attached278
TVBN-LJSNR	Jive Table — Swivel Base – Crescent151
TVCE-LJSNRE	Jive Table — Swivel Base – Corner, Extended153
TVCX-LJSNRP	Jive Table — Swivel Base – Corner, Transitional Extended152
TVRA-LJSNR	Jive Table — Swivel Base – Rectange149
TVRQ-LJSNR	Jive Table — Swivel Base – Square148
TVTP-LJSNR	Jive Table — Swivel Base – Trapezoid150
TYBA-NNNNNNG4A	Cultivate Table Frames23
TYBA-NNNNNNG7A	Cultivate Table Frames23
TYRA-LJMN	Cultivate Table Tops – For use with Storage22
TYRA-LJMN	Cultivate Table Tops – No Storage21
TYRA-LJSN	Cultivate Table Tops – For use with Storage22
TYRA-LJSN	Cultivate Table Tops – No Storage21
TYRA-WKMN	Cultivate Table Tops – For use with Storage22
TYRA-WKMN	Cultivate Table Tops – No Storage21
TYRA-WKSN	Cultivate Table Tops – For use with Storage22
TYRA-WKSN	Cultivate Table Tops – No Storage21
TYVW	Cultivate Wire Management – Vertical Wire Channel - Leg Attached25
TZRN-L	Compose Table – Round — Post Base18
TZRN-W	Compose Table – Round — Post Base18
WQAG-PS	Planes Training Table Accessories – Grommet200
XZAM-1S	Masters Series Table – Round154
ZUBW-0000-PN	Planes Conference Table End Supported Top Bracket – Wall Mount Bracket266
ZZBA-0000-PL	Planes Conference Table End Supported Top Bracket – Side/Corner Bracket266
ZZBA-0000-PLF	Planes Conference Table End Supported Top Bracket – Side Bracket for use with Knife Edge266
ZZBA-0000-PR	Planes Conference Table End Supported Top Bracket – Side/Corner Bracket266
ZZBA-0000-PRF	Planes Conference Table End Supported Top Bracket – Side Bracket for use with Knife Edge266

Product Compatibility and Limited Warranty Policy

Great Expectations

You have them as a Haworth customer and so do we. And because we value our customers, we cover our products with the Haworth North America Product Compatibility and Limited Warranty Policy.

Our Commitment To Product Compatibility – Integrated Product Platforms

As a market leader in the design and manufacture of workspaces that adapt to change, we strive to maintain product compatibility within our various generations of integrated product platforms. This benefits the customer who desires to update or modify their work environment. It also benefits the customer needing to replace a product due to damage or other reasons but which is no longer manufactured or is otherwise unavailable, such as a fabric or finish that is discontinued because of changing market preferences. In both circumstances, we often can provide products with comparable function and performance.

Our Commitment To Product Quality – The Haworth North America Limited Warranty

To ensure customer satisfaction and peace of mind, we stand behind our products with the Haworth North America Limited Warranty. To review the current version of the limited warranty including its terms and conditions, please go to: www.haworth.com/warranty or contact **OneTouch@Haworth.com or 1877 429 6784**.

Warranty Requests or Questions

For questions or service requests pertaining to the Haworth Limited Warranty, please contact your Haworth dealer. If you are unsure who your dealer is, please contact **OneTouch@Haworth.com or 1877 429 6784**.

Terms of Sale

The Terms of Sale apply to all products in the North America Price Lists. To review the current version of the North American Terms of Sale, please go to:

www.haworth.com/terms-of-sale or contact **OneTouch@Haworth.com or 1877 429 6784**.

HAWORTH

HAWORTH® is a registered trademark of Haworth, Inc.

© Haworth, Inc. All rights reserved. 2025 3.25

haworth.com | 800 344 2600