

ICPSR 29701

**Study of Women's Health Across
the Nation (SWAN), 1999-2001: Visit
03 Dataset**

Codebook

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

Study of Women's Health Across the Nation (SWAN), 1999-2001: Visit 03 Dataset

Kim Sutton-Tyrrell
University of Pittsburgh

Faith Selzer
University of Pittsburgh

MaryFran Sowers
University of Michigan

Robert Neer
Massachusetts General Hospital, Boston

Lynda Powell
Rush University. Rush-Presbyterian-St. Luke's Medical Center, Chicago

Ellen Gold
University of California-Davis

Gail Greendale
University of California-Los Angeles

Gerson Weiss
University of Medicine and Dentistry - New Jersey Medical School

Karen Matthews
University of Pittsburgh

Sonja McKinlay
New England Research Institutes

Terms of Use

The terms of use for this study can be found at:
<http://www.icpsr.umich.edu/cocoon/ICPSR/TERMS/29701.xml>

Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE

WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.



FOLLOW-UP VISIT 03

CODEBOOK

PAGE INTENTIONALLY BLANK

TABLE OF CONTENTS

Documentation for the SWAN Visit 3 Dataset	4
Interview Questionnaire	6
Self-Administered Questionnaire Part A	29
Self-Administered Questionnaire Part B	55
Self-Administered Questionnaire Part C	61
Physical Measures	66
Additional Measures	68

DOCUMENTATION FOR THE PUBLIC-USE SWAN VISIT 03 DATASET

1. Who is included in the public use dataset:

The dataset contains follow-up visit 3 information for the 3,302 women from the 7 clinical sites participating in the SWAN longitudinal study. The sites include Boston, MA, Pittsburgh, PA, Oakland and Los Angeles, CA, Detroit, MI, Newark, NJ, and Chicago, IL.

2. How this codebook is constructed:

Following this documentation section are copies of each of the questionnaires that were used at visit 3. A list of additional variables is also provided. The questionnaires include the variables available for public use next to the question in bold red uppercase underlined letters. Those variables not available for public use have a # before the variable, are in blue, and are not underlined. Any special notes are indicated with footnotes at the bottom of the page.

The assigned participant ID has been replaced with a randomly generated SWANID in order to protect participant privacy. This SWANID remains the same for all visits, and can be used for linking. The *baseline* interview date is denoted as day 0 and is used as the basis for all other dates. All other questionnaires or data collected that have a date attached have been converted to the number of days from the baseline interview. For example, if the Visit 3 Self-Administered Questionnaire Part A was collected 4 years after the baseline interview, the day for the Self-Administered Part A would be day 1460 and the Baseline Interview would be day 0.

All variables for visit 3 have a 3 at the end of the variable name.

3. Missing data coding:

The following coding convention is used to indicate different forms of missing data:

- 9 = Missing
- 8 = Do not know
- 7 = Refused
- 1 = Not Applicable

4. Ways this data can be used and additional notes

General note: Some participants were unable to complete all the components of the visit. In these cases, abbreviated forms of the interview, self-administered part A, and physical measures were completed. To distinguish which interview protocol was followed; refer to the variable FORMFLG3, which has a value of INT for those who completed the full interview, and AIN for those who completed the abbreviated interview.

Interview Questionnaire

In general, any 'Other, specify' text field is not included in the dataset.

- A menopausal status variable STATUS3 was derived for all analyses of the SWAN data for the patient at visit 3.
- Age (AGE3) was calculated from date of birth to when the interview form was completed, and is rounded to the next lowest integer.
- A social support score can be calculated from the questions in C.9.a-d after recoding them from a 1-5 range to a 0-4 range.
- CES-D scores can be created from the questions in C.11.
- A perceived stress score can be created from questions in C.10.
- The flag FORMFLG3 is set with a value of AIN for the seven participants who completed the abbreviated interview instead of the full interview.

Self-Administered Questionnaire Part A

The income question I.1 was condensed so that the income ranges were more broadly defined.

- Current smoking is defined as anyone who answered 'yes' to question B.8 (SMOKERE3) and an answer greater than 0 for B.8.a (AVGCIGDA3).
- SF-36 scores can be derived based on questions B.16-22 according to the SF-36 User's Manual. Responses may need to be reversed where necessary so that all items are positively scored, so that a higher value indicates better functioning. The Role-Physical scale uses the variables from question B.16a-d. The Bodily Pain Score is calculated from questions B.19 and B.20. Item recoding depends on whether both questions were answered or one of the items has missing data. After recoding, all the items are positively scored so that a higher score indicates less pain. The SF-36 Vitality Score is calculated from questions B.21a-d. Questions B.21.a and B.21.b should be reversed so that all items are positively scored; for the resulting index a higher score indicates greater energy (and less fatigue). The Social Functioning Score is calculated using questions B.18 and B.22. Question B.18 is reversed so that all items are positively scored; for the resulting index a higher score indicates better social functioning. The Role-Emotional Score is calculated using questions B.17a-c. All items are positively scored, so a higher score indicates better role-emotional functioning.
- The flag FLGSAAV3 is set for the participant who completed the interview after the 01/31/2001 cutoff.
- The flag DATAFLG3 is set with a value of AIN for the participants who completed the abbreviated form, and SAA for those who completed the full form

Self-Administered Questionnaire Part B

- The flag FLGSABV3 is set for the participant who completed the interview after the 01/31/2001 cutoff.

Self-Administered Questionnaire Part C

- The flag FLGSACBV3 is set for the participant who completed the interview after the 01/31/2001 cutoff.
- The flag FLGVISV3 indicates any out of range values for question B5, which asks how many times did you see/talk to your health care provider regarding your own health.
- The flag FLGPSYV3 indicates any out of range values for question B9d.1 which asks how many times have you seen/talked to this psychiatrist.

Physical Measures

In addition to the variables on the form, BMI3 was also calculated as weight in kilograms divided by the square of height in meters.

Additional Measures

Serum Hormone Measures

The Visit 3 hormone results are included. Of special note is that the estradiol assay was run in duplicate. The average (E2AVE3) is the within-person arithmetic average of the two assays. A flag indicates if the estradiol results differed by > 10 pg/mL where one or both results <= 20 pg/mL. Hormone results below the lower level of detection (LLD- see table in the Additional Measures section) were recoded to an .L value. Note that neither estradiol measurement nor FSH had any values below the LLD.

Cardiovascular Measures

The Visit 3 cardiovascular results are included. A flag (FLAGSER3) indicates that the lipids were measured on serum rather than plasma because plasma was not available.

Bone Mineral Density Measures

Five of the seven sites participated in the bone study – Detroit, MI, Boston, MA, Oakland and Los Angeles, CA, and Pittsburgh, PA. Total spine and total hip bone mineral density (BMD) measures are provided. Total spine and total hip bone mineral density (BMD) measures are provided. Any spinal BMDs recommended for exclusion are indicated by the flag BMDFLG3.

Study of Women's Health Across the Nation

ANNUAL FOLLOW-UP INTERVIEW

SECTION A. GENERAL INFORMATION

AFFIX ID LABEL HERE

- A1. RESPONDENT ID: SWANID~
- A2. SWAN STUDY VISIT # VISIT
- A3. FORM VERSION: 02/01/1998 #FORM_V
- A4. DATE FORM COMPLETED: / / INTDAY3[†]
- A5. INTERVIEWER'S INITIALS: #INITS
- A6. RESPONDENT'S DOB: / / #DOB
- VERIFY WITH RESPONDENT

- A7. INTERVIEW COMPLETED IN: #LOCATIO3
- RESPONDENT'S HOME 1
- CLINIC/OFFICE 2
- RESPONDENT'S HOME BY PROXY 3
- CLINIC/OFFICE BY PROXY 4

- A7.1 INTERVIEW LANGUAGE: LANGINT3
- ENGLISH 1
- SPANISH 2
- CANTONESE 3
- JAPANESE 4

- A8. Are you currently pregnant? PREGNAN3
- NO 1
- YES 2
- DON'T KNOW -8

- A9. WAS BLOOD FOR THIS ANNUAL FOLLOW-UP DRAWN PREVIOUS TO THIS INTERVIEW DATE? PREVBLO3
- NO 1
- YES 2 (GO TO

PAGE 3)

~ A randomly generated ID will be provided that is different from the original ID

† This date is given in days since the initial baseline interview, which is day zero.

Variable Excluded from Public Use Data File

Before we draw a blood sample I need to ask you a few questions.

- A10. Have you had anything to eat or drink, other than water, in the last 12 hours? That is, since __ __ : __ __ last night? **EATDRIN3**

NO 1
YES..... 2

- A11. Did you start a menstrual period in the last 5 days? **STRTPER3**

NO 1 (A13)
YES..... 2 (A12)

- A12. What is the date that you started to bleed? **DAYBLE3[†]**

__ __ / __ __ / __ __ __ __
M M D D Y Y Y Y

- A13. BLOOD DRAW ATTEMPTED? **BLDRWAT3**

YES, AS PER PROTOCOL 1 (A14)
YES, MENSES TOO VARIABLE..... 2 (A14)
YES, LAST ATTEMPT 3 (A14)
YES, RESPONDENT PREGNANT 4 (A14)
NO, NOT FASTING AND/OR NOT IN WINDOW - RESCHEDULE 5 (A13.1)

A13.1 Unfortunately this is not the best time to draw a blood sample. In order to get the best possible information for this study, we need you to fast for 12 hours and to be within 5 days of starting a menstrual period. We need to reschedule a good day to draw your blood.
[INTERVIEWER HAND INSTRUCTION CARD TO RESPONDENT AND EXPLAIN]
GO TO SECTION B ON THE NEXT PAGE

A14. FOLLOW BLOOD DRAW PROTOCOL
RECORD COLLECTION TUBES FILLED ON SPECIMEN COLLECTION FORM

- A15. BLOOD DRAWN? **BLDDRAW3**

NO 1
YES..... 2

[†] This date is given in days since the initial baseline interview.

ASK RESPONDENT TO GATHER PRESCRIPTION MEDICATIONS SO THEY ARE WITHIN REACH.
REMEMBER, DO NOT READ OUT LOUD ANY SCRIPT IN CAPITAL LETTERS.

I would like to begin the interview by asking you some questions about medications.

The medications you take, both those prescribed and from over-the-counter (OTC), can have a major influence on how well you feel, how you respond to events in your life, and the continued maintenance of your health. We want to know about any medications you have taken since your last study visit.

I will start by asking about any pills or medicines, including patches, suppositories, injections, creams and ointments which are prescribed by your doctor or other health care provider, that you have taken since your last study visit.

IF YES TO ANY, RECORD

MEDICATION NAME IN THE SPACES
PROVIDED

PRESCRIPTION DRUGS

IF YES:

			a. What is the name of the medication?	b. Have you been taking it at least two times per week for the last month?	c. INTERVIEWER CHECK: MEDICATION VERIFIED FROM CONTAINER LABEL?
Since your last study visit....	NO	YES			
B1. Have you taken any medication, pills or other medicine to thin your blood (anticoagulants)?	1	2	<u>#ACOAMD13</u>	1 2 <u>ACOATW13</u>	1 2 <u>#ACOAVR13</u>
<u>ANTICO13</u>	1	2	<u>#ACOAMD23</u>	1 2 <u>ACOATW23</u>	1 2 <u>#ACOAVR23</u>
<u>ANTICO23</u>					
B2. Anything for your heart or heart beat, including pills or patches?	1	2	<u>#HARTMD13</u>	1 2 <u>HARTTW13</u>	1 2 <u>#HARTVR13</u>
<u>HEART13</u>	1	2	<u>#HARTMD23</u>	1 2 <u>HARTTW23</u>	1 2 <u>#HARTVR23</u>
<u>HEART23</u>					
B3. Any medications for cholesterol or fats in your blood?	1	2	<u>#CHOLMD13</u>	1 2 <u>CHOLTW13</u>	1 2 <u>#CHOLVR13</u>
<u>CHOLST13</u>	1	2	<u>#CHOLMD23</u>	1 2 <u>CHOLTW23</u>	1 2 <u>#CHOLVR23</u>
<u>CHOLST23</u>					
B4. Blood pressure pills?	1	2	<u>#BPMED13</u>	1 2 <u>BPTW13</u>	1 2 <u>#BPVER13</u>
<u>BP13</u>	1	2	<u>#BPMED23</u>	1 2 <u>BPTW23</u>	1 2 <u>#BPVER23</u>
<u>BP23</u>					

Variable Excluded from Public Use Data File

	a. What is the name of the medication?			b. Have you been taking it at least two times per week for the last month?			c. INTERVIEWER CHECK: MEDICATION VERIFIED FROM CONTAINER LABEL?	
	NO	YES		NO	YES		NO	YES
Since your last study visit, have you taken...								
B5. Diuretics for water retention?	1	2		1	2		1	2
<u>DIURET13</u>			#DIURMD13	<u>DIURTW13</u>		#DIURVR13		
	1	2		1	2		1	2
<u>DIURET23</u>			#DIURMD23	<u>DIURTW23</u>		#DIURVR23		
B6. Thyroid pills?	1	2		1	2		1	2
<u>THYROI13</u>			#THYRMD13	<u>THYRTW13</u>		#THYRVR13		
	1	2		1	2		1	2
<u>THYROI23</u>			#THYRMD23	<u>THYRTW23</u>		#THYRVR23		
B7. Insulin or pills for sugar in your blood?	1	2		1	2		1	2
<u>INSULN13</u>			#INSUMD13	<u>INSUTW13</u>		#INSUVR13		
	1	2		1	2		1	2
<u>INSULN23</u>			#INSUMD23	<u>INSUTW23</u>		#INSUVR23		
B8. Any medications for a nervous condition such as tranquilizers, sedatives, sleeping pills, or anti-depression medication?	1	2		1	2		1	2
	1	2	#NERVMD13	<u>NERVTW13</u>		#NERVVR13		
<u>NERVS13, NERVS23</u>			#NERVMD23	<u>NERVTW23</u>		#NERVVR23		
B9. Steroid pills such as Prednisone, or cortisone?	1	2		1	2		1	2
<u>STEROI13</u>			#STERMD13	<u>STERTW13</u>		#STERVR13		
	1	2		1	2		1	2
<u>STEROI23</u>			#STERMD23	<u>STERTW23</u>		#STERVR23		
B10. Fertility medications to help you get pregnant (Pergonal, Clomid)?	1	2		1	2		1	2
<u>FERTIL13</u>			#FRTLMD13	<u>FRTLTW13</u>		#FRTLVR13		
	1	2		1	2		1	2
<u>FERTIL23</u>			#FRTLMD23	<u>FRTLTW23</u>		#FRTLVR23		

HORMONE QUESTIONS B11-15:

Since your last study visit, have you taken...

HORMONE QUESTIONS B11-15:			a. What is the name of the medication?	b. Have you been taking it during the past month?	c. INTERVIEWER CHECK: MEDICATION VERIFIED FROM CONTAINER LABEL?			
Since your last study visit, have you taken...			NO	YES	NO	YES	NO	YES
B11. Birth Control pills?	1	2			1	2	1	2
<u>BCP13</u>			#BCPMED13	<u>BCPTWI13</u>	#BCPVER13			
<u>BCP23</u>	1	2	#BCPMED23	<u>BCPTWI23</u>	#BCPVER23			
			#ESTRMD13	<u>ESTRTWI13</u>	#ESTRVR13			
B12. Estrogen pills (such as Premarin, Estrace, Ogen, etc)?	1 (B13)	2			1	2	1	2
<u>ESTROG13</u>								
<u>ESTROG23</u>	1	2	#ESTRMD23	<u>ESTRTW23</u>	#ESTRVR23			

B12.d IF YES: Does/Did your prescription have you take estrogen daily or on and off on a monthly cycle?
[IF MORE THAN ONE MENTIONED, RECORD THE MORE RECENT AT 1.]

<u>ESTRDA13</u>	<u>ESTRDA23</u>
1. EVERY DAY 1	2. EVERY DAY 1
OFF AND ON 2	OFF AND ON 2
DON'T KNOW -8	DON'T KNOW -8

Since your last study visit, have you taken...

B13. Estrogen by injection or patch (such as Estraderm)?	1	2		1	2	1	2
<u>ESTRNJ13</u>			#EINJMD13	<u>EINJTW13</u>		#EINJVR13	
<u>ESTRNJ23</u>	1	2	#EINJMD23	<u>EINJTW23</u>		#EINJVR23	
B14. Combination estrogen/progestin (such as Premphase or Prempro)?	1	2	#COMBMD13	<u>COMBTW13</u>		#COMBVR13	
<u>COMBIN13</u>							
<u>COMBIN23</u>	1	2	#COMBMD23	<u>COMBTW23</u>		#COMBVR23	
B15. Progestin pills (such as Provera)?	1 (B16)	2	#PROGMD13	<u>PROGTW13</u>		#PROGVR13	
<u>PROGES13</u>							
<u>PROGES23</u>	1	2	#PROGMD23	<u>PROGTW23</u>		#PROGVR23	

B15.d IF YES: Does/Did your prescription have you take progestin daily or on and off on a monthly cycle?
[IF MORE THAN ONE MENTIONED, RECORD THE MORE RECENT AT 1.]

PROGDA13

1. EVERY DAY 1
OFF AND ON 2
DON'T KNOW -8

PROGDA23

2. EVERY DAY 1
OFF AND ON 2
DON'T KNOW -8

a.
What is the
name of the
medication?

b.
Have you
been taking it
at least
two times per
week for the
last month?

c.
INTERVIEWER
CHECK:
MEDICATION
VERIFIED
FROM
CONTAINER
LABEL?

Since your last study visit...

	NO	YES		NO	YES	NO	YES
B16. Are there any other prescription pills or medications that you have taken, that I haven't asked you about? (PLEASE LIST)	1	2		1	2	1	2
<u>OTHMED13-OTHMED93</u>	1	2	<u>#OTHRMD13</u>	<u>OTHRTW13</u>	<u>#OTHRVR13</u>		
	1	2	-	1	2	1	2
	1	2	<u>#OTHRMD93</u>	<u>OTHRTW93</u>	<u>#OTHRVR93</u>		
	1	2		1	2	1	2
	1	2		1	2	1	2
<u>OTHME103-OTHME153</u>	1	2	<u>#OTHRM103</u>	<u>OTHTW103</u>	<u>#OTHVR103</u>		
	1	2	-	1	2	1	2
	1	2	<u>#OTHRM153</u>	<u>OTHTW153</u>	<u>#OTHVR153</u>		
	1	2		1	2	1	2
	1	2		1	2	1	2

IF RESPONDENT HAS TAKEN ANY HORMONES (IF YES TO ANY OF B 11 -15) ASK B17,
OTHERWISE GO TO B19.

Note: Another question was added concerning osteoporosis medications to the 1/1/2000 version of the interview.
To see this question, please look on page 29 of this document.

B17. I am going to read a list of some reasons why women start taking hormones, including birth control pills. For each one, please tell me if it is a reason why you started taking hormones. (READ LIST a THROUGH i)

	NO	YES	
a. To reduce the risk of heart disease	1	2	<u>REDUHAR3</u>
b. To reduce the risk of osteoporosis (brittle bones)	1	2	<u>OSTEOP03</u>
c. To relieve menopausal symptoms	1	2	<u>MENOSYM3</u>
d. To stay young-looking	1	2	<u>YOUNGLK3</u>
e. A health care provider advised me to take them	1	2	<u>HCPADVI3</u>
f. A friend or relative advised me to take them	1	2	<u>FRNADVI3</u>
g. To improve my memory	1	2	<u>IMPRMEM3</u>
h. To regulate periods	1	2	<u>REGPERI3</u>
i. Any other? SPECIFY _____	1	2	<u>HORMOTH3</u>
_____			<u>#HORMSPE3</u>
j. DON'T KNOW/REMEMBER	1	2	<u>DONTKNO3</u>

IF RESPONDENT STARTED TAKING ANY HORMONES INCLUDING BIRTH CONTROL PILLS, BUT IS NOT CURRENTLY TAKING ANY, (THAT IS, "YES" TO ANY OF B11-15 **AND** "NO" TO ALL OF B11b - 15b) ASK B18, OTHERWISE GO TO PAGE 8.

B18. Since your last study visit, you started taking some hormones and then stopped. What were your reasons for stopping? PROBE: Any Others?

[DO NOT READ THE LIST. CODE 1 (NO) OR 2 (YES) FOR EACH ITEM.]

	NO	YES
a. PROBLEMS WITH BLEEDING	1	2 <u>PRBBLEE3</u>
b. DIDN'T LIKE HAVING PERIODS	1	2 <u>HAVEPER3</u>
c. DIDN'T LIKE HOW I FELT ON THEM	1	2 <u>LIKEFEL3</u>
d. WORRIED ABOUT POSSIBLE SIDE EFFECTS	1	2 <u>SIDEEFF3</u>
e. WORRIED ABOUT CANCER	1	2 <u>CANCER3</u>
f. MY HEALTH CARE PROVIDER ADVISED ME TO STOP (FOR MEDICAL REASONS)	1	2 <u>ADVISTO3</u>
g. TOO EXPENSIVE	1	2 <u>EXPENSI3</u>
h. DON'T LIKE TO TAKE ANY MEDICATIONS	1	2 <u>NOLIKE3</u>
i. COULDN'T REMEMBER TO TAKE THEM	1	2 <u>NOREMBE3</u>
j. DON'T KNOW	1	2 <u>DNTKNOW3</u>
k. OTHER, SPECIFY: _____	1	2 <u>STOPOTH3</u>
		<u>#STOPSPE3</u>
l. NO REASON GIVEN	1	2 <u>NOREASO3</u>

Now I would like to ask you about over-the-counter medications, non-prescription, that you have taken regularly at least 2 times per week for a month or more, since your last study visit.

IF YES TO ANY, RECORD
MEDICATION NAME IN THE SPACES
PROVIDED

a.
What is the
name of the
medication?

b.
Have you been
taking it at least
two times per
week for the last
month?

Since your last study visit, have you
taken.....

NO YES

NO YES

B19. Any over-the-counter medications
for pain including headaches and
arthritis?

1 2

PAIN13

#PAINMD13

1 2

PAINTW13

1 2

PAIN23

#PAINMD23

1 2

PAINTW23

B20. Anything for problems sleeping?

1 2

SLEEP13

#SLPMD13

1 2

SLEPTW13

1 2

SLEEP23

#SLPMD23

1 2

SLEPTW23

B21. Have you taken any other over-the-
counter pills or other medications
(including liquids or ointments)
that I haven't asked you about?
(PLEASE LIST)

1 2

#OTCMD13

1 2

OTCTW13

1 2

#OTCMD93

1 2

OTCTW93

1 2

#OTCMD103

1 2

OTCTW103

1 2

OTC13 – OTC93
OTC103– OTC153

#OTCMD153

1 2

OTCTW153

B22. Since your last study visit, have you taken any vitamins or minerals fairly regularly, at least once a week?

REGVITA3

NO 1 (GO TO

PAGE 10)

YES..... 2

B23. IF YES: Since your last study visit, what vitamins and minerals have you taken fairly regularly, at least once per week? [HAND RESPONDENT CARD “A” AND READ RESPONSE CATEGORIES.]

	Don't take any	1-3 days per week	4-6 days per week	Every day
Multi-Vitamins, how often do you take...				
a. Regular Once-A-Day, Centrum, or Thera type <u>ONCEADA3</u>	1	2	3	4
b. Antioxidant combination type <u>ANTIOXI3</u>	1	2	3	4
c. Any others?				
<u>#VTMSPE13,VTMOTH13</u>	1	2	3	4
<u>#VTMSPE23,VTMOTH23</u>	1	2	3	4
<u>#VTMSPE33,VTMOTH33</u>	1	2	3	4
<u>#VTMSPE43,VTMOTH43</u>	1	2	3	4
Single Vitamins, not part of multi- vitamins, how often do you take...				
d. Vitamin A, not beta carotene <u>VITAMNA3</u>	1	2	3	4
e. Beta-carotene <u>BETACAR3</u>	1	2	3	4
f. Vitamin C <u>VITAMNC3</u>	1	2	3	4
g. Vitamin D <u>VITAMND3</u>	1	2	3	4
h. Vitamin E <u>VITAMNE3</u>	1	2	3	4
i. Calcium or Tums <u>CALCTUM3</u>	1	2	3	4
j. Iron <u>IRON3</u>	1	2	3	4
k. Any others?				
SPECIFY: <u>VITOTH13, #VITSPE13</u>	1	2	3	4
<u>VITOTH23, #VITSPE23</u>	1	2	3	4
<u>VITOTH33, #VITSPE33</u>	1	2	3	4
<u>VITOTH43, #VITSPE43</u>	1	2	3	4

B23.1 IF MULTIPLE VITAMIN USE REPORTED, Do you usually take multiple vitamins that:

<u>MULTVIT3</u>	
Contain minerals (iron, calcium)	1
Do not contain minerals.....	2
DON'T KNOW	-8

Variable Excluded from Public Use Data File

IF BLOOD WAS DRAWN (A15 IS YES), GO TO B24. OTHERWISE GO TO B26.

In order to interpret your blood tests, we need to ask you the following questions.

B24. We've just talked about your prescription medications, over-the-counter medications, vitamins, and minerals you have taken since your last study visit. What did you take in the last 24 hours?
[REVIEW SHADED COLUMNS AFTER RESPONDENT ANSWERS.
IF CURRENT MEDICATION USE REPORTED (YES TO ANY SHADED COLUMN IN B1b-B21b)
BUT NOT REPORTED HERE, PROBE FOR USE IN LAST 24 HOURS.]

- | | |
|----------|-----------|
| a. _____ | #TAKEMDA3 |
| b. _____ | #TAKEMDB3 |
| c. _____ | #TAKEMDC3 |
| d. _____ | #TAKEMDD3 |
| e. _____ | #TAKEMDE3 |
| f. _____ | #TAKEMDF3 |
| g. _____ | #TAKEMDG3 |
| h. _____ | #TAKEMDH3 |
| i. _____ | #TAKEMDI3 |
| j. _____ | #TAKEMDJ3 |

B25. Have you had any alcohol in the last 24 hours?

ALCHL243

NO 1
YES..... 2

Now, I'm going to ask you some questions about your health and medical conditions.

B26. **Since your last study visit**, has a doctor, nurse practitioner or other health care provider told you that you had any of the following conditions or treated you for them?

		NO	YES	DON'T KNOW
a. Anemia?	<u>ANEMIA3</u>	1	2	-8
b. Diabetes?	<u>DIABETE3</u>	1	2	-8
c. High blood pressure or hypertension?	<u>HIGHBP3</u>	1	2	-8
d. High cholesterol?	<u>HBCHOLE3</u>	1	2	-8
e. Migraines?	<u>MIGRAIN3</u>	1	2	-8
f. Stroke?	<u>STROKE3</u>	1	2	-8
g. Arthritis or osteoarthritis (degenerative joint disease)?	<u>OSTEOAR3</u>	1	2	-8
h. Overactive or underactive thyroid?	<u>THYROID3</u>	1	2	-8
i. Heart attack?	<u>HEARTAT3</u>	1	2	-8
j. Angina?	<u>ANGINA3</u>	1	2	-8
k. Osteoporosis (brittle or thinning bones)?	<u>OSTEOPR3</u>	1	2	-8
l. Fibroids, benign growths of the uterus or womb?	<u>FIBROID3</u>	1	2	-8
m. Cancer, other than skin cancer?	<u>CANCERS3</u>	1 (B29)	2	-8 (B29)

B27. What is/was the primary site of the cancer?

SITESPE3

SPECIFY: _____

a. IF BREAST CANCER: Have you taken Tamoxifen since your last study visit?

TAMOXIF3

NO	1
YES	2
DON'T KNOW	-8
NOT APPLICABLE	-1

b. Since your last study visit, have you received chemotherapy or radiation treatment for this cancer?

CHEMOTH3

NO	1
YES	2
DON'T KNOW	-8

B28. DELETED

B29. **Since your last study visit**, how many times did you break or fracture a bone?
[IF MORE THAN ONE BONE WAS BROKEN DURING THE SAME EVENT COUNT AS ONE TIME.]

_____ # of times broken bones (IF NONE, GO TO B30)

BROKEBO3

- a. Which bones did you break or fracture?
LIST BELOW. [IF BONE WAS BROKEN
MORE THAN ONCE, RECORD EACH BREAK AND
SPECIFY WHEN "REBROKEN".
BE SPECIFIC IN IDENTIFYING WHICH BONE
WAS BROKEN (I.E. RIGHT TIBIA).]
- b. How did it happen? Was it for any of the following
reasons? [HAND RESPONDENT CARD "B"
AND READ RESPONSE CATEGORIES.]
- after a fall from a height above the ground
greater than six inches,
 - in a motor vehicle accident,
 - while moving fast, like running, bicycling or
skating,
 - while playing sports,
 - **or** because something heavy fell on you or
struck you.

		NO	YES
1. _____	<u>BONES13</u>	1	2
2. _____	<u>BONES23</u>	1	2
3. _____	<u>BONES33</u>	1	2
		<u>HAPPEN13</u>	
		<u>HAPPEN23</u>	
		<u>HAPPEN33</u>	

B30. **Since your last study visit**, have you consulted a doctor, nurse practitioner, chiropractor, or other health care
provider for back pain?

BCKPAIN3

NO 1
YES..... 2
DON'T KNOW -8

Since your last study visit, have you had any of the following surgeries or procedures?

	NO	YES	DON'T KNOW
B31. D and C, a scraping of the uterus for any reason, including abortion? <u>DANDC3</u>	1 (B32)	2	-8 (B32)
a. Since your last study visit, how many times have you had a D and C?			
_____ # TIMES <u>NUMDAND3</u>			
B32. Hysterectomy (an operation to remove your uterus or womb)? <u>HYSTERE3</u>	1 (B33)	2	-8 (B33)
a. When was this performed?			
<u>HYSTDAY3[†]</u>			
<div style="display: flex; align-items: center; justify-content: center;"> <div style="text-align: center; margin-right: 10px;"> <div style="border-bottom: 1px solid black; width: 30px; margin: 0 auto;"></div> <div style="text-align: center; font-size: 0.8em;">M</div> </div> <div style="text-align: center; margin-right: 10px;"> <div style="border-bottom: 1px solid black; width: 30px; margin: 0 auto;"></div> <div style="text-align: center; font-size: 0.8em;">M</div> </div> <div style="text-align: center; margin-right: 10px;">/</div> <div style="text-align: center; margin-right: 10px;"> <div style="border-bottom: 1px solid black; width: 30px; margin: 0 auto;"></div> <div style="text-align: center; font-size: 0.8em;">Y</div> </div> <div style="text-align: center; margin-right: 10px;"> <div style="border-bottom: 1px solid black; width: 30px; margin: 0 auto;"></div> <div style="text-align: center; font-size: 0.8em;">Y</div> </div> <div style="text-align: center; margin-right: 10px;"> <div style="border-bottom: 1px solid black; width: 30px; margin: 0 auto;"></div> <div style="text-align: center; font-size: 0.8em;">Y</div> </div> <div style="text-align: center;"> <div style="border-bottom: 1px solid black; width: 30px; margin: 0 auto;"></div> <div style="text-align: center; font-size: 0.8em;">Y</div> </div> </div>			
B33. Did you have one or both ovaries removed (an oophorectomy)? <u>OOPHORE3</u>	1 (B34)	2	-8 (B34)
a. Was one ovary removed or were both ovaries removed?			
<u>ONEOVAR3</u>			
ONE OVARY REMOVED.....1			
BOTH OVARIES REMOVED.....2			
DON'T KNOW.....-8			
B34. Uterine procedures, other than D and C, for example: cesarean section, IUD insertion, fibroid removal or endometrial biopsy? <u>UTERPRO3</u>	1	2	-8
B35. Thyroid gland removed? <u>THYRREM3</u>	1	2	-8

[†] This date is given in days since the initial baseline interview.

Now I would like to ask you about your menstrual periods.

- C1. Did you have any menstrual bleeding since your last study visit? **BLEEDNG3**
 NO 1 (C6)
 YES..... 2
- C2. Did you have any menstrual bleeding in the last 3 months? **BLD3MON3**
 NO 1
 YES..... 2
- C3. What was the date that you started your most recent menstrual bleeding? [PROMPT FOR MONTH AND YEAR, EVEN IF DAY IS UNKNOWN. ENTER -8 FOR DAY FIELD IF UNKNOWN]
 _____ / _____ / _____
 M M D D Y Y Y Y **LMPDAY3[†]**
- For the next few questions I would like to ask you to think about your periods since your last study visit, during times when you were not using birth control pills or other hormone medications.
- C4. Which of the following best describes your menstrual periods since your last study visit? Have they:
 [HAND RESPONDENT CARD “C”] **DESCPER3**
 Become farther apart? 1
 Become closer together? 2
 Occurred at more variable intervals? 3
 Stayed the same? 4
 Become more regular? 5
 DON’T KNOW -8
 NOT APPLICABLE -1
- C5. Since your last study visit, have you ever had a menstrual flow that lasted more than 10 days? **MENSFLO3**
 NO 1
 YES..... 2
 DON’T KNOW -8
 REFUSED -7
 NOT APPLICABLE -1
- C6. Since your last study visit, have you been pregnant? Please include live births, stillbirths, abortions, miscarriages, tubal or ectopic pregnancies. **PRGNANT3**
 NO 1 (C7)
 YES..... 2
- a. IF YES: [HAND RESPONDENT CARD “D”] What was the outcome of the pregnancy?
 [READ RESPONSE CATEGORIES. IF RESPONDENT WAS PREGNANT MORE THAN ONCE SINCE LAST VISIT, RECORD OUTCOME OF MOST RECENT PREGNANCY.] **OUTCOME3**
 Live birth 1
 Still birth 2 (C7)
 Miscarriage 3 (C7)
 Abortion..... 4 (C7)
 Tubal/ectopic pregnancy..... 5 (C7)
 Still pregnant..... 6 (C7)
- b. FOR LIVE BIRTHS ONLY: Are you currently breastfeeding? **BRSTFEE3**
 NO 1
 YES 2

[†] This date is given in days since the initial baseline interview.

The next few questions focus on some other personal aspects of your life

- C7. Thinking about your quality of life at the present time, I'd like you to give it a rating where 0 represents the worst possible quality for you and 10 represents the best possible quality for you. [HAND RESPONDENT CARD "E"] Looking at this line, how would you rate your overall quality of life at the present time? Choose a number between 0 and 10. **QLTYLIF3**

0	1	2	3	4	5	6	7	8	9	10
Worst										Best
Possible										Possible
Quality										Quality

- C8. About how many close friends and close relatives do you have, that is, people you feel at ease with and can talk to about what is on your mind? **CLOSE3**

WRITE IN NUMBER OF CLOSE FRIENDS AND RELATIVES: _____

DON'T KNOW -8

REFUSED -7

- C9. People sometimes look to others for companionship, assistance, or other types of support. How often is each of the following kinds of support available to you if you need it? [HAND RESPONDENT CARD "F" AND READ RESPONSE CATEGORIES]

	None of the time	A little of the time	Some of the time	Most of the time	All of the
a. Someone you can count on to listen to you when you need to talk? <u>LISTEN3</u>	1	2	3	4	5
b. Someone to take you to the doctor if you needed it? <u>TAKETOM3</u>	1	2	3	4	5
c. Someone to confide in or talk to about yourself or your problems? <u>CONFIDE3</u>	1	2	3	4	5
d. Someone to help with daily chores if you were sick? <u>HELPSIC3</u>	1	2	3	4	5

C10. I would now like to ask you about your feelings over the past two weeks. Tell me how often you have felt or thought this way. [HAND RESPONDENT CARD “G” AND READ RESPONSE CATEGORIES]

*[READ STEM INSTRUCTIONS]		Never	Almost Never	Sometimes	Fairly Often	Very Often
In the past two weeks you have:						
*a.	Felt unable to control important things in your life? <u>CONTROL3</u>	1	2	3	4	5
*b.	Felt confident about your ability to handle your personal problems? <u>ABILITY3</u>	1	2	3	4	5
c.	Felt that things were going your way? <u>YOURWAY3</u>	1	2	3	4	5
d.	Felt difficulties were piling so high that you could not overcome them? <u>PILING3</u>	1	2	3	4	5

C11. I am going to read you a list of ways you might have felt or behaved recently. Please tell me how often you have felt or behaved **this way during the past week**. [HAND RESPONDENT CARD “H” AND READ RESPONSE CATEGORIES]

* [READ STEM INSTRUCTIONS]				
During the past week:	Rarely or none of the time (less than 1 DAY)	Some or a little of the time (1-2 DAYS)	Occasionally or a moderate amount of the time (3-4 DAYS)	Most or all of the time (5-7 DAYS)
*a. I was bothered by things that usually don't bother me <u>BOTHER3</u>	1	2	3	4
*b. I did not feel like eating; my appetite was poor <u>APPETIT3</u>	1	2	3	4
*c. I felt that I could not shake off the blues even with help from my friends <u>BLUES3</u>	1	2	3	4
d. I felt that I was just as good as other people <u>GOOD3</u>	1	2	3	4
e. I had trouble keeping my mind on what I was doing <u>KEEPMIN3</u>	1	2	3	4
f. I felt depressed <u>DEPRESS3</u>	1	2	3	4
*g. I felt that everything I did was an effort <u>EFFORT3</u>	1	2	3	4
h. I felt hopeful about the future <u>HOPEFUL3</u>	1	2	3	4
i. I thought my life had been a failure <u>FAILURE3</u>	1	2	3	4
j. I felt fearful <u>FEARFUL3</u>	1	2	3	4
*k. My sleep was restless <u>RESTLES3</u>	1	2	3	4
l. I was happy <u>HAPPY3</u>	1	2	3	4
m. I talked less than usual <u>TALKLES3</u>	1	2	3	4
n. I felt lonely <u>LONELY3</u>	1	2	3	4
*o. People were unfriendly <u>UNFRNDL3</u>	1	2	3	4
p. I enjoyed life <u>ENJOY3</u>	1	2	3	4
q. I had crying spells <u>CRYING3</u>	1	2	3	4
r. I felt sad <u>SAD3</u>	1	2	3	4
*s. I felt that people disliked me <u>DISLIKE3</u>	1	2	3	4
t. I could not get going <u>GETGOIN3</u>	1	2	3	4

OCCUPATIONAL QUESTIONS

These next few questions concern employment. Since many people have more than one job at any given time, we will ask you to tell us about all of your jobs.

- D1. Since your last study visit, has there been a change in any of your jobs, that is where you work, the usual hours you worked, or your usual job tasks? **CHNGJOB3**

NO 1 (D6)
YES..... 2

- D2. During the past 2 weeks, did you work at any time at a job or business, including work for pay performed at home? Include unpaid work in the family farm or business. If you were on vacation, or scheduled leave or sick leave, please answer as though you were at your usual job. **JOB3**

NO 1 (D6)
YES..... 2

- a. For each paid job you have had in the last two weeks, what was your job title?

#JOBTIT13
JOB #1 _____
#JOBTIT23
JOB #2 _____
#JOBTIT33
JOB #3 _____

- b. Briefly, what are your usual job activities?

[IF MORE THAN ONE JOB WAS MENTIONED, ASK: Please answer for each job.]

#JOBACT13
JOB #1 _____

#JOBACT23
JOB #2 _____

#JOBACT33
JOB #3 _____

D3. What are your usual hours of work each day for each job?

JOB #1:	START TIME:	___ ___ : ___ ___	A.M. 1.	P.M. 2.	<u>STRTIM13</u> <u>STRAMP3</u>
	STOP TIME:	___ ___ : ___ ___	A.M. 1.	P.M. 2.	<u>STPTIM13</u> <u>STPAMP3</u>
	ROTATING/ALTERNATING (ALTERNATING WEEKLY/MONTHLY) <u>ROTATI3</u>				
NO					1
YES					2
JOB #2:	START TIME:	___ ___ : ___ ___	A.M. 1.	P.M. 2.	<u>STRTIM23</u> <u>STRAMP23</u>
	STOP TIME:	___ ___ : ___ ___	A.M. 1.	P.M. 2.	<u>STPTIM23</u> <u>STPAMP23</u>
	ROTATING/ALTERNATING (ALTERNATING WEEKLY/MONTHLY) <u>ROTAT23</u>				
NO					1
YES					2
JOB #3:	START TIME:	___ ___ : ___ ___	A.M. 1.	P.M. 2.	<u>STRTIM33</u> <u>STRAMP33</u>
	STOP TIME:	___ ___ : ___ ___	A.M. 1.	P.M. 2.	<u>STPTIM33</u> <u>STPAMP33</u>
	ROTATING/ALTERNATING (ALTERNATING WEEKLY/MONTHLY) <u>ROTAT33</u>				
NO					1
YES					2

D4. On average, how many total hours a week do you work, for pay? HOURSPA3

≤ 10	1
11-19	2
20-34	3
35-40	4
41-60	5
>60	6

D5. What does the company or your part of the company, do or make? (For example, high school education, health care in hospital, automobile manufacturing, state labor department, retail shoe sales.)
[IF MORE THAN ONE JOB WAS MENTIONED, ASK: Please answer this for each job.]

JOB #1 _____	NERI USE ONLY CODE
	___ ___ ___
	<u>#JBMAKE13</u>
JOB #2 _____	___ ___ ___
	<u>#JBMAKE23</u>
JOB #3 _____	___ ___ ___
	<u>#JBMAKE33</u>

D6. Do you do volunteer work?

VOLUNTE3

NO 1 (D7)
YES..... 2

a. What type of volunteer work do you do? How many hours a week do you spend doing it?

TYPE OF VOLUNTEER WORK

HRS/WK

#TYPVOL13

VLNTHR13

1. _____

#TYPVOL23

VLNTHR23

2. _____

#TYPVOL33

VLNTHR33

3. _____

D7. What is your current marital status? Would you say...

MARITAL3

Single/never married..... 1
Currently married or living as married 2
Separated 3
Widowed..... 4
Divorced 5
DON'T KNOW -8
REFUSED -7

IF A PARTNER OR SPOUSE IS REPORTED (2 OR 4 in D7), ASK D8, OTHERWISE GO TO PAGE 21.

D8. What is/ was your partner or spouse's job title for their primary, usual job or occupation?

PARTNJO3

NERI USE ONLY CODE

D9. What does the company or part of the company, that your spouse or partner works for, do or make? (For example, high school education, health care in hospital, automobile manufacturing, state labor department, retail shoe sales.)

#PRTNRMA3

NERI USE ONLY CODE

SECTION E- DELETED

We have a few final questions for you concerning your household.

- F1. Other than yourself, is there anyone else living in your household? **HOUSEHL3**
- NO 1 (END)
- YES..... 2
- REFUSED -7 (END)

- F2. Please tell me their relationship to you, their gender, and their age.

	a. RELATIONSHIP TO YOURSELF	b. SEX	c. AGE
1.	<u>RELAT13</u>	<u>SEX13</u>	<u>AGE13</u>
2.	<u>RELAT23</u>	<u>SEX23</u>	<u>AGE23</u>
3.	<u>RELAT33</u>	<u>SEX33</u>	<u>AGE33</u>
4.	<u>RELAT43</u>	<u>SEX43</u>	<u>AGE43</u>
5.	<u>RELAT53</u>	<u>SEX53</u>	<u>AGE53</u>
6.	<u>RELAT63</u>	<u>SEX63</u>	<u>AGE63</u>
7.	<u>RELAT73</u>	<u>SEX73</u>	<u>AGE73</u>
8.	<u>RELAT83</u>	<u>SEX83</u>	<u>AGE83</u>
9.	<u>RELAT93</u>	<u>SEX93</u>	<u>AGE93</u>
10.	<u>RELAT103</u>	<u>SEX103</u>	<u>AGE103</u>
11.	<u>RELAT113</u>	<u>SEX113</u>	<u>AGE113</u>
12.	<u>RELAT123</u>	<u>SEX123</u>	<u>AGE123</u>

Thank you. This ends this portion of the interview

ADDITIONAL QUESTIONS FROM OTHER FORM VERSION OF INTERVIEW ADMINSTRATED QUESTIONNAIRE

FORM VERSION: 01/01/2000

Since your last study visit, have you
taken...

a.
What is the
name of the
medication?

b.
Have you
been taking it
at least
two times per week
for the
last month?

c.
INTERVIEWER
CHECK:
MEDICATION
VERIFIED FROM
CONTAINER
LABEL?

NO YES

NO YES

NO YES

B16. Medications to prevent or treat osteoporosis
(brittle or thinning bones such as Fosamax,
Didronel, Evista, Miacalcin, Rocaltrol)?

1 2

#OSTEMD13

1 2
OSTETW13

1 2
#OSTEVR13

OSTEPR13

1 2

#OSTEMD23

1 2
OSTETW23

1 2
#OSTEVR23

OSTEPR23

Study of Women's Health Across the Nation
SELF-ADMINISTERED QUESTIONNAIRE PART A
ANNUAL FOLLOW-UP

SECTION A. GENERAL INFORMATION

- A1. RESPONDENT ID: AFFIX ID LABEL HERE SWANID
- A2. SWAN STUDY VISIT # _____ #VISIT
- A3. FORM VERSION: 02/01/1999 #FORM_V
- A4. DATE FORM COMPLETED:

 /

 /

 SAADAY3[†]
- A5. INTERVIEWER'S INITIALS: _____ #INITS
- A6. RESPONDENT'S DOB:

 /

 /

 #DOB

VERIFY WITH RESPONDENT

- A7. COMPLETED IN: #LOCATIO3
- RESPONDENT'S HOME 1
 CLINIC / OFFICE 2
 RESPONDENT'S HOME W/ PROXY 3
 CLINIC/OFFICE W/ PROXY 4
- A8. INTERVIEW LANGUAGE: LANGSAA3
- ENGLISH 1
 SPANISH 2
 CANTONESE 3
 JAPANESE 4
- A9. INTERVIEWER-ADMINISTERED? #INTADMI3
- NO 1
 YES 2

[†] This date is given in days since the initial baseline interview.

We have some questions that we are asking you to complete on your own. If anything is unclear to you, please feel free to ask questions. Study representatives are available and happy to help you. Please take as much time as you need with each question. It is very important to us that you complete the entire questionnaire. Please find the most appropriate response to each question and circle the number for the answer you choose.

Thank you for your participation in this important study.

We are interested in learning more about women's health during their 40's and 50's. This first set of questions ask about your health and use of health care.

- B1. In general, would you say your health is excellent, very good, good, fair or poor?
(PLEASE CIRCLE ONE RESPONSE.) **OVERHLT3**

Excellent 1
Very good 2
Good..... 3
Fair 4
Poor..... 5
Don't know -8

- B2. Since your last study visit, how many different times did you stay in the hospital overnight or longer?

___ # TIMES **HOSPSTA3**

- B3. Since your last study visit, about how many times did you see or talk to a doctor, nurse practitioner or other health care provider, regarding your own health? (Do not count health care providers that you have seen during a visit for this study.)

___ # TIMES **MDTALK3**

Since your last study visit, have you had:
(PLEASE CIRCLE 1 FOR NO OR 2 FOR YES FOR EACH QUESTION.)

		NO	YES
B4.	A Pap Smear (a routine medical test in which the doctor examines the cervix)? <u>PAPSMEA3</u>	1	2
B5.	A breast physical examination (a doctor or medical assistant feels for lumps in the breast)? <u>BRSTEXA3</u>	1	2
B6.	A mammogram (an x-ray taken only of the breast by a machine that presses the breast against a glass plate)? <u>MAMOGRA3</u>	1	2

B7. Since your last study visit, are there any health services that you needed but did not receive?

HLTHSER3

No..... 1 (GO TO B8)
Yes 2 (GO TO B7a)

IF YES:

B7a. What kind of health services? **HLTHSV13**

1. _____

HLTHSV23

2. _____

HLTHSV33

3. _____

B7b. What is the **primary** reason for not receiving these health services?
(PLEASE CIRCLE ONLY ONE RESPONSE.) **PRIMREA3**

Insurance or health plan does not cover..... 1
Cannot afford 2
Travel distance / lack of transportation..... 3
No health care provider..... 4
Too busy/ didn't have the time 5
Other 6

Please specify _____ **#REASSPE3**

B8. Since your last study visit, have you smoked cigarettes regularly (at least one cigarette a day)?

SMOKERE3

No..... 1 (GO TO B9)
Yes 2 (GO TO B8a)

B8a. IF YES: How many cigarettes, on average, do you smoke per day now?
(If NONE, please indicate with a (0) zero and answer B8b.)

_____ CIGARETTES PER DAY **AVCIGDA3**

B8b. IF NONE, (You stopped smoking), What was the last month you smoked?

_____ MONTH **#LASTSMO3**

The next 7 questions are about your exposure to smoke. If you are a smoker, please do not include yourself when answering questions B9-B11.

B9. Since your last study visit, how many other members of your household have smoked tobacco, inside the house (at least 1 cigarette, cigar or pipe bowl per day)?

_____ # PERSONS (IF ZERO, GO TO B10) **HHMEMSM3**

B9a. **During the past 7 days**, how many days were you exposed to tobacco smoke in your home?

_____ # DAYS (IF 0 DAYS, GO TO B10) **HOMEXPD3**

B9b. **Over the past 7 days**, when you were exposed to tobacco smoke in your home, how many hours were you exposed during a typical day?

_____ # HOURS **HOMEXPH3**

B10. **During the past 7 days**, on how many days were you exposed to tobacco smoke while at work?

___ # DAYS (IF ZERO DAYS, GO TO QUESTION B11.)

WRKEXPD3

B10a. **Over the past 7 days**, when you were exposed to tobacco smoke while at work, how many hours were you exposed during a typical day?

___ # HOURS

WRKEXPH3

B10b. **During the past 7 days**, when you were exposed to tobacco smoke while at work, how many people on average were smoking in the room you were in?

___ # PEOPLE

PEWRKSM3

B11. **During the past 7 days**, how many total hours were you exposed to tobacco smoke while at places other than home or work (including meetings, restaurants, bars, parties, etc.)?

___ # HOURS

OTHEXPH3

The next questions are about your consumption of alcoholic beverages.

B12. Since your last study visit, did you drink any beer, wine, liquor, or mixed drinks? **DRNKBEE3**

No..... 1 (GO TO B16)
Yes 2 (GO TO B13)

B13. How many glasses of beer (a medium glass or serving of beer is twelve ounces) did you drink on average per day, week or month? (PLEASE CIRCLE ONLY ONE RESPONSE.) **GLASBEE3**

None or less than one per month..... 1
1-3 per month..... 2
1 per week..... 3
2-4 per week..... 4
5-6 per week..... 5
1 per day..... 6
2-3 per day 7
4 per day..... 8
5 or more per day 9

B14. How many glasses of wine or wine coolers, (a medium glass or serving of wine is 4 to 6 ounces), did you drink on average per day, week or month? (CIRCLE ONE NUMBER) **GLASWIN3**

- None or less than one per month..... 1
- 1-3 per month..... 2
- 1 per week..... 3
- 2-4 per week..... 4
- 5-6 per week..... 5
- 1 per day..... 6
- 2-3 per day 7
- 4 per day..... 8
- 5 or more per day 9

B15. How many glasses of liquor or mixed drinks, (a medium serving is one shot), did you drink on average, per day, week or month? (CIRCLE ONE NUMBER) **GLASLIQ3**

- None or less than once per month..... 1
- 1-3 per month..... 2
- 1 per week..... 3
- 2-4 per week..... 4
- 5-6 per week..... 5
- 1 per day..... 6
- 2-3 per day 7
- 4 per day..... 8
- 5 or more per day 9

The next series of questions (B16 to B22) focus on common events in some of our lives.

B16. During the **past 4 weeks**, have you had any of the following problems with your work or other regular daily activities **as a result of your physical health?**
(CIRCLE ONE NUMBER ON EACH LINE)

	NO	YES
a. Cut down the amount of time you spent on work or other activities? <u>PHYCTDW3</u>	1	2
b. Accomplished less than you would like? <u>PHYACCO3</u>	1	2
c. Were limited in the kind of work or other activities? <u>PHYLIMI3</u>	1	2
d. Had difficulty performing the work or other activities (for example, it took extra effort)? <u>PHYDFCL3</u>	1	2

B17. During the **past 4 weeks**, have you had any of the following problems with your work or other regular daily activities **as a result of any emotional problems** (such as feeling depressed or anxious)? (CIRCLE ONE NUMBER ON EACH LINE)

	NO	YES
a. Cut down the amount of time you spent on work or other activities?	1	2
b. Accomplished less than you would like?	1	2
c. Didn't do work or other activities as carefully as usual?	1	2

EMOCTDW3

EMOACCO3

EMOCARE3

B18. During the **past 4 weeks**, to what extent has your **physical health or emotional problems** interfered with your normal social activities with family, friends, neighbors, or groups?

(CIRCLE ONE NUMBER)

INTERFR3

1	2	3	4	5
Not at all	Slightly	Moderately	Quite a bit	Extremely

B19. How much bodily pain have you had during the **past 4 weeks**? (CIRCLE ONE NUMBER)

BODYPAI3

1	2	3	4	5	6
None	Very mild	Mild	Moderate	Severe	Very Severe

B20. During the **past 4 weeks**, how much did **pain** interfere with your normal work (including both work outside the home and housework)? (CIRCLE ONE NUMBER)

PAINTRE3

1	2	3	4	5
Not at all	A little bit	Moderately	Quite a bit	Extremely

B21. These next questions are about how you feel and how things have been with you during the past 4 weeks. For each question, please give the one answer that comes closest to the way you have been feeling.(CIRCLE ONE NUMBER ON EACH LINE)

During the **past 4 weeks**,
how much time...

	All of the time	Most of the time	A good bit of the time	Some of the time	A little of the time	None of the time
a. Did you feel "full of pep"? PEP3	1	2	3	4	5	6
b. Did you have a lot of energy? ENERGY3	1	2	3	4	5	6
c. Did you feel worn out? WORNOUT3	1	2	3	4	5	6
d. Did you feel tired? TIRED3	1	2	3	4	5	6

B22. During the **past 4 weeks**, how much of the time has your **physical health or emotional problems** interfered with your social activities (like visiting with friends, relatives, etc.)?

(CIRCLE ONE NUMBER)

SOCIAL3

1	2	3	4	5
All of the time	Most of the time	Some of the time	A little of the time	None of the time

We are interested in finding out more information about your level of physical activity during the past year. First we want to know about your activities at home, not including activities you may do for pay at your home or other people's homes. Please circle only one answer to each question.

- C1. **During the past year** (in the last 12 months), how much time did you spend on average caring for a child or children 5 years of age or less, a disabled child, or an elderly person? Only count time actually spent doing physical activities like feeding, dressing, moving, playing, or bathing. (If child turned 6 less than 6 months ago, consider him/her age 5 for the whole year.)
(CIRCLE ONE ANSWER) **CARING3**

None or less than 1 hour a week 1
At least 1 hour but less than 20 hours a week 2
20 hours or more a week 3

- C2. **During the past year** (in the last 12 months), how much time on average did you spend preparing meals or cleaning up from meals? (CIRCLE ONE ANSWER) **MEALS3**

1 hour or less per day 1
Between 1 and 2 hours per day 2
More than 2 hours per day 3

- C3. **During the past year** (in the last 12 months), how often did you do routine chores requiring light physical effort such as dusting, laundry, or changing linens or grocery shopping or other shopping? (CIRCLE ONE ANSWER) **ROUTNCH3**

Once per week or less 1
More than once per week but less than daily 2
Daily or more 3

- C4. **During the past year** (in the last 12 months), how often did you do chores requiring moderate physical effort, such as vacuuming, washing floors, or gardening/yard work such as mowing the lawn or raking leaves? (CIRCLE ONE ANSWER) **MODERAT3**

Once per month or less 1
2-3 times per month 2
4 or more times per month 3

- C5. **During the past year** (in the last 12 months), how often did you do chores at home requiring vigorous physical effort, such as chopping wood, tilling soil, shoveling snow, shampooing carpets, washing walls or plumbing, tiling or outdoor painting? (CIRCLE ONE ANSWER) **VIGOROU3**

Once per month or less 1
2-3 times per month 2
4 or more times per month 3

Now we want to ask you about the general level of physical activity involved in your daily routine.

- C6. In comparison with other women your age, is your usual level of physical activity:
(CIRCLE ONE ANSWER) **PHYSACT3**

Much less than other women your age..... 1
Somewhat less..... 2
About the same as other women your age 3
Somewhat more 4
Much more than other women your age 5

- C7. **During the past year** (in the last 12 months), did you watch television...(CIRCLE ONE ANSWER)

WATCHTV3

Never or less than 1 hour a week 1
At least 1 hour/week but less than 1 hour a day..... 2
1-2 hours a day..... 3
2-4 hours a day..... 4
More than 4 hours a day..... 5

- C8. **During the past year** (in the last 12 months), did you walk or bike to and from work, school or errands... (CIRCLE ONE ANSWER)

WALKBIK3

Never or less than 5 minutes per day 1
5-15 minutes per day..... 2
16-30 minutes per day..... 3
31-45 minutes per day..... 4
more than 45 minutes per day 5

- C9. **During the past year** (in the last 12 months), did you sweat from exertion...
(CIRCLE ONE ANSWER)

SWEATPA3

Never or less than once a month 1
Once a month 2
2-3 times a month 3
Once a week..... 4
More than once a week 5

- C10. **During the past year** (in the last 12 months), did you play sports or exercise...
(CIRCLE ONE ANSWER)

SPORTS3

Never or less than once a month 1
Once a month 2
2-3 times a month 3
Once a week..... 4
More than once a week 5

The following questions are about your participation in sports and exercise during the past year. If you NEVER played sports or exercised, please GO TO PAGE 13.

C11. Which sport, or exercise did you do **most frequently during the past year?**
(SPECIFY ONLY ONE) **SPOREX13**

C12. When you did this activity, did your heart rate and breathing increase? (CIRCLE ONE ANSWER)

RATEIN13

No..... 1
Yes, a small increase..... 2
Yes, a moderate increase..... 3
Yes, a large increase 4

C13. How many months in this past year did you do this activity?
(CIRCLE ONE ANSWER)

MTHSAC13

Less than 1 month..... 1
1-3 months 2
4-6 months 3
7-9 months 4
More than 9 months 5

C14. During those months, on average, how many hours a week did you do this activity?
(CIRCLE ONE ANSWER)

HRSACT13

Less than 1 hour..... 1
At least 1 but less than 2 hours 2
At least 2 but less than 3 hours 3
At least 3 but less than 4 hours 4
More than 4 hours 5

C15. Did you do any other exercise or play any other sport in the past year?

OTHSPOR3

No..... 1 (GO TO PAGE 13)
Yes 2

C16. What was the second most frequent sport, or exercise you did in this past year?
(SPECIFY ONLY ONE)

SPOREX23

C17. When you did this activity, did your heart rate and breathing increase? (CIRCLE ONE ANSWER)

RATEIN23

No..... 1
Yes, a small increase..... 2
Yes, a moderate increase..... 3
Yes, a large increase 4

C18. How many months in this past year did you do this activity? (CIRCLE ONE ANSWER)

MTHSAC23

Less than 1 month 1
1-3 months 2
4-6 months 3
7-9 months 4
More than 9 months 5

C19. During those months, on average, how many hours a week did you do this activity?
(CIRCLE ONE ANSWER)

HRSACT23

Less than 1 hour 1
At least 1 but less than 2 hours 2
At least 2 but less than 3 hours 3
At least 3 but less than 4 hours 4
More than 4 hours 5

We would like to ask about the physical activity you did during this past year as part of the work you get paid to do. If you have NOT been employed for AT LEAST 6 MONTHS OF THE PAST 12 MONTHS, GO TO PAGE 14.

C20. In comparison with other women your age, do you think your work during this past year is physically.....(CIRCLE ONE ANSWER) **PHYSWOR3**

Much lighter..... 1
 Lighter..... 2
 The same 3
 Heavier..... 4
 Much Heavier 5
 Don't know.....-8

C21. After work, are you physically tired.....(CIRCLE ONE ANSWER) **WORKTIR3**

Never..... 1
 Seldom 2
 Sometimes..... 3
 Often 4
 Always 5

C22. In your current job(s), on a typical day/shift, how often do you do each of the following:

		Never	Less than half of the time	About half of the time	More than half of the time	Always	Don't Know
a. Sit	<u>WRKACTA3</u>	1	2	3	4	5	-8
b. Stand	<u>WRKACTB3</u>	1	2	3	4	5	-8
c. Walk	<u>WRKACTC3</u>	1	2	3	4	5	-8
d. Lift heavy loads greater than 15 pounds (more than the weight of 2 gallons of milk)	<u>WRKACTD3</u>	1	2	3	4	5	-8
e. Stoop and bend	<u>WRKACTE3</u>	1	2	3	4	5	-8
f. Push or move heavy objects	<u>WRKACTF3</u>	1	2	3	4	5	-8
g. Sweat from exertion	<u>WRKACTG3</u>	1	2	3	4	5	-8

Finally, we are interested in how much your physical activity level has changed since your last study visit. Please circle one number for each question.

- C23. Since your last study visit, is your current level of physical activity doing chores around your home (such as cleaning, laundry, childcare, care of elders, etc., not performed for pay.)

CHORES3

Much greater now 1
Greater now..... 2
About the same 3
Less now 4
Much less now 5

- C24. Since your last study visit, is your current level of physical activity at work performed for pay:

WORKPHY3

Much greater now 1
Greater now..... 2
About the same 3
Less now 4
Much less now 5
Doesn't Apply -1

- C25. Since your last study visit, is your current level of physical activity in planned sports (such as volleyball, softball or tennis) and exercise (such as aerobics or jogging):

PLANSPO3

Much greater now 1
Greater now..... 2
About the same 3
Less now 4
Much less now 5

- C26. Since your last study visit, is your current level of other routine physical activity (such as walking, gardening, climbing stairs, etc.):

ROUTINE3

Much greater now 1
Greater now..... 2
About the same 3
Less now 4
Much less now 5

The following questions are about specific health problems you may have had over the past two weeks.

D1. Below is a list of common problems which affect us from time to time in our daily lives. Thinking back over the past two weeks, please circle the number corresponding to how often you experienced any of the following.

How often have you had...	Not at all	1-5 days	6-8 days	9-13 days	Every day
a. Stiffness or soreness in joints, neck or shoulder? <u>STIFF3</u>	1	2	3	4	5
b. Back aches or pains? <u>ACHES3</u>	1	2	3	4	5
c. Cold sweats? <u>COLDSWE3</u>	1	2	3	4	5
d. Night sweats? <u>NITESWE3</u>	1	2	3	4	5
e. Vaginal dryness? <u>VAGINDR3</u>	1	2	3	4	5
f. Feeling blue or depressed? <u>FEELBLU3</u>	1	2	3	4	5
g. Dizzy spells? <u>DIZZY3</u>	1	2	3	4	5
h. Irritability or grouchiness? <u>IRRITAB3</u>	1	2	3	4	5
i. Feeling tense or nervous? <u>NRVOUS3</u>	1	2	3	4	5
j. Forgetfulness? <u>FORGET3</u>	1	2	3	4	5
k. Frequent mood changes? <u>MOODCHG3</u>	1	2	3	4	5
l. Heart pounding or racing? <u>HARTRAC3</u>	1	2	3	4	5
m. Feeling fearful for no reason? <u>FEARFULA3</u>	1	2	3	4	5
n. Headaches? <u>HDACHE3</u>	1	2	3	4	5
o. Hot flashes or flushes? <u>HOTFLAS3</u>	1	2	3	4	5

D2. These questions (a - d) are about your sleep habits over the past two weeks. Please circle one answer for each of the following questions. Pick the answer that best describes how often you experienced the situation in the past 2 weeks.

No, not in the past 2 weeks	Yes, less than once a week	Yes, 1 or 2 times a week	Yes, 3 or 4 times per week	Yes, 5 or more times a week
--------------------------------------	-------------------------------------	-----------------------------------	-------------------------------------	---

In the past two weeks...

a. Did you have trouble falling asleep?	1	2	3	4	5
---	---	---	---	---	---

TRBLSLE3

b. Did you wake up several times a night?	1	2	3	4	5
---	---	---	---	---	---

WAKEUP3

c. Did you wake up earlier than you had planned to, and were unable to fall asleep again?	1	2	3	4	5
---	---	---	---	---	---

WAKEARL3

d. Overall, was your typical night's sleep during the <u>past 2 weeks</u> :	<u>TYPNIGH3</u>
---	------------------------

1	2	3	4	5
Very Sound or Restful	Sound or Restful	Average Quality	Restless	Very Restless

The following questions relate to your usual sleep habits during the past month only. Your answers should give the most accurate description for most of the days and nights in the past month. Please answer all questions.

D3. During the past month, when have you usually gone to bed at night? (PLEASE CIRCLE A.M. OR P.M.)

BEDTIME3

USUAL BED TIME ____:____	A.M. 1.	<u>BEDTIMA3</u>
	P.M. 2.	

D4. During the past month, how long (in minutes) has it usually taken you to fall asleep each night?

NUMBER OF MINUTES _____	<u>NUMMINU3</u>
-------------------------	------------------------

D5. During the past month, when have you usually gotten up in the morning? (PLEASE CIRCLE A.M. OR P.M.)

GETUPTI3

USUAL GETTING UP TIME ____:____	A.M. 1.	<u>GETPAMP3</u>
	P.M. 2.	

D6. During the past month, how many hours of **actual sleep** did you get at night? (This may be different than the number of hours you spend in bed.)

HOURS OF SLEEP PER NIGHT _____

HRSSLEE3

D7. During the past month, how often have you had trouble sleeping because you...

		Not during the past month	Less than once a week	Once or twice a week	Three or more times a week
a. Feel too cold	<u>TOOCOLD3</u>	1	2	3	4
b. Feel too hot	<u>TOOHOT3</u>	1	2	3	4
c. Had bad dreams	<u>BADREAM3</u>	1	2	3	4
d. Have pain	<u>HAVPAIN3</u>	1	2	3	4
e. Other reason(s).		1	2	3	4
Please describe:	<u>TRBSLPE3</u>				
	<u>OTHTRB3</u>				

D8. During the past month, how would you rate your sleep quality overall?

SLEEPQL3

Very good	1
Fairly good.....	2
Fairly bad.....	3
Very bad.....	4

D9. During the past month, how often have you taken medicine (prescribed or "over the counter") to help you sleep?

MEDICIN3

Not during the past month.....	1
Less than once a week.....	2
Once or twice a week.....	3
Three or more times a week.....	4

D10. During the past month, how often have you had trouble staying awake while driving, eating meals, or engaging in social activity?

TRBAWAK3

Not during the past month.....	1
Less than once a week.....	2
Once or twice a week.....	3
Three or more times a week.....	4

D11. During the past month, how much of a problem has it been for you to keep up enough enthusiasm to get things done?

ENTHUS3

No problem at all	1
Only a very slight problem	2
Somewhat of a problem	3
A very big problem	4

A common complaint among women is having to urinate a lot or the involuntary loss of urine.

D12. How often do you usually get up from bed at night to urinate? (CIRCLE ONLY ONE ANSWER)

GETUPUR3

Never.....	1
Rarely (less than once a week).....	2
Once per week	3
A few times per week	4
Once a night, every night	5
More than once per night	6

UTI3

Yes 2

INVOLEA3

Yes 2

IF YES:

DAYSLEA3

Almost daily/daily.....4

(CIRCLE 1 FOR NO OR 2 FOR YES FOR EACH QUESTION)

YES

1

2

1

2

1

2.

1

2

1

2

PICKUP3

1

2

1

2

Specify: _____ #LEAKSPE3

AMTLEAK3

Enough to wet the floor.....4

LEAKBOT3

Extremely
bothered

Dietary and behavioral therapies are often used to treat conditions or to maintain good health. Please tell us about any of these therapies you may have used.

D15. In the past 12 months, have you used any of the following for any reason?
(CIRCLE ONLY ONE NUMBER FOR EACH)

	NO	YES
a. Special diets or nutritional remedies, such as macrobiotic or vegetarian diets, or vitamin supplements or therapy? <u>NUTRIRE3</u>	1	2
b. Herbs or herbal remedies, such as homeopathy or Chinese herbs or teas? <u>HERBREM3</u>	1	2
c. Psychological methods, such as meditation, mental imagery, or relaxation techniques? <u>PSYCMET3</u>	1	2
d. Physical methods, such as massage, acupressure, acupuncture, or chiropractic therapy? <u>PHYSMET3</u>	1	2
e. Folk medicine or traditional Chinese medicine? <u>FOLKMED3</u>	1	2
f. Any others? <u>OTHRTHE3</u>	1	2

IF YES, please specify:

SPECOTH3

- E1. These next questions ask about events that we sometimes experience in our lives. **Since your last study visit**, have you experienced any of the following: If you have not, circle 1 (NO). If you have and it was not at all upsetting, circle 2. If you have and it was somewhat upsetting circle 3. If you have and it was very upsetting circle 4 . If you have and it was very upsetting and is still upsetting, circle 5. (PLEASE CIRCLE ONE ANSWER FOR EACH QUESTION.)

	NO	YES Not at all upsetting	YES Somewhat upsetting	YES Very upsetting	YES Very Upsetting and still upsetting
a. Started school, a training program, or new job? <u>STARTNE3</u>	1	2	3	4	5
b. Had trouble with a boss or conditions at work got worse? <u>WORKTRB3</u>	1	2	3	4	5
c. Quit, fired or laid off from a job? <u>QUITJOB3</u>	1	2	3	4	5
d. Took on a greatly increased work load at job? <u>WORKLOA3</u>	1	2	3	4	5
e. Husband/partner became unemployed? <u>PRTUNEM3</u>	1	2	3	4	5
f. Major money problems? <u>MONEYPR3</u>	1	2	3	4	5
g. Relations with husband/partner changed for the worse but without separation or divorce? <u>WORSREL3</u>	1	2	3	4	5
h. Were separated or divorced or a long-term relationship ended? <u>RELATEN3</u>	1	2	3	4	5
i. Had a serious problem with child or family member (other than husband/partner) or with a close friend? <u>SERIPRO3</u>	1	2	3	4	5
j. A child moved out of the house or left the area? <u>CHILDMO3</u>	1	2	3	4	5
k. Took on responsibility for the care of another child, grandchild, parent, other family member or friend? <u>RESPCAR3</u>	1	2	3	4	5
l. Family member had legal problems or a problem with police? <u>LEGALPR3</u>	1	2	3	4	5

	NO	YES Not at all upsetting	YES Somewhat upsetting	YES Very upsetting	YES Very Upsetting and still upsetting
m. A close relative (husband/partner, child or parent) died. . .					
1. husband/partner? <u>HUSBDIE3</u>	1	2	3	4	5
2. child? <u>CHLDDIE3</u>	1	2	3	4	5
3. parent? <u>PRNTDIE3</u>	1	2	3	4	5
n. A close friend or family member <u>other than</u> a husband/partner, child or parent died? <u>CLOSDIE3</u>	1	2	3	4	5
o. Major accident, assault, disaster, robbery or other violent event happened to yourself? <u>SELFVIO3</u>	1	2	3	4	5
p. Major accident, assault, disaster, robbery or other violent event happened to a family member? <u>FAMLVIO3</u>	1	2	3	4	5
q. Serious physical illness, injury or drug/alcohol problem in family member, partner or close friend? <u>PHYSILL3</u>	1	2	3	4	5
r. Other major event not included above? <u>MAJEVEN3</u>	1	2	3	4	5
Specify: _____					

SECTIONS F & G DELETED FROM QUESTIONNAIRE

These next questions concern different aspects (or roles) of your life and how you feel about them.

H1. Are you currently employed for pay?

EMPLYPA3

No..... 1 (GO TO H2)
Yes 2

a. How rewarding is your job? (CIRCLE ONE NUMBER)

REWRDJO3

Not at all..... 1
A little 2
Somewhat..... 3
Quite a bit..... 4
Extremely..... 5

b. How stressful is your job? (CIRCLE ONE NUMBER)

STRSSJO3

Not at all..... 1
A little 2
Somewhat..... 3
Quite a bit..... 4
Extremely..... 5

H2. Are you currently caring for an older or disabled family member?

CRNTCAR3

No..... 1 (GO TO H3)
Yes 2

a. How rewarding is your role as caregiver? (CIRCLE ONE NUMBER)

RWRDCAR3

Not at all..... 1
A little 2
Somewhat..... 3
Quite a bit..... 4
Extremely..... 5

b. How stressful is your role as caregiver? (CIRCLE ONE NUMBER)

STRSCAR3

Not at all..... 1
A little 2
Somewhat..... 3
Quite a bit..... 4
Extremely..... 5

H3. Are you currently married or in a committed relationship?

CRNTMAR3

No..... 1 (GO TO H4)
Yes 2

a. How rewarding is this relationship? (CIRCLE ONE NUMBER)

RWRDREL3

Not at all..... 1
A little 2
Somewhat..... 3
Quite a bit..... 4
Extremely..... 5

b. How stressful is this relationship? (CIRCLE ONE NUMBER)

STRSREL3

Not at all..... 1
A little 2
Somewhat..... 3
Quite a bit..... 4
Extremely..... 5

H4. Do you have any children or stepchildren?

CHILDRE3

No..... 1 (GO TO I1)
Yes 2

a. How rewarding is your role as a mother? (CIRCLE ONE NUMBER)

REWRDMO3

Not at all..... 1
A little 2
Somewhat..... 3
Quite a bit..... 4
Extremely..... 5

b. How stressful is your role as a mother? (CIRCLE ONE NUMBER)

STRSSMO3

Not at all..... 1
A little 2
Somewhat..... 3
Quite a bit..... 4
Extremely..... 5

We would like to ask you for some important information that will help us to understand your answers better. Please remember that all of your answers will of course remain confidential.

I1. What is your total family income (before taxes) from all sources within your household in the last year? (Circle the answer that is your best guess.)

	<u>INCOME3\$</u>
LESS THAN \$19,999	1
\$20,000 TO \$49,999	2
\$50,000 TO \$99,999	3
\$100,000 OR MORE	4
REFUSED.....	-7
DON'T KNOW.....	-8

The next question deals with how you respond to your physical senses. For each item, please indicate the degree to which each statement is TRUE OF YOU in general.

J1. Please circle the number that corresponds to your answer for each statement below:

(CIRCLE ONLY ONE ANSWER FOR EACH QUESTION)

	Not at all True	A little bit true	Moderately true	Quite a bit true	Extremely true
a. I am often aware of various things happening within my body. <u>AWAREBO3</u>	1	2	3	4	5
b. Sudden loud noises really bother me. <u>NOISES3</u>	1	2	3	4	5
c. I hate to be too hot or too cold. <u>HOTCOLD3</u>	1	2	3	4	5
d. I am quick to sense the hunger contractions in my stomach. <u>HUNGER3</u>	1	2	3	4	5
e. I can't stand pain. <u>STNDPAI3</u>	1	2	3	4	5

SECTION K DELETED FROM QUESTIONNAIRE

The following section will ask you about personal feelings. These questions are important, as our feelings may directly affect our health or influence how we respond to health issues.

\$ I.1 Income categories have been condensed from the original questionnaire

Variable Excluded from Public Use Data File

L1. In your day-to-day life have you had the following experiences: (CIRCLE ONE ANSWER FOR EACH)

	Often	Sometimes	Rarely	Never
a. You are treated with less courtesy than other people. <u>COURTES3</u>	1	2	3	4
b. You are treated with less respect than other people. <u>RESPECT3</u>	1	2	3	4
c. You receive poorer service than other people at restaurants or stores. <u>POORSER3</u>	1	2	3	4
d. People act as if they think you are not smart. <u>NOTSMAR3</u>	1	2	3	4
e. People act as if they are afraid of you. <u>AFRAIDO3</u>	1	2	3	4
f. People act as if they think you are dishonest. <u>DISHONS3</u>	1	2	3	4
g. People act as if they're better than you are. <u>BETTER3</u>	1	2	3	4
h. You or your family members are called names or insulted. <u>INSULTE3</u>	1	2	3	4
i. You are threatened or harassed. <u>HARASSE3</u>	1	2	3	4
j. People ignore you or act as if you are not there. <u>IGNORED3</u>	1	2	3	4

IF YOU ANSWERED "OFTEN" OR "SOMETIMES", TO ONE OR MORE STATEMENTS IN L1, PLEASE ANSWER QUESTION L2.

L2. Were any of the following reasons why you "sometimes" or "often" had these experiences? (CIRCLE ONE ANSWER FOR EACH.)

		NO	YES
a. Race	<u>BCRACE3</u>	1	2
b. Ethnicity	<u>BCETHN3</u>	1	2
c. Gender	<u>BCGENDR3</u>	1	2
d. Age	<u>BCAGE3</u>	1	2
e. Income Level	<u>BCINCML3</u>	1	2
f. Language	<u>BCLANG3</u>	1	2
g. Body Weight	<u>BCWGHT3</u>	1	2
h. Physical Appearance (other than body weight)	<u>BCPHAPP3</u>	1	2
i. Sexual Orientation	<u>BCORIEN3</u>	1	2
j. Other	<u>OTHEREX3</u>	1	2
Specify: _____	<u>#OTHRSP3</u>		

Thank you for your time. This ends this questionnaire.
Please give it to the study personnel.

Variable Excluded from Public Use Data File

Study of Women's Health Across the Nation
SELF-ADMINISTERED QUESTIONNAIRE PART B
ANNUAL FOLLOW-UP

SECTION A. GENERAL INFORMATION

A1. RESPONDENT ID: **SWANID**

A2. SWAN STUDY VISIT # **#VISIT**

A3. FORM VERSION:
 $\frac{0}{M}$ $\frac{2}{M}$ / $\frac{0}{D}$ $\frac{1}{D}$ / $\frac{1}{Y}$ $\frac{9}{Y}$ $\frac{9}{Y}$ $\frac{9}{Y}$
 #FORM_V

A4. DATE FORM COMPLETED:
 $\frac{\quad}{M}$ $\frac{\quad}{M}$ / $\frac{\quad}{D}$ $\frac{\quad}{D}$ / $\frac{\quad}{Y}$ $\frac{\quad}{Y}$ $\frac{\quad}{Y}$ $\frac{\quad}{Y}$
 SABDAY3[†]

A5. INTERVIEWER'S INITIALS: **#INITS**

A6. RESPONDENT'S DOB:
 $\frac{\quad}{M}$ $\frac{\quad}{M}$ / $\frac{\quad}{D}$ $\frac{\quad}{D}$ / $\frac{\quad}{Y}$ $\frac{\quad}{Y}$
 #DOB

VERIFY WITH RESPONDENT

A7. COMPLETED IN: **#LOCATIO3**

RESPONDENT'S HOME 1
 CLINIC/OFFICE 2
 RESPONDENT'S HOME W/ PROXY 3
 CLINIC/ OFFICE W/ PROXY 4

A8. INTERVIEW LANGUAGE: **LANGSAB3**

ENGLISH 1
 SPANISH 2
 CANTONESE 3
 JAPANESE 4

A9. INTERVIEWER-ADMINISTERED? **#ADMIN3**

NO 1
 YES 2

[†] This date is given in days since the initial baseline interview

This questionnaire covers material that is sensitive and personal. For some women, sexual activity is an important part of their lives, but for others, it is not. Everyone has different ideas on this subject. To help us understand how these matters affect women's lives and health, we would like you to answer the following questions from your own personal viewpoint. There are no right or wrong answers. Remember, confidentiality is assured. While we hope you are willing to answer all of the questions, if there are questions you would prefer not to answer, you are free to skip them. Please find the most appropriate response to each question, and circle the number for the answer you choose.

B1. How important is sex in your life? (CIRCLE ONE NUMBER)

IMPORSE3

1	2	3	4	5
Extremely Important	Quite Important	Moderately Important	Not Very Important	Not At All Important

B2. During the past 6 months, how often have you felt a desire to engage in any form of sexual activity, either alone or with a partner? (CIRCLE ONE NUMBER)

DESIRSE3

1	2	3	4	5
Not At All	Once or Twice/Month	About Once/Week	More Than Once/Week	Daily

B3. During the past 6 months, have you engaged in sexual activities with a partner?
(CIRCLE ONE NUMBER)

ENGAGSE3

No..... 1 (GO TO B3.a)

Yes 2 (GO TO B4)

B3.a People do not engage in sexual activities with partners for many reasons. Please circle 1 (NO) or 2 (YES) for each reason listed below. Please answer all four questions.

I have not had sex in the last 6 months because:

	NO	YES
1) I do not have a partner at this time. <u>NOPARTN3</u>	1	2
2) My partner has a physical problem that interferes with sex. <u>PARTPRO3</u>	1	2
3) I have a physical problem that interferes with sex. <u>PHYSPRO3</u>	1	2
4) Other: Please Specify _____ <u>NOSEXOT3</u>	1	2

#NOSEXSP3

PLEASE TURN TO PAGE 6, AND ANSWER QUESTION B15.

B4. In the past 6 months, how physically pleasurable was your relationship with your partner:

1	2	3	4	5
Extremely Pleasurable	Very Pleasurable	Moderately Pleasurable	Slightly Pleasurable	Not At All Pleasurable

PHYSPLE3

B5. In the past 6 months, how emotionally satisfying was your relationship with your partner?

1	2	3	4	5
Extremely	Very	Moderately	Slightly	Not At All
Satisfying	Satisfying	Satisfying	Satisfying	Satisfying

SATISFY3

B6. During the past 6 months, how often, on average, have you engaged in each of the following sexual activities? (CIRCLE ONE ANSWER FOR EACH QUESTION. IF AN ACTIVITY DOES NOT APPLY TO YOU, CIRCLE 1 [NOT AT ALL].)

	Not At All	Once or Twice/Month	About Once/Week	More Than Once/Week	Daily
a) Kissing or hugging? <u>KISSING3</u>	1	2	3	4	5
b) Sexual touching or caressing? <u>TOUCHIN3</u>	1	2	3	4	5
c) Oral sex? <u>ORALSEX3</u>	1	2	3	4	5
a) Sexual intercourse? <u>INTCOUR3</u>	1	2	3	4	5

Please answer the following questions, B7 - B9, about sexual activity with your partner(s).

B7. During the last 6 months, how often did you feel aroused during sexual activity? **AROUSED3**

1	2	3	4	5
Always	Almost Always	Sometimes	Almost Never	Never

B8. During the past 6 months, have you felt vaginal or pelvic pain during intercourse? **PELVIC3**

1	2	3	4	5	6
Always	Almost Always	Sometimes	Almost Never	Never	No intercourse in last 6 months

B9. During the last 6 months, how often have you used lubricants, such as creams or jellies, to make sex more comfortable? **LUBRICN3**

1	2	3	4	5	6
Always	Almost Always	Sometimes	Almost Never	Never	No intercourse in last 6 months

Please answer the following questions, B10 - B14, about sexual activity with your partner(s).

B10. During the past six months, how often were you able to reach climax (come)?

1	2	3	4	5
Always	Almost Always	Sometimes	Almost Never	Never

ABLECLM3

B11. During the past six months, how often was it important for you to reach a climax?

1	2	3	4	5
Always	Almost Always	Sometimes	Almost Never	Never

IMPCLMX3

B12. During the past six months, how often did you feel satisfied after sexual activity?

1	2	3	4	5
Always	Almost Always	Sometimes	Almost Never	Never

SATISFD3

B13. During the past six months, how often were you satisfied with the frequency of sexual activity?

1	2	3	4	5
Always	Almost Always	Sometimes	Almost Never	Never

FREQUEN3

B14. During the past six months, how frequently did you feel tense or nervous after a sexual experience?

1	2	3	4	5
Always	Almost Always	Sometimes	Almost Never	Never

NERVOUS3

B15. On average, in the last 6 months, how often have you engaged in masturbation (self-stimulation)?

1	2	3	4	5	6
Not at all	Less than once a Month	Once or Twice a Month	About once a week	More than once a week	Daily

MASTURB3

Thank you for helping us with this important research study.

Please place the completed questionnaire in the envelope provided, seal it, and give it to the study personnel.

Study of Women's Health Across the Nation
SELF-ADMINISTERED QUESTIONNAIRE PART C
ANNUAL FOLLOW-UP

SECTION A. GENERAL INFORMATION

A1. RESPONDENT ID: AFFIX ID LABEL HERE SWANID

A2. SWAN STUDY VISIT # _____ #VISIT

A3. FORM VERSION: 02/01/1999 #FORM_V

A4. DATE FORM COMPLETED:
 ____ ____ / ____ ____ / ____ ____ ____ ____
 M M D D Y Y Y Y
 SACDAY3[†]

A5. INTERVIEWER'S INITIALS: ____ _ #INITS

A6. RESPONDENT'S DOB:
 ____ ____ / ____ ____ / ____ ____
 M M D D Y Y
 #DOB

VERIFY WITH RESPONDENT

A7. COMPLETED IN: #LOCATIO3

RESPONDENT'S HOME 1
 CLINIC / OFFICE 2
 RESPONDENT'S HOME W/ PROXY 3
 CLINIC/OFFICE W/ PROXY 4

A8. INTERVIEW LANGUAGE: LANGSAC3

ENGLISH..... 1
 SPANISH..... 2
 CANTONESE 3
 JAPANESE 4

A9. INTERVIEWER-ADMINISTERED? #ADMIN3

NO 1
 YES 2

[†] This date is given in days since the initial baseline interview

Variable Excluded from Public Use Data File

We are interested in learning more about your health, health care decisions and practices. Once again, all your responses will be kept strictly confidential. It is very important that you answer each question the best you can. Please find the most appropriate response to each question, and circle the number for the answer you choose.

B1. Do you have a health care provider from whom you **primarily** get your care for women's health conditions? **PROVIDE3**

No 1 **(GO TO B8)**
 Yes..... 2 **(GO TO B2)**

B2. What is the name of this health care provider? **#PROVNAME3** **#PROVLAS3**

 (FIRST) (LAST)

B3. What is the name and location of the institution where he/she practices? **#INSTITU3** **#CITYTOW3**

 (INSTITUTION NAME) (CITY/TOWN)

B3.a. What type of practice is this? **TYPEPRA3**
 Hospital 1
 Office..... 2
 Clinic 3
 Other 4
 Specify: _____ **#SPECIF13**

B4. Which of the following best describes this provider's specialty.
(PLEASE CIRCLE ONE RESPONSE) **SPECIAL3**
 A family practitioner..... 1
 An internist 2
 A gynecologist..... 3
 A nurse practitioner or physician assistant..... 4
 A naturopath (one who uses natural (non-medicinal) therapy)..... 5
 Other 6
 Specify: _____ **SPECIFY3**
 No specialty 7
 Don't know -8

B5. Since your last study visit, about how many times did you see or talk to **this** health care provider regarding your own health? **VISIPRO3**
 _____ #Times

B6. Please indicate what role you prefer that this health care provider take in deciding about your health:
(PLEASE CIRCLE ONLY ONE NUMBER) **ROLE3**
 1 2 3 4 5 6 7
 My provider's role is to provide information and let me make my own decision
 My provider's role is to evaluate my situation and make the best decision for me

- B7. Here are some statements that describe ways health care providers sometimes interact with their patients. Using the scale provided, indicate how often each statement is true for you and your health care provider for women's health conditions (the provider you listed above). If a statement describes something that has never come up for you, respond according to how you think your provider would most likely respond.

	Almost Always	Often	Neutral	Seldom	Almost Never
a. My health care provider encourages me to make my own decisions regarding treatment plans. <u>ENCOURA3</u>	5	4	3	2	1
b. When my health care provider recommends treatment plans he/she also discusses alternatives. <u>DISCUSS3</u>	5	4	3	2	1
c. If I refuse treatment, my health care provider respects my decision. <u>REFUSAL3</u>	5	4	3	2	1
d. My health care provider encourages me to participate in decisions about my health care. <u>PARTICI3</u>	5	4	3	2	1
e. My health care provider seriously considers any alternative treatments that I suggest. <u>ALTERNA3</u>	5	4	3	2	1
f. If I tell my health care provider my treatment plan is too difficult or too much trouble, he/she changes it. <u>CHANGES3</u>	5	4	3	2	1
g. My health care provider encourages me to trust my own judgment about my health care. <u>JUDGEMN3</u>	5	4	3	2	1

B8. In the past year, have you talked to any health care providers or other professionals for problems with emotions, "nerves", or mental health? **EMOTION3**

NO 1 (GO TO C1)
 YES..... 2 (GO TO B9)

B9. In the past year, have you seen or talked with any of the following health care providers or other professionals for treatment of emotional problems?

	NO	YES	B9.1 IF YES: How many times have you seen or talked to this kind of provider or professional in the past year?
a. Primary care provider / family physician (not an OB/GYN physician) <u>PRIMARY3</u>	1	2	_____ times <u>PRIMAR13</u>
b. OB/GYN (Obstetrician/gynecologist) physician <u>OBSTETR3</u>	1	2	_____ times <u>OBSTET13</u>
c. Nurse practitioner / registered nurse or physician assistant <u>PRACTIT3</u>	1	2	_____ times <u>PRACTI13</u>
d. Psychiatrist <u>PSYCHIA3</u>	1	2	_____ times <u>PSYCHI13</u>
e. Psychologist, social worker or counselor <u>PSYCHOL3</u>	1	2	_____ times <u>PSYCHO13</u>
f. Other <u>OTHER3</u>			<u>OTHER13</u>
Specify: _____	1	2	_____ times
_____ <u>OTHER_S3</u>	1	2	_____ times

C1. Since your last study visit, have you had any of the following conditions?

			C1.1. IF YES, has it made it difficult to carry out your daily routine (e.g., work, housework, childcare)?			
			NO	YES	NO	YES
a.	endometriosis (abnormal growths in lining of uterus)	<u>ENDO3</u>	1	2	1 <u>ENDODIF3</u>	2
b.	pelvic pain (pain in the lowest part of the abdomen)	<u>PELVIC3</u>	1	2	1 <u>DIFFPEL3</u>	2
c.	pelvic prolapse or relaxation (the uterus, bladder, or rectum drops, sometimes bulging out of vagina)	<u>PROLAPS3</u>	1	2	1 <u>DIFFPRO3</u>	2
d.	pelvic cancer (cancer of the vulva, cervix, uterus, or ovaries)	<u>PCANCER3</u>	1	2	1 <u>DIFFCAN3</u>	2
e.	abnormal bleeding (bleeding from the vagina that is different from usual: irregular, heavy, or long in duration)	<u>ABBLEED3</u>	1	2	1 <u>DIFFBLE3</u>	2

Study of Women's Health Across the Nation

PHYSICAL MEASURES

SECTION A. GENERAL INFORMATION

- A1. RESPONDENT ID: AFFIX ID LABEL HERE **SWANID**
- A2. SWAN STUDY VISIT # **#VISIT**
- A3. READING: PRIMARY DATA COLLECTION.....1 **#DATACOL1**
QC DATA COLLECTION.....2 **#FORM_V**
- A4. FORM VERSION: 0 2 / 0 1 / 1 9 9 7
M M D D Y Y Y Y **PHYDAY3[†]**
- A5. DATE FORM COMPLETED: / /
M M D D Y Y Y Y
- A6. RESPONDENT'S DOB: / / **#DOB**
M M D D Y Y
- VERIFY WITH RESPONDENT**
- A7. MEASUREMENTS COMPLETED IN: **#LOCATIO3**
RESPONDENT'S HOME.....1
CLINIC/OFFICE.....2
- A8. TECHNICIAN'S INITIALS
- a. BLOOD PRESSURE **#INITSA3**
 - b. HEIGHT/WEIGHT **#INITSB3**
 - c. WAIST/HIP **#INITSC3**

[†] This date is given in days since the initial baseline interview

Variable Excluded from Public Use Data File

Section B. Measurements

B.1. ARM LENGTH . cm **#ARMLNGT3**

B.2. ARM CIRCUMFERENCE . cm **#ARMCIRC3**

B.3. CUFF SIZE USED (Circle one.) **#CUFFSIZ3**

1. Pediatric	3. Large Adult
2. Adult	4. Thigh

Wait 5 minutes before measurements. Respondent is to sit quietly for 5 minutes with feet flat on the floor (legs uncrossed) and is to refrain from talking during the measurements.

WAIT 2 MINUTES BETWEEN EACH BLOOD PRESSURE READING.

B.4. PULSE beats/30 sec **PULSE3**

B.5. BLOOD PRESSURE #1 (SYS./DIA. 5th Phase) **SYSBP13 / DIABP13** / mmHg

B.6. BLOOD PRESSURE #2 (SYS./DIA. 5th Phase) **SYSBP23 / DIABP23** / mmHg

Ask the respondent to remove her shoes before measuring height and weight.

B.7. HEIGHT **HEIGHT3** . cm

B.7.1. Measurement Method **HTMETHO3** 1. Stadiometer 2. Portable

B.8. WEIGHT **WEIGHT3** . kg

B.8.1. Scales **SCALE3** 1. Balance Beam 2. Clinic Digital
3. Portable

B.9. WAIST CIRCUMFERENCE **WAIST3** . cm

B.9.1. Measurement taken in: **WASTMEA3** 1. Undergarments 2. Light clothing

B.10. HIP CIRCUMFERENCE **HIP3** . cm

B.10.1. Measurement taken in: **HIPMEAS3** 1. Undergarments 2. Light clothing

B.11. Please note if there were any unusual circumstances or deviations from the protocol.
#DEVIATE3

ADDITIONAL PHYSICAL MEASURES

One additional measure, BMI3, has been made available:

Variable	<i>Meaning</i>	<i>Values</i>
BMI3	Body Mass Index	numeric

BMI0 is calculated as weight in kilograms divided by the square of height in meters.

ADDITIONAL MEASURES COLLECTED

The following measures that were collected at baseline have been included in the codebook:

SERUM HORMONE MEASURES

1. Variables for assays

<i>Variable</i>	<i>Assay</i>	<i>Units</i>
DHAS3	Dehydroepiandrosterone sulfate	ug/dL
FSH3	Follicle-stimulating hormone	mIU/mL
SHBG3	Sex hormone-binding globulin	nM
T3	Testosterone	ng/dL
E2AVE3*	Estradiol (see important note below)	pg/mL

*** IMPORTANT NOTE:** There were originally two estradiol result variables because estradiol was run in duplicate. E2AVE2 is the within-person arithmetic average of the two estradiol variables.

2. Flags and other variables

<i>Variable</i>	<i>Meaning</i>	<i>Codes</i>
CYCDAY3	Day of cycle	n/a
FLGCV3	Both Estradiol results are > 20 pg/mL and the within-subject coefficient of variation (CV) is > 15%.	0=no, 1=yes
FLGDIF3	<p>One or both Estradiol results \leq 20 pg/mL and the difference between them is > 10 pg/mL.</p> <p>Note: Differences were found between some of the Estradiol duplicate measurements. The following guidelines were decided upon:</p> <ol style="list-style-type: none"> 1. If both E2 values > 20 pg/ml, CV must be \leq 15%. 2. If one or both E2 \leq 20 pg/ml, the two E2 results must agree within 10 pg/ml. <p>DATA WITH THESE FLAGS SHOULD BE OMITTED FROM DATA ANALYSES, OR USED WITH CAUTION IF INCLUDED IN ANALYSES.</p>	

*1=yes means flagged

3. *Changes to the data:*

- Lower limit of detection (LLD). Hormone results below the LLD were recoded to a value of '.L'.
- LLDs changed over time. The following LLDs were provided by the lab:

<i>Hormone</i>	<i>Time Window on hormone measurement corresponding to LLD</i>	<i>Lower Limit of Detection</i>
DHEAS	~ Sep. 15, 1997	<1.52 ug/dL (Initial value)
	Sep. 16, 1997 ~ Jan. 14, 1999	<0.304 ug/dL
	Jan. 15, 1999 ~	<1.5 ug/dL
E2	~ Aug. 11, 1999	<1.0 pg/mL (Initial value)
	Aug. 12, 1999 ~ Feb. 20, 2000	<1.0 pg/mL
	Feb. 21, 2000 ~ Aug. 27, 2001	<2.0 pg/mL
	Aug. 28, 2001 ~ May 03, 2009	<4.0 pg/mL
FSH	~ Aug. 05, 1999	<1.05 mIU/mL (Initial value)
	Aug. 06, 1999 ~ Nov. 10, 1999	<1.0 mIU/mL
	Nov. 11, 1999 ~ Jul. 19, 2000	<0.7 mIU/mL
	Jul. 20, 2000 ~ Oct. 29, 2002	<0.6 mIU/mL
SHBG	~ Sep. 15, 1997	<1.95 nM (Initial value)
	Sep. 16, 1997 ~ Aug. 05, 1999	<1.95 nM
	Aug. 06, 1999 ~ Oct. 31, 1999	<1.9 nM
	Nov. 01, 1999 ~ Mar. 22, 2006	<2.0 nM
T	~ Jun. 04, 1998	<2.19 ng/dL (Initial value)
	Jun. 05, 1998 ~ Jun. 17, 1999	<2.2 ng/dL
	Jun. 18, 1999 ~	<2.0 ng/dL

CARDIOVASCULAR MEASURES

1. Variables for assays

<i>Variable</i>	<i>Assay</i>	<i>Units</i>
<u>CHOLRES3</u>	Total cholesterol	mg/dl
<u>TRIGRES3</u>	Triglycerides	mg/dl
<u>LDLRESU3</u>	Low-density lipoprotein cholesterol (estimated)	mg/dl
<u>HDLRESU3</u>	High density lipoprotein cholesterol	mg/dl
<u>GLUCRES3</u>	Glucose	mg/dl
<u>INSURES3</u>	Insulin	uIU/ml
<u>FACRESU3</u>	Factor VII	%
<u>FIBRESU3</u>	Fibrinogen	mg/dl
<u>PAIRESU3</u>	PAI-1	ng/ml
<u>TPARESU3</u>	tPA	ng/ml
<u>LPARESU3</u>	Lipoprotein Lp(a)	mg/dl
<u>LPA1RES3</u>	Lipoprotein A-1	mg/dl
<u>APOARES3</u>	Apolipoprotein A-1	mg/dl
<u>APOBRES3</u>	Apolipoprotein B	mg/dl
<u>CRPRESU3</u>	C-reactive protein	mg/l

2. Flags and other variables

<i>Variable</i>	<i>Meaning</i>	<i>Codes</i>
<u>FLAGSER3</u>	Flag to indicate that lipids were measured on serum rather than plasma because plasma was not available. Lipids for these subjects were <u>not</u> set to missing.	0=no, 1=yes
<u>FLGCVRV3</u>	Flag to indicate the sample was collected after the cut-off date for Visit 3 (01/31/2001)	0=no, 1=yes

*1=yes means flagged

3. Changes to the data:

- Non-fasting Triglycerides, Insulin, & Glucose - If women were not fasting, triglycerides, insulin and glucose were set to missing in the frozen data set because these assays are not valid for non-fasting samples.
- Estimated vs. Direct LDL. LDL is estimated using the Friedewald equation for all women with triglycerides below 400 mg/dl. If triglycerides exceed 400 mg/dl, LDL is set to missing.
- Serum lipids. A few subjects had their lipids measured from serum rather than plasma. The results were left as is but subjects were flagged (FLAGSER1=1).

BONE MINERAL DENSITY MEASURES

Five of the seven clinical sites did DXA bone scans on the spine and hip. The total bone mineral density scores had to be calibrated in order to apply machine change calibration correction factors.

<i>Variable</i>	<i>Meaning</i>	<i>Codes</i>
<u>SPSCDAY3</u>	Spine Scan Day	
<u>SPSCTIM3</u>	Spine Scan Time	
<u>SPSCMOD3</u>	Spine Scan Mode	5 = 2000 machine 11=4500 machine
<u>HPSCDAY3</u>	Hip Scan Day	
<u>HPSCTIM3</u>	Hip Scan Time	
<u>HPSCMOD3</u>	Hip Scan Mode	5 = 2000 machine 11=4500 machine
<u>SPBMDT3</u>	Total Spine BMD w/cross-calibration applied	
<u>HPBMDT3</u>	Total Hip BMD w/cross-calibration applied	
<u>BMDFLG3</u>	PI recommended for spine exclusion	0=no 1=yes

ICPSR 29701

Study of Womens Health Across the Nation (SWAN), 1999-2001: Visit 03 Dataset

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

Study of Womens Health Across the Nation (SWAN), 1999-2001: Visit 03 Dataset

SWANID SWANID

Location: 1-5 (width: 5; decimal: 0)

Variable Type: numeric

VISIT Study Visit

Location: 6-7 (width: 2; decimal: 0)

Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
	16	0.6 %
03	2694	99.4 %

INTDAY3 Interview Day

Location: 8-11 (width: 4; decimal: 0)

Variable Type: numeric

AGE3 Visit 3 Age

Location: 12-13 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
44	5	0.2 %
45	267	9.9 %
46	317	11.7 %
47	343	12.7 %
48	331	12.2 %
49	318	11.7 %
50	335	12.4 %
51	249	9.2 %
52	222	8.2 %
53	149	5.5 %
54	94	3.5 %
55	55	2.0 %
56	9	0.3 %
. (M)	16	0.6 %

LANGINT3 Language of Interview

Location: 14-14 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	English	2347	86.6 %

- Study 29701 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	Spanish	161	5.9 %
3	Cantonese	79	2.9 %
4	Japanese	107	3.9 %
. (M)	-	16	0.6 %

PREGNAN3 **Currently Pregnant**

Location: 15-16 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	1	0.0 %
-8	Do not know	1	0.0 %
1	No	2328	85.9 %
. (M)	-	380	14.0 %

PREVBLO3 **Blood Drawn Previously**

Location: 17-17 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	No	976	36.0 %
2	Yes	2	0.1 %
. (M)	-	1732	63.9 %

EATDRIN3 **Eat/Drink in last 13 hrs**

Location: 18-19 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2	0.1 %
1	No	2257	83.3 %
2	Yes	71	2.6 %
. (M)	-	380	14.0 %

STRTPER3 **Start Period in Last Week**

Location: 20-21 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2	0.1 %
1	No	1036	38.2 %
2	Yes	1292	47.7 %

- Study 29701 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
. (M)	-	380	14.0 %

DAYBLE3 Day that you started to bleed

Location: 22-25 (width: 4; decimal: 0)

Variable Type: numeric

BLDRWAT3 Blood Draw Attempted

Location: 26-27 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2	0.1 %
1	Yes, as per protocol	1759	64.9 %
2	Yes, menses too variable	238	8.8 %
3	Yes, Last attempt	331	12.2 %
. (M)	-	380	14.0 %

BLDDRAW3 Blood Drawn

Location: 28-28 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	Yes	2330	86.0 %
. (M)	-	380	14.0 %

SPE DAY3 Blood Specimen Day

Location: 29-32 (width: 4; decimal: 0)

Variable Type: numeric

ANTICO13 Anticoagulant #1

Location: 33-33 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	No	2649	97.7 %
2	Yes	45	1.7 %
. (M)	-	16	0.6 %

ACOATW13 Anticoagulant #1 taken 2x/wk for last mo

Location: 34-35 (width: 2; decimal: 0)

Variable Type: numeric

- Study 29701 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	1	0.0 %
-1	N/A	2649	97.7 %
1	No	15	0.6 %
2	Yes	29	1.1 %
. (M)	-	16	0.6 %

ANTICO23 Anticoagulant #2

Location: 36-37 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2649	97.7 %
1	No	43	1.6 %
2	Yes	2	0.1 %
. (M)	-	16	0.6 %

ACOATW23 Anticoagulant #2 taken 2x/wk for last mo

Location: 38-39 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2692	99.3 %
2	Yes	2	0.1 %
. (M)	-	16	0.6 %

HEART13 Heart med #1

Location: 40-40 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	No	2625	96.9 %
2	Yes	69	2.5 %
. (M)	-	16	0.6 %

HARTTW13 Heart med #1 taken 2x/wk for last mo

Location: 41-42 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2625	96.9 %
1	No	13	0.5 %
2	Yes	56	2.1 %

- Study 29701 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
. (M)	-	16	0.6 %

HEART23

Heart med #2

Location: 43-44 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2625	96.9 %
1	No	56	2.1 %
2	Yes	13	0.5 %
. (M)	-	16	0.6 %

HARTTW23

Heart med #2 taken 2x/wk for last mo

Location: 45-46 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2681	98.9 %
1	No	2	0.1 %
2	Yes	11	0.4 %
. (M)	-	16	0.6 %

CHOLST13

Cholesterol med #1

Location: 47-47 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	No	2591	95.6 %
2	Yes	103	3.8 %
. (M)	-	16	0.6 %

CHOLTW13

Cholesterol med #1 taken 2x/wk for last mo

Location: 48-49 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2591	95.6 %
1	No	20	0.7 %
2	Yes	83	3.1 %
. (M)	-	16	0.6 %

CHOLST23

Cholesterol med #2

- Study 29701 -

Location: 50-51 (width: 2; decimal: 0)
Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2591	95.6 %
1	No	98	3.6 %
2	Yes	5	0.2 %
. (M)	-	16	0.6 %

CHOLTW23 Cholesterol med #2 taken 2x/wk for last mo

Location: 52-53 (width: 2; decimal: 0)
Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2689	99.2 %
1	No	3	0.1 %
2	Yes	2	0.1 %
. (M)	-	16	0.6 %

BP13 Blood pressure med #1

Location: 54-54 (width: 1; decimal: 0)
Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	No	2220	81.9 %
2	Yes	474	17.5 %
. (M)	-	16	0.6 %

BPTW13 Blood pressure med #1 taken 2x/wk last mo

Location: 55-56 (width: 2; decimal: 0)
Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2220	81.9 %
1	No	40	1.5 %
2	Yes	434	16.0 %
. (M)	-	16	0.6 %

BP23 Blood pressure med #2

Location: 57-58 (width: 2; decimal: 0)
Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2220	81.9 %

- Study 29701 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	No	332	12.3 %
2	Yes	142	5.2 %
. (M)	-	16	0.6 %

BPTW23 **Blood pressure med #2 taken 2x/wk last mo**

Location: 59-60 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2552	94.2 %
1	No	21	0.8 %
2	Yes	121	4.5 %
. (M)	-	16	0.6 %

DIURET13 **Diuretic #1**

Location: 61-61 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	No	2549	94.1 %
2	Yes	145	5.4 %
. (M)	-	16	0.6 %

DIURTW13 **Diuretic #1 taken 2x/wk for last mo**

Location: 62-63 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2549	94.1 %
1	No	39	1.4 %
2	Yes	106	3.9 %
. (M)	-	16	0.6 %

DIURET23 **Diuretic #2**

Location: 64-65 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2549	94.1 %
1	No	141	5.2 %
2	Yes	4	0.1 %
. (M)	-	16	0.6 %

- Study 29701 -

DIURTW23 Diuretic #2 taken 2x/wk for last mo

Location: 66-67 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2690	99.3 %
1	No	4	0.1 %
. (M)	-	16	0.6 %

THYROI13 Thyroid med #1

Location: 68-68 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	No	2457	90.7 %
2	Yes	237	8.7 %
. (M)	-	16	0.6 %

THYRTW13 Thyroid med #1 taken 2x/wk for last mo

Location: 69-70 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2457	90.7 %
1	No	15	0.6 %
2	Yes	222	8.2 %
. (M)	-	16	0.6 %

THYROI23 Thyroid med #2

Location: 71-72 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2457	90.7 %
1	No	229	8.5 %
2	Yes	8	0.3 %
. (M)	-	16	0.6 %

THYRTW23 Thyroid med #2 taken 2x/wk for last mo

Location: 73-74 (width: 2; decimal: 0)

Variable Type: numeric

- Study 29701 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	1	0.0 %
-1	N/A	2686	99.1 %
1	No	3	0.1 %
2	Yes	4	0.1 %
. (M)	-	16	0.6 %

INSULN13

Insulin med #1

Location: 75-75 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	No	2587	95.5 %
2	Yes	107	3.9 %
. (M)	-	16	0.6 %

INSUTW13

Insulin med #1 taken 2x/wk for last mo

Location: 76-77 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2587	95.5 %
1	No	2	0.1 %
2	Yes	105	3.9 %
. (M)	-	16	0.6 %

INSULN23

Insulin med #2

Location: 78-79 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2587	95.5 %
1	No	51	1.9 %
2	Yes	56	2.1 %
. (M)	-	16	0.6 %

INSUTW23

Insulin med #2 taken 2x/wk for last mo

Location: 80-81 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2638	97.3 %
1	No	2	0.1 %

- Study 29701 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	Yes	54	2.0 %
. (M)	-	16	0.6 %

NERVS13 **Nervous cond med #1**

Location: 82-82 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	No	2308	85.2 %
2	Yes	386	14.2 %
. (M)	-	16	0.6 %

NERVTW13 **Nervous cond med #1 taken 2x/wk last mo**

Location: 83-84 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2308	85.2 %
1	No	108	4.0 %
2	Yes	278	10.3 %
. (M)	-	16	0.6 %

NERVS23 **Nervous cond med #2**

Location: 85-86 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2308	85.2 %
1	No	275	10.1 %
2	Yes	111	4.1 %
. (M)	-	16	0.6 %

NERVTW23 **Nervous cond med #2 taken 2x/wk last mo**

Location: 87-88 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2583	95.3 %
1	No	26	1.0 %
2	Yes	85	3.1 %
. (M)	-	16	0.6 %

- Study 29701 -

STEROI13 Steroid #1

Location: 89-89 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	No	2544	93.9 %
2	Yes	150	5.5 %
. (M)	-	16	0.6 %

STERTW13 Steroid #1 taken 2x/wk for last mo

Location: 90-91 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2544	93.9 %
1	No	111	4.1 %
2	Yes	39	1.4 %
. (M)	-	16	0.6 %

STEROI23 Steroid #2

Location: 92-93 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2544	93.9 %
1	No	138	5.1 %
2	Yes	12	0.4 %
. (M)	-	16	0.6 %

STERTW23 Steroid #2 taken 2x/wk for last mo

Location: 94-95 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2682	99.0 %
1	No	8	0.3 %
2	Yes	4	0.1 %
. (M)	-	16	0.6 %

FERTIL13 Fertility med #1

Location: 96-96 (width: 1; decimal: 0)

Variable Type: numeric

- Study 29701 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	No	2690	99.3 %
2	Yes	4	0.1 %
. (M)	-	16	0.6 %

FRTLW13 Fertility med #1 taken 2x/wk last mo

Location: 97-98 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2690	99.3 %
1	No	3	0.1 %
2	Yes	1	0.0 %
. (M)	-	16	0.6 %

FERTIL23 Fertility med #2

Location: 99-100 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2690	99.3 %
1	No	2	0.1 %
2	Yes	2	0.1 %
. (M)	-	16	0.6 %

FRTLW23 Fertility med #2 taken 2x/wk last mo

Location: 101-102 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2692	99.3 %
1	No	2	0.1 %
. (M)	-	16	0.6 %

BCP13 Birth Control Pill #1

Location: 103-103 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	No	2632	97.1 %
2	Yes	62	2.3 %
. (M)	-	16	0.6 %

- Study 29701 -

BCPTWI13 Birth Control Pill #1 taken 2x/wk last mo

Location: 104-105 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2632	97.1 %
1	No	23	0.8 %
2	Yes	39	1.4 %
. (M)	-	16	0.6 %

BCP23 Birth Control Pill #2

Location: 106-107 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2632	97.1 %
1	No	58	2.1 %
2	Yes	4	0.1 %
. (M)	-	16	0.6 %

BCPTWI23 Birth control pills #2 taken 2x/wk last mo

Location: 108-109 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2690	99.3 %
1	No	4	0.1 %
. (M)	-	16	0.6 %

ESTROG13 Estrogen pills #1

Location: 110-110 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	No	2505	92.4 %
2	Yes	189	7.0 %
. (M)	-	16	0.6 %

ESTRTW13 Estrogen pills #1 taken 2x/wk for last mo

Location: 111-112 (width: 2; decimal: 0)

Variable Type: numeric

- Study 29701 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2505	92.4 %
1	No	29	1.1 %
2	Yes	160	5.9 %
. (M)	-	16	0.6 %

ESTROG23

Estrogen pills #2

Location: 113-114 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2505	92.4 %
1	No	183	6.8 %
2	Yes	6	0.2 %
. (M)	-	16	0.6 %

ESTRTW23

Estrogen pills #2 taken 2x/wk for last mo

Location: 115-116 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2688	99.2 %
1	No	2	0.1 %
2	Yes	4	0.1 %
. (M)	-	16	0.6 %

ESTRDA13

Estr #1 rx daily or off & on

Location: 117-118 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	1	0.0 %
-8	Do not know	1	0.0 %
-1	N/A	2505	92.4 %
1	Every Day	167	6.2 %
2	Off and On	20	0.7 %
. (M)	-	16	0.6 %

ESTRDA23

Estr #2 rx daily or off & on

Location: 119-120 (width: 2; decimal: 0)

Variable Type: numeric

- Study 29701 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2688	99.2 %
1	Every Day	4	0.1 %
2	Off and On	2	0.1 %
. (M)	-	16	0.6 %

ESTRNJ13

Estrogen inj/patch #1

Location: 121-121 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	No	2670	98.5 %
2	Yes	24	0.9 %
. (M)	-	16	0.6 %

EINJTW13

Estrogen inj/patch #1 taken 2x/wk last mo

Location: 122-123 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2670	98.5 %
1	No	6	0.2 %
2	Yes	18	0.7 %
. (M)	-	16	0.6 %

ESTRNJ23

Estrogen inj/patch #2

Location: 124-125 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	1	0.0 %
-1	N/A	2666	98.4 %
1	No	24	0.9 %
2	Yes	3	0.1 %
. (M)	-	16	0.6 %

EINJTW23

Estrogen inj/patch #2 taken 2x/wk last mo

Location: 126-127 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2691	99.3 %
1	No	3	0.1 %

- Study 29701 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
. (M)	-	16	0.6 %

COMBIN13

Comb estrogen/progestin #1

Location: 128-128 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	No	2545	93.9 %
2	Yes	149	5.5 %
. (M)	-	16	0.6 %

COMBTW13

Comb estrogen/progestin #1 taken 2x/wk last mo

Location: 129-130 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2545	93.9 %
1	No	26	1.0 %
2	Yes	123	4.5 %
. (M)	-	16	0.6 %

COMBIN23

Comb estrogen/progestin #2

Location: 131-132 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	1	0.0 %
-1	N/A	2548	94.0 %
1	No	135	5.0 %
2	Yes	10	0.4 %
. (M)	-	16	0.6 %

COMBTW23

Comb estrogen/progestin #2 taken 2x/wk last mo

Location: 133-134 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2684	99.0 %
1	No	4	0.1 %
2	Yes	6	0.2 %
. (M)	-	16	0.6 %

- Study 29701 -

PROGES13 Progestin pills #1

Location: 135-135 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	No	2533	93.5 %
2	Yes	161	5.9 %
. (M)	-	16	0.6 %

PROGTW13 Progestin pills #1 taken 2x/wk last mo

Location: 136-137 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2533	93.5 %
1	No	40	1.5 %
2	Yes	121	4.5 %
. (M)	-	16	0.6 %

PROGES23 Progestin pills #2

Location: 138-139 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2533	93.5 %
1	No	157	5.8 %
2	Yes	4	0.1 %
. (M)	-	16	0.6 %

PROGTW23 Progestin pills #2 taken 2x/wk last mo

Location: 140-141 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2690	99.3 %
1	No	3	0.1 %
2	Yes	1	0.0 %
. (M)	-	16	0.6 %

PROGDA13 Prog #1 rx daily or off & on

Location: 142-143 (width: 2; decimal: 0)

Variable Type: numeric

- Study 29701 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-8	Do not know	1	0.0 %
-1	N/A	2533	93.5 %
1	Every Day	71	2.6 %
2	Off and On	89	3.3 %
. (M)	-	16	0.6 %

PROGDA23 **Prog #2 rx daily or off & on**

Location: 144-145 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2690	99.3 %
2	Off and On	4	0.1 %
. (M)	-	16	0.6 %

OTHMED13 **Other rx med #1**

Location: 146-146 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	No	1363	50.3 %
2	Yes	1331	49.1 %
. (M)	-	16	0.6 %

OTHRTW13 **Other rx med #1 taken 2x/wk last mo**

Location: 147-148 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	1363	50.3 %
1	No	700	25.8 %
2	Yes	631	23.3 %
. (M)	-	16	0.6 %

OTHMED23 **Other rx med #2**

Location: 149-150 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	1363	50.3 %
1	No	564	20.8 %
2	Yes	767	28.3 %

- Study 29701 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
. (M)	-	16	0.6 %

OTHRTW23 **Other rx med #2 taken 2x/wk last mo**

Location: 151-152 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	1	0.0 %
-1	N/A	1927	71.1 %
1	No	424	15.6 %
2	Yes	342	12.6 %
. (M)	-	16	0.6 %

OTHMED33 **Other rx med #3**

Location: 153-154 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	1927	71.1 %
1	No	329	12.1 %
2	Yes	438	16.2 %
. (M)	-	16	0.6 %

OTHRTW33 **Other rx med #3 taken 2x/wk last mo**

Location: 155-156 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2256	83.2 %
1	No	241	8.9 %
2	Yes	197	7.3 %
. (M)	-	16	0.6 %

OTHMED43 **Other rx med #4**

Location: 157-158 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2257	83.3 %
1	No	186	6.9 %
2	Yes	251	9.3 %
. (M)	-	16	0.6 %

- Study 29701 -

OTHRTW43 Other rx med #4 taken 2x/wk last mo

Location: 159-160 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	1	0.0 %
-1	N/A	2443	90.1 %
1	No	139	5.1 %
2	Yes	111	4.1 %
. (M)	-	16	0.6 %

OTHMED53 Other rx med #5

Location: 161-162 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2444	90.2 %
1	No	100	3.7 %
2	Yes	150	5.5 %
. (M)	-	16	0.6 %

OTHRTW53 Other rx med #5 taken 2x/wk last mo

Location: 163-164 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2544	93.9 %
1	No	76	2.8 %
2	Yes	74	2.7 %
. (M)	-	16	0.6 %

OTHMED63 Other rx med #6

Location: 165-166 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2544	93.9 %
1	No	49	1.8 %
2	Yes	101	3.7 %
. (M)	-	16	0.6 %

OTHRTW63 Other rx med #6 taken 2x/wk last mo

Location: 167-168 (width: 2; decimal: 0)

- Study 29701 -

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2593	95.7 %
1	No	56	2.1 %
2	Yes	45	1.7 %
. (M)	-	16	0.6 %

OTHMED73 Other rx med #7

Location: 169-170 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2593	95.7 %
1	No	45	1.7 %
2	Yes	56	2.1 %
. (M)	-	16	0.6 %

OTHRTW73 Other rx med #7 taken 2x/wk last mo

Location: 171-172 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2638	97.3 %
1	No	30	1.1 %
2	Yes	26	1.0 %
. (M)	-	16	0.6 %

OTHMED83 Other rx med #8

Location: 173-174 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2638	97.3 %
1	No	24	0.9 %
2	Yes	32	1.2 %
. (M)	-	16	0.6 %

OTHRTW83 Other rx med #8 taken 2x/wk last mo

Location: 175-176 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2662	98.2 %

- Study 29701 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	No	15	0.6 %
2	Yes	17	0.6 %
. (M)	-	16	0.6 %

OTHMED93 **Other rx med #9**

Location: 177-178 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2662	98.2 %
1	No	10	0.4 %
2	Yes	22	0.8 %
. (M)	-	16	0.6 %

OTHRTW93 **Other rx med #9 taken 2x/wk last mo**

Location: 179-180 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2672	98.6 %
1	No	14	0.5 %
2	Yes	8	0.3 %
. (M)	-	16	0.6 %

OTHME103 **Other rx med #10**

Location: 181-182 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2672	98.6 %
1	No	9	0.3 %
2	Yes	13	0.5 %
. (M)	-	16	0.6 %

OTHWTW103 **Other rx med #10 taken 2x/wk last mo**

Location: 183-184 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2681	98.9 %
1	No	8	0.3 %
2	Yes	5	0.2 %

- Study 29701 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
. (M)	-	16	0.6 %

OTHME113 **Other rx med #11**

Location: 185-186 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2681	98.9 %
1	No	10	0.4 %
2	Yes	3	0.1 %
. (M)	-	16	0.6 %

OTHTW113 **Other rx med #11 taken 2x/wk last mo**

Location: 187-188 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2691	99.3 %
2	Yes	3	0.1 %
. (M)	-	16	0.6 %

OTHME123 **Other rx med #12**

Location: 189-190 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2691	99.3 %
1	No	2	0.1 %
2	Yes	1	0.0 %
. (M)	-	16	0.6 %

OTHTW123 **Other rx med #12 taken 2x/wk last mo**

Location: 191-192 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2693	99.4 %
2	Yes	1	0.0 %
. (M)	-	16	0.6 %

OTHME133 **Other rx med #13**

Location: 193-194 (width: 2; decimal: 0)

- Study 29701 -

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2693	99.4 %
1	No	1	0.0 %
. (M)	-	16	0.6 %

OTHWTW133 Other rx med #13 taken 2x/wk last mo

Location: 195-196 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2694	99.4 %
. (M)	-	16	0.6 %

OTHME143 Other rx med #14

Location: 197-198 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2694	99.4 %
. (M)	-	16	0.6 %

OTHWTW143 Other rx med #14 taken 2x/wk last mo

Location: 199-200 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2694	99.4 %
. (M)	-	16	0.6 %

OTHME153 Other rx med #15

Location: 201-202 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2694	99.4 %
. (M)	-	16	0.6 %

OTHWTW153 Other rx med #15 taken 2x/wk last mo

Location: 203-204 (width: 2; decimal: 0)

Variable Type: numeric

- Study 29701 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2694	99.4 %
. (M)	-	16	0.6 %

REDUHAR3 **Reduce risk of heart disease**

Location: 205-206 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	4	0.1 %
-8	Do not know	1	0.0 %
-1	N/A	2259	83.4 %
1	No	300	11.1 %
2	Yes	130	4.8 %
. (M)	-	16	0.6 %

OSTEOPO3 **Reduce risk of osteoporosis**

Location: 207-208 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	4	0.1 %
-8	Do not know	1	0.0 %
-1	N/A	2259	83.4 %
1	No	267	9.9 %
2	Yes	163	6.0 %
. (M)	-	16	0.6 %

MENOSYM3 **Relieve menopausal symptoms**

Location: 209-210 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	4	0.1 %
-1	N/A	2259	83.4 %
1	No	101	3.7 %
2	Yes	330	12.2 %
. (M)	-	16	0.6 %

YOUNGLK3 **Stay young-looking**

Location: 211-212 (width: 2; decimal: 0)

Variable Type: numeric

- Study 29701 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	4	0.1 %
-1	N/A	2259	83.4 %
1	No	379	14.0 %
2	Yes	52	1.9 %
. (M)	-	16	0.6 %

HCPADVI3 Health care provider advised

Location: 213-214 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	4	0.1 %
-1	N/A	2259	83.4 %
1	No	81	3.0 %
2	Yes	350	12.9 %
. (M)	-	16	0.6 %

FRNADVI3 Friend/relative advised

Location: 215-216 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	4	0.1 %
-1	N/A	2259	83.4 %
1	No	357	13.2 %
2	Yes	74	2.7 %
. (M)	-	16	0.6 %

IMPRMEM3 Improve memory

Location: 217-218 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	4	0.1 %
-1	N/A	2259	83.4 %
1	No	365	13.5 %
2	Yes	66	2.4 %
. (M)	-	16	0.6 %

REGPERI3 Regulate periods

Location: 219-220 (width: 2; decimal: 0)

Variable Type: numeric

- Study 29701 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	4	0.1 %
-1	N/A	2259	83.4 %
1	No	304	11.2 %
2	Yes	127	4.7 %
. (M)	-	16	0.6 %

HORMOTH3 **Take hormones for other reasons**

Location: 221-222 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	4	0.1 %
-1	N/A	2259	83.4 %
1	No	320	11.8 %
2	Yes	111	4.1 %
. (M)	-	16	0.6 %

DONTKNO3 **Don't know/rem why take hormones**

Location: 223-224 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	8	0.3 %
-1	N/A	2259	83.4 %
1	No	427	15.8 %
. (M)	-	16	0.6 %

PRBBLEE3 **Problems w/bleeding**

Location: 225-226 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	1	0.0 %
-1	N/A	2618	96.6 %
1	No	63	2.3 %
2	Yes	12	0.4 %
. (M)	-	16	0.6 %

HAVEPER3 **Did not like having periods**

Location: 227-228 (width: 2; decimal: 0)

Variable Type: numeric

- Study 29701 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	1	0.0 %
-1	N/A	2618	96.6 %
1	No	73	2.7 %
2	Yes	2	0.1 %
. (M)	-	16	0.6 %

LIKEFEL3 Did not like how felt on them

Location: 229-230 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	1	0.0 %
-1	N/A	2618	96.6 %
1	No	63	2.3 %
2	Yes	12	0.4 %
. (M)	-	16	0.6 %

SIDEEFF3 Worried about poss side effects

Location: 231-232 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	1	0.0 %
-1	N/A	2618	96.6 %
1	No	65	2.4 %
2	Yes	10	0.4 %
. (M)	-	16	0.6 %

CANCER3 Worried about cancer

Location: 233-234 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	1	0.0 %
-1	N/A	2618	96.6 %
1	No	68	2.5 %
2	Yes	7	0.3 %
. (M)	-	16	0.6 %

ADVISTO3 Health care prov advised to stop

Location: 235-236 (width: 2; decimal: 0)

Variable Type: numeric

- Study 29701 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	1	0.0 %
-1	N/A	2618	96.6 %
1	No	68	2.5 %
2	Yes	7	0.3 %
. (M)	-	16	0.6 %

EXPENSI3 Too expensive

Location: 237-238 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	1	0.0 %
-1	N/A	2618	96.6 %
1	No	73	2.7 %
2	Yes	2	0.1 %
. (M)	-	16	0.6 %

NOLIKE3 Do not like taking meds

Location: 239-240 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	1	0.0 %
-1	N/A	2618	96.6 %
1	No	71	2.6 %
2	Yes	4	0.1 %
. (M)	-	16	0.6 %

NOREMEB3 Couldn't remember to take them

Location: 241-242 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	1	0.0 %
-1	N/A	2618	96.6 %
1	No	74	2.7 %
2	Yes	1	0.0 %
. (M)	-	16	0.6 %

DNTKNOW3 Don't know why stopped hormones

Location: 243-244 (width: 2; decimal: 0)

Variable Type: numeric

- Study 29701 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	1	0.0 %
-1	N/A	2618	96.6 %
1	No	75	2.8 %
. (M)	-	16	0.6 %

STOPOTH3 Stopped hormones other reason

Location: 245-246 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	1	0.0 %
-1	N/A	2618	96.6 %
1	No	17	0.6 %
2	Yes	58	2.1 %
. (M)	-	16	0.6 %

NOREASO3 Stopped hormones no reason given

Location: 247-248 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	1	0.0 %
-1	N/A	2618	96.6 %
1	No	75	2.8 %
. (M)	-	16	0.6 %

PAIN13 OTC Pain med #1

Location: 249-250 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	7	0.3 %
1	No	1818	67.1 %
2	Yes	869	32.1 %
. (M)	-	16	0.6 %

PAINTW13 OTC Pain med #1 taken 2x/wk last mo

Location: 251-252 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	1825	67.3 %

- Study 29701 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	No	327	12.1 %
2	Yes	542	20.0 %
. (M)	-	16	0.6 %

PAIN23 OTC Pain med #2

Location: 253-254 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	1825	67.3 %
1	No	651	24.0 %
2	Yes	218	8.0 %
. (M)	-	16	0.6 %

PAINTW23 OTC Pain med #2 taken 2x/wk last mo

Location: 255-256 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2476	91.4 %
1	No	117	4.3 %
2	Yes	101	3.7 %
. (M)	-	16	0.6 %

SLEEP13 OTC Sleep med #1

Location: 257-258 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	7	0.3 %
1	No	2576	95.1 %
2	Yes	111	4.1 %
. (M)	-	16	0.6 %

SLEPTW13 OTC Sleep med #1 taken 2x/wk last mo

Location: 259-260 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2583	95.3 %
1	No	33	1.2 %
2	Yes	78	2.9 %

- Study 29701 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
. (M)	-	16	0.6 %

SLEEP23

OTC Sleep med #2

Location: 261-262 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2583	95.3 %
1	No	96	3.5 %
2	Yes	15	0.6 %
. (M)	-	16	0.6 %

SLEPTW23

OTC Sleep med #2 taken 2x/wk last mo

Location: 263-264 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2679	98.9 %
1	No	7	0.3 %
2	Yes	8	0.3 %
. (M)	-	16	0.6 %

OTC13

Other OTC med #1

Location: 265-266 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	1	0.0 %
-1	N/A	7	0.3 %
1	No	2169	80.0 %
2	Yes	517	19.1 %
. (M)	-	16	0.6 %

OTCTW13

Other OTC med #1 taken 2x/wk last mo

Location: 267-268 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	2	0.1 %
-1	N/A	2177	80.3 %
1	No	155	5.7 %
2	Yes	360	13.3 %

- Study 29701 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
. (M)	-	16	0.6 %

OTC23 **Other OTC med #2**

Location: 269-270 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2177	80.3 %
1	No	334	12.3 %
2	Yes	183	6.8 %
. (M)	-	16	0.6 %

OTCTW23 **Other OTC med #2 taken 2x/wk last mo**

Location: 271-272 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2511	92.7 %
1	No	62	2.3 %
2	Yes	121	4.5 %
. (M)	-	16	0.6 %

OTC33 **Other OTC med #3**

Location: 273-274 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2511	92.7 %
1	No	110	4.1 %
2	Yes	73	2.7 %
. (M)	-	16	0.6 %

OTCTW33 **Other OTC med #3 taken 2x/wk last mo**

Location: 275-276 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2621	96.7 %
1	No	18	0.7 %
2	Yes	55	2.0 %
. (M)	-	16	0.6 %

- Study 29701 -

OTC43 **Other OTC med #4**

Location: 277-278 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2621	96.7 %
1	No	39	1.4 %
2	Yes	34	1.3 %
. (M)	-	16	0.6 %

OTCTW43 **Other OTC med #4 taken 2x/wk last mo**

Location: 279-280 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2660	98.2 %
1	No	4	0.1 %
2	Yes	30	1.1 %
. (M)	-	16	0.6 %

OTC53 **Other OTC med #5**

Location: 281-282 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2660	98.2 %
1	No	15	0.6 %
2	Yes	19	0.7 %
. (M)	-	16	0.6 %

OTCTW53 **Other OTC med #5 taken 2x/wk last mo**

Location: 283-284 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2675	98.7 %
1	No	5	0.2 %
2	Yes	14	0.5 %
. (M)	-	16	0.6 %

OTC63 **Other OTC med #6**

Location: 285-286 (width: 2; decimal: 0)

Variable Type: numeric

- Study 29701 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2675	98.7 %
1	No	7	0.3 %
2	Yes	12	0.4 %
. (M)	-	16	0.6 %

OTCTW63 **Other OTC med #6 taken 2x/wk last mo**

Location: 287-288 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2682	99.0 %
1	No	1	0.0 %
2	Yes	11	0.4 %
. (M)	-	16	0.6 %

OTC73 **Other OTC med #7**

Location: 289-290 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2682	99.0 %
1	No	3	0.1 %
2	Yes	9	0.3 %
. (M)	-	16	0.6 %

OTCTW73 **Other OTC med #7 taken 2x/wk last mo**

Location: 291-292 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2685	99.1 %
2	Yes	9	0.3 %
. (M)	-	16	0.6 %

OTC83 **Other OTC med #8**

Location: 293-294 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2685	99.1 %
1	No	1	0.0 %
2	Yes	8	0.3 %

- Study 29701 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
. (M)	-	16	0.6 %

OTCTW83 **Other OTC med #8 taken 2x/wk last mo**

Location: 295-296 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2686	99.1 %
2	Yes	8	0.3 %
. (M)	-	16	0.6 %

OTC93 **Other OTC med #9**

Location: 297-298 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2687	99.2 %
2	Yes	7	0.3 %
. (M)	-	16	0.6 %

OTCTW93 **Other OTC med #9 taken 2x/wk last mo**

Location: 299-300 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2687	99.2 %
2	Yes	7	0.3 %
. (M)	-	16	0.6 %

OTC103 **Other OTC med #10**

Location: 301-302 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2687	99.2 %
1	No	2	0.1 %
2	Yes	5	0.2 %
. (M)	-	16	0.6 %

OTCTW103 **Other OTC med #10 taken 2x/wk last mo**

Location: 303-304 (width: 2; decimal: 0)

Variable Type: numeric

- Study 29701 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2689	99.2 %
2	Yes	5	0.2 %
. (M)	-	16	0.6 %

OTC113 **Other OTC med #11**

Location: 305-306 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2689	99.2 %
1	No	1	0.0 %
2	Yes	4	0.1 %
. (M)	-	16	0.6 %

OTCTW113 **Other OTC med #11 taken 2x/wk last mo**

Location: 307-308 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2690	99.3 %
2	Yes	4	0.1 %
. (M)	-	16	0.6 %

OTC123 **Other OTC med #12**

Location: 309-310 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2690	99.3 %
1	No	1	0.0 %
2	Yes	3	0.1 %
. (M)	-	16	0.6 %

OTCTW123 **Other OTC med #12 taken 2x/wk last mo**

Location: 311-312 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2691	99.3 %
2	Yes	3	0.1 %
. (M)	-	16	0.6 %

- Study 29701 -

OTC133 Other OTC med #13

Location: 313-314 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2691	99.3 %
1	No	1	0.0 %
2	Yes	2	0.1 %
. (M)	-	16	0.6 %

OTCTW133 Other OTC med #13 taken 2x/wk last mo

Location: 315-316 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2692	99.3 %
2	Yes	2	0.1 %
. (M)	-	16	0.6 %

OTC143 Other OTC med #14

Location: 317-318 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2692	99.3 %
1	No	1	0.0 %
2	Yes	1	0.0 %
. (M)	-	16	0.6 %

OTCTW143 Other OTC med #14 taken 2x/wk last mo

Location: 319-320 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2693	99.4 %
2	Yes	1	0.0 %
. (M)	-	16	0.6 %

OTC153 Other OTC med #15

Location: 321-322 (width: 2; decimal: 0)

Variable Type: numeric

- Study 29701 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2693	99.4 %
2	Yes	1	0.0 %
. (M)	-	16	0.6 %

OTCTW153 **Other OTC med #15 taken 2x/wk last mo**

Location: 323-324 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2693	99.4 %
2	Yes	1	0.0 %
. (M)	-	16	0.6 %

REGVITA3 **Take any vitamins/minerals 1x/wk**

Location: 325-326 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	7	0.3 %
1	No	953	35.2 %
2	Yes	1734	64.0 %
. (M)	-	16	0.6 %

ONCEADA3 **How often take multi-vitamin**

Location: 327-328 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	960	35.4 %
1	Do not take any	651	24.0 %
2	1-3 days/week	183	6.8 %
3	4-6 days/week	150	5.5 %
4	Every day	750	27.7 %
. (M)	-	16	0.6 %

ANTIOXI3 **How often take antioxidant**

Location: 329-330 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	1	0.0 %
-8	Do not know	1	0.0 %

- Study 29701 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	960	35.4 %
1	Do not take any	1456	53.7 %
2	1-3 days/week	46	1.7 %
3	4-6 days/week	40	1.5 %
4	Every day	190	7.0 %
. (M)	-	16	0.6 %

VTMOTH13 **How often take other multi-vit #1**

Location: 331-332 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	1	0.0 %
-1	N/A	2261	83.4 %
1	Do not take any	138	5.1 %
2	1-3 days/week	45	1.7 %
3	4-6 days/week	40	1.5 %
4	Every day	209	7.7 %
. (M)	-	16	0.6 %

VTMOTH23 **How often take other multi-vit #2**

Location: 333-334 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2628	97.0 %
1	Do not take any	7	0.3 %
2	1-3 days/week	10	0.4 %
3	4-6 days/week	6	0.2 %
4	Every day	43	1.6 %
. (M)	-	16	0.6 %

VTMOTH33 **How often take other multi-vit #3**

Location: 335-336 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2672	98.6 %
1	Do not take any	2	0.1 %
2	1-3 days/week	2	0.1 %
3	4-6 days/week	2	0.1 %

- Study 29701 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
4	Every day	16	0.6 %
. (M)	-	16	0.6 %

VTMOTH43 **How often take other multi-vit #4**

Location: 337-338 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2689	99.2 %
1	Do not take any	1	0.0 %
3	4-6 days/week	1	0.0 %
4	Every day	3	0.1 %
. (M)	-	16	0.6 %

VITAMNA3 **How often take vitamin A**

Location: 339-340 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	960	35.4 %
1	Do not take any	1671	61.7 %
2	1-3 days/week	19	0.7 %
3	4-6 days/week	10	0.4 %
4	Every day	34	1.3 %
. (M)	-	16	0.6 %

BETACAR3 **How often take beta-carotene**

Location: 341-342 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	960	35.4 %
1	Do not take any	1659	61.2 %
2	1-3 days/week	28	1.0 %
3	4-6 days/week	13	0.5 %
4	Every day	34	1.3 %
. (M)	-	16	0.6 %

VITAMNC3 **How often take vitamin C**

Location: 343-344 (width: 2; decimal: 0)

Variable Type: numeric

- Study 29701 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	960	35.4 %
1	Do not take any	1132	41.8 %
2	1-3 days/week	133	4.9 %
3	4-6 days/week	92	3.4 %
4	Every day	377	13.9 %
. (M)	-	16	0.6 %

VITAMND3

How often take vitamin D

Location: 345-346 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	960	35.4 %
1	Do not take any	1574	58.1 %
2	1-3 days/week	26	1.0 %
3	4-6 days/week	19	0.7 %
4	Every day	115	4.2 %
. (M)	-	16	0.6 %

VITAMNE3

How often take vitamin E

Location: 347-348 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	1	0.0 %
-1	N/A	960	35.4 %
1	Do not take any	1084	40.0 %
2	1-3 days/week	113	4.2 %
3	4-6 days/week	101	3.7 %
4	Every day	435	16.1 %
. (M)	-	16	0.6 %

CALCTUM3

How often take calcium/Tums

Location: 349-350 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	1	0.0 %
-1	N/A	960	35.4 %
1	Do not take any	860	31.7 %
2	1-3 days/week	208	7.7 %

- Study 29701 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
3	4-6 days/week	134	4.9 %
4	Every day	531	19.6 %
. (M)	-	16	0.6 %

IRON3 **How often take iron**

Location: 351-352 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	960	35.4 %
1	Do not take any	1552	57.3 %
2	1-3 days/week	65	2.4 %
3	4-6 days/week	20	0.7 %
4	Every day	97	3.6 %
. (M)	-	16	0.6 %

VITOTH13 **How often take other vit #1**

Location: 353-354 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	1947	71.8 %
1	Do not take any	115	4.2 %
2	1-3 days/week	119	4.4 %
3	4-6 days/week	86	3.2 %
4	Every day	427	15.8 %
. (M)	-	16	0.6 %

VITOTH23 **How often take other vit #2**

Location: 355-356 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2371	87.5 %
1	Do not take any	15	0.6 %
2	1-3 days/week	58	2.1 %
3	4-6 days/week	46	1.7 %
4	Every day	204	7.5 %
. (M)	-	16	0.6 %

VITOTH33 **How often take other vit #3**

Location: 357-358 (width: 2; decimal: 0)

- Study 29701 -

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2528	93.3 %
1	Do not take any	4	0.1 %
2	1-3 days/week	27	1.0 %
3	4-6 days/week	22	0.8 %
4	Every day	113	4.2 %
. (M)	-	16	0.6 %

VITOTH43 **How often take other vit #4**

Location: 359-360 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2597	95.8 %
1	Do not take any	1	0.0 %
2	1-3 days/week	11	0.4 %
3	4-6 days/week	13	0.5 %
4	Every day	72	2.7 %
. (M)	-	16	0.6 %

MULTVIT3 **If multi, w/wo minerals**

Location: 361-362 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	2	0.1 %
-8	Do not know	25	0.9 %
-1	N/A	1310	48.3 %
1	Contains minerals (iron/calc)	1275	47.0 %
2	Do not contain minerals	82	3.0 %
. (M)	-	16	0.6 %

ALCHL243 **Alcohol in Last 24 hrs**

Location: 363-364 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	2	0.1 %
-1	N/A	5	0.2 %
1	No	1960	72.3 %
2	Yes	363	13.4 %

- Study 29701 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
. (M)	-	380	14.0 %

ANEMIA3 **Anemia since last visit**

Location: 365-366 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	7	0.3 %
1	No	2475	91.3 %
2	Yes	212	7.8 %
. (M)	-	16	0.6 %

DIABETE3 **Diabetes since last visit**

Location: 367-367 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	No	2581	95.2 %
2	Yes	113	4.2 %
. (M)	-	16	0.6 %

HIGHBP3 **Hypertension since last visit**

Location: 368-369 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-8	Do not know	2	0.1 %
1	No	2214	81.7 %
2	Yes	478	17.6 %
. (M)	-	16	0.6 %

HBCHOLE3 **High cholesterol since last visit**

Location: 370-371 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-8	Do not know	1	0.0 %
-1	N/A	7	0.3 %
1	No	2356	86.9 %
2	Yes	330	12.2 %
. (M)	-	16	0.6 %

- Study 29701 -

MIGRAIN3 Migraines since last visit

Location: 372-373 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-8	Do not know	1	0.0 %
-1	N/A	7	0.3 %
1	No	2519	93.0 %
2	Yes	167	6.2 %
. (M)	-	16	0.6 %

STROKE3 Stroke since last visit

Location: 374-375 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	7	0.3 %
1	No	2676	98.7 %
2	Yes	11	0.4 %
. (M)	-	16	0.6 %

OSTEOAR3 Arthritis since last visit

Location: 376-377 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-8	Do not know	3	0.1 %
1	No	2301	84.9 %
2	Yes	390	14.4 %
. (M)	-	16	0.6 %

THYROID3 Over/underactive Thyroid since last visit

Location: 378-379 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-8	Do not know	4	0.1 %
1	No	2457	90.7 %
2	Yes	233	8.6 %
. (M)	-	16	0.6 %

HEARTAT3 Heart attack since last visit

Location: 380-380 (width: 1; decimal: 0)

- Study 29701 -

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	No	2692	99.3 %
2	Yes	2	0.1 %
. (M)	-	16	0.6 %

ANGINA3 Angina since last visit

Location: 381-382 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-8	Do not know	1	0.0 %
1	No	2670	98.5 %
2	Yes	23	0.8 %
. (M)	-	16	0.6 %

OSTEOPR3 Osteoporosis since last visit

Location: 383-384 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-8	Do not know	5	0.2 %
1	No	2654	97.9 %
2	Yes	35	1.3 %
. (M)	-	16	0.6 %

FIBROID3 Fibroids since last visit

Location: 385-386 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-8	Do not know	4	0.1 %
1	No	2385	88.0 %
2	Yes	305	11.3 %
. (M)	-	16	0.6 %

CANCERS3 Cancer since last visit

Location: 387-387 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	No	2662	98.2 %
2	Yes	32	1.2 %

- Study 29701 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
. (M)	-	16	0.6 %

SITESPE3

Primary site of cancer

Location: 388-417 (width: 30; decimal: 0)

Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
	16	0.6 %
-1	2662	98.2 %
BELOW LEFT EYE (SCLEROSING ECR	1	0.0 %
BLOOD/LEUKEMIA	1	0.0 %
BREAST	7	0.3 %
BREAST (LEFT)	1	0.0 %
BREAST ALTC	1	0.0 %
BREAST CANCER	3	0.1 %
BREAST CANCER/COLON CANCER	1	0.0 %
CERVICAL CANCER	1	0.0 %
CERVIX	1	0.0 %
COLON	1	0.0 %
COLON (POLYP)	1	0.0 %
COLON CANCER	2	0.1 %
FACE CANCER	1	0.0 %
L BREAST	1	0.0 %
LEFT BREAST	1	0.0 %
LEUKEMIA (BONE MARROW)	1	0.0 %
LIVER	1	0.0 %
LOWER LIP	1	0.0 %
OVARIAN	1	0.0 %
RIGHJT BREAST	1	0.0 %
SKIN CANCER	1	0.0 %
THROAT	1	0.0 %
VOICE BOX	1	0.0 %

TAMOXIF3

Taken Tamoxifen since last visit

Location: 418-419 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2676	98.7 %
1	No	15	0.6 %
2	Yes	3	0.1 %

- Study 29701 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
. (M)	-	16	0.6 %

CHEMOTH3 **Chemotherapy/radiation for cancer**

Location: 420-421 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2663	98.3 %
1	No	18	0.7 %
2	Yes	13	0.5 %
. (M)	-	16	0.6 %

BROKEBO3 **# times broke bones since last visit**

Location: 422-422 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	2643	97.5 %
1	-	47	1.7 %
2	-	3	0.1 %
4	-	1	0.0 %
. (M)	-	16	0.6 %

BONES13 **Bone #1 broken**

Location: 423-452 (width: 30; decimal: 0)

Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
	16	0.6 %
-1	2643	97.5 %
2 RIBS - RIGHT SIDE	1	0.0 %
5TH METARSAL LEFT FOOT	1	0.0 %
A BONE ON RIGHT FOOT NEAR SMAL	1	0.0 %
ANKLE	2	0.1 %
ANKLE (LEFT)	1	0.0 %
BABY TOE ON RIGHT FOOT	1	0.0 %
BONE IN ANKLE	1	0.0 %
BONE IN LEFT FOOT	1	0.0 %
BONE IN WRIST	1	0.0 %
BRAKE A TOE	1	0.0 %
BROKE LEFT ANKEL	1	0.0 %

- Study 29701 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
EYE BONE	1	0.0 %
FIFTH TOE ON RIGHT FOOT	1	0.0 %
FOOT	1	0.0 %
FOOT/TOES	1	0.0 %
FRACTURED A RIB ON LEFT SIDE	1	0.0 %
FX NOSE	1	0.0 %
FX RIB	1	0.0 %
L-ANKLE	1	0.0 %
LEFT ANKLE	2	0.1 %
LEFT ANKLE (FELL DOWN STAIRS)	1	0.0 %
LEFT FOOT (OUTSIDE)	1	0.0 %
LEFT FOOT BONE BROKEN IN 2 DIF	1	0.0 %
LEFT INDEX FINGER	1	0.0 %
LEFT RADIUS	1	0.0 %
LEFT TIBIA	1	0.0 %
LEFT TOE (MIDDLE)	1	0.0 %
LEFT ULNA	1	0.0 %
LOWER LUMBAR VERTEBRAE	1	0.0 %
LT. 2ND TOE	1	0.0 %
MEDICARPAL-RIGHT HAND	1	0.0 %
RIGHT ANKLE	1	0.0 %
RIGHT FOOT BONE/METATARSAL	1	0.0 %
RIGHT FOOT BROKEN	1	0.0 %
RIGHT FOOT FX 1ST TOE	1	0.0 %
RIGHT PATELLA	1	0.0 %
RIGHT SMALL TOE	1	0.0 %
RT FOOT ABOVE 2ND TOE FROM RT	1	0.0 %
RT FOOT, MIDDLE TOE	1	0.0 %
SHOULDER JOINT BONE / ACRONION	1	0.0 %
SHOULDER, ARCRONIUM	1	0.0 %
SMALL BONE-CONNECTS SHOULDER	1	0.0 %
TAIL BONE(COCCYX)	1	0.0 %
TAIL-BONE	1	0.0 %
TIBIA	1	0.0 %
TOE (4TH TOE LT. FOOT)	1	0.0 %
WRIST	2	0.1 %
WRIST BONE (RIGHT HAND)	1	0.0 %

HAPPEN13

How happened #1

Location:

453-454 (width: 2; decimal: 0)

- Study 29701 -

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2643	97.5 %
1	No	14	0.5 %
2	Yes	37	1.4 %
. (M)	-	16	0.6 %

BONES23 Bone #2 broken

Location: 455-484 (width: 30; decimal: 0)

Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
	16	0.6 %
-1	2690	99.3 %
2 MANACARPALS - RT HAND	1	0.0 %
HINGE OF JAW	1	0.0 %
LEFT ULNER	1	0.0 %
RIGHT WRIST	1	0.0 %

HAPPEN23 How happened #2

Location: 485-486 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2690	99.3 %
1	No	1	0.0 %
2	Yes	3	0.1 %
. (M)	-	16	0.6 %

BONES33 Bone #3 broken

Location: 487-516 (width: 30; decimal: 0)

Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
	16	0.6 %
-1	2694	99.4 %

HAPPEN33 How happened #3

Location: 517-518 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2694	99.4 %

- Study 29701 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
. (M)	-	16	0.6 %

BCKPAIN3

Back pain since last visit

Location: 519-520 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	2	0.1 %
-8	Do not know	1	0.0 %
-1	N/A	7	0.3 %
1	No	2191	80.8 %
2	Yes	493	18.2 %
. (M)	-	16	0.6 %

DANDC3

D & C since last visit

Location: 521-522 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-8	Do not know	1	0.0 %
-1	N/A	7	0.3 %
1	No	2647	97.7 %
2	Yes	39	1.4 %
. (M)	-	16	0.6 %

NUMDAND3

D & C # of times

Location: 523-524 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	1	0.0 %
-1	N/A	2655	98.0 %
1	-	38	1.4 %
. (M)	-	16	0.6 %

HYSTERE3

Hysterectomy since last visit

Location: 525-525 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	No	2653	97.9 %
2	Yes	41	1.5 %

- Study 29701 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
. (M)	-	16	0.6 %

HYSTDAY3

Day of hysterectomy

Location: 526-529 (width: 4; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
81	1	0.0 %
189	1	0.0 %
303	1	0.0 %
432	1	0.0 %
506	1	0.0 %
524	1	0.0 %
796	1	0.0 %
798	1	0.0 %
799	1	0.0 %
808	1	0.0 %
817	1	0.0 %
840	1	0.0 %
846	1	0.0 %
854	1	0.0 %
871	1	0.0 %
873	1	0.0 %
894	1	0.0 %
896	1	0.0 %
901	1	0.0 %
906	1	0.0 %
907	1	0.0 %
914	1	0.0 %
923	1	0.0 %
934	1	0.0 %
938	1	0.0 %
942	1	0.0 %
946	1	0.0 %
947	1	0.0 %
950	1	0.0 %
951	1	0.0 %
966	1	0.0 %
968	1	0.0 %
978	1	0.0 %

- Study 29701 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
983	1	0.0 %
1061	1	0.0 %
1063	1	0.0 %
1064	1	0.0 %
1069	1	0.0 %
1094	1	0.0 %
1158	1	0.0 %
1222	1	0.0 %
. (M)	2669	98.5 %

OOPHORE3 **Ovaries removed since last visit**

Location: 530-531 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-8	Do not know	2	0.1 %
1	No	2664	98.3 %
2	Yes	28	1.0 %
. (M)	-	16	0.6 %

ONEOVAR3 **One or both ovaries removed**

Location: 532-533 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2666	98.4 %
1	No	8	0.3 %
2	Yes	20	0.7 %
. (M)	-	16	0.6 %

UTERPRO3 **Uterine procedure since last visit**

Location: 534-535 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-8	Do not know	1	0.0 %
-1	N/A	7	0.3 %
1	No	2573	94.9 %
2	Yes	113	4.2 %
. (M)	-	16	0.6 %

THYRREM3 **Thyroid gland removed since last visit**

- Study 29701 -

Location: 536-537 (width: 2; decimal: 0)
Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	1	0.0 %
-1	N/A	7	0.3 %
1	No	2678	98.8 %
2	Yes	8	0.3 %
. (M)	-	16	0.6 %

BLEEDNG3 **Menstrual bleeding since last visit**

Location: 538-539 (width: 2; decimal: 0)
Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	1	0.0 %
1	No	388	14.3 %
2	Yes	2305	85.1 %
. (M)	-	16	0.6 %

BLD3MON3 **Menstrual bleeding in last 3 mos**

Location: 540-541 (width: 2; decimal: 0)
Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	1	0.0 %
-1	N/A	389	14.4 %
1	No	284	10.5 %
2	Yes	2020	74.5 %
. (M)	-	16	0.6 %

LMPDAY3 **Last Menstrual Period Day**

Location: 542-545 (width: 4; decimal: 0)
Variable Type: numeric

DESCPER3 **Describe your menstrual periods**

Location: 546-547 (width: 2; decimal: 0)
Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	2	0.1 %
-8	Do not know	5	0.2 %
-1	N/A	519	19.2 %
1	Become Farther Apart	472	17.4 %

- Study 29701 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	Become Closer Together	287	10.6 %
3	Occurred At More Variable Intervals	577	21.3 %
4	Stayed The Same	777	28.7 %
5	Become More Regular	55	2.0 %
. (M)	-	16	0.6 %

MENSFLO3 **Menstrual flow lasted > 10 days**

Location: 548-549 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	1	0.0 %
-8	Do not know	2	0.1 %
-1	N/A	437	16.1 %
1	No	1945	71.8 %
2	Yes	309	11.4 %
. (M)	-	16	0.6 %

PRGNANT3 **Pregnant since last visit**

Location: 550-551 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-8	Do not know	1	0.0 %
-1	N/A	7	0.3 %
1	No	2683	99.0 %
2	Yes	3	0.1 %
. (M)	-	16	0.6 %

OUTCOME3 **Outcome of pregnancy**

Location: 552-553 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2691	99.3 %
1	Live Birth	1	0.0 %
3	Miscarriage	1	0.0 %
4	Abortion	1	0.0 %
. (M)	-	16	0.6 %

BRSTFEE3 **Currently breastfeeding**

Location: 554-555 (width: 2; decimal: 0)

- Study 29701 -

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2693	99.4 %
1	No	1	0.0 %
. (M)	-	16	0.6 %

QLTYLIF3 **Quality of life**

Location: 556-558 (width: 3; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
-8	1	0.0 %
0	6	0.2 %
1	3	0.1 %
2	12	0.4 %
3	36	1.3 %
4	54	2.0 %
5	179	6.6 %
6	185	6.8 %
7	544	20.1 %
8	915	33.8 %
9	521	19.2 %
10	238	8.8 %
. (M)	16	0.6 %

CLOSE3 **How many close friends**

Location: 559-561 (width: 3; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	1	0.0 %
-8	Do not know	4	0.1 %
-1	N/A	7	0.3 %
0	-	30	1.1 %
1	-	117	4.3 %
2	-	304	11.2 %
3	-	397	14.6 %
4	-	380	14.0 %
5	-	482	17.8 %
6	-	280	10.3 %
7	-	88	3.2 %
8	-	89	3.3 %

- Study 29701 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
9	-	32	1.2 %
10	-	281	10.4 %
11	-	3	0.1 %
12	-	62	2.3 %
13	-	4	0.1 %
14	-	1	0.0 %
15	-	49	1.8 %
16	-	1	0.0 %
18	-	1	0.0 %
20	-	49	1.8 %
24	-	1	0.0 %
25	-	13	0.5 %
30	-	11	0.4 %
50	-	4	0.1 %
60	>=60 times	3	0.1 %
. (M)	-	16	0.6 %

LISTEN3

Support - someone to listen

Location: 562-563 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-8	Do not know	1	0.0 %
-1	N/A	7	0.3 %
1	None Of The Time	21	0.8 %
2	A Little Of The Time	67	2.5 %
3	Some Of The Time	219	8.1 %
4	Most Of The Time	937	34.6 %
5	All Of The Time	1442	53.2 %
. (M)	-	16	0.6 %

TAKETOM3

Support - take to doctor

Location: 564-565 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-8	Do not know	1	0.0 %
-1	N/A	7	0.3 %
1	None Of The Time	61	2.3 %
2	A Little Of The Time	94	3.5 %
3	Some Of The Time	210	7.7 %

- Study 29701 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
4	Most Of The Time	730	26.9 %
5	All Of The Time	1591	58.7 %
. (M)	-	16	0.6 %

CONFIDE3

Support - confide in

Location: 566-567 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-8	Do not know	1	0.0 %
-1	N/A	7	0.3 %
1	None Of The Time	31	1.1 %
2	A Little Of The Time	71	2.6 %
3	Some Of The Time	236	8.7 %
4	Most Of The Time	928	34.2 %
5	All Of The Time	1420	52.4 %
. (M)	-	16	0.6 %

HELPSIC3

Support - help w/chores when sick

Location: 568-569 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-8	Do not know	1	0.0 %
-1	N/A	7	0.3 %
1	None Of The Time	123	4.5 %
2	A Little Of The Time	220	8.1 %
3	Some Of The Time	506	18.7 %
4	Most Of The Time	745	27.5 %
5	All Of The Time	1092	40.3 %
. (M)	-	16	0.6 %

CONTROL3

Unable to control imp things in your life

Location: 570-571 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-7	Refused	1	0.0 %
1	Never	1043	38.5 %
2	Almost Never	871	32.1 %
3	Sometimes	583	21.5 %

- Study 29701 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
4	Fairly Often	137	5.1 %
5	Very Often	59	2.2 %
. (M)	-	16	0.6 %

ABILITY3 **Confident in ability to handle problems**

Location: 572-572 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Never	39	1.4 %
2	Almost Never	88	3.2 %
3	Sometimes	448	16.5 %
4	Fairly Often	1008	37.2 %
5	Very Often	1111	41.0 %
. (M)	-	16	0.6 %

YOURWAY3 **Things were going your way**

Location: 573-573 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Never	33	1.2 %
2	Almost Never	109	4.0 %
3	Sometimes	763	28.2 %
4	Fairly Often	1170	43.2 %
5	Very Often	619	22.8 %
. (M)	-	16	0.6 %

PILING3 **Difficulties piling up**

Location: 574-574 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Never	1076	39.7 %
2	Almost Never	980	36.2 %
3	Sometimes	468	17.3 %
4	Fairly Often	135	5.0 %
5	Very Often	35	1.3 %
. (M)	-	16	0.6 %

BOTHER3 **Bothered past week**

Location: 575-576 (width: 2; decimal: 0)

- Study 29701 -

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	1	0.0 %
-1	N/A	7	0.3 %
1	Rarely/None Of The Time (< 1 Day)	1651	60.9 %
2	Some/A Little Of The Time (1-2 Days)	706	26.1 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	276	10.2 %
4	Most/All Of The Time (5-7 Days)	53	2.0 %
. (M)	-	16	0.6 %

APPETIT3 Lost appetite past week

Location: 577-578 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	7	0.3 %
1	Rarely/None Of The Time (< 1 Day)	2152	79.4 %
2	Some/A Little Of The Time (1-2 Days)	336	12.4 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	148	5.5 %
4	Most/All Of The Time (5-7 Days)	51	1.9 %
. (M)	-	16	0.6 %

BLUES3 Had blues past week

Location: 579-580 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	7	0.3 %
1	Rarely/None Of The Time (< 1 Day)	1924	71.0 %
2	Some/A Little Of The Time (1-2 Days)	533	19.7 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	177	6.5 %
4	Most/All Of The Time (5-7 Days)	53	2.0 %
. (M)	-	16	0.6 %

GOOD3 As good as others past week

Location: 581-582 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	7	0.3 %
1	Rarely/None Of The Time (< 1 Day)	82	3.0 %
2	Some/A Little Of The Time (1-2 Days)	201	7.4 %

- Study 29701 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
3	Occasionally/Mod Amt Of The Time (3-4 Days)	341	12.6 %
4	Most/All Of The Time (5-7 Days)	2063	76.1 %
. (M)	-	16	0.6 %

KEEPMIN3 **Mind on what doing past week**

Location: 583-584 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	1	0.0 %
-1	N/A	7	0.3 %
1	Rarely/None Of The Time (< 1 Day)	1285	47.4 %
2	Some/A Little Of The Time (1-2 Days)	849	31.3 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	457	16.9 %
4	Most/All Of The Time (5-7 Days)	95	3.5 %
. (M)	-	16	0.6 %

DEPRESS3 **Felt depressed past week**

Location: 585-586 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	7	0.3 %
1	Rarely/None Of The Time (< 1 Day)	1657	61.1 %
2	Some/A Little Of The Time (1-2 Days)	709	26.2 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	225	8.3 %
4	Most/All Of The Time (5-7 Days)	96	3.5 %
. (M)	-	16	0.6 %

EFFORT3 **Everything an effort past week**

Location: 587-588 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	1	0.0 %
-1	N/A	7	0.3 %
1	Rarely/None Of The Time (< 1 Day)	1546	57.0 %
2	Some/A Little Of The Time (1-2 Days)	727	26.8 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	253	9.3 %
4	Most/All Of The Time (5-7 Days)	160	5.9 %
. (M)	-	16	0.6 %

- Study 29701 -

HOPEFUL3 Hopeful about future past week

Location: 589-590 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	7	0.3 %
1	Rarely/None Of The Time (< 1 Day)	94	3.5 %
2	Some/A Little Of The Time (1-2 Days)	245	9.0 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	585	21.6 %
4	Most/All Of The Time (5-7 Days)	1763	65.1 %
. (M)	-	16	0.6 %

FAILURE3 Life has been failure past week

Location: 591-592 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-8	Do not know	1	0.0 %
-1	N/A	7	0.3 %
1	Rarely/None Of The Time (< 1 Day)	2322	85.7 %
2	Some/A Little Of The Time (1-2 Days)	255	9.4 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	81	3.0 %
4	Most/All Of The Time (5-7 Days)	28	1.0 %
. (M)	-	16	0.6 %

FEARFUL3 Felt fearful past week

Location: 593-594 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-8	Do not know	1	0.0 %
-1	N/A	7	0.3 %
1	Rarely/None Of The Time (< 1 Day)	2115	78.0 %
2	Some/A Little Of The Time (1-2 Days)	435	16.1 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	109	4.0 %
4	Most/All Of The Time (5-7 Days)	27	1.0 %
. (M)	-	16	0.6 %

RESTLES3 Sleep was restless past week

Location: 595-596 (width: 2; decimal: 0)

Variable Type: numeric

- Study 29701 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	1	0.0 %
-1	N/A	7	0.3 %
1	Rarely/None Of The Time (< 1 Day)	1228	45.3 %
2	Some/A Little Of The Time (1-2 Days)	823	30.4 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	396	14.6 %
4	Most/All Of The Time (5-7 Days)	239	8.8 %
. (M)	-	16	0.6 %

HAPPY3 Happy past week

Location: 597-598 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	7	0.3 %
1	Rarely/None Of The Time (< 1 Day)	96	3.5 %
2	Some/A Little Of The Time (1-2 Days)	399	14.7 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	748	27.6 %
4	Most/All Of The Time (5-7 Days)	1444	53.3 %
. (M)	-	16	0.6 %

TALKLES3 Talked less than usual past week

Location: 599-600 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	1	0.0 %
-8	Do not know	1	0.0 %
-1	N/A	7	0.3 %
1	Rarely/None Of The Time (< 1 Day)	1873	69.1 %
2	Some/A Little Of The Time (1-2 Days)	519	19.2 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	217	8.0 %
4	Most/All Of The Time (5-7 Days)	76	2.8 %
. (M)	-	16	0.6 %

LONELY3 Felt lonely past week

Location: 601-602 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-8	Do not know	1	0.0 %
-1	N/A	7	0.3 %

- Study 29701 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Rarely/None Of The Time (< 1 Day)	1883	69.5 %
2	Some/A Little Of The Time (1-2 Days)	576	21.3 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	168	6.2 %
4	Most/All Of The Time (5-7 Days)	59	2.2 %
. (M)	-	16	0.6 %

UNFRNDL3 **People unfriendly past week**

Location: 603-604 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	7	0.3 %
1	Rarely/None Of The Time (< 1 Day)	2290	84.5 %
2	Some/A Little Of The Time (1-2 Days)	327	12.1 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	56	2.1 %
4	Most/All Of The Time (5-7 Days)	14	0.5 %
. (M)	-	16	0.6 %

ENJOY3 **Enjoyed life past week**

Location: 605-606 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	7	0.3 %
1	Rarely/None Of The Time (< 1 Day)	78	2.9 %
2	Some/A Little Of The Time (1-2 Days)	299	11.0 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	588	21.7 %
4	Most/All Of The Time (5-7 Days)	1722	63.5 %
. (M)	-	16	0.6 %

CRYING3 **Crying spells past week**

Location: 607-608 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	7	0.3 %
1	Rarely/None Of The Time (< 1 Day)	2106	77.7 %
2	Some/A Little Of The Time (1-2 Days)	377	13.9 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	155	5.7 %
4	Most/All Of The Time (5-7 Days)	49	1.8 %
. (M)	-	16	0.6 %

- Study 29701 -

SAD3 Felt sad past week

Location: 609-610 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	7	0.3 %
1	Rarely/None Of The Time (< 1 Day)	1654	61.0 %
2	Some/A Little Of The Time (1-2 Days)	759	28.0 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	200	7.4 %
4	Most/All Of The Time (5-7 Days)	74	2.7 %
. (M)	-	16	0.6 %

DISLIKE3 People disliked me past week

Location: 611-612 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	7	0.3 %
1	Rarely/None Of The Time (< 1 Day)	2357	87.0 %
2	Some/A Little Of The Time (1-2 Days)	280	10.3 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	38	1.4 %
4	Most/All Of The Time (5-7 Days)	12	0.4 %
. (M)	-	16	0.6 %

GETGOIN3 Could not get going past week

Location: 613-614 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	7	0.3 %
1	Rarely/None Of The Time (< 1 Day)	1669	61.6 %
2	Some/A Little Of The Time (1-2 Days)	716	26.4 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	215	7.9 %
4	Most/All Of The Time (5-7 Days)	87	3.2 %
. (M)	-	16	0.6 %

CHNGJOB3 Change in job since last visit

Location: 615-616 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	8	0.3 %
1	No	1820	67.2 %

- Study 29701 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	Yes	866	32.0 %
. (M)	-	16	0.6 %

JOB3 **Work for pay past 2 wks**

Location: 617-618 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	1	0.0 %
-1	N/A	1829	67.5 %
1	No	98	3.6 %
2	Yes	766	28.3 %
. (M)	-	16	0.6 %

STRTIM13 **Work start time**

Location: 619-623 (width: 5; decimal: 0)

Variable Type: character

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
	-	17	0.6 %
-1	N/A	2015	74.4 %
-9	Missing	1	0.0 %
01:00	-	4	0.1 %
01:30	-	1	0.0 %
02:00	-	7	0.3 %
02:30	-	4	0.1 %
02:45	-	1	0.0 %
03:00	-	7	0.3 %
03:30	-	1	0.0 %
04:00	-	6	0.2 %
04:30	-	1	0.0 %
04:45	-	1	0.0 %
05:00	-	5	0.2 %
05:15	-	1	0.0 %
05:30	-	5	0.2 %
05:45	-	1	0.0 %
06:00	-	21	0.8 %
06:15	-	2	0.1 %
06:30	-	19	0.7 %
06:45	-	4	0.1 %
07:00	-	60	2.2 %

- Study 29701 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
07:15	-	5	0.2 %
07:20	-	1	0.0 %
07:30	-	56	2.1 %
07:45	-	7	0.3 %
07:55	-	2	0.1 %
08:00	-	162	6.0 %
08:05	-	1	0.0 %
08:12	-	1	0.0 %
08:15	-	9	0.3 %
08:30	-	94	3.5 %
08:45	-	1	0.0 %
09:00	-	102	3.8 %
09:30	-	19	0.7 %
10:00	-	29	1.1 %
10:30	-	4	0.1 %
10:45	-	3	0.1 %
11:00	-	18	0.7 %
11:15	-	2	0.1 %
11:30	-	1	0.0 %
12:00	-	7	0.3 %
12:20	-	1	0.0 %
12:30	-	1	0.0 %

STRAMP13 **Work start AM/PM**

Location: 624-625 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	1	0.0 %
-1	N/A	2015	74.4 %
1	A.M.	608	22.4 %
2	P.M.	70	2.6 %
. (M)	-	16	0.6 %

STPTIM13 **Work stop time**

Location: 626-630 (width: 5; decimal: 0)

Variable Type: character

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
	-	16	0.6 %
-1	N/A	2017	74.4 %

- Study 29701 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	1	0.0 %
01:00	-	13	0.5 %
01:30	-	8	0.3 %
02:00	-	17	0.6 %
02:30	-	17	0.6 %
02:35	-	1	0.0 %
02:40	-	1	0.0 %
02:45	-	2	0.1 %
02:46	-	1	0.0 %
03:00	-	54	2.0 %
03:05	-	1	0.0 %
03:15	-	6	0.2 %
03:20	-	2	0.1 %
03:25	-	2	0.1 %
03:30	-	28	1.0 %
03:45	-	3	0.1 %
03:50	-	1	0.0 %
04:00	-	67	2.5 %
04:12	-	1	0.0 %
04:15	-	2	0.1 %
04:30	-	59	2.2 %
04:40	-	1	0.0 %
04:45	-	5	0.2 %
05:00	-	138	5.1 %
05:15	-	2	0.1 %
05:30	-	37	1.4 %
05:45	-	1	0.0 %
06:00	-	60	2.2 %
06:30	-	22	0.8 %
06:45	-	1	0.0 %
07:00	-	30	1.1 %
07:15	-	3	0.1 %
07:30	-	12	0.4 %
08:00	-	19	0.7 %
08:15	-	1	0.0 %
08:30	-	3	0.1 %
09:00	-	11	0.4 %
09:10	-	1	0.0 %
09:30	-	3	0.1 %
09:45	-	1	0.0 %

- Study 29701 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
10:00	-	8	0.3 %
10:30	-	1	0.0 %
11:00	-	12	0.4 %
11:15	-	1	0.0 %
11:30	-	7	0.3 %
12:00	-	7	0.3 %
12:30	-	3	0.1 %

STPAMP13 **Work stop AM/PM**

Location: 631-632 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	1	0.0 %
-1	N/A	2016	74.4 %
1	A.M.	38	1.4 %
2	P.M.	639	23.6 %
. (M)	-	16	0.6 %

ROTAT13 **Work rotating/alternating**

Location: 633-634 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	1	0.0 %
-1	N/A	1928	71.1 %
1	No	670	24.7 %
2	Yes	95	3.5 %
. (M)	-	16	0.6 %

STRTIM23 **Work start time (2)**

Location: 635-639 (width: 5; decimal: 0)

Variable Type: character

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
	-	16	0.6 %
-1	N/A	2586	95.4 %
-9	Missing	4	0.1 %
01:00	-	4	0.1 %
02:00	-	2	0.1 %
02:30	-	1	0.0 %

- Study 29701 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
02:45	-	1	0.0 %
03:00	-	5	0.2 %
03:30	-	2	0.1 %
04:00	-	2	0.1 %
04:15	-	1	0.0 %
04:30	-	3	0.1 %
05:00	-	7	0.3 %
05:45	-	1	0.0 %
06:00	-	10	0.4 %
06:30	-	3	0.1 %
07:00	-	8	0.3 %
07:30	-	5	0.2 %
08:00	-	16	0.6 %
08:15	-	1	0.0 %
08:30	-	2	0.1 %
09:00	-	13	0.5 %
09:30	-	2	0.1 %
10:00	-	6	0.2 %
10:30	-	1	0.0 %
11:00	-	5	0.2 %
12:00	-	2	0.1 %
12:30	-	1	0.0 %

STRAMP23 **Work start AM/PM (2)**

Location: 640-641 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	4	0.1 %
-1	N/A	2586	95.4 %
1	A.M.	55	2.0 %
2	P.M.	49	1.8 %
. (M)	-	16	0.6 %

STPTIM23 **Work stop time (2)**

Location: 642-646 (width: 5; decimal: 0)

Variable Type: character

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
	-	16	0.6 %
-1	N/A	2586	95.4 %

- Study 29701 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	4	0.1 %
01:00	-	3	0.1 %
01:30	-	1	0.0 %
02:00	-	2	0.1 %
02:30	-	2	0.1 %
03:00	-	10	0.4 %
03:30	-	3	0.1 %
04:00	-	6	0.2 %
04:30	-	2	0.1 %
05:00	-	14	0.5 %
05:30	-	1	0.0 %
06:00	-	5	0.2 %
06:30	-	2	0.1 %
06:45	-	1	0.0 %
07:00	-	6	0.2 %
07:30	-	3	0.1 %
07:59	-	1	0.0 %
08:00	-	2	0.1 %
08:30	-	4	0.1 %
09:00	-	14	0.5 %
09:30	-	3	0.1 %
10:00	-	7	0.3 %
10:30	-	1	0.0 %
11:00	-	7	0.3 %
11:30	-	1	0.0 %
12:00	-	3	0.1 %

STPAMP23

Work stop AM/PM (2)

Location: 647-648 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	4	0.1 %
-1	N/A	2586	95.4 %
1	A.M.	13	0.5 %
2	P.M.	91	3.4 %
. (M)	-	16	0.6 %

ROTAT23

Work rotating/alternating (2)

Location: 649-650 (width: 2; decimal: 0)

Variable Type: numeric

- Study 29701 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2533	93.5 %
1	No	105	3.9 %
2	Yes	56	2.1 %
. (M)	-	16	0.6 %

STRTIM33 **Work start time (3)**

Location: 651-655 (width: 5; decimal: 0)

Variable Type: character

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
	-	16	0.6 %
-1	N/A	2683	99.0 %
-9	Missing	1	0.0 %
05:00	-	1	0.0 %
07:00	-	2	0.1 %
08:00	-	5	0.2 %
09:00	-	1	0.0 %
12:30	-	1	0.0 %

STRAMP33 **Work start AM/PM (3)**

Location: 656-657 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	1	0.0 %
-1	N/A	2683	99.0 %
1	A.M.	5	0.2 %
2	P.M.	5	0.2 %
. (M)	-	16	0.6 %

STPTIM33 **Work stop time (3)**

Location: 658-662 (width: 5; decimal: 0)

Variable Type: character

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
	-	16	0.6 %
-1	N/A	2683	99.0 %
-9	Missing	1	0.0 %
01:00	-	1	0.0 %
02:00	-	1	0.0 %
04:30	-	1	0.0 %

- Study 29701 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
05:00	-	1	0.0 %
06:00	-	1	0.0 %
07:00	-	1	0.0 %
08:00	-	1	0.0 %
09:00	-	2	0.1 %
10:00	-	1	0.0 %

STPAMP33 **Work stop AM/PM (3)**

Location: 663-664 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	1	0.0 %
-1	N/A	2683	99.0 %
2	P.M.	10	0.4 %
. (M)	-	16	0.6 %

ROTAT33 **Work rotating/alternating (3)**

Location: 665-666 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2671	98.6 %
1	No	10	0.4 %
2	Yes	13	0.5 %
. (M)	-	16	0.6 %

HOURSPA3 **How many hrs/wk work for pay**

Location: 667-668 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	1	0.0 %
-1	N/A	1928	71.1 %
1	<= 10 hrs	23	0.8 %
2	11-19 hrs	32	1.2 %
3	20-34 hrs	130	4.8 %
4	35-40 hrs	324	12.0 %
5	41-60 hrs	216	8.0 %
6	>60 hrs	40	1.5 %
. (M)	-	16	0.6 %

- Study 29701 -

VOLUNTE3 Do volunteer work

Location: 669-670 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	7	0.3 %
1	No	1655	61.1 %
2	Yes	1032	38.1 %
. (M)	-	16	0.6 %

VLNTHR13 Volunteer (1) hrs/wk

Location: 671-675 (width: 5; decimal: 2)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9.00	Missing	8	0.3 %
-8.00	Do not know	1	0.0 %
-1.00	N/A	1662	61.3 %
0.00	-	3	0.1 %
0.10	-	4	0.1 %
0.13	-	1	0.0 %
0.15	-	1	0.0 %
0.19	-	2	0.1 %
0.25	-	20	0.7 %
0.30	-	6	0.2 %
0.38	-	3	0.1 %
0.50	-	56	2.1 %
0.60	-	1	0.0 %
0.67	-	1	0.0 %
0.69	-	1	0.0 %
0.75	-	3	0.1 %
0.96	-	1	0.0 %
1.00	-	221	8.2 %
1.15	-	1	0.0 %
1.25	-	3	0.1 %
1.50	-	30	1.1 %
2.00	-	214	7.9 %
2.30	-	2	0.1 %
2.50	-	14	0.5 %
3.00	-	99	3.7 %
3.50	-	7	0.3 %
4.00	-	101	3.7 %

- Study 29701 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
4.50	-	1	0.0 %
5.00	-	62	2.3 %
5.50	-	2	0.1 %
6.00	-	34	1.3 %
7.00	-	8	0.3 %
7.50	-	1	0.0 %
8.00	-	14	0.5 %
9.00	-	4	0.1 %
10.00	-	36	1.3 %
11.00	-	1	0.0 %
12.00	-	6	0.2 %
13.00	-	1	0.0 %
14.00	-	2	0.1 %
15.00	-	15	0.6 %
16.00	-	1	0.0 %
18.00	-	2	0.1 %
19.00	-	1	0.0 %
20.00	-	20	0.7 %
21.00	-	1	0.0 %
24.00	-	4	0.1 %
25.00	-	2	0.1 %
30.00	-	3	0.1 %
37.00	-	1	0.0 %
40.00	-	4	0.1 %
48.00	-	1	0.0 %
60.00	-	1	0.0 %
. (M)	-	16	0.6 %

VLNTHR23

Volunteer (2) hrs/wk

Location: 676-680 (width: 5; decimal: 2)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9.00	Missing	4	0.1 %
-1.00	N/A	2317	85.5 %
0.00	-	1	0.0 %
0.10	-	2	0.1 %
0.17	-	3	0.1 %
0.20	-	1	0.0 %
0.25	-	4	0.1 %

- Study 29701 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.30	-	3	0.1 %
0.45	-	2	0.1 %
0.48	-	1	0.0 %
0.50	-	41	1.5 %
0.75	-	1	0.0 %
1.00	-	116	4.3 %
1.25	-	1	0.0 %
1.50	-	14	0.5 %
2.00	-	70	2.6 %
2.30	-	2	0.1 %
2.50	-	1	0.0 %
3.00	-	35	1.3 %
4.00	-	19	0.7 %
5.00	-	19	0.7 %
6.00	-	8	0.3 %
7.00	-	3	0.1 %
8.00	-	8	0.3 %
10.00	-	3	0.1 %
12.00	-	3	0.1 %
14.00	-	1	0.0 %
15.00	-	3	0.1 %
20.00	-	4	0.1 %
21.00	-	1	0.0 %
48.00	-	1	0.0 %
50.00	-	1	0.0 %
70.00	-	1	0.0 %
. (M)	-	16	0.6 %

VLNTHR33

Volunteer (3) hrs/wk

Location: 681-685 (width: 5; decimal: 2)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1.00	N/A	2584	95.4 %
0.10	-	1	0.0 %
0.25	-	8	0.3 %
0.50	-	14	0.5 %
1.00	-	32	1.2 %
1.15	-	1	0.0 %
1.50	-	1	0.0 %

- Study 29701 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2.00	-	20	0.7 %
2.50	-	1	0.0 %
3.00	-	6	0.2 %
3.50	-	1	0.0 %
3.70	-	1	0.0 %
4.00	-	5	0.2 %
5.00	-	6	0.2 %
6.00	-	3	0.1 %
7.00	-	1	0.0 %
8.00	-	2	0.1 %
9.00	-	1	0.0 %
10.00	-	3	0.1 %
25.00	-	1	0.0 %
40.00	-	2	0.1 %
. (M)	-	16	0.6 %

MARITAL3

Marital status

Location: 686-687 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-7	Refused	1	0.0 %
1	Single/Never Married	331	12.2 %
2	Currently Married/Living as Married	1767	65.2 %
3	Separated	106	3.9 %
4	Widowed	81	3.0 %
5	Divorced	408	15.1 %
. (M)	-	16	0.6 %

PARTNJO3

Partner/spouse job title

Location: 688-717 (width: 30; decimal: 0)

Variable Type: character

HOUSEHL3

Anyone living in your household

Location: 718-719 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	7	0.3 %
1	No	312	11.5 %
2	Yes	2375	87.6 %
. (M)	-	16	0.6 %

- Study 29701 -

RELAT13

Relationship to yourself (1)

Location: 720-749 (width: 30; decimal: 0)

Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
	16	0.6 %
-1	319	11.8 %
AUNT	2	0.1 %
BEST FRIEND	1	0.0 %
BOYFRIEND	26	1.0 %
BOYFRIENDS	1	0.0 %
BROTHER	10	0.4 %
BROTHER-IN-LAW	1	0.0 %
CHILD	2	0.1 %
CHILD (SON)	1	0.0 %
CHILD-DAUGHTER	1	0.0 %
COMPANION	3	0.1 %
COUSIN	1	0.0 %
DAD	2	0.1 %
DAUGHER	1	0.0 %
DAUGHTER	303	11.2 %
DAUGHTER (ADOPTED)	1	0.0 %
DAUGHTER-ADOPTED	1	0.0 %
DAUGHTER	11	0.4 %
DOMESTIC PARTNER	3	0.1 %
EX-HUSBAND	2	0.1 %
FANCEE	1	0.0 %
FATHER	16	0.6 %
FATHER IN LAW	1	0.0 %
FATHER-IN-LAW	1	0.0 %
FIANCE	1	0.0 %
FIANCEE	1	0.0 %
FORMER SIGNIFICANT OTHER-CO	1	0.0 %
FOSTER DAUGHTER	1	0.0 %
FOSTER SON	2	0.1 %
FRIEND	19	0.7 %
GIRLFRIEND	3	0.1 %
GODSON	1	0.0 %
GRAND CHILD	1	0.0 %
GRANDDAUGHTER	1	0.0 %
GRANDDAUGHTER	7	0.3 %

- Study 29701 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
GRANDSON	6	0.2 %
GREAT AUNT	1	0.0 %
HONEY	1	0.0 %
HOUSEMATE	1	0.0 %
HUABAND	1	0.0 %
HUSBAN	1	0.0 %
HUSBAND	1381	51.0 %
HUSBANDB	1	0.0 %
HUSBSND	1	0.0 %
LIVE IN PARTNER	1	0.0 %
LONG TERM PARTNER	1	0.0 %
MALE COMPANION	1	0.0 %
MALE FRIEND	1	0.0 %
MOTHER	40	1.5 %
MOTHER-IN-LAW	2	0.1 %
NANNY	1	0.0 %
NEICE	1	0.0 %
NEPHEW	4	0.1 %
NIECE	7	0.3 %
NO RELATION	1	0.0 %
PARTNER	39	1.4 %
PARTNER/SPOUSE	1	0.0 %
RENTER-FRIEND	1	0.0 %
RENTER/TENANT	1	0.0 %
RENTOR	1	0.0 %
ROOM MATE	4	0.1 %
ROOM-MATE	1	0.0 %
ROOMATE	1	0.0 %
ROOMATE/FRIEND	1	0.0 %
ROOMMATE	3	0.1 %
ROOMMATE - FRIEND	1	0.0 %
ROOMMATE - STUDENT	1	0.0 %
ROOMMATE/CLOSE FRIEND	1	0.0 %
SECOND DAUGHTER	1	0.0 %
SIGNIFICANT OTHER	10	0.4 %
SIGNIFICANT OTHERR	1	0.0 %
SISTER	23	0.8 %
SISTER (NUN)	1	0.0 %
SISTER (RELIGIOUS)	1	0.0 %
SISTER-IN-LAW	2	0.1 %

- Study 29701 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
SON	363	13.4 %
SON-IN-LAW	1	0.0 %
SPOUSE	22	0.8 %
STEP DAUGHTER	1	0.0 %
STEP SON	2	0.1 %
STEP-CHILD	1	0.0 %
STEP-SON	1	0.0 %
STUDENT	1	0.0 %
SWEETHEART	1	0.0 %
TENANT	1	0.0 %
UNCLE	1	0.0 %
WOMAN-GREW UP WITH	1	0.0 %

SEX13

Gender (1)

Location: 750-751 (width: 2; decimal: 0)
 Variable Type: character

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
	-	16	0.6 %
-1	N/A	319	11.8 %
F	-	465	17.2 %
M	-	1910	70.5 %

AGE13

Age (1)

Location: 752-754 (width: 3; decimal: 0)
 Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	1	0.0 %
-8	Do not know	1	0.0 %
-7	Refused	1	0.0 %
-1	N/A	319	11.8 %
1	-	2	0.1 %
2	-	1	0.0 %
3	-	2	0.1 %
4	-	5	0.2 %
5	-	7	0.3 %
6	-	11	0.4 %
7	-	15	0.6 %
8	-	13	0.5 %
9	-	16	0.6 %

- Study 29701 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
10	-	15	0.6 %
11	-	14	0.5 %
12	-	28	1.0 %
13	-	22	0.8 %
14	-	32	1.2 %
15	-	43	1.6 %
16	-	47	1.7 %
17	-	50	1.8 %
18	-	57	2.1 %
19	-	41	1.5 %
20	-	49	1.8 %
21	-	36	1.3 %
22	-	44	1.6 %
23	-	34	1.3 %
24	-	30	1.1 %
25	-	23	0.8 %
26	-	30	1.1 %
27	-	18	0.7 %
28	-	14	0.5 %
29	-	4	0.1 %
30	-	17	0.6 %
31	-	7	0.3 %
32	-	3	0.1 %
33	-	5	0.2 %
34	-	4	0.1 %
35	-	6	0.2 %
36	-	1	0.0 %
37	-	8	0.3 %
38	-	13	0.5 %
39	-	9	0.3 %
40	-	18	0.7 %
41	-	15	0.6 %
42	-	16	0.6 %
43	-	32	1.2 %
44	-	46	1.7 %
45	-	60	2.2 %
46	-	83	3.1 %
47	-	87	3.2 %
48	-	104	3.8 %
49	-	124	4.6 %

- Study 29701 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
50	-	137	5.1 %
51	-	108	4.0 %
52	-	128	4.7 %
53	-	109	4.0 %
54	-	95	3.5 %
55	-	66	2.4 %
56	-	57	2.1 %
57	-	45	1.7 %
58	-	43	1.6 %
59	-	30	1.1 %
60	-	33	1.2 %
61	-	15	0.6 %
62	-	23	0.8 %
63	-	8	0.3 %
64	-	13	0.5 %
65	-	9	0.3 %
66	-	3	0.1 %
67	-	8	0.3 %
68	-	1	0.0 %
69	-	5	0.2 %
70	-	8	0.3 %
71	-	2	0.1 %
72	-	4	0.1 %
73	-	5	0.2 %
74	-	4	0.1 %
75	-	6	0.2 %
76	-	3	0.1 %
77	-	9	0.3 %
78	-	7	0.3 %
79	-	4	0.1 %
80	-	3	0.1 %
81	-	4	0.1 %
82	-	2	0.1 %
83	-	1	0.0 %
84	-	2	0.1 %
85	-	2	0.1 %
86	-	3	0.1 %
87	-	1	0.0 %
88	-	1	0.0 %
89	-	1	0.0 %

- Study 29701 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
90	-	1	0.0 %
93	-	1	0.0 %
95	-	1	0.0 %
. (M)	-	16	0.6 %

RELAT23

Relationship to yourself (2)

Location: 755-784 (width: 30; decimal: 0)

Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
	16	0.6 %
(BROTHER IN LAW) HUSBAND	1	0.0 %
-1	1034	38.2 %
-11	1	0.0 %
-8	4	0.1 %
ADOPTED DAUGHTER	1	0.0 %
ADOPTED SON	1	0.0 %
AON	1	0.0 %
AUNT	2	0.1 %
BOARDER	2	0.1 %
BORDER	1	0.0 %
BOY FRIEND	1	0.0 %
BOYFRIEND	6	0.2 %
BROTHER	13	0.5 %
BROTHER-IN-LAW	2	0.1 %
CHILD	4	0.1 %
CHILD-DAUGHTER	1	0.0 %
CHILD-SON	1	0.0 %
COUSIN	3	0.1 %
DAD	2	0.1 %
DAU	1	0.0 %
DAUGHTER	615	22.7 %
DAUGHTER (ADOPTED)	2	0.1 %
DAUGHTER'S BOYFRIEND	1	0.0 %
DAUGHTER-IN-LAW	5	0.2 %
DAUGTHER	6	0.2 %
DAUHGTER	2	0.1 %
DAUTHTER	1	0.0 %
EX-HUSBAND	1	0.0 %
FATHER	4	0.1 %

- Study 29701 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
FATHER IN LAW	1	0.0 %
FATHER'S CARETAKER	1	0.0 %
FATHER-IN-LAW	1	0.0 %
FIANCEE	1	0.0 %
FOSTER SON	1	0.0 %
FRIEND	5	0.2 %
FRIEND (BOARDER)	1	0.0 %
GIRLFRIEND	1	0.0 %
GRAND CHILD	1	0.0 %
GRAND-DAUGHTER	2	0.1 %
GRAND-SON	2	0.1 %
GRANDAUGHTER	3	0.1 %
GRANDCHILD	2	0.1 %
GRANDDAOGHTER	1	0.0 %
GRANDDAUGHTER	9	0.3 %
GRANDMOTHER	1	0.0 %
GRANDSON	25	0.9 %
GRANS DON	1	0.0 %
HOUSEMATE	2	0.1 %
HUSBAND	116	4.3 %
HUSBANDA	1	0.0 %
MATE	1	0.0 %
MOM	1	0.0 %
MOTHER	22	0.8 %
MOTHER IN LAW	2	0.1 %
MOTHER IN- LAW	1	0.0 %
MOTHER-IN-LAW	6	0.2 %
NEICE	2	0.1 %
NEPHEW	3	0.1 %
NIECE	7	0.3 %
PARTNER	3	0.1 %
RENTER	1	0.0 %
RENTER/TENANT	1	0.0 %
ROOM MATE	1	0.0 %
ROOMATE/FRIEND	1	0.0 %
ROOMMATE	3	0.1 %
SECOND SON	1	0.0 %
SIGNIFICANT OTHER	1	0.0 %
SISTER	6	0.2 %
SISTER (NUN)	1	0.0 %

- Study 29701 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
SISTER'S SON	1	0.0 %
SISTER-IN-LAW	3	0.1 %
SISTER-IN-LAW'S FATHER	1	0.0 %
SOM	1	0.0 %
SON	701	25.9 %
SON (PARTNER'S SON)	1	0.0 %
SON'S FATHER	1	0.0 %
SON'S FRIEND	1	0.0 %
SON'S GIRLFRIEND	1	0.0 %
SON\\	1	0.0 %
SPOUSE	1	0.0 %
SSON	1	0.0 %
STEP DAUGHTER	2	0.1 %
STEP FATHER	1	0.0 %
STEP-DAUGHTER	4	0.1 %
STEP-MOTHER	1	0.0 %
STEP-SON	2	0.1 %
STEPDAUGHTER	1	0.0 %
STEPSON	4	0.1 %
STUDENT	1	0.0 %
STUDENT RENTER	1	0.0 %
UNCLE	1	0.0 %
WIFE	1	0.0 %

SEX23 **Gender (2)**

Location: 785-786 (width: 2; decimal: 0)

Variable Type: character

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
	-	16	0.6 %
-1	N/A	1035	38.2 %
F	-	735	27.1 %
M	-	924	34.1 %

AGE23 **Age (2)**

Location: 787-789 (width: 3; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	2	0.1 %
-8	Do not know	1	0.0 %

- Study 29701 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	1035	38.2 %
1	-	4	0.1 %
2	-	8	0.3 %
3	-	6	0.2 %
4	-	6	0.2 %
5	-	15	0.6 %
6	-	21	0.8 %
7	-	17	0.6 %
8	-	21	0.8 %
9	-	37	1.4 %
10	-	54	2.0 %
11	-	46	1.7 %
12	-	58	2.1 %
13	-	74	2.7 %
14	-	69	2.5 %
15	-	75	2.8 %
16	-	95	3.5 %
17	-	105	3.9 %
18	-	104	3.8 %
19	-	108	4.0 %
20	-	79	2.9 %
21	-	87	3.2 %
22	-	85	3.1 %
23	-	57	2.1 %
24	-	53	2.0 %
25	-	36	1.3 %
26	-	30	1.1 %
27	-	21	0.8 %
28	-	23	0.8 %
29	-	5	0.2 %
30	-	10	0.4 %
31	-	5	0.2 %
32	-	8	0.3 %
33	-	5	0.2 %
34	-	3	0.1 %
35	-	1	0.0 %
36	-	2	0.1 %
37	-	3	0.1 %
38	-	3	0.1 %
39	-	1	0.0 %

- Study 29701 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
40	-	3	0.1 %
41	-	3	0.1 %
42	-	3	0.1 %
43	-	1	0.0 %
44	-	5	0.2 %
45	-	3	0.1 %
46	-	8	0.3 %
47	-	9	0.3 %
48	-	6	0.2 %
49	-	14	0.5 %
50	-	27	1.0 %
51	-	10	0.4 %
52	-	15	0.6 %
53	-	15	0.6 %
54	-	8	0.3 %
55	-	11	0.4 %
56	-	5	0.2 %
57	-	4	0.1 %
58	-	4	0.1 %
59	-	1	0.0 %
60	-	1	0.0 %
61	-	2	0.1 %
62	-	3	0.1 %
63	-	4	0.1 %
64	-	1	0.0 %
65	-	1	0.0 %
66	-	3	0.1 %
67	-	1	0.0 %
68	-	1	0.0 %
69	-	2	0.1 %
70	-	2	0.1 %
71	-	1	0.0 %
72	-	2	0.1 %
73	-	3	0.1 %
74	-	1	0.0 %
75	-	4	0.1 %
76	-	3	0.1 %
77	-	3	0.1 %
78	-	1	0.0 %
79	-	3	0.1 %

- Study 29701 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
80	-	5	0.2 %
81	-	2	0.1 %
82	-	2	0.1 %
83	-	4	0.1 %
84	-	2	0.1 %
85	-	1	0.0 %
87	-	1	0.0 %
90	-	2	0.1 %
. (M)	-	16	0.6 %

RELAT33

Relationship to yourself (3)

Location: 790-819 (width: 30; decimal: 0)

Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
	16	0.6 %
-1	1704	62.9 %
-1`	1	0.0 %
-8	2	0.1 %
ACQUAINTANCE	1	0.0 %
ADOPTED DAUGHTER	1	0.0 %
BOARDER	1	0.0 %
BOYFRIEND	3	0.1 %
BOYFRIEND'S MOTHER	1	0.0 %
BOYFRIEND'S SON	1	0.0 %
BROTHER	6	0.2 %
BROTHER'S MATE	1	0.0 %
BROTHER-IN-LAW	2	0.1 %
CHILD	3	0.1 %
COUSIN	1	0.0 %
DAUGHTER	353	13.0 %
DAUGHTER (ADOPTED)	1	0.0 %
DAUGHTER (SECOND)	1	0.0 %
DAUGHTER IN LAW	2	0.1 %
DAUGHTER'S FRIEND	1	0.0 %
DAUGHTER-IN-LAW	2	0.1 %
DAUGHTERR	1	0.0 %
DAUGHTER	1	0.0 %
FATHER	4	0.1 %
FATHER IN LAW	1	0.0 %

- Study 29701 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
FATHER-IN-LAW	1	0.0 %
FRIEND	9	0.3 %
GOD-SON	1	0.0 %
GODCHILD	1	0.0 %
GRAND DAUGHTER	1	0.0 %
GRAND SON	1	0.0 %
GRAND-DAUGHTER	3	0.1 %
GRANDDAUGHTER	1	0.0 %
GRANDCHILD	1	0.0 %
GRANDDAUGHTER	23	0.8 %
GRANDDAUGHTER	1	0.0 %
GRANDSON	34	1.3 %
GRANDSONE	1	0.0 %
GRANDSON	1	0.0 %
HOUSE MATE	1	0.0 %
HOUSEMATE	2	0.1 %
HUSBAND	83	3.1 %
KID	1	0.0 %
MOM	2	0.1 %
MOTHER	8	0.3 %
MOTHER - IN LAW	1	0.0 %
MOTHER'S NEPHEW	1	0.0 %
MOTHER-IN-LAW	1	0.0 %
NEICE	1	0.0 %
NEPHEW	8	0.3 %
NIECE	5	0.2 %
NUN	1	0.0 %
NURSE	1	0.0 %
PARTNER	4	0.1 %
ROOMMATE	1	0.0 %
SIGNIFICANT OTHER	2	0.1 %
SISTER	5	0.2 %
SISTER-IN-LAW'S BOYFRIEND	1	0.0 %
SON	379	14.0 %
SON (FRIEND'S)	1	0.0 %
SON (NEPHEW)	1	0.0 %
SON IN LAW	2	0.1 %
SON-IN-LAW	1	0.0 %
STEP DAUGHTER	1	0.0 %
STEP-DAUGHTER	1	0.0 %

- Study 29701 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
STEP-SON	1	0.0 %
STEPSON	3	0.1 %
UNCLE	1	0.0 %

SEX33 **Gender (3)**

Location: 820-821 (width: 2; decimal: 0)

Variable Type: character

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
	-	16	0.6 %
-1	N/A	1705	62.9 %
F	-	429	15.8 %
M	-	560	20.7 %

AGE33 **Age (3)**

Location: 822-824 (width: 3; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	1	0.0 %
-1	N/A	1705	62.9 %
1	-	24	0.9 %
2	-	8	0.3 %
3	-	4	0.1 %
4	-	7	0.3 %
5	-	13	0.5 %
6	-	26	1.0 %
7	-	29	1.1 %
8	-	19	0.7 %
9	-	38	1.4 %
10	-	41	1.5 %
11	-	37	1.4 %
12	-	45	1.7 %
13	-	52	1.9 %
14	-	45	1.7 %
15	-	50	1.8 %
16	-	46	1.7 %
17	-	45	1.7 %
18	-	53	2.0 %
19	-	47	1.7 %
20	-	47	1.7 %

- Study 29701 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
21	-	29	1.1 %
22	-	33	1.2 %
23	-	25	0.9 %
24	-	18	0.7 %
25	-	19	0.7 %
26	-	18	0.7 %
27	-	7	0.3 %
28	-	4	0.1 %
29	-	3	0.1 %
30	-	3	0.1 %
31	-	4	0.1 %
32	-	2	0.1 %
33	-	2	0.1 %
34	-	2	0.1 %
35	-	3	0.1 %
37	-	1	0.0 %
38	-	2	0.1 %
39	-	1	0.0 %
40	-	2	0.1 %
42	-	1	0.0 %
43	-	3	0.1 %
44	-	4	0.1 %
45	-	10	0.4 %
46	-	5	0.2 %
47	-	2	0.1 %
48	-	8	0.3 %
49	-	11	0.4 %
50	-	16	0.6 %
51	-	9	0.3 %
52	-	3	0.1 %
53	-	12	0.4 %
54	-	4	0.1 %
55	-	5	0.2 %
56	-	4	0.1 %
57	-	2	0.1 %
58	-	3	0.1 %
59	-	4	0.1 %
60	-	3	0.1 %
62	-	2	0.1 %
63	-	1	0.0 %

- Study 29701 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
65	-	3	0.1 %
68	-	1	0.0 %
70	-	1	0.0 %
72	-	2	0.1 %
75	-	1	0.0 %
77	-	1	0.0 %
78	-	2	0.1 %
79	-	1	0.0 %
80	-	2	0.1 %
82	-	3	0.1 %
83	-	1	0.0 %
84	-	2	0.1 %
85	-	1	0.0 %
86	-	1	0.0 %
. (M)	-	16	0.6 %

RELAT43

Relationship to yourself (4)

Location: 825-854 (width: 30; decimal: 0)

Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
	16	0.6 %
-1	2301	84.9 %
-1-1	2	0.1 %
ADOPTED SON	1	0.0 %
AUNT	1	0.0 %
BOARDER	1	0.0 %
BOYFRIEND'S DAUGHTER	1	0.0 %
BROTHER	2	0.1 %
BROTHER IN LAW	1	0.0 %
BROTHER-IN-LAW	2	0.1 %
DAUGHTER	114	4.2 %
DAUGHTER (ADOPTED)	1	0.0 %
DAUGHTER IN LAW	1	0.0 %
DAUGHTER'S BOYFRIEND	1	0.0 %
DAUGHTER-IN-LAW	2	0.1 %
DAUGHTER	1	0.0 %
FATHER	1	0.0 %
FATHER-IN-LAW	1	0.0 %

- Study 29701 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
FIANCE	1	0.0 %
FOSTER SON	1	0.0 %
FRIEND	5	0.2 %
FRIEND OF SON	1	0.0 %
FRIEND'S SON	1	0.0 %
GRAND DAUGHTER	1	0.0 %
GRAND DAUGHTER	1	0.0 %
GRAND SON	1	0.0 %
GRAND-DAUGHTER	1	0.0 %
GRAND-SON	1	0.0 %
GRANDDAUGHTER	12	0.4 %
GRANDDAUGHTER	1	0.0 %
GRANDPA	1	0.0 %
GRANDSON	23	0.8 %
HOUSE KEEPER	1	0.0 %
HUSBAND	34	1.3 %
KID	1	0.0 %
MOTHER	7	0.3 %
MOTHER IN LAW	1	0.0 %
MOTHER-IN-LAW	7	0.3 %
NEPHEW	8	0.3 %
NIECE	5	0.2 %
NUN	1	0.0 %
PARENT	1	0.0 %
SISTER	5	0.2 %
SISTER-IN-LAW	1	0.0 %
SOM	1	0.0 %
SON	125	4.6 %
SON (FRIEND'S)	1	0.0 %
SON'S FIANCEE	1	0.0 %
SON'S FRIEND	1	0.0 %
SON-IN-LAW	1	0.0 %
STEP DAUGHTER	2	0.1 %
STEP SON	1	0.0 %
STEP-DAUGHTER	1	0.0 %
STEP-DAUGHTERS' MOTHER	1	0.0 %
STEPSON	1	0.0 %

SEX43

Gender (4)

Location:

855-856 (width: 2; decimal: 0)

- Study 29701 -

Variable Type:

character

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
	-	16	0.6 %
-1	N/A	2303	85.0 %
F	-	174	6.4 %
M	-	217	8.0 %

AGE43

Age (4)

Location:

857-859 (width: 3; decimal: 0)

Variable Type:

numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-8	Do not know	1	0.0 %
-1	N/A	2303	85.0 %
1	-	8	0.3 %
2	-	6	0.2 %
3	-	5	0.2 %
4	-	10	0.4 %
5	-	14	0.5 %
6	-	5	0.2 %
7	-	10	0.4 %
8	-	11	0.4 %
9	-	14	0.5 %
10	-	14	0.5 %
11	-	19	0.7 %
12	-	23	0.8 %
13	-	24	0.9 %
14	-	20	0.7 %
15	-	16	0.6 %
16	-	20	0.7 %
17	-	15	0.6 %
18	-	13	0.5 %
19	-	8	0.3 %
20	-	15	0.6 %
21	-	10	0.4 %
22	-	9	0.3 %
23	-	9	0.3 %
24	-	5	0.2 %
25	-	4	0.1 %
26	-	1	0.0 %
27	-	5	0.2 %

- Study 29701 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
28	-	2	0.1 %
29	-	1	0.0 %
30	-	1	0.0 %
31	-	2	0.1 %
32	-	1	0.0 %
36	-	1	0.0 %
37	-	1	0.0 %
40	-	1	0.0 %
41	-	1	0.0 %
42	-	1	0.0 %
44	-	2	0.1 %
45	-	3	0.1 %
46	-	4	0.1 %
47	-	3	0.1 %
48	-	6	0.2 %
49	-	6	0.2 %
50	-	2	0.1 %
52	-	4	0.1 %
53	-	2	0.1 %
54	-	4	0.1 %
55	-	1	0.0 %
56	-	2	0.1 %
57	-	3	0.1 %
58	-	1	0.0 %
64	-	1	0.0 %
65	-	1	0.0 %
68	-	1	0.0 %
71	-	1	0.0 %
72	-	2	0.1 %
73	-	1	0.0 %
74	-	3	0.1 %
75	-	1	0.0 %
76	-	3	0.1 %
80	-	2	0.1 %
81	-	1	0.0 %
82	-	2	0.1 %
84	-	2	0.1 %
86	-	1	0.0 %
. (M)	-	16	0.6 %

- Study 29701 -

Location:

860-889 (width: 30; decimal: 0)

Variable Type:

character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
	16	0.6 %
-1	2552	94.2 %
ADOPTED-SON	1	0.0 %
AUNT'S STEP DAUGHTER	1	0.0 %
BOYFRIEND	1	0.0 %
BROTHER	1	0.0 %
DAUGHTER	33	1.2 %
DAUGHTER'S FIANCE	1	0.0 %
DAUGHTER'S FRIEND	1	0.0 %
DAUGHTER-IN-LAW	1	0.0 %
DUAGHTER	1	0.0 %
FATHER	1	0.0 %
FATHER-IN-LAW	3	0.1 %
FOSTER DAUGHTER	1	0.0 %
FRIEND	3	0.1 %
FRIEND'S DAUGHTER	1	0.0 %
GODDAUGHTER	1	0.0 %
GRAND DAUGHTER	1	0.0 %
GRAND SON	1	0.0 %
GRAND-DAUGHTER	2	0.1 %
GRANDDAUGHTER	1	0.0 %
GRANDDDAUGHTER	7	0.3 %
GRANDDDAUGTHER	1	0.0 %
GRANDSON	10	0.4 %
GRANDSON 1	1	0.0 %
GREAT NEICE	1	0.0 %
HOUSEKEEPER	1	0.0 %
HUSBAND	10	0.4 %
INTERNATIONAL STUDENT ALTC...	1	0.0 %
MOTHER	3	0.1 %
MOTHER-IN-LAW	1	0.0 %
NEPHEW	2	0.1 %
NIECE	1	0.0 %
PARENT	1	0.0 %
PARTNER(LIVING AS MARRIED)	1	0.0 %
SISTER	2	0.1 %
SISTER'S SON	1	0.0 %
SON	37	1.4 %

- Study 29701 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
SON (ADOPTED)	1	0.0 %
SON'S FRIEND	1	0.0 %
SON-IN-LAW	1	0.0 %
STEP SON	1	0.0 %
UNCLE	1	0.0 %

SEX53

Gender (5)

Location: 890-891 (width: 2; decimal: 0)

Variable Type: character

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
	-	16	0.6 %
-1	N/A	2552	94.2 %
F	-	60	2.2 %
M	-	82	3.0 %

AGE53

Age (5)

Location: 892-894 (width: 3; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2552	94.2 %
1	-	4	0.1 %
2	-	7	0.3 %
3	-	3	0.1 %
4	-	5	0.2 %
5	-	3	0.1 %
6	-	5	0.2 %
8	-	3	0.1 %
9	-	7	0.3 %
10	-	11	0.4 %
11	-	5	0.2 %
12	-	4	0.1 %
13	-	5	0.2 %
14	-	5	0.2 %
15	-	10	0.4 %
16	-	5	0.2 %
17	-	5	0.2 %
18	-	5	0.2 %
19	-	3	0.1 %
20	-	3	0.1 %

- Study 29701 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
21	-	2	0.1 %
22	-	4	0.1 %
23	-	1	0.0 %
24	-	2	0.1 %
27	-	1	0.0 %
28	-	3	0.1 %
29	-	1	0.0 %
30	-	2	0.1 %
33	-	1	0.0 %
36	-	1	0.0 %
37	-	1	0.0 %
40	-	1	0.0 %
42	-	1	0.0 %
43	-	1	0.0 %
45	-	2	0.1 %
46	-	1	0.0 %
47	-	2	0.1 %
49	-	2	0.1 %
50	-	1	0.0 %
51	-	1	0.0 %
52	-	2	0.1 %
53	-	1	0.0 %
71	-	1	0.0 %
72	-	1	0.0 %
76	-	1	0.0 %
77	-	2	0.1 %
78	-	1	0.0 %
80	-	1	0.0 %
82	-	1	0.0 %
83	-	1	0.0 %
86	-	1	0.0 %
. (M)	-	16	0.6 %

RELAT63

Relationship to yourself (6)

Location: 895-924 (width: 30; decimal: 0)

Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
	16	0.6 %
-1	2646	97.6 %

- Study 29701 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
ADOPTED DAUGHTER	1	0.0 %
DAUGHTER	11	0.4 %
FATHER	1	0.0 %
FOSTER DAUGHTER	1	0.0 %
GRAND-SON	1	0.0 %
GRANDDAUGHTER	1	0.0 %
GRANDDAUGHTER	3	0.1 %
GRANDMOTHER	1	0.0 %
GRANDSON	3	0.1 %
GRANDSON 2	1	0.0 %
GREAT NEPHEW	1	0.0 %
HOUSEMATE (FRIEND)	1	0.0 %
HUSBAND	4	0.1 %
MOTHER	1	0.0 %
NEPHEW	2	0.1 %
NIECE	2	0.1 %
SON	9	0.3 %
SON (ADOPTED)	1	0.0 %
STUDENT IN EXCHANGE	1	0.0 %
UNCLE	1	0.0 %
VISITOR	1	0.0 %

SEX63

Gender (6)

Location: 925-926 (width: 2; decimal: 0)

Variable Type: character

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
	-	16	0.6 %
-1	N/A	2646	97.6 %
F	-	21	0.8 %
M	-	27	1.0 %

AGE63

Age (6)

Location: 927-929 (width: 3; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2646	97.6 %
1	-	5	0.2 %
2	-	1	0.0 %
3	-	1	0.0 %

- Study 29701 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
4	-	1	0.0 %
6	-	1	0.0 %
7	-	6	0.2 %
8	-	5	0.2 %
9	-	1	0.0 %
10	-	1	0.0 %
11	-	2	0.1 %
12	-	1	0.0 %
13	-	2	0.1 %
15	-	2	0.1 %
16	-	3	0.1 %
18	-	1	0.0 %
19	-	4	0.1 %
23	-	1	0.0 %
26	-	1	0.0 %
35	-	1	0.0 %
52	-	1	0.0 %
53	-	2	0.1 %
61	-	1	0.0 %
68	-	1	0.0 %
79	-	2	0.1 %
85	-	1	0.0 %
. (M)	-	16	0.6 %

RELAT73

Relationship to yourself (7)

Location: 930-959 (width: 30; decimal: 0)

Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
	16	0.6 %
-1	2667	98.4 %
ADOPTED DAUGHTER	1	0.0 %
DAUGHTER	2	0.1 %
DAUGHTER'S BOYFRIEND	1	0.0 %
FATHER'S GIRLFRIEND	1	0.0 %
FOSTER SON	1	0.0 %
GRAND-DAUGHTER	1	0.0 %
GRANDDAUGHTER	5	0.2 %
GRANDSON	2	0.1 %
GRANDSON 3	1	0.0 %

- Study 29701 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
GREAT NEPHEW	1	0.0 %
HUSBAND	2	0.1 %
NEPHEW	1	0.0 %
NIECE	1	0.0 %
SON	5	0.2 %
SON (ADOPTED)	1	0.0 %
VISITOR	1	0.0 %

SEX73

Gender (7)

Location: 960-961 (width: 2; decimal: 0)

Variable Type: character

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
	-	16	0.6 %
-1	N/A	2667	98.4 %
F	-	11	0.4 %
M	-	16	0.6 %

AGE73

Age (7)

Location: 962-964 (width: 3; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2667	98.4 %
1	-	3	0.1 %
2	-	4	0.1 %
3	-	1	0.0 %
4	-	1	0.0 %
5	-	1	0.0 %
6	-	2	0.1 %
7	-	1	0.0 %
8	-	1	0.0 %
9	-	2	0.1 %
11	-	1	0.0 %
14	-	1	0.0 %
18	-	1	0.0 %
19	-	1	0.0 %
20	-	1	0.0 %
21	-	1	0.0 %
23	-	2	0.1 %
51	-	1	0.0 %

- Study 29701 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
56	-	1	0.0 %
59	-	1	0.0 %
. (M)	-	16	0.6 %

RELAT83 Relationship to yourself (8)

Location: 965-994 (width: 30; decimal: 0)

Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
	16	0.6 %
-1	2679	98.9 %
DAUGHTER	1	0.0 %
FOSTER DAUGHTER	1	0.0 %
GRANDSON	3	0.1 %
GRANDSON 4	1	0.0 %
HUSBAND	2	0.1 %
NEPHEW	2	0.1 %
PARTNER	1	0.0 %
SON	3	0.1 %
SON (ADOPTED)	1	0.0 %

SEX83 Gender (8)

Location: 995-996 (width: 2; decimal: 0)

Variable Type: character

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
	-	16	0.6 %
-1	N/A	2679	98.9 %
F	-	2	0.1 %
M	-	13	0.5 %

AGE83 Age (8)

Location: 997-999 (width: 3; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2679	98.9 %
1	-	2	0.1 %
2	-	1	0.0 %
5	-	1	0.0 %
6	-	1	0.0 %

- Study 29701 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
8	-	1	0.0 %
9	-	1	0.0 %
11	-	1	0.0 %
12	-	1	0.0 %
13	-	1	0.0 %
20	-	1	0.0 %
22	-	1	0.0 %
39	-	1	0.0 %
42	-	1	0.0 %
48	-	1	0.0 %
. (M)	-	16	0.6 %

RELAT93

Relationship to yourself (9)

Location: 1000-1029 (width: 30; decimal: 0)

Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
	16	0.6 %
-1	2687	99.2 %
DAUGHTER	2	0.1 %
GRAND SON	1	0.0 %
GRANDDAUGHTER	1	0.0 %
NIECE	1	0.0 %
PARTNER	1	0.0 %
SON	1	0.0 %

SEX93

Gender (9)

Location: 1030-1031 (width: 2; decimal: 0)

Variable Type: character

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
	-	16	0.6 %
-1	N/A	2687	99.2 %
F	-	5	0.2 %
M	-	2	0.1 %

AGE93

Age (9)

Location: 1032-1034 (width: 3; decimal: 0)

Variable Type: numeric

- Study 29701 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2687	99.2 %
6	-	1	0.0 %
7	-	2	0.1 %
15	-	1	0.0 %
18	-	1	0.0 %
28	-	1	0.0 %
62	-	1	0.0 %
. (M)	-	16	0.6 %

RELAT103

Relationship to yourself (10)

Location: 1035-1064 (width: 30; decimal: 0)

Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
	16	0.6 %
-1	2689	99.2 %
DAUGHTER	1	0.0 %
GRANDDAUGHTER	1	0.0 %
GRANDNIECE	1	0.0 %
GREAT NEPHEW	1	0.0 %
SON	1	0.0 %

SEX103

Gender (10)

Location: 1065-1066 (width: 2; decimal: 0)

Variable Type: character

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
	-	16	0.6 %
-1	N/A	2689	99.2 %
F	-	3	0.1 %
M	-	2	0.1 %

AGE103

Age (10)

Location: 1067-1069 (width: 3; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2689	99.2 %
1	-	2	0.1 %
3	-	1	0.0 %
5	-	1	0.0 %

- Study 29701 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
24	-	1	0.0 %
. (M)	-	16	0.6 %

RELAT113 Relationship to yourself (11)

Location: 1070-1099 (width: 30; decimal: 0)

Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
	16	0.6 %
-1	2692	99.3 %
HUSBAND	1	0.0 %
SISTER'S OLD MAN	1	0.0 %

SEX113 Gender (11)

Location: 1100-1101 (width: 2; decimal: 0)

Variable Type: character

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
	-	16	0.6 %
-1	N/A	2692	99.3 %
M	-	2	0.1 %

AGE113 Age (11)

Location: 1102-1104 (width: 3; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2692	99.3 %
43	-	1	0.0 %
55	-	1	0.0 %
. (M)	-	16	0.6 %

RELAT123 Relationship to yourself (12)

Location: 1105-1134 (width: 30; decimal: 0)

Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
	16	0.6 %
-1	2694	99.4 %

SEX123 Gender (12)

Location: 1135-1136 (width: 2; decimal: 0)

- Study 29701 -

Variable Type: character

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
	-	16	0.6 %
-1	N/A	2694	99.4 %

AGE123 **Age (12)**

Location: 1137-1138 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2694	99.4 %
. (M)	-	16	0.6 %

OSTEPR13 **Osteoporosis med #1**

Location: 1139-1140 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2680	98.9 %
1	No	7	0.3 %
2	Yes	7	0.3 %
. (M)	-	16	0.6 %

OSTETW13 **Osteoporosis med #1 taken 2x/wk for last mo**

Location: 1141-1142 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2694	99.4 %
. (M)	-	16	0.6 %

OSTEPR23 **Osteoporosis med #2**

Location: 1143-1144 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2694	99.4 %
. (M)	-	16	0.6 %

OSTETW23 **Osteoporosis med #2 taken 2x/wk for last mo**

Location: 1145-1146 (width: 2; decimal: 0)

Variable Type: numeric

- Study 29701 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2694	99.4 %
. (M)	-	16	0.6 %

FORMFLG3 **Abbreviated (AINT) or regular (INT) interview**

Location: 1147-1149 (width: 3; decimal: 0)

Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
	16	0.6 %
AIN	7	0.3 %
INT	2687	99.2 %

STATUS3 **Menopausal Status**

Location: 1150-1150 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Hysterectomy/both ovaries removed	91	3.4 %
2	Post-menopausal	348	12.8 %
3	Late Peri	240	8.9 %
4	Early Peri	1408	52.0 %
5	Pre-menopausal	307	11.3 %
7	Unknown due to HT use	297	11.0 %
. (M)	-	19	0.7 %

SAADAY3 **Self-administered-Part A Day**

Location: 1151-1154 (width: 4; decimal: 0)

Variable Type: numeric

LANGSAA3 **Language of Self-A**

Location: 1155-1155 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	English	2282	84.2 %
2	Spanish	145	5.4 %
3	Cantonese	83	3.1 %
4	Japanese	105	3.9 %
. (M)	-	95	3.5 %

DATAFLG3 **record source: AINT or SAA**

Location: 1156-1158 (width: 3; decimal: 0)

- Study 29701 -

Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
	95	3.5 %
AIN	7	0.3 %
SAA	2608	96.2 %

OVERHLT3 Overall health

Location: 1159-1160 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	16	0.6 %
-8	Do not know	6	0.2 %
1	Excellent	440	16.2 %
2	Very good	1002	37.0 %
3	Good	812	30.0 %
4	Fair	295	10.9 %
5	Poor	44	1.6 %
. (M)	-	95	3.5 %

HOSPSTA3 Hospital stays since last visit

Location: 1161-1163 (width: 3; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	15	0.6 %
0	-	2389	88.2 %
1	-	157	5.8 %
2	-	31	1.1 %
3	-	12	0.4 %
4	-	5	0.2 %
5	-	2	0.1 %
6	-	1	0.0 %
8	-	1	0.0 %
40	-	1	0.0 %
50	-	1	0.0 %
. (M)	-	95	3.5 %

MDTALK3 # times talk to health professional

Location: 1164-1166 (width: 3; decimal: 0)

Variable Type: numeric

- Study 29701 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	21	0.8 %
0	-	267	9.9 %
1	-	429	15.8 %
2	-	453	16.7 %
3	-	370	13.7 %
4	-	290	10.7 %
5	-	173	6.4 %
6	-	146	5.4 %
7	-	33	1.2 %
8	-	83	3.1 %
9	-	21	0.8 %
10	-	105	3.9 %
11	-	12	0.4 %
12	-	47	1.7 %
13	-	5	0.2 %
14	-	11	0.4 %
15	-	28	1.0 %
16	-	8	0.3 %
17	-	4	0.1 %
18	-	8	0.3 %
20	-	37	1.4 %
23	-	1	0.0 %
24	-	8	0.3 %
25	-	13	0.5 %
26	-	1	0.0 %
27	-	1	0.0 %
28	-	3	0.1 %
30	-	6	0.2 %
31	-	1	0.0 %
35	-	1	0.0 %
36	-	1	0.0 %
40	-	7	0.3 %
43	-	1	0.0 %
44	-	1	0.0 %
45	-	1	0.0 %
50	-	7	0.3 %
52	-	1	0.0 %
60	-	3	0.1 %
69	-	1	0.0 %
76	>=76 times	6	0.2 %

- Study 29701 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
. (M)	-	95	3.5 %

PAPSMEA3 **Pap smear since last visit**

Location: 1167-1168 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	12	0.4 %
1	No	763	28.2 %
2	Yes	1840	67.9 %
. (M)	-	95	3.5 %

BRSTEXA3 **Breast exam since last visit**

Location: 1169-1170 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	15	0.6 %
1	No	662	24.4 %
2	Yes	1938	71.5 %
. (M)	-	95	3.5 %

MAMOGRA3 **Mammogram since last visit**

Location: 1171-1172 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	12	0.4 %
1	No	970	35.8 %
2	Yes	1633	60.3 %
. (M)	-	95	3.5 %

HLTHSER3 **Health services did not receive**

Location: 1173-1174 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	18	0.7 %
1	No	2318	85.5 %
2	Yes	279	10.3 %
. (M)	-	95	3.5 %

- Study 29701 -

HLTHSV13	Health services (1)
----------	---------------------

Location: 1175-1204 (width: 30; decimal: 0)

Variable Type: character

HLTHSV23	Health services (2)
----------	---------------------

Location: 1205-1234 (width: 30; decimal: 0)

Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
	95	3.5 %
-1	2499	92.2 %
-9	16	0.6 %
ABDOMINAL HYSTERECTOMY	1	0.0 %
ACHING THIGHS - NO TREATMENT	1	0.0 %
ANKLE & FEET PAIN	1	0.0 %
ANSWER QUES. RE BREATHING PROB	1	0.0 %
ANTI-DEPRESSION MED.& CHECK-UP	1	0.0 %
B5. BREAST EXAM	1	0.0 %
BACK PAIN	1	0.0 %
BIOPSY (MAPPING) UNDER GENERAL	1	0.0 %
BLUE SHIELD CONTRACT IN THE MI	1	0.0 %
BREAST EXAM	6	0.2 %
BREAST PHYSICAL EXAM	1	0.0 %
BREAST ULTRASOUND	1	0.0 %
CANCER SCREENING TEST/CT SCAN	1	0.0 %
CHIROPRACTIC	1	0.0 %
CHIROPRACTOR	1	0.0 %
CHIROPRACTOR-COMPLETE THERAPY	1	0.0 %
COMPLETE HEALTH WORK-UP	1	0.0 %
DENTAL	2	0.1 %
DENTAL CLEANING	1	0.0 %
DENTIST	2	0.1 %
DERMATOLOGIST TO CHECK KERATO-	1	0.0 %
DERMATOLOGY	1	0.0 %
DERMATOLOGY-MOLE REMOVAL	1	0.0 %
EKG	1	0.0 %
ENDOCRINOLOGIST	1	0.0 %
EYE	1	0.0 %
EYE EXAM	1	0.0 %
EYE GLASSES	1	0.0 %
FIBROID TREATMENT-EMBOLIZATION	1	0.0 %
FLU	1	0.0 %

- Study 29701 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
FLU SHOT	1	0.0 %
FOLLOW UP BREAST ULTRASOUND	1	0.0 %
FOLLOW UP FOR URINARY ALTC	1	0.0 %
FREQUENT VAGINITIS ALTC	1	0.0 %
GYNC GENERAL	1	0.0 %
HEADICAP SIGN FOR MY CARE	1	0.0 %
HIGH CHOLESTEROL (READING AROU	1	0.0 %
I NEED TO SEE DOCTOR FOR PHYSI	1	0.0 %
INJURED LEFT KNEE THAT NEEDED	1	0.0 %
INSOMNIA	1	0.0 %
KNEE EXAMS	1	0.0 %
MAMMOGRAM	20	0.7 %
MAMMOGRAM, AND	1	0.0 %
MAMMOGRAM-WILL SCHED B4 YR END	1	0.0 %
MAMMOGRAM	3	0.1 %
MRI	1	0.0 %
OB/GYN EXAM	1	0.0 %
OPERACION DE LA VISTA	1	0.0 %
PAIN IN ARMS FINGERS (JOINTS)	1	0.0 %
PAP	1	0.0 %
PAP SMEAR	6	0.2 %
PAP SMEAR (APPT ON AUG 11)	1	0.0 %
PAP-SMEAR, ETC.	1	0.0 %
PHYSICAL EXAM	1	0.0 %
PODIATRY	1	0.0 %
PROBLEM IN FOOT	1	0.0 %
PSYCHOLOGICAL COUNSELING/MORE	1	0.0 %
PSYCHOLOGY COUNSELOR	1	0.0 %
SHOULDER SURGERY	1	0.0 %
SORE ELBOW	1	0.0 %
TSH TEST (THYROID TEST)	1	0.0 %
ULTRASONIDO	1	0.0 %
VISION	2	0.1 %
VISIT TO ENT	1	0.0 %
WEIGHT	1	0.0 %
WEIGHT LOSS	1	0.0 %

HLTHSV33

Health services (3)

Location: 1235-1264 (width: 30; decimal: 0)

Variable Type: character

- Study 29701 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
	95	3.5 %
-1	2554	94.2 %
-9	16	0.6 %
ALTC	1	0.0 %
B6. MAMMOGRAM	1	0.0 %
BLOOD SPECIALIST	1	0.0 %
BLOOD WORK	1	0.0 %
BREAST CHECK	1	0.0 %
CARPAL TUNNEL SYNDROME	1	0.0 %
DENTIST-HAVE NOT KEPT ALTC	1	0.0 %
DIETING OR WEIGHT CONTROL	1	0.0 %
EYE EXAM	1	0.0 %
EYE EXAM FOR GLASSES	1	0.0 %
EYE EXAM/NEW GLASSES	1	0.0 %
FULL MEDICAL EXAM	1	0.0 %
GENERAL PHYSICAL	1	0.0 %
HIGH BLOOD PRESSURE MEDICATION	1	0.0 %
LEG MUSCLES IN LEG-AFTER EFFEC	1	0.0 %
LEG PAIN & SWELLING CAUSES	1	0.0 %
MAMMAGRAM AND ULTRASOUND	1	0.0 %
MAMMOGRAM	7	0.3 %
MAMMOGRAM & OTHER COLON EXAM	1	0.0 %
MEDICAL INSURANCE	1	0.0 %
MENOPAUSE RELIEF	1	0.0 %
MENTAL HEALTH THERAPY	1	0.0 %
NEUROLOGIST-FOR NERVES	1	0.0 %
ORATHAPETHIC DOCTOR	1	0.0 %
PAP SMEAR	2	0.1 %
PAST DUE FOR TOOTH CLEANING	1	0.0 %
PHYSICAL	1	0.0 %
PHYSICAL EXAM	1	0.0 %
PODIATRIST	1	0.0 %
PODIATRIST TO TREAT NEUROMAS	1	0.0 %
PSYCHOLOGY	1	0.0 %
PURCHASE EYE GLASSES	1	0.0 %
TEETH	1	0.0 %
TEETH FIXED	1	0.0 %
TREATMENT OF MENOPAUSE SUMPTOM	1	0.0 %
ULTRASOUND	1	0.0 %
VASCULAR CHECK FOR ARTERIOSCLE	1	0.0 %

- Study 29701 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
YEARLY MAMMOGRAM	1	0.0 %

PRIMREA3 **Primary reason not receive health care**

Location: 1265-1266 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	15	0.6 %
-1	N/A	2329	85.9 %
1	Not covered by ins/health plan	34	1.3 %
2	Cannot afford	37	1.4 %
3	Travel distance/lack of transport	3	0.1 %
4	No health care provider	18	0.7 %
5	Too busy/no time	91	3.4 %
6	Other	88	3.2 %
. (M)	-	95	3.5 %

SMOKERE3 **Smoked regularly since last visit**

Location: 1267-1268 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	2	0.1 %
1	No	2222	82.0 %
2	Yes	391	14.4 %
. (M)	-	95	3.5 %

AVCIGDA3 **Avg cigarettes/day since last visit**

Location: 1269-1271 (width: 3; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	2	0.1 %
-1	N/A	2224	82.1 %
0	-	25	0.9 %
1	-	14	0.5 %
2	-	16	0.6 %
3	-	12	0.4 %
4	-	19	0.7 %
5	-	34	1.3 %
6	-	20	0.7 %

- Study 29701 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
7	-	5	0.2 %
8	-	13	0.5 %
9	-	1	0.0 %
10	-	61	2.3 %
12	-	9	0.3 %
13	-	2	0.1 %
14	-	1	0.0 %
15	-	28	1.0 %
16	-	1	0.0 %
18	-	3	0.1 %
20	-	86	3.2 %
21	-	4	0.1 %
24	-	1	0.0 %
25	-	10	0.4 %
29	-	1	0.0 %
30	-	14	0.5 %
35	-	2	0.1 %
40	-	5	0.2 %
50	-	1	0.0 %
60	-	1	0.0 %
. (M)	-	95	3.5 %

HHMEMSM3 Household members who smoke

Location: 1272-1273 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	37	1.4 %
0	-	2094	77.3 %
1	-	383	14.1 %
2	-	67	2.5 %
3	-	22	0.8 %
4	-	5	0.2 %
5	-	3	0.1 %
6	-	1	0.0 %
7	-	2	0.1 %
8	-	1	0.0 %
. (M)	-	95	3.5 %

HOMEXPD3 Days exposed to smoke in home past week

Location: 1274-1275 (width: 2; decimal: 0)

- Study 29701 -

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	17	0.6 %
-1	N/A	2123	78.3 %
0	-	103	3.8 %
1	-	18	0.7 %
2	-	28	1.0 %
3	-	21	0.8 %
4	-	17	0.6 %
5	-	23	0.8 %
6	-	7	0.3 %
7	-	258	9.5 %
. (M)	-	95	3.5 %

HOMEXP3 Hrs exposed to smoke in home past week

Location: 1276-1280 (width: 5; decimal: 2)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9.00	Missing	13	0.5 %
-1.00	N/A	2235	82.5 %
0.00	-	5	0.2 %
0.25	-	1	0.0 %
0.50	-	1	0.0 %
1.00	-	84	3.1 %
2.00	-	59	2.2 %
3.00	-	38	1.4 %
4.00	-	46	1.7 %
5.00	-	22	0.8 %
6.00	-	24	0.9 %
7.00	-	12	0.4 %
8.00	-	26	1.0 %
10.00	-	12	0.4 %
12.00	-	16	0.6 %
14.00	-	3	0.1 %
15.00	-	4	0.1 %
16.00	-	6	0.2 %
20.00	-	1	0.0 %
24.00	-	7	0.3 %
. (M)	-	95	3.5 %

WRKEXP3 Past 7 days, days exposed to smoke - work

- Study 29701 -

Location: 1281-1282 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	50	1.8 %
-1	N/A	12	0.4 %
0	-	2321	85.6 %
1	-	35	1.3 %
2	-	35	1.3 %
3	-	26	1.0 %
4	-	13	0.5 %
5	-	71	2.6 %
6	-	13	0.5 %
7	-	39	1.4 %
. (M)	-	95	3.5 %

WRKEXPH3 Hours/day at work exposed to smoke

Location: 1283-1287 (width: 5; decimal: 2)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9.00	Missing	15	0.6 %
-1.00	N/A	2375	87.6 %
0.00	-	11	0.4 %
0.25	-	1	0.0 %
1.00	-	115	4.2 %
2.00	-	20	0.7 %
3.00	-	19	0.7 %
4.00	-	12	0.4 %
5.00	-	8	0.3 %
6.00	-	4	0.1 %
7.00	-	4	0.1 %
8.00	-	21	0.8 %
9.00	-	2	0.1 %
10.00	-	4	0.1 %
11.00	-	1	0.0 %
12.00	-	2	0.1 %
15.00	-	1	0.0 %
. (M)	-	95	3.5 %

PEWRKSM3 # people smoking when exposed to smoke-work

Location: 1288-1290 (width: 3; decimal: 0)

Variable Type: numeric

- Study 29701 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	16	0.6 %
-1	N/A	2375	87.6 %
0	-	17	0.6 %
1	-	71	2.6 %
2	-	44	1.6 %
3	-	33	1.2 %
4	-	23	0.8 %
5	-	5	0.2 %
6	-	7	0.3 %
7	-	6	0.2 %
8	-	2	0.1 %
9	-	1	0.0 %
10	-	10	0.4 %
12	-	1	0.0 %
15	-	2	0.1 %
25	-	1	0.0 %
30	-	1	0.0 %
. (M)	-	95	3.5 %

OTHEXP3

Total hrs exposed to smoke-other places

Location: 1291-1293 (width: 3; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	63	2.3 %
-1	N/A	5	0.2 %
0	-	1656	61.1 %
1	-	320	11.8 %
2	-	224	8.3 %
3	-	101	3.7 %
4	-	66	2.4 %
5	-	51	1.9 %
6	-	27	1.0 %
7	-	9	0.3 %
8	-	23	0.8 %
9	-	1	0.0 %
10	-	16	0.6 %
12	-	8	0.3 %
13	-	2	0.1 %
14	-	1	0.0 %

- Study 29701 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
15	-	5	0.2 %
16	-	1	0.0 %
17	-	1	0.0 %
20	-	12	0.4 %
21	-	1	0.0 %
24	-	4	0.1 %
26	-	1	0.0 %
28	-	2	0.1 %
30	-	3	0.1 %
35	-	2	0.1 %
36	-	1	0.0 %
40	-	3	0.1 %
48	-	1	0.0 %
59	-	1	0.0 %
60	-	1	0.0 %
72	-	2	0.1 %
84	-	1	0.0 %
. (M)	-	95	3.5 %

DRNKBEE3 **Drink alcoholic bev since last visit**

Location: 1294-1295 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	12	0.4 %
1	No	774	28.6 %
2	Yes	1829	67.5 %
. (M)	-	95	3.5 %

GLASBEE3 **Avg glasses of beer**

Location: 1296-1297 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	11	0.4 %
-1	N/A	779	28.7 %
1	None or < 1/mo	1135	41.9 %
2	1-3/mo	365	13.5 %
3	1/wk	109	4.0 %
4	2-4/wk	117	4.3 %
5	5-6/wk	37	1.4 %

- Study 29701 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
6	1/day	25	0.9 %
7	2-3/day	29	1.1 %
8	4/day	4	0.1 %
9	>= 5/day	4	0.1 %
. (M)	-	95	3.5 %

GLASWIN3

Avg glasses of wine

Location: 1298-1299 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	9	0.3 %
-1	N/A	779	28.7 %
1	None or < 1/mo	839	31.0 %
2	1-3/mo	447	16.5 %
3	1/wk	137	5.1 %
4	2-4/wk	227	8.4 %
5	5-6/wk	55	2.0 %
6	1/day	66	2.4 %
7	2-3/day	52	1.9 %
8	4/day	4	0.1 %
. (M)	-	95	3.5 %

GLASLIQ3

Avg glasses of liquor

Location: 1300-1301 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	12	0.4 %
-1	N/A	779	28.7 %
1	None or < 1/mo	1257	46.4 %
2	1-3/mo	367	13.5 %
3	1/wk	73	2.7 %
4	2-4/wk	87	3.2 %
5	5-6/wk	14	0.5 %
6	1/day	10	0.4 %
7	2-3/day	13	0.5 %
8	4/day	3	0.1 %
. (M)	-	95	3.5 %

PHYCTDW3

Cut down on activ/work past mo due to health

- Study 29701 -

Location: 1302-1303 (width: 2; decimal: 0)
Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	13	0.5 %
1	No	2170	80.1 %
2	Yes	432	15.9 %
. (M)	-	95	3.5 %

PHYACCO3 Accomplished less past mo due to health

Location: 1304-1305 (width: 2; decimal: 0)
Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	14	0.5 %
1	No	1861	68.7 %
2	Yes	740	27.3 %
. (M)	-	95	3.5 %

PHYLIMI3 Limited in activ/work past mo due to health

Location: 1306-1307 (width: 2; decimal: 0)
Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	14	0.5 %
1	No	2096	77.3 %
2	Yes	505	18.6 %
. (M)	-	95	3.5 %

PHYDFCL3 Difficulty perf activ/work past mo due to health

Location: 1308-1309 (width: 2; decimal: 0)
Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	12	0.4 %
1	No	1954	72.1 %
2	Yes	649	23.9 %
. (M)	-	95	3.5 %

EMOCTDW3 Cut down on activ/work past mo due to emot prob

Location: 1310-1311 (width: 2; decimal: 0)
Variable Type: numeric

- Study 29701 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	13	0.5 %
1	No	2221	82.0 %
2	Yes	381	14.1 %
. (M)	-	95	3.5 %

EMOACCO3 Accomplished less past mo due to emot prob

Location: 1312-1313 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	14	0.5 %
1	No	1955	72.1 %
2	Yes	646	23.8 %
. (M)	-	95	3.5 %

EMOCARE3 Activ/work less carefully past mo due to emot prob

Location: 1314-1315 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	12	0.4 %
1	No	2180	80.4 %
2	Yes	423	15.6 %
. (M)	-	95	3.5 %

INTERFR3 Phys health/emot prob interfered w/normal social activ

Location: 1316-1317 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	17	0.6 %
1	Not At All	1447	53.4 %
2	Slightly	689	25.4 %
3	Moderately	314	11.6 %
4	Quite A Bit	120	4.4 %
5	Extremely	28	1.0 %
. (M)	-	95	3.5 %

BODYPAI3 Bodily pain past mo

Location: 1318-1319 (width: 2; decimal: 0)

Variable Type: numeric

- Study 29701 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	18	0.7 %
1	None	460	17.0 %
2	Very Mild	874	32.3 %
3	Mild	602	22.2 %
4	Moderately	502	18.5 %
5	Severe	131	4.8 %
6	Very Severe	28	1.0 %
. (M)	-	95	3.5 %

PAINTRF3 Pain interfere w/work past mo

Location: 1320-1321 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	13	0.5 %
1	Not At All	1405	51.8 %
2	A Little Bit	735	27.1 %
3	Moderately	290	10.7 %
4	Quite A Bit	148	5.5 %
5	Extremely	24	0.9 %
. (M)	-	95	3.5 %

PEP3 Full of pep last mo

Location: 1322-1323 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	13	0.5 %
1	All Of The Time	67	2.5 %
2	Most Of The Time	602	22.2 %
3	A Good Bit Of The Time	580	21.4 %
4	Some Of The Time	779	28.7 %
5	A Little Of The Time	401	14.8 %
6	None Of The Time	173	6.4 %
. (M)	-	95	3.5 %

ENERGY3 Lots energy last mo

Location: 1324-1325 (width: 2; decimal: 0)

Variable Type: numeric

- Study 29701 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	14	0.5 %
1	All Of The Time	61	2.3 %
2	Most Of The Time	591	21.8 %
3	A Good Bit Of The Time	586	21.6 %
4	Some Of The Time	743	27.4 %
5	A Little Of The Time	466	17.2 %
6	None Of The Time	154	5.7 %
. (M)	-	95	3.5 %

WORNOUT3 Felt worn out last mo

Location: 1326-1327 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	16	0.6 %
1	All Of The Time	60	2.2 %
2	Most Of The Time	220	8.1 %
3	A Good Bit Of The Time	358	13.2 %
4	Some Of The Time	818	30.2 %
5	A Little Of The Time	887	32.7 %
6	None Of The Time	256	9.4 %
. (M)	-	95	3.5 %

TIRED3 Felt tired last mo

Location: 1328-1329 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	11	0.4 %
1	All Of The Time	74	2.7 %
2	Most Of The Time	262	9.7 %
3	A Good Bit Of The Time	405	14.9 %
4	Some Of The Time	898	33.1 %
5	A Little Of The Time	878	32.4 %
6	None Of The Time	87	3.2 %
. (M)	-	95	3.5 %

SOCIAL3 Phys health/emot prob interfered w/social activ/visiting

Location: 1330-1331 (width: 2; decimal: 0)

Variable Type: numeric

- Study 29701 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	15	0.6 %
1	All Of The Time	50	1.8 %
2	Most Of The Time	102	3.8 %
3	Some Of The Time	434	16.0 %
4	A Little Of The Time	649	23.9 %
5	None Of The Time	1365	50.4 %
. (M)	-	95	3.5 %

CARING3 Time spent past yr caring for child

Location: 1332-1333 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	16	0.6 %
-1	N/A	5	0.2 %
1	None Or Less Than 1 Hr/Wk	1934	71.4 %
2	At Least 1 hr But < 20 Hrs/Wk	399	14.7 %
3	20 Hrs Or More/Wk	261	9.6 %
. (M)	-	95	3.5 %

MEALS3 Time spent past yr preparing meals

Location: 1334-1335 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	12	0.4 %
-1	N/A	5	0.2 %
1	1 Hour Or Less Per Day	833	30.7 %
2	Between 1 And 2 Hrs/Day	1251	46.2 %
3	More Than 2 Hrs/Day	514	19.0 %
. (M)	-	95	3.5 %

ROUTNCH3 Time spent past yr light chores

Location: 1336-1337 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	12	0.4 %
-1	N/A	5	0.2 %
1	Once/Wk Or Less	431	15.9 %
2	More Than Once/Wk But < Daily	1304	48.1 %

- Study 29701 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
3	Daily Or More	863	31.8 %
. (M)	-	95	3.5 %

MODERAT3 Time spent past yr moderate chores

Location: 1338-1339 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	14	0.5 %
-1	N/A	5	0.2 %
1	Once A Month Or Less	554	20.4 %
2	2-3 Times/Month	800	29.5 %
3	4 Or More Times/Month	1242	45.8 %
. (M)	-	95	3.5 %

VIGOROU3 Time spent past yr vigorous chores

Location: 1340-1341 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	23	0.8 %
-1	N/A	5	0.2 %
1	Once A Month Or Less	2195	81.0 %
2	2-3 Times/Month	281	10.4 %
3	4 Or More Times/Month	111	4.1 %
. (M)	-	95	3.5 %

PHYSACT3 Recreational activity compared to other women same age

Location: 1342-1343 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	7	0.3 %
-8	Do not know	2	0.1 %
1	Much Less	165	6.1 %
2	Somewhat Less	445	16.4 %
3	The Same	1082	39.9 %
4	Somewhat More	671	24.8 %
5	Much More	243	9.0 %
. (M)	-	95	3.5 %

WATCHTV3 Time spent past yr watching TV

- Study 29701 -

Location: 1344-1345 (width: 2; decimal: 0)
Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	12	0.4 %
1	Never Or Less Than 1 Hr/Wk	141	5.2 %
2	At Least 1 Hr/Wk But < 1 Hr/Day	572	21.1 %
3	1-2 Hrs/Day	991	36.6 %
4	2-4 Hrs/Day	631	23.3 %
5	More Than 4 Hrs/Day	268	9.9 %
. (M)	-	95	3.5 %

WALKBIK3 Time spent walk/bike

Location: 1346-1347 (width: 2; decimal: 0)
Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	18	0.7 %
-8	Do not know	1	0.0 %
1	Never/ < 5 Minutes Per Day	1378	50.8 %
2	5-15 Minutes/Day	540	19.9 %
3	16-30 Minutes/Day	391	14.4 %
4	31-45 Minutes/Day	156	5.8 %
5	More Than 45 Minutes/Day	131	4.8 %
. (M)	-	95	3.5 %

SWEATPA3 Time spent sweat from exertion

Location: 1348-1349 (width: 2; decimal: 0)
Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	14	0.5 %
1	Never/Less Than Once A Month	747	27.6 %
2	Once A Month	374	13.8 %
3	2-3 Times A Month	395	14.6 %
4	Once/Wk	320	11.8 %
5	More Than Once/Wk	765	28.2 %
. (M)	-	95	3.5 %

SPORTS3 Time spent sport/exercise

Location: 1350-1351 (width: 2; decimal: 0)
Variable Type: numeric

- Study 29701 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	15	0.6 %
1	Never/LT Once a Month	940	34.7 %
2	Once/Month	231	8.5 %
3	2-3 Times/Month	263	9.7 %
4	Once/Wk	247	9.1 %
5	More Than Once/Wk	919	33.9 %
. (M)	-	95	3.5 %

SPOREX13 Sport done most freq past yr

Location: 1352-1391 (width: 40; decimal: 0)

Variable Type: character

RATEIN13 Incr heart rate sport 1

Location: 1392-1393 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	47	1.7 %
-8	Do not know	1	0.0 %
-1	N/A	748	27.6 %
1	No	108	4.0 %
2	Yes, A Small Increase	612	22.6 %
3	Yes, A Moderate Increase	798	29.4 %
4	Yes, A Large Increase	301	11.1 %
. (M)	-	95	3.5 %

MTHSAC13 Sport 1 # months

Location: 1394-1395 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	48	1.8 %
-1	N/A	748	27.6 %
1	Less Than 1 Month	107	3.9 %
2	1-3 Months	301	11.1 %
3	4-6 Months	315	11.6 %
4	7-9 Months	252	9.3 %
5	More Than 9 Months	844	31.1 %
. (M)	-	95	3.5 %

HRSACT13 Sport 1 hrs/wk

Location: 1396-1397 (width: 2; decimal: 0)

- Study 29701 -

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	46	1.7 %
-1	N/A	748	27.6 %
1	Less Than 1 Hour	310	11.4 %
2	At Least 1 But < 2 Hrs	501	18.5 %
3	At Least 2 But < 3 Hrs	405	14.9 %
4	At Least 3 But < 4 Hrs	280	10.3 %
5	More Than 4 Hours	325	12.0 %
. (M)	-	95	3.5 %

OTHSPOR3 Other sports done past yr

Location: 1398-1399 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	93	3.4 %
-1	N/A	748	27.6 %
1	No	917	33.8 %
2	Yes	857	31.6 %
. (M)	-	95	3.5 %

SPOREX23 Sport second most freq past yr

Location: 1400-1439 (width: 40; decimal: 0)

Variable Type: character

RATEIN23 Incr heart rate sport 2

Location: 1440-1441 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	12	0.4 %
-1	N/A	1751	64.6 %
1	No	59	2.2 %
2	Yes, A Small Increase	270	10.0 %
3	Yes, A Moderate Increase	367	13.5 %
4	Yes, A Large Increase	156	5.8 %
. (M)	-	95	3.5 %

MTHSAC23 Sport 2 # months

Location: 1442-1443 (width: 2; decimal: 0)

Variable Type: numeric

- Study 29701 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	13	0.5 %
-1	N/A	1751	64.6 %
1	Less Than 1 Month	87	3.2 %
2	1-3 Months	225	8.3 %
3	4-6 Months	189	7.0 %
4	7-9 Months	93	3.4 %
5	More Than 9 Months	257	9.5 %
. (M)	-	95	3.5 %

HRSACT23

Sport 2 hrs/wk

Location: 1444-1445 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	12	0.4 %
-1	N/A	1751	64.6 %
1	Less Than 1 Hour	175	6.5 %
2	At Least 1 But < 2 Hrs	286	10.6 %
3	At Least 2 But < 3 Hrs	201	7.4 %
4	At Least 3 But < 4 Hrs	104	3.8 %
5	More Than 4 Hours	86	3.2 %
. (M)	-	95	3.5 %

PHYSWOR3

Work physical compared to other women same age

Location: 1446-1447 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	102	3.8 %
-8	Do not know	73	2.7 %
-1	N/A	275	10.1 %
1	Much Lighter	129	4.8 %
2	Lighter	322	11.9 %
3	The Same	1136	41.9 %
4	Heavier	442	16.3 %
5	Much Heavier	136	5.0 %
. (M)	-	95	3.5 %

WORKTIR3

Physically tired after work

Location: 1448-1449 (width: 2; decimal: 0)

Variable Type: numeric

- Study 29701 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	110	4.1 %
-1	N/A	275	10.1 %
1	Never	134	4.9 %
2	Seldom	441	16.3 %
3	Sometimes	1051	38.8 %
4	Often	450	16.6 %
5	Always	154	5.7 %
. (M)	-	95	3.5 %

WRKACTA3 **How often sit in current job**

Location: 1450-1451 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	120	4.4 %
-8	Do not know	8	0.3 %
-1	N/A	276	10.2 %
1	Never	176	6.5 %
2	Less Than Half Of The Time	604	22.3 %
3	About Half Of The Time	376	13.9 %
4	More Than Half Of The Time	736	27.2 %
5	Always	319	11.8 %
. (M)	-	95	3.5 %

WRKACTB3 **How often stand in current job**

Location: 1452-1453 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	121	4.5 %
-8	Do not know	13	0.5 %
-1	N/A	276	10.2 %
1	Never	150	5.5 %
2	Less Than Half Of The Time	1129	41.7 %
3	About Half Of The Time	301	11.1 %
4	More Than Half Of The Time	374	13.8 %
5	Always	251	9.3 %
. (M)	-	95	3.5 %

WRKACTC3 **How often walk in current job**

Location: 1454-1455 (width: 2; decimal: 0)

- Study 29701 -

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	129	4.8 %
-8	Do not know	17	0.6 %
-1	N/A	276	10.2 %
1	Never	119	4.4 %
2	Less Than Half Of The Time	1249	46.1 %
3	About Half Of The Time	346	12.8 %
4	More Than Half Of The Time	285	10.5 %
5	Always	194	7.2 %
. (M)	-	95	3.5 %

WRKACTD3 **How often lift > 15 lbs in current job**

Location: 1456-1457 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	122	4.5 %
-8	Do not know	17	0.6 %
-1	N/A	276	10.2 %
1	Never	1212	44.7 %
2	Less Than Half Of The Time	712	26.3 %
3	About Half Of The Time	99	3.7 %
4	More Than Half Of The Time	77	2.8 %
5	Always	100	3.7 %
. (M)	-	95	3.5 %

WRKACTE3 **How often stoop/bend in current job**

Location: 1458-1459 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	114	4.2 %
-8	Do not know	24	0.9 %
-1	N/A	276	10.2 %
1	Never	531	19.6 %
2	Less Than Half Of The Time	1086	40.1 %
3	About Half Of The Time	228	8.4 %
4	More Than Half Of The Time	180	6.6 %
5	Always	176	6.5 %
. (M)	-	95	3.5 %

WRKACTF3 **How often push heavy equip in current job**

- Study 29701 -

Location: 1460-1461 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	113	4.2 %
-8	Do not know	11	0.4 %
-1	N/A	276	10.2 %
1	Never	1238	45.7 %
2	Less Than Half Of The Time	742	27.4 %
3	About Half Of The Time	90	3.3 %
4	More Than Half Of The Time	62	2.3 %
5	Always	83	3.1 %
. (M)	-	95	3.5 %

WRKACTG3 How often sweat from exertion in current job

Location: 1462-1463 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	113	4.2 %
-8	Do not know	18	0.7 %
-1	N/A	276	10.2 %
1	Never	1503	55.5 %
2	Less Than Half Of The Time	515	19.0 %
3	About Half Of The Time	83	3.1 %
4	More Than Half Of The Time	42	1.5 %
5	Always	65	2.4 %
. (M)	-	95	3.5 %

CHORES3 Chores-Current level of phys act

Location: 1464-1465 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	12	0.4 %
1	Much Greater Now	71	2.6 %
2	Greater Now	270	10.0 %
3	About the Same	1908	70.4 %
4	Less Now	298	11.0 %
5	Much less Now	56	2.1 %
. (M)	-	95	3.5 %

WORKPHY3 Work for pay-current level of phys act

- Study 29701 -

Location: 1466-1467 (width: 2; decimal: 0)
Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	22	0.8 %
-1	N/A	406	15.0 %
1	Much Greater Now	77	2.8 %
2	Greater Now	255	9.4 %
3	About the Same	1676	61.8 %
4	Less Now	122	4.5 %
5	Much less Now	57	2.1 %
. (M)	-	95	3.5 %

PLANSPO3 **Planned sports-current level of phys act**

Location: 1468-1469 (width: 2; decimal: 0)
Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	39	1.4 %
1	Much Greater Now	70	2.6 %
2	Greater Now	286	10.6 %
3	About the Same	1545	57.0 %
4	Less Now	366	13.5 %
5	Much less Now	309	11.4 %
. (M)	-	95	3.5 %

ROUTINE3 **Routine phys act-current level of phys act**

Location: 1470-1471 (width: 2; decimal: 0)
Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	13	0.5 %
1	Much Greater Now	88	3.2 %
2	Greater Now	396	14.6 %
3	About the Same	1762	65.0 %
4	Less Now	265	9.8 %
5	Much less Now	91	3.4 %
. (M)	-	95	3.5 %

STIFF3 **Stiffness/soreness past 2 wks**

Location: 1472-1473 (width: 2; decimal: 0)
Variable Type: numeric

- Study 29701 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	8	0.3 %
1	Not At All	603	22.3 %
2	1-5 Days	1194	44.1 %
3	6-8 Days	224	8.3 %
4	9-13 Days	143	5.3 %
5	Every Day	443	16.3 %
. (M)	-	95	3.5 %

ACHES3 Back aches/pains past 2 wks

Location: 1474-1475 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	16	0.6 %
1	Not At All	981	36.2 %
2	1-5 Days	1033	38.1 %
3	6-8 Days	201	7.4 %
4	9-13 Days	109	4.0 %
5	Every Day	275	10.1 %
. (M)	-	95	3.5 %

COLDSWE3 Cold sweats past 2 wks

Location: 1476-1477 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	21	0.8 %
1	Not At All	2266	83.6 %
2	1-5 Days	239	8.8 %
3	6-8 Days	35	1.3 %
4	9-13 Days	22	0.8 %
5	Every Day	32	1.2 %
. (M)	-	95	3.5 %

NITESWE3 Night sweats past 2 wks

Location: 1478-1479 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	10	0.4 %
1	Not At All	1655	61.1 %

- Study 29701 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	1-5 Days	664	24.5 %
3	6-8 Days	129	4.8 %
4	9-13 Days	72	2.7 %
5	Every Day	85	3.1 %
. (M)	-	95	3.5 %

VAGINDR3

Vaginal dryness past 2 wks

Location: 1480-1481 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	23	0.8 %
1	Not At All	1905	70.3 %
2	1-5 Days	463	17.1 %
3	6-8 Days	80	3.0 %
4	9-13 Days	57	2.1 %
5	Every Day	87	3.2 %
. (M)	-	95	3.5 %

FEELBLU3

Feeling blue past 2 wks

Location: 1482-1483 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	7	0.3 %
1	Not At All	1132	41.8 %
2	1-5 Days	1117	41.2 %
3	6-8 Days	175	6.5 %
4	9-13 Days	106	3.9 %
5	Every Day	78	2.9 %
. (M)	-	95	3.5 %

DIZZY3

Dizzy spells past 2 wks

Location: 1484-1485 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	10	0.4 %
1	Not At All	2070	76.4 %
2	1-5 Days	456	16.8 %
3	6-8 Days	46	1.7 %

- Study 29701 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
4	9-13 Days	21	0.8 %
5	Every Day	12	0.4 %
. (M)	-	95	3.5 %

IRRITAB3 Irritability past 2 wks

Location: 1486-1487 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	12	0.4 %
1	Not At All	889	32.8 %
2	1-5 Days	1364	50.3 %
3	6-8 Days	216	8.0 %
4	9-13 Days	87	3.2 %
5	Every Day	47	1.7 %
. (M)	-	95	3.5 %

NRVOUS3 Tense/nervous past 2 wks

Location: 1488-1489 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	20	0.7 %
1	Not At All	1048	38.7 %
2	1-5 Days	1170	43.2 %
3	6-8 Days	218	8.0 %
4	9-13 Days	87	3.2 %
5	Every Day	72	2.7 %
. (M)	-	95	3.5 %

FORGET3 Forgetfulness past 2 wks

Location: 1490-1491 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	15	0.6 %
1	Not At All	887	32.7 %
2	1-5 Days	1188	43.8 %
3	6-8 Days	242	8.9 %
4	9-13 Days	126	4.6 %
5	Every Day	157	5.8 %

- Study 29701 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
. (M)	-	95	3.5 %

MOODCHG3 **Freq mood changes past 2 wks**

Location: 1492-1493 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	9	0.3 %
1	Not At All	1417	52.3 %
2	1-5 Days	929	34.3 %
3	6-8 Days	146	5.4 %
4	9-13 Days	64	2.4 %
5	Every Day	50	1.8 %
. (M)	-	95	3.5 %

HARTRAC3 **Heart pounding/racing past 2 wks**

Location: 1494-1495 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	14	0.5 %
1	Not At All	1847	68.2 %
2	1-5 Days	606	22.4 %
3	6-8 Days	90	3.3 %
4	9-13 Days	36	1.3 %
5	Every Day	22	0.8 %
. (M)	-	95	3.5 %

FEARFUL3 **Feeling fearful past 2 wks**

Location: 1496-1497 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	16	0.6 %
1	Not At All	2128	78.5 %
2	1-5 Days	370	13.7 %
3	6-8 Days	53	2.0 %
4	9-13 Days	25	0.9 %
5	Every Day	23	0.8 %
. (M)	-	95	3.5 %

HDACHE3 **Headaches past 2 wks**

- Study 29701 -

Location: 1498-1499 (width: 2; decimal: 0)
Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	14	0.5 %
1	Not At All	999	36.9 %
2	1-5 Days	1283	47.3 %
3	6-8 Days	183	6.8 %
4	9-13 Days	91	3.4 %
5	Every Day	45	1.7 %
. (M)	-	95	3.5 %

HOTFLAS3 Hot flashes past 2 wks

Location: 1500-1501 (width: 2; decimal: 0)
Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	5	0.2 %
1	Not At All	1524	56.2 %
2	1-5 Days	680	25.1 %
3	6-8 Days	163	6.0 %
4	9-13 Days	105	3.9 %
5	Every Day	138	5.1 %
. (M)	-	95	3.5 %

TRBLSLE3 Trouble falling asleep past 2 wks

Location: 1502-1503 (width: 2; decimal: 0)
Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	14	0.5 %
1	No, Not In The Past 2 Wks	1450	53.5 %
2	Yes, < Once A Wk	476	17.6 %
3	Yes, 1-2 Times/Wk	377	13.9 %
4	Yes, 3-4 Times/Wk	144	5.3 %
5	Yes, 5 or More Times/Wk	154	5.7 %
. (M)	-	95	3.5 %

WAKEUP3 Wake up several times/night past 2 wks

Location: 1504-1505 (width: 2; decimal: 0)
Variable Type: numeric

- Study 29701 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	13	0.5 %
1	No, Not In The Past 2 Wks	803	29.6 %
2	Yes, < Once A Wk	482	17.8 %
3	Yes, 1-2 Times/Wk	539	19.9 %
4	Yes, 3-4 Times/Wk	349	12.9 %
5	Yes, 5 or More Times/Wk	429	15.8 %
. (M)	-	95	3.5 %

WAKEARL3 Wake up early past 2 wks

Location: 1506-1507 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	14	0.5 %
1	No, Not In The Past 2 Wks	1257	46.4 %
2	Yes, < Once A Wk	560	20.7 %
3	Yes, 1-2 Times/Wk	405	14.9 %
4	Yes, 3-4 Times/Wk	210	7.7 %
5	Yes, 5 or More Times/Wk	169	6.2 %
. (M)	-	95	3.5 %

TYPNIGH3 Typical night's sleep past 2 wks

Location: 1508-1509 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	17	0.6 %
1	Very sound or restful	223	8.2 %
2	Sound or restful	651	24.0 %
3	Average quality	1130	41.7 %
4	Restless	497	18.3 %
5	Very restless	97	3.6 %
. (M)	-	95	3.5 %

BEDTIME3 Usual bed time past month

Location: 1510-1514 (width: 5; decimal: 0)

Variable Type: character

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
	-	95	3.5 %
-1	N/A	5	0.2 %

- Study 29701 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-8	Do not know	2	0.1 %
-9	Missing	35	1.3 %
00:30	-	1	0.0 %
01:00	-	109	4.0 %
01:20	-	1	0.0 %
01:30	-	22	0.8 %
02:00	-	29	1.1 %
02:30	-	9	0.3 %
02:40	-	1	0.0 %
02:45	-	1	0.0 %
03:00	-	15	0.6 %
03:30	-	5	0.2 %
04:00	-	9	0.3 %
04:30	-	1	0.0 %
05:00	-	4	0.1 %
06:00	-	4	0.1 %
07:00	-	9	0.3 %
07:30	-	3	0.1 %
07:45	-	1	0.0 %
08:00	-	25	0.9 %
08:30	-	15	0.6 %
08:45	-	1	0.0 %
09:00	-	84	3.1 %
09:15	-	2	0.1 %
09:30	-	106	3.9 %
09:45	-	2	0.1 %
10:00	-	413	15.2 %
10:10	-	1	0.0 %
10:15	-	13	0.5 %
10:30	-	294	10.8 %
10:45	-	7	0.3 %
10:50	-	1	0.0 %
11:00	-	615	22.7 %
11:10	-	1	0.0 %
11:15	-	12	0.4 %
11:20	-	3	0.1 %
11:30	-	371	13.7 %
11:45	-	29	1.1 %
12:00	-	241	8.9 %
12:15	-	4	0.1 %

- Study 29701 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
12:30	-	107	3.9 %
12:40	-	1	0.0 %
12:45	-	1	0.0 %

BEDTIMA3 **Bed time AM/PM**

Location: 1515-1516 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	34	1.3 %
-8	Do not know	2	0.1 %
-1	N/A	5	0.2 %
1	A.M.	542	20.0 %
2	P.M.	2032	75.0 %
. (M)	-	95	3.5 %

NUMMINU3 **# minutes to fall asleep past mon**

Location: 1517-1520 (width: 4; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	68	2.5 %
-8	Do not know	1	0.0 %
-1	N/A	5	0.2 %
0	-	10	0.4 %
1	-	50	1.8 %
2	-	87	3.2 %
3	-	59	2.2 %
4	-	13	0.5 %
5	-	501	18.5 %
6	-	3	0.1 %
7	-	19	0.7 %
8	-	17	0.6 %
9	-	1	0.0 %
10	-	526	19.4 %
12	-	5	0.2 %
13	-	6	0.2 %
15	-	393	14.5 %
17	-	4	0.1 %
18	-	8	0.3 %
20	-	231	8.5 %

- Study 29701 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
22	-	2	0.1 %
23	-	1	0.0 %
25	-	22	0.8 %
27	-	1	0.0 %
30	-	358	13.2 %
35	-	10	0.4 %
40	-	21	0.8 %
45	-	51	1.9 %
48	-	1	0.0 %
50	-	5	0.2 %
55	-	1	0.0 %
60	-	105	3.9 %
75	-	3	0.1 %
90	-	13	0.5 %
120	-	11	0.4 %
160	-	1	0.0 %
300	-	1	0.0 %
360	-	1	0.0 %
. (M)	-	95	3.5 %

GETUPTI3

Time up in morning past mon

Location: 1521-1525 (width: 5; decimal: 0)

Variable Type: character

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
	-	95	3.5 %
-1	N/A	5	0.2 %
-8	Do not know	2	0.1 %
-9	Missing	33	1.2 %
01:00	-	9	0.3 %
01:30	-	1	0.0 %
02:00	-	18	0.7 %
02:30	-	6	0.2 %
02:45	-	1	0.0 %
03:00	-	16	0.6 %
03:15	-	1	0.0 %
03:30	-	11	0.4 %
03:45	-	4	0.1 %
04:00	-	42	1.5 %
04:10	-	2	0.1 %

- Study 29701 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
04:15	-	4	0.1 %
04:20	-	2	0.1 %
04:30	-	44	1.6 %
04:35	-	1	0.0 %
04:40	-	1	0.0 %
04:45	-	21	0.8 %
04:50	-	2	0.1 %
04:55	-	2	0.1 %
05:00	-	164	6.1 %
05:05	-	1	0.0 %
05:10	-	3	0.1 %
05:15	-	39	1.4 %
05:20	-	9	0.3 %
05:25	-	1	0.0 %
05:30	-	226	8.3 %
05:40	-	8	0.3 %
05:45	-	54	2.0 %
05:50	-	10	0.4 %
05:55	-	3	0.1 %
05:59	-	1	0.0 %
06:00	-	451	16.6 %
06:01	-	1	0.0 %
06:05	-	2	0.1 %
06:10	-	13	0.5 %
06:15	-	67	2.5 %
06:20	-	18	0.7 %
06:25	-	3	0.1 %
06:30	-	376	13.9 %
06:35	-	5	0.2 %
06:40	-	12	0.4 %
06:45	-	79	2.9 %
06:50	-	6	0.2 %
07:00	-	344	12.7 %
07:10	-	6	0.2 %
07:15	-	28	1.0 %
07:20	-	2	0.1 %
07:30	-	152	5.6 %
07:40	-	3	0.1 %
07:45	-	8	0.3 %
07:50	-	1	0.0 %

- Study 29701 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
08:00	-	116	4.3 %
08:15	-	2	0.1 %
08:30	-	41	1.5 %
08:55	-	1	0.0 %
09:00	-	48	1.8 %
09:15	-	2	0.1 %
09:30	-	17	0.6 %
10:00	-	26	1.0 %
10:10	-	1	0.0 %
10:30	-	10	0.4 %
11:00	-	18	0.7 %
11:15	-	1	0.0 %
11:30	-	3	0.1 %
12:00	-	3	0.1 %
14:00	-	1	0.0 %
14:30	-	1	0.0 %

GETPAMP3

Time up - AM/PM

Location: 1526-1527 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	38	1.4 %
-8	Do not know	2	0.1 %
-1	N/A	5	0.2 %
1	A.M.	2515	92.8 %
2	P.M.	55	2.0 %
. (M)	-	95	3.5 %

HRSSLEE3

Hours sleep/night past month

Location: 1528-1532 (width: 5; decimal: 2)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9.00	Missing	60	2.2 %
-1.00	N/A	5	0.2 %
1.00	-	2	0.1 %
2.00	-	3	0.1 %
2.75	-	1	0.0 %
3.00	-	20	0.7 %
3.30	-	1	0.0 %

- Study 29701 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
3.50	-	2	0.1 %
4.00	-	96	3.5 %
4.30	-	1	0.0 %
4.50	-	19	0.7 %
5.00	-	292	10.8 %
5.25	-	1	0.0 %
5.30	-	6	0.2 %
5.50	-	55	2.0 %
5.75	-	1	0.0 %
6.00	-	596	22.0 %
6.25	-	2	0.1 %
6.30	-	13	0.5 %
6.50	-	119	4.4 %
6.75	-	7	0.3 %
7.00	-	752	27.7 %
7.25	-	4	0.1 %
7.30	-	2	0.1 %
7.50	-	75	2.8 %
7.75	-	5	0.2 %
8.00	-	375	13.8 %
8.30	-	1	0.0 %
8.50	-	15	0.6 %
9.00	-	64	2.4 %
9.30	-	1	0.0 %
9.50	-	1	0.0 %
10.00	-	13	0.5 %
11.00	-	1	0.0 %
12.00	-	4	0.1 %
. (M)	-	95	3.5 %

TOOCOLD3

Trouble sleeping - too cold

Location: 1533-1534 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	25	0.9 %
-1	N/A	5	0.2 %
1	Not during past month	2005	74.0 %
2	Less than once/week	393	14.5 %
3	Once or twice/week	126	4.6 %

- Study 29701 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
4	3 or more times/week	61	2.3 %
. (M)	-	95	3.5 %

TOOHOT3 **Trouble sleeping - too hot**

Location: 1535-1536 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	21	0.8 %
-1	N/A	5	0.2 %
1	Not during past month	1497	55.2 %
2	Less than once/week	513	18.9 %
3	Once or twice/week	339	12.5 %
4	3 or more times/week	240	8.9 %
. (M)	-	95	3.5 %

BADREAM3 **Trouble sleeping - bad dreams**

Location: 1537-1538 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	22	0.8 %
-1	N/A	5	0.2 %
1	Not during past month	2121	78.3 %
2	Less than once/week	349	12.9 %
3	Once or twice/week	89	3.3 %
4	3 or more times/week	29	1.1 %
. (M)	-	95	3.5 %

HAVPAIN3 **Trouble sleeping - have pain**

Location: 1539-1540 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	17	0.6 %
-1	N/A	5	0.2 %
1	Not during past month	1761	65.0 %
2	Less than once/week	372	13.7 %
3	Once or twice/week	234	8.6 %
4	3 or more times/week	226	8.3 %
. (M)	-	95	3.5 %

- Study 29701 -

TRBSLPE3 Trouble sleeping - other reason

Location: 1541-1542 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	143	5.3 %
-1	N/A	6	0.2 %
1	Not during past month	1677	61.9 %
2	Less than once/week	154	5.7 %
3	Once or twice/week	273	10.1 %
4	3 or more times/week	362	13.4 %
. (M)	-	95	3.5 %

OTHTRB3 Trouble sleeping - other specify

Location: 1543-1582 (width: 40; decimal: 0)

Variable Type: character

SLEEPQL3 Sleep quality overall past month

Location: 1583-1584 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	15	0.6 %
-1	N/A	5	0.2 %
1	Very good	578	21.3 %
2	Fairly good	1467	54.1 %
3	Fairly bad	453	16.7 %
4	Very bad	97	3.6 %
. (M)	-	95	3.5 %

MEDICIN3 Meds to help sleep past month

Location: 1585-1586 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	14	0.5 %
-1	N/A	5	0.2 %
1	Not during past month	2182	80.5 %
2	Less than once/week	156	5.8 %
3	Once or twice/week	90	3.3 %
4	3 or more times/week	168	6.2 %
. (M)	-	95	3.5 %

TRBAWAK3 Trouble staying awake past month

- Study 29701 -

Location: 1587-1588 (width: 2; decimal: 0)
Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	11	0.4 %
-1	N/A	5	0.2 %
1	Not during past month	2042	75.4 %
2	Less than once/week	349	12.9 %
3	Once or twice/week	147	5.4 %
4	3 or more times/week	61	2.3 %
. (M)	-	95	3.5 %

ENTHUS3 Problem keep enthused past month

Location: 1589-1590 (width: 2; decimal: 0)
Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	12	0.4 %
-1	N/A	5	0.2 %
1	No Problem at All	969	35.8 %
2	Very Slight Problem	1040	38.4 %
3	Somewhat of a Problem	468	17.3 %
4	Very Big Problem	121	4.5 %
. (M)	-	95	3.5 %

GETUPUR3 How often get up to urinate

Location: 1591-1592 (width: 2; decimal: 0)
Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	10	0.4 %
1	Never	375	13.8 %
2	Rarely (< Once A Wk)	604	22.3 %
3	Once/Wk	208	7.7 %
4	A Few Times/Wk	489	18.0 %
5	Once A Night, Every Night	594	21.9 %
6	More Than Once Per Night	335	12.4 %
. (M)	-	95	3.5 %

UTI3 Urinary tract inf since last visit

Location: 1593-1594 (width: 2; decimal: 0)
Variable Type: numeric

- Study 29701 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	12	0.4 %
1	No	2345	86.5 %
2	Yes	258	9.5 %
. (M)	-	95	3.5 %

INVOLEA3 **Involuntary leakage since last visit**

Location: 1595-1596 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	27	1.0 %
1	No	974	35.9 %
2	Yes	1614	59.6 %
. (M)	-	95	3.5 %

DAYSLEA3 **Leakage days past mo**

Location: 1597-1598 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	15	0.6 %
-1	N/A	1001	36.9 %
1	Never	182	6.7 %
2	Less Than 1 Day/Week	910	33.6 %
3	Several Days/Week	345	12.7 %
4	Almost Daily/Daily	162	6.0 %
. (M)	-	95	3.5 %

COUGHIN3 **Coughing caused leakage**

Location: 1599-1600 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	80	3.0 %
-1	N/A	996	36.8 %
1	No	599	22.1 %
2	Yes	940	34.7 %
. (M)	-	95	3.5 %

LAUGHIN3 **Laughing caused leakage**

Location: 1601-1602 (width: 2; decimal: 0)

Variable Type: numeric

- Study 29701 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	143	5.3 %
-1	N/A	996	36.8 %
1	No	1030	38.0 %
2	Yes	446	16.5 %
. (M)	-	95	3.5 %

SNEEZIN3 Sneezing caused leakage

Location: 1603-1604 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	87	3.2 %
-1	N/A	996	36.8 %
1	No	532	19.6 %
2	Yes	1000	36.9 %
. (M)	-	95	3.5 %

JOGGING3 Jogging caused leakage

Location: 1605-1606 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	167	6.2 %
-1	N/A	996	36.8 %
1	No	1238	45.7 %
2	Yes	214	7.9 %
. (M)	-	95	3.5 %

PICKUP3 Picking up object caused leakage

Location: 1607-1608 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	165	6.1 %
-1	N/A	996	36.8 %
1	No	1290	47.6 %
2	Yes	164	6.1 %
. (M)	-	95	3.5 %

URGEVOI3 Urge to void caused leakage

Location: 1609-1610 (width: 2; decimal: 0)

Variable Type: numeric

- Study 29701 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	98	3.6 %
-1	N/A	996	36.8 %
1	No	679	25.1 %
2	Yes	842	31.1 %
. (M)	-	95	3.5 %

OTHRLEA3 **Other causes of leakage**

Location: 1611-1612 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	219	8.1 %
-1	N/A	996	36.8 %
1	No	1222	45.1 %
2	Yes	178	6.6 %
. (M)	-	95	3.5 %

AMTLEAK3 **Amount of leakage**

Location: 1613-1614 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	13	0.5 %
-1	N/A	996	36.8 %
1	A Drop Or Two	982	36.2 %
2	Enough to Change Underwear/Wear Liner	567	20.9 %
3	Enough to Wet Outer Clothing	52	1.9 %
4	Enough to Wet Floor	5	0.2 %
. (M)	-	95	3.5 %

LEAKBOT3 **Leakage bothers (scale 0-10)**

Location: 1615-1617 (width: 3; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	11	0.4 %
-1	N/A	996	36.8 %
0	-	129	4.8 %
1	-	220	8.1 %
2	-	186	6.9 %
3	-	179	6.6 %

- Study 29701 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
4	-	128	4.7 %
5	-	291	10.7 %
6	-	86	3.2 %
7	-	91	3.4 %
8	-	102	3.8 %
9	-	59	2.2 %
10	-	137	5.1 %
. (M)	-	95	3.5 %

NUTRIRE3

Nutritional remedies past yr

Location: 1618-1619 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	4	0.1 %
1	No	1629	60.1 %
2	Yes	982	36.2 %
. (M)	-	95	3.5 %

HERBREM3

Herbal remedies past yr

Location: 1620-1621 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	6	0.2 %
1	No	1977	73.0 %
2	Yes	632	23.3 %
. (M)	-	95	3.5 %

PSYCMET3

Psychological methods past yr

Location: 1622-1623 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	12	0.4 %
1	No	2088	77.0 %
2	Yes	515	19.0 %
. (M)	-	95	3.5 %

PHYSMET3

Physical methods past yr

Location: 1624-1625 (width: 2; decimal: 0)

Variable Type: numeric

- Study 29701 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	9	0.3 %
1	No	2028	74.8 %
2	Yes	578	21.3 %
. (M)	-	95	3.5 %

FOLKMED3

Folk medicine past yr

Location: 1626-1627 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	11	0.4 %
1	No	2488	91.8 %
2	Yes	116	4.3 %
. (M)	-	95	3.5 %

OTHRTHE3

Other diet/behav therapies past yr

Location: 1628-1629 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	147	5.4 %
1	No	2216	81.8 %
2	Yes	252	9.3 %
. (M)	-	95	3.5 %

SPECOTH3

Other diet/behav therapies-specify

Location: 1630-1659 (width: 30; decimal: 0)

Variable Type: character

STARTNE3

Started new job/school upsetting since last visit

Location: 1660-1661 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	-Missing	10	0.4 %
1	No	1981	73.1 %
2	Yes, Not At All Upsetting	330	12.2 %
3	Yes, Somewhat Upsetting	220	8.1 %
4	Yes, Very Upsetting	54	2.0 %
5	Yes, Very Upsetting & Still Upsetting	20	0.7 %
. (M)	-	95	3.5 %

WORKTRB3

Work problems upsetting since last visit

- Study 29701 -

Location: 1662-1663 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	-Missing	2	0.1 %
1	No	1677	61.9 %
2	Yes, Not At All Upsetting	138	5.1 %
3	Yes, Somewhat Upsetting	517	19.1 %
4	Yes, Very Upsetting	185	6.8 %
5	Yes, Very Upsetting & Still Upsetting	96	3.5 %
. (M)	-	95	3.5 %

QUITJOB3 Quit job upsetting since last visit

Location: 1664-1665 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	-Missing	12	0.4 %
1	No	2385	88.0 %
2	Yes, Not At All Upsetting	77	2.8 %
3	Yes, Somewhat Upsetting	73	2.7 %
4	Yes, Very Upsetting	44	1.6 %
5	Yes, Very Upsetting & Still Upsetting	24	0.9 %
. (M)	-	95	3.5 %

WORKLOA3 Increase work load upsetting since last visit

Location: 1666-1667 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	-Missing	14	0.5 %
1	No	1761	65.0 %
2	Yes, Not At All Upsetting	331	12.2 %
3	Yes, Somewhat Upsetting	404	14.9 %
4	Yes, Very Upsetting	78	2.9 %
5	Yes, Very Upsetting & Still Upsetting	27	1.0 %
. (M)	-	95	3.5 %

PRTUNEM3 Partner unemployed upsetting since last visit

Location: 1668-1669 (width: 2; decimal: 0)

Variable Type: numeric

- Study 29701 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	-Missing	18	0.7 %
1	No	2419	89.3 %
2	Yes, Not At All Upsetting	42	1.5 %
3	Yes, Somewhat Upsetting	76	2.8 %
4	Yes, Very Upsetting	28	1.0 %
5	Yes, Very Upsetting & Still Upsetting	32	1.2 %
. (M)	-	95	3.5 %

MONEYPR3 Money problems upsetting since last visit

Location: 1670-1671 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	-Missing	3	0.1 %
1	No	1978	73.0 %
2	Yes, Not At All Upsetting	99	3.7 %
3	Yes, Somewhat Upsetting	309	11.4 %
4	Yes, Very Upsetting	115	4.2 %
5	Yes, Very Upsetting & Still Upsetting	111	4.1 %
. (M)	-	95	3.5 %

WORSREL3 Worsening relationship upsetting since last visit

Location: 1672-1673 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	-Missing	16	0.6 %
1	No	2279	84.1 %
2	Yes, Not At All Upsetting	49	1.8 %
3	Yes, Somewhat Upsetting	150	5.5 %
4	Yes, Very Upsetting	61	2.3 %
5	Yes, Very Upsetting & Still Upsetting	60	2.2 %
. (M)	-	95	3.5 %

RELATEN3 Ended relationship upsetting since last visit

Location: 1674-1675 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	-Missing	13	0.5 %
1	No	2451	90.4 %

- Study 29701 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	Yes, Not At All Upsetting	27	1.0 %
3	Yes, Somewhat Upsetting	52	1.9 %
4	Yes, Very Upsetting	26	1.0 %
5	Yes, Very Upsetting & Still Upsetting	46	1.7 %
. (M)	-	95	3.5 %

SERIPRO3 **Serious family problem upsetting since last visit**

Location: 1676-1677 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	-Missing	4	0.1 %
1	No	1820	67.2 %
2	Yes, Not At All Upsetting	78	2.9 %
3	Yes, Somewhat Upsetting	364	13.4 %
4	Yes, Very Upsetting	211	7.8 %
5	Yes, Very Upsetting & Still Upsetting	138	5.1 %
. (M)	-	95	3.5 %

CHILDMO3 **Child moved upsetting since last visit**

Location: 1678-1679 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	-Missing	8	0.3 %
1	No	2154	79.5 %
2	Yes, Not At All Upsetting	219	8.1 %
3	Yes, Somewhat Upsetting	169	6.2 %
4	Yes, Very Upsetting	40	1.5 %
5	Yes, Very Upsetting & Still Upsetting	25	0.9 %
. (M)	-	95	3.5 %

RESPCAR3 **Responsibility for care upsetting since last visit**

Location: 1680-1681 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	-Missing	9	0.3 %
1	No	2243	82.8 %
2	Yes, Not At All Upsetting	154	5.7 %
3	Yes, Somewhat Upsetting	135	5.0 %

- Study 29701 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
4	Yes, Very Upsetting	41	1.5 %
5	Yes, Very Upsetting & Still Upsetting	33	1.2 %
. (M)	-	95	3.5 %

LEGALPR3 Legal problems upsetting since last visit

Location: 1682-1683 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	-Missing	8	0.3 %
1	No	2311	85.3 %
2	Yes, Not At All Upsetting	50	1.8 %
3	Yes, Somewhat Upsetting	122	4.5 %
4	Yes, Very Upsetting	78	2.9 %
5	Yes, Very Upsetting & Still Upsetting	46	1.7 %
. (M)	-	95	3.5 %

HUSBDIE3 Husband/partner died upsetting since last visit

Location: 1684-1685 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	-Missing	26	1.0 %
1	No	2549	94.1 %
2	Yes, Not At All Upsetting	6	0.2 %
3	Yes, Somewhat Upsetting	9	0.3 %
4	Yes, Very Upsetting	8	0.3 %
5	Yes, Very Upsetting & Still Upsetting	17	0.6 %
. (M)	-	95	3.5 %

CHLDDIE3 Child died upsetting since last visit

Location: 1686-1687 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	-Missing	51	1.9 %
1	No	2547	94.0 %
2	Yes, Not At All Upsetting	2	0.1 %
3	Yes, Somewhat Upsetting	4	0.1 %
4	Yes, Very Upsetting	3	0.1 %
5	Yes, Very Upsetting & Still Upsetting	8	0.3 %

- Study 29701 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
. (M)	-	95	3.5 %

PRNTDIE3 **Parent died upsetting since last visit**

Location: 1688-1689 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	-Missing	41	1.5 %
1	No	2395	88.4 %
2	Yes, Not At All Upsetting	14	0.5 %
3	Yes, Somewhat Upsetting	49	1.8 %
4	Yes, Very Upsetting	57	2.1 %
5	Yes, Very Upsetting & Still Upsetting	59	2.2 %
. (M)	-	95	3.5 %

CLOSDIE3 **Other close friend/relative died upsetting since last visit**

Location: 1690-1691 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	-Missing	12	0.4 %
1	No	1888	69.7 %
2	Yes, Not At All Upsetting	103	3.8 %
3	Yes, Somewhat Upsetting	336	12.4 %
4	Yes, Very Upsetting	181	6.7 %
5	Yes, Very Upsetting & Still Upsetting	95	3.5 %
. (M)	-	95	3.5 %

SELFVIO3 **Violent event to self upsetting since last visit**

Location: 1692-1693 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	-Missing	10	0.4 %
1	No	2482	91.6 %
2	Yes, Not At All Upsetting	13	0.5 %
3	Yes, Somewhat Upsetting	45	1.7 %
4	Yes, Very Upsetting	44	1.6 %
5	Yes, Very Upsetting & Still Upsetting	21	0.8 %
. (M)	-	95	3.5 %

FAMLVIO3 **Violent event to other fam mem upsetting since last visit**

- Study 29701 -

Location: 1694-1695 (width: 2; decimal: 0)
Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	-Missing	9	0.3 %
1	No	2406	88.8 %
2	Yes, Not At All Upsetting	20	0.7 %
3	Yes, Somewhat Upsetting	83	3.1 %
4	Yes, Very Upsetting	67	2.5 %
5	Yes, Very Upsetting & Still Upsetting	30	1.1 %
. (M)	-	95	3.5 %

PHYSILL3 **Serious illness family upsetting since last visit**

Location: 1696-1697 (width: 2; decimal: 0)
Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	-Missing	9	0.3 %
1	No	1968	72.6 %
2	Yes, Not At All Upsetting	44	1.6 %
3	Yes, Somewhat Upsetting	285	10.5 %
4	Yes, Very Upsetting	176	6.5 %
5	Yes, Very Upsetting & Still Upsetting	133	4.9 %
. (M)	-	95	3.5 %

MAJEVEN3 **Other major event upsetting since last visit**

Location: 1698-1699 (width: 2; decimal: 0)
Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	-Missing	33	1.2 %
1	No	2306	85.1 %
2	Yes, Not At All Upsetting	26	1.0 %
3	Yes, Somewhat Upsetting	94	3.5 %
4	Yes, Very Upsetting	76	2.8 %
5	Yes, Very Upsetting & Still Upsetting	80	3.0 %
. (M)	-	95	3.5 %

EMPLYP3 **Employed for pay**

Location: 1700-1701 (width: 2; decimal: 0)
Variable Type: numeric

- Study 29701 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	15	0.6 %
1	No	502	18.5 %
2	Yes	2098	77.4 %
. (M)	-	95	3.5 %

REWRDJO3

How rewarding is job

Location: 1702-1703 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	35	1.3 %
-1	N/A	511	18.9 %
1	Not At All	84	3.1 %
2	A Little	180	6.6 %
3	Somewhat	686	25.3 %
4	Quite A Bit	806	29.7 %
5	Extremely	313	11.5 %
. (M)	-	95	3.5 %

STRSSJO3

How stressful is job

Location: 1704-1705 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	33	1.2 %
-1	N/A	511	18.9 %
1	Not At All	169	6.2 %
2	A Little	402	14.8 %
3	Somewhat	701	25.9 %
4	Quite A Bit	579	21.4 %
5	Extremely	220	8.1 %
. (M)	-	95	3.5 %

CRNTCAR3

Caring for older/disabled fam mem

Location: 1706-1707 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	22	0.8 %
1	No	2282	84.2 %
2	Yes	311	11.5 %

- Study 29701 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
. (M)	-	95	3.5 %

RWRDCAR3 **How rewarding caregiver role**

Location: 1708-1709 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	10	0.4 %
-1	N/A	2298	84.8 %
1	Not At All	32	1.2 %
2	A Little	46	1.7 %
3	Somewhat	108	4.0 %
4	Quite A Bit	81	3.0 %
5	Extremely	40	1.5 %
. (M)	-	95	3.5 %

STRSCAR3 **How stressful caregiver role**

Location: 1710-1711 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	9	0.3 %
-1	N/A	2298	84.8 %
1	Not At All	31	1.1 %
2	A Little	63	2.3 %
3	Somewhat	121	4.5 %
4	Quite A Bit	65	2.4 %
5	Extremely	28	1.0 %
. (M)	-	95	3.5 %

CRNTMAR3 **Currently married/committed rel**

Location: 1712-1713 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	18	0.7 %
1	No	645	23.8 %
2	Yes	1952	72.0 %
. (M)	-	95	3.5 %

RWRDREL3 **How rewarding is relationship**

Location: 1714-1715 (width: 2; decimal: 0)

- Study 29701 -

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	22	0.8 %
-1	N/A	656	24.2 %
1	Not At All	66	2.4 %
2	A Little	116	4.3 %
3	Somewhat	396	14.6 %
4	Quite A Bit	766	28.3 %
5	Extremely	593	21.9 %
. (M)	-	95	3.5 %

STRSREL3 **How stressful is relationship**

Location: 1716-1717 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	24	0.9 %
-1	N/A	656	24.2 %
1	Not At All	468	17.3 %
2	A Little	731	27.0 %
3	Somewhat	487	18.0 %
4	Quite A Bit	174	6.4 %
5	Extremely	75	2.8 %
. (M)	-	95	3.5 %

CHILDRE3 **Have children/stepchildren**

Location: 1718-1719 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	22	0.8 %
1	No	430	15.9 %
2	Yes	2163	79.8 %
. (M)	-	95	3.5 %

REWRDMO3 **How rewarding is role as mother**

Location: 1720-1721 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	19	0.7 %
-1	N/A	445	16.4 %

- Study 29701 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Not At All	28	1.0 %
2	A Little	67	2.5 %
3	Somewhat	274	10.1 %
4	Quite A Bit	837	30.9 %
5	Extremely	945	34.9 %
. (M)	-	95	3.5 %

STRSSMO3 **How stressful is role as mother**

Location: 1722-1723 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	18	0.7 %
-1	N/A	445	16.4 %
1	Not At All	285	10.5 %
2	A Little	669	24.7 %
3	Somewhat	634	23.4 %
4	Quite A Bit	399	14.7 %
5	Extremely	165	6.1 %
. (M)	-	95	3.5 %

INCOME3 **Total family income**

Location: 1724-1725 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	18	0.7 %
-8	Do not know	49	1.8 %
-7	Refused	70	2.6 %
1	Less Than \$19,999	255	9.4 %
2	\$20,000 to \$49,999	674	24.9 %
3	\$50,000 to \$99,999	980	36.2 %
4	\$100,000 or More	569	21.0 %
. (M)	-	95	3.5 %

AWAREBO3 **Aware things happening w/body**

Location: 1726-1727 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	15	0.6 %

- Study 29701 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Not At All True	111	4.1 %
2	A Little Bit True	385	14.2 %
3	Moderately True	581	21.4 %
4	Quite a Bit True	986	36.4 %
5	Extremely True	537	19.8 %
. (M)	-	95	3.5 %

NOISES3

Sudden noises bother me

Location: 1728-1729 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	15	0.6 %
1	Not At All True	459	16.9 %
2	A Little Bit True	902	33.3 %
3	Moderately True	529	19.5 %
4	Quite a Bit True	480	17.7 %
5	Extremely True	230	8.5 %
. (M)	-	95	3.5 %

HOTCOLD3

Hate being too hot/cold

Location: 1730-1731 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	22	0.8 %
1	Not At All True	173	6.4 %
2	A Little Bit True	627	23.1 %
3	Moderately True	637	23.5 %
4	Quite a Bit True	726	26.8 %
5	Extremely True	430	15.9 %
. (M)	-	95	3.5 %

HUNGER3

Quick to sense hunger

Location: 1732-1733 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	16	0.6 %
1	Not At All True	297	11.0 %
2	A Little Bit True	652	24.1 %

- Study 29701 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
3	Moderately True	729	26.9 %
4	Quite a Bit True	651	24.0 %
5	Extremely True	270	10.0 %
. (M)	-	95	3.5 %

STNDPAI3 **Can't stand pain**

Location: 1734-1735 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	14	0.5 %
1	Not At All True	501	18.5 %
2	A Little Bit True	960	35.4 %
3	Moderately True	669	24.7 %
4	Quite a Bit True	269	9.9 %
5	Extremely True	202	7.5 %
. (M)	-	95	3.5 %

COURTES3 **Treated w/less courtesy than others**

Location: 1736-1737 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	19	0.7 %
1	Often	46	1.7 %
2	Sometimes	542	20.0 %
3	Rarely	1237	45.6 %
4	Never	771	28.5 %
. (M)	-	95	3.5 %

RESPECT3 **Treated w/less respect than others**

Location: 1738-1739 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	20	0.7 %
1	Often	40	1.5 %
2	Sometimes	465	17.2 %
3	Rarely	1293	47.7 %
4	Never	797	29.4 %
. (M)	-	95	3.5 %

- Study 29701 -

POORSER3 Received poorer service than others

Location: 1740-1741 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	20	0.7 %
1	Often	19	0.7 %
2	Sometimes	313	11.5 %
3	Rarely	1200	44.3 %
4	Never	1063	39.2 %
. (M)	-	95	3.5 %

NOTSMAR3 People think not as smart as others

Location: 1742-1743 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	19	0.7 %
1	Often	38	1.4 %
2	Sometimes	417	15.4 %
3	Rarely	1084	40.0 %
4	Never	1057	39.0 %
. (M)	-	95	3.5 %

AFRAIDO3 People act as if afraid of you

Location: 1744-1745 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	24	0.9 %
1	Often	28	1.0 %
2	Sometimes	332	12.3 %
3	Rarely	803	29.6 %
4	Never	1428	52.7 %
. (M)	-	95	3.5 %

DISHONS3 People think you are dishonest

Location: 1746-1747 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	22	0.8 %
1	Often	15	0.6 %

- Study 29701 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	Sometimes	108	4.0 %
3	Rarely	692	25.5 %
4	Never	1778	65.6 %
. (M)	-	95	3.5 %

BETTER3 People act as if better than you

Location: 1748-1749 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	26	1.0 %
1	Often	42	1.5 %
2	Sometimes	566	20.9 %
3	Rarely	1142	42.1 %
4	Never	839	31.0 %
. (M)	-	95	3.5 %

INSULTE3 Insulted by other people

Location: 1750-1751 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	25	0.9 %
1	Often	24	0.9 %
2	Sometimes	129	4.8 %
3	Rarely	559	20.6 %
4	Never	1878	69.3 %
. (M)	-	95	3.5 %

HARASSE3 Harrassed by other people

Location: 1752-1753 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	26	1.0 %
1	Often	22	0.8 %
2	Sometimes	87	3.2 %
3	Rarely	479	17.7 %
4	Never	2001	73.8 %
. (M)	-	95	3.5 %

IGNORED3 Ignored by other people

- Study 29701 -

Location: 1754-1755 (width: 2; decimal: 0)
Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	20	0.7 %
1	Often	31	1.1 %
2	Sometimes	322	11.9 %
3	Rarely	957	35.3 %
4	Never	1285	47.4 %
. (M)	-	95	3.5 %

BCRACE3 **Because of race**

Location: 1756-1757 (width: 2; decimal: 0)
Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	66	2.4 %
-1	N/A	1455	53.7 %
1	No	645	23.8 %
2	Yes	449	16.6 %
. (M)	-	95	3.5 %

BCETHN3 **Because of ethnicity**

Location: 1758-1759 (width: 2; decimal: 0)
Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	76	2.8 %
-1	N/A	1454	53.7 %
1	No	762	28.1 %
2	Yes	323	11.9 %
. (M)	-	95	3.5 %

BCGENDR3 **Because of gender**

Location: 1760-1761 (width: 2; decimal: 0)
Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	66	2.4 %
-1	N/A	1453	53.6 %
1	No	545	20.1 %
2	Yes	551	20.3 %
. (M)	-	95	3.5 %

- Study 29701 -

BCAGE3 **Because of age**

Location: 1762-1763 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	72	2.7 %
-1	N/A	1453	53.6 %
1	No	748	27.6 %
2	Yes	342	12.6 %
. (M)	-	95	3.5 %

BCINCML3 **Because of income level**

Location: 1764-1765 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	79	2.9 %
-1	N/A	1454	53.7 %
1	No	855	31.5 %
2	Yes	227	8.4 %
. (M)	-	95	3.5 %

BCLANG3 **Because of language**

Location: 1766-1767 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	72	2.7 %
-1	N/A	1453	53.6 %
1	No	946	34.9 %
2	Yes	144	5.3 %
. (M)	-	95	3.5 %

BCWGHT3 **Because of weight**

Location: 1768-1769 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	77	2.8 %
-1	N/A	1453	53.6 %
1	No	835	30.8 %
2	Yes	250	9.2 %
. (M)	-	95	3.5 %

- Study 29701 -

BCPHAPP3 **Because of phys appearance**

Location: 1770-1771 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	76	2.8 %
-1	N/A	1453	53.6 %
1	No	842	31.1 %
2	Yes	244	9.0 %
. (M)	-	95	3.5 %

BCORIEN3 **Because of sexual orientation**

Location: 1772-1773 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	77	2.8 %
-1	N/A	1453	53.6 %
1	No	1006	37.1 %
2	Yes	79	2.9 %
. (M)	-	95	3.5 %

OTHEREX3 **Because of other reason**

Location: 1774-1775 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	137	5.1 %
-1	N/A	1453	53.6 %
1	No	782	28.9 %
2	Yes	243	9.0 %
. (M)	-	95	3.5 %

FLGSAAV3 **Completed after V3 cutoff (01/31/2001)**

Location: 1776-1777 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	2614	96.5 %
1	Yes	1	0.0 %
. (M)	-	95	3.5 %

SABDAY3 **Self-administered-Part B Day**

- Study 29701 -

Location: 1778-1781 (width: 4; decimal: 0)

Variable Type: numeric

LANGSAB3 Language of Self-B

Location: 1782-1782 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	English	2260	83.4 %
2	Spanish	145	5.4 %
3	Cantonese	83	3.1 %
4	Japanese	107	3.9 %
. (M)	-	115	4.2 %

IMPORSE3 Importance of Sex

Location: 1783-1784 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	21	0.8 %
1	Extremely Important	168	6.2 %
2	Quite Important	581	21.4 %
3	Moderately Important	1042	38.5 %
4	Not Very Important	595	22.0 %
5	Not At All Important	188	6.9 %
. (M)	-	115	4.2 %

DESIRSE3 Desire to Engage in Sex past 6 mos

Location: 1785-1786 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	21	0.8 %
1	Not At All	280	10.3 %
2	Once or Twice/Mon	999	36.9 %
3	About Once/Wk	708	26.1 %
4	More than Once/Wk	524	19.3 %
5	Daily	63	2.3 %
. (M)	-	115	4.2 %

ENGAGSE3 Engaged in Sexual Activity past 6 mos

Location: 1787-1788 (width: 2; decimal: 0)

Variable Type: numeric

- Study 29701 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	54	2.0 %
1	No	634	23.4 %
2	Yes	1907	70.4 %
. (M)	-	115	4.2 %

NOPARTN3 **No Sex Past 6 Mos: No Partner**

Location: 1789-1790 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	35	1.3 %
-1	N/A	1962	72.4 %
1	No	223	8.2 %
2	Yes	375	13.8 %
. (M)	-	115	4.2 %

PARTPRO3 **No Sex Past 6 Mos: Partner Phys Prob**

Location: 1791-1792 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	121	4.5 %
-1	N/A	1962	72.4 %
1	No	448	16.5 %
2	Yes	64	2.4 %
. (M)	-	115	4.2 %

PHYSPRO3 **No Sex Past 6 Mos: Phys Prob**

Location: 1793-1794 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	123	4.5 %
-1	N/A	1962	72.4 %
1	No	483	17.8 %
2	Yes	27	1.0 %
. (M)	-	115	4.2 %

NOSEXOT3 **No Sex Past 6 Mos: Other Reason**

Location: 1795-1796 (width: 2; decimal: 0)

Variable Type: numeric

- Study 29701 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	247	9.1 %
-1	N/A	1962	72.4 %
1	No	271	10.0 %
2	Yes	115	4.2 %
. (M)	-	115	4.2 %

PHYSPLE3 Physically Pleasurable past 6 mos

Location: 1797-1798 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	47	1.7 %
-1	N/A	634	23.4 %
1	Extremely Pleasurable	301	11.1 %
2	Very Pleasurable	811	29.9 %
3	Moderately Pleasurable	586	21.6 %
4	Slightly Pleasurable	185	6.8 %
5	Not At All Pleasurable	31	1.1 %
. (M)	-	115	4.2 %

SATISFY3 Emotionally Satisfying past 6 mos

Location: 1799-1800 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	56	2.1 %
-1	N/A	634	23.4 %
1	Extremely Satisfying	303	11.2 %
2	Very Satisfying	731	27.0 %
3	Moderately Satisfying	630	23.2 %
4	Slightly Satisfying	207	7.6 %
5	Not At All Satisfying	34	1.3 %
. (M)	-	115	4.2 %

KISSING3 Freq of Sexual Activity: Kissing

Location: 1801-1802 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	60	2.2 %
-1	N/A	634	23.4 %

- Study 29701 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Not At All	65	2.4 %
2	Once or Twice/Mon	269	9.9 %
3	About Once/Wk	249	9.2 %
4	More than Once/Wk	472	17.4 %
5	Daily	846	31.2 %
. (M)	-	115	4.2 %

TOUCHIN3 **Freq of Sexual Activity: Touching**

Location: 1803-1804 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	65	2.4 %
-1	N/A	634	23.4 %
1	Not At All	54	2.0 %
2	Once or Twice/Mon	504	18.6 %
3	About Once/Wk	464	17.1 %
4	More than Once/Wk	629	23.2 %
5	Daily	245	9.0 %
. (M)	-	115	4.2 %

ORALSEX3 **Freq of Sexual Activity: Oral Sex**

Location: 1805-1806 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	94	3.5 %
-1	N/A	634	23.4 %
1	Not At All	838	30.9 %
2	Once or Twice/Mon	666	24.6 %
3	About Once/Wk	227	8.4 %
4	More than Once/Wk	131	4.8 %
5	Daily	5	0.2 %
. (M)	-	115	4.2 %

INTCOUR3 **Freq of Sexual Activity: Intercourse**

Location: 1807-1808 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	66	2.4 %

- Study 29701 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	634	23.4 %
1	Not At All	79	2.9 %
2	Once or Twice/Mon	731	27.0 %
3	About Once/Wk	581	21.4 %
4	More than Once/Wk	483	17.8 %
5	Daily	21	0.8 %
. (M)	-	115	4.2 %

AROUSED3 Arousal during sexual activity past 6 mos

Location: 1809-1810 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	-Missing	51	1.9 %
-1	-N/A	634	23.4 %
1	Always	567	20.9 %
2	Almost Always	731	27.0 %
3	Sometimes	510	18.8 %
4	Almost Never	73	2.7 %
5	Never	29	1.1 %
. (M)	-	115	4.2 %

PELVIC3 Vaginal or Pelvic Pain past 6 mos

Location: 1811-1812 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	-Missing	49	1.8 %
-1	-N/A	634	23.4 %
1	Always	18	0.7 %
2	Almost Always	48	1.8 %
3	Sometimes	364	13.4 %
4	Almost Never	401	14.8 %
5	Never	1005	37.1 %
6	No Intercourse In Last 6 Mons	76	2.8 %
. (M)	-	115	4.2 %

LUBRICN3 Use of Lubricants past 6 mos

Location: 1813-1814 (width: 2; decimal: 0)

Variable Type: numeric

- Study 29701 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	-Missing	56	2.1 %
-1	-N/A	634	23.4 %
1	Always	109	4.0 %
2	Almost Always	128	4.7 %
3	Sometimes	247	9.1 %
4	Almost Never	137	5.1 %
5	Never	1230	45.4 %
6	No Intercourse In Last 6 Mons	54	2.0 %
. (M)	-	115	4.2 %

ABLECLM3 **Able to reach climax past 6 mos**

Location: 1815-1816 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	-Missing	58	2.1 %
-1	-N/A	637	23.5 %
1	Always	416	15.4 %
2	Almost Always	764	28.2 %
3	Sometimes	510	18.8 %
4	Almost Never	124	4.6 %
5	Never	86	3.2 %
. (M)	-	115	4.2 %

IMPCLMX3 **How important reach climax past 6 mos**

Location: 1817-1818 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	-Missing	61	2.3 %
-1	-N/A	640	23.6 %
1	Always	257	9.5 %
2	Almost Always	652	24.1 %
3	Sometimes	738	27.2 %
4	Almost Never	178	6.6 %
5	Never	69	2.5 %
. (M)	-	115	4.2 %

SATISFD3 **Satisfied after sexual activity past 6 mos**

Location: 1819-1820 (width: 2; decimal: 0)

Variable Type: numeric

- Study 29701 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	-Missing	57	2.1 %
-1	-N/A	637	23.5 %
1	Always	453	16.7 %
2	Almost Always	848	31.3 %
3	Sometimes	464	17.1 %
4	Almost Never	104	3.8 %
5	Never	32	1.2 %
. (M)	-	115	4.2 %

FREQUEN3 Satisfied w/freq sex activity past 6 mos

Location: 1821-1822 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	-Missing	59	2.2 %
-1	-N/A	637	23.5 %
1	Always	304	11.2 %
2	Almost Always	784	28.9 %
3	Sometimes	611	22.5 %
4	Almost Never	145	5.4 %
5	Never	55	2.0 %
. (M)	-	115	4.2 %

NERVOUS3 Nervous after sexual experience past 6 mos

Location: 1823-1824 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	-Missing	72	2.7 %
-1	-N/A	640	23.6 %
1	Always	13	0.5 %
2	Almost Always	26	1.0 %
3	Sometimes	162	6.0 %
4	Almost Never	526	19.4 %
5	Never	1156	42.7 %
. (M)	-	115	4.2 %

MASTURB3 Freq of Masturbation past 6 mos

Location: 1825-1826 (width: 2; decimal: 0)

Variable Type: numeric

- Study 29701 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	91	3.4 %
1	Not At All	1246	46.0 %
2	Less Than Once/Mon	619	22.8 %
3	Once or Twice/Mon	405	14.9 %
4	About Once/Wk	157	5.8 %
5	More than Once/Wk	71	2.6 %
6	Daily	6	0.2 %
. (M)	-	115	4.2 %

FLGSABV3 Completed after V3 cutoff (01/31/2001)

Location: 1827-1827 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	2594	95.7 %
1	Yes	1	0.0 %
. (M)	-	115	4.2 %

SACDAY3 Self-administered-Part C Day

Location: 1828-1831 (width: 4; decimal: 0)

Variable Type: numeric

LANGSAC3 Language of Self-C

Location: 1832-1832 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	English	2270	83.8 %
2	Spanish	144	5.3 %
3	Cantonese	81	3.0 %
4	Japanese	107	3.9 %
. (M)	-	108	4.0 %

PROVIDE3 Primary Health Care Provider

Location: 1833-1834 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	9	0.3 %
-7	Refused	1	0.0 %
1	No	478	17.6 %
2	Yes	2114	78.0 %

- Study 29701 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
. (M)	-	108	4.0 %

TYPEPRA3 **Type of practice**

Location: 1835-1836 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	34	1.3 %
-1	N/A	488	18.0 %
1	Hospital	241	8.9 %
2	Office	1170	43.2 %
3	Clinic	552	20.4 %
4	Other	117	4.3 %
. (M)	-	108	4.0 %

SPECIAL3 **Provider's Specialty**

Location: 1837-1838 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	24	0.9 %
-8	Do not know	42	1.5 %
-1	N/A	488	18.0 %
1	Family Practitioner	615	22.7 %
2	Internist	380	14.0 %
3	Gynecologist	858	31.7 %
4	Nurse pract/physician asst	140	5.2 %
5	Naturopath	3	0.1 %
6	Other	50	1.8 %
7	No specialty	2	0.1 %
. (M)	-	108	4.0 %

SPECIFY3 **Prov Specialty-Specify**

Location: 1839-1853 (width: 15; decimal: 0)

Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
	108	4.0 %
-1	2552	94.2 %
ACUPUNCTURIST	2	0.1 %
ADULT MEDICINE	2	0.1 %

- Study 29701 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
ADULT PRIM CARE	1	0.0 %
ALL	1	0.0 %
ALL OF THE ABOV	1	0.0 %
COVERSEVERYTHNG	1	0.0 %
D.O.	1	0.0 %
DO	1	0.0 %
DOCTOR	1	0.0 %
ENDOCR.	1	0.0 %
ENDOCRIN/INTERN	1	0.0 %
ENDOCRINOLOGIST	1	0.0 %
ENDOCRONOLOGIST	1	0.0 %
FAMILY PRACT	1	0.0 %
GASTROENTEROLOG	1	0.0 %
GENERAL	1	0.0 %
GENERAL ..	1	0.0 %
GENERAL MED	1	0.0 %
HEALTH CARE CTR	1	0.0 %
HMO	3	0.1 %
HMO INCLUDES AL	1	0.0 %
INFECTIOUS	1	0.0 %
INTERN MED PHYS	1	0.0 %
INTERNAL MED.	1	0.0 %
INTERNAL MEDICE	1	0.0 %
MD INTERNAL MED	1	0.0 %
MEDICAL DOCTOR	1	0.0 %
N.P	1	0.0 %
NEUROLOGIST	1	0.0 %
NURSE PRACT	1	0.0 %
OB-GYN	1	0.0 %
OB-GYN/MIDWIVES	1	0.0 %
OB/GYN	3	0.1 %
ONCOLOGIST	1	0.0 %
ONCOLOGY	1	0.0 %
PHYSIO MEDICINE	1	0.0 %
PPG	1	0.0 %
PRIM CARE-ADULT	1	0.0 %
PRIMARY CARE	1	0.0 %
PRIMARY PCP	1	0.0 %
PSYCHARIST	1	0.0 %
PULMONIST	1	0.0 %

- Study 29701 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
RHEUMATOLOGY	1	0.0 %
WOMEN'S HEALTH	1	0.0 %

VISIPRO3 **See/talk to HCP #times**

Location: 1854-1856 (width: 3; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	11	0.4 %
-1	N/A	488	18.0 %
0	-	243	9.0 %
1	-	710	26.2 %
2	-	448	16.5 %
3	-	251	9.3 %
4	-	186	6.9 %
5	-	72	2.7 %
6	-	71	2.6 %
7	-	18	0.7 %
8	-	23	0.8 %
9	-	8	0.3 %
10	-	33	1.2 %
11	-	2	0.1 %
12	-	13	0.5 %
13	-	1	0.0 %
14	-	2	0.1 %
15	-	5	0.2 %
20	-	8	0.3 %
21	-	1	0.0 %
24	-	2	0.1 %
25	-	2	0.1 %
28	-	1	0.0 %
30	-	3	0.1 %
. (M)	-	108	4.0 %

ROLE3 **Role in health care decisions**

Location: 1857-1858 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	11	0.4 %
-1	N/A	488	18.0 %

- Study 29701 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	-	404	14.9 %
2	-	323	11.9 %
3	-	236	8.7 %
4	-	513	18.9 %
5	-	288	10.6 %
6	-	145	5.4 %
7	-	194	7.2 %
. (M)	-	108	4.0 %

ENCOURA3

Encourage to make own dec

Location: 1859-1860 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	14	0.5 %
-1	N/A	488	18.0 %
1	Almost Never	67	2.5 %
2	Seldom	118	4.4 %
3	Neutral	515	19.0 %
4	Often	719	26.5 %
5	Almost always	681	25.1 %
. (M)	-	108	4.0 %

DISCUSS3

Discusses alternatives

Location: 1861-1862 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	18	0.7 %
-1	N/A	488	18.0 %
1	Almost Never	39	1.4 %
2	Seldom	93	3.4 %
3	Neutral	314	11.6 %
4	Often	815	30.1 %
5	Almost always	835	30.8 %
. (M)	-	108	4.0 %

REFUSAL3

If refuse, respects decision

Location: 1863-1864 (width: 2; decimal: 0)

Variable Type: numeric

- Study 29701 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	32	1.2 %
-1	N/A	489	18.0 %
1	Almost Never	55	2.0 %
2	Seldom	43	1.6 %
3	Neutral	668	24.6 %
4	Often	560	20.7 %
5	Almost always	755	27.9 %
. (M)	-	108	4.0 %

PARTICI3 **Encourages participation**

Location: 1865-1866 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	17	0.6 %
-1	N/A	488	18.0 %
1	Almost Never	28	1.0 %
2	Seldom	70	2.6 %
3	Neutral	319	11.8 %
4	Often	711	26.2 %
5	Almost always	969	35.8 %
. (M)	-	108	4.0 %

ALTERNA3 **Considers alternatives suggest**

Location: 1867-1868 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	26	1.0 %
-1	N/A	488	18.0 %
1	Almost Never	57	2.1 %
2	Seldom	102	3.8 %
3	Neutral	687	25.4 %
4	Often	647	23.9 %
5	Almost always	595	22.0 %
. (M)	-	108	4.0 %

CHANGES3 **Changes if requested**

Location: 1869-1870 (width: 2; decimal: 0)

Variable Type: numeric

- Study 29701 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	39	1.4 %
-1	N/A	488	18.0 %
1	Almost Never	83	3.1 %
2	Seldom	102	3.8 %
3	Neutral	844	31.1 %
4	Often	551	20.3 %
5	Almost always	495	18.3 %
. (M)	-	108	4.0 %

JUDGEMN3 **Enc to trust own judgement**

Location: 1871-1872 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	18	0.7 %
-1	N/A	488	18.0 %
1	Almost Never	79	2.9 %
2	Seldom	111	4.1 %
3	Neutral	640	23.6 %
4	Often	684	25.2 %
5	Almost always	582	21.5 %
. (M)	-	108	4.0 %

EMOTION3 **Talk to HCP emotional problems**

Location: 1873-1874 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	33	1.2 %
-7	Refused	1	0.0 %
-1	N/A	6	0.2 %
1	No	2046	75.5 %
2	Yes	516	19.0 %
. (M)	-	108	4.0 %

PRIMARY3 **Talk to PCP**

Location: 1875-1876 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	13	0.5 %

- Study 29701 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2086	77.0 %
1	No	252	9.3 %
2	Yes	251	9.3 %
. (M)	-	108	4.0 %

PRIMAR13

Talk to PCP # times

Location: 1877-1879 (width: 3; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	3	0.1 %
-1	N/A	2351	86.8 %
1	-	89	3.3 %
2	-	51	1.9 %
3	-	34	1.3 %
4	-	21	0.8 %
5	-	7	0.3 %
6	-	16	0.6 %
7	-	3	0.1 %
8	-	2	0.1 %
9	-	1	0.0 %
10	-	12	0.4 %
12	-	5	0.2 %
18	-	1	0.0 %
20	-	3	0.1 %
21	-	1	0.0 %
40	-	2	0.1 %
. (M)	-	108	4.0 %

OBSTETR3

Talk to OB/GYN

Location: 1880-1881 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	18	0.7 %
-1	N/A	2086	77.0 %
1	No	379	14.0 %
2	Yes	119	4.4 %
. (M)	-	108	4.0 %

OBSTET13

Talk to OB/GYN # times

- Study 29701 -

Location: 1882-1884 (width: 3; decimal: 0)
Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	1	0.0 %
-1	N/A	2483	91.6 %
1	-	64	2.4 %
2	-	32	1.2 %
3	-	8	0.3 %
4	-	4	0.1 %
5	-	3	0.1 %
6	-	2	0.1 %
7	-	1	0.0 %
10	-	1	0.0 %
11	-	1	0.0 %
12	-	1	0.0 %
20	-	1	0.0 %
. (M)	-	108	4.0 %

PRACTIT3 **Talk to NP/PA**

Location: 1885-1886 (width: 2; decimal: 0)
Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	20	0.7 %
-1	N/A	2086	77.0 %
1	No	415	15.3 %
2	Yes	81	3.0 %
. (M)	-	108	4.0 %

PRACTI13 **Talk to NP/PA # times**

Location: 1887-1889 (width: 3; decimal: 0)
Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	1	0.0 %
-1	N/A	2521	93.0 %
1	-	33	1.2 %
2	-	17	0.6 %
3	-	6	0.2 %
4	-	7	0.3 %
5	-	3	0.1 %
6	-	2	0.1 %

- Study 29701 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
7	-	3	0.1 %
8	-	1	0.0 %
10	-	5	0.2 %
11	-	1	0.0 %
12	-	1	0.0 %
42	-	1	0.0 %
. (M)	-	108	4.0 %

PSYCHIA3

Talk to Psychiatrist

Location: 1890-1891 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	24	0.9 %
-1	N/A	2086	77.0 %
1	No	321	11.8 %
2	Yes	171	6.3 %
. (M)	-	108	4.0 %

PSYCHI13

Talk to Psychiatrist # times

Location: 1892-1895 (width: 4; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	4	0.1 %
-1	N/A	2431	89.7 %
1	-	22	0.8 %
2	-	25	0.9 %
3	-	23	0.8 %
4	-	16	0.6 %
5	-	5	0.2 %
6	-	12	0.4 %
7	-	1	0.0 %
8	-	3	0.1 %
9	-	1	0.0 %
10	-	16	0.6 %
12	-	19	0.7 %
14	-	1	0.0 %
15	-	1	0.0 %
18	-	1	0.0 %
20	-	5	0.2 %

- Study 29701 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
22	-	1	0.0 %
24	-	1	0.0 %
25	-	2	0.1 %
26	-	1	0.0 %
30	-	1	0.0 %
40	-	3	0.1 %
45	-	2	0.1 %
48	-	1	0.0 %
52	-	1	0.0 %
80	-	1	0.0 %
100	-	1	0.0 %
104	-	1	0.0 %
. (M)	-	108	4.0 %

PSYCHOL3 **Talk to Psychologist**

Location: 1896-1897 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	19	0.7 %
-1	N/A	2086	77.0 %
1	No	261	9.6 %
2	Yes	236	8.7 %
. (M)	-	108	4.0 %

PSYCHO13 **Talk to Psychologist #times**

Location: 1898-1901 (width: 4; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	7	0.3 %
-1	N/A	2366	87.3 %
1	-	20	0.7 %
2	-	16	0.6 %
3	-	19	0.7 %
4	-	16	0.6 %
5	-	21	0.8 %
6	-	10	0.4 %
7	-	2	0.1 %
8	-	6	0.2 %
9	-	2	0.1 %

- Study 29701 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
10	-	26	1.0 %
11	-	2	0.1 %
12	-	14	0.5 %
14	-	3	0.1 %
15	-	8	0.3 %
16	-	1	0.0 %
18	-	1	0.0 %
20	-	11	0.4 %
24	-	11	0.4 %
25	-	4	0.1 %
30	-	7	0.3 %
32	-	1	0.0 %
35	-	3	0.1 %
40	-	5	0.2 %
45	-	3	0.1 %
46	-	1	0.0 %
48	-	3	0.1 %
50	-	2	0.1 %
52	-	5	0.2 %
75	-	1	0.0 %
78	-	1	0.0 %
100	-	4	0.1 %
. (M)	-	108	4.0 %

OTHER3 **Talk to Other**

Location: 1902-1903 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	86	3.2 %
-1	N/A	2086	77.0 %
1	No	380	14.0 %
2	Yes	50	1.8 %
. (M)	-	108	4.0 %

OTHER13 **Talk to Other # times**

Location: 1904-1907 (width: 4; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	2	0.1 %

- Study 29701 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2552	94.2 %
1	-	6	0.2 %
2	-	9	0.3 %
3	-	7	0.3 %
4	-	2	0.1 %
5	-	6	0.2 %
6	-	5	0.2 %
7	-	2	0.1 %
8	-	1	0.0 %
12	-	3	0.1 %
14	-	1	0.0 %
20	-	1	0.0 %
25	-	2	0.1 %
35	-	1	0.0 %
50	-	1	0.0 %
100	-	1	0.0 %
. (M)	-	108	4.0 %

OTHER_S3

Talk to Other-Specify

Location: 1908-1932 (width: 25; decimal: 0)

Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
	108	4.0 %
-1	2553	94.2 %
-9	2	0.1 %
ACCUPUNCTURE	1	0.0 %
ACCUPUNCTURIST	1	0.0 %
ACCUPUNTURIST	1	0.0 %
ANXIETY SPECIALIST	1	0.0 %
BEHAVIORIST FOR CHILD	1	0.0 %
CHIROPRACTOR	1	0.0 %
CODIOLOGIST	1	0.0 %
COUNSELOR	1	0.0 %
D.O.	1	0.0 %
EAP-EMPLOYEE ASSISTANCE	1	0.0 %
EMPLOYEE ASSISTANCE PROGM	1	0.0 %
ENT	1	0.0 %
FAMILY THERAPIST FOR SON	1	0.0 %
G.I.	1	0.0 %

- Study 29701 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
GASTRO	1	0.0 %
GASTROENTEROLOGIST ALTC..	1	0.0 %
GROUP THERAPY WITH -	1	0.0 %
HEART DR.	1	0.0 %
HOLISTIC HEALER	1	0.0 %
HOMEOPATHIC PRACTITIONER	1	0.0 %
INFORMAL SUPPORT GROUP	1	0.0 %
INTERNIST	1	0.0 %
JUNGIAN ANALYST	1	0.0 %
MARRIAGE COUNSELOR	1	0.0 %
MEDICAL ASSISTANT TO ALTC	1	0.0 %
MINISTER	2	0.1 %
NEURO ONCOLOGIST	1	0.0 %
NEUROLOGIST	1	0.0 %
NEUROLOGIST- ALTC..	1	0.0 %
ORTHOPEDIC SURGEON	2	0.1 %
OUTSIDE CARE PHYSICIAN FO	1	0.0 %
PAIN DOCTOR	1	0.0 %
PASTOR	2	0.1 %
PHARMACIST	1	0.0 %
PSYCHOPHARMACOLOGIST ALTC.	1	0.0 %
RENAL DOCTOR-I'M A ALTC..	1	0.0 %
RESIDENT PSYCHIATRIST	1	0.0 %
SELF-HELP GROUP	1	0.0 %
SPECIALIST	2	0.1 %
SPIRITUAL COUNSELOR	1	0.0 %
SURGEON FOR "PAIN"	1	0.0 %
THERAPEUTIC BODYWORK	1	0.0 %
THERAPIST FOR GRIEF	1	0.0 %

END03

Endometriosis

Location: 1933-1934 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	8	0.3 %
1	No	2514	92.8 %
2	Yes	80	3.0 %
. (M)	-	108	4.0 %

ENDODIF3

Endomet difficult daily

- Study 29701 -

Location: 1935-1936 (width: 2; decimal: 0)
Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	4	0.1 %
-1	N/A	2522	93.1 %
1	No	63	2.3 %
2	Yes	13	0.5 %
. (M)	-	108	4.0 %

PELVICP3 Pelvic pain

Location: 1937-1938 (width: 2; decimal: 0)
Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	7	0.3 %
1	No	2199	81.1 %
2	Yes	396	14.6 %
. (M)	-	108	4.0 %

DIFFPEL3 Pelvic Pain diff daily

Location: 1939-1940 (width: 2; decimal: 0)
Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	13	0.5 %
-1	N/A	2206	81.4 %
1	No	286	10.6 %
2	Yes	97	3.6 %
. (M)	-	108	4.0 %

PROLAPS3 Prolapse

Location: 1941-1942 (width: 2; decimal: 0)
Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	8	0.3 %
1	No	2524	93.1 %
2	Yes	70	2.6 %
. (M)	-	108	4.0 %

DIFFPRO3 Prolapse diff daily

Location: 1943-1944 (width: 2; decimal: 0)
Variable Type: numeric

- Study 29701 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	5	0.2 %
-1	N/A	2532	93.4 %
1	No	52	1.9 %
2	Yes	13	0.5 %
. (M)	-	108	4.0 %

PCANCER3 Pelvic Cancer

Location: 1945-1946 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	7	0.3 %
1	No	2590	95.6 %
2	Yes	5	0.2 %
. (M)	-	108	4.0 %

DIFFCAN3 Pelv cancer diff daily

Location: 1947-1948 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	1	0.0 %
-1	N/A	2597	95.8 %
1	No	2	0.1 %
2	Yes	2	0.1 %
. (M)	-	108	4.0 %

ABBLEED3 Abnormal bleeding

Location: 1949-1950 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	7	0.3 %
1	No	2229	82.3 %
2	Yes	366	13.5 %
. (M)	-	108	4.0 %

DIFFBLE3 Abnormal bleeding diff daily

Location: 1951-1952 (width: 2; decimal: 0)

Variable Type: numeric

- Study 29701 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	13	0.5 %
-1	N/A	2236	82.5 %
1	No	232	8.6 %
2	Yes	121	4.5 %
. (M)	-	108	4.0 %

FLGSACV3 Completed after V3 cutoff (01/31/2001)

Location: 1953-1953 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	2601	96.0 %
1	Yes	1	0.0 %
. (M)	-	108	4.0 %

FLGVISV3 Out of range values to B5, (VISIPRO3)

Location: 1954-1954 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	2593	95.7 %
1	Yes	9	0.3 %
. (M)	-	108	4.0 %

FLGPSYV3 Out of range values to B9d.1 (PSYCH13)

Location: 1955-1955 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	2601	96.0 %
1	Yes	1	0.0 %
. (M)	-	108	4.0 %

PHYDAY3 Physical measures Day

Location: 1956-1959 (width: 4; decimal: 0)

Variable Type: numeric

PULSE3 Pulse, beats/30 seconds

Location: 1960-1961 (width: 2; decimal: 0)

Variable Type: numeric

- Study 29701 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
20	1	0.0 %
21	3	0.1 %
22	6	0.2 %
23	6	0.2 %
24	8	0.3 %
25	26	1.0 %
26	31	1.1 %
27	60	2.2 %
28	102	3.8 %
29	137	5.1 %
30	187	6.9 %
31	173	6.4 %
32	258	9.5 %
33	180	6.6 %
34	225	8.3 %
35	182	6.7 %
36	214	7.9 %
37	114	4.2 %
38	178	6.6 %
39	63	2.3 %
40	123	4.5 %
41	46	1.7 %
42	57	2.1 %
43	45	1.7 %
44	36	1.3 %
45	14	0.5 %
46	15	0.6 %
47	5	0.2 %
48	13	0.5 %
49	7	0.3 %
50	6	0.2 %
51	2	0.1 %
52	2	0.1 %
54	1	0.0 %
55	1	0.0 %
60	1	0.0 %
88	1	0.0 %
. (M)	181	6.7 %

SYSBP13

Systolic BP #1

- Study 29701 -

Location: 1962-1964 (width: 3; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
72	1	0.0 %
82	3	0.1 %
84	7	0.3 %
86	7	0.3 %
88	18	0.7 %
90	34	1.3 %
92	42	1.5 %
94	39	1.4 %
96	59	2.2 %
98	111	4.1 %
100	99	3.7 %
101	1	0.0 %
102	116	4.3 %
104	120	4.4 %
105	1	0.0 %
106	99	3.7 %
108	120	4.4 %
109	1	0.0 %
110	181	6.7 %
112	153	5.6 %
113	1	0.0 %
114	94	3.5 %
116	80	3.0 %
118	122	4.5 %
120	129	4.8 %
122	97	3.6 %
124	109	4.0 %
126	64	2.4 %
128	75	2.8 %
130	87	3.2 %
132	61	2.3 %
134	46	1.7 %
135	1	0.0 %
136	40	1.5 %
138	43	1.6 %
140	62	2.3 %
142	33	1.2 %
144	13	0.5 %

- Study 29701 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
146	15	0.6 %
148	20	0.7 %
150	23	0.8 %
152	11	0.4 %
154	5	0.2 %
156	8	0.3 %
158	7	0.3 %
160	24	0.9 %
162	5	0.2 %
164	4	0.1 %
166	2	0.1 %
168	5	0.2 %
170	6	0.2 %
174	1	0.0 %
176	2	0.1 %
178	1	0.0 %
180	7	0.3 %
182	1	0.0 %
184	1	0.0 %
186	2	0.1 %
190	4	0.1 %
198	1	0.0 %
204	3	0.1 %
. (M)	183	6.8 %

DIABP13

Diastolic BP #1

Location: 1965-1967 (width: 3; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
32	1	0.0 %
44	1	0.0 %
46	3	0.1 %
48	2	0.1 %
50	16	0.6 %
52	7	0.3 %
54	17	0.6 %
56	26	1.0 %
58	57	2.1 %
60	77	2.8 %

- Study 29701 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
62	95	3.5 %
64	111	4.1 %
65	2	0.1 %
66	103	3.8 %
68	222	8.2 %
70	257	9.5 %
72	190	7.0 %
73	1	0.0 %
74	163	6.0 %
75	1	0.0 %
76	131	4.8 %
78	214	7.9 %
80	191	7.0 %
82	149	5.5 %
84	98	3.6 %
86	70	2.6 %
88	101	3.7 %
90	79	2.9 %
92	38	1.4 %
94	24	0.9 %
96	22	0.8 %
98	15	0.6 %
100	16	0.6 %
102	5	0.2 %
104	3	0.1 %
106	2	0.1 %
108	4	0.1 %
110	5	0.2 %
112	1	0.0 %
120	4	0.1 %
124	1	0.0 %
140	1	0.0 %
176	1	0.0 %
. (M)	183	6.8 %

SYSBP23

Systolic BP #2

Location: 1968-1970 (width: 3; decimal: 0)

Variable Type: numeric

- Study 29701 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
72	1	0.0 %
82	4	0.1 %
84	4	0.1 %
86	6	0.2 %
88	17	0.6 %
90	38	1.4 %
92	44	1.6 %
94	44	1.6 %
96	61	2.3 %
97	1	0.0 %
98	110	4.1 %
100	118	4.4 %
101	1	0.0 %
102	103	3.8 %
104	94	3.5 %
106	116	4.3 %
107	1	0.0 %
108	155	5.7 %
109	1	0.0 %
110	179	6.6 %
112	136	5.0 %
114	98	3.6 %
116	86	3.2 %
118	160	5.9 %
120	112	4.1 %
122	97	3.6 %
124	88	3.2 %
126	63	2.3 %
128	89	3.3 %
130	65	2.4 %
132	55	2.0 %
134	43	1.6 %
135	1	0.0 %
136	33	1.2 %
138	59	2.2 %
140	44	1.6 %
142	29	1.1 %
144	19	0.7 %
146	15	0.6 %
148	26	1.0 %

- Study 29701 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
150	14	0.5 %
152	9	0.3 %
154	7	0.3 %
156	5	0.2 %
158	17	0.6 %
160	11	0.4 %
162	6	0.2 %
164	5	0.2 %
166	3	0.1 %
168	4	0.1 %
170	7	0.3 %
172	3	0.1 %
176	1	0.0 %
178	4	0.1 %
180	3	0.1 %
182	2	0.1 %
184	1	0.0 %
186	2	0.1 %
190	3	0.1 %
202	1	0.0 %
204	1	0.0 %
206	1	0.0 %
. (M)	184	6.8 %

DIABP23

Diastolic BP #2

Location: 1971-1973 (width: 3; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
30	1	0.0 %
40	1	0.0 %
42	1	0.0 %
44	2	0.1 %
48	1	0.0 %
50	14	0.5 %
52	5	0.2 %
54	16	0.6 %
56	27	1.0 %
58	50	1.8 %
60	99	3.7 %

- Study 29701 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
62	92	3.4 %
64	109	4.0 %
65	2	0.1 %
66	143	5.3 %
68	176	6.5 %
70	260	9.6 %
72	198	7.3 %
73	1	0.0 %
74	183	6.8 %
75	1	0.0 %
76	173	6.4 %
78	195	7.2 %
80	176	6.5 %
81	1	0.0 %
82	131	4.8 %
84	98	3.6 %
86	83	3.1 %
88	74	2.7 %
90	75	2.8 %
92	35	1.3 %
94	32	1.2 %
96	21	0.8 %
98	13	0.5 %
100	10	0.4 %
102	5	0.2 %
104	1	0.0 %
106	2	0.1 %
108	8	0.3 %
110	5	0.2 %
112	1	0.0 %
118	3	0.1 %
136	1	0.0 %
140	1	0.0 %
. (M)	184	6.8 %

HEIGHT3	Height (in cm)
----------------	-----------------------

Location: 1974-1980 (width: 7; decimal: 2)

Variable Type: numeric

HTMETHO3	Height Measurement Method
-----------------	----------------------------------

Location: 1981-1982 (width: 2; decimal: 0)

- Study 29701 -

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	4	0.1 %
-1	N/A	11	0.4 %
1	Stadiometer	2229	82.3 %
2	Portable	295	10.9 %
. (M)	-	171	6.3 %

WEIGHT3 **Weight (in kg)**

Location: 1983-1988 (width: 6; decimal: 1)

Variable Type: numeric

SCALE3 **Weight Scale Type**

Location: 1989-1990 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	13	0.5 %
-1	N/A	16	0.6 %
1	Balance Beam	1423	52.5 %
2	Clinic Digital	371	13.7 %
3	Portable	716	26.4 %
. (M)	-	171	6.3 %

WAIST3 **Waist Circumference**

Location: 1991-1996 (width: 6; decimal: 1)

Variable Type: numeric

WASTMEA3 **Waist measurement taken in:**

Location: 1997-1998 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	5	0.2 %
-1	N/A	8	0.3 %
1	Undergarments	2152	79.4 %
2	Light Clothing	372	13.7 %
. (M)	-	173	6.4 %

HIP3 **Hip Circumference**

Location: 1999-2004 (width: 6; decimal: 1)

Variable Type: numeric

HIPMEAS3 **Hip Measurement taken in:**

- Study 29701 -

Location: 2005-2006 (width: 2; decimal: 0)
Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	6	0.2 %
-1	N/A	8	0.3 %
1	Undergarments	2054	75.8 %
2	Light Clothing	471	17.4 %
. (M)	-	171	6.3 %

BMI3 **Body Mass Index**

Location: 2007-2012 (width: 6; decimal: 3)
Variable Type: numeric

PHYFLG3 **Abbreviated or Full Physical Measures**

Location: 2013-2015 (width: 3; decimal: 0)
Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
	171	6.3 %
AIN	7	0.3 %
PHY	2532	93.4 %

HRMDAY3 **Hormone measures Day**

Location: 2016-2019 (width: 4; decimal: 0)
Variable Type: numeric

CYCDAY3 **Day of cycle**

Location: 2020-2020 (width: 1; decimal: 0)
Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	209	7.7 %
3	371	13.7 %
4	353	13.0 %
5	324	12.0 %
. (M)	1453	53.6 %

DHAS3 **Dehydroepiandrosterone sulfate (ug/dL)**

Location: 2021-2026 (width: 6; decimal: 1)
Variable Type: numeric

FSH3 **Follicle-stimulating hormone (mIU/mL)**

Location: 2027-2032 (width: 6; decimal: 1)
Variable Type: numeric

SHBG3 **Sex hormone-binding globulin (nM)**

- Study 29701 -

Location: 2033-2038 (width: 6; decimal: 1)

Variable Type: numeric

T3 Testosterone (ng/dL)

Location: 2039-2044 (width: 6; decimal: 1)

Variable Type: numeric

E2AVE3 Estradiol (average, pg/mL)

Location: 2045-2051 (width: 7; decimal: 3)

Variable Type: numeric

FLGCV3 Both E2>20 pg/mL & CV>15%

Location: 2052-2052 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	2327	85.9 %
1	Yes	20	0.7 %
. (M)	-	363	13.4 %

FLGDIF3 1 or both E2<=20 pg/mL & dif>10

Location: 2053-2053 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	2346	86.6 %
1	Yes	1	0.0 %
. (M)	-	363	13.4 %

CVRDAY3 Cardiovascular measures Day

Location: 2054-2057 (width: 4; decimal: 0)

Variable Type: numeric

FLAGSER3 Lipids measured on serum not plasma

Location: 2058-2058 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	2311	85.3 %
1	Yes	32	1.2 %
. (M)	-	367	13.5 %

CHOLRES3 Total cholesterol (mg/dl)

Location: 2059-2061 (width: 3; decimal: 0)

Variable Type: numeric

TRIGRES3 Triglycerides (mg/dl)

- Study 29701 -

Location: 2062-2065 (width: 4; decimal: 0)

Variable Type: numeric

LDLRESU3 **Estimated LDL (mg/dl)**

Location: 2066-2068 (width: 3; decimal: 0)

Variable Type: numeric

HDLRESU3 **HDL (mg/dl)**

Location: 2069-2071 (width: 3; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
12	1	0.0 %
22	1	0.0 %
24	1	0.0 %
25	1	0.0 %
26	6	0.2 %
28	8	0.3 %
29	2	0.1 %
30	12	0.4 %
31	4	0.1 %
32	13	0.5 %
33	5	0.2 %
34	25	0.9 %
35	5	0.2 %
36	30	1.1 %
37	14	0.5 %
38	36	1.3 %
39	22	0.8 %
40	45	1.7 %
41	30	1.1 %
42	36	1.3 %
43	40	1.5 %
44	53	2.0 %
45	47	1.7 %
46	64	2.4 %
47	36	1.3 %
48	68	2.5 %
49	43	1.6 %
50	74	2.7 %
51	67	2.5 %
52	60	2.2 %
53	55	2.0 %
54	68	2.5 %

- Study 29701 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
55	64	2.4 %
56	62	2.3 %
57	56	2.1 %
58	66	2.4 %
59	66	2.4 %
60	59	2.2 %
61	59	2.2 %
62	64	2.4 %
63	46	1.7 %
64	43	1.6 %
65	42	1.5 %
66	39	1.4 %
67	39	1.4 %
68	46	1.7 %
69	35	1.3 %
70	40	1.5 %
71	37	1.4 %
72	32	1.2 %
73	34	1.3 %
74	33	1.2 %
75	30	1.1 %
76	27	1.0 %
77	18	0.7 %
78	29	1.1 %
79	31	1.1 %
80	20	0.7 %
81	15	0.6 %
82	14	0.5 %
83	27	1.0 %
84	16	0.6 %
85	13	0.5 %
86	11	0.4 %
87	11	0.4 %
88	13	0.5 %
89	17	0.6 %
90	11	0.4 %
91	12	0.4 %
92	13	0.5 %
93	3	0.1 %
94	9	0.3 %

- Study 29701 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
95	11	0.4 %
96	4	0.1 %
97	5	0.2 %
98	8	0.3 %
99	3	0.1 %
100	1	0.0 %
101	2	0.1 %
102	2	0.1 %
103	4	0.1 %
104	1	0.0 %
105	1	0.0 %
106	2	0.1 %
107	3	0.1 %
109	2	0.1 %
112	1	0.0 %
113	2	0.1 %
115	2	0.1 %
116	2	0.1 %
117	2	0.1 %
118	1	0.0 %
121	1	0.0 %
124	1	0.0 %
127	1	0.0 %
159	1	0.0 %
. (M)	373	13.8 %

GLUCRES3 Glucose (mg/dl)

Location: 2072-2074 (width: 3; decimal: 0)

Variable Type: numeric

INSURES3 Insulin (uIU/ml)

Location: 2075-2080 (width: 6; decimal: 1)

Variable Type: numeric

FACRESU3 Factor VII (%)

Location: 2081-2084 (width: 4; decimal: 0)

Variable Type: numeric

FIBRESU3 Fibrinogen (mg/dl)

Location: 2085-2087 (width: 3; decimal: 0)

Variable Type: numeric

- Study 29701 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
109	1	0.0 %
113	1	0.0 %
122	1	0.0 %
125	1	0.0 %
127	1	0.0 %
131	1	0.0 %
133	4	0.1 %
141	1	0.0 %
146	1	0.0 %
147	1	0.0 %
148	1	0.0 %
155	2	0.1 %
158	2	0.1 %
161	1	0.0 %
164	3	0.1 %
168	6	0.2 %
169	3	0.1 %
171	3	0.1 %
175	3	0.1 %
177	4	0.1 %
179	4	0.1 %
181	9	0.3 %
183	4	0.1 %
185	5	0.2 %
188	2	0.1 %
190	3	0.1 %
193	8	0.3 %
195	11	0.4 %
198	16	0.6 %
200	18	0.7 %
203	18	0.7 %
206	25	0.9 %
209	24	0.9 %
212	25	0.9 %
215	19	0.7 %
219	42	1.5 %
222	30	1.1 %
226	32	1.2 %
230	47	1.7 %
234	54	2.0 %

- Study 29701 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
238	69	2.5 %
242	67	2.5 %
247	71	2.6 %
251	81	3.0 %
256	66	2.4 %
262	106	3.9 %
267	109	4.0 %
273	103	3.8 %
279	87	3.2 %
286	108	4.0 %
292	90	3.3 %
300	101	3.7 %
308	93	3.4 %
316	78	2.9 %
325	68	2.5 %
334	73	2.7 %
345	70	2.6 %
356	59	2.2 %
368	48	1.8 %
382	27	1.0 %
396	24	0.9 %
412	30	1.1 %
430	20	0.7 %
451	14	0.5 %
474	4	0.1 %
494	1	0.0 %
500	4	0.1 %
524	1	0.0 %
690	1	0.0 %
. (M)	600	22.1 %

PAIRESU3 PAI-3 (ng/ml)

Location: 2088-2093 (width: 6; decimal: 1)

Variable Type: numeric

TPARESU3 tPA (ng/ml)

Location: 2094-2099 (width: 6; decimal: 1)

Variable Type: numeric

LPARESU3 Lipoprotein Lp(a) (mg/dl)

Location: 2100-2102 (width: 3; decimal: 0)

Variable Type: numeric

- Study 29701 -

LPA1RES3

Lipoprotein A-3 (mg/dl)

Location: 2103-2105 (width: 3; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
17	1	0.0 %
21	1	0.0 %
22	2	0.1 %
23	1	0.0 %
24	1	0.0 %
25	1	0.0 %
26	4	0.1 %
27	4	0.1 %
28	8	0.3 %
29	6	0.2 %
30	16	0.6 %
31	19	0.7 %
32	26	1.0 %
33	16	0.6 %
34	26	1.0 %
35	23	0.8 %
36	40	1.5 %
37	38	1.4 %
38	56	2.1 %
39	52	1.9 %
40	44	1.6 %
41	55	2.0 %
42	54	2.0 %
43	45	1.7 %
44	59	2.2 %
45	55	2.0 %
46	60	2.2 %
47	57	2.1 %
48	66	2.4 %
49	50	1.8 %
50	69	2.5 %
51	62	2.3 %
52	64	2.4 %
53	52	1.9 %
54	61	2.3 %
55	65	2.4 %
56	55	2.0 %

- Study 29701 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
57	51	1.9 %
58	47	1.7 %
59	61	2.3 %
60	39	1.4 %
61	58	2.1 %
62	60	2.2 %
63	44	1.6 %
64	36	1.3 %
65	29	1.1 %
66	36	1.3 %
67	28	1.0 %
68	43	1.6 %
69	27	1.0 %
70	42	1.5 %
71	22	0.8 %
72	47	1.7 %
73	15	0.6 %
74	33	1.2 %
75	7	0.3 %
76	29	1.1 %
77	11	0.4 %
78	28	1.0 %
79	9	0.3 %
80	30	1.1 %
81	5	0.2 %
82	22	0.8 %
83	3	0.1 %
84	18	0.7 %
85	5	0.2 %
86	17	0.6 %
88	14	0.5 %
89	3	0.1 %
90	12	0.4 %
91	3	0.1 %
92	11	0.4 %
93	4	0.1 %
94	7	0.3 %
95	1	0.0 %
96	9	0.3 %
98	7	0.3 %

- Study 29701 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
99	2	0.1 %
100	8	0.3 %
101	1	0.0 %
102	1	0.0 %
103	1	0.0 %
104	3	0.1 %
105	1	0.0 %
106	3	0.1 %
108	2	0.1 %
112	2	0.1 %
118	2	0.1 %
124	1	0.0 %
. (M)	396	14.6 %

APOARES3	Apolipoprotein A-3 (mg/dl)
-----------------	-----------------------------------

Location: 2106-2108 (width: 3; decimal: 0)

Variable Type: numeric

APOBRES3	Apolipoprotein B (mg/dl)
-----------------	---------------------------------

Location: 2109-2111 (width: 3; decimal: 0)

Variable Type: numeric

CRPRESU3	C-reactive protein (mg/l)
-----------------	----------------------------------

Location: 2112-2117 (width: 6; decimal: 3)

Variable Type: numeric

FLGCVRV3	Collected after V3 cutoff (01/31/2001)
-----------------	---

Location: 2118-2118 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	2342	86.4 %
1	Yes	1	0.0 %
. (M)	-	367	13.5 %

SPSCDAY3	Spine Scan Day
-----------------	-----------------------

Location: 2119-2122 (width: 4; decimal: 0)

Variable Type: numeric

SPSCTIM3	Spine Scan Time
-----------------	------------------------

Location: 2123-2130 (width: 8; decimal: 0)

Variable Type: character

SPSCMOD3	Spine Scan Mode
-----------------	------------------------

- Study 29701 -

Location: 2131-2132 (width: 2; decimal: 0)
Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
5	2000 machine	732	27.0 %
11	4500 machine	1109	40.9 %
. (M)	-	869	32.1 %

HPSCDAY3 Hip Scan Day

Location: 2133-2136 (width: 4; decimal: 0)
Variable Type: numeric

HPSCTIM3 Hip Scan Time

Location: 2137-2144 (width: 8; decimal: 0)
Variable Type: character

HPSCMOD3 Hip Scan Mode

Location: 2145-2146 (width: 2; decimal: 0)
Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
5	2000 machine	733	27.0 %
11	4500 machine	1116	41.2 %
. (M)	-	861	31.8 %

SPBMDT3 Total Spine BMD w/cross-calibration applied

Location: 2147-2152 (width: 6; decimal: 3)
Variable Type: numeric

HPBMDT3 Total Hip BMD w/cross-calibration applied

Location: 2153-2158 (width: 6; decimal: 3)
Variable Type: numeric

BMDFLG3 PI recommended for spine exclusion

Location: 2159-2159 (width: 1; decimal: 0)
Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	1849	68.2 %
1	Yes	3	0.1 %
. (M)	-	858	31.7 %

Visit 3 bibliography

Avis NE, Colvin A, Bromberger JT, Hess R, Matthews KA, Ory M, Schocken M. **Change in health-related quality of life over the menopausal transition in a multiethnic cohort of middle-aged women: Study of Women's Health Across the Nation.** Menopause. 2009;16(5):860-869.

Primary Question: Does the menopausal transition impact health-related quality of life?

Summary of Findings: Women reported a greater impact of physical health on their functioning when they were late perimenopausal or postmenopausal than when they were premenopausal.

[PMCID:PMC2743857]

Skurnick JH, Weiss G, Goldsmith LT, Santoro N, Crawford S. **Longitudinal changes in hypothalamic and ovarian function in perimenopausal women with anovulatory cycles: relationship with vasomotor symptoms.** Fertility and Sterility. 2009;91(4):1127-1134.

Primary Question: Do perimenopausal women's cyclical hormone patterns classified by estrogen and LH concurrent levels exhibit progression to menopause? Are a woman's changes in cyclical hormone patterns predictive of vasomotor symptoms?

Summary of Findings: Classes of anovulatory cycles do not progress predictably to menopause. Ovulatory cycles may recur in women whose previous cycles exhibited loss of estrogen-negative feedback on LH and FSH. Changes in cycle class do not correlate with occurrence of vasomotor symptoms.

Dugan SA, Everson-Rose SA, Karavolos K, Sternfeld B, Basu S, Wesley D, Powell LH. **The Impact of Physical Activity Level on SF-36 Role-Physical and Bodily Pain Indices in Midlife Women.** Journal of Physical Activity and Health. 2009;6(1):33-42.

Primary Question: Does being physically active at mid-life contribute to better physical functioning and less pain over time?

Summary of Findings: Physically active women were less likely to experience pain and had higher levels of physical functioning over 3 years compared to less active women. This association was evident after taking into account menopausal status, sociodemographic factors, and medical conditions.

Matthews KA, Santoro N, Lasley B, Chang Y, Crawford S, Pasternak RC, Sutton-Tyrrell K, Sowers M. **Relation of Cardiovascular Risk Factors in Women Approaching Menopause to Menstrual Cycle Characteristics and Reproductive Hormones in the Follicular and Luteal Phases.** Journal of Clinical Endocrinology and Metabolism. 2006;91(5):1789-1795.

Primary Question: Do women who have evidence of having an ovulatory menstrual cycle have a less atherogenic risk factor profile than women who do not? Among women with evidence of having an ovulatory cycle, are their risk factors associated with their levels of reproductive hormones and length of their menstrual cycle?

Summary of Findings:) Few risk factors differed between women who did and did not evidence of having an ovulatory cycle. Among women with evidence of an ovulatory cycle, lower hormone levels or longer cycle length with associated with a more atherogenic risk factor profile, which were reduced in number statistically after controlling for body mass index. Higher estrone levels during the follicular phase were associated with lower risk factor levels.

Meyer PM, Zeger SL, Harlow SD, Sowers M, Crawford S, Luborsky JL, Janssen I, McConnell DS, Randolph JF, Weiss G. **Characterizing Daily Urinary Hormone Profiles for Women at Midlife Using Functional Data Analysis.** American Journal of Epidemiology. 2007;165(8):936-45.

Primary Question: The goal of this study is to describe the typical modes of variation in the patterns of four urinary hormones measured in samples collected daily during a menstrual cycle

Summary of Findings: We identified multiple differences in hormone profiles associated with variation in cycle length. Very short and longer than typical cycles were characterized by increasingly chaotic variability. An estrone conjugate follicular/luteal phase asymmetry differed across body mass index categories.

Dugan SA, Powell LH, Kravitz HM, Everson-Rose SA, Karavolos K, Luborsky J. **Musculoskeletal Pain and Menopausal Status.** Clinical Journal of Pain. 2006;22(4):325-331

Primary Question: The objectives of the proposed study are (1) to determine what percentage of middle-aged women report musculoskeletal pain, and (2) to determine if report of pain differs by menopausal status and is impacted by race/ethnicity, medical issues (osteoarthritis, use of pain medications), smoking status, body mass index, parity or depression score.

Summary of Findings: One in six women at the third follow-up year of the SWAN report daily aches and pain symptoms. One in seven women reports cutting down on the amount of time she spends on work or other activities due to pain in the previous four weeks. After adjusting for demographic, medical, and lifestyle factors and depression, early perimenopausal women still reported significantly greater functional limitations from pain than premenopausal women.