ICPSR | INTER-UNIVERSITY CONSORTIUM FOR POLITICAL AND SOCIAL RESEARCH

ICPSR 31901

Study of Women's Health Across the Nation (SWAN), 2003-2005: Visit 07 Dataset

Codebook

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

Study of Women's Health Across the Nation (SWAN), 2003-2005: Visit 07 Dataset

Kim Sutton-Tyrell
University of Pittsburgh

Faith Selzer
University of Pittsburgh

MaryFran Sowers
University of Michigan

Joel Finkelstein
Massachusetts General Hospital, Boston

Lynda Powell
Rush University. Rush-Presbyterian-St. Luke's Medical Center, Chicago

Ellen Gold
University of California-Davis

Gail Greendale
University of California-Los Angeles

Gerson Weiss
University of Medicine and Dentistry-New Jersey Medical Center

Karen Matthews
University of Pittsburgh

Terms of Use

The terms of use for this study can be found at:
http://www.icpsr.umich.edu/icpsrweb/ICPSR/studies/31901/terms

Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE
WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

ICPSR PROCESSING NOTES FOR #31901

Study of Women's Health Across the Nation (SWAN), 2003-2005: Visit 07 Dataset

1. **Linking Variable:** Using the variable **SWANID**, this dataset can be linked with the following datasets:

ICPSR #	**Dataset Name**
ICPSR 4368	SWAN Cross-Sectional Screener
ICPSR 28762	Baseline Data
ICPSR 29221	Visit 1 Data
ICPSR 29401	Visit 2 Data
ICPSR 29701	Visit 3 Data
ICPSR 30142	Visit 4 Data
ICPSR 30501	Visit 5 Data
ICPSR 31181	Visit 6 Data
ICPSR 32122	Visit 8 Data
ICPSR 32721	Visit 9 Data
ICPSR 32961	Visit 10 Data
ICPSR 30181	Family Medical History Data

2. **Stata Limitations:** Due to a system limitation in Stata, the string/character variables within the dataset, such as **STRTIM17** and **STPTIM17**, do not contain value labels. Data users should refer to the documentation for the appropriate labels.

3. **Undocumented Code:** The variable **HPSCMOD7** contains the undocumented value of "17" which has been labeled "UNDOCUMENTED CODE" by ICPSR. No information was provided.

4. **Additional information**: For additional information on the Study of Women's Heath Across the Nation Study, please visit the SWAN Web site.

Swan

STUDY of WOMEN'S HEALTH
ACROSS the NATION

FOLLOW-UP VISIT 07

CODEBOOK

PAGE INTENTIONALLY BLANK

TABLE OF CONTENTS

Documentation for the SWAN Visit 07 Dataset 4

Interview Questionnaire 7

Self-Administered Questionnaire Part A 34

Physical Measures 55

Cognitive Function Form 58

Additional Measures 68

Bioimpedance Measures 73

DOCUMENTATION FOR THE PUBLIC-USE SWAN VISIT 07 DATASET

1. Who is included in the public use dataset:

The dataset contains follow-up visit 7 information for the 3,302 women from the 7 clinical sites participating in the SWAN longitudinal study. The sites include Boston, MA, Pittsburgh, PA, Oakland and Los Angeles, CA, Detroit, MI, and Chicago, IL. Data was not collected from New Jersey for this visit.

2. How this codebook is constructed:

Following this documentation section are copies of each of the questionnaires that were used at visit 7. A list of additional variables is also provided. The questionnaires include the variables available for public use next to the question in bold red uppercase underlined letters. Those variables not available for public use have a # before the variable and are in blue. Any special notes are indicated with footnotes at the bottom of the page.

The assigned participant ID has been replaced with a randomly generated SWANID in order to protect participant privacy. The *baseline* interview date is denoted as day 0 and is used as the basis for all other dates. All other questionnaires or data collected that have a date attached have been converted to the number of days from the baseline interview. For example, if the Visit 7 Self-Administered Questionnaire Part A was collected 7 years after the baseline interview, the day for the Self-Administered Part A would be day 2555 and the Baseline Interview would be day 0.

All variables for visit 7 have a 7 at the end of the variable name.

3. Missing data coding:
The following coding convention is used to indicate different forms of missing data:

-9 = Missing
-8 = Do not know
-7 = Refused
-1 = Not Applicable

4. Ways this data can be used and additional notes

Interview Questionnaire

In general, any 'Other, specify' text field is not included in the dataset.

- A menopausal status variable (STATUS7) was derived for all analyses of the SWAN data for the participant at visit 7.
- Age (AGE7) was calculated from date of birth to when the interview form was completed, and is rounded to the next lowest integer.
- CES-D scores can be created from the questions in F.3.
- A perceived stress score can be created from questions in F.2.
- In depth complementary and alternative medicine questions are asked in questions C.1 through C.21. Whereas visit 6 had the questions as part of the self-administered questionnaire, this visit included the questions in the interview portion of the visit.
- The flag FLGINTV7 is set for the 3 participants who completed the questionnaire before visit 7 began (5/15/2003).
- Several form versions of the interview could be administered, depending on the amount of time available or the location of the visit. The flag FORMINT7 was set to indicate which version of the interview was administered:
    a) FUI indicates participants that completed the full interview.
    b) AINT (Abbreviated FU interview) (94 participants) completed an abbreviated interview in combination with either an abbreviated or full Self-Administered Part A form.
    c) AFUI (Abbreviated Plus FU Interview) (21 participants) completed a new abbreviated form of the interview made available with visit 7 that comprised key questions from the interview and Self-Administered Questionnaire – Part A.
    d) OFUI (One Hour Abbreviated Follow-up Interview) (24 participants) completed another new abbreviated form of the interview made available with visit 7 that comprised key questions from the interview and Self-Administered Questionnaire – Part A where the participant said they had one hour available.

Self-Administered Questionnaire Part A

A Self-A Amended Telephone Interview (PATI), comprised of key questions from the core Follow-up Self-Administered Questionnaire Part A, was administered at study visits in cases where the Self-Administered Questionnaire was not completed. Similarly, an Abbreviated Follow-up Interview (AINT), comprised of key questions from the core Annual Follow-up Interview and Self-Administered Questionnaire Part A, was administered for participants who are not willing to come in for a core study visit, but who were willing to give 10 or 15 minutes of their time to answer questions over the telephone. Two new abbreviated versions of the Self-A (AFUI and OFUI) are described above. The flag FORMSAA7 delineates those who did the full questionnaire (SAA) from the 80 participants who did the abbreviated questionnaire (AIN), the 20 that did the phone interview (PAT), the 21 that did the abbreviated plus follow-up interview (AFU) and the 16 that did the one hour abbreviated follow-up (OFU).

- The income question (E.1) was condensed so that the income ranges were more broadly defined.
- Current smoking is defined as anyone who answered 'yes' to question B.9 (SMOKERE7) and an answer greater than 0 for B.9a (AVGCIGDA7).
- Positive and Negative Affect Schedule (PANAS) Scores can be derived from questions F.1.a through F.1.t. A subset of the participants answered the Japanese version, which has 22 culturally appropriate items rather than the 20 items asked on the English version. There is no direct correlation between the two versions, so all Japanese items have been set to missing. In addition, question F.1.b has been set to missing because 'disinterested' was on the form, but the correct PANAS term is 'distressed.' It is suggested that the raw 9 item negative affect score, when multiplied by 1.112, can be made comparable to the positive affect score and the outcomes found in the literature.
- Spielberger Trait Anxiety Inventory can be calculated from questions G.1.a-j. This is normally a 20-item scale, but SWAN uses only 10 items. A score can be derived by reversing applicable questions so that all items are positively scored, and then summing the items. A higher total value indicates high trait anxiety.
- Interpersonal Mistreatment and Discrimination Scale Factors can be calculated from the items in H.1.a-j.
- The Hopelessness Scale from the Kuopio Ischemic Heart Disease Study can be calculated from questions J.1.a and J.1.b. These items are reverse-coded and summed to create a hopelessness score.
- The flag FLGSAAV7 is set for the 2 participants who completed the questionnaire after the 03/21/2005 cutoff, and also for the seven participants that completed the questionnaire before Visit 7 began (5/13/2003)**.**

Physical Measures

- In addition to the variables on the form, BMI7 was also calculated as weight in kilograms divided by the square of height in meters.
- The flag FORMPHY7 is set for the participants who completed either the full physical (PHY), abbreviated interview (AIN), or the phone interview (PAT). No physical measures were performed for the abbreviated or phone interview (AIN and PAT); however, self-reported weight was collected on the abbreviated interview.

Cognitive Function Form

- Individual and summary scores are available for the following tests: East Boston Memory Test (both the immediate and delayed recall of a story), Symbol Digits Modalities Test, Faces (both immediate and delayed recall) and the Digits Backward Test.
- The flag FLGCOGV7 is set for the three participants who completed the questionnaire before Visit 7 began (5/15/2003)**.**
- Several special codes were used in this dataset to indicate why tests (and test items) were not administered:
  6 = Not administered because of physical impairment
  7 = Not administered because of verbal refusal
  8 = Not administered because of a behavioral reason
  9 = Not administered for some other reason
  10 = Administered but not according to protocol

Additional Measures

Several variables pertaining to the blood draw (serum hormone and cardiovascular measures) that were part of the follow-up interview were moved to a separate questionnaire. Those variables are now included in this part of the data dictionary.

Serum Hormone Measures

The Visit 7 hormone results are included. Of special note is that the estradiol assay was run in duplicate. The average (E2AVE7) is the within-person arithmetic average of the two assays. A flag indicates if the estradiol results differed by > 10 pg/mL where one or both results <= 20 pg/mL. Hormone results below the lower level of detection (LLD- see table in the Additional Measures section) were recoded to an .L value.

Cardiovascular Measures

The Visit 7 cardiovascular results are included. A flag (FLAGSER7) indicates that the lipids were measured on serum rather than plasma because plasma was not available. Fibrinogen, Factor VII, and Lipoprotein A-1 were only run on half the participants.

Bone Mineral Density Measures

Five of the seven sites participated in the bone study – Detroit, MI, Boston, MA, Oakland and Los Angeles, CA, and Pittsburgh, PA. Total spine and total hip bone mineral density (BMD) measures are provided.

Bioimpedance Measures

Body composition was measured using bioimpedance equipment. Percent body fat (equation provided by Dr. MaryFran Sowers), skeletal muscle mass (Janssen, 2000), fat free mass, total body water, and percent body fat (all provided by RJL Systems and validated using NHANES III data (Chumlea, 2002)) are also provided. MISSPHY7 flags where missing physical measures caused the created variables to be missing, and MISSCON7 flags where conductance was missing. A flag (FLAGSRP7) indicates where self-reported physical measures were used in calculations.

Date Data Entered / Initials _____ Date Verified / Initials _____

ANNUAL FOLLOW-UP INTERVIEW

Study of Women's Health Across the Nation

SECTION A. GENERAL INFORMATION

A1. RESPONDENT ID: AFFIX ID LABEL HERE **SWANID~**

A2. SWAN STUDY VISIT # 07 **VISIT**

A3. FORM VERSION: 03/03/2003 **#FORM_V**

A4. DATE FORM COMPLETED: ___ ___ / ___ ___ / ___ ___ ___ ___ (M M D D Y Y Y Y) **INTDAY7†**

A5. INTERVIEWER'S INITIALS: ___ ___ ___ **#INITS**

A6. RESPONDENT'S DOB: ___ ___ / ___ ___ / 1 9 ___ ___ (M M D D Y Y Y Y) **#DOB**

VERIFY WITH RESPONDENT

A7. INTERVIEW COMPLETED IN: **#LOCATIO7**

RESPONDENT'S HOME.....1
CLINIC/OFFICE 2
RESPONDENT'S HOME BY PROXY.....3
CLINIC/OFFICE BY PROXY 4
TELEPHONE.....5
TELEPHONE BY PROXY.....6

A8. INTERVIEW LANGUAGE: **LANGINT7**

ENGLISH 1
SPANISH 2
CANTONESE.....3
JAPANESE 4

A9. Are you currently pregnant? **PRGNAN7**

NO.....1
YES.....2
DON'T KNOW ..... -8

~ A randomly generated ID will be provided that is different from the original ID.
† This date is given in days since the initial baseline interview, which is day zero.

 # Variable Excluded from Public Use Data File

ASK RESPONDENT TO GATHER PRESCRIPTION MEDICATIONS SO THEY ARE WITHIN REACH.
REMEMBER, DO NOT READ OUT LOUD ANY SCRIPT IN CAPITAL LETTERS.

REFER TO THE "MEDICATION REFERENCE LIST" AS PER PROTOCOL.

I would like to begin the interview by asking you some questions about prescribed and over - the - counter (OTC) medications.

I will start by asking about any pills or medicines, including patches, suppositories, injections, creams and ointments which are prescribed by your doctor or other health care provider, that you have taken **since your last study visit**.

IF YES TO ANY, RECORD MEDICATION NAME IN THE SPACES PROVIDED

				PRESCRIPTION DRUGS IF YES					
				a. What is the name of the medication?		b. Have you been taking it at least two times per week for the last month?		c. INTERVIEWER CHECK: MEDICATION VERIFIED FROM CONTAINER LABEL?	
Since your last study visit....		**NO**	**YES**			**NO**	**YES**	**NO**	**YES**
B1.	Have you taken any medication, pills or other medicine to thin your blood (anticoagulants)? **ANTICO17, ANTICO27**	1	2	#ACOAEN17,#ACOAMD17	**ACOATW17**	1	2	1	#ACOAVR17 2
		1	2	#ACOAEN27,#ACOAMD27	**ACOATW27**	1	2	1	#ACOAVR27 2
B2.	Anything for your heart or heartbeat, including pills or patches? **HEART17, HEART27**	1	2	#HARTEN17,#HARTMD17	**HARTTW17**	1	2	1	#HARTVR17 2
		1	2	#HARTEN27,#HARTMD27	**HARTTW27**	1	2	1	#HARTVR27 2
B3.	Any medications for cholesterol or fats in your blood? **CHOLST17 CHOLST27**	1	2	#CHOLEN17,#CHOLMD17	**CHOLTW17**	1	2	1	#CHOLVR17 2
		1	2	#CHOLEN27,#CHOLMD27	**CHOLTW27**	1	2	1	#CHOLVR27 2
B4.	Blood pressure pills? **BP17 BP27**	1	2	#BPEN17, #BPMED17	**BPTW17**	1	2	1	#BPVER17 2
		1	2	#BPEN27, #BPMED27	**BPTW27**	1	2	1	#BPVER27 2

 # Variable Excluded from Public Use Data File

Since your last study visit, have you taken....	NO	YES	a. What is the name of the medication?	NO	b. Have you been taking it at least two times per week for the last month? YES	NO	c. INTERVIEWER CHECK: MEDICATION VERIFIED FROM CONTAINER LABEL? YES
B5. Diuretics for water retention? **DIURET17**	1	2	#DIUREN17, DIURMD17	1	DIURTWI7 2	1	#DIURVR17 2
DIURET27	1	2	#DIUREN27, DIURMD27	1	DIURTW27 2	1	#DIURVR27 2
B6. Thyroid pills? **THYROI17**	1	2	#THYREN17, THYRMD17	1	THYRTW17 2	1	#THYRVR17 2
THYROI27	1	2	#THYREN27, THYRMD27	1	THYRTW27 2	1	#THYRVR27 2
B7. Insulin or pills for sugar in your blood?	1	2	#INSUEN17, INSUMD17	1	INSUTW17 2	1	#INSUVR17 2
INSULN17	1	2	#INSUEN27, INSUMD27	1	INSUTW27 2	1	#INSUVR27 2
INSULN27							
B8. Any medications for a nervous condition such as tranquilizers,sedatives, sleeping pills, or anti-depression medication? ? **NERVS17, NERVS27**	1	2	#NERVEN17, NERVMD17	1	NERVTW17 2	1	#NERVVR17 2
	1	2	#NERVEN27, NERVMD27	1	NERVTW27 2	1	#NERVVR27 2
B9. Steroid pills such as Prednisone, or cortisone?	1	2	#STEREN17, STERMD17	1	2	1	2
STEROI17,STEROI27	1	2	#STEREN27, STERMD27	1	STERTW17 2 STERTW27	1	#STERVR17 2 #STERVR27
B10. Fertility medications to help you get pregnant (such as Pergonal, Clomid, Fertinex, Gonal-F, Follistim or Repronex)?	1	2	#FRTLEN17, FRTLMD17	1	2	1	2
FERTIL17	1	2	#FRTLEN27, #FRTLMD27	1	FRTLTW17 2 FRTLTW27	1	#FRTLVR17 2 #FRTLVR27
FERTIL27							

 # Variable Excluded from Public Use Data File

REFER TO HORMONES ON THE "MEDICATION REFERENCE LIST" AS PER PROTOCOL.

HORMONE QUESTIONS B11-15:

Since your last study visit, have you taken....

		NO	YES	a. What is the name of the medication?	NO	YES	b. Have you been taking it during the past month?	NO	YES	c. INTERVIEWER CHECK: MEDICATION VERIFIED FROM CONTAINER LABEL?
B11.	Birth Control pills?	1 **(B12)**	2	#BCPEN17, #BCPMED17	1	2		1	2	
	BCP17					BCPTWI17			#BCPVER17	
	BCP27	1	2	#BCPEN27, #BCPMED27	1	2 BCPTWI27		1	2 #BCPVER27	

B11.d For your most recent use, what was the primary reason for taking birth control pills? BCREAS7

TO PREVENT PREGNANCY 1
TO HELP CONTROL PRE-MENSTRUAL SYMPTOMS 2
TO HELP CONTROL MENOPAUSAL SYMPTOMS 3
TO CONTROL OTHER SYMPTOMS 4
TO REGULATE PERIODS 5
TO PREVENT OSTEOPOROSIS 6
TO REDUCE BLEEDING 7
OTHER 8
(SPECIFY) BCREAS_S7 _____
DON'T KNOW ..... -8

		NO	YES		NO	YES	NO	YES
B12.	Estrogen pills (such as Premarin, Estrace, Ogen, etc)? ESTROG17,ESTROG27	1 **(B13)**	2	#ESTREN17, #ESTRMD17	1	2 ESTRTW17	1	2 #ESTRVR17
		1	2	#ESTREN27, #ESTRMD27	1	2 ESTRTW27	1	2 #ESTRVR27

B12.d IF YES: Does/Did your prescription have you take estrogen daily or on and off on a monthly cycle?
[IF MORE THAN ONE MENTIONED, RECORD THE MORE RECENT AT 1.]

ESTRDA17		ESTRDA27	
1. EVERY DAY	1	2. EVERY DAY	1
OFF AND ON	2	OFF AND ON	2
DON'T KNOW	-8	DON'T KNOW	-8

Since your last study visit, have you taken...	NO	YES		NO	YES	NO	YES
					EINJTW17		#EINJVR17
B13. Estrogen by injection or patch (such as Estraderm)?	1	2	#EINJEN17, #EINJMD17	1	2	1	2
					EINJTW27		#EINJVR27
ESTRNJ17 , ESTRNJ27	1	2	#EINJEN27, #ESTRMD27	1	2	1	2

Variable Excluded from Public Use Data File

Since your last study visit, have you taken...

	NO	YES	a. What is the name of the medication?	NO	YES	NO	YES
				b. Have you been taking it during the past month?		c. INTERVIEWER CHECK: MEDICATION VERIFIED FROM CONTAINER LABEL?	
B14. Combination COMBIN17	1	2	#COMBEN17,#COMBMD1	1	2 COMBTW17	1	2 #COMBVR17
COMBIN27	1	2	#COMBEN27,#COMBMD27	1	2 COMBTW27	1	2 #COMBVR27
B15. Progestin pills (such as Provera)? PROGES17	1 **(B16)**	2	#PROGEN17,#PROGMD17	1	2 PROGTW17	1	2 #PROGVR17
PROGES27	1	2	#PROGEN27,#PROGMD27	1	2 PROGTW27	1	2 #PROGVR27

B15.d IF YES: Does/Did your prescription have you take progestin daily or on and off on a monthly cycle?
[IF MORE THAN ONE MENTIONED, RECORD THE MORE RECENT AT 1.]

PROGDAY17
1. EVERY DAY 1
OFF AND ON 2
DON'T KNOW ..... -8

PROGDAY27
2. EVERY DAY 1
OFF AND ON 2
DON'T KNOW ..... -8

	NO	YES	a. What is the name of the medication?	NO	YES	NO	YES
				b. Have you been taking it at least two times per week for the last month?		c. INTERVIEWER CHECK: MEDICATION VERIFIED FROM CONTAINER LABEL?	
B16. Medications to prevent or treat osteoporosis (brittle or thinning bones such as Fosamax, Didronel, Evista, Miacalcin, Rocaltrol, Actonel)? OSTERPR17	1	2	#OSTEEN17, #OSTEMD17	1	2 OSTETW17	1	2 #OSTEVR17
OSTERPR27	1	2	#OSTEEN27, #OSTEMD27	1	2 OSTETW27	1	2 #OSTEVR27
B17. Prescribed medications for arthritis? ARTHRT17	1	2	#ARTHEN17,#ARTHMD17	1	2 ARTHTW17	1	2 #ARTHVR17
ARTHRT27	1	2	#ARTHEN27,#ARTHMD27	1	2 ARTHTW27	1	2 #ARTHVR27

Variable Excluded from Public Use Data File

Since your last study visit....

		NO	YES	a. What is the name of the medication?	b. Have you been taking it at least two times per week for the last month? NO	YES	c. INTERVIEWER CHECK: MEDICATION VERIFIED FROM CONTAINER LABEL? NO	YES
B18.	OTHMED17 Are there any other prescription pills or medications	1	2	#OTHRMD17	1	OTHRTW17 2	1	#OTHRVR17 2
	OTHMED27	1	2	#OTHRMD27	1	OTHRTW27 2	1	#OTHRVR27 2
	OTHMED37 that you have taken,	1	2	#OTHRMD37	1	OTHRTW37 2	1	#OTHRVR37 2
	OTHMED47 that I haven't	1	2	#OTHRMD47	1	OTHRTW47 2	1	#OTHRVR47 2
	OTHMED57 asked you about?	1	2	#OTHRMD57	1	OTHRTW57 2	1	#OTHRVR57 2
	OTHMED67 (PLEASE LIST)	1	2	#OTHRMD67	1	OTHRTW67 2	1	#OTHRVR67 2
	OTHMED77	1	2	#OTHRMD77	1	OTHRTW77 2	1	#OTHRVR77 2
	OTHMED87	1	2	#OTHRMD87	1	OTHRTW87 2	1	#OTHRVR87 2
	OTHMED97	1	2	#OTHRMD97	1	OTHRTW97 2	1	#OTHRVR97 2
	OTHMD107	1	2	#OTHRM107	1	OTHTW107 2	1	#OTHVR107 2
	OTHMD117	1	2	#OTHRM117	1	OTHTW117 2	1	#OTHVR117 2
	OTHMD127	1	2	#OTHRM127	1	OTHTW127 2	1	#OTHVR127 2
	OTHMD137	1	2	#OTHRM137	1	OTHTW137 2	1	#OTHVR137 2
	OTHMD147	1	2	#OTHRM147	1	OTHTW147 2	1	#OTHVR147 2
	OTHMD157	1	2	#OTHRM157	1	OTHTW157 2	1	#OTHVR157 2

Variable Excluded from Public Use Data File

IF RESPONDENT HAS TAKEN ANY HORMONES (IF YES TO ANY OF B12 -15) ASK B19, OTHERWISE GO TO PAGE 8, Q B21.

B19. Were you using any prescription medications containing estrogen or progestin at the time of your last study visit?

ESTLSTV7

NO 1
YES ..... 2 (GO TO PAGE 8)
DON'T KNOW ..... -8

B20. I am going to read a list of some reasons why women start taking hormones, not including birth control pills. For each one, please tell me if it is a reason why you started taking hormones. (READ LIST a THROUGH i)

			NO	YES
a.	To reduce the risk of heart disease	**REDUHAR7**	1	2
b.	To reduce the risk of osteoporosis (brittle or thinning bones)	**OSTEOPO7**	1	2
c.	To relieve menopausal symptoms	**MENOSYM7**	1	2
d.	To stay young-looking	**YOUNGLK7**	1	2
e.	A health care provider advised me to take them	**HCPADVI7**	1	2
f.	A friend or relative advised me to take them	**FRNADVI7**	1	2
g.	To improve my memory	**IMPRMEM7**	1	2
h.	To regulate periods	**REGPERI7**	1	2
i.	Any other? SPECIFY **HORMOTH7, #HORMSPE7**_____		1	2
	_____			
j.	DON'T KNOW/REMEMBER	**DONTKNO7**	1	2

 # Variable Excluded from Public Use Data File

IF RESPONDENT REPORTED TAKING ANY HORMONES SINCE HER LAST STUDY VISIT, BUT IS NOT CURRENTLY TAKING ANY (THAT IS, "YES" TO ANY OF B12-15 **AND** "NO" TO ALL OF B12b - 15b), ASK B21, OTHERWISE GO TO Q B22.

B21. Since your last study visit, you were taking some hormones and then stopped.

In what month and year did you last take hormones?

____ ____ / ____ ____ ____ ____ **HORMDAY7**†
M M Y Y Y Y
[PROMPT FOR YEAR EVEN IF MONTH IS UNKNOWN. ENTER –8 IF MONTH IS UNKNOWN.]

What were your reasons for stopping? PROBE: Any others? [DO NOT READ THE LIST. CODE 1 (NO) OR 2 (YES) FOR EACH ITEM.]

			NO	YES
a.	PROBLEMS WITH BLEEDING	**PRBBLEE7**	1	2
b.	DIDN'T LIKE HAVING PERIODS	**HAVEPER7**	1	2
c.	DIDN'T LIKE HOW I FELT ON THEM	**LIKEFEL7**	1	2
d.	WORRIED ABOUT POSSIBLE SIDE EFFECTS	**SIDEEFF7**	1	2
e.	WORRIED ABOUT CANCER	**CANCER7**	1	2
f.	MY HEALTH CARE PROVIDER ADVISED ME TO STOP (FOR MEDICAL REASONS)	**ADVISTO7**	1	2
g.	TOO EXPENSIVE	**EXPENSI7**	1	2
h.	DON'T LIKE TO TAKE ANY MEDICATIONS	**NOLIKE7**	1	2
i.	COULDN'T REMEMBER TO TAKE THEM	**NOREMEB7**	1	2
j.	DON'T KNOW	**DNTKNOW7**	1	2
k.	OTHER, SPECIFY: _____	**STOPOTH7, #STOPSPE7**	1	2
l.	NO REASON GIVEN	**NOREASO7**	1	2
m.	NEWS / MEDIA REPORTS ABOUT WOMEN WHO TOOK HORMONES AS PART OF A RESEARCH STUDY (E.G. RESULTS OF WHI)	**NEWSRPT7**	1	2

† This date is given in days since the initial baseline interview.

 # Variable Excluded from Public Use Data File

B22. Since your last study visit, have you taken any vitamins or minerals fairly regularly, at least once a week?

NO ..... 1 (**GO TO B24, PAGE 10**)
YES……...…2**REGVITA7**

B23. IF YES: Since your last study visit, what vitamins and minerals have you taken fairly regularly, at least once per week? [HAND RESPONDENT CARD "A" AND READ RESPONSE CATEGORIES.]

Multi-Vitamins, how often do you take...	**Don't take any**	**1-3 days per week**	**4-6 days per week**	**Every Day**
a. Regular Once-A-Day, Centrum, or Thera type **ONCEADA7**	1	2	3	4
b. Antioxidant combination type **ANTIOXI7**	1	2	3	4
c. Any other combination types? NO **(B23d)** YES IF YES, specify **VITCOMB7** **#VTMSPE17**, **VTMOTH17** _____	1	2	3	4
#VTMSPE27, **VTMOTH27** _____	1	2	3	4
#VTMSPE37, **VTMOTH37** _____	1	2	3	4
#VTMSPE47, **VTMOTH47**	1	2	3	4
Single Vitamins, not part of multi-vitamins, how often do you take...				
d. Vitamin A, not beta carotene **VITAMNA7**	1	2	3	4
e. Beta-carotene **BETACAR7**	1	2	3	4
f. Vitamin C **VITAMNC7**	1	2	3	4
g. Vitamin D **VITAMND7**	1	2	3	4
h. Vitamin E **VITAMNE7**	1	2	3	4
i. Calcium or Tums **CALCTUM7**	1	2	3	4
j. Iron **IRON7**	1	2	3	4
k. Zinc **ZINC7**	1	2	3	4
l. Selenium **SELENIU7**	1	2	3	4
m Any other single vitamins? NO **(B24)** YES IF YES, specify (**continued on page 10**): **VTMSING7** **#SVTMNA17**, **SVTMOT17** _____	1	2	3	4
#SVTMNA27, **SVTMOT27** _____	1	2	3	4
#SVTMNA37, **SVTMOT37** _____	1	2	3	4

 # Variable Excluded from Public Use Data File

Question B23m. continued…

m. Any other single vitamins? IF YES, specify:	Don't take any	1-3 days per week	4-6 days per week	Every day
#SVTMNA47, SVTMOT47	1	2	3	4
#SVTMNA57, SVTMOT57	1	2	3	4
#SVTMNA67, SVTMOT67	1	2	3	4
#SVTMNA77, SVTMOT77	1	2	3	4
#SVTMNA87, SVTMOT87	1	2	3	4
#SVTMNA97, SVTMOT97	1	2	3	4
#SVTMN107, SVTMO107	1	2	3	4

Now I would like to ask you about over-the-counter medications, non-prescription, that you have taken regularly at least 2 times per week for a month or more, since your last study visit.

IF YES TO ANY, RECORD MEDICATION NAME IN THE SPACES PROVIDED

Since your last study visit, have you taken.....

	NO	YES	a. What is the name of the medication?	b. Have you been taking it at least two times per week for the last month? NO	YES
B24. Any over-the-counter medications for pain including headaches and arthritis? PAIN17	1	2	#PAINMD17	1 PAINTW17	2
PAIN27	1	2	#PAINMD27	PAINTW27 1	2
B25. Anything for problems sleeping? SLEEP17	1	2	#SLEPMD17	1 SLEPTW17	2
SLEEP27	1	2	#SLEPMD27	1 SLEPTW27	2

Variable Excluded from Public Use Data File

IF YES TO ANY, RECORD MEDICATION NAME IN THE SPACES PROVIDED	a. What is the name of the medication?	b. Have you been taking it at least two times per week for the last month?

Since your last study visit…

B26. Have you taken any other over-the-counter pills or other medications (including liquids or ointments or aspirin) that I haven't asked you about? (PLEASE LIST)

	NO	YES		NO	YES
OTC17	1	2	#OTCMD17 ----------	OTCTW17 1	2
OTC27	1	2	#OTCMD27 ----------	OTCTW27 1	2
OTC37	1	2	#OTCMD37 ----------	OTCTW37 1	2
OTC47	1	2	#OTCMD47 ----------	OTCTW47 1	2
OTC57	1	2	#OTCMD57 ----------	OTCTW57 1	2
OTC67	1	2	#OTCMD67 ----------	OTCTW67 1	2
OTC77	1	2	#OTCMD77 ----------	OTCTW77 1	2
OTC87	1	2	#OTCMD87 ----------	OTCTW87 1	2
OTC97	1	2	#OTCMD97 ----------	OTCTW97 1	2
OTC107	1	2	#OTCMD107 ----------	OTCTW107 1	2
OTC117	1	2	#OTCMD117 ----------	OTCTW117 1	2
OTC127	1	2	#OTCMD127 ----------	OTCTW127 1	2
OTC137	1	2	#OTCMD137 ----------	OTCTW137 1	2
OTC147	1	2	#OTCMD147 ----------	OTCTW147 1	2
OTC157	1	2	#OTCMD157 ----------	OTCTW157 1	2

Variable Excluded from Public Use Data File

B27. During the past year have you used any supplements containing soy protein or phytoestrogen powders or pills?

NO.....1 **(B28)**
YES.....2 **(B27a)**
DON'T KNOW .....-8 **(B28)** **SOYYSNO7**

B27a. IF YES: How many times per week? [MAY USE RESPONDENT CARD "A" AGAIN.] **SOYPROT7**

Don't take any (OR TAKE LESS THAN ONCE PER WEEK).....1
1-3 days per week 2
4-6 days per week 3
Every day 4
DON'T KNOW .....-8

Please look at response card B, which we'll be using for the next 3 questions.

[HAND RESPONDENT CARD "B" AND READ RESPONSE CATEGORIES.]

B28. How many bowls of cereal do you eat per week where the label of the cereal box says that it is high in calcium? **CEREACA7**

None or fewer than one a week.....1
1 per week.....2
2 per week.....3
3-4 per week.....4
5-6 per week.....5
7 or more per week 6
DON'T KNOW .....-8

B29. How many slices of bread do you eat per week when the bread wrapper says the loaf is high in calcium? **BREADCA7**

None or fewer than one a week.....1
1 per week.....2
2 per week.....3
3-4 per week.....4
5-6 per week.....5
7 or more per week 6
DON'T KNOW .....-8

B30. Some brands of fortified juice have extra calcium added. How many glasses of fruit juice or fruit drink containing extra calcium do you drink per week? **ORANGCA7**

None or fewer than one a week.....1
1 per week.....2
2 per week.....3
3-4 per week.....4
5-6 per week.....5
7 or more per week 6
DON'T KNOW .....-8

 # Variable Excluded from Public Use Data File

During the past 12 months, have you used any of the following for your health? N=No Y=Yes →	[**IF YES**, HAND RESPONDENT CARD "C".] Please look at the reasons listed on the card. Please tell me whether or not you use X … ASK EACH REASON FOR EACH "YES" RESPONSE. FOR EACH "YES" ANSWER ONLY, CIRCLE "N=NO" OR "Y=YES" FOR **EACH** REASON A THROUGH J.									
	a. To reduce risk of heart disease?	b. To reduce risk of osteoporosis ?	c. To relieve menopausal symptoms?	d. To stay young-looking?	e. To improve memory?	f. To regulate periods?	g. For general health?	h. To lose weight or to stay the same weight	i. On advice from health care provider?	j. Is there any other reason you use X? (SPECIFY)
C1. Acupuncture ACUPUNC7 N Y → ↓	ACUPHAR7 N Y	ACUPOST7 N Y	ACUPMEN7 N Y	ACUPLOO7 N Y	ACUPMEM7 N Y	ACUPPER7 N Y	ACUPGEN7 N Y	ACUPWGH7 N Y	ACUPADV7 N Y	ACUPOTH7 N Y ACUPSPE7____
C2. Black Cohosh BCOHOSH7 N Y → ↓	BCOHHAR7 N Y	BCOHOST7 N Y	BCOHMEN7 N Y	BCOHLOO7 N Y	BCOHMEM7 N Y	BCOHPER7 N Y	BCOHGEN7 N Y	BCOHWGH7 N Y	BCOHADV7 N Y	BCOHOTH7 N Y BCOHSPE7____
C3. Dong Quai DQUAI7 N Y → ↓	DQUAHAR7 N Y	DQUAOST7 N Y	DQUAMEN7 N Y	DQUALOO7 N Y	DQUAMEM7 N Y	DQUAPER7 N Y	DQUAGEN7 N Y	DQUAWGH7 N Y	DQUAADV7 N Y	DQUAOTH7 N Y DQUASPE7____
C4. Eating a nutritious diet DIETNUT7 N Y → ↓	DIETHAR7 N Y	DIETOST7 N Y	DIETMEN7 N Y	DIETLOO7 N Y	DIETMEM7 N Y	DIETPER7 N Y	DIETGEN7 N Y	DIETWGH7 N Y	DIETADV7 N Y	DIETOTH7 N Y DIETSPE7____
C5. Exercise EXERCIS7 N Y → ↓	EXERHAR7 N Y	EXEROST7 N Y	EXERMEN7 N Y	EXERLOO7 N Y	EXERMEM7 N Y	EXERPER7 N Y	EXERGEN7 N Y	EXERWGH7 N Y	EXERADV7 N Y	EXEROTH7 N Y EXERSPE7____
C6. Flaxseed or flaxseed oil supplements FLAXSEE7 N Y → ↓	FLAXHAR7 N Y	FLAXOST7 N Y	FLAXMEN7 N Y	FLAXLOO7 N Y	FLAXMEM7 N Y	FLAXPER7 N Y	FLAXGEN7 N Y	FLAXWGH7 N Y	FLAXADV7 N Y	FLAXOTH7 N Y FLAXSPE7_

Variable Excluded from Public Use Data File

During the past 12 months, have you used any of the following for your health? N=No Y=Yes →	FOR EACH "YES" ANSWER ONLY, CIRCLE "N=NO" OR "Y=YES" FOR **EACH** REASON A THROUGH J.									
	a. To reduce risk of heart disease?	b. To reduce risk of osteoporosis ?	c. To relieve menopausal symptoms?	d. To stay young-looking?	e. To improve memory?	f. To regulate periods?	g. For general health?	h. To lose weight or to stay the same weight	i. On advice from health care provider?	j. Is there any other reason you use X? (SPECIFY)
C7. Ginkgo Biloba GINKGO7 N Y → ↓	GINKHAR7 N Y	GINKOST7 N Y	GINKMEN7 N Y	GINKLOO7 N Y	GINKMEM7 N Y	GINKPER7 N Y	GINKGEN7 N Y	GINKWGH7 N Y	GINKADV7 N Y	GINKOTH7 N Y GINKSPE7____
C8. Ginseng GINSENG7 N Y → ↓	GINSHAR7 N Y	GINSOST7 N Y	GINSMEN7 N Y	GINSLOO7 N Y	GINSMEM7 N Y	GINSPER7 N Y	GINSGEN7 N Y	GINSWGH7 N Y	GINSADV7 N Y	GINSOTH7 N Y GINSSPE7____
C9. Glucosamine with or without Chondroitin GLUSAMI7 N Y → ↓	GLUSHAR7 N Y	GLUSOST7 N Y	GLUSMEN7 N Y	GLUSLOO7 N Y	GLUSMEM7 N Y	GLUSPER7 N Y	GLUSGEN7 N Y	GLUSWGH7 N Y	GLUSADV7 N Y	GLUSOTH7 N Y GLUSSPE7____
C10. Mexican yam or progesterone cream MYAMPRO7 N Y → ↓	MYAMHAR7 N Y	MYAMOST7 N Y	MYAMMEN7 N Y	MYAMLOO7 N Y	MYAMMEM7 N Y	MYAMPER7 N Y	MYAMGEN7 N Y	MYAMWGH7 N Y	MYAMADV7 N Y	MYAMOTH7 N Y MYAMSPE7___
C11. Prayer PRAYER7 N Y → ↓	PRAYHAR7 N Y	PRAYOST7 N Y	PRAYMEN7 N Y	PRAYLOO7 N Y	PRAYMEM7 N Y	PRAYPER7 N Y	PRAYGEN7 N Y	PRAYWGH7 N Y	PRAYADV7 N Y	PRAYOTH7 N Y PRAYSPE7____
C12. Self-help group SELFHEL7 **N Y →** ↓	SELFHAR7 **N Y**	SELFOST7 **N Y**	SELFMEN7 **N Y**	SELFLOO7 **N Y**	SELFMEM7 **N Y**	SELFPER7 **N Y**	SELFGEN7 **N Y**	SELFWGH7 **N Y**	SELFADV7 **N Y**	SELFOTH7 **N Y** SELFSPE7____

Variable Excluded from Public Use Data File

During the past 12 months, have you used any of the following for your health? N=No Y=Yes →	FOR EACH "YES" ANSWER ONLY, CIRCLE "N=NO" OR "Y=YES" FOR **EACH** REASON A THROUGH J.									
	a. To reduce risk of heart disease?	b. To reduce risk of osteoporosis ?	c. To relieve menopausal symptoms?	d. To stay young-looking?	e. To improve memory?	f. To regulate periods?	g. For general health?	h. To lose weight or to stay the same weight	i. On advice from health care provider?	j. Is there any other reason you use X? (SPECIFY)
C13. Soy supplement SOYSUPP7 N Y → ↓	SOYHAR7 N Y	SOYOST7 N Y	SOYMEN7 N Y	SOYLOO7 N Y	SOYMEM7 N Y	SOYPER7 N Y	SOYGEN7 N Y	SOYWGH7 N Y	SOYADV7 N Y	SOYOTH7 N Y SOYSPE7___
C14. St. John's Wort WORTSTJ7 N Y → ↓	WORTHAR7 N Y	WORTOST7 N Y	WORTMEN7 N Y	WORTLOO7 N Y	WORTMEM7 N Y	WORTPER7 N Y	WORTGEN7 N Y	WORTWGH7 N Y	WORTADV7 N Y	WORTOTH7 N Y WORTSPE7_
C15. Vitamin or supplement combination especially for women's health WVITAMI7 N Y → ↓	WVITHAR7 N Y	WVITOST7 N Y	WVITMEN7 N Y	WVITLOO7 N Y	WVITMEM7 N Y	WVITPER7 N Y	WVITGEN7 N Y	WVITWGH7 N Y	WVITADV7 N Y	WVITOTH7 N Y WVITSPE7___
C16. Yoga YOGA7 N Y → ↓	YOGAHAR7 N Y	YOGAOST7 N Y	YOGAMEN7 N Y	YOGALOO7 N Y	YOGAMEM7 N Y	YOGAPER7 N Y	YOGAGEN7 N Y	YOGAWGH7 N Y	YOGAADV7 N Y	YOGAOTH7 N Y YOGASPE7____
C17. Botanica / Curandero BOTANIC7 N Y → ↓	BOTAHAR7 N Y	BOTAOST7 N Y	BOTAMEN7 N Y	BOTALOO7 N Y	BOTAMEM7 N Y	BOTAPER7 N Y	BOTAGEN7 N Y	BOTAWGH7 N Y	BOTAADV7 N Y	BOTAOTH7 N Y BOTASPE7___

Variable Excluded from Public Use Data File

During the past 12 months, have you used any of the following for your health? N=No Y=Yes →	FOR EACH "YES" ANSWER ONLY, CIRCLE "N=NO" OR "Y=YES" FOR **EACH** REASON A THROUGH J.									
	a. To reduce risk of heart disease?	b. To reduce risk of osteoporosis ?	c. To relieve menopausal symptoms?	d. To stay young-looking?	e. To improve memory?	f. To regulate periods?	g. For general health?	h. To lose weight or to stay the same weight	i. On advice from health care provider?	j. Is there any other reason you use X? (SPECIFY)
C18. Herbal Tea HERBALT7 N Y → ↓	HTEAHAR7 N Y	HTEAOST7 N Y	HTEAMEN7 N Y	HTEALOO7 N Y	HTEAMEM7 N Y	HTEAPER7 N Y	HTEAGEN7 N Y	HTEAWGH7 N Y	HTEAADV7 N Y	HTEAOTH7 N Y HTEASPE7___
C19. Any other health practice or remedy (specify): N Y → OTHALT7 OTHALTS7	OTHHAR7 N Y	OTHOST7 N Y	OTHMEN7 N Y	OTHLOO7 N Y	OTHMEM7 N Y	OTHPER7 N Y	OTHGEN7 N Y	OTHWGH7 N Y	OTHADV7 N Y	OTHALTR7 N Y WHYOTHA7_
C20. Any other health practice or remedy (specify): N Y → OTHALT27 OTALT2S7	OT2HAR7 N Y	OT2OST7 N Y	OT2MEN7 N Y	OT2LOO7 N Y	OT2MEM7 N Y	OT2PER7 N Y	OT2GEN7 N Y	OT2WGH7 N Y	OT2ADV7 N Y	OT2ALT7 N Y WHYOT2A7_
C21. Any other health practice or remedy (specify): N Y → OTHALT37 OTALT3S7	OT3HAR7 N Y	OT3OST7 N Y	OT3MEN7 N Y	OT3LOO7 N Y	OT3MEM7 N Y	OT3PER7 N Y	OT3GEN7 N Y	OT3WGH7 N Y	OT3ADV7 N Y	OT3ALT7 N Y WHYOT3A7_

Variable Excluded from Public Use Data File

Now, I'm going to ask you some questions about your health and medical conditions.

D1. **Since your last study visit**, has a doctor, nurse practitioner or other health care provider told you that you had any of the following conditions or treated you for them?

			NO	YES	DON'T KNOW
a.	Anemia?	**ANEMIA7**	1	2	-8
b.	Diabetes?	**DIABETE7**	1	2	-8
c.	High blood pressure or hypertension?	**HIGHBP7**	1	2	-8
d.	High cholesterol?	**HBCHOLE7**	1	2	-8
e.	Migraines?	**MIGRAIN7**	1	2	-8
f.	Stroke?	**STROKE7**	1	2	-8
g.	Arthritis or osteoarthritis (degenerative joint disease)?	**OSTEOAR7**	1	2	-8
h.	Overactive or underactive thyroid?	**THYROID7**	1	2	-8
i.	Heart attack?	**HEARTAT7**	1	2	-8
j.	Angina?	**ANGINA7**	1	2	-8
k.	Osteoporosis (brittle or thinning bones)?	**OSTEOPR7**	1	2	-8
l.	Cancer, other than skin cancer?	**CANCERS7**	1 **(D2)**	2	-8 **(D2)**

l.1.IF YES, What is/was the primary site of the cancer? (CIRCLE ONE ANSWER.) **PSITECA7**

ONE BREAST 1
BOTH BREASTS 2
OVARY ..... 3 **(b)**
UTERUS ..... 4 **(b)**
CERVIX ..... 5 **(b)**
LEUKEMIA ..... 6 **(b)**
LUNG ..... 7 **(b)**
COLON ..... 8 **(b)**
RECTUM ..... 9 **(b)**
THROAT ..... 10 **(b)**
NONE OF THE ABOVE / OTHER 11
SPECIFY:**SITESPE7**_____ **(b)**
DON'T KNOW ..... -8 **(b)**

a. IF BREAST CANCER: Have you taken Tamoxifen since your last study visit? **TAMOXIF7**

NO 1
YES 2
DON'T KNOW ..... -8
NOT APPLICABLE ..... -1

b. Since your last study visit, have you received chemotherapy or radiation treatment for this cancer? **CHEMOTH7**

NO 1
YES 2
DON'T KNOW ..... -8

Variable Excluded from Public Use Data File

D2. How many times have you broken or fractured one or more bones **since your last study visit**? [IF MORE THAN ONE BONE WAS BROKEN DURING THE SAME EVENT COUNT AS ONE TIME.]

BROKEBO7 # of events where bone(s) were broken or fractured

a. Which bones did you break or fracture? LIST BELOW. [IF BONE WAS BROKEN MORE THAN ONCE, RECORD EACH BREAK AND SPECIFY WHEN "REBROKEN". BE SPECIFIC IN IDENTIFYING WHICH BONE WAS BROKEN (I.E. RIGHT TIBIA).]

b. How did it happen? Was it for any of the following reasons? [HAND RESPONDENT CARD "B" AND READ RESPONSE CATEGORIES.]

- after a fall from a height above the ground greater than six inches,
- in a motor vehicle accident,
- while moving fast, like running, bicycling or skating,
- while playing sports,
- **or** because something heavy fell on you or struck you.

		NO	YES
1. _____	**BONES17**	1 **HAPPEN17**	2
2. _____	**BONES27**	1 **HAPPEN27**	2
3. _____	**BONES37**	1 **HAPPEN37**	2

 # Variable Excluded from Public Use Data File

Since your last study visit, have you had any of the following surgeries or procedures?	NO	YES	DON'T KNOW
D3. D and C, a scraping of the uterus for any reason, including abortion?	1 **(D4)**	2	-8 **(D4)**
ı. Since your last study visit, how many times have you had a D and C? **DANDC7** ____ # TIMES **NUMDAND7**			
D4. Hysterectomy (an operation to remove your uterus or womb)? **HYSTERE7**	1 **(D5)**	2	-8 **(D5)**
ı. When was this performed? [PROMPT FOR YEAR EVEN IF MONTH IS UNKNOWN. ENTER –8 IF MONTH IS UNKNOWN.] **HYSTDAY7**† ___ ___ / ___ ___ ___ ___ M M Y Y Y Y			
D5. Did you have one or both ovaries removed (an oophorectomy)? **OOPHORE7**	1 **(D6)**	2	-8 **(D6)**
ı. Was one ovary removed or were both ovaries removed? **ONEOVAR7** ONE OVARY REMOVED ..... 1 BOTH OVARIES REMOVED ..... 2 DON'T KNOW ..... -8			
D6 Did you have an endometrial ablation (a procedure to reduce or eliminate menstrual periods by partially or completely destroying the lining of the uterus)? **ABLATIN7**	1	2	-8
D7. Any other uterine procedures, other than D and C, for example: cesarean section, IUD insertion, fibroid removal or endometrial biopsy? **UTERPRO7**	1	2	-8
D8. Thyroid gland removed? **THYRREM7**	1	2	-8

D9. Since your last study visit, have you had any of the following conditions?

		NO	YES
a. endometriosis diagnosed by a physician (abnormal growths in lining of uterus)?	**ENDO7**	1	2
b. pelvic pain (pain in the lowest part of the abdomen)?	**PELVCPN7**	1	2
c. pelvic prolapse or relaxation (the uterus, bladder, or rectum drops, sometimes bulging out of vagina)?	**PROLAPS7**	1	2
d. pelvic cancer (cancer of the vulva, cervix, uterus, or ovaries)?	**PELVCNC7**	1	2
e. abnormal vaginal bleeding (bleeding from the vagina that is different enough from your normal pattern to be a concern: irregular, heavy, or long in duration)?	**ABBLEED7**	1	2
f. fibroids (benign growths in the uterus or womb)?	**FIBRUTR7**	1	2

† This date is given in days since the initial baseline interview

 # Variable Excluded from Public Use Data File

We are interested in learning more about your health care decisions. All of your responses will be kept strictly confidential.

D10. Do you have a health care provider from whom you primarily get your care for women's health conditions? (If you have an obstetrician or gynecologist (ob/gyn), refer to him or her. If you don't, refer to the person from whom you get care for women's health. We will not contact your provider unless we request your specific written permission.)

PRVIDER7

No ..... 1 **(GO TO E1, PAGE 21)**
Yes 2

D11. What is the name of this health care provider? **#PRVNAME7**_____ **#PRVLAST7**_____
(FIRST) (LAST)

D12. In what city or town and what state do you see this health care provider?

a. **#PRVTOWN7**_____ b. **#PRVSTAT7**_____ c. If foreign country,
CITY/TOWN STATE Specify **#SPCNTRY7**_____

D13. What professional degree does this health care provider have? If you are not sure, please make your best guess: [HAND RESPONDENT CARD "D" AND READ RESPONSE CATEGORIES.] **PROFDEG7**

Medical Doctor (MD) 1
Doctor of Osteopathy (DO) 2
Chiropractor (DC) 3
Registered Nurse (RN) ..... 4 **(D15)**
Nurse Practitioner (NP) ..... 5 **(D15)**
Physician Assistant (PA) ..... 6 **(D15)**
Other: Specify **SPECDEGR**_____ 7
DON'T KNOW ..... -8 **(D15)**

D14. Which of the following best describes this provider's specialty? **SPECIFY7**

A family practitioner 1
An internist 2
An obstetrician or gynecologist 3
A naturopath (one who uses non-medicinal therapy) 4
Other: Specify **PROVSPC7**_____5
No specialty 6
DON'T KNOW ..... -8

D15. On average, how much time does this health care provider spend with you at each visit? **PROVTIM7**

0-5 minutes 1
6-10 minutes 2
11-15 minutes 3
16-20 minutes 4
21-30 minutes 5
More than 30 minutes 6
DON'T KNOW ..... -8

 # Variable Excluded from Public Use Data File

Now I would like to ask you about your menstrual periods.

E1. Did you have any menstrual bleeding since your last study visit? **BLEEDNG7**

NO ..... 1 **(E6)**
YES..... 2

E2. Did you have any menstrual bleeding in the last 3 months? **BLD3MON7**

NO 1
YES..... 2

E3. What was the date that you started your most recent menstrual bleeding? [PROMPT FOR MONTH AND YEAR, EVEN IF DAY IS UNKNOWN. ENTER -8 FOR DAY FIELD IF UNKNOWN]

___ ___/ ___ ___/ ___ ___ ___ ___ **LMPDAY7**†
M M D D Y Y Y Y

For the next two questions, I would like to ask you to think about your periods since your last study visit, during times when you were not using birth control pills or other hormone medications.

E4. Which of the following best describes your menstrual periods since your last study visit? Have they: [HAND RESPONDENT CARD "E"] **DESCPER7**

Become farther apart? 1
Become closer together? 2
Occurred at more variable intervals? 3
Stayed the same? 4
Become more regular? 5
DON'T KNOW ..... -8
NOT APPLICABLE..... -1 **(E6)**

E5. A menstrual cycle is the period of time from the beginning of bleeding from one menstrual period to the beginning of bleeding of the next menstrual period. Since your last study visit, what was the usual length of your menstrual cycles? **LENGCYL7**

LESS THAN 24 DAYS..... 1
24-35 DAYS 2
MORE THAN 35 DAYS..... 3
TOO VARIABLE OR IRREGULAR TO SAY 4
DON'T KNOW..... -8

E6. Since your last study visit, have you been pregnant? Please include live births, stillbirths, abortions, miscarriages, tubal or ectopic pregnancies. **PRGNANT7**

NO ..... 1 **(F1)**
YES..... 2

a. IF YES: [HAND RESPONDENT CARD "F"] What was the outcome of the pregnancy? [READ RESPONSE CATEGORIES. IF RESPONDENT WAS PREGNANT MORE THAN ONCE SINCE LAST VISIT, RECORD OUTCOME OF MOST RECENT PREGNANCY.] **OUTCOME7**

Live birth 1
Still birth..... 2 **(F1)**
Miscarriage ..... 3 **(F1)**
Abortion..... 4 **(F1)**
Tubal/ectopic pregnancy..... 5 **(F1)**
Still pregnant..... 6 **(F1)**

b. FOR LIVE BIRTHS ONLY: Are you currently breastfeeding? **BRSTFEE7**

NO..... 1
YES 2

† This date is given in days since the initial baseline interview

 # Variable Excluded from Public Use Data File

The next few questions focus on some other personal aspects of your life

F1. Thinking about your quality of life at the present time, I'd like you to give it a rating where 0 represents the worst possible quality for you and 10 represents the best possible quality for you. [HAND RESPONDENT CARD "G."] Looking at this line, how would you rate your overall quality of life at the present time? Choose a number between 0 and 10. **QLTYLIF7**

0	1	2	3	4	5	6	7	8	9	10
Worst possible quality										Best possible quality

F2. I would now like to ask you about your feelings over the past two weeks. Tell me how often you have felt or thought this way. [HAND RESPONDENT CARD "H" AND READ RESPONSE CATEGORIES]

	*[READ STEM INSTRUCTIONS] In the past two weeks you have:	**Never**	**Almost Never**	**Sometimes**	**Fairly Often**	**Very Often**
*a.	Felt unable to control important things in your life? **CONTROL7**	1	2	3	4	5
*b.	Felt confident about your ability to handle your personal problems? **ABILITY7**	1	2	3	4	5
c.	Felt that things were going your way? **YOURWAY7**	1	2	3	4	5
d.	Felt difficulties were piling so high that you could not overcome them? **PILING7**	1	2	3	4	5

 # Variable Excluded from Public Use Data File

F3. I am going to read you a list of ways you might have felt or behaved recently. Please tell me how often you have felt or behaved **this way during the past week**. [HAND RESPONDENT CARD "I" AND READ RESPONSE CATEGORIES]

* [READ STEM INSTRUCTIONS] During the past week:	**Rarely or none of the time (less than 1 DAY)**	**Some or a little of the time (1-2 DAYS)**	**Occasionally or a moderate amount of the time (3-4 DAYS)**	**Most or all of the time (5-7 DAYS)**
*a. I was bothered by things that usually don't bother me **BOTHER7**	1	2	3	4
*b. I did not feel like eating; my appetite was poor **APPETIT7**	1	2	3	4
*c. I felt that I could not shake off the blues even with help from my friends **BLUES7**	1	2	3	4
d. I felt that I was just as good as other people **GOOD7**	1	2	3	4
e. I had trouble keeping my mind on what I was doing **KEEPMIN7**	1	2	3	4
f. I felt depressed **DEPRESS7**	1	2	3	4
*g. I felt that everything I did was an effort **EFFORT7**	1	2	3	4
h. I felt hopeful about the future **HOPEFUL7**	1	2	3	4
i. I thought my life had been a failure **FAILURE7**	1	2	3	4
j. I felt fearful **FEARFUL7**	1	2	3	4
*k. My sleep was restless **RESTLES7**	1	2	3	4
l. I was happy **HAPPY7**	1	2	3	4
m. I talked less than usual **TALKLES7**	1	2	3	4
n. I felt lonely **LONELY7**	1	2	3	4
*o. People were unfriendly **UNFRNDL7**	1	2	3	4
p. I enjoyed life **ENJOY7**	1	2	3	4
q. I had crying spells **CRYING7**	1	2	3	4
r. I felt sad **SAD7**	1	2	3	4
*s. I felt that people disliked me **DISLIKE7**	1	2	3	4
t. I could not get going **GETGOIN7**	1	2	3	4

Variable Excluded from Public Use Data File

OCCUPATIONAL QUESTIONS

These next few questions concern employment. I'm going to ask you to tell me about any changes in your employment since your last study visit.

G1. Since your last study visit, has there been a change in any of your jobs, that is: your place of employment, your job title, or your usual job tasks? **CHNGJOB7**

NO ..... 1 **(G3, p25)**
YES..... 2
N/A ..... -1 **(G6, p26)**

G2. During the past 2 weeks, did you work at any time at a job or business, including work for pay performed at home? (Include unpaid work in the family farm or business. If you were on vacation, or scheduled leave or sick leave, please answer as though you were at your usual job.) **JOB7**

NO ..... 1 **(G6, p26)**
YES..... 2

a. For each paid job you have had in the last two weeks, what was your job title?

JOB #1 **#JOBTIT17**_____

JOB #2 **#JOBTIT27**_____

JOB #3 **#JOBTIT37**_____

b. Briefly, what are your usual job activities?
[IF MORE THAN ONE JOB WAS MENTIONED, ASK: Please answer for each job.]

JOB #1 **#JOBACT17**_____

_____

JOB #2 **#JOBACT27**_____

_____

JOB #3 **#JOBACT37**_____

_____

c. What does the company or your part of the company, do or make? (For example, high school education, health care in hospital, automobile manufacturing, state labor department, retail shoe sales.)
[IF MORE THAN ONE JOB WAS MENTIONED, ASK: Please answer this for each job.]

JOB #1 **#JBMAKE17**_____

JOB #2 **#JBMAKE27**_____

JOB #3 **#JBMAKE37**_____

 # Variable Excluded from Public Use Data File

G3. Since your last study visit, has there been a change in your usual hours of work of any of your jobs?
CHANGHR7

NO ..... 1 **(G5)**
YES..... 2

G4. What are your usual hours of work each day for each job?

JOB #1: ROTATING/ALTERNATING (ALTERNATING WEEKLY/MONTHLY?).
ROTAT17
NO..... 1
YES ..... 2 **(JOB #2)**
STRTIM17
START TIME: ___ ___ : ___ ___ A.M. 1. P.M. 2. **STRAMP17**
STPTIM17
STOP TIME: ___ ___ : ___ ___ A.M. 1. P.M. 2. **STPAMP17**

JOB #2: ROTATING/ALTERNATING (ALTERNATING WEEKLY/MONTHLY?).
ROTAT27
NO..... 1
YES ..... 2 **(JOB #3)**
STRTIM27
START TIME: ___ ___ : ___ ___ A.M. 1. P.M. 2. **STRAMP27**
STPTIM27
STOP TIME: ___ ___ : ___ ___ A.M. 1. P.M. 2. **STPAMP27**

JOB #3: ROTATING/ALTERNATING (ALTERNATING WEEKLY/MONTHLY?).
ROTAT37
NO..... 1
YES ..... 2 **(G5)**
STRTIM37
START TIME: ___ ___ : ___ ___ A.M. 1. P.M. 2. **STRAMP37**
STPTIM37
STOP TIME: ___ ___ : ___ ___ A.M. 1. P.M. 2. **STPAMP37**

G5. On average, how many total hours a week do you work, for pay? **HOURSPA7**

≤ 10 1
11-19 2
20-34 3
35-40 4
41-60 5
>60 6

 # Variable Excluded from Public Use Data File

G6. Do you do volunteer work? **VOLUNTE7**

NO ..... 1 **(G7)**
YES..... 2

a. What type of volunteer work do you do? How many hours a week do you spend doing it?

TYPE OF VOLUNTEER WORK	HRS/WK
1. **#TYPVOL17**_____	**VLNTHR17**___
_____	
2. **#TYPVOL27**_____	**VLNTHR27**___
_____	
3. **#TYPVOL37**_____	**VLNTHR37**___
_____	

G7. What is your current marital status? Would you say... **MARITAL7**

Single/never married..... 1
Currently married or living as married 2
Separated 3
Widowed..... 4
Divorced 5
DON'T KNOW .....-8
REFUSED ..... -7

 # Variable Excluded from Public Use Data File

We have a few questions for you concerning your household.

H1. Since your last study visit, has there been any change in who is living in your household? **CHGHHLD7**

NO ..... 1 **(I1)**
YES..... 2
DON'T KNOW .....-8

H2. Other than yourself, is there anyone else living in your household? **HOUSEHL7**

NO ..... 1 **(I1)**
YES..... 2
REFUSED ..... -7 **(I1)**

H3. Please tell me their relationship to you, their gender, and their age.

a. RELATIONSHIP TO YOURSELF	**b. SEX**	**c. AGE**
1. **RLATE17** / **RELAT17**_____	**SEX17**___	**AGE17**_____
2. **RLATE27** / **RELAT27**_____	**SEX27**__	**AGE27**_____
3. **RLATE37** / **RELAT37**_____	**SEX37**___	**AGE37**_____
4. **RLATE47** / **RELAT47**_____	**SEX47**___	**AGE47**_____
5. **RLATE57** / **RELAT57**_____	**SEX57**___	**AGE57**____
6. **RLATE67** / **RELAT67**_____	**SEX67**___	**AGE67**_____
7. **RLATE77** / **RELAT77**_____	**SEX77**___	**AGE77**_____
8. **RLATE87** / **RELAT87**_____	**SEX87**___	**AGE87**_____
9. **RLATE97** / **RELAT97**_____	**SEX97**___	**AGE97**_____
10. **RLATE107** / **RELAT107**_____	**SEX107**__	**AGE107**____
11. **RLATE117** / **RELAT117**_____	**SEX117**__	**AGE117**____
12. **RLATE127** / **RELAT127**_____	**SEX127**__	**AGE127**____

 # Variable Excluded from Public Use Data File

Date Data Entered / Initials _____ Date Verified / Initials _____

SELF-ADMINISTERED QUESTIONNAIRE PART A

ANNUAL FOLLOW-UP

Study of Women's Health Across the Nation

SECTION A. GENERAL INFORMATION

AFFIX ID LABEL HERE

A1. RESPONDENT ID: [ ] **SWANID**

A2. SWAN STUDY VISIT # 07 **#VISIT**

A3. FORM VERSION: 03/03/2003 **#FORM_V**

A4. DATE FORM COMPLETED: ___ ___ / ___ ___ / ___ ___ ___ ___ **SAADAY7**†
M M D D Y Y Y Y

A5. INTERVIEWER'S INITIALS: ___ ___ ___ **#INITS**

A6. RESPONDENT'S DOB: ___ ___ / ___ ___ / 1 9 ___ ___ **#DOB**
M M D D Y Y Y Y
VERIFY WITH RESPONDENT

A7. COMPLETED IN: **#LOCATIO7**

RESPONDENT'S HOME 1
CLINIC / OFFICE 2
RESPONDENT'S HOME W/ PROXY 3
CLINIC/OFFICE W/ PROXY 4
TELEPHONE 5
TELEPHONE BY PROXY 6

A8. INTERVIEW LANGUAGE: **LANGSAA7**

ENGLISH 1
SPANISH 2
CANTONESE 3
JAPANESE 4

A9. INTERVIEWER-ADMINISTERED? **#INTADMI7**

NO 1
YES 2

† This date is given in days since the initial baseline interview, which is day zero.

 # Variable Excluded from Public Use Data File

We have some questions that we are asking you to complete on your own. If anything is unclear to you, please feel free to ask questions. Study representatives are available and happy to help you. Please take as much time as you need with each question. It is very important to us that you complete the entire questionnaire. Please find the most appropriate response to each question and circle the number for the answer you choose.

Please remember that this information will remain confidential.

Thank you for your participation in this important study.

 # Variable Excluded from Public Use Data File

We are interested in learning more about women's health during their 40's, 50's and 60's. This first set of questions asks about your health and use of health care.

B1. In general, would you say your health is excellent, very good, good, fair or poor? (PLEASE CIRCLE ONE RESPONSE.) **OVERHLT7**

Excellent 1
Very good 2
Good..... 3
Fair..... 4
Poor..... 5
Don't know ..... -8

B2. Since your last study visit, how many different times did you stay in the hospital overnight or longer?

____ ____ # TIMES **HOSPSTA7**

B3. Since your last study visit, about how many times did you see or talk to a doctor, nurse practitioner or other health care provider, regarding your own health? (Do not count hospitalizations or visits for this study.)

____ ____ ____ # TIMES **MDTALK7**

B4. Since your last study visit, about how many times did you see or talk to a health care provider or other professional for problems with emotions, "nerves", or mental health?

____ ____ ____ # TIMES **NERVES7**

Since your last study visit, have you had:
(PLEASE CIRCLE 1 FOR NO OR 2 FOR YES FOR EACH QUESTION.)

		NO	YES
B5.	A Pap Smear (a routine medical test in which the doctor examines the cervix)? **PAPSMEA7**	1	2
B6.	A breast physical examination (a doctor or medical assistant feels for lumps in the breast)? **BRSTEXA7**	1	2
B7.	A mammogram (an x-ray taken only of the breast by a machine that presses the breast against a glass plate)? **MAMOGRA7**	1	2

 # Variable Excluded from Public Use Data File

B8. Since your last study visit, are there any health services that you needed but did not receive?

HLTHSER7

No ..... 1 **(GO TO B9)**
Yes 2

B8a. People fail to get health care for a variety of reasons. Have any of the following reasons prevented you from getting health care? (PLEASE CIRCLE ONE NUMBER FOR EACH REASON)

		NO	YES	
a.	Insurance or health plan does not cover	1	2	**INSURAN7**
b.	Cannot afford	1	2	**NOTAFFR7**
c.	Travel distance / lack of transportation	1	2	**NOTRAN7**
d.	No health care provider	1	2	**NOPROVI7**
e.	Too busy/ didn't have the time	1	2	**TOOBUS7**
f.	Don't trust doctors	1	2	**NOTRUS7**
g.	I'm better off not knowing	1	2	**BETTROF7**
h.	Other, Specify **FAILSPE7**_____	1	2	**FAILOTH7**

B9. Since your last study visit, have you smoked cigarettes regularly (at least one cigarette a day)?

SMOKERE7

No ..... 1 **(GO TO B10)**
Yes 2

B9a. IF YES: How many cigarettes, on average, do you smoke per day now?
(If NONE, please indicate with a (0) zero and answer B9b.)

_____ CIGARETTES PER DAY **AVCIGDA7**

B9b. If you stopped smoking since your last study visit, what was the last month and year you smoked?

___ ___ / ___ ___ ___ ___ Don't Know (-8) ☐
M M Y Y Y Y
#SMOKEMO7 / #SMOKEYR7

 # Variable Excluded from Public Use Data File

The next 7 questions are about your exposure to smoke. If you are a smoker, please do not include yourself when answering questions B.10-B.12.

B10. How many members of your household smoke tobacco in the house (at least 1 cigarette, cigar or pipe bowl per day)?

___ # PERSONS **HHMEMSM7**

B10a. **During the past 7 days**, on how many days were you exposed to tobacco smoke inside your home?

___# DAYS => IF 0 DAYS, GO TO QUESTION B.11. **HOMEXPD7**

B10b. **Over the past 7 days**, when you were exposed to tobacco smoke in your home, how many hours were you exposed during a typical day?

___ # HOURS **HOMEXPH7**

B11. **During the past 7 days**, on how many days were you exposed to tobacco smoke while at work?

___ # DAYS => IF 0 DAYS, GO TO QUESTION B.12. **WRKEXPD7**

B11a. **Over the past 7 days**, when you were exposed to tobacco smoke while at work, how many hours were you exposed during a typical day?

___ # HOURS **WRKEXPH7**

B11b. **During the past 7 days**, when you were exposed to tobacco smoke while at work, how many people on average were smoking in the room you were in?

___ # PEOPLE **WRKEXPE7**

B12. **During the past 7 days**, how many total hours were you exposed to tobacco smoke while at places other than home or work (including meetings, restaurants, bars, parties, etc.)?

___ # HOURS **TOTEXPH7**

 # Variable Excluded from Public Use Data File

The next questions are about your consumption of alcoholic beverages.

B13. Since your last study visit, did you drink any beer, wine, liquor, or mixed drinks? **DRNKBEE7**

No ..... 1 **(GO TO C1, PAGE 7)**
Yes 2

B14. How many glasses of beer (a medium glass or serving of beer is twelve ounces) did you drink on average per day, week or month? (PLEASE CIRCLE ONLY ONE RESPONSE.) **GLASBEE7**

None or less than one per month 1
1-3 per month 2
1 per week 3
2-4 per week 4
5-6 per week 5
1 per day 6
2-3 per day 7
4 per day 8
5 or more per day 9

B15. How many glasses of wine or wine coolers, (a medium glass or serving of wine is 4 to 6 ounces), did you drink on average per day, week or month? (CIRCLE ONE NUMBER) **GLASWIN7**

None or less than one per month 1
1-3 per month 2
1 per week 3
2-4 per week 4
5-6 per week 5
1 per day 6
2-3 per day 7
4 per day 8
5 or more per day 9

B16. How many glasses of liquor or mixed drinks, (a medium serving is one shot), did you drink on average, per day, week or month? (CIRCLE ONE NUMBER) **GLASLIQ7**

None or less than once per month 1
1-3 per month 2
1 per week 3
2-4 per week 4
5-6 per week 5
1 per day 6
2-3 per day 7
4 per day 8
5 or more per day 9

 # Variable Excluded from Public Use Data File

The following questions are about specific health problems you may have had over the past two weeks.

Thinking back over the past two weeks, how often have you had…

C1. Hot flashes or flushes? **HOTFLAS7**
(CHECK ONE BOX AND ANSWER THE NEXT QUESTION AS INSTRUCTED.)

☐ **Not at all** (1) **(GO TO C2)**

☐ **1-5 days** (2)
☐ **6-8 days** (3)
☐ **9-13 days** (4)
☐ **Every day** (5)

C1a. On the days that you have hot flashes or flushes, how many times each day do you usually have them?

_____ # OF TIMES PER DAY **NUMHOTF7**

C1b. How much are you usually bothered by hot flashes or flushes? (CIRCLE ONE NUMBER.): **BOTHOTF7**

Not at all.....1
Very little 2
Moderately 3
A lot.....4

C2. Cold sweats? **COLDSWE7**
(CHECK ONE BOX AND ANSWER THE NEXT QUESTION AS INSTRUCTED.)

☐ **Not at all** (1) **(GO TO C3)**

☐ **1-5 days** (2)
☐ **6-8 days** (3)
☐ **9-13 days** (4)
☐ **Every day** (5)

C2a. On the days that you have cold sweats, how many times each day do you usually have them?

_____ # OF TIMES PER DAY **NUMCLDS7**

C2b. How much are you usually bothered by cold sweats? (CIRCLE ONE NUMBER.): **BOTCLDS7**

Not at all.....1
Very little 2
Moderately 3
A lot.....4

 # Variable Excluded from Public Use Data File

Thinking back over the past two weeks, how often have you had…

C3. Night sweats? **NITESWE7**
(CHECK ONE BOX AND ANSWER THE NEXT QUESTION AS INSTRUCTED.)

☐ **Not at all** (1) **(GO TO C4)**

☐ **1-5 days** (2)
☐ **6-8 days** (3)
☐ **9-13 days** (4)
☐ **Every day** (5)

C3a. On the days that you have night sweats, how many times each night do you usually have them?

_____ # OF TIMES PER NIGHT **NUMNITS7**

C3b. How much are you usually bothered by night sweats? (CIRCLE ONE NUMBER.): **BOTNITS7**

Not at all.....1
Very little 2
Moderately 3
A lot.....4

C4. Stiffness or soreness in joints, neck or shoulders? **STIFF7**
(CHECK ONE BOX AND ANSWER THE NEXT QUESTION AS INSTRUCTED.)

☐ **Not at all** (1) **(GO TO C5)**

☐ **1-5 days** (2)
☐ **6-8 days** (3)
☐ **9-13 days** (4)
☐ **Every day** (5)

C4a. How much are you usually bothered by stiffness or soreness in joints, neck or shoulders? (CIRCLE ONE NUMBER.): **BOTSTIF7**

Not at all.....1
Very little 2
Moderately 3
A lot.....4

C5. Irritability or grouchiness? **IRRITAB7**
(CHECK ONE BOX AND ANSWER THE NEXT QUESTION AS INSTRUCTED.)

☐ **Not at all** (1) **(GO TO C6)**

☐ **1-5 days** (2)
☐ **6-8 days** (3)
☐ **9-13 days** (4)
☐ **Every day** (5)

C5a. How much are you usually bothered by irritability or grouchiness? (CIRCLE ONE NUMBER.): **BOTIRRT7**

Not at all.....1
Very little 2
Moderately 3
A lot.....4

 # Variable Excluded from Public Use Data File

Thinking back over the past two weeks, how often have you had…

C6. Feeling tense or nervous? **NRVOUS7**
(CHECK ONE BOX AND ANSWER THE NEXT QUESTION AS INSTRUCTED.)

☐ **Not at all** (1) **(GO TO C7)**

☐ **1-5 days** (2)
☐ **6-8 days** (3)
☐ **9-13 days** (4)
☐ **Every day** (5)

C6a. How much are you usually bothered by feeling tense or nervous? (CIRCLE ONE NUMBER.): **BOTNERV7**

Not at all 1
Very little 2
Moderately 3
A lot 4

C7. Below is a list of common problems which affect us from time to time in our daily lives. Thinking back over the past two weeks, please circle the number corresponding to how often you experienced any of the following.

How often have you had...	Not at all	1-5 days	6-8 days	9-13 days	Every day
a. Back aches or pains? **ACHES7**	1	2	3	4	5
b. Vaginal dryness? **VAGINDR7**	1	2	3	4	5
c. Feeling blue or depressed? **FEELBLU7**	1	2	3	4	5
d. Dizzy spells? **DIZZY7**	1	2	3	4	5
e. Forgetfulness? **FORGET7**	1	2	3	4	5
f. Frequent mood changes? **MOODCHG7**	1	2	3	4	5
g. Heart pounding or racing? **HARTRAC7**	1	2	3	4	5
h. Feeling fearful for no reason? **FEARFULA7**	1	2	3	4	5
i. Headaches? **HDACHE7**	1	2	3	4	5
j. Breast pain/tenderness? **BRSTPAI7**	1	2	3	4	5

 # Variable Excluded from Public Use Data File

C8. These questions (a - c) are about your sleep habits over the past two weeks. Please circle one answer for each of the following questions. Pick the answer that best describes how often you experienced the situation in the past 2 weeks.

In the past two weeks...	No, not in the past 2 weeks	Yes, less than once a week	Yes, 1 or 2 times a week	Yes, 3 or 4 times per week	Yes, 5 or more times a week
a. Did you have trouble falling asleep? **TRBLSLE7**	1	2	3	4	5
b. Did you wake up several times a night? **WAKEUP7**	1	2	3	4	5
c. Did you wake up earlier than you had planned to, and were unable to fall asleep again? **WAKEARL7**	1	2	3	4	5

The following question relates to your usual sleep habits during the past month only. Your answer should give the most accurate description for most of the days and nights in the past month.

C9. During the past month, how would you rate your sleep quality overall? **SLEEPQL7**

Very good 1
Fairly good 2
Fairly bad 3
Very bad 4

A common complaint among women is having to urinate a lot or the involuntary loss of urine. We would like to understand more about this problem, find out what women do to handle it, and whether women are satisfied with these treatments.

C10. Have you **ever** leaked urine, even a very small amount, beyond your control? **LEKEVER7**

No ..... 1 **(GO TO D1, PAGE 14)**
Yes 2

 # Variable Excluded from Public Use Data File

C11. Have you **ever** discussed your urine leakage with a doctor, nurse or other health care professional?

LEKDISC7

No.....1
Yes .....2 **(GO TO C12)**

C11a. IF NO, Why have you not discussed your leakage with a doctor, nurse or other health care professional? (PLEASE CIRCLE ONE NUMBER FOR EACH.)

		NO	YES
a.	My problem is not bad enough to discuss it with a doctor, nurse or health care professional **LNOTBAD7**	1	2
b.	I don't think there are any effective treatments for my leaking problem **LNOEFTX7**	1	2
c.	Leaking urine is a normal part of getting older **LNRMOLD7**	1	2
d.	Leaking urine is normal after having children **LNRMCHD7**	1	2
e.	I am worried that I will be told I need surgery **LWYSURG7**	1	2
f.	I am too embarrassed about my leaking problem to bring it up at a visit with my doctor/nurse/other health care professional **LEMBARR7**	1	2
g.	My doctor/nurse/other health care professional has never asked about my leaking problem. **LDRNASK7**	1	2
h.	I can or have treated my leaking problem by myself **LTXMYSF7**	1	2
i.	Are there any other reason(s) you have not discussed your leaking problem with a doctor/nurse or other health care professional? **LEAKOR7** If yes, please list _____ **LEAKORS7** _____	1 (GO TO C13)	2 (GO TO C13)

 # Variable Excluded from Public Use Data File

If you have not discussed your urine leakage with a health care professional (you answered C11 as No), then skip to question C13 at the bottom of the page.

C12. Did a doctor, nurse or other health care professional recommend or prescribe any treatment for your urine leakage? **RXTRMLK7**

No.....1 **(GO TO C13)**
Yes.....2

C12a. IF YES, for the treatments that were recommended or prescribed by a doctor, nurse or other health care professional, tell us how satisfied you were with each of them. (CIRCLE ONE NUMBER FOR EACH.)

		Not Recommended	Recommended			
			But have not tried this treatment	Not satisfied at all with this treatment	Somewhat satisfied with this treatment	Very satisfied with this treatment
a.	Medication, **LRXMED7** Please specify **#LRXMEDS7**	0	1	2	3	4
b.	Kegels or pelvic muscle exercises **LRXKEGL7**	0	1	2	3	4
c.	Biofeedback or electrical stimulation **LRXBIOF7**	0	1	2	3	4
d.	Urinate more often or urinate on a schedule **LRXUMOR7**	0	1	2	3	4
e.	Limit fluid intake **LRXLIMT7**	0	1	2	3	4
f.	Surgery **LRXSURG7**	0	1	2	3	4
g.	Any other treatments, **LRXOTH7** Please specify **#LRXOTHS7**	No (0)	1	2	3	4

We have been asking about having to urinate a lot or the involuntary loss of urine in general. Now, the following questions will help us understand how you've experienced these things more recently.

C13. Since your last study visit, have you leaked, even a very small amount, of urine involuntarily or beyond your control? **LEKINVO7**

No.....1 **(GO TO D1, PAGE 14)**
Yes.....2

 # Variable Excluded from Public Use Data File

C14. **In the last month**, about how many days have you lost any urine, even a small amount, beyond your control? (CIRCLE ONLY ONE ANSWER) **LEKDAYS7**

Never ..... 1 **(GO TO D1, PAGE 14)**
Less than one day per week 2
Several days per week 3
Almost daily/daily 4

a. In the last month, have you lost any urine, even a small amount, beyond your control when you are coughing, laughing, sneezing, jogging, picking up an object from the floor or similar type of activity?

No ..... 1 **(GO TO C14 b)**
Yes 2 **LEKCOUG7**

a1. IF YES, about how many times per week have you lost any urine under these circumstances?

Less than once per week 1 **COUGLWK7**
At least once per week to several times per week 2
Almost daily / daily 3

b. In the last month, have you lost any urine, even a small amount, beyond your control when you have the urge to urinate and can't get to the toilet fast enough?

No ..... 1 **(GO TO C14c)**
Yes 2 **LEKURGE7**

b1. IF YES, about how many times per week have you lost any under this circumstance?

Less than once per week 1 **URGELWK7**
At least once per week to several times per week 2
Almost daily / daily 3

c. How much urine do you lose when you leak? **LEKAMNT7**

A drop or two 1
Enough to change undergarments or wear a liner or pad 2
Enough to wet outer clothing 3
Enough to wet the floor 4

d. On a scale from 0 to 10, where 0 = Not at all bothered and 10 = Extremely bothered, how much does the leakage of urine bother you? (CIRCLE ONE NUMBER): **LEKBOTH7**

0	1	2	3	4	5	6	7	8	9	10
Not at all bothered					Somewhat bothered					Extremely bothered

 # Variable Excluded from Public Use Data File

D1. These next questions ask about events that we sometimes experience in our lives. **Since your last study visit,** have you experienced any of the following: If you have not, circle 1 (NO). If you have, indicate how upsetting it was by circling 2, 3 4 or 5. (PLEASE CIRCLE ONE ANSWER FOR EACH QUESTION.)

	NO	YES Not at all upsetting	YES Somewhat upsetting	YES Very upsetting	YES Very upsetting and still upsetting
a. Started school, a training program, or new job? **STARTNE7**	1	2	3	4	5
b. Had trouble with a boss or conditions at work got worse? **WORKTRB7**	1	2	3	4	5
c. Quit, fired or laid off from a job? **QUITJOB7**	1	2	3	4	5
d. Took on a greatly increased work load at job? **WORKLOA7**	1	2	3	4	5
e. Husband/partner became unemployed? **PRTUNEM7**	1	2	3	4	5
f. Major money problems? **MONEYPR7**	1	2	3	4	5
g. Relations with husband/partner changed for the worse but without separation or divorce? **WOSRELR7**	1	2	3	4	5
h. Were separated or divorced or a long-term relationship ended? **RELATEN7**	1	2	3	4	5
i. Had a serious problem with child or family member (other than husband/partner) or with a close friend? **SERIPRO7**	1	2	3	4	5
j. A child moved out of the house or left the area? **CHILDMO7**	1	2	3	4	5
k. Took on responsibility for the care of another child, grandchild, parent, other family member or friend? **RESPCAR7**	1	2	3	4	5

 # Variable Excluded from Public Use Data File

		NO	YES Not at all upsetting	YES Somewhat upsetting	YES Very upsetting	YES Very upsetting and still upsetting
l.	Family member had legal problems or a problem with police? **LEGALPR7**	1	2	3	4	5
m.	A close relative (husband/partner, child or parent) died? **CRELDIE7**	1	2	3	4	5
n.	A close friend or family member other than a husband/partner, child or parent died? **CLOSDIE7**	1	2	3	4	5
o.	Major accident, assault, disaster, robbery or other violent event happened to yourself? **SELFVI07**	1	2	3	4	5
p.	Major accident, assault, disaster, robbery or other violent event happened to a family member? **FAMLVIO7**	1	2	3	4	5
q.	Serious physical illness, injury or drug/alcohol problem in family member, partner or close friend? **PHYSILL7**	1	2	3	4	5
r.	Other major event not included above? **MAJEVEN7**	1	2	3	4	5
	Specify: **SPECEVN7** _____					

Variable Excluded from Public Use Data File

We would like to ask you some additional questions that will help us to understand your answers better. Please remember that this information will remain confidential.

E1. What is your total family income (before taxes) from all sources within your household in the last year? (CIRCLE THE ANSWER THAT IS YOUR BEST GUESS.) **INCOME7**[$]

LESS THAN $19,999 1
$20,000 TO $49,999 2
$50,000 TO $99,999 3
$100,000 OR MORE 4
REFUSED ..... -7
DON'T KNOW ..... -8

E2. How hard is it for you to pay for the very basics like food, housing, medical care, and heating? Would you say it is…(CIRCLE ONE NUMBER) **HOW_HAR7**

Very hard 1
Somewhat hard 2
Not hard at all 3
Don't know ..... -8

[$] E.1 Income categories have been condensed from the original questionnaire

 # Variable Excluded from Public Use Data File

F1. We are interested in how you have felt **this week** (the past 7 days) and below are a number of words that describe different feelings or emotions that people experience. Read each item and then, using the scale provided, indicate in the space next to each item how strongly you have experienced these feelings this past week. (CIRCLE ONLY ONE NUMBER FOR EACH.)

		Very slightly or not at all	A little	Moderately	Quite a bit	Extremely
a. Interested	**INTRPAN7**	1	2	3	4	5
b. Disinterested	**DISIPAN7**	1	2	3	4	5
c. Excited	**EXCIPAN7**	1	2	3	4	5
d. Upset	**UPSEPAN7**	1	2	3	4	5
e. Strong	**STROPAN7**	1	2	3	4	5
f. Guilty	**GUILPAN7**	1	2	3	4	5
g. Scared	**SCARPAN7**	1	2	3	4	5
h. Hostile	**HOSTPAN7**	1	2	3	4	5
i. Enthusiastic	**ENTHPAN7**	1	2	3	4	5
j. Proud	**PROUPAN7**	1	2	3	4	5
k. Irritable	**IRRIPAN7**	1	2	3	4	5
l. Alert	**ALERPAN7**	1	2	3	4	5
m. Ashamed	**ASHAPAN7**	1	2	3	4	5
n. Inspired	**INSPPAN7**	1	2	3	4	5
o. Nervous	**NERVPAN7**	1	2	3	4	5
p. Determined	**DETEPAN7**	1	2	3	4	5
q. Attentive	**ATTEPAN7**	1	2	3	4	5
r. Jittery	**JITTPAN7**	1	2	3	4	5
s. Active	**ACTIPAN7**	1	2	3	4	5
t. Afraid	**AFRAPAN7**	1	2	3	4	5

 # Variable Excluded from Public Use Data File

G1. A number of **statements** that people have used to describe themselves are given below. Please read each statement and circle the number that represents **how you generally feel**. There are no right or wrong answers. Do not spend too much time on any one statement, but give the answer that seems to describe how you generally feel. (CIRCLE ONE NUMBER FOR EACH.)

	Almost Never	Sometimes	Often	Almost Always
a. I am a steady person. **STEADPE7**	1	2	3	4
b. I feel satisfied with myself. **SATISEL7**	1	2	3	4
c. I feel nervous and restless. **RESTLES7**	1	2	3	4
d. I wish I could be as happy as others seem to be. **WISHAPP7**	1	2	3	4
e. I feel like a failure. **LIKEFAI7**	1	2	3	4
f. I get in a state of turmoil or tension as I think over my recent concerns and interests. **TENSION7**	1	2	3	4
g. I feel secure. **FEELSEC7**	1	2	3	4
h. I lack self-confidence. **LACKSEL7**	1	2	3	4
i. I feel inadequate. **INADEQA7**	1	2	3	4
j. I worry too much over something that does not matter. **WORRYTO7**	1	2	3	4

 # Variable Excluded from Public Use Data File

The following section will ask you about personal feelings. These questions are important, as our feelings may directly affect our health or influence how we respond to health issues.

H1. In your day-to-day life have you had the following experiences: (CIRCLE ONE NUMBER FOR EACH.)

		Often	Sometimes	Rarely	Never
a. You are treated with less courtesy than other people.	COURTES7	1	2	3	4
b. You are treated with less respect than other people.	RESPECT7	1	2	3	4
c. You receive poorer service than other people at restaurants or stores.	POORSER7	1	2	3	4
d. People act as if they think you are not smart.	NOTSMAR7	1	2	3	4
e. People act as if they are afraid of you.	AFRAIDO7	1	2	3	4
f. People act as if they think you are dishonest.	DISHONS7	1	2	3	4
g. People act as if they're better than you are.	BETTER7	1	2	3	4
h. You or your family members are called names or insulted.	INSULTE7	1	2	3	4
i. You are threatened or harassed.	HARASSE7	1	2	3	4
j. People ignore you or act as if you are not there.	IGNORED7	1	2	3	4

IF YOU ANSWERED "OFTEN" OR "SOMETIMES", TO ANY STATEMENTS IN H1, PLEASE ANSWER QUESTION H2.

H2. Were any of the following reasons why you "sometimes" or "often" had these experiences? (CIRCLE ONE NUMBER FOR EACH.)

		NO	YES
a. Race	BCRACE7	1	2
b. Ethnicity	BCETHN7	1	2
c. Gender	BCGENDR7	1	2
d. Age	BCAGE7	1	2
e. Income Level	BCINCML7	1	2
f. Language	BCLANG7	1	2
g. Body Weight	BCWGHT7	1	2
h. Physical Appearance (other than body weight)	BCPHAPP7	1	2
i. Sexual Orientation	BCORIEN7	1	2
j. Other, Specify:	OTHEREX7,#OTHRSPE7	1	2

Variable Excluded from Public Use Data File

I1. A number of **statements** that people have used to describe themselves are given below. Please read each statement and circle the number that corresponds to your response for each item. There are no right or wrong answers. Do not spend too much time on any one statement, but give the answer that describes how you generally feel. . (CIRCLE ONE NUMBER FOR EACH.)

	Almost Never	Sometimes	Often	Almost Always
a. I am quick tempered. **QUICKTP7**	1	2	3	4
b. I have a fiery temper. **FIERYTP7**	1	2	3	4
c. I am a hot-headed person. **HOTHEAD7**	1	2	3	4
d. I get angry when I'm slowed down by others' mistakes. **GETANGR7**	1	2	3	4
e. I feel annoyed when I am not given recognition for doing good work. **ANNOYED7**	1	2	3	4
f. I fly off the handle. **FLYOFF7**	1	2	3	4
g. When I get mad, I say nasty things. **SAYNAST7**	1	2	3	4
h. It makes me furious when I'm criticized in front of others. **FURIOUS7**	1	2	3	4
i. When I get frustrated, I feel like hitting someone. **FEELHIT7**	1	2	3	4
j. I feel infuriated when I do a good job & get a poor evaluation. **INFURIA7**	1	2	3	4

 # Variable Excluded from Public Use Data File

J1. Please indicate the extent to which you agree or disagree with each statement by circling the corresponding number. (CIRCLE ONE NUMBER FOR EACH.)

	Strongly Agree	**Somewhat Agree**	**Cannot Say**	**Somewhat Disagree**	**Strongly Disagree**
a. The future seems to me to be hopeless, and I can't believe things are changing for the better. **FUTURE7**	0	1	2	3	4
b. I feel it is impossible for me to reach the goals that I would like to strive for. **GOALS7**	0	1	2	3	4

Thank you for your time. This ends this questionnaire.

Please give it to the study personnel.

 # Variable Excluded from Public Use Data File

Date Data Entered / Initials _____ Date Verified / Initials _____

PHYSICAL MEASURES

Study of Women's Health Across the Nation

SECTION A. GENERAL INFORMATION

A1. RESPONDENT ID: AFFIX ID LABEL HERE **SWANID**

A2. SWAN STUDY VISIT # 07 **#VISIT**

A3. FORM VERSION: 06/01/2003 **#FORM_V**

A4. DATE FORM COMPLETED: ___ ___ / ___ ___ / ___ ___ ___ ___ (M M / D D / Y Y Y Y) **PHYDAY7**†

A5. RESPONDENT'S DOB: ___ ___ / ___ ___ / 1 9 ___ ___ (M M / D D / Y Y Y Y) **#DOB**

VERIFY WITH RESPONDENT

A6. MEASUREMENTS COMPLETED IN: **#LOCATIO7**

RESPONDENT'S HOME.....1
CLINIC/OFFICE.....2

A7. TECHNICIAN'S INITIALS

a. BLOOD PRESSURE ____ ____ ____ **#INITSA7**

b. HEIGHT/WEIGHT ____ ____ ____ **#INITSB7**

c. WAIST/HIP ____ ____ ____ **#INITSC7**

A8. WERE PHYSICAL MEASURES COMPLETED? **#PHYCOMP7**

NO 1
YES ..... 2 **(B1)**

A8.1. IF NO (i.e. PHYSICAL MEASURES NOT DONE), SPECIFY REASON: **#PHYNOT**

UNWILLING/UNABLE TO COME TO OFFICE ..... 1 **(END)**
OUTSIDE OF 90-DAY WINDOW ..... 2 **(END)**
OTHER ..... 3 **(END)**

IF OTHER, SPECIFY _____

#PHYNOTS

REFUSED ..... -7 **(END)**

† This date is given in days since the initial baseline interview, which is day zero.

 # Variable Excluded from Public Use Data File

Section B. Measurements

B1. ARM LENGTH ___ ___ ___ . ___ cm #ARMLNGT7

B2. ARM CIRCUMFERENCE ___ ___ ___ . ___ cm #ARMCIRC7

B3. CUFF SIZE USED (Circle one.)
1. Pediatric
2. Adult
3. Large Adult
4. Thigh

#CUFFSIZ7

Wait 5 minutes before measurements. Respondent is to sit quietly for 5 minutes with feet flat on the floor (legs uncrossed) and is to refrain from talking during the measurements.

WAIT 2 MINUTES BETWEEN EACH BLOOD PRESSURE READING.

B4. PULSE **PULSE7** ___ ___ beats/30 sec

B5. BLOOD PRESSURE **#1** (SYS./DIA. 5th Phase) ___ ___ ___ /___ ___ ___ mmHg
SYSBP17 / DIABP17

B6. BLOOD PRESSURE **#2** (SYS./DIA. 5th Phase) ___ ___ ___ /___ ___ ___ mmHg
SYSBP27 / DIABP27

Ask the respondent to remove her shoes before measuring height and weight.

B7. HEIGHT **HEIGHT7** ___ ___ ___ . ___ ___ **cm**

B7.1. Measurement Method **HTMETHO7**
1. Stadiometer
2. Portable
3. Self Report

B7.1.a. If Self Report, then choose one of the following **HTSELF7**
1. Participant in wheelchair/disabled
2. Equipment Failure
3. Refused to be measured
4. Other **HTSELFS7**
Specify_____

B8. WEIGHT **WEIGHT7** ___ ___ ___ . ___ **kg**

B8.1. Scales **SCALE7**
1. Balance Beam
2. Clinic Digital
3. Portable
4. Self Report

B8.1.a. If Self Report, then choose one of the following **WTSELF7**
1. Participant in wheelchair/disabled
2. Equipment Failure
3. Refused to be weighed
4. Participant weight more than scale
5. Other **WTSELFS7**
Specify_____

B9. WAIST CIRCUMFERENCE **WAIST7** ___ ___ ___ . ___ **cm**

B9.1. Measurement taken in: **WASTMEA7**
1. Undergarments
2. Light clothing

B10. HIP CIRCUMFERENCE **HIP7** ___ ___ ___ . ___ **cm**

B10.1. Measurement taken in: **HIPMEAS7**
1. Undergarments
2. Light clothing

B11. **Please note if there were any unusual circumstances or deviations from the protocol.**

_____

_____

#DEVIAT17 / #DEVIAT27

 # Variable Excluded from Public Use Data File

ADDITIONAL PHYSICAL MEASURES

One additional measure, BMI, has been made available:

Variable	*Meaning*	*Values*
BMI7	Body Mass Index	numeric

BMI is calculated as weight in kilograms divided by the square of height in meters.

 # Variable Excluded from Public Use Data File

Date Data Entered / Initials _____ Date Verified / Initials _____

COGNITIVE FUNCTION FORM

ANNUAL FOLLOW-UP

Study of Women's Health Across the Nation

SECTION A. GENERAL INFORMATION

AFFIX ID LABEL HERE

A1. RESPONDENT ID: **SWANID**

A2. SWAN STUDY VISIT # 07 **#VISIT**

A3. FORM VERSION: 03/03/2003 **#FORM_V**

A4. DATE FORM COMPLETED: ___ ___ / ___ ___ / ___ ___ ___ ___ **COGDAY7**†
M M D D Y Y Y Y

A5. INTERVIEWER'S INITIALS: ___ ___ ___ **#INITS**

A6. RESPONDENT'S DOB: ___ ___ / ___ ___ / 1 9 ___ ___ **#DOB**
M M D D Y Y Y Y
VERIFY WITH RESPONDENT

A7. COMPLETED IN: **#LOCATIO7**

RESPONDENT'S HOME 1
CLINIC / OFFICE 2

A8. INTERVIEW LANGUAGE: **LANGCOG7**

ENGLISH 1
SPANISH 2
CANTONESE 3
JAPANESE 4

A9. WERE THE COGNITIVE FUNCTION TESTS COMPLETED? **#COGCOMP7**

NO 1
YES ..... 2 **(A10)**

A9.1. IF NO (i.e. COGNITIVE FUNCTION TESTS NOT DONE), SPECIFY REASON: **#COGNOT7**

UNWILLING/UNABLE TO COME TO OFFICE ..... 1 **(END)**
OUTSIDE OF 90-DAY WINDOW ..... 2 **(END)**
OTHER ..... 3 **(END)**

IF OTHER, SPECIFY ___**#COGNOTS7**_____

REFUSED ..... -7 **(END)**

A10. START TIME ___ ___ : ___ ___ **#START7** AM….1 PM….2 **#STRTAMP7**

† This date is given in days since the initial baseline interview, which is day zero.

B. EAST BOSTON MEMORY TEST I

I have some questions that involve remembering things and concentrating. Please try your best.

INTERVIEWER NOTE: RECORD ALL ANSWERS PROVIDED BY THE PARTICIPANT. ALL RESPONSES MUST BE GIVEN **WITHOUT** ANY AID TO MEMORY.

I. IMMEDIATE RECALL OF STORY

Now I would like to ask you to try to remember a short story.

First, I'm going to read you a short story and when I'm through, I'm going to wait a few seconds and then ask you to tell me as much as you can remember.

The story is:

Three children were alone at home and the house caught on fire. A brave fireman managed to climb in a back window and carry them to safety. Aside from minor cuts and bruises, all were well.

WAIT FIVE SECONDS, THEN SAY: Please tell me the story.

RECORD RESPONSE VERBATIM

IMEDTHR7

IMEDCH17

IMEDHOU7

IMEDFIR7

IMEDFMN7

IMEDCLM7

IMEDCH27

IMEDRES7

IMEDMIN7

IMEDINJ7

IMEDEVR7
IMEDWEL7
TOTIDE17

SCORE EACH IDEA AS PRESENT OR ABSENT

Idea	Present	Absent
Three	1	0
Children	1	0
House	1	0
On Fire	1	0
Fireman	1	0
Climb In	1	0
Children	1	0
Rescued	1	0
Minor	1	0
Injuries	1	0
Everyone	1	0
Well	1	0
Total Ideas		

C. FACES I

Now we will move to another exercise.

HAVE **STIMULUS BOOKLET I** READY. RECORDING OF THE PARTICIPANT'S RESPONSES AND SCORING FOR FACES I ARE DONE ON THE FOLLOWING PAGE. THERE IS NOTHING TO WRITE DOWN WHILE PRESENTING THE INITIAL SET OF FACES (1-24). THE PRIMARY MEASURE OF PERFORMANCE IS THE NUMBER OF FACES CORRECTLY IDENTIFIED.

READ THE INITIAL INSTRUCTION: "I am going to show you some pictures of faces, one at a time. Look at each face carefully and remember what it looks like. Remember each one."

EXPOSE EACH PHOTOGRAPH (1-24) FOR 2 SECONDS AND SAY, "Remember this one."

WHEN ALL HAVE BEEN PRESENTED READ THE NEXT INSTRUCTION. "Now I am going to show you some more pictures of faces, one at a time. I want you to look at the face on each page carefully. Say "Yes" if the face is one that I asked you to remember or "No" if it is not."

IF THE RESPONDENT DOES NOT UNDERSTAND THE DIRECTIONS, YOU MAY REPEAT THEM, PARAPHRASING WHERE NECESSARY.

TURN THE PAGE TO EXPOSE ITEM 1. EXPOSE EACH PHOTOGRAPH (1-48). RECORD THE PARTICIPANT'S RESPONSES ON PAGE 4 OF THIS FORM. CIRCLE WHETHER THE RESPONDENT SAYS "YES" OR "NO" TO EACH OF THE 48 FACES THAT ARE PRESENTED (i.e. CIRCLE "Y / YES" OR "N / NO"). LATER, THE RESPONSES ARE SCORED AS CORRECT OR NOT (i.e. BOLDFACE TYPE YES/NO=1, AND Y/N=0).

AFTER YOU HAVE SHOWN THE LAST RECOGNITION FACE FOR FACES I AND RECORDED THE RESPONSE, GIVE THE FINAL INSTRUCTION. I want you to remember the first group of faces I asked you to remember because later on I'm going to ask you to pick them out of another group of faces.

FACES I– CIRCLE “Y / YES” OR “N / NO”

ITEM/RESPONSE			SCORE 0 OR 1
1	Y	**NO**	**FACEI17**
2	**YES**	N	**FACEI27**
3	Y	**NO**	**FACEI37**
4	Y	**NO**	**FACEI47**
5	**YES**	N	**FACEI57**
6	Y	**NO**	**FACEI67**
7	**YES**	N	**FACEI77**
8	Y	**NO**	**FACEI87**
9	Y	**NO**	**FACEI97**
10	Y	**NO**	**FACEI107**
11	**YES**	N	**FACEI117**
12	**YES**	N	**FACEI127**
13	Y	**NO**	**FACEI137**
14	**YES**	N	**FACEI147**
15	Y	**NO**	**FACEI157**
16	**YES**	N	**FACEI167**
17	Y	**NO**	**FACEI177**
18	Y	**NO**	**FACEI187**
19	**YES**	N	**FACEI197**
20	Y	**NO**	**FACEI207**
21	**YES**	N	**FACEI217**
22	**YES**	N	**FACEI227**
23	Y	**NO**	**FACEI237**
24	**YES**	N	**FACEI247**
25	**YES**	N	**FACEI257**
26	Y	**NO**	**FACEI267**
27	Y	**NO**	**FACEI277**
28	**YES**	N	**FACEI287**
29	**YES**	N	**FACEI297**
30	Y	**NO**	**FACEI307**
31	Y	**NO**	**FACEI317**
32	**YES**	N	**FACEI327**
33	**YES**	N	**FACEI337**
34	Y	**NO**	**FACEI347**
35	**YES**	N	**FACEI357**
36	Y	**NO**	**FACEI367**
37	**YES**	N	**FACEI377**
38	**YES**	N	**FACEI387**
39	Y	**NO**	**FACEI397**
40	**YES**	N	**FACEI407**
41	Y	**NO**	**FACEI417**
42	**YES**	N	**FACEI427**
43	Y	**NO**	**FACEI437**
44	**YES**	N	**FACEI447**
45	Y	**NO**	**FACEI457**
46	**YES**	N	**FACEI467**
47	**YES**	N	**FACEI477**
*48	Y	**NO**	**FACEI487**

* AFTER YOU HAVE SHOWN THE LAST RECOGNITION FACE FOR FACES I AND RECORDED THE RESPONSE, GIVE THE FINAL INSTRUCTION.

I want you to remember the first group of faces I asked you to remember because later on I’m going to ask you to pick them out of another group of faces.

D. SYMBOL DIGIT MODALITIES TEST

Now, we are going to try something a little different.

PLACE THE LAMINATED TEST FORM IN FRONT OF RESPONDENT RESPONSES ON A BLANK SDMT FORM.

POINT TO KEY AT TOP OF PAGE AND SAY: Look at these boxes. Notice that each box has a little mark in the upper part and a number in the lower part. Each mark has its own number. Now look down here. [POINT]

Notice that the boxes on the top have marks, but the boxes on the bottom are empty. I want you to call out the number that goes with each mark. For example, look at the first mark and then look at the key. [POINT]

The number 1 goes with the first mark. So you call out the number 1 for the first box.

POINT OUT NEXT 2 ANSWERS: A 5 goes with this mark, and a 2 goes with this mark.

Now what number belongs in the next box?
POINT TO BOX IF NECESSARY. RECORD RESPONSE.

IF RESPONSE IS CORRECT, SAY: Good. You have the idea.
IF RESPONSE IS INCORRECT, SAY: No, that is a 1. AND POINT TO THE APPROPRIATE SYMBOL/ITEM PAIR IN KEY.

Now, for practice, tell me the numbers that belong in the rest of the boxes up to this line.
DRAW OVER THE DOUBLE LINE IN THE PRACTICE ROW.
Use your finger as you move along the row so you don't get lost.

RECORD RESPONSES TO REMAINING PRACTICE ITEMS (ANSWERS: 3 6 2 4 1 6). IMMEDIATELY CORRECT EACH ERROR AS ABOVE. RECORD "0" FOR NON-NUMERIC RESPONSES.

REINSTRUCT AND/OR ENCOURAGE GUESSING IF RESPONDENT IS CONFUSED ON THE PRACTICE ROW; E.G., If you don't know, guess a number from 1 to 9, and I'll tell you if you're right or wrong.

AFTER PRACTICE ROW IS COMPLETED, SAY:
Good, you know how to do them. I have some more of these I want you to do. When I tell you to begin start here [POINT TO THE FIRST SQUARE TO RIGHT OF DOUBLE LINE] and call out the numbers just like you have been doing until I say 'Stop.' If you make a mistake, tell me what you think the correct answer is. Do not skip any boxes and work as quickly as you can. Ready? Begin.

START TIMER AT "BEGIN," ALLOW 90 SECONDS, AND THEN SAY: Stop.
RECORD RESPONSES.
DO NOT REINSTRUCT FURTHER; IF PRESSED, SAY: Just do the best you can.

SYMBOL DIGIT MODALITIES TEST (CONTINUED) – SCORING:

1. Administration status (1, 6-10) _____ **SDMTSTA7**

   1 = Test administered

   6 = Not administered because of physical impairment

   7 = Not administered because of verbal refusal

   8 = Not administered because of a behavioral reason

   9 = Not administered for some other reason

   Specify___**#SDMTSPE7**_____

   10 = Administered but not according to protocol

   Specify_____

2. Number of Test Administrations **SDMTADM7** _____
3. Number of Practice Items Correct (0-7) **SDMTPRA7** _____
4. Number of Test Items Attempted (0-110) **SDMTATM7** _____ _____ _____
5. Number of Test Items Correct (0-110) **SDMTCOR7** _____ _____ _____

E. DIGITS BACKWARD

ADMINISTRATION: MAKE SURE YOU HAVE RESPONDENT'S ATTENTION BEFORE PRESENTING EACH ITEM. READ DIGITS CLEARLY AT ONE-PER-SECOND RATE, LETTING VOICE PITCH DROP/RISE ON LAST DIGIT. PRESENT EACH ITEM ONLY ONCE. IF REPETITION IS REQUESTED, SAY: Just tell me what you can remember.

DISCONTINUE AFTER TWO CONSECUTIVE ERRORS AT A GIVEN ITEM LENGTH (e.g., IF BOTH 4a AND 4b ARE ERRORS). IF REQUESTED, REINSTRUCT: After I say the numbers, you are to say them backwards.

IF RESPONDENT REPEATS THE NUMBERS FORWARD, SCORE THE RESPONSE AS AN ERROR (0) AND REINSTRUCT AS ABOVE. ONLY ONE UNREQUESTED REINSTRUCTION IS PERMITTED.

SCORING: CLASSIFY EACH RESPONSE AS ERROR (0) OR CORRECT (1) AND ENTER THE SCORE IN THE SPACE PROVIDED. FOR ITEMS NOT ADMINISTERED DUE TO BRANCHING OR DISCONTINUATION RULE, PLACE AN "-1" IN THE SPACE PROVIDED; FOR ITEMS NOT ADMINISTERED FOR ANY OTHER REASON, ENTER THE APPROPRIATE CODE: 6 = PHYSICAL IMPAIRMENT; 7 = VERBAL REFUSAL; 8 = BEHAVIORAL REASON; 9 = OTHER REASON.

INSTRUCTION: Now, let's move on to another part. I am going to say some numbers. When I stop, I want you to say them backwards.

ITEM	RESPONSE CODE
P1. Try this one : 2 – 8 – 3."	_____

IF CORRECT (1), SAY: That's right. Now I have some more numbers. Remember, you are to say them backwards.

[GO TO 1a]

IF ERROR (0), SAY: No, I said 2 – 8 – 3, so to say them backwards, you would need to say 3 – 8 – 2.

[GO TO P2]

P2. Try this one. Remember, you are to say them backwards. Ready? 1 – 5 – 8.	_____

IF CORRECT (1), SAY: That's right. Now I have some more numbers. Remember, you are to say them backwards.

[GO TO 1a]

IF ERROR (0), SAY: No, I said 1 – 5 – 8, so to say them backwards, you would need to say 8 - 5 - 1. Now I have some more numbers. Remember, you are to say them backwards.

DIGITS BACKWARD (CONTINUED)

0 = Error
1 = Correct
-1 = Not Administered due to discontinuation rule
6 = Not administered because of physical impairment
7 = Not administered because of verbal refusal
8 = Not administered because of behavioral reason
9 = Not administered for some other reason, Specify below
10 = Administered but not according to protocol, Specify below

Item		Response Code
1a.	Ready? 5 – 1	DIGIT1A7_____
1b.	Here is another: 3 – 8	DIGIT1B7_____
2a.	Here is another: 4 – 9 – 3	DIGIT2A7_____
2b.	Here is another: 5 – 2 – 6	DIGIT2B7_____
3a.	Here is another: 3 – 8 – 1 – 4	DIGIT3A7_____
3b.	Here is another: 1 – 7 – 9 – 5	DIGIT3B7_____
4a.	Here is another: 6 – 2 – 9 – 7 – 2.....	DIGIT4A7_____
4b.	Here is another: 4 – 8 – 5 – 2 – 7.....	DIGIT4B7_____
5a.	Here is another: 7 – 1 – 5 – 2 – 8 – 6.....	DIGIT5A7_____
5b.	Here is another: 8 – 3 – 1 – 9 – 6 – 4.....	DIGIT5B7_____
6a.	Here is another: 4 – 7 – 3 – 9 – 1 – 2 – 8.....	DIGIT6A7_____
6b.	Here is another: 8 – 1 – 2 – 9 – 3 – 6 – 3.....	DIGIT6B7_____

Specify _____#SPCDIG17_____

_____#SPCDIG27_____

[NOTE: DISCONTINUE TEST AFTER 2 CONSECUTIVE ERRORS AT THE SAME ITEM LENGTH]

F. EAST BOSTON MEMORY TEST II – DELAYED RECALL OF STORY

Please recall the short story I read a few moments ago and tell me as much as you can remember of the story now.

RECORD RESPONSE VERBATIM

_____ **DLAYTHR7**

_____ **DLAYCH17**

_____ **DLAYHOU7**

_____ **DLAYFIR7**

_____ **DLAYFMN7**

_____ **DLAYCLM7**

_____ **DLAYCH27**

_____ **DLAYRES7**

_____ **DLAYMIN7**

_____ **DLAYINJ7**

_____ **DLAYEVR7**
DLAYWEL7
TOTIDE27

SCORE EACH IDEA AS PRESENT OR ABSENT

Idea	Present	Absent
Three	1	0
Children	1	0
House	1	0
On Fire	1	0
Fireman	1	0
Climb In	1	0
Children	1	0
Rescued	1	0
Minor	1	0
Injuries	1	0
Everyone	1	0
Well	1	0
Total Ideas		

G. FACES II

Now I'm going to show you some more pictures of faces. I want you to look at each face carefully. Say "Yes" if the face is one I asked you to remember earlier or "No" if it is not.

HAVE **STIMULUS BOOKLET II** READY.

IF THE RESPONDENT DOES NOT UNDERSTAND THE DIRECTIONS, YOU MAY REPEAT THEM, PARAPHRASING WHERE NECESSARY.

TURN THE PAGE TO EXPOSE ITEM 1. EXPOSE EACH PHOTOGRAPH (1-48). RECORD THE PARTICIPANT'S RESPONSES ON PAGE 11 OF THIS FORM. CIRCLE WHETHER THE RESPONDENT SAYS "YES" OR "NO" TO EACH OF THE 48 FACES THAT ARE PRESENTED (i.e. CIRCLE "Y / YES" OR "N / NO"). LATER, THE RESPONSES ARE SCORED AS CORRECT OR NOT (i.e. BOLDFACE TYPE YES/NO=1, AND Y/N=0).

FACES II – CIRCLE “Y / YES” OR “N / NO”

ITEM/RESPONSE			SCORE 0 OR 1
1	Y	**NO**	**FACED17**
2	**YES**	N	**FACED27**
3	Y	**NO**	**FACED37**
4	Y	**NO**	**FACED47**
5	**YES**	N	**FACED57**
6	Y	**NO**	**FACED67**
7	**YES**	N	**FACED77**
8	Y	**NO**	**FACED87**
9	Y	**NO**	**FACED97**
10	Y	**NO**	**FACED107**
11	**YES**	N	**FACED117**
12	Y	**NO**	**FACED127**
13	**YES**	N	**FACED137**
14	Y	**NO**	**FACED147**
15	**YES**	N	**FACED157**
16	Y	**NO**	**FACED167**
17	Y	**NO**	**FACED177**
18	**YES**	N	**FACED187**
19	Y	**NO**	**FACED197**
20	**YES**	N	**FACED207**
21	**YES**	N	**FACED217**
22	Y	**NO**	**FACED227**
23	**YES**	N	**FACED237**
24	Y	**NO**	**FACED247**
25	**YES**	N	**FACED257**
26	Y	**NO**	**FACED267**
27	**YES**	N	**FACED277**
28	**YES**	N	**FACED287**
29	**YES**	N	**FACED297**
30	Y	**NO**	**FACED307**
31	**YES**	N	**FACED317**
32	Y	**NO**	**FACED327**
33	**YES**	N	**FACED337**
34	Y	**NO**	**FACED347**
35	**YES**	N	**FACED357**
36	**YES**	N	**FACED367**
37	Y	**NO**	**FACED377**
38	Y	**NO**	**FACED387**
39	**YES**	N	**FACED397**
40	**YES**	N	**FACED407**
41	Y	**NO**	**FACED417**
42	**YES**	N	**FACED427**
43	**YES**	N	**FACED437**
44	Y	**NO**	**FACED447**
45	Y	**NO**	**FACED457**
46	**YES**	N	**FACED467**
47	Y	**NO**	**FACED477**
48	**YES**	N	**FACED487**

 # Variable Excluded from Public Use Data File

ADDITIONAL MEASURES COLLECTED

The following answers pertain to the serum hormone and cardiovascular measures:

A9. WAS BLOOD DRAWN? **BLDDRAW7**

NO.....1
YES.....2 **(B1)**

THE FOLLOWING ONLY APPLY IF BLOOD WAS DRAWN.

Before we draw a blood sample I need to ask you a few questions**.**

A10. Are you currently pregnant? **PREGNAN7**

NO.....1
YES.....2
DON'T KNOW..... -8

A11. Have you had anything to eat or drink, other than water, in the last 12 hours? That is, since __ __ : __ __ last night ? **EATDRIN7**

NO.....1
YES.....2

A12. Did you start a menstrual period in the last five days? **STRTPER7**

NO.....1
YES.....2

A12.1. What is the date that you started to bleed? **BLEDAY7**†

____ ____ / ____ ____ / ____ ____ ____ ____
M M D D Y Y Y Y

A13. BLOOD DRAW CATEGORY: **BLDRWAT7**

BLOOD DRAWN, PER PROTOCOL.....1
BLOOD DRAWN, MENSES TOO VARIABLE.....2
BLOOD DRAWN, LAST ATTEMPT.....3
BLOOD DRAWN, RESPONDENT PREGNANT.....4

FOLLOW BLOOD DRAW PROTOCOL RECORD COLLECTION TUBES FILLED ON SPECIMEN COLLECTION FORM IF NOT ALREADY DONE, COMPLETE QUESTION A9 = "YES (2)"

In order to interpret your blood draw results, we need to ask you the following question.

A14. Have you had any alcohol in the last 24 hours? **ALCHL247**

NO.....1
YES.....2

† This date is given in days since the initial baseline interview, which is day zero.

 # Variable Excluded from Public Use Data File

SERUM HORMONE MEASURES

1. *Variables for assays*

+Variable	*Assay*	*Units*
DHAS7	Dehydroepiandrosterone sulfate	ug/dL
E2AVE7*	Estradiol (see important note below)	pg/mL
FSH7	Follicle-stimulating hormone	mIU/mL
SHBG7	Sex hormone-binding globulin	nM
T7	Testosterone	ng/dL

*** IMPORTANT NOTE: There were originally two estradiol result variables because estradiol was run in duplicate. E2AVE2 is the within-person arithmetic average of the two estradiol variables.**

2. *Flags and other variables*

Variable	*Meaning*	*Codes*
CYCDAY7	Day of cycle	n/a
FLGCV7 **FLGDIF7**	Both Estradiol results are > 20 pg/mL and the within-subject coefficient of variation (CV) is > 15%. One or both Estradiol results ≤ 20 pg/mL and the difference between them is > 10 pg/mL. Note: Differences were found between some of the Estradiol duplicate measurements. The following guidelines were decided upon: *1. If both E2 values>20 pg/ml, CV must be ≤15%.* *2. If one or both E2≤20 pg/ml, the two E2 results must agree within 10 pg/ml.* ***DATA WITH THESE FLAGS SHOULD BE OMITTED FROM DATA ANALYSES, OR USED WITH CAUTION IF INCLUDED IN ANALYSES.***	0=no, 1=yes

*1=yes means flagged

 # Variable Excluded from Public Use Data File

3. *Changes to the data:*

- Lower limit of detection (LLD). Hormone results below the LLD were recoded to a value of '.L'.

- LLDs changed over time. The following LLDs were provided by the lab and apply to all samples through 2009:

Hormone	*Time Window on hormone measurement corresponding to LLD*	*Lower Limit of Detection*
DHEAS	~ Sep. 15, 1997	<1.52 ug/dL (Initial value)
	Sep. 16, 1997 ~ Jan. 14, 1999	<0.304 ug/dL
	Jan. 15, 1999 ~	<1.5 ug/dL
E2	~ Feb. 20, 2000	<1.0 pg/mL (Initial value)
	Feb. 21, 2000 ~ Aug. 27, 2001	<2.0 pg/mL
	Aug. 28, 2001 ~ May 03, 2009	<4.0 pg/mL
	May 04, 2009 ~	<7.0 pg/mL
FSH	~ Aug. 05, 1999	<1.05 mIU/mL (Initial value)
	Aug. 06, 1999 ~ Nov. 10, 1999	<1.0 mIU/mL
	Nov. 11, 1999 ~ Jul. 19, 2000	<0.7 mIU/mL
	Jul. 20, 2000 ~ Oct. 29, 2002	<0.6 mIU/mL
	Oct. 30, 2002 ~ Sep. 28, 2003	<0.5 mIU/mL
	Sep. 29, 2003 ~ Feb 20, 2006	<0.4 mIU/mL
	Feb 21, 2006 ~	<0.8 mIU/mL
SHBG	~ Aug. 05, 1999	<1.95 nM (Initial value)
	Aug. 06, 1999 ~ Oct. 31, 1999	<1.9 nM
	Nov. 01, 1999 ~ Mar. 22, 2006	<2.0 nM
	Mar. 23, 2006 ~	<3.2 nM
T	~ Jun. 04, 1998	<2.19 ng/dL (Initial value)
	Jun. 05, 1998 ~ Jun. 17, 1999	<2.2 ng/dL
	Jun. 18, 1999 ~	<2.0 ng/dL

CARDIOVASCULAR MEASURES

1. *Variables for assays*

Variable	*Assay*	*Units*
CHOLRES7	Total cholesterol	mg/dl
TRIGRES7	Triglycerides	mg/dl
LDLRESU7	Low-density lipoprotein cholesterol (estimated)	mg/dl
HDLRESU7	High density lipoprotein cholesterol	mg/dl
GLUCRE7	Glucose	mg/dl
INSURES7	Insulin	uIU/ml
FACRESU7	Factor VII	%
FIBRESU7	Fibrinogen	mg/dl
PAIRESU7	PAI-1	ng/ml
TPARESU7	tPA	ng/ml
LPARESU7	Lipoprotein Lp(a)	mg/dl
LPA1RES7	Lipoprotein A-1	mg/dl
APOARES7	Apolipoprotein A-1	mg/dl
APOBRES7	Apolipoprotein B	mg/dl
CRPRESU7	C-reactive protein	mg/l

2. *Flags and other variables*

Variable	*Meaning*	*Codes*
FLAGSER7	Flag to indicate that lipids were measured on serum rather than plasma because plasma was not available. Lipids for these subjects were not set to missing.	0=no, 1=yes

*1=yes means flagged

3. *Changes to the data:*
   - Non-fasting Triglycerides, Insulin, & Glucose - If women were not fasting, triglycerides, insulin and glucose were set to missing in the frozen data set because these assays are not valid for non-fasting samples.
   - Estimated vs. Direct LDL. LDL is estimated using the Friedewald equation for all women with triglycerides below 400 mg/dl. If triglycerides exceed 400 mg/dl, LDL is set to missing.
   - Serum lipids. A few subjects had their lipids measured from serum rather than plasma. The results were left as is but subjects were flagged (FLAGSER1=1).

 # Variable Excluded from Public Use Data File

BONE MINERAL DENSITY MEASURES

Five of the seven clinical sites did DXA bone scans on the spine and hip. The total bone mineral density scores had to be calibrated in order to apply machine change calibration correction factors.

Variable	*Meaning*	*Codes*
SPSCDAY7	Spine Scan Day	
SPSCTIM7	Spine Scan Time	
SPSCMOD7	Spine Scan Mode	5 = 2000 machine 11=4500 machine
HPSCDAY7	Hip Scan Day	
HPSCTIM7	Hip Scan Time	
HPSCMOD7	Hip Scan Mode	5 = 2000 machine 11=4500 machine
SPBMDT7	Total Spine BMD w/cross-calibration applied	
HPBMDT7	Total Hip BMD w/cross-calibration applied	

 # Variable Excluded from Public Use Data File

Date Data Entered / Initials _____ Date Verified / Initials _____

BIOIMPEDANCE

INTERVIEWER-ADMINISTERED ANNUAL FOLLOW-UP FORM

Study of Women's Health Across the Nation

SECTION A. GENERAL INFORMATION

AFFIX ID LABEL HERE

A1. RESPONDENT ID: [ ] **SWANID**

A2. SWAN STUDY VISIT # 07 **#VISIT**

A3. FORM VERSION: 03/03/2003 **#FORM_V**

A4. DATE FORM COMPLETED: ___ ___ / ___ ___ / ___ ___ ___ ___ **BIODAY7**†

M M D D Y Y Y Y

A5. OPERATOR'S INITIALS: ___ ___ ___ **#INITS**

A6. RESPONDENT'S DOB: ___ ___ / ___ ___ / 1 9 ___ ___ **#DOB**

M M D D Y Y Y Y

VERIFY WITH RESPONDENT

A7. INTERVIEW COMPLETED IN: **#LOCATIO7**

RESPONDENT'S HOME/OFFICE 1
CLINIC/OFFICE 2

A8. INTERVIEW LANGUAGE: **LANGBIO7**

ENGLISH 1
SPANISH 2
CANTONESE 3
JAPANESE 4

A9. WAS BIOIMPEDANCE MEASUREMENT COMPLETED? **COMPBIA7**

NO 1
YES ..... 2 **(B1)**

A9.1. IF NO (i.e. BIOIMPEDANCE NOT DONE), SPECIFY REASON: **#BIONOT7**

UNWILLING/UNABLE TO COME TO OFFICE ..... 1 **(END)**
OUTSIDE OF 90-DAY WINDOW ..... 2 **(END)**
OTHER ..... 3 **(END)**

IF OTHER, SPECIFY ____**#BIONOTS7**_____

INELIGIBLE (B1 = YES or DON'T KNOW) ..... 4 **(END)**
REFUSED ..... -7 **(END)**

† This date is given in days since the initial baseline interview, which is day zero.

 # Variable Excluded from Public Use Data File

Now I would like to measure your body composition using this bioimpedance equipment. Body composition is the amount of body fluids, fat, and lean body mass, including your muscles and organs found in your body.

B1. Do you have an insulin pump, pacemaker or automatic implantable cardiac defibrillator (AICD)?

AICDPUM7

NO.....1
YES.....2 **(END)**
DON'T KNOW..... -8 **(END)**

IF YES OR DON'T KNOW, **STOP**. SUBJECT INELIGIBLE FOR BIOIMPEDANCE

If you have not recently done so, I would like you to use the bathroom before we take this measurement. For this measurement, you will need to remove metal jewelry and your right sock and shoe. Two sticky pads called electrodes will be placed on your right hand at the wrist and knuckles and two more will be placed on your right foot at the toes and ankle. Once the electrodes are attached, it will take less than one minute for the equipment to measure your body composition.

Before we begin the bioimpedance measurement I need to ask you a few questions that will help us interpret the results**.**

B2. Have you exercised intensely for at least half an hour or taken a sauna within the last 12 hours? That is, since __ __ : __ __ a.m. / p.m.?

EXER12H7

NO.....1
YES.....2
REFUSED..... -7

B3. Have you had anything to eat or drink, apart from water, in the last 5 hours? That is, since __ __ : __ __ a.m. / p.m.?

EAT5HR7

NO.....1
YES.....2
REFUSED..... -7

B4. Have you had more than 2 alcohol drinks in the last 24 hours? That is, since __ __ : __ __ a.m. / p.m.?

ALCO24H7

NO.....1
YES.....2
REFUSED..... -7

B5. Do you have any embedded medical devices, metal pins or plates, clips or beads used to treat cancer, braces, staples from surgery or any other type of embedded metal? **EMBDDEV7**

NO.....1
YES.....2
DON'T KNOW..... -8

 # Variable Excluded from Public Use Data File

Please remove all metal jewelry. Although you won't feel anything, metal removal is encouraged for more accurate results. Now please remove your right shoe and sock before lying down on a table for the test.

METJEWL7

B6. DID PARTICIPANT WEAR ANY METAL JEWELRY DURING MEASUREMENT?

NO.....1 **(B7)**
YES.....2

B6.1. IF YES, WERE THERE ANY RINGS, BRACELETS, WATCHES OR ANKLE JEWELRY ON THE MEASURED SIDE? **ONMEASS7**

NO.....1
YES.....2

LEGS SHOULD BE FAR ENOUGH APART SO THAT THE THIGHS DO NOT TOUCH. HANDS AND ARMS SHOULD BE FAR ENOUGH APART SO THAT THE HANDS AND ARMS DON'T TOUCH THE TORSO.

IF THE SKIN IS OILY, CLEAN IT WITH AN ALCOHOL SWAB BEFORE ATTACHING ELECTRODES.

IF THE SKIN IS DRY, APPLY A SMALL AMOUNT OF ECG OR CONDUCTIVE PASTE BEFORE ATTACHING ELECTRODES.

B7. ON WHICH SIDE OF THE BODY WERE THE ELECTRODES PLACED? **SIDE7**

RIGHT.....1
LEFT.....2

THE **VALID RANGE** FOR THE CONDUCTANCE VALUE IS **-800 TO 800 OHMS**. THE VALID RANGE FOR THE REACTANCE VALUE IS **-150 TO 150 OHMS**. IF AN *'OUT OF RANGE'* CONDUCTANCE OR REACTANCE OR *NEGATIVE* CONDUCTANCE VALUE IS DETECTED PLEASE SEE INSTRUCTIONS ON THE NEXT PAGE.

B8. RECORD THE CONDUCTANCE / RESISTANCE VALUE THAT APPEARS ON THE IMPEDANCE METER:

CONDRAW7 / CONDFRZ7

(+ OR -) _____ _____ _____ OHMS

B9. RECORD THE REACTANCE / IMPEDANCE VALUE THAT APPEARS ON THE IMPEDANCE METER:

IMPERAW7 / IMPEFRZ7

(+ OR -) _____ _____ _____ OHMS

 # Variable Excluded from Public Use Data File

B10. WAS THE MEASUREMENT RE-RUN? **BIORRUN7**

NO.....1
YES.....2

B11. COMMENTS: _____
#OPERCO17 **#OPERCO27**

_____

REMOVE AND DISPOSE OF THE ELECTRODES, BE SURE NOT TO INJURE THE SUBJECT'S SKIN. IF YOU HAVEN'T ALREADY DONE SO, COMPLETE QUESTION A10 = "YES (2)."

Thank you for your participation in this study.

IF AN ***'OUT OF RANGE'*** CONDUCTANCE OR REACTANCE IS DETECTED, IMMEDIATELY CHECK THE QUALITY OF THE ATTACHMENT OF THE ALLIGATOR CLAMPS AND THE SECURITY OF THE ELECTRODES TO THE SKIN. THEN, RE-DO THE PROCEDURE.

IF THE *SECOND* MEASUREMENT FALLS WITHIN THE VALID RANGE, IT SHOULD BE ENTERED INTO THE FIELD FOR Q.B8 OR Q.B9. THE *INITIAL* MEASUREMENT SHOULD BE RECORDED IN THE COMMENTS (Q.B11) AND Q.B10 SHOULD BE CODED "2=YES" RE-RUN.

IF THE SECOND ATTEMPT ALSO RESULTS IN AN INVALID RANGE, THEN VALIDATE WITH 500 OHM RESISTOR AND RE-RUN A THIRD ATTEMPT. IF THE *THIRD* MEASUREMENT FALLS WITHIN THE VALID RANGE, IT SHOULD BE ENTERED INTO THE FIELD FOR Q.B8 OR Q.B9. IF *THIRD* ATTEMPT VALUES ARE STILL INVALID, CODE "-2222" INSTEAD OF OUT OF RANGE VALUE. THE *INITIAL* AND *SECOND* MEASURMENTS SHOULD BE RECORDED IN THE COMMENTS (Q.B11) AND Q.B10 SHOULD BE CODED "2=YES" RE-RUN.

THE ABOVE PROCEDURES SHOULD ALSO BE FOLLOWED IF A ***VALID BUT NEGATIVE*** **VALUE** (BETWEEN -1 AND -800) IS DETECTED FOR CONDUCTANCE (Q.B8). IF THE SECOND OR THIRD CONDUCTANCE MEASUREMENT RESULTS IN A POSITIVE VALUE, IT SHOULD BE ENTERED INTO Q.B8 AND THE INITIAL MEASUREMENT(S) SHOULD BE RECORDED IN THE COMMENTS (Q.B11) AND Q.B10 SHOULD BE CODED "2=YES" RE-RUN. IF ALL THREE MEASUREMENTS RESULT IN A NEGATIVE VALUE, THEN THE FINAL VALID MEASUREMENT (BETWEEN -1 AND -800) SHOULD BE ENTERED INTO Q.B8.

 # Variable Excluded from Public Use Data File

Visit 7 bibliography

Khalil N, Sutton-Tyrrell K, Strotmeyer ES, Greendale GA, Vuga M, Selzer F, Crandall C, Cauley JA. **Menopausal bone changes and incident fractures diabetic women: a cohort study.** Osteoporosis International. 2011;22(5):1367-1376.

Primary Question: Women with diabetes mellitus (DM) have a higher risk of fractures. Most previous studies, however, were carried out in older populations. We tested the hypothesis that women with DM experience greater bone loss and more fractures across the menopause compared to non-diabetic women.

Summary of Findings: The study provides evidence that despite higher BMD at baseline, women with DM experience greater annual average rate of hip bone loss and a higher fracture risk during the menopausal transition.

[PMCID:PMC2992105]

Matthews KA, Schott LL, Bromberger JT, Cyranowski JM, Everson-Rose SA, Sowers M. **Are there bi-directional associations between depressive symptoms and C-reactive protein in mid-life women?** Brain, Behavior, and Immunity. 2010;24(1):96-101.

Primary Question: In women approaching the menopause, are depressive symptoms related to subsequent risk for heart disease due to blood coagulation or inflammatory markers? Or conversely, are blood coagulation or inflammatory markers related to subsequent risk of depressive symptoms? Secondarily, does obesity play a role in understanding any observed relationships between depression and these markers?

Summary of Findings: The relationships between depressive symptoms and inflammation may be bi-directional. Depressive symptoms were related to subsequent inflammation and vice versa, but no associations were found for coagulation. The relationship between depressive symptoms and inflammation were most apparent in normal or overweight women, rather than obese women.

[PMCID:PMC2844108]

Thurston RC, Bromberger JT, Joffe H, Avis NE, Hess R, Crandall CJ, Chang Y, Green R, Matthews KA. **Beyond frequency: who is most bothered by vasomotor symptoms?** Menopause. 2008;15(5):841-847.

Primary Question: Above and beyond the frequency of vasomotor symptoms, what factors predict who is most bothered by vasomotor symptoms?

Summary of Findings: Factors such as mood, symptom sensitivity, sleep problems, duration of vasomotor symptoms, age and race are associated with bother associated with vasomotor symptoms, above and beyond the frequency of vasomotor symptoms.

[PMCID:PMC2866103]

Crawford S, Santoro N, Laughlin GA, Sowers MF, McConnel D, Sutton-Tyrrell K, Weiss G, Vuga M, Randolph J. Lasely B. **Circulating Dehydroepiandrosterone Sulfate Concentrations during the Menopausal Transition.** Journal of Clinical Endocrinology and Metabolism. 2009:94(8):2945-2951.

Primary Question: Is adrenal function is associated with stages of ovarian function during the menopausal transition?

Summary of Findings: DHEAS declines with age in premenopausal women, but exhibits a transient increase during the late menopause transition. Ovarian status-related patterns were similar in all 5 ethnic groups.

[PMCID:PMC2730879]

Fitchett G, Powell LH. **Daily Spiritual Experiences, Systolic Blood Pressure and Hypertension among Midlife Women in SWAN.** Annals of Behavioral Medicine. 2009;37(3):257-267.

Primary Question: Are more frequent daily spiritual experiences protective for systolic blood pressure and hypertension in midlife women?

Summary of Findings: Daily spiritual experiences were not protective for systolic blood pressure or hypertension among midlife women in SWAN.

[PMCID:PMC2867660]

Derby CA, Crawford SL, Pasternak RC, Sowers M, Sternfeld B, Matthews KA. **Lipid Changes During the Menopause Transition in Relation to Age and Weight: The Study of Women's Health Across the Nation.** American Journal of Epidemiology. 2009;169(11):1352-1361.

Primary Question: How do blood cholesterol levels change during the menopause, and how do these changes compare with changes due to aging? Do lifestyle factors affect the amount of change in cholesterol levels during the menopause?

Summary of Findings: Changes in blood cholesterol occurred late in the menopause transition, with only small changes during early menopause, with peaks in total cholesterol, LDL cholesterol and triglyceride levels during late perimenopause. These changes were greater than changes due to aging. Increases in total and LDL cholesterol and in triglycerides were smallest among women who were heaviest at baseline.

[PMCID:PMC2727246]

Kravitz HM, Zhao X, Bromberger JT, Gold EB, Hall MH, Matthews KA, Sowers MR. **Sleep Disturbance During the Menopausal Transition in a Multi-Ethnic Community Sample of Women.** Sleep. 2008;31(7):979-990.

Primary Question: (1) Do characteristics of the menopausal transition, such as vasomotor symptoms (hot flashes), changes in bleeding patterns, or changes in hormone levels, affect women's sleep symptom reports (difficulties falling and staying asleep and early morning awakening). (2) Do changes in sleep symptom reports vary among SWAN's five racial/ethnic groups?

Summary of Findings: Progression through the menopausal transition as indicated by 3 menopausal characteristics – symptoms, bleeding-defined stages, and endogenous hormone levels – is associated with self-reported sleep disturbances. Difficulty falling asleep and staying asleep increased through the menopausal transition, but early morning awakening decreased from late perimenopause to postmenopause. Women with more frequent VMS also were more likely to report each type of sleep difficulty. Women with decreasing E2 levels were more likely to report trouble falling and staying asleep, and those with increasing FSH levels were more likely to report trouble staying asleep. There were racial/ethnic differences in difficulties staying asleep and early morning awakening but no significant differences in falling asleep.

[PMCID:PMC2491500]

ICPSR 31901

Study of Women's Health Across the Nation (SWAN), 2003-2005: Visit 07 Dataset

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

ICPSR has an FAQ on copyright and survey instruments.

SWANID: SWANID

Respondent ID

Value	Label	Unweighted Frequency	%
10046	-	1	0.0 %
10056	-	1	0.0 %
10153	-	1	0.0 %
10196	-	1	0.0 %
10245	-	1	0.0 %
10484	-	1	0.0 %
10514	-	1	0.0 %
10522	-	1	0.0 %
10532	-	1	0.0 %
10550	-	1	0.0 %
10604	-	1	0.0 %
10629	-	1	0.0 %
10630	-	1	0.0 %
10694	-	1	0.0 %
10747	-	1	0.0 %
10757	-	1	0.0 %
10879	-	1	0.0 %
10910	-	1	0.0 %
10968	-	1	0.0 %
11007	-	1	0.0 %
11041	-	1	0.0 %
11079	-	1	0.0 %
11097	-	1	0.0 %
11119	-	1	0.0 %
11126	-	1	0.0 %
11133	-	1	0.0 %
11180	-	1	0.0 %
11201	-	1	0.0 %
11208	-	1	0.0 %
11211	-	1	0.0 %
11267	-	1	0.0 %
11284	-	1	0.0 %
11286	-	1	0.0 %
11298	-	1	0.0 %
11338	-	1	0.0 %
11347	-	1	0.0 %
11430	-	1	0.0 %
11463	-	1	0.0 %
11478	-	1	0.0 %

Value	Label	Unweighted Frequency	%
11481	-	1	0.0 %
11508	-	1	0.0 %
11519	-	1	0.0 %
11600	-	1	0.0 %
11613	-	1	0.0 %
11630	-	1	0.0 %
11632	-	1	0.0 %
11642	-	1	0.0 %
11740	-	1	0.0 %
11769	-	1	0.0 %
11772	-	1	0.0 %
	Total	**2,327**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,327 valid cases out of 2,327 total cases.

- Mean: 54237.04
- Minimum: 10046.00
- Maximum: 99962.00
- Standard Deviation: 25872.93

Location: 1-5 (width: 5; decimal: 0)
Variable Type: numeric

VISIT: Study Visit

SWAN study visit #

Value	Label	Unweighted Frequency	%
	-	7	0.3 %
07	-	2320	99.7 %
	Total	**2,327**	**100%**

Based upon 2,327 valid cases out of 2,327 total cases.

Location: 6-7 (width: 2; decimal: 0)
Variable Type: character

INTDAY7: Interview Day

Date form completed

Value	Label	Unweighted Frequency	%
2324	-	1	0.0 %
2439	-	1	0.0 %
2447	-	1	0.0 %

Value	Label	Unweighted Frequency	%
2456	-	1	0.0 %
2466	-	1	0.0 %
2468	-	2	0.1 %
2480	-	2	0.1 %
2483	-	2	0.1 %
2485	-	3	0.1 %
2486	-	1	0.0 %
2492	-	6	0.3 %
2493	-	1	0.0 %
2494	-	1	0.0 %
2496	-	1	0.0 %
2498	-	2	0.1 %
2499	-	2	0.1 %
2501	-	5	0.2 %
2502	-	3	0.1 %
2503	-	1	0.0 %
2504	-	3	0.1 %
2505	-	2	0.1 %
2506	-	5	0.2 %
2507	-	2	0.1 %
2508	-	4	0.2 %
2509	-	4	0.2 %
2510	-	7	0.3 %
2511	-	13	0.6 %
2512	-	20	0.9 %
2513	-	18	0.8 %
2514	-	11	0.5 %
2515	-	4	0.2 %
2516	-	7	0.3 %
2517	-	8	0.3 %
2518	-	10	0.4 %
2519	-	13	0.6 %
2520	-	23	1.0 %
2521	-	9	0.4 %
2522	-	19	0.8 %
2523	-	9	0.4 %
2524	-	9	0.4 %
2525	-	13	0.6 %
2526	-	15	0.6 %
2527	-	21	0.9 %
2528	-	11	0.5 %
2529	-	13	0.6 %

Value	Label	Unweighted Frequency	%
2530	-	11	0.5 %
2531	-	12	0.5 %
2532	-	17	0.7 %
2533	-	17	0.7 %
2534	-	31	1.3 %
	Missing Data		
.	-	7	0.3 %
	Total	**2,327**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,320 valid cases out of 2,327 total cases.

- Mean: 2604.98
- Minimum: 2324.00
- Maximum: 3086.00
- Standard Deviation: 85.83

Location: 8-11 (width: 4; decimal: 0)
Variable Type: numeric

AGE7: Visit 7 Age

Calculated from date of birth to when the interview form was completed, and rounded to the next lowest integer

Value	Label	Unweighted Frequency	%
48	-	1	0.0 %
49	-	213	9.2 %
50	-	284	12.2 %
51	-	278	11.9 %
52	-	281	12.1 %
53	-	286	12.3 %
54	-	279	12.0 %
55	-	223	9.6 %
56	-	202	8.7 %
57	-	134	5.8 %
58	-	81	3.5 %
59	-	51	2.2 %
60	-	7	0.3 %
	Missing Data		
.	-	7	0.3 %
	Total	**2,327**	**100%**

Based upon 2,320 valid cases out of 2,327 total cases.

- Mean: 53.03

- Median: 53.00
- Mode: 53.00
- Minimum: 48.00
- Maximum: 60.00
- Standard Deviation: 2.68

Location: 12-13 (width: 2; decimal: 0)
Variable Type: numeric

LANGINT7: Language of Interview

Interview language

Value	Label	Unweighted Frequency	%
1	English	2130	91.5 %
2	Spanish	0	0.0 %
3	Cantonese	83	3.6 %
4	Japanese	107	4.6 %
	Missing Data		
.	-	7	0.3 %
	Total	**2,327**	**100%**

Based upon 2,320 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 14-15 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PRGNAN7: Currently Pregnant_1

Are you currently pregnant?

Value	Label	Unweighted Frequency	%
1	No	2317	99.6 %
2	Yes	3	0.1 %
	Missing Data		
.	-	7	0.3 %
	Total	**2,327**	**100%**

Based upon 2,320 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 16-17 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ANTICO17: Anticoagulant #1

Since your last study visit, have you taken: Any medication, pills or other medicine to thin your blood (anticoagulants)?

Value	Label	Unweighted Frequency	%
1	No	2259	97.1 %
2	Yes	61	2.6 %
	Missing Data		
.	-	7	0.3 %
	Total	**2,327**	**100%**

Based upon 2,320 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 18-19 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ACOATW17: Anticoagulant #1 taken 2x/wk for last mo

If YES to ANTICO17: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	12	0.5 %
2	Yes	49	2.1 %
	Missing Data		
-1	N/A	2259	97.1 %
.	-	7	0.3 %
	Total	**2,327**	**100%**

Based upon 61 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 20-21 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ANTICO27: Anticoagulant #2

Since your last study visit, have you taken: Any medication, pills or other medicine to thin your blood (anticoagulants)?

Value	Label	Unweighted Frequency	%
1	No	54	2.3 %
2	Yes	7	0.3 %
	Missing Data		
-1	N/A	2259	97.1 %

Value	Label	Unweighted Frequency	%
.	-	7	0.3 %
	Total	**2,327**	**100%**

Based upon 61 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 22-23 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ACOATW27: Anticoagulant #2 taken 2x/wk for last mo

If YES to ANTICO27: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	4	0.2 %
2	Yes	3	0.1 %
	Missing Data		
-1	N/A	2313	99.4 %
.	-	7	0.3 %
	Total	**2,327**	**100%**

Based upon 7 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 24-25 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HEART17: Heart med #1

Since your last study visit, have you taken: Anything for your heart or heart beat, including pills or patches?

Value	Label	Unweighted Frequency	%
1	No	2231	95.9 %
2	Yes	89	3.8 %
	Missing Data		
.	-	7	0.3 %
	Total	**2,327**	**100%**

Based upon 2,320 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 26-27 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HARTTW17: Heart med #1 taken 2x/wk for last mo

If YES to HEART17: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	17	0.7 %
2	Yes	72	3.1 %
	Missing Data		
-1	N/A	2231	95.9 %
.	-	7	0.3 %
	Total	**2,327**	**100%**

Based upon 89 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 28-29 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HEART27: Heart med #2

Since your last study visit, have you taken: Anything for your heart or heart beat, including pills or patches?

Value	Label	Unweighted Frequency	%
1	No	66	2.8 %
2	Yes	23	1.0 %
	Missing Data		
-1	N/A	2231	95.9 %
.	-	7	0.3 %
	Total	**2,327**	**100%**

Based upon 89 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 30-31 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HARTTW27: Heart med #2 taken 2x/wk for last mo

If YES to HEART27: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	4	0.2 %
2	Yes	19	0.8 %
	Missing Data		
-1	N/A	2297	98.7 %
.	-	7	0.3 %
	Total	**2,327**	**100%**

Based upon 23 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 32-33 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CHOLST17: Cholesterol med #1

Since your last study visit, have you taken: Any medications for cholesterol or fats in your blood?

Value	Label	Unweighted Frequency	%
1	No	2013	86.5 %
2	Yes	307	13.2 %
	Missing Data		
.	-	7	0.3 %
	Total	**2,327**	**100%**

Based upon 2,320 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 34-35 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CHOLTW17: Cholesterol med #1 taken 2x/wk for last mo

If YES to CHOLST17: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	38	1.6 %
2	Yes	269	11.6 %
	Missing Data		
-1	N/A	2013	86.5 %
.	-	7	0.3 %
	Total	**2,327**	**100%**

Based upon 307 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 36-37 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CHOLST27: Cholesterol med #2

Since your last study visit, have you taken: Any medications for cholesterol or fats in your blood?

Value	Label	Unweighted Frequency	%
1	No	286	12.3 %
2	Yes	21	0.9 %
	Missing Data		
-1	N/A	2013	86.5 %
.	-	7	0.3 %
	Total	**2,327**	**100%**

Based upon 307 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 38-39 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CHOLTW27: Cholesterol med #2 taken 2x/wk for last mo

If YES to CHOLST27: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	5	0.2 %
2	Yes	16	0.7 %
	Missing Data		
-1	N/A	2299	98.8 %
.	-	7	0.3 %
	Total	**2,327**	**100%**

Based upon 21 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 40-41 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BP17: Blood pressure med #1

Since your last study visit, have you taken: Blood pressure pills?

Value	Label	Unweighted Frequency	%
1	No	1700	73.1 %
2	Yes	620	26.6 %
	Missing Data		
.	-	7	0.3 %
	Total	**2,327**	**100%**

Based upon 2,320 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 42-43 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BPTW17: Blood pressure med #1 taken 2x/wk last mo

If YES to BP17: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	44	1.9 %
2	Yes	576	24.8 %
	Missing Data		
-1	N/A	1700	73.1 %
.	-	7	0.3 %
	Total	**2,327**	**100%**

Based upon 620 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 44-45 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BP27: Blood pressure med #2

Since your last study visit, have you taken: Blood pressure pills?

Value	Label	Unweighted Frequency	%
1	No	410	17.6 %
2	Yes	210	9.0 %
	Missing Data		
-1	N/A	1700	73.1 %
.	-	7	0.3 %

Value	Label	Unweighted Frequency	%
	Total	**2,327**	**100%**

Based upon 620 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 46-47 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BPTW27: Blood pressure med #2 taken 2x/wk last mo

If YES to BP27: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	13	0.6 %
2	Yes	197	8.5 %
	Missing Data		
-1	N/A	2110	90.7 %
.	-	7	0.3 %
	Total	**2,327**	**100%**

Based upon 210 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 48-49 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIURET17: Diuretic #1

Since your last study visit, have you taken: Diuretics for water retention?

Value	Label	Unweighted Frequency	%
1	No	2135	91.7 %
2	Yes	185	8.0 %
	Missing Data		
.	-	7	0.3 %
	Total	**2,327**	**100%**

Based upon 2,320 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 50-51 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIURTW17: Diuretic #1 taken 2x/wk for last mo

If YES to DIURET17: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	26	1.1 %
2	Yes	159	6.8 %
	Missing Data		
-1	N/A	2135	91.7 %
.	-	7	0.3 %
	Total	**2,327**	**100%**

Based upon 185 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 52-53 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIURET27: Diuretic #2

Since your last study visit, have you taken: Diuretics for water retention?

Value	Label	Unweighted Frequency	%
1	No	177	7.6 %
2	Yes	8	0.3 %
	Missing Data		
-1	N/A	2135	91.7 %
.	-	7	0.3 %
	Total	**2,327**	**100%**

Based upon 185 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 54-55 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIURTW27: Diuretic #2 taken 2x/wk for last mo

If YES to DIURET27: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	3	0.1 %

Value	Label	Unweighted Frequency	%
2	Yes	5	0.2 %
	Missing Data		
-1	N/A	2312	99.4 %
.	-	7	0.3 %
	Total	**2,327**	**100%**

Based upon 8 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 56-57 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

THYROI17: Thyroid med #1

Since your last study visit, have you taken: Thyroid pills?

Value	Label	Unweighted Frequency	%
1	No	2065	88.7 %
2	Yes	255	11.0 %
	Missing Data		
.	-	7	0.3 %
	Total	**2,327**	**100%**

Based upon 2,320 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 58-59 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

THYRTW17: Thyroid med #1 taken 2x/wk for last mo

If YES to THYROI17: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	10	0.4 %
2	Yes	245	10.5 %
	Missing Data		
-1	N/A	2065	88.7 %
.	-	7	0.3 %
	Total	**2,327**	**100%**

Based upon 255 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 60-61 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

THYROI27: Thyroid med #2

Since your last study visit, have you taken: Thyroid pills?

Value	Label	Unweighted Frequency	%
1	No	250	10.7 %
2	Yes	5	0.2 %
	Missing Data		
-1	N/A	2065	88.7 %
.	-	7	0.3 %
	Total	**2,327**	**100%**

Based upon 255 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 62-63 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

THYRTW27: Thyroid med #2 taken 2x/wk for last mo

If YES to THYROI27: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	4	0.2 %
2	Yes	1	0.0 %
	Missing Data		
-1	N/A	2315	99.5 %
.	-	7	0.3 %
	Total	**2,327**	**100%**

Based upon 5 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 64-65 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

INSULN17: Insulin med #1

Since your last study visit, have you taken: Insulin or pills for sugar in your blood?

Value	Label	Unweighted Frequency	%
1	No	2146	92.2 %
2	Yes	174	7.5 %
	Missing Data		
.	-	7	0.3 %
	Total	**2,327**	**100%**

Based upon 2,320 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 66-67 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

INSUTW17: Insulin med #1 taken 2x/wk for last mo

If YES to INSULN17: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	9	0.4 %
2	Yes	165	7.1 %
	Missing Data		
-1	N/A	2146	92.2 %
.	-	7	0.3 %
	Total	**2,327**	**100%**

Based upon 174 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 68-69 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

INSULN27: Insulin med #2

Since your last study visit, have you taken: Insulin or pills for sugar in your blood?

Value	Label	Unweighted Frequency	%
1	No	90	3.9 %
2	Yes	84	3.6 %
	Missing Data		
-1	N/A	2146	92.2 %
.	-	7	0.3 %
	Total	**2,327**	**100%**

Based upon 174 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 70-71 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

INSUTW27: Insulin med #2 taken 2x/wk for last mo

If YES to INSULN27: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	4	0.2 %
2	Yes	80	3.4 %
	Missing Data		
-1	N/A	2236	96.1 %
.	-	7	0.3 %
	Total	**2,327**	**100%**

Based upon 84 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 72-73 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NERVS17: Nervous cond med #1

Since your last study visit, have you taken: Any medications for a nervous condition such as tranquilizers, sedatives, sleeping pills, or anti-depression medication?

Value	Label	Unweighted Frequency	%
1	No	1874	80.5 %
2	Yes	446	19.2 %
	Missing Data		
.	-	7	0.3 %
	Total	**2,327**	**100%**

Based upon 2,320 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 74-75 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NERVTW17: Nervous cond med #1 taken 2x/wk last mo

If YES to NERVS17: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	105	4.5 %
2	Yes	341	14.7 %
	Missing Data		
-1	N/A	1874	80.5 %
.	-	7	0.3 %
	Total	**2,327**	**100%**

Based upon 446 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 76-77 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NERVS27: Nervous cond med #2

Since your last study visit, have you taken: Any medications for a nervous condition such as tranquilizers, sedatives, sleeping pills, or anti-depression medication?

Value	Label	Unweighted Frequency	%
1	No	316	13.6 %
2	Yes	130	5.6 %
	Missing Data		
-1	N/A	1874	80.5 %
.	-	7	0.3 %
	Total	**2,327**	**100%**

Based upon 446 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 78-79 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NERVTW27: Nervous cond med #2 taken 2x/wk last mo

If YES to NERVS27: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	34	1.5 %
2	Yes	96	4.1 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-1	N/A	2190	94.1 %
.	-	7	0.3 %
	Total	**2,327**	**100%**

Based upon 130 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 80-81 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

STEROI17: Steroid #1

Since your last study visit, have you taken: Steroid pills such as Prednisone, or cortisone?

Value	Label	Unweighted Frequency	%
1	No	2215	95.2 %
2	Yes	105	4.5 %
	Missing Data		
.	-	7	0.3 %
	Total	**2,327**	**100%**

Based upon 2,320 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 82-83 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

STERTW17: Steroid #1 taken 2x/wk for last mo

If YES to STEROI17: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	77	3.3 %
2	Yes	28	1.2 %
	Missing Data		
-1	N/A	2215	95.2 %
.	-	7	0.3 %
	Total	**2,327**	**100%**

Based upon 105 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 84-85 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

STEROI27: Steroid #2

Since your last study visit, have you taken: Steroid pills such as Prednisone, or cortisone?

Value	Label	Unweighted Frequency	%
1	No	100	4.3 %
2	Yes	5	0.2 %
	Missing Data		
-1	N/A	2215	95.2 %
.	-	7	0.3 %
	Total	**2,327**	**100%**

Based upon 105 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 86-87 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

STERTW27: Steroid #2 taken 2x/wk for last mo

If YES to STEROI27: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	3	0.1 %
2	Yes	2	0.1 %
	Missing Data		
-1	N/A	2315	99.5 %
.	-	7	0.3 %
	Total	**2,327**	**100%**

Based upon 5 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 88-89 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FERTIL17: Fertility med #1

Since your last study visit, have you taken: Fertility medications to help you get pregnant (such as Pergonal, Clomid, Fertinex, Gonal-F, Follistim or Repronex)?

Value	Label	Unweighted Frequency	%
1	No	2320	99.7 %
2	Yes	0	0.0 %
	Missing Data		
.	-	7	0.3 %
	Total	**2,327**	**100%**

Based upon 2,320 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 90-91 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FRTLTW17: Fertility med #1 taken 2x/wk last mo

If YES to FERTIL17: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	0	0.0 %
2	Yes	0	0.0 %
	Missing Data		
-1	N/A	2320	99.7 %
.	-	7	0.3 %
	Total	**2,327**	**100%**

Based upon 0 valid cases out of 2,327 total cases.

Location: 92-93 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FERTIL27: Fertility med #2

Since your last study visit, have you taken: Fertility medications to help you get pregnant (such as Pergonal, Clomid, Fertinex, Gonal-F, Follistim or Repronex)?

Value	Label	Unweighted Frequency	%
1	No	0	0.0 %
2	Yes	0	0.0 %
	Missing Data		
-1	N/A	2320	99.7 %
.	-	7	0.3 %
	Total	**2,327**	**100%**

Based upon 0 valid cases out of 2,327 total cases.

Location: 94-95 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FRTLTW27: Fertility med #2 taken 2x/wk last mo

If YES to FERTIL27: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	0	0.0 %
2	Yes	0	0.0 %
	Missing Data		
-1	N/A	2320	99.7 %
.	-	7	0.3 %
	Total	**2,327**	**100%**

Based upon 0 valid cases out of 2,327 total cases.

Location: 96-97 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BCP17: Birth Control Pill #1

Since your last study visit, have you taken: Birth control pills?

Value	Label	Unweighted Frequency	%
1	No	2293	98.5 %
2	Yes	27	1.2 %
	Missing Data		
.	-	7	0.3 %
	Total	**2,327**	**100%**

Based upon 2,320 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 98-99 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BCPTWI17: Birth Control Pill #1 taken 2x/wk last mo

If YES to BCP17: Have you been taking it during the past month?

Value	Label	Unweighted Frequency	%
1	No	10	0.4 %
2	Yes	17	0.7 %
	Missing Data		
-1	N/A	2293	98.5 %

Value	Label	Unweighted Frequency	%
.	-	7	0.3 %
	Total	**2,327**	**100%**

Based upon 27 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 100-101 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BCP27: Birth Control Pill #2

Since your last study visit, have you taken: Birth control pills?

Value	Label	Unweighted Frequency	%
1	No	26	1.1 %
2	Yes	1	0.0 %
	Missing Data		
-1	N/A	2293	98.5 %
.	-	7	0.3 %
	Total	**2,327**	**100%**

Based upon 27 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 102-103 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BCPTWI27: Birth control pills #2 taken 2x/wk last mo

If YES to BCP27: Have you been taking it during the past month?

Value	Label	Unweighted Frequency	%
1	No	1	0.0 %
2	Yes	0	0.0 %
	Missing Data		
-1	N/A	2319	99.7 %
.	-	7	0.3 %
	Total	**2,327**	**100%**

Based upon 1 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 104-105 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BCREAS7: Primary reason for taking birth control pills

For your most recent use, what was the primary reason for taking birth control pills?

Value	Label	Unweighted Frequency	%
1	Prevent Pregnancy	4	0.2 %
2	Help Control Pre Menstrual Symptoms	2	0.1 %
3	Help Control Menopausal Symptoms	2	0.1 %
4	Control Other Symptoms	0	0.0 %
5	Regulate Periods	7	0.3 %
6	Prevent Osteoporosis	0	0.0 %
7	Reduce Bleeding	8	0.3 %
8	Other	4	0.2 %
	Missing Data		
-1	N/A	2175	93.5 %
.	-	125	5.4 %
	Total	**2,327**	**100%**

Based upon 27 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 8.00

Location: 106-107 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BCRES_S7: Primary reason other specify

For your most recent use, what was the primary reason for taking birth control pills? - (Specify)

Value	Label	Unweighted Frequency	%
	-	125	5.4 %
-1: N/A	-	2198	94.5 %
TO CONTROL FIBROID GROWTH	-	1	0.0 %
TO MATCH/SCHEDULE PERIOD AROUND EGG DONOR	-	1	0.0 %
TO RELIEVE MENSTRUAL SYMPTOMS	-	1	0.0 %
TO TREAT PROLONGED BLEEDING FROM THICKENED LINING OF UTERUS	-	1	0.0 %
	Total	**2,327**	**100%**

Based upon 2,327 valid cases out of 2,327 total cases.

Location: 108-167 (width: 60; decimal: 0)
Variable Type: character

ESTROG17: Estrogen pills #1

Since your last study visit, have you taken: Estrogen pills (such as Premarin, Estrace, Ogen, etc)?

Value	Label	Unweighted Frequency	%
1	No	2186	93.9 %
2	Yes	134	5.8 %
	Missing Data		
.	-	7	0.3 %
	Total	**2,327**	**100%**

Based upon 2,320 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 168-169 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ESTRTW17: Estrogen pills #1 taken 2x/wk for last mo

If YES to ESTROG17: Have you been taking it during the past month?

Value	Label	Unweighted Frequency	%
1	No	35	1.5 %
2	Yes	99	4.3 %
	Missing Data		
-1	N/A	2186	93.9 %
.	-	7	0.3 %
	Total	**2,327**	**100%**

Based upon 134 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 170-171 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ESTROG27: Estrogen pills #2

Since your last study visit, have you taken: Estrogen pills (such as Premarin, Estrace, Ogen, etc)?

Value	Label	Unweighted Frequency	%
1	No	131	5.6 %
2	Yes	3	0.1 %
	Missing Data		
-1	N/A	2186	93.9 %
.	-	7	0.3 %

Value	Label	Unweighted Frequency	%
	Total	**2,327**	**100%**

Based upon 134 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 172-173 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ESTRTW27: Estrogen pills #2 taken 2x/wk for last mo

If YES to ESTROG27: Have you been taking it during the past month?

Value	Label	Unweighted Frequency	%
1	No	1	0.0 %
2	Yes	2	0.1 %
	Missing Data		
-1	N/A	2317	99.6 %
.	-	7	0.3 %
	Total	**2,327**	**100%**

Based upon 3 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 174-175 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ESTRDA17: Estr #1 rx daily or off & on

If YES to ESTRTW17: Does/Did your prescription have you take estrogen daily or on and off on a monthly cycle?

Value	Label	Unweighted Frequency	%
1	Every Day	107	4.6 %
2	Off and On	24	1.0 %
	Missing Data		
-9	Missing	2	0.1 %
-8	Do not know	1	0.0 %
-1	N/A	2186	93.9 %
.	-	7	0.3 %
	Total	**2,327**	**100%**

Based upon 131 valid cases out of 2,327 total cases.

- Minimum: 1.00

- Maximum: 2.00

Location: 176-177 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ESTRDA27: Estr #2 rx daily or off & on

If YES to ESTRTW27: Does/Did your prescription have you take estrogen daily or on and off on a monthly cycle?

Value	Label	Unweighted Frequency	%
1	Every Day	1	0.0 %
2	Off and On	2	0.1 %
	Missing Data		
-1	N/A	2317	99.6 %
.	-	7	0.3 %
	Total	**2,327**	**100%**

Based upon 3 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 178-179 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ESTRNJ17: Estrogen inj/patch #1

Since your last study visit, have you taken: Estrogen by injection or patch (such as Estraderm)?

Value	Label	Unweighted Frequency	%
1	No	2280	98.0 %
2	Yes	40	1.7 %
	Missing Data		
.	-	7	0.3 %
	Total	**2,327**	**100%**

Based upon 2,320 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 180-181 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

EINJTW17: Estrogen inj/patch #1 taken 2x/wk last mo

If YES to ESTRNJ17: Have you been taking it during the past month?

Value	Label	Unweighted Frequency	%
1	No	9	0.4 %
2	Yes	31	1.3 %
	Missing Data		
-1	N/A	2280	98.0 %
.	-	7	0.3 %
	Total	**2,327**	**100%**

Based upon 40 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 182-183 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ESTRNJ27: Estrogen inj/patch #2

Since your last study visit, have you taken: Estrogen by injection or patch (such as Estraderm)?

Value	Label	Unweighted Frequency	%
1	No	41	1.8 %
2	Yes	1	0.0 %
	Missing Data		
-1	N/A	2278	97.9 %
.	-	7	0.3 %
	Total	**2,327**	**100%**

Based upon 42 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 184-185 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

EINJTW27: Estrogen inj/patch #2 taken 2x/wk last mo

If YES to ESTRNJ27: Have you been taking it during the past month?

Value	Label	Unweighted Frequency	%
1	No	1	0.0 %
2	Yes	0	0.0 %
	Missing Data		
-1	N/A	2319	99.7 %
.	-	7	0.3 %

Value	Label	Unweighted Frequency	%
	Total	**2,327**	**100%**

Based upon 1 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 186-187 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

COMBIN17: Comb estrogen/progestin #1

Since your last study visit, have you taken: Combination?

Value	Label	Unweighted Frequency	%
1	No	2202	94.6 %
2	Yes	118	5.1 %
	Missing Data		
.	-	7	0.3 %
	Total	**2,327**	**100%**

Based upon 2,320 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 188-189 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

COMBTW17: Comb estrogen/progestin #1 taken 2x/wk last mo

If YES to COMBIN17: Have you been taking it during the past month?

Value	Label	Unweighted Frequency	%
1	No	37	1.6 %
2	Yes	81	3.5 %
	Missing Data		
-1	N/A	2202	94.6 %
.	-	7	0.3 %
	Total	**2,327**	**100%**

Based upon 118 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 190-191 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

COMBIN27: Comb estrogen/progestin #2

Since your last study visit, have you taken: Combination?

Value	Label	Unweighted Frequency	%
1	No	113	4.9 %
2	Yes	3	0.1 %
	Missing Data		
-1	N/A	2204	94.7 %
.	-	7	0.3 %
	Total	**2,327**	**100%**

Based upon 116 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 192-193 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

COMBTW27: Comb estrogen/progestin #2 taken 2x/wk last mo

If YES to COMBIN27: Have you been taking it during the past month?

Value	Label	Unweighted Frequency	%
1	No	2	0.1 %
2	Yes	1	0.0 %
	Missing Data		
-1	N/A	2317	99.6 %
.	-	7	0.3 %
	Total	**2,327**	**100%**

Based upon 3 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 194-195 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PROGES17: Progestin pills #1

Since your last study visit, have you taken: Progestin pills (such as Provera)?

Value	Label	Unweighted Frequency	%
1	No	2220	95.4 %

Value	Label	Unweighted Frequency	%
2	Yes	100	4.3 %
	Missing Data		
.	-	7	0.3 %
	Total	**2,327**	**100%**

Based upon 2,320 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 196-197 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PROGTW17: Progestin pills #1 taken 2x/wk last mo

If YES to PROGES17: Have you been taking it during the past month?

Value	Label	Unweighted Frequency	%
1	No	36	1.5 %
2	Yes	64	2.8 %
	Missing Data		
-1	N/A	2220	95.4 %
.	-	7	0.3 %
	Total	**2,327**	**100%**

Based upon 100 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 198-199 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PROGES27: Progestin pills #2

Since your last study visit, have you taken: Progestin pills (such as Provera)?

Value	Label	Unweighted Frequency	%
1	No	99	4.3 %
2	Yes	1	0.0 %
	Missing Data		
-1	N/A	2220	95.4 %
.	-	7	0.3 %
	Total	**2,327**	**100%**

Based upon 100 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 200-201 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PROGTW27: Progestin pills #2 taken 2x/wk last mo

If YES to PROGES27: Have you been taking it during the past month?

Value	Label	Unweighted Frequency	%
1	No	1	0.0 %
2	Yes	0	0.0 %
	Missing Data		
-1	N/A	2319	99.7 %
.	-	7	0.3 %
	Total	**2,327**	**100%**

Based upon 1 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 202-203 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PROGDA17: Prog #1 rx daily or off & on

If YES to PROGTW17: Does/Did your prescription have you take progestin daily or on and off a monthly cycle?

Value	Label	Unweighted Frequency	%
1	Every Day	53	2.3 %
2	Off and On	46	2.0 %
	Missing Data		
-8	Do not know	1	0.0 %
-1	N/A	2220	95.4 %
.	-	7	0.3 %
	Total	**2,327**	**100%**

Based upon 99 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 204-205 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PROGDA27: Prog #2 rx daily or off & on

If YES to PROGTW27: Does/Did your prescription have you take progestin daily or on and off a monthly cycle?

Value	Label	Unweighted Frequency	%
1	Every Day	0	0.0 %
2	Off and On	0	0.0 %
	Missing Data		
-9	Missing	1	0.0 %
-1	N/A	2319	99.7 %
.	-	7	0.3 %
	Total	**2,327**	**100%**

Based upon 0 valid cases out of 2,327 total cases.

Location: 206-207 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OSTEPR17: Osteoporosis med #1

Since your last study visit, have you taken: Medications to prevent or treat osteoporosis (brittle or thinning bones such as Fosamax, Didronel, Evista, Miacalcin, Rocaltrol, Actonel)?

Value	Label	Unweighted Frequency	%
1	No	2219	95.4 %
2	Yes	98	4.2 %
	Missing Data		
-1	N/A	3	0.1 %
.	-	7	0.3 %
	Total	**2,327**	**100%**

Based upon 2,317 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 208-209 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OSTETW17: Osteoporosis med #1 taken 2x/wk for last mo

If YES to OSTEPR17: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	58	2.5 %
2	Yes	40	1.7 %
	Missing Data		
-1	N/A	2222	95.5 %
.	-	7	0.3 %

Value	Label	Unweighted Frequency	%
	Total	**2,327**	**100%**

Based upon 98 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 210-211 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OSTEPR27: Osteoporosis med #2

Since your last study visit, have you taken: Medications to prevent or treat osteoporosis (brittle or thinning bones such as Fosamax, Didronel, Evista, Miacalcin, Rocaltrol, Actonel)?

Value	Label	Unweighted Frequency	%
1	No	95	4.1 %
2	Yes	3	0.1 %
	Missing Data		
-1	N/A	2222	95.5 %
.	-	7	0.3 %
	Total	**2,327**	**100%**

Based upon 98 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 212-213 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OSTETW27: Osteoporosis med #2 taken 2x/wk for last mo

If YES to OSTEPR27: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	2	0.1 %
2	Yes	1	0.0 %
	Missing Data		
-1	N/A	2317	99.6 %
.	-	7	0.3 %
	Total	**2,327**	**100%**

Based upon 3 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 214-215 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ARTHRT17: Arthritis med #1

Since your last study visit, have you taken: Prescribed medications for arthritis?

Value	Label	Unweighted Frequency	%
1	No	2000	85.9 %
2	Yes	201	8.6 %
	Missing Data		
-1	N/A	1	0.0 %
.	-	125	5.4 %
	Total	**2,327**	**100%**

Based upon 2,201 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 216-217 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ARTHTW17: Arthritis med #1 taken 2x/wk last mo

If YES to ARTHRT17: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	69	3.0 %
2	Yes	132	5.7 %
	Missing Data		
-1	N/A	2001	86.0 %
.	-	125	5.4 %
	Total	**2,327**	**100%**

Based upon 201 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 218-219 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ARTHRT27: Arthritis med #2

Since your last study visit, have you taken: Prescribed medications for arthritis?

Value	Label	Unweighted Frequency	%
1	No	163	7.0 %
2	Yes	38	1.6 %
	Missing Data		
-1	N/A	2001	86.0 %
.	-	125	5.4 %
	Total	**2,327**	**100%**

Based upon 201 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 220-221 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ARTHTW27: Arthritis med #2 taken 2x/wk last mo

If YES to ARTHRT27: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	20	0.9 %
2	Yes	18	0.8 %
	Missing Data		
-1	N/A	2164	93.0 %
.	-	125	5.4 %
	Total	**2,327**	**100%**

Based upon 38 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 222-223 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHMED17: Other rx med #1

Since your last study visit: Are there any other prescription pills or medications that you have taken, that I haven't asked you about? (Please list)

Value	Label	Unweighted Frequency	%
1	No	1132	48.6 %
2	Yes	1188	51.1 %
	Missing Data		
.	-	7	0.3 %
	Total	**2,327**	**100%**

Based upon 2,320 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 224-225 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHRTW17: Other rx med #1 taken 2x/wk last mo

If YES to OTHMED17: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	494	21.2 %
2	Yes	693	29.8 %
	Missing Data		
-9	Missing	1	0.0 %
-1	N/A	1132	48.6 %
.	-	7	0.3 %
	Total	**2,327**	**100%**

Based upon 1,187 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 226-227 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHMED27: Other rx med #2

Since your last study visit: Are there any other prescription pills or medications that you have taken, that I haven't asked you about? (Please list)

Value	Label	Unweighted Frequency	%
1	No	517	22.2 %
2	Yes	671	28.8 %
	Missing Data		
-1	N/A	1132	48.6 %
.	-	7	0.3 %
	Total	**2,327**	**100%**

Based upon 1,188 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 228-229 (width: 2; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHRTW27: Other rx med #2 taken 2x/wk last mo

If YES to OTHMED27: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	295	12.7 %
2	Yes	375	16.1 %
	Missing Data		
-9	Missing	1	0.0 %
-1	N/A	1649	70.9 %
.	-	7	0.3 %
	Total	**2,327**	**100%**

Based upon 670 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 230-231 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHMED37: Other rx med #3

Since your last study visit: Are there any other prescription pills or medications that you have taken, that I haven't asked you about? (Please list)

Value	Label	Unweighted Frequency	%
1	No	296	12.7 %
2	Yes	373	16.0 %
	Missing Data		
-1	N/A	1651	70.9 %
.	-	7	0.3 %
	Total	**2,327**	**100%**

Based upon 669 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 232-233 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHRTW37: Other rx med #3 taken 2x/wk last mo

If YES to OTHMED37: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	171	7.3 %
2	Yes	202	8.7 %
	Missing Data		
-1	N/A	1947	83.7 %
.	-	7	0.3 %
	Total	**2,327**	**100%**

Based upon 373 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 234-235 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHMED47: Other rx med #4

Since your last study visit: Are there any other prescription pills or medications that you have taken, that I haven't asked you about? (Please list)

Value	Label	Unweighted Frequency	%
1	No	156	6.7 %
2	Yes	214	9.2 %
	Missing Data		
-1	N/A	1950	83.8 %
.	-	7	0.3 %
	Total	**2,327**	**100%**

Based upon 370 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 236-237 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHRTW47: Other rx med #4 taken 2x/wk last mo

If YES to OTHMED47: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	89	3.8 %
2	Yes	125	5.4 %
	Missing Data		
-1	N/A	2106	90.5 %
.	-	7	0.3 %

Value	Label	Unweighted Frequency	%
	Total	**2,327**	**100%**

Based upon 214 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 238-239 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHMED57: Other rx med #5

Since your last study visit: Are there any other prescription pills or medications that you have taken, that I haven't asked you about? (Please list)

Value	Label	Unweighted Frequency	%
1	No	77	3.3 %
2	Yes	135	5.8 %
	Missing Data		
-1	N/A	2108	90.6 %
.	-	7	0.3 %
	Total	**2,327**	**100%**

Based upon 212 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 240-241 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHRTW57: Other rx med #5 taken 2x/wk last mo

If YES to OTHMED57: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	66	2.8 %
2	Yes	69	3.0 %
	Missing Data		
-1	N/A	2185	93.9 %
.	-	7	0.3 %
	Total	**2,327**	**100%**

Based upon 135 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 242-243 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHMED67: Other rx med #6

Since your last study visit: Are there any other prescription pills or medications that you have taken, that I haven't asked you about? (Please list)

Value	Label	Unweighted Frequency	%
1	No	42	1.8 %
2	Yes	92	4.0 %
	Missing Data		
-1	N/A	2186	93.9 %
.	-	7	0.3 %
	Total	**2,327**	**100%**

Based upon 134 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 244-245 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHRTW67: Other rx med #6 taken 2x/wk last mo

If YES to OTHMED67: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	46	2.0 %
2	Yes	46	2.0 %
	Missing Data		
-1	N/A	2228	95.7 %
.	-	7	0.3 %
	Total	**2,327**	**100%**

Based upon 92 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 246-247 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHMED77: Other rx med #7

Since your last study visit: Are there any other prescription pills or medications that you have taken, that I haven't asked you about? (Please list)

Value	Label	Unweighted Frequency	%
1	No	35	1.5 %
2	Yes	57	2.4 %
	Missing Data		
-1	N/A	2228	95.7 %
.	-	7	0.3 %
	Total	**2,327**	**100%**

Based upon 92 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 248-249 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHRTW77: Other rx med #7 taken 2x/wk last mo

If YES to OTHMED77: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	32	1.4 %
2	Yes	25	1.1 %
	Missing Data		
-1	N/A	2263	97.2 %
.	-	7	0.3 %
	Total	**2,327**	**100%**

Based upon 57 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 250-251 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHMED87: Other rx med #8

Since your last study visit: Are there any other prescription pills or medications that you have taken, that I haven't asked you about? (Please list)

Value	Label	Unweighted Frequency	%
1	No	20	0.9 %
2	Yes	37	1.6 %
	Missing Data		
-1	N/A	2263	97.2 %
.	-	7	0.3 %

Value	Label	Unweighted Frequency	%
	Total	**2,327**	**100%**

Based upon 57 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 252-253 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHRTW87: Other rx med #8 taken 2x/wk last mo

If YES to OTHMED87: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	21	0.9 %
2	Yes	15	0.6 %
	Missing Data		
-9	Missing	1	0.0 %
-1	N/A	2283	98.1 %
.	-	7	0.3 %
	Total	**2,327**	**100%**

Based upon 36 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 254-255 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHMED97: Other rx med #9

Since your last study visit: Are there any other prescription pills or medications that you have taken, that I haven't asked you about? (Please list)

Value	Label	Unweighted Frequency	%
1	No	12	0.5 %
2	Yes	25	1.1 %
	Missing Data		
-1	N/A	2283	98.1 %
.	-	7	0.3 %
	Total	**2,327**	**100%**

Based upon 37 valid cases out of 2,327 total cases.

- Minimum: 1.00

- Maximum: 2.00

Location: 256-257 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHRTW97: Other rx med #9 taken 2x/wk last mo

If YES to OTHMED97: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	15	0.6 %
2	Yes	10	0.4 %
	Missing Data		
-1	N/A	2295	98.6 %
.	-	7	0.3 %
	Total	**2,327**	**100%**

Based upon 25 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 258-259 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHME107: Other rx med #10

Since your last study visit: Are there any other prescription pills or medications that you have taken, that I haven't asked you about? (Please list)

Value	Label	Unweighted Frequency	%
1	No	7	0.3 %
2	Yes	18	0.8 %
	Missing Data		
-1	N/A	2295	98.6 %
.	-	7	0.3 %
	Total	**2,327**	**100%**

Based upon 25 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 260-261 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHTW107: Other rx med #10 taken 2x/wk last mo

If YES to OTHME107: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	12	0.5 %
2	Yes	6	0.3 %
	Missing Data		
-1	N/A	2302	98.9 %
.	-	7	0.3 %
	Total	**2,327**	**100%**

Based upon 18 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 262-263 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHME117: Other rx med #11

Since your last study visit: Are there any other prescription pills or medications that you have taken, that I haven't asked you about? (Please list)

Value	Label	Unweighted Frequency	%
1	No	7	0.3 %
2	Yes	11	0.5 %
	Missing Data		
-1	N/A	2302	98.9 %
.	-	7	0.3 %
	Total	**2,327**	**100%**

Based upon 18 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 264-265 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHTW117: Other rx med #11 taken 2x/wk last mo

If YES to OTHME117: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	8	0.3 %
2	Yes	3	0.1 %
	Missing Data		
-1	N/A	2309	99.2 %
.	-	7	0.3 %

Value	Label	Unweighted Frequency	%
	Total	**2,327**	**100%**

Based upon 11 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 266-267 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHME127: Other rx med #12

Since your last study visit: Are there any other prescription pills or medications that you have taken, that I haven't asked you about? (Please list)

Value	Label	Unweighted Frequency	%
1	No	1	0.0 %
2	Yes	10	0.4 %
	Missing Data		
-1	N/A	2309	99.2 %
.	-	7	0.3 %
	Total	**2,327**	**100%**

Based upon 11 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 268-269 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHTW127: Other rx med #12 taken 2x/wk last mo

If YES to OTHME127: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	6	0.3 %
2	Yes	4	0.2 %
	Missing Data		
-1	N/A	2310	99.3 %
.	-	7	0.3 %
	Total	**2,327**	**100%**

Based upon 10 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 270-271 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHME137: Other rx med #13

Since your last study visit: Are there any other prescription pills or medications that you have taken, that I haven't asked you about? (Please list)

Value	Label	Unweighted Frequency	%
1	No	6	0.3 %
2	Yes	4	0.2 %
	Missing Data		
-1	N/A	2310	99.3 %
.	-	7	0.3 %
	Total	**2,327**	**100%**

Based upon 10 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 272-273 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHTW137: Other rx med #13 taken 2x/wk last mo

If YES to OTHME137: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	2	0.1 %
2	Yes	2	0.1 %
	Missing Data		
-1	N/A	2316	99.5 %
.	-	7	0.3 %
	Total	**2,327**	**100%**

Based upon 4 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 274-275 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHME147: Other rx med #14

Since your last study visit: Are there any other prescription pills or medications that you have taken, that I haven't asked you about? (Please list)

Value	Label	Unweighted Frequency	%
1	No	1	0.0 %
2	Yes	3	0.1 %
	Missing Data		
-1	N/A	2316	99.5 %
.	-	7	0.3 %
	Total	**2,327**	**100%**

Based upon 4 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 276-277 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHTW147: Other rx med #14 taken 2x/wk last mo

If YES to OTHME147: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	1	0.0 %
2	Yes	2	0.1 %
	Missing Data		
-1	N/A	2317	99.6 %
.	-	7	0.3 %
	Total	**2,327**	**100%**

Based upon 3 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 278-279 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHME157: Other rx med #15

Since your last study visit: Are there any other prescription pills or medications that you have taken, that I haven't asked you about? (Please list)

Value	Label	Unweighted Frequency	%
1	No	1	0.0 %
2	Yes	2	0.1 %
	Missing Data		
-1	N/A	2317	99.6 %
.	-	7	0.3 %

Value	Label	Unweighted Frequency	%
	Total	**2,327**	**100%**

Based upon 3 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 280-281 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHTW157: Other rx med #15 taken 2x/wk last mo

If YES to OTHME157: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	2	0.1 %
2	Yes	0	0.0 %
	Missing Data		
-1	N/A	2318	99.6 %
.	-	7	0.3 %
	Total	**2,327**	**100%**

Based upon 2 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 282-283 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ESTLSTV7: Using any estrogen/progestin at time of last study visit

Were you using any prescription medications containing estrogen or progestin at the time of your last study visit?

Value	Label	Unweighted Frequency	%
1	No	55	2.4 %
2	Yes	231	9.9 %
	Missing Data		
-9	Missing	1	0.0 %
-8	Do not know	1	0.0 %
-1	N/A	1914	82.3 %
.	-	125	5.4 %
	Total	**2,327**	**100%**

Based upon 286 valid cases out of 2,327 total cases.

- Minimum: 1.00

- Maximum: 2.00

Location: 284-285 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

REDUHAR7: Reduce risk of heart disease

I am going to read a list of some reasons why women start taking hormones, not including birth control pills. For each one, please tell me if it is a reason why you started taking hormones: To reduce the risk of heart disease

Value	Label	Unweighted Frequency	%
1	No	51	2.2 %
2	Yes	5	0.2 %
	Missing Data		
-1	N/A	2146	92.2 %
.	-	125	5.4 %
	Total	**2,327**	**100%**

Based upon 56 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 286-287 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OSTEOPO7: Reduce risk of osteoporosis

I am going to read a list of some reasons why women start taking hormones, not including birth control pills. For each one, please tell me if it is a reason why you started taking hormones: To reduce the risk of osteoporosis (brittle or thinning bones)

Value	Label	Unweighted Frequency	%
1	No	48	2.1 %
2	Yes	8	0.3 %
	Missing Data		
-1	N/A	2146	92.2 %
.	-	125	5.4 %
	Total	**2,327**	**100%**

Based upon 56 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 288-289 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MENOSYM7: Relieve menopausal symptoms

I am going to read a list of some reasons why women start taking hormones, not including birth control pills. For each one, please tell me if it is a reason why you started taking hormones: To relieve menopausal symptoms

Value	Label	Unweighted Frequency	%
1	No	19	0.8 %
2	Yes	37	1.6 %
	Missing Data		
-1	N/A	2146	92.2 %
.	-	125	5.4 %
	Total	**2,327**	**100%**

Based upon 56 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 290-291 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

YOUNGLK7: Stay young-looking

I am going to read a list of some reasons why women start taking hormones, not including birth control pills. For each one, please tell me if it is a reason why you started taking hormones: To stay young-looking

Value	Label	Unweighted Frequency	%
1	No	50	2.1 %
2	Yes	6	0.3 %
	Missing Data		
-1	N/A	2146	92.2 %
.	-	125	5.4 %
	Total	**2,327**	**100%**

Based upon 56 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 292-293 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HCPADVI7: Health care provider advised

I am going to read a list of some reasons why women start taking hormones, not including birth control pills. For each one, please tell me if it is a reason why you started taking hormones: A health care provider advised me to take them

Value	Label	Unweighted Frequency	%
1	No	15	0.6 %
2	Yes	41	1.8 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-1	N/A	2146	92.2 %
.	-	125	5.4 %
	Total	**2,327**	**100%**

Based upon 56 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 294-295 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FRNADVI7: Friend/relative advised

I am going to read a list of some reasons why women start taking hormones, not including birth control pills. For each one, please tell me if it is a reason why you started taking hormones: A friend or relative advised me to take them

Value	Label	Unweighted Frequency	%
1	No	51	2.2 %
2	Yes	5	0.2 %
	Missing Data		
-1	N/A	2146	92.2 %
.	-	125	5.4 %
	Total	**2,327**	**100%**

Based upon 56 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 296-297 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

IMPRMEM7: Improve memory

I am going to read a list of some reasons why women start taking hormones, not including birth control pills. For each one, please tell me if it is a reason why you started taking hormones: To improve my memory

Value	Label	Unweighted Frequency	%
1	No	50	2.1 %
2	Yes	6	0.3 %
	Missing Data		
-1	N/A	2146	92.2 %
.	-	125	5.4 %
	Total	**2,327**	**100%**

Based upon 56 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 298-299 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

REGPERI7: Regulate periods

I am going to read a list of some reasons why women start taking hormones, not including birth control pills. For each one, please tell me if it is a reason why you started taking hormones: To regulate periods

Value	Label	Unweighted Frequency	%
1	No	41	1.8 %
2	Yes	15	0.6 %
	Missing Data		
-1	N/A	2146	92.2 %
.	-	125	5.4 %
	Total	**2,327**	**100%**

Based upon 56 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 300-301 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HORMOTH7: Take hormones for other reasons

I am going to read a list of some reasons why women start taking hormones, not including birth control pills. For each one, please tell me if it is a reason why you started taking hormones: Any other? Specify

Value	Label	Unweighted Frequency	%
1	No	39	1.7 %
2	Yes	17	0.7 %
	Missing Data		
-1	N/A	2146	92.2 %
.	-	125	5.4 %
	Total	**2,327**	**100%**

Based upon 56 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 302-303 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DONTKNO7: Don't know/rem why take hormones

I am going to read a list of some reasons why women start taking hormones, not including birth control pills. For each one, please tell me if it is a reason why you started taking hormones: Don't Know/Remember

Value	Label	Unweighted Frequency	%
1	No	55	2.4 %
2	Yes	1	0.0 %
	Missing Data		
-1	N/A	2146	92.2 %
.	-	125	5.4 %
	Total	**2,327**	**100%**

Based upon 56 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 304-305 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HORMDAY7: Last Took Hormones Day

Since your last study visit, you were taking some hormones and then stopped. In what month and year did you last take hormones?

Value	Label	Unweighted Frequency	%
2140	-	1	0.0 %
2165	-	2	0.1 %
2182	-	1	0.0 %
2199	-	1	0.0 %
2217	-	1	0.0 %
2221	-	1	0.0 %
2238	-	1	0.0 %
2241	-	1	0.0 %
2244	-	1	0.0 %
2251	-	1	0.0 %
2275	-	1	0.0 %
2278	-	1	0.0 %
2285	-	1	0.0 %
2287	-	1	0.0 %
2291	-	1	0.0 %
2308	-	1	0.0 %
2309	-	1	0.0 %
2311	-	1	0.0 %
2316	-	1	0.0 %
2317	-	1	0.0 %

Value	Label	Unweighted Frequency	%
2323	-	1	0.0 %
2333	-	1	0.0 %
2337	-	1	0.0 %
2342	-	1	0.0 %
2345	-	2	0.1 %
2349	-	1	0.0 %
2367	-	1	0.0 %
2371	-	1	0.0 %
2373	-	1	0.0 %
2375	-	1	0.0 %
2376	-	1	0.0 %
2384	-	1	0.0 %
2386	-	1	0.0 %
2394	-	1	0.0 %
2399	-	2	0.1 %
2403	-	1	0.0 %
2405	-	1	0.0 %
2406	-	1	0.0 %
2411	-	1	0.0 %
2412	-	1	0.0 %
2415	-	1	0.0 %
2416	-	1	0.0 %
2419	-	1	0.0 %
2428	-	1	0.0 %
2443	-	1	0.0 %
2444	-	1	0.0 %
2450	-	1	0.0 %
2455	-	1	0.0 %
2456	-	1	0.0 %
2458	-	1	0.0 %
	Missing Data		
.	-	2244	96.4 %
	Total	**2,327**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 83 valid cases out of 2,327 total cases.

- Mean: 2413.06
- Median: 2411.00
- Minimum: 2140.00
- Maximum: 2783.00
- Standard Deviation: 130.45

Location: 306-309 (width: 4; decimal: 0)
Variable Type: numeric

PRBBLEE7: Problems w/bleeding

Since your last study visit, you were taking hormones and then stopped. What were your reasons for stopping? Problems with bleeding

Value	Label	Unweighted Frequency	%
1	No	77	3.3 %
2	Yes	6	0.3 %
	Missing Data		
-1	N/A	2119	91.1 %
.	-	125	5.4 %
	Total	**2,327**	**100%**

Based upon 83 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 310-311 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HAVEPER7: Did not like having periods

Since your last study visit, you were taking hormones and then stopped. What were your reasons for stopping? Didn't like having periods

Value	Label	Unweighted Frequency	%
1	No	80	3.4 %
2	Yes	3	0.1 %
	Missing Data		
-1	N/A	2119	91.1 %
.	-	125	5.4 %
	Total	**2,327**	**100%**

Based upon 83 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 312-313 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

LIKEFEL7: Did not like how felt on them

Since your last study visit, you were taking hormones and then stopped. What were your reasons for stopping? Didn't like how I felt on them

Value	Label	Unweighted Frequency	%
1	No	79	3.4 %
2	Yes	4	0.2 %
	Missing Data		
-1	N/A	2119	91.1 %
.	-	125	5.4 %
	Total	**2,327**	**100%**

Based upon 83 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 314-315 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SIDEEFF7: Worried about poss side effects

Since your last study visit, you were taking hormones and then stopped. What were your reasons for stopping? Worried about possible side effects

Value	Label	Unweighted Frequency	%
1	No	66	2.8 %
2	Yes	17	0.7 %
	Missing Data		
-1	N/A	2119	91.1 %
.	-	125	5.4 %
	Total	**2,327**	**100%**

Based upon 83 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 316-317 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CANCER7: Worried about cancer

Since your last study visit, you were taking hormones and then stopped. What were your reasons for stopping? Worried about cancer

Value	Label	Unweighted Frequency	%
1	No	67	2.9 %
2	Yes	16	0.7 %
	Missing Data		
-1	N/A	2119	91.1 %
.	-	125	5.4 %

Value	Label	Unweighted Frequency	%
	Total	**2,327**	**100%**

Based upon 83 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 318-319 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ADVISTO7: Health care prov advised to stop

Since your last study visit, you were taking hormones and then stopped. What were your reasons for stopping? My health care provider advised me to stop (for medical reasons)

Value	Label	Unweighted Frequency	%
1	No	56	2.4 %
2	Yes	27	1.2 %
	Missing Data		
-1	N/A	2119	91.1 %
.	-	125	5.4 %
	Total	**2,327**	**100%**

Based upon 83 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 320-321 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

EXPENSI7: Too expensive

Since your last study visit, you were taking hormones and then stopped. What were your reasons for stopping? Too expensive

Value	Label	Unweighted Frequency	%
1	No	82	3.5 %
2	Yes	1	0.0 %
	Missing Data		
-1	N/A	2119	91.1 %
.	-	125	5.4 %
	Total	**2,327**	**100%**

Based upon 83 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 322-323 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NOLIKE7: Do not like taking meds

Since your last study visit, you were taking hormones and then stopped. What were your reasons for stopping? Don't like to take any medications

Value	Label	Unweighted Frequency	%
1	No	74	3.2 %
2	Yes	9	0.4 %
	Missing Data		
-1	N/A	2119	91.1 %
.	-	125	5.4 %
	Total	**2,327**	**100%**

Based upon 83 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 324-325 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NOREMEB7: Couldn't remember to take them

Since your last study visit, you were taking hormones and then stopped. What were your reasons for stopping? Couldn't remember to take them

Value	Label	Unweighted Frequency	%
1	No	82	3.5 %
2	Yes	1	0.0 %
	Missing Data		
-1	N/A	2119	91.1 %
.	-	125	5.4 %
	Total	**2,327**	**100%**

Based upon 83 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 326-327 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DNTKNOW7: Don't know why stopped hormones

Since your last study visit, you were taking hormones and then stopped. What were your reasons for stopping? Don't know

Value	Label	Unweighted Frequency	%
1	No	83	3.6 %
2	Yes	0	0.0 %
	Missing Data		
-1	N/A	2119	91.1 %
.	-	125	5.4 %
	Total	**2,327**	**100%**

Based upon 83 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 328-329 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

STOPOTH7: Stopped hormones other reason

Since your last study visit, you were taking hormones and then stopped. What were your reasons for stopping? Other, specify

Value	Label	Unweighted Frequency	%
1	No	55	2.4 %
2	Yes	28	1.2 %
	Missing Data		
-1	N/A	2119	91.1 %
.	-	125	5.4 %
	Total	**2,327**	**100%**

Based upon 83 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 330-331 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NOREASO7: Stopped hormones no reason given

Since your last study visit, you were taking hormones and then stopped. What were your reasons for stopping? No reason given

Value	Label	Unweighted Frequency	%
1	No	82	3.5 %
2	Yes	1	0.0 %
	Missing Data		
-1	N/A	2119	91.1 %
.	-	125	5.4 %

Value	Label	Unweighted Frequency	%
	Total	**2,327**	**100%**

Based upon 83 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 332-333 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NEWSRPT7: Stopped hormones news/media reports

Since your last study visit, you were taking hormones and then stopped. What were your reasons for stopping? News/Media reports about women who took hormones as part of a research study (e.g. results of WHI)

Value	Label	Unweighted Frequency	%
1	No	43	1.8 %
2	Yes	40	1.7 %
	Missing Data		
-1	N/A	2119	91.1 %
.	-	125	5.4 %
	Total	**2,327**	**100%**

Based upon 83 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 334-335 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

REGVITA7: Take any vitamins/minerals 1x/wk

Since your last study visit, have you taken any vitamins or minerals fairly regularly, at least once a week?

Value	Label	Unweighted Frequency	%
1	No	665	28.6 %
2	Yes	1537	66.1 %
	Missing Data		
.	-	125	5.4 %
	Total	**2,327**	**100%**

Based upon 2,202 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 336-337 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ONCEADA7: How often take multi-vitamin

If YES to REGVITA7: Since your last study visit, what vitamins and minerals have you taken fairly regularly, at least once per week? Multi-Vitamins, how often do you take: Regular Once-A-Day, Centrum, or Thera type

Value	Label	Unweighted Frequency	%
1	Do not take any	466	20.0 %
2	1-3 days/week	151	6.5 %
3	4-6 days/week	154	6.6 %
4	Every day	766	32.9 %
	Missing Data		
-1	N/A	665	28.6 %
.	-	125	5.4 %
	Total	**2,327**	**100%**

Based upon 1,537 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 338-339 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ANTIOXI7: How often take antioxidant

If YES to REGVITA7: Since your last study visit, what vitamins and minerals have you taken fairly regularly, at least once per week? Multi-Vitamins, how often do you take: Antioxidant combination type

Value	Label	Unweighted Frequency	%
1	Do not take any	1423	61.2 %
2	1-3 days/week	31	1.3 %
3	4-6 days/week	11	0.5 %
4	Every day	72	3.1 %
	Missing Data		
-1	N/A	665	28.6 %
.	-	125	5.4 %
	Total	**2,327**	**100%**

Based upon 1,537 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 340-341 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

VITCOMB7: Other vitamin combinations

If YES to REGVITA7: Since your last study visit, what vitamins and minerals have you taken fairly regularly, at least once per week? Multi-Vitamins, how often do you take: Any other combination types

Value	Label	Unweighted Frequency	%
1	No	1072	46.1 %
2	Yes	465	20.0 %
	Missing Data		
-1	N/A	665	28.6 %
.	-	125	5.4 %
	Total	**2,327**	**100%**

Based upon 1,537 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 342-343 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

VTMOTH17: How often take other multi-vit #1

If YES to REGVITA7: Since your last study visit, what vitamins and minerals have you taken fairly regularly, at least once per week? Multi-Vitamins, how often do you take: Any other combination types? If YES to VITCOMB7, specify

Value	Label	Unweighted Frequency	%
1	Do not take any	3	0.1 %
2	1-3 days/week	66	2.8 %
3	4-6 days/week	49	2.1 %
4	Every day	347	14.9 %
	Missing Data		
-1	N/A	1737	74.6 %
.	-	125	5.4 %
	Total	**2,327**	**100%**

Based upon 465 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 344-345 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

VTMOTH27: How often take other multi-vit #2

If YES to REGVITA7: Since your last study visit, what vitamins and minerals have you taken fairly regularly, at least once per week? Multi-Vitamins, how often do you take: Any other combination types? If YES to VITCOMB7, specify

Value	Label	Unweighted Frequency	%
1	Do not take any	3	0.1 %
2	1-3 days/week	20	0.9 %
3	4-6 days/week	13	0.6 %
4	Every day	99	4.3 %
	Missing Data		
-1	N/A	2067	88.8 %
.	-	125	5.4 %
	Total	**2,327**	**100%**

Based upon 135 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 346-347 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

VTMOTH37: How often take other multi-vit #3

If YES to REGVITA7: Since your last study visit, what vitamins and minerals have you taken fairly regularly, at least once per week? Multi-Vitamins, how often do you take: Any other combination types? If YES to VITCOMB7, specify

Value	Label	Unweighted Frequency	%
1	Do not take any	2	0.1 %
2	1-3 days/week	13	0.6 %
3	4-6 days/week	3	0.1 %
4	Every day	30	1.3 %
	Missing Data		
-1	N/A	2154	92.6 %
.	-	125	5.4 %
	Total	**2,327**	**100%**

Based upon 48 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 348-349 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

VTMOTH47: How often take other multi-vit #4

If YES to REGVITA7: Since your last study visit, what vitamins and minerals have you taken fairly regularly, at least once per week? Multi-Vitamins, how often do you take: Any other combination types? If YES to VITCOMB7, specify

Value	Label	Unweighted Frequency	%
1	Do not take any	3	0.1 %
2	1-3 days/week	5	0.2 %
3	4-6 days/week	0	0.0 %
4	Every day	15	0.6 %
	Missing Data		
-1	N/A	2179	93.6 %
.	-	125	5.4 %
	Total	**2,327**	**100%**

Based upon 23 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 350-351 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

VITAMNA7: How often take vitamin A

If YES to REGVITA7: Since your last study visit, what vitamins and minerals have you taken fairly regularly, at least once per week? Single Vitamins or minerals, not part of multi-vitamins, how often do you take: Vitamin A, not beta carotene

Value	Label	Unweighted Frequency	%
1	Do not take any	1507	64.8 %
2	1-3 days/week	13	0.6 %
3	4-6 days/week	5	0.2 %
4	Every day	12	0.5 %
	Missing Data		
-1	N/A	665	28.6 %
.	-	125	5.4 %
	Total	**2,327**	**100%**

Based upon 1,537 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 352-353 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BETACAR7: How often take beta-carotene

If YES to REGVITA7: Since your last study visit, what vitamins and minerals have you taken fairly regularly, at least once per week? Single Vitamins or minerals, not part of multi-vitamins, how often do you take: Beta-carotene

Value	Label	Unweighted Frequency	%
1	Do not take any	1502	64.5 %
2	1-3 days/week	8	0.3 %
3	4-6 days/week	2	0.1 %
4	Every day	25	1.1 %
	Missing Data		
-1	N/A	665	28.6 %
.	-	125	5.4 %
	Total	**2,327**	**100%**

Based upon 1,537 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 354-355 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

VITAMNC7: How often take vitamin C

If YES to REGVITA7: Since your last study visit, what vitamins and minerals have you taken fairly regularly, at least once per week? Single Vitamins or minerals, not part of multi-vitamins, how often do you take: Vitamin C

Value	Label	Unweighted Frequency	%
1	Do not take any	1098	47.2 %
2	1-3 days/week	107	4.6 %
3	4-6 days/week	58	2.5 %
4	Every day	274	11.8 %
	Missing Data		
-1	N/A	665	28.6 %
.	-	125	5.4 %
	Total	**2,327**	**100%**

Based upon 1,537 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 356-357 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

VITAMND7: How often take vitamin D

If YES to REGVITA7: Since your last study visit, what vitamins and minerals have you taken fairly regularly, at least once per week? Single Vitamins or minerals, not part of multi-vitamins, how often do you take: Vitamin D

Value	Label	Unweighted Frequency	%
1	Do not take any	1397	60.0 %
2	1-3 days/week	18	0.8 %
3	4-6 days/week	18	0.8 %
4	Every day	103	4.4 %
	Missing Data		
-9	Missing	1	0.0 %
-1	N/A	665	28.6 %
.	-	125	5.4 %
	Total	**2,327**	**100%**

Based upon 1,536 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 358-359 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

VITAMNE7: How often take vitamin E

If YES to REGVITA7: Since your last study visit, what vitamins and minerals have you taken fairly regularly, at least once per week? Single Vitamins or minerals, not part of multi-vitamins, how often do you take: Vitamin E

Value	Label	Unweighted Frequency	%
1	Do not take any	1008	43.3 %
2	1-3 days/week	94	4.0 %
3	4-6 days/week	85	3.7 %
4	Every day	350	15.0 %
	Missing Data		
-1	N/A	665	28.6 %
.	-	125	5.4 %
	Total	**2,327**	**100%**

Based upon 1,537 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 360-361 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CALCTUM7: How often take calcium/Tums

If YES to REGVITA7: Since your last study visit, what vitamins and minerals have you taken fairly regularly, at least once per week? Single Vitamins or minerals, not part of multi-vitamins, how often do you take: Calcium or Tums

Value	Label	Unweighted Frequency	%
1	Do not take any	858	36.9 %
2	1-3 days/week	121	5.2 %
3	4-6 days/week	104	4.5 %
4	Every day	454	19.5 %
	Missing Data		
-1	N/A	665	28.6 %
.	-	125	5.4 %
	Total	**2,327**	**100%**

Based upon 1,537 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 362-363 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

IRON7: How often take iron

If YES to REGVITA7: Since your last study visit, what vitamins and minerals have you taken fairly regularly, at least once per week? Single Vitamins or minerals, not part of multi-vitamins, how often do you take: Iron

Value	Label	Unweighted Frequency	%
1	Do not take any	1445	62.1 %
2	1-3 days/week	34	1.5 %
3	4-6 days/week	7	0.3 %
4	Every day	51	2.2 %
	Missing Data		
-1	N/A	665	28.6 %
.	-	125	5.4 %
	Total	**2,327**	**100%**

Based upon 1,537 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 364-365 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ZINC7: How often take zinc

If YES to REGVITA7: Since your last study visit, what vitamins and minerals have you taken fairly regularly, at least once per week? Single Vitamins or minerals, not part of multi-vitamins, how often do you take: Zinc

Value	Label	Unweighted Frequency	%
1	Do not take any	1490	64.0 %
2	1-3 days/week	15	0.6 %
3	4-6 days/week	4	0.2 %
4	Every day	28	1.2 %
	Missing Data		
-1	N/A	665	28.6 %
.	-	125	5.4 %
	Total	**2,327**	**100%**

Based upon 1,537 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 366-367 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SELENIU7: How often take selenium

If YES to REGVITA7: Since your last study visit, what vitamins and minerals have you taken fairly regularly, at least once per week? Single Vitamins or minerals, not part of multi-vitamins, how often do you take: Selenium

Value	Label	Unweighted Frequency	%
1	Do not take any	1487	63.9 %
2	1-3 days/week	13	0.6 %
3	4-6 days/week	7	0.3 %
4	Every day	30	1.3 %
	Missing Data		
-1	N/A	665	28.6 %
.	-	125	5.4 %
	Total	**2,327**	**100%**

Based upon 1,537 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 368-369 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

VTMSING7: Any other single vitamins

If YES to REGVITA7: Since your last study visit, what vitamins and minerals have you taken fairly regularly, at least once per week? Single Vitamins or minerals, not part of multi-vitamins, how often do you take: Any other single vitamins?

Value	Label	Unweighted Frequency	%
1	No	1064	45.7 %
2	Yes	473	20.3 %
	Missing Data		
-1	N/A	665	28.6 %
.	-	125	5.4 %
	Total	**2,327**	**100%**

Based upon 1,537 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 370-371 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SVTMOT17: How often take other vit #1

If YES to REGVITA7: Since your last study visit, what vitamins and minerals have you taken fairly regularly, at least once per week? Single Vitamins or minerals, not part of multi-vitamins, how often do you take: Any other single vitamins? If YES to VTMSING7, specify

Value	Label	Unweighted Frequency	%
1	Do not take any	4	0.2 %
2	1-3 days/week	72	3.1 %
3	4-6 days/week	62	2.7 %
4	Every day	335	14.4 %
	Missing Data		
-1	N/A	1729	74.3 %
.	-	125	5.4 %
	Total	**2,327**	**100%**

Based upon 473 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 372-373 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SVTMOT27: How often take other vit #2

If YES to REGVITA7: Since your last study visit, what vitamins and minerals have you taken fairly regularly, at least once per week? Single Vitamins or minerals, not part of multi-vitamins, how often do you take: Any other single vitamins? If YES to VTMSING7, specify

Value	Label	Unweighted Frequency	%
1	Do not take any	3	0.1 %
2	1-3 days/week	30	1.3 %

Value	Label	Unweighted Frequency	%
3	4-6 days/week	25	1.1 %
4	Every day	151	6.5 %
	Missing Data		
-1	N/A	1993	85.6 %
.	-	125	5.4 %
	Total	**2,327**	**100%**

Based upon 209 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 374-375 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SVTMOT37: How often take other vit #3

If YES to REGVITA7: Since your last study visit, what vitamins and minerals have you taken fairly regularly, at least once per week? Single Vitamins or minerals, not part of multi-vitamins, how often do you take: Any other single vitamins? If YES to VTMSING7, specify

Value	Label	Unweighted Frequency	%
1	Do not take any	0	0.0 %
2	1-3 days/week	19	0.8 %
3	4-6 days/week	9	0.4 %
4	Every day	68	2.9 %
	Missing Data		
-1	N/A	2106	90.5 %
.	-	125	5.4 %
	Total	**2,327**	**100%**

Based upon 96 valid cases out of 2,327 total cases.

- Minimum: 2.00
- Maximum: 4.00

Location: 376-377 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SVTMOT47: How often take other vit #4

If YES to REGVITA7: Since your last study visit, what vitamins and minerals have you taken fairly regularly, at least once per week? Single Vitamins or minerals, not part of multi-vitamins, how often do you take: Any other single vitamins? If YES to VTMSING7, specify

Value	Label	Unweighted Frequency	%
1	Do not take any	0	0.0 %
2	1-3 days/week	8	0.3 %

Value	Label	Unweighted Frequency	%
3	4-6 days/week	3	0.1 %
4	Every day	37	1.6 %
	Missing Data		
-1	N/A	2154	92.6 %
.	-	125	5.4 %
	Total	**2,327**	**100%**

Based upon 48 valid cases out of 2,327 total cases.

- Minimum: 2.00
- Maximum: 4.00

Location: 378-379 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SVTMOT57: How often take other vit #5

If YES to REGVITA7: Since your last study visit, what vitamins and minerals have you taken fairly regularly, at least once per week? Single Vitamins or minerals, not part of multi-vitamins, how often do you take: Any other single vitamins? If YES to VTMSING7, specify

Value	Label	Unweighted Frequency	%
1	Do not take any	1	0.0 %
2	1-3 days/week	3	0.1 %
3	4-6 days/week	2	0.1 %
4	Every day	20	0.9 %
	Missing Data		
-1	N/A	2176	93.5 %
.	-	125	5.4 %
	Total	**2,327**	**100%**

Based upon 26 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 380-381 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SVTMOT67: How often take other vit #6

If YES to REGVITA7: Since your last study visit, what vitamins and minerals have you taken fairly regularly, at least once per week? Single Vitamins or minerals, not part of multi-vitamins, how often do you take: Any other single vitamins? If YES to VTMSING7, specify

Value	Label	Unweighted Frequency	%
1	Do not take any	0	0.0 %
2	1-3 days/week	3	0.1 %

Value	Label	Unweighted Frequency	%
3	4-6 days/week	2	0.1 %
4	Every day	11	0.5 %
	Missing Data		
-1	N/A	2186	93.9 %
.	-	125	5.4 %
	Total	**2,327**	**100%**

Based upon 16 valid cases out of 2,327 total cases.

- Minimum: 2.00
- Maximum: 4.00

Location: 382-383 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SVTMOT77: How often take other vit #7

If YES to REGVITA7: Since your last study visit, what vitamins and minerals have you taken fairly regularly, at least once per week? Single Vitamins or minerals, not part of multi-vitamins, how often do you take: Any other single vitamins? If YES to VTMSING7, specify

Value	Label	Unweighted Frequency	%
1	Do not take any	0	0.0 %
2	1-3 days/week	2	0.1 %
3	4-6 days/week	0	0.0 %
4	Every day	10	0.4 %
	Missing Data		
-1	N/A	2190	94.1 %
.	-	125	5.4 %
	Total	**2,327**	**100%**

Based upon 12 valid cases out of 2,327 total cases.

- Minimum: 2.00
- Maximum: 4.00

Location: 384-385 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SVTMOT87: How often take other vit #8

If YES to REGVITA7: Since your last study visit, what vitamins and minerals have you taken fairly regularly, at least once per week? Single Vitamins or minerals, not part of multi-vitamins, how often do you take: Any other single vitamins? If YES to VTMSING7, specify

Value	Label	Unweighted Frequency	%
1	Do not take any	0	0.0 %
2	1-3 days/week	2	0.1 %

Value	Label	Unweighted Frequency	%
3	4-6 days/week	0	0.0 %
4	Every day	5	0.2 %
	Missing Data		
-1	N/A	2195	94.3 %
.	-	125	5.4 %
	Total	**2,327**	**100%**

Based upon 7 valid cases out of 2,327 total cases.

- Minimum: 2.00
- Maximum: 4.00

Location: 386-387 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SVTMOT97: How often take other vit #9

If YES to REGVITA7: Since your last study visit, what vitamins and minerals have you taken fairly regularly, at least once per week? Single Vitamins or minerals, not part of multi-vitamins, how often do you take: Any other single vitamins? If YES to VTMSING7, specify

Value	Label	Unweighted Frequency	%
1	Do not take any	0	0.0 %
2	1-3 days/week	1	0.0 %
3	4-6 days/week	0	0.0 %
4	Every day	5	0.2 %
	Missing Data		
-1	N/A	2196	94.4 %
.	-	125	5.4 %
	Total	**2,327**	**100%**

Based upon 6 valid cases out of 2,327 total cases.

- Minimum: 2.00
- Maximum: 4.00

Location: 388-389 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SVTMO107: How often take other vit #10

If YES to REGVITA7: Since your last study visit, what vitamins and minerals have you taken fairly regularly, at least once per week? Single Vitamins or minerals, not part of multi-vitamins, how often do you take: Any other single vitamins? If YES to VTMSING7, specify

Value	Label	Unweighted Frequency	%
1	Do not take any	0	0.0 %
2	1-3 days/week	1	0.0 %

Value	Label	Unweighted Frequency	%
3	4-6 days/week	0	0.0 %
4	Every day	3	0.1 %
	Missing Data		
-1	N/A	2198	94.5 %
.	-	125	5.4 %
	Total	**2,327**	**100%**

Based upon 4 valid cases out of 2,327 total cases.

- Minimum: 2.00
- Maximum: 4.00

Location: 390-391 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PAIN17: OTC Pain med #1

Since your last study visit, have you taken: Any over-the-counter medications for pain including headaches and arthritis?

Value	Label	Unweighted Frequency	%
1	No	1386	59.6 %
2	Yes	816	35.1 %
	Missing Data		
.	-	125	5.4 %
	Total	**2,327**	**100%**

Based upon 2,202 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 392-393 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PAINTW17: OTC Pain med #1 taken 2x/wk last mo

If YES to PAIN17: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	375	16.1 %
2	Yes	440	18.9 %
	Missing Data		
-8	Do not know	1	0.0 %
-1	N/A	1386	59.6 %
.	-	125	5.4 %

Value	Label	Unweighted Frequency	%
	Total	**2,327**	**100%**

Based upon 815 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 394-395 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PAIN27: OTC Pain med #2

Since your last study visit, have you taken: Any over-the-counter medications for pain including headaches and arthritis?

Value	Label	Unweighted Frequency	%
1	No	560	24.1 %
2	Yes	256	11.0 %
	Missing Data		
-1	N/A	1386	59.6 %
.	-	125	5.4 %
	Total	**2,327**	**100%**

Based upon 816 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 396-397 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PAINTW27: OTC Pain med #2 taken 2x/wk last mo

If YES to PAIN27: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	168	7.2 %
2	Yes	88	3.8 %
	Missing Data		
-1	N/A	1946	83.6 %
.	-	125	5.4 %
	Total	**2,327**	**100%**

Based upon 256 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 398-399 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SLEEP17: OTC Sleep med #1

Since your last study visit, have you taken: Anything for problems sleeping?

Value	Label	Unweighted Frequency	%
1	No	2072	89.0 %
2	Yes	130	5.6 %
	Missing Data		
.	-	125	5.4 %
	Total	**2,327**	**100%**

Based upon 2,202 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 400-401 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SLEPTW17: OTC Sleep med #1 taken 2x/wk last mo

If YES to SLEEP17: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	59	2.5 %
2	Yes	71	3.1 %
	Missing Data		
-1	N/A	2072	89.0 %
.	-	125	5.4 %
	Total	**2,327**	**100%**

Based upon 130 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 402-403 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SLEEP27: OTC Sleep med #2

Since your last study visit, have you taken: Anything for problems sleeping?

Value	Label	Unweighted Frequency	%
1	No	118	5.1 %

Value	Label	Unweighted Frequency	%
2	Yes	12	0.5 %
	Missing Data		
-1	N/A	2072	89.0 %
.	-	125	5.4 %
	Total	**2,327**	**100%**

Based upon 130 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 404-405 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SLEPTW27: OTC Sleep med #2 taken 2x/wk last mo

If YES to SLEEP17: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	8	0.3 %
2	Yes	4	0.2 %
	Missing Data		
-1	N/A	2190	94.1 %
.	-	125	5.4 %
	Total	**2,327**	**100%**

Based upon 12 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 406-407 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTC17: Other OTC med #1

Since your last study visit, have you taken: Any other over-the-counter pills or other medications (including liquids or ointments or aspirin) that I haven't talked to you about?

Value	Label	Unweighted Frequency	%
1	No	1484	63.8 %
2	Yes	718	30.9 %
	Missing Data		
.	-	125	5.4 %
	Total	**2,327**	**100%**

Based upon 2,202 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 408-409 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTCTW17: Other OTC med #1 taken 2x/wk last mo

If YES to OTC17: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	194	8.3 %
2	Yes	523	22.5 %
	Missing Data		
-9	Missing	1	0.0 %
-1	N/A	1484	63.8 %
.	-	125	5.4 %
	Total	**2,327**	**100%**

Based upon 717 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 410-411 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTC27: Other OTC med #2

Since your last study visit, have you taken: Any other over-the-counter pills or other medications (including liquids or ointments or aspirin) that I haven't talked to you about?

Value	Label	Unweighted Frequency	%
1	No	447	19.2 %
2	Yes	271	11.6 %
	Missing Data		
-1	N/A	1484	63.8 %
.	-	125	5.4 %
	Total	**2,327**	**100%**

Based upon 718 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 412-413 (width: 2; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTCTW27: Other OTC med #2 taken 2x/wk last mo

If YES to OTC27: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	72	3.1 %
2	Yes	199	8.6 %
	Missing Data		
-1	N/A	1931	83.0 %
.	-	125	5.4 %
	Total	**2,327**	**100%**

Based upon 271 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 414-415 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTC37: Other OTC med #3

Since your last study visit, have you taken: Any other over-the-counter pills or other medications (including liquids or ointments or aspirin) that I haven't talked to you about?

Value	Label	Unweighted Frequency	%
1	No	161	6.9 %
2	Yes	110	4.7 %
	Missing Data		
-1	N/A	1931	83.0 %
.	-	125	5.4 %
	Total	**2,327**	**100%**

Based upon 271 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 416-417 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTCTW37: Other OTC med #3 taken 2x/wk last mo

If YES to OTC37: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	30	1.3 %

Value	Label	Unweighted Frequency	%
2	Yes	80	3.4 %
	Missing Data		
-1	N/A	2092	89.9 %
.	-	125	5.4 %
	Total	**2,327**	**100%**

Based upon 110 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 418-419 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTC47: Other OTC med #4

Since your last study visit, have you taken: Any other over-the-counter pills or other medications (including liquids or ointments or aspirin) that I haven't talked to you about?

Value	Label	Unweighted Frequency	%
1	No	52	2.2 %
2	Yes	58	2.5 %
	Missing Data		
-1	N/A	2092	89.9 %
.	-	125	5.4 %
	Total	**2,327**	**100%**

Based upon 110 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 420-421 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTCTW47: Other OTC med #4 taken 2x/wk last mo

If YES to OTC47: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	15	0.6 %
2	Yes	43	1.8 %
	Missing Data		
-1	N/A	2144	92.1 %
.	-	125	5.4 %
	Total	**2,327**	**100%**

Based upon 58 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 422-423 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTC57: Other OTC med #5

Since your last study visit, have you taken: Any other over-the-counter pills or other medications (including liquids or ointments or aspirin) that I haven't talked to you about?

Value	Label	Unweighted Frequency	%
1	No	24	1.0 %
2	Yes	34	1.5 %
	Missing Data		
-1	N/A	2144	92.1 %
.	-	125	5.4 %
	Total	**2,327**	**100%**

Based upon 58 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 424-425 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTCTW57: Other OTC med #5 taken 2x/wk last mo

If YES to OTC57: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	9	0.4 %
2	Yes	25	1.1 %
	Missing Data		
-1	N/A	2168	93.2 %
.	-	125	5.4 %
	Total	**2,327**	**100%**

Based upon 34 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 426-427 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTC67: Other OTC med #6

Since your last study visit, have you taken: Any other over-the-counter pills or other medications (including liquids or ointments or aspirin) that I haven't talked to you about?

Value	Label	Unweighted Frequency	%
1	No	19	0.8 %
2	Yes	15	0.6 %
	Missing Data		
-1	N/A	2168	93.2 %
.	-	125	5.4 %
	Total	**2,327**	**100%**

Based upon 34 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 428-429 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTCTW67: Other OTC med #6 taken 2x/wk last mo

If YES to OTC67: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	4	0.2 %
2	Yes	11	0.5 %
	Missing Data		
-1	N/A	2187	94.0 %
.	-	125	5.4 %
	Total	**2,327**	**100%**

Based upon 15 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 430-431 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTC77: Other OTC med #7

Since your last study visit, have you taken: Any other over-the-counter pills or other medications (including liquids or ointments or aspirin) that I haven't talked to you about?

Value	Label	Unweighted Frequency	%
1	No	3	0.1 %

Value	Label	Unweighted Frequency	%
2	Yes	12	0.5 %
	Missing Data		
-1	N/A	2187	94.0 %
.	-	125	5.4 %
	Total	**2,327**	**100%**

Based upon 15 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 432-433 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTCTW77: Other OTC med #7 taken 2x/wk last mo

If YES to OTC77: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	2	0.1 %
2	Yes	10	0.4 %
	Missing Data		
-1	N/A	2190	94.1 %
.	-	125	5.4 %
	Total	**2,327**	**100%**

Based upon 12 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 434-435 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTC87: Other OTC med #8

Since your last study visit, have you taken: Any other over-the-counter pills or other medications (including liquids or ointments or aspirin) that I haven't talked to you about?

Value	Label	Unweighted Frequency	%
1	No	4	0.2 %
2	Yes	8	0.3 %
	Missing Data		
-1	N/A	2190	94.1 %
.	-	125	5.4 %
	Total	**2,327**	**100%**

Based upon 12 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 436-437 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTCTW87: Other OTC med #8 taken 2x/wk last mo

If YES to OTC87: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	1	0.0 %
2	Yes	7	0.3 %
	Missing Data		
-1	N/A	2194	94.3 %
.	-	125	5.4 %
	Total	**2,327**	**100%**

Based upon 8 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 438-439 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTC97: Other OTC med #9

Since your last study visit, have you taken: Any other over-the-counter pills or other medications (including liquids or ointments or aspirin) that I haven't talked to you about?

Value	Label	Unweighted Frequency	%
1	No	2	0.1 %
2	Yes	6	0.3 %
	Missing Data		
-1	N/A	2194	94.3 %
.	-	125	5.4 %
	Total	**2,327**	**100%**

Based upon 8 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 440-441 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTCTW97: Other OTC med #9 taken 2x/wk last mo

If YES to OTC97: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	1	0.0 %
2	Yes	5	0.2 %
	Missing Data		
-1	N/A	2196	94.4 %
.	-	125	5.4 %
	Total	**2,327**	**100%**

Based upon 6 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 442-443 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTC107: Other OTC med #10

Since your last study visit, have you taken: Any other over-the-counter pills or other medications (including liquids or ointments or aspirin) that I haven't talked to you about?

Value	Label	Unweighted Frequency	%
1	No	2	0.1 %
2	Yes	4	0.2 %
	Missing Data		
-1	N/A	2196	94.4 %
.	-	125	5.4 %
	Total	**2,327**	**100%**

Based upon 6 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 444-445 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTCTW107: Other OTC med #10 taken 2x/wk last mo

If YES to OTC107: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	1	0.0 %
2	Yes	3	0.1 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-1	N/A	2198	94.5 %
.	-	125	5.4 %
	Total	**2,327**	**100%**

Based upon 4 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 446-447 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTC117: Other OTC med #11

Since your last study visit, have you taken: Any other over-the-counter pills or other medications (including liquids or ointments or aspirin) that I haven't talked to you about?

Value	Label	Unweighted Frequency	%
1	No	0	0.0 %
2	Yes	4	0.2 %
	Missing Data		
-1	N/A	2198	94.5 %
.	-	125	5.4 %
	Total	**2,327**	**100%**

Based upon 4 valid cases out of 2,327 total cases.

- Minimum: 2.00
- Maximum: 2.00

Location: 448-449 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTCTW117: Other OTC med #11 taken 2x/wk last mo

If YES to OTC117: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	1	0.0 %
2	Yes	3	0.1 %
	Missing Data		
-1	N/A	2198	94.5 %
.	-	125	5.4 %
	Total	**2,327**	**100%**

Based upon 4 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 450-451 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTC127: Other OTC med #12

Since your last study visit, have you taken: Any other over-the-counter pills or other medications (including liquids or ointments or aspirin) that I haven't talked to you about?

Value	Label	Unweighted Frequency	%
1	No	1	0.0 %
2	Yes	3	0.1 %
	Missing Data		
-1	N/A	2198	94.5 %
.	-	125	5.4 %
	Total	**2,327**	**100%**

Based upon 4 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 452-453 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTCTW127: Other OTC med #12 taken 2x/wk last mo

If YES to OTC127: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	1	0.0 %
2	Yes	2	0.1 %
	Missing Data		
-1	N/A	2199	94.5 %
.	-	125	5.4 %
	Total	**2,327**	**100%**

Based upon 3 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 454-455 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTC137: Other OTC med #13

Since your last study visit, have you taken: Any other over-the-counter pills or other medications (including liquids or ointments or aspirin) that I haven't talked to you about?

Value	Label	Unweighted Frequency	%
1	No	1	0.0 %
2	Yes	2	0.1 %
	Missing Data		
-1	N/A	2199	94.5 %
.	-	125	5.4 %
	Total	**2,327**	**100%**

Based upon 3 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 456-457 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTCTW137: Other OTC med #13 taken 2x/wk last mo

If YES to OTC137: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	1	0.0 %
2	Yes	1	0.0 %
	Missing Data		
-1	N/A	2200	94.5 %
.	-	125	5.4 %
	Total	**2,327**	**100%**

Based upon 2 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 458-459 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTC147: Other OTC med #14

Since your last study visit, have you taken: Any other over-the-counter pills or other medications (including liquids or ointments or aspirin) that I haven't talked to you about?

Value	Label	Unweighted Frequency	%
1	No	0	0.0 %

Value	Label	Unweighted Frequency	%
2	Yes	2	0.1 %
	Missing Data		
-1	N/A	2200	94.5 %
.	-	125	5.4 %
	Total	**2,327**	**100%**

Based upon 2 valid cases out of 2,327 total cases.

- Minimum: 2.00
- Maximum: 2.00

Location: 460-461 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTCTW147: Other OTC med #14 taken 2x/wk last mo

If YES to OTC147: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	1	0.0 %
2	Yes	1	0.0 %
	Missing Data		
-1	N/A	2200	94.5 %
.	-	125	5.4 %
	Total	**2,327**	**100%**

Based upon 2 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 462-463 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTC157: Other OTC med #15

Since your last study visit, have you taken: Any other over-the-counter pills or other medications (including liquids or ointments or aspirin) that I haven't talked to you about?

Value	Label	Unweighted Frequency	%
1	No	1	0.0 %
2	Yes	1	0.0 %
	Missing Data		
-1	N/A	2200	94.5 %
.	-	125	5.4 %
	Total	**2,327**	**100%**

Based upon 2 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 464-465 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTCTW157: Other OTC med #15 taken 2x/wk last mo

If YES to OTC157: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	1	0.0 %
2	Yes	0	0.0 %
	Missing Data		
-1	N/A	2201	94.6 %
.	-	125	5.4 %
	Total	**2,327**	**100%**

Based upon 1 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 466-467 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SOYYSNO7: Soy protein/phytoestrogen powders/pills

During the past year have you used any supplements containing soy protein or phytoestrogen powders or pills?

Value	Label	Unweighted Frequency	%
1	No	1887	81.1 %
2	Yes	312	13.4 %
	Missing Data		
-8	Do not know	3	0.1 %
.	-	125	5.4 %
	Total	**2,327**	**100%**

Based upon 2,199 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 468-469 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SOYPROT7: How often take soy protein

If YES to SOYYSNO7: How many times per week?

Value	Label	Unweighted Frequency	%
1	Don't take any	28	1.2 %
2	1-3 days/week	94	4.0 %
3	4-6 days/week	41	1.8 %
4	Every day	149	6.4 %
	Missing Data		
-1	N/A	1890	81.2 %
.	-	125	5.4 %
	Total	**2,327**	**100%**

Based upon 312 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 470-471 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CEREACA7: How many bowls high calcium cereal

How many bowls of cereal do you eat per week where the label of the cereal box says that it is high in calcium?

Value	Label	Unweighted Frequency	%
1	None or <1/week	1524	65.5 %
2	1/week	183	7.9 %
3	2/week	163	7.0 %
4	3-4/week	114	4.9 %
5	5-6/week	44	1.9 %
6	>=7/week	36	1.5 %
	Missing Data		
-8	Do not know	138	5.9 %
.	-	125	5.4 %
	Total	**2,327**	**100%**

Based upon 2,064 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 472-473 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BREADCA7: How many slices high calcium bread

How many slices of bread do you eat per week when the bread wrapper says the loaf is high in calcium?

Value	Label	Unweighted Frequency	%
1	None or <1/week	1438	61.8 %
2	1/week	125	5.4 %
3	2/week	141	6.1 %
4	3-4/week	167	7.2 %
5	5-6/week	76	3.3 %
6	>=7/week	94	4.0 %
	Missing Data		
-8	Do not know	161	6.9 %
.	-	125	5.4 %
	Total	**2,327**	**100%**

Based upon 2,041 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 474-475 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ORANGCA7: How many glasses high calcium OJ

Some brands of fortified juice have extra calcium added. How many glasses of fruit juice or fruit drink containing extra calcium do you drink per week?

Value	Label	Unweighted Frequency	%
1	None or <1/week	1299	55.8 %
2	1/week	199	8.6 %
3	2/week	209	9.0 %
4	3-4/week	226	9.7 %
5	5-6/week	98	4.2 %
6	>=7/week	147	6.3 %
	Missing Data		
-8	Do not know	24	1.0 %
.	-	125	5.4 %
	Total	**2,327**	**100%**

Based upon 2,178 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 476-477 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ACUPUNC7: Acupuncture

During the past 12 months, have you used any of the following for your health? Acupuncture

Value	Label	Unweighted Frequency	%
1	No	2109	90.6 %
2	Yes	93	4.0 %
	Missing Data		
.	-	125	5.4 %
	Total	**2,327**	**100%**

Based upon 2,202 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 478-479 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ACUPHAR7: Acupuncture - Heart

If YES to ACUPUNC7: Please tell me whether or not you use acupuncture: To reduce the risk of heart disease?

Value	Label	Unweighted Frequency	%
1	No	91	3.9 %
2	Yes	2	0.1 %
	Missing Data		
.	-	2234	96.0 %
	Total	**2,327**	**100%**

Based upon 93 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 480-481 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ACUPOST7: Acupuncture - Osteoporosis

If YES to ACUPUNC7: Please tell me whether or not you use acupuncture: To reduce the risk of osteoporosis?

Value	Label	Unweighted Frequency	%
1	No	92	4.0 %
2	Yes	1	0.0 %
	Missing Data		
.	-	2234	96.0 %
	Total	**2,327**	**100%**

Based upon 93 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 482-483 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ACUPMEN7: Acupuncture - Meno. symptoms

If YES to ACUPUNC7: Please tell me whether or not you use acupuncture: To relieve menopausal symptoms?

Value	Label	Unweighted Frequency	%
1	No	83	3.6 %
2	Yes	10	0.4 %
	Missing Data		
.	-	2234	96.0 %
	Total	**2,327**	**100%**

Based upon 93 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 484-485 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ACUPLOO7: Acupuncture - Young Looking

If YES to ACUPUNC7: Please tell me whether or not you use acupuncture: To stay young-looking?

Value	Label	Unweighted Frequency	%
1	No	93	4.0 %
2	Yes	0	0.0 %
	Missing Data		
.	-	2234	96.0 %
	Total	**2,327**	**100%**

Based upon 93 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 486-487 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ACUPMEM7: Acupuncture - Improve Memory

If YES to ACUPUNC7: Please tell me whether or not you use acupuncture: To improve memory?

Value	Label	Unweighted Frequency	%
1	No	92	4.0 %
2	Yes	1	0.0 %
	Missing Data		
.	-	2234	96.0 %
	Total	**2,327**	**100%**

Based upon 93 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 488-489 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ACUPPER7: Acupuncture - Reg. Periods

If YES to ACUPUNC7: Please tell me whether or not you use acupuncture: To regulate periods?

Value	Label	Unweighted Frequency	%
1	No	93	4.0 %
2	Yes	0	0.0 %
	Missing Data		
.	-	2234	96.0 %
	Total	**2,327**	**100%**

Based upon 93 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 490-491 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ACUPGEN7: Acupuncture - General Health

If YES to ACUPUNC7: Please tell me whether or not you use acupuncture: For general health?

Value	Label	Unweighted Frequency	%
1	No	50	2.1 %
2	Yes	43	1.8 %
	Missing Data		
.	-	2234	96.0 %
	Total	**2,327**	**100%**

Based upon 93 valid cases out of 2,327 total cases.

- Minimum: 1.00

- Maximum: 2.00

Location: 492-493 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ACUPWGH7: Acupuncture - Weight

If YES to ACUPUNC7: Please tell me whether or not you use acupuncture: To lose weight or to stay the same weight?

Value	Label	Unweighted Frequency	%
1	No	90	3.9 %
2	Yes	3	0.1 %
	Missing Data		
.	-	2234	96.0 %
	Total	**2,327**	**100%**

Based upon 93 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 494-495 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ACUPADV7: Acupuncture - Provider advice

If YES to ACUPUNC7: Please tell me whether or not you use acupuncture: On advice from health care provider?

Value	Label	Unweighted Frequency	%
1	No	75	3.2 %
2	Yes	18	0.8 %
	Missing Data		
.	-	2234	96.0 %
	Total	**2,327**	**100%**

Based upon 93 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 496-497 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ACUPOTH7: Acupuncture - Other reason

If YES to ACUPUNC7: Please tell me whether or not you use acupuncture: Is there any other reason you use acupuncture?

Value	Label	Unweighted Frequency	%
1	No	20	0.9 %
2	Yes	73	3.1 %
	Missing Data		
.	-	2234	96.0 %
	Total	**2,327**	**100%**

Based upon 93 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 498-499 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ACUPSPE7: Acupuncture - Other specify

If YES to ACUPUNC7: Please tell me whether or not you use acupuncture: Is there any other reason you use acupuncture? Specify

Value	Label	Unweighted Frequency	%
	-	2254	96.9 %
ANKLE PAIN	-	1	0.0 %
ARTHRITIS (FINGER)	-	1	0.0 %
ARTHRITIS (NECK)	-	1	0.0 %
ASTHMA	-	1	0.0 %
BACK + NECK PAIN	-	1	0.0 %
BACK PAIN	-	3	0.1 %
BACK PAIN, SPINE CORD PAIN	-	1	0.0 %
BLOOD PRESSURE	-	1	0.0 %
BREAST CANCER, STUFFED EARS, LIVER	-	1	0.0 %
CARPAL TUNNEL	-	1	0.0 %
CLASS REQUIREMENT	-	1	0.0 %
COLD FEET	-	1	0.0 %
DEPRESSION	-	1	0.0 %
DIGESTIVE PROBLEMS, FOOD SENSITIVITIES	-	1	0.0 %
ENDOMETRIOSIS	-	1	0.0 %
EYE DIFFICULTY	-	1	0.0 %
FIBROMYALGIA	-	1	0.0 %
FOOT & BACK PROBLEMS	-	1	0.0 %
FOR ALS	-	1	0.0 %
FOR EYE	-	1	0.0 %
FOR FIBROID SURGERY	-	1	0.0 %
FOR KNEE JOINTS	-	1	0.0 %
FOR PAIN	-	1	0.0 %
FOR SLIPPED DISC	-	1	0.0 %

Value	Label	Unweighted Frequency	%
FOR SPRAINED ANKLE	-	1	0.0 %
HEADACHE	-	2	0.1 %
HOT FLASHES	-	1	0.0 %
INJURY ON KNEE	-	1	0.0 %
JOINT PAIN	-	1	0.0 %
KNEE PAIN	-	2	0.1 %
MANAGE PAIN	-	1	0.0 %
MENTAL HEALTH	-	1	0.0 %
MUSCLE STIFFNESS	-	1	0.0 %
NECK AND BACK PAIN	-	1	0.0 %
NECK PAIN	-	1	0.0 %
PAIN	-	4	0.2 %
PAIN CONTROL	-	1	0.0 %
PAIN MANAGEMENT	-	1	0.0 %
PAIN RELIEF	-	2	0.1 %
PULLED MUSCLES	-	1	0.0 %
R WAS HAVING PAIN NEEDED ENERGY	-	1	0.0 %
RELAXATION	-	1	0.0 %
RELIEVE ITCHING FROM POISON IVY	-	1	0.0 %
RELIEVE PAIN	-	2	0.1 %
RELIEVE STRESS.	-	1	0.0 %
SHOULDER ACHE	-	1	0.0 %
SHOULDER INJURY	-	1	0.0 %
SHOULDER INJURY, PAIN IN ELBOW	-	1	0.0 %
SHOULDER PAIN	-	1	0.0 %
	Total	**2,327**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,327 valid cases out of 2,327 total cases.

Location: 500-544 (width: 45; decimal: 0)
Variable Type: character

BCOHOSH7: Black cohosh

During the past 12 months, have you used any of the following for your health? Black cohosh

Value	Label	Unweighted Frequency	%
1	No	2023	86.9 %
2	Yes	179	7.7 %
	Missing Data		
.	-	125	5.4 %
	Total	**2,327**	**100%**

Based upon 2,202 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 545-546 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BCOHHAR7: Black cohosh - Heart

If YES to BCOHOSH7: Please tell me whether or not you use black cohosh: To reduce the risk of heart disease?

Value	Label	Unweighted Frequency	%
1	No	174	7.5 %
2	Yes	5	0.2 %
	Missing Data		
.	-	2148	92.3 %
	Total	**2,327**	**100%**

Based upon 179 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 547-548 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BCOHOST7: Black cohosh - Osteoporosis

If YES to BCOHOSH7: Please tell me whether or not you use black cohosh: To reduce the risk of osteoporosis?

Value	Label	Unweighted Frequency	%
1	No	169	7.3 %
2	Yes	10	0.4 %
	Missing Data		
.	-	2148	92.3 %
	Total	**2,327**	**100%**

Based upon 179 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 549-550 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BCOHMEN7: Black cohosh - Meno. symptoms

If YES to BCOHOSH7: Please tell me whether or not you use black cohosh: To relieve menopausal symptoms?

Value	Label	Unweighted Frequency	%
1	No	12	0.5 %
2	Yes	167	7.2 %
	Missing Data		
.	-	2148	92.3 %
	Total	**2,327**	**100%**

Based upon 179 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 551-552 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BCOHLOO7: Black cohosh - Young Looking

If YES to BCOHOSH7: Please tell me whether or not you use black cohosh: To stay young-looking?

Value	Label	Unweighted Frequency	%
1	No	174	7.5 %
2	Yes	5	0.2 %
	Missing Data		
.	-	2148	92.3 %
	Total	**2,327**	**100%**

Based upon 179 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 553-554 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BCOHMEM7: Black cohosh - Improve Memory

If YES to BCOHOSH7: Please tell me whether or not you use black cohosh: To improve memory?

Value	Label	Unweighted Frequency	%
1	No	171	7.3 %
2	Yes	8	0.3 %
	Missing Data		
.	-	2148	92.3 %
	Total	**2,327**	**100%**

Based upon 179 valid cases out of 2,327 total cases.

- Minimum: 1.00

- Maximum: 2.00

Location: 555-556 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BCOHPER7: Black cohosh - Reg. Periods

If YES to BCOHOSH7: Please tell me whether or not you use black cohosh: To regulate periods?

Value	Label	Unweighted Frequency	%
1	No	173	7.4 %
2	Yes	6	0.3 %
	Missing Data		
.	-	2148	92.3 %
	Total	**2,327**	**100%**

Based upon 179 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 557-558 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BCOHGEN7: Black cohosh - General Health

If YES to BCOHOSH7: Please tell me whether or not you use black cohosh: For general health?

Value	Label	Unweighted Frequency	%
1	No	141	6.1 %
2	Yes	38	1.6 %
	Missing Data		
.	-	2148	92.3 %
	Total	**2,327**	**100%**

Based upon 179 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 559-560 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BCOHWGH7: Black cohosh - Weight

If YES to BCOHOSH7: Please tell me whether or not you use black cohosh: To lose weight or to stay the same weight?

Value	Label	Unweighted Frequency	%
1	No	176	7.6 %
2	Yes	3	0.1 %
	Missing Data		
.	-	2148	92.3 %
	Total	**2,327**	**100%**

Based upon 179 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 561-562 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BCOHADV7: Black cohosh - Provider advice

If YES to BCOHOSH7: Please tell me whether or not you use black cohosh: On advice from health care provider?

Value	Label	Unweighted Frequency	%
1	No	150	6.4 %
2	Yes	29	1.2 %
	Missing Data		
.	-	2148	92.3 %
	Total	**2,327**	**100%**

Based upon 179 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 563-564 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BCOHOTH7: Black cohosh - Other reason

If YES to BCOHOSH7: Please tell me whether or not you use black cohosh: Is there any other reason you use black cohosh?

Value	Label	Unweighted Frequency	%
1	No	161	6.9 %
2	Yes	18	0.8 %
	Missing Data		
.	-	2148	92.3 %
	Total	**2,327**	**100%**

Based upon 179 valid cases out of 2,327 total cases.

- Minimum: 1.00

- Maximum: 2.00

Location: 565-566 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BCOHSPE7: Black cohosh - Other specify

If YES to BCOHOSH7: Please tell me whether or not you use black cohosh: Is there any other reason you use black cohosh? Specify

Value	Label	Unweighted Frequency	%
	-	2309	99.2 %
BELIEVES IN HERBS	-	1	0.0 %
FOR COLDS AND BALANCE WOMEN STUFF	-	1	0.0 %
FOR MOOD	-	1	0.0 %
FOR SLEEP	-	1	0.0 %
HEADACHE	-	1	0.0 %
HELPS VAGINAL DRYNESS	-	1	0.0 %
HOT FLASH	-	1	0.0 %
HOT FLASHES	-	5	0.2 %
MENOPAUSE SYMPTOMS	-	1	0.0 %
MOOD SWINGS	-	1	0.0 %
REDUCE HOT FLASHES	-	2	0.1 %
SLEEP	-	1	0.0 %
TO PREPARE FOR MENOPAUSAL SYMPTOMS	-	1	0.0 %
	Total	**2,327**	**100%**

Based upon 2,327 valid cases out of 2,327 total cases.

Location: 567-600 (width: 34; decimal: 0)
Variable Type: character

DQUAI7: Dong Quai

During the past 12 months, have you used any of the following for your health? Dong Quai

Value	Label	Unweighted Frequency	%
1	No	2151	92.4 %
2	Yes	51	2.2 %
	Missing Data		
.	-	125	5.4 %
	Total	**2,327**	**100%**

Based upon 2,202 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 601-602 (width: 2; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DQUAHAR7: Dong Quai - Heart

If YES to DQUAI7: Please tell me whether or not you use Dong Quai: To reduce the risk of heart disease?

Value	Label	Unweighted Frequency	%
1	No	49	2.1 %
2	Yes	2	0.1 %
	Missing Data		
.	-	2276	97.8 %
	Total	**2,327**	**100%**

Based upon 51 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 603-604 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DQUAOST7: Dong Quai - Osteoporosis

If YES to DQUAI7: Please tell me whether or not you use Dong Quai: To reduce the risk of osteoporosis?

Value	Label	Unweighted Frequency	%
1	No	46	2.0 %
2	Yes	5	0.2 %
	Missing Data		
.	-	2276	97.8 %
	Total	**2,327**	**100%**

Based upon 51 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 605-606 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DQUAMEN7: Dong Quai - Meno. symptoms

If YES to DQUAI7: Please tell me whether or not you use Dong Quai: To relieve menopausal symptoms?

Value	Label	Unweighted Frequency	%
1	No	17	0.7 %
2	Yes	34	1.5 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	2276	97.8 %
	Total	**2,327**	**100%**

Based upon 51 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 607-608 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DQUALOO7: Dong Quai - Young Looking

If YES to DQUAI7: Please tell me whether or not you use Dong Quai: To stay young-looking?

Value	Label	Unweighted Frequency	%
1	No	45	1.9 %
2	Yes	6	0.3 %
	Missing Data		
.	-	2276	97.8 %
	Total	**2,327**	**100%**

Based upon 51 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 609-610 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DQUAMEM7: Dong Quai - Improve Memory

If YES to DQUAI7: Please tell me whether or not you use Dong Quai: To improve memory?

Value	Label	Unweighted Frequency	%
1	No	48	2.1 %
2	Yes	3	0.1 %
	Missing Data		
.	-	2276	97.8 %
	Total	**2,327**	**100%**

Based upon 51 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 611-612 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DQUAPER7: Dong Quai - Reg. Periods

If YES to DQUAI7: Please tell me whether or not you use Dong Quai: To regulate periods?

Value	Label	Unweighted Frequency	%
1	No	45	1.9 %
2	Yes	6	0.3 %
	Missing Data		
.	-	2276	97.8 %
	Total	**2,327**	**100%**

Based upon 51 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 613-614 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DQUAGEN7: Dong Quai - General Health

If YES to DQUAI7: Please tell me whether or not you use Dong Quai: For general health?

Value	Label	Unweighted Frequency	%
1	No	25	1.1 %
2	Yes	26	1.1 %
	Missing Data		
.	-	2276	97.8 %
	Total	**2,327**	**100%**

Based upon 51 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 615-616 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DQUAWGH7: Dong Quai - Weight

If YES to DQUAI7: Please tell me whether or not you use Dong Quai: To lose weight or to stay the same weight?

Value	Label	Unweighted Frequency	%
1	No	51	2.2 %
2	Yes	0	0.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	2276	97.8 %
	Total	**2,327**	**100%**

Based upon 51 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 617-618 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DQUAADV7: Dong Quai - Provider advice

If YES to DQUAI7: Please tell me whether or not you use Dong Quai: On advice from health care provider?

Value	Label	Unweighted Frequency	%
1	No	47	2.0 %
2	Yes	4	0.2 %
	Missing Data		
.	-	2276	97.8 %
	Total	**2,327**	**100%**

Based upon 51 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 619-620 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DQUAOTH7: Dong Quai - Other reason

If YES to DQUAI7: Please tell me whether or not you use Dong Quai: Is there any other reason you use Dong Quai?

Value	Label	Unweighted Frequency	%
1	No	37	1.6 %
2	Yes	14	0.6 %
	Missing Data		
.	-	2276	97.8 %
	Total	**2,327**	**100%**

Based upon 51 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 621-622 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DQUASPE7: Dong Quai - Other specify

If YES to DQUAI7: Please tell me whether or not you use Dong Quai: Is there any other reason you use Dong Quai? Specify

Value	Label	Unweighted Frequency	%
	-	2313	99.4 %
DIGESTIVE BENEFIT	-	1	0.0 %
ENERGIZING	-	1	0.0 %
FEEL LIKE IT	-	1	0.0 %
FOR BLOOD	-	1	0.0 %
FOR COLDS AND BALANCE WOMEN STUFF	-	1	0.0 %
FOR WOMAN'S HEALTH	-	1	0.0 %
HOT FLASHES	-	1	0.0 %
IMPROVE ENERGY	-	1	0.0 %
IN SOUP	-	1	0.0 %
PREVENT HAIR LOSS	-	1	0.0 %
REPLACEMENT FOR COFFEE	-	1	0.0 %
TO FEEL GOOD	-	1	0.0 %
TO RELIEVE HOT FLASHES	-	1	0.0 %
VAGINAL DRYNESS	-	1	0.0 %
	Total	**2,327**	**100%**

Based upon 2,327 valid cases out of 2,327 total cases.

Location: 623-655 (width: 33; decimal: 0)
Variable Type: character

DIETNUT7: Nutritious diet

During the past 12 months, have you used any of the following for your health? Eating a nutritious diet

Value	Label	Unweighted Frequency	%
1	No	650	27.9 %
2	Yes	1552	66.7 %
	Missing Data		
.	-	125	5.4 %
	Total	**2,327**	**100%**

Based upon 2,202 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 656-657 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIETHAR7: Nutritious diet - Heart

If YES to DIETNUT7: Please tell me whether or not you use eating a nutritious diet: To reduce the risk of heart disease?

Value	Label	Unweighted Frequency	%
1	No	668	28.7 %
2	Yes	884	38.0 %
	Missing Data		
.	-	775	33.3 %
	Total	**2,327**	**100%**

Based upon 1,552 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 658-659 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIETOST7: Nutritious diet - Osteoporosis

If YES to DIETNUT7: Please tell me whether or not you use eating a nutritious diet: To reduce the risk of osteoporosis?

Value	Label	Unweighted Frequency	%
1	No	927	39.8 %
2	Yes	625	26.9 %
	Missing Data		
.	-	775	33.3 %
	Total	**2,327**	**100%**

Based upon 1,552 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 660-661 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIETMEN7: Nutritious diet - Meno. symptoms

If YES to DIETNUT7: Please tell me whether or not you use eating a nutritious diet: To relieve menopausal symptoms?

Value	Label	Unweighted Frequency	%
1	No	1276	54.8 %
2	Yes	275	11.8 %
	Missing Data		
.	-	776	33.3 %

Value	Label	Unweighted Frequency	%
	Total	**2,327**	**100%**

Based upon 1,551 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 662-663 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIETLOO7: Nutritious diet - Young Looking

If YES to DIETNUT7: Please tell me whether or not you use eating a nutritious diet: To stay young-looking?

Value	Label	Unweighted Frequency	%
1	No	1059	45.5 %
2	Yes	493	21.2 %
	Missing Data		
.	-	775	33.3 %
	Total	**2,327**	**100%**

Based upon 1,552 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 664-665 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIETMEM7: Nutritious diet - Improve Memory

If YES to DIETNUT7: Please tell me whether or not you use eating a nutritious diet: To improve memory?

Value	Label	Unweighted Frequency	%
1	No	1191	51.2 %
2	Yes	361	15.5 %
	Missing Data		
.	-	775	33.3 %
	Total	**2,327**	**100%**

Based upon 1,552 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 666-667 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIETPER7: Nutritious diet - Reg. Periods

If YES to DIETNUT7: Please tell me whether or not you use eating a nutritious diet: To regulate periods?

Value	Label	Unweighted Frequency	%
1	No	1513	65.0 %
2	Yes	39	1.7 %
	Missing Data		
.	-	775	33.3 %
	Total	**2,327**	**100%**

Based upon 1,552 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 668-669 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIETGEN7: Nutritious diet - General Health

If YES to DIETNUT7: Please tell me whether or not you use eating a nutritious diet: For general health?

Value	Label	Unweighted Frequency	%
1	No	96	4.1 %
2	Yes	1456	62.6 %
	Missing Data		
.	-	775	33.3 %
	Total	**2,327**	**100%**

Based upon 1,552 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 670-671 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIETWGH7: Nutritious diet - Weight

If YES to DIETNUT7: Please tell me whether or not you use eating a nutritious diet: To lose weight or to stay the same weight?

Value	Label	Unweighted Frequency	%
1	No	421	18.1 %
2	Yes	1131	48.6 %
	Missing Data		
.	-	775	33.3 %

Value	Label	Unweighted Frequency	%
	Total	**2,327**	**100%**

Based upon 1,552 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 672-673 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIETADV7: Nutritious diet - Provider advice

If YES to DIETNUT7: Please tell me whether or not you use eating a nutritious diet: On advice from health care provider?

Value	Label	Unweighted Frequency	%
1	No	1147	49.3 %
2	Yes	405	17.4 %
	Missing Data		
.	-	775	33.3 %
	Total	**2,327**	**100%**

Based upon 1,552 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 674-675 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIETOTH7: Nutritious diet - Other reason

If YES to DIETNUT7: Please tell me whether or not you use eating a nutritious diet: Is there any other reason you use eating a nutritious diet?

Value	Label	Unweighted Frequency	%
1	No	1302	56.0 %
2	Yes	250	10.7 %
	Missing Data		
.	-	775	33.3 %
	Total	**2,327**	**100%**

Based upon 1,552 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 676-677 (width: 2; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIETSPE7: Nutritious diet - Other specify

If YES to DIETNUT7: Please tell me whether or not you use eating a nutritious diet: Is there any other reason you use eating a nutritious diet? Specify

Value	Label	Unweighted Frequency	%
	-	2077	89.3 %
'I LIKE IT.'	-	1	0.0 %
A LOT OF ILLNESSES RUN THROUGH MY FAMILY	-	1	0.0 %
ALWAYS DONE IT	-	1	0.0 %
ALZHEIMERS PREVENTION	-	1	0.0 %
ANXIETY DISORDER	-	1	0.0 %
ATKINS DIET WORKS FOR HER	-	1	0.0 %
AVOID DIABETES	-	1	0.0 %
AVOID PRESCRIPTION MEDS FOR BP	-	1	0.0 %
AVOIDS FOODS WITH PRESERVATIVES	-	1	0.0 %
BE A GOOD MODEL FOR DAUGHTER	-	1	0.0 %
BECAUSE DIABETES TO STAY HEALTHY, PERIOD.	-	1	0.0 %
BECAUSE I AM AN ANIMAL RIGHTS PERSON	-	1	0.0 %
BECAUSE I HAVE TO EAT	-	1	0.0 %
BECAUSE I LIKE IT	-	2	0.1 %
BECAUSE I'M SUPPOSE TO	-	1	0.0 %
BECAUSE OF MOTHER'S EXAMPLE	-	1	0.0 %
BECAUSE SHE NEEDS TO	-	1	0.0 %
BEEN A WAY OF LIFE	-	1	0.0 %
BELIEF/SYSTEM	-	1	0.0 %
BETTER LIFE	-	1	0.0 %
BLOOD PRESSURE & CHOLESTEROL	-	1	0.0 %
BREAST CANCER	-	1	0.0 %
CALCIUM INTAKE	-	1	0.0 %
CANCER	-	2	0.1 %
CANCER, ALZHEIMER	-	1	0.0 %
CAUSE I ALWAYS HAVE	-	1	0.0 %
CERTAIN DIET IN POST SURGERY DIET	-	1	0.0 %
CHELOSTEROL	-	1	0.0 %
CHOLESTEROL	-	3	0.1 %
COMMON SENSE	-	3	0.1 %
CONDITIONING SKIN	-	1	0.0 %
CONTROL CHOLESTEROL	-	2	0.1 %
CUT DOWN ON FAT	-	1	0.0 %
DELICIOUS TASTE	-	1	0.0 %
DIABETES	-	11	0.5 %
DIABETIC	-	2	0.1 %

Value	Label	Unweighted Frequency	%
DIETARY RESTRICTIONS	-	1	0.0 %
EAT THE WAY I GROW UP	-	1	0.0 %
EATING GOOD	-	1	0.0 %
ENERGY	-	2	0.1 %
ENJOY IT	-	1	0.0 %
ENJOYMENT	-	1	0.0 %
ENLOY IT	-	1	0.0 %
FAMILY HISTORY HEART PROBLEM	-	1	0.0 %
FATIGUE	-	1	0.0 %
FEEDING KIDS	-	1	0.0 %
FEEL BETTER	-	2	0.1 %
FEEL BETTER ABOUT SELF	-	1	0.0 %
FEEL GOOD	-	2	0.1 %
	Total	**2,327**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,327 valid cases out of 2,327 total cases.

Location: 678-735 (width: 58; decimal: 0)
Variable Type: character

EXERCIS7: Exercise

During the past 12 months, have you used any of the following for your health? Exercise

Value	Label	Unweighted Frequency	%
1	No	623	26.8 %
2	Yes	1579	67.9 %
	Missing Data		
.	-	125	5.4 %
	Total	**2,327**	**100%**

Based upon 2,202 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 736-737 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

EXERHAR7: Exercise - Heart

If YES to EXERCIS7: Please tell me whether or not you use exercise: To reduce the risk of heart disease?

Value	Label	Unweighted Frequency	%
1	No	676	29.1 %
2	Yes	902	38.8 %
	Missing Data		
.	-	749	32.2 %
	Total	**2,327**	**100%**

Based upon 1,578 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 738-739 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

EXEROST7: Exercise - Osteoporosis

If YES to EXERCIS7: Please tell me whether or not you use exercise: To reduce the risk of osteoporosis?

Value	Label	Unweighted Frequency	%
1	No	784	33.7 %
2	Yes	794	34.1 %
	Missing Data		
.	-	749	32.2 %
	Total	**2,327**	**100%**

Based upon 1,578 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 740-741 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

EXERMEN7: Exercise - Meno. symptoms

If YES to EXERCIS7: Please tell me whether or not you use exercise: To relieve menopausal symptoms?

Value	Label	Unweighted Frequency	%
1	No	1302	56.0 %
2	Yes	276	11.9 %
	Missing Data		
.	-	749	32.2 %
	Total	**2,327**	**100%**

Based upon 1,578 valid cases out of 2,327 total cases.

- Minimum: 1.00

- Maximum: 2.00

Location: 742-743 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

EXERLOO7: Exercise - Young Looking

If YES to EXERCIS7: Please tell me whether or not you use exercise: To stay young-looking?

Value	Label	Unweighted Frequency	%
1	No	884	38.0 %
2	Yes	694	29.8 %
	Missing Data		
.	-	749	32.2 %
	Total	**2,327**	**100%**

Based upon 1,578 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 744-745 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

EXERMEM7: Exercise - Improve Memory

If YES to EXERCIS7: Please tell me whether or not you use exercise: To improve memory?

Value	Label	Unweighted Frequency	%
1	No	1193	51.3 %
2	Yes	385	16.5 %
	Missing Data		
.	-	749	32.2 %
	Total	**2,327**	**100%**

Based upon 1,578 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 746-747 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

EXERPER7: Exercise - Reg. Periods

If YES to EXERCIS7: Please tell me whether or not you use exercise: To regulate periods?

Value	Label	Unweighted Frequency	%
1	No	1535	66.0 %
2	Yes	43	1.8 %
	Missing Data		
.	-	749	32.2 %
	Total	**2,327**	**100%**

Based upon 1,578 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 748-749 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

EXERGEN7: Exercise - General Health

If YES to EXERCIS7: Please tell me whether or not you use exercise: For general health?

Value	Label	Unweighted Frequency	%
1	No	110	4.7 %
2	Yes	1468	63.1 %
	Missing Data		
.	-	749	32.2 %
	Total	**2,327**	**100%**

Based upon 1,578 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 750-751 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

EXERWGH7: Exercise - Weight

If YES to EXERCIS7: Please tell me whether or not you use exercise: To lose weight or to stay the same weight?

Value	Label	Unweighted Frequency	%
1	No	319	13.7 %
2	Yes	1259	54.1 %
	Missing Data		
.	-	749	32.2 %
	Total	**2,327**	**100%**

Based upon 1,578 valid cases out of 2,327 total cases.

- Minimum: 1.00

- Maximum: 2.00

Location: 752-753 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

EXERADV7: Exercise - Provider advice

If YES to EXERCIS7: Please tell me whether or not you use exercise: On advice from health care provider?

Value	Label	Unweighted Frequency	%
1	No	1060	45.6 %
2	Yes	518	22.3 %
	Missing Data		
.	-	749	32.2 %
	Total	**2,327**	**100%**

Based upon 1,578 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 754-755 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

EXEROTH7: Exercise - Other reason

If YES to EXERCIS7: Please tell me whether or not you use exercise: Is there any other reason you use exercise?

Value	Label	Unweighted Frequency	%
1	No	1205	51.8 %
2	Yes	373	16.0 %
	Missing Data		
.	-	749	32.2 %
	Total	**2,327**	**100%**

Based upon 1,578 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 756-757 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

EXERSPE7: Exercise - Other specify

If YES to EXERCIS7: Please tell me whether or not you use exercise: Is there any other reason you use exercise? Specify

Value	Label	Unweighted Frequency	%
	-	1954	84.0 %
ACTIVITY FOR NEIGHBORHOOD GROUP	-	1	0.0 %
ADDICTED NOW	-	1	0.0 %
ADDICTED TO IT	-	1	0.0 %
ANXIETY DISORDER	-	1	0.0 %
ARTHRITIS	-	3	0.1 %
ARTHRITIS FOR SPINE	-	1	0.0 %
ARTHRITIS IN R LEG MAKES IT FEEL BETTER	-	1	0.0 %
ARTRITIS	-	1	0.0 %
AVOID DIABETES	-	1	0.0 %
BALANCES MOOD	-	1	0.0 %
BE A GOOD MODEL FOR DAUGHTER	-	1	0.0 %
BE MORE ENERGETIC, REDUCE STRESS	-	1	0.0 %
BE PHYSICALLY STRONG	-	1	0.0 %
BE WITH FRIENDS	-	1	0.0 %
BECAUSE I ENJOY IT	-	1	0.0 %
BECAUSE IT MAKES ME FEEL BETTER YOUNGER	-	1	0.0 %
BECAUSE MY HUSBAND MAKES ME	-	1	0.0 %
BEEN DOING IT SINCE SMALL	-	1	0.0 %
BETTER HEALTH	-	1	0.0 %
BLOOD PRESSURE & CHOLESTEROL	-	1	0.0 %
BONE AND JOINT HEALTH	-	1	0.0 %
BRING UP CHOLESTEROL HDL	-	1	0.0 %
BUILD MUSCLE	-	1	0.0 %
CANCER	-	1	0.0 %
CANCER, ALZHEIMER	-	1	0.0 %
CIRCULATION	-	1	0.0 %
COMMON SENSE	-	1	0.0 %
COMRADERY	-	1	0.0 %
CONTROL CHOLESTEROL AND BLOOD PRESSURE	-	1	0.0 %
CONTROL DIABETES	-	2	0.1 %
DANCE CLASSES AND I LIKE IT	-	1	0.0 %
DEPRESSION	-	1	0.0 %
DIABETES	-	6	0.3 %
DIABETES AND PAIN MANAGEMENT	-	1	0.0 %
DIABETES, FOR MY HEART	-	1	0.0 %
DIABETES; STAIRS IN HOME	-	1	0.0 %
DOG WALKING	-	2	0.1 %
DOG WALKS	-	1	0.0 %
DOG-HOBBY	-	1	0.0 %
DOGS NEED EXERCISE; GOOD FOR ME	-	1	0.0 %
DON'T DRIVE	-	1	0.0 %

Value	Label	Unweighted Frequency	%
DON'T HAVE A CAR	-	1	0.0 %
EMOTIONAL WELL BEING	-	1	0.0 %
EMOTIONAL/PSYCHOLOGICAL WELL-BEING	-	1	0.0 %
EMT FIREFIGHTER FOR PROFESSIONS	-	1	0.0 %
ENERGY	-	1	0.0 %
ENJOY IT	-	2	0.1 %
ENJOY IT; STRESS RELIEVER	-	1	0.0 %
ENJOYMENT	-	11	0.5 %
	Total	**2,327**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,327 valid cases out of 2,327 total cases.

Location: 758-815 (width: 58; decimal: 0)
Variable Type: character

FLAXSEE7: Flaxseed

During the past 12 months, have you used any of the following for your health? Flaxseed or flaxseed oil supplements

Value	Label	Unweighted Frequency	%
1	No	1921	82.6 %
2	Yes	281	12.1 %
	Missing Data		
.	-	125	5.4 %
	Total	**2,327**	**100%**

Based upon 2,202 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 816-817 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FLAXHAR7: Flaxseed - Heart

If YES to FLAXSEE7: Please tell me whether or not you use flaxseed or flaxseed oil supplements: To reduce the risk of heart disease?

Value	Label	Unweighted Frequency	%
1	No	137	5.9 %
2	Yes	144	6.2 %
	Missing Data		
.	-	2046	87.9 %
	Total	**2,327**	**100%**

Based upon 281 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 818-819 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FLAXOST7: Flaxseed - Osteoporosis

If YES to FLAXSEE7: Please tell me whether or not you use flaxseed or flaxseed oil supplements: To reduce the risk of osteoporosis?

Value	Label	Unweighted Frequency	%
1	No	233	10.0 %
2	Yes	48	2.1 %
	Missing Data		
.	-	2046	87.9 %
	Total	**2,327**	**100%**

Based upon 281 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 820-821 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FLAXMEN7: Flaxseed - Meno. symptoms

If YES to FLAXSEE7: Please tell me whether or not you use flaxseed or flaxseed oil supplements: To relieve menopausal symptoms?

Value	Label	Unweighted Frequency	%
1	No	225	9.7 %
2	Yes	56	2.4 %
	Missing Data		
.	-	2046	87.9 %
	Total	**2,327**	**100%**

Based upon 281 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 822-823 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FLAXLOO7: Flaxseed - Young Looking

If YES to FLAXSEE7: Please tell me whether or not you use flaxseed or flaxseed oil supplements: To stay young-looking?

Value	Label	Unweighted Frequency	%
1	No	219	9.4 %
2	Yes	62	2.7 %
	Missing Data		
.	-	2046	87.9 %
	Total	**2,327**	**100%**

Based upon 281 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 824-825 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FLAXMEM7: Flaxseed - Improve Memory

If YES to FLAXSEE7: Please tell me whether or not you use flaxseed or flaxseed oil supplements: To improve memory?

Value	Label	Unweighted Frequency	%
1	No	238	10.2 %
2	Yes	43	1.8 %
	Missing Data		
.	-	2046	87.9 %
	Total	**2,327**	**100%**

Based upon 281 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 826-827 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FLAXPER7: Flaxseed - Reg. Periods

If YES to FLAXSEE7: Please tell me whether or not you use flaxseed or flaxseed oil supplements: To regulate periods?

Value	Label	Unweighted Frequency	%
1	No	269	11.6 %
2	Yes	12	0.5 %
	Missing Data		
.	-	2046	87.9 %
	Total	**2,327**	**100%**

Based upon 281 valid cases out of 2,327 total cases.

- Minimum: 1.00

- Maximum: 2.00

Location: 828-829 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FLAXGEN7: Flaxseed - General Health

If YES to FLAXSEE7: Please tell me whether or not you use flaxseed or flaxseed oil supplements: For general health?

Value	Label	Unweighted Frequency	%
1	No	65	2.8 %
2	Yes	216	9.3 %
	Missing Data		
.	-	2046	87.9 %
	Total	**2,327**	**100%**

Based upon 281 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 830-831 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FLAXWGH7: Flaxseed - Weight

If YES to FLAXSEE7: Please tell me whether or not you use flaxseed or flaxseed oil supplements: To lose weight or to stay the same weight?

Value	Label	Unweighted Frequency	%
1	No	229	9.8 %
2	Yes	52	2.2 %
	Missing Data		
.	-	2046	87.9 %
	Total	**2,327**	**100%**

Based upon 281 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 832-833 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FLAXADV7: Flaxseed - Provider advice

If YES to FLAXSEE7: Please tell me whether or not you use flaxseed or flaxseed oil supplements: On advice from health care provider?

Value	Label	Unweighted Frequency	%
1	No	241	10.4 %
2	Yes	40	1.7 %
	Missing Data		
.	-	2046	87.9 %
	Total	**2,327**	**100%**

Based upon 281 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 834-835 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FLAXOTH7: Flaxseed - Other reason

If YES to FLAXSEE7: Please tell me whether or not you use flaxseed or flaxseed oil supplements: Is there any other reason you use flaxseed or flaxseed oil supplements?

Value	Label	Unweighted Frequency	%
1	No	210	9.0 %
2	Yes	71	3.1 %
	Missing Data		
.	-	2046	87.9 %
	Total	**2,327**	**100%**

Based upon 281 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 836-837 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FLAXSPE7: Flaxseed - Other specify

If YES to FLAXSEE7: Please tell me whether or not you use flaxseed or flaxseed oil supplements: Is there any other reason you use flaxseed or flaxseed oil supplements? Specify

Value	Label	Unweighted Frequency	%
	-	2256	96.9 %
ADDING JUST A DIFFERENT TAST IN OIL	-	1	0.0 %
ADDITIONAL FIBER	-	1	0.0 %
ARTHRITIS	-	1	0.0 %
BASICALLY GIVING TO HUSBAND	-	1	0.0 %
BECAUSE IT IS A FOOD I CAN EAT	-	1	0.0 %

Value	Label	Unweighted Frequency	%
BECAUSE MY SISTER TOLD ME THAT IT'S GOOD FOR THE SKIN	-	1	0.0 %
BOWEL MOTION	-	1	0.0 %
BUT DOESN'T REMEMBER	-	1	0.0 %
CHOLESTEROL	-	2	0.1 %
CONSTIPATION	-	1	0.0 %
COUSIN COOKS WITH IT	-	1	0.0 %
DEPRESSION , ANXIETY	-	1	0.0 %
EYE HEALTH	-	1	0.0 %
FOR ALLERGY	-	1	0.0 %
FOR CARDIOVASCULAR	-	1	0.0 %
FOR FIBER TO RELIEVE CONSTIPATION	-	1	0.0 %
FOR JOINTS	-	1	0.0 %
FOR PSORIASIS	-	1	0.0 %
FOR SKIN RASH	-	1	0.0 %
FRIEND ADVISED HER - CANT RECALL WHAT IT IS FOR	-	1	0.0 %
FRIEND RECOMMENDED	-	1	0.0 %
GOOD FOR HEALTHY BRAIN	-	1	0.0 %
GOOD FOR ME	-	1	0.0 %
GOOD FOR SKIN	-	1	0.0 %
GOOD FOR YOU	-	1	0.0 %
HAS INCREASED FIBER CONTENT	-	1	0.0 %
HEALTHIER CARDIOVASCULAR SYSTEM	-	1	0.0 %
HEALTHY HEART	-	1	0.0 %
HELP CANCER	-	1	0.0 %
HELP WITH JOINTS & BOWEL REGULARITY	-	1	0.0 %
HELPS DIGEST, HELPS ASTHMA	-	1	0.0 %
IMPROVE MOOD	-	1	0.0 %
IN PACKET WITH HERBAL SUPPLEMENTS	-	1	0.0 %
INSULLIN RESISTANCE	-	1	0.0 %
IT KEEPS ME REGULAR	-	1	0.0 %
IT'S GOOD FOR YOU I STUDIED IT, I FELT BETTER	-	1	0.0 %
ITCHY EYES AND IMPROVE SKIN	-	1	0.0 %
JOINT	-	1	0.0 %
JOINTS	-	1	0.0 %
KEEP ELIMINATION NORMAL 3/DAY	-	1	0.0 %
KNOW IT'S HEALTHY	-	1	0.0 %
LAXATIVE, TO REGULATE SYSTEM	-	1	0.0 %
LOWER CHOLESTEROL	-	1	0.0 %
LOWERING CHOLESTEROL	-	1	0.0 %
LUBRICATE JOINTS	-	1	0.0 %
MULTIPLE SCLEROSIS	-	1	0.0 %
NEED FOR JOINTS	-	1	0.0 %

Value	Label	Unweighted Frequency	%
PAIN RELIEF	-	1	0.0 %
PART OF HEALTH DIET	-	1	0.0 %
	Total	**2,327**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,327 valid cases out of 2,327 total cases.

Location: 838-890 (width: 53; decimal: 0)
Variable Type: character

GINKGO7: Ginkgo Biloba

During the past 12 months, have you used any of the following for your health? Ginkgo Biloba

Value	Label	Unweighted Frequency	%
1	No	2053	88.2 %
2	Yes	149	6.4 %
	Missing Data		
.	-	125	5.4 %
	Total	**2,327**	**100%**

Based upon 2,202 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 891-892 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GINKHAR7: Ginkgo Biloba - Heart

If YES to GINKGO7: Please tell me whether or not you use Ginkgo Biloba: To reduce the risk of heart disease?

Value	Label	Unweighted Frequency	%
1	No	143	6.1 %
2	Yes	6	0.3 %
	Missing Data		
.	-	2178	93.6 %
	Total	**2,327**	**100%**

Based upon 149 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 893-894 (width: 2; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GINKOST7: Ginkgo Biloba - Osteoporosis

If YES to GINKGO7: Please tell me whether or not you use Ginkgo Biloba: To reduce the risk of osteoporosis?

Value	Label	Unweighted Frequency	%
1	No	147	6.3 %
2	Yes	2	0.1 %
	Missing Data		
.	-	2178	93.6 %
	Total	**2,327**	**100%**

Based upon 149 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 895-896 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GINKMEN7: Ginkgo Biloba - Meno. symptoms

If YES to GINKGO7: Please tell me whether or not you use Ginkgo Biloba: To relieve menopausal symptoms?

Value	Label	Unweighted Frequency	%
1	No	144	6.2 %
2	Yes	5	0.2 %
	Missing Data		
.	-	2178	93.6 %
	Total	**2,327**	**100%**

Based upon 149 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 897-898 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GINKLOO7: Ginkgo Biloba - Young Looking

If YES to GINKGO7: Please tell me whether or not you use Ginkgo Biloba: To stay young-looking?

Value	Label	Unweighted Frequency	%
1	No	141	6.1 %
2	Yes	8	0.3 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	2178	93.6 %
	Total	**2,327**	**100%**

Based upon 149 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 899-900 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GINKMEM7: Ginkgo Biloba - Improve Memory

If YES to GINKGO7: Please tell me whether or not you use Ginkgo Biloba: To improve memory?

Value	Label	Unweighted Frequency	%
1	No	13	0.6 %
2	Yes	136	5.8 %
	Missing Data		
.	-	2178	93.6 %
	Total	**2,327**	**100%**

Based upon 149 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 901-902 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GINKPER7: Ginkgo Biloba - Reg. Periods

If YES to GINKGO7: Please tell me whether or not you use Ginkgo Biloba: To regulate periods?

Value	Label	Unweighted Frequency	%
1	No	149	6.4 %
2	Yes	0	0.0 %
	Missing Data		
.	-	2178	93.6 %
	Total	**2,327**	**100%**

Based upon 149 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 903-904 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GINKGEN7: Ginkgo Biloba - General Health

If YES to GINKGO7: Please tell me whether or not you use Ginkgo Biloba: For general health?

Value	Label	Unweighted Frequency	%
1	No	105	4.5 %
2	Yes	44	1.9 %
	Missing Data		
.	-	2178	93.6 %
	Total	**2,327**	**100%**

Based upon 149 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 905-906 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GINKWGH7: Ginkgo Biloba - Weight

If YES to GINKGO7: Please tell me whether or not you use Ginkgo Biloba: To lose weight or to stay the same weight?

Value	Label	Unweighted Frequency	%
1	No	142	6.1 %
2	Yes	7	0.3 %
	Missing Data		
.	-	2178	93.6 %
	Total	**2,327**	**100%**

Based upon 149 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 907-908 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GINKADV7: Ginkgo Biloba - Provider advice

If YES to GINKGO7: Please tell me whether or not you use Ginkgo Biloba: On advice from health care provider?

Value	Label	Unweighted Frequency	%
1	No	144	6.2 %
2	Yes	5	0.2 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	2178	93.6 %
	Total	**2,327**	**100%**

Based upon 149 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 909-910 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GINKOTH7: Ginkgo Biloba - Other reason

If YES to GINKGO7: Please tell me whether or not you use Ginkgo Biloba: Is there any other reason you use Ginkgo Biloba?

Value	Label	Unweighted Frequency	%
1	No	140	6.0 %
2	Yes	9	0.4 %
	Missing Data		
.	-	2178	93.6 %
	Total	**2,327**	**100%**

Based upon 149 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 911-912 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GINKSPE7: Ginkgo Biloba - Other specify

If YES to GINKGO7: Please tell me whether or not you use Ginkgo Biloba: Is there any other reason you use Ginkgo Biloba? Specify

Value	Label	Unweighted Frequency	%
	-	2318	99.6 %
BE MORE ALERT	-	1	0.0 %
ELIMINATION AND REBUILDONG CELLS IN BODY	-	1	0.0 %
ENERGY	-	1	0.0 %
FOR INCREAASED ENERGY	-	1	0.0 %
FOR PEACE OF MIND	-	1	0.0 %
FRIEND SUGGESTED	-	1	0.0 %
IMPROVES CIRCULATION	-	1	0.0 %
MOM PUT IN SOUP	-	1	0.0 %
MORE ALERT	-	1	0.0 %

Value	Label	Unweighted Frequency	%
	Total	**2,327**	**100%**

Based upon 2,327 valid cases out of 2,327 total cases.

Location: 913-952 (width: 40; decimal: 0)
Variable Type: character

GINSENG7: Ginseng

During the past 12 months, have you used any of the following for your health? Ginseng

Value	Label	Unweighted Frequency	%
1	No	2070	89.0 %
2	Yes	132	5.7 %
	Missing Data		
.	-	125	5.4 %
	Total	**2,327**	**100%**

Based upon 2,202 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 953-954 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GINSHAR7: Ginseng - Heart

If YES to GINSENG7: Please tell me whether or not you use ginseng: To reduce the risk of heart disease?

Value	Label	Unweighted Frequency	%
1	No	122	5.2 %
2	Yes	10	0.4 %
	Missing Data		
.	-	2195	94.3 %
	Total	**2,327**	**100%**

Based upon 132 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 955-956 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GINSOST7: Ginseng - Osteoporosis

If YES to GINSENG7: Please tell me whether or not you use ginseng: To reduce the risk of osteoporosis?

Value	Label	Unweighted Frequency	%
1	No	126	5.4 %
2	Yes	6	0.3 %
	Missing Data		
.	-	2195	94.3 %
	Total	**2,327**	**100%**

Based upon 132 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 957-958 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GINSMEN7: Ginseng - Meno. symptoms

If YES to GINSENG7: Please tell me whether or not you use ginseng: To relieve menopausal symptoms?

Value	Label	Unweighted Frequency	%
1	No	119	5.1 %
2	Yes	13	0.6 %
	Missing Data		
.	-	2195	94.3 %
	Total	**2,327**	**100%**

Based upon 132 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 959-960 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GINSLOO7: Ginseng - Young Looking

If YES to GINSENG7: Please tell me whether or not you use ginseng: To stay young-looking?

Value	Label	Unweighted Frequency	%
1	No	115	4.9 %
2	Yes	17	0.7 %
	Missing Data		
.	-	2195	94.3 %
	Total	**2,327**	**100%**

Based upon 132 valid cases out of 2,327 total cases.

- Minimum: 1.00

- Maximum: 2.00

Location: 961-962 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GINSMEM7: Ginseng - Improve Memory

If YES to GINSENG7: Please tell me whether or not you use ginseng: To improve memory?

Value	Label	Unweighted Frequency	%
1	No	91	3.9 %
2	Yes	41	1.8 %
	Missing Data		
.	-	2195	94.3 %
	Total	**2,327**	**100%**

Based upon 132 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 963-964 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GINSPER7: Ginseng - Reg. Periods

If YES to GINSENG7: Please tell me whether or not you use ginseng: To regulate periods?

Value	Label	Unweighted Frequency	%
1	No	131	5.6 %
2	Yes	1	0.0 %
	Missing Data		
.	-	2195	94.3 %
	Total	**2,327**	**100%**

Based upon 132 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 965-966 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GINSGEN7: Ginseng - General Health

If YES to GINSENG7: Please tell me whether or not you use ginseng: For general health?

Value	Label	Unweighted Frequency	%
1	No	37	1.6 %
2	Yes	95	4.1 %
	Missing Data		
.	-	2195	94.3 %
	Total	**2,327**	**100%**

Based upon 132 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 967-968 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GINSWGH7: Ginseng - Weight

If YES to GINSENG7: Please tell me whether or not you use ginseng: To lose weight or to stay the same weight?

Value	Label	Unweighted Frequency	%
1	No	117	5.0 %
2	Yes	15	0.6 %
	Missing Data		
.	-	2195	94.3 %
	Total	**2,327**	**100%**

Based upon 132 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 969-970 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GINSADV7: Ginseng - Provider advice

If YES to GINSENG7: Please tell me whether or not you use ginseng: On advice from health care provider?

Value	Label	Unweighted Frequency	%
1	No	125	5.4 %
2	Yes	7	0.3 %
	Missing Data		
.	-	2195	94.3 %
	Total	**2,327**	**100%**

Based upon 132 valid cases out of 2,327 total cases.

- Minimum: 1.00

- Maximum: 2.00

Location: 971-972 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GINSOTH7: Ginseng - Other reason

If YES to GINSENG7: Please tell me whether or not you use ginseng: Is there any other reason you use ginseng?

Value	Label	Unweighted Frequency	%
1	No	90	3.9 %
2	Yes	42	1.8 %
	Missing Data		
.	-	2195	94.3 %
	Total	**2,327**	**100%**

Based upon 132 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 973-974 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GINSSPE7: Ginseng - Other specify

If YES to GINSENG7: Please tell me whether or not you use ginseng: Is there any other reason you use ginseng? Specify

Value	Label	Unweighted Frequency	%
	-	2285	98.2 %
ADVERTISMENT	-	1	0.0 %
ALTH & RELIEVE ARTHRITIS SYMPTOMS/PAIN	-	1	0.0 %
COLD	-	1	0.0 %
ECONOMICAL, TASTES GOOD	-	1	0.0 %
ENERGY	-	13	0.6 %
EXTRA ENERGY	-	1	0.0 %
FIBROIDS	-	1	0.0 %
FOR ENERGY	-	1	0.0 %
FOR INCREASED ENERGY	-	1	0.0 %
FOR INCREASED ENERGY FOR RACKET BALL	-	1	0.0 %
FUN/ENJOYMENT	-	1	0.0 %
GIVE ENERGY	-	1	0.0 %
IMPROVE ENERGY	-	1	0.0 %
IMPROVE IMMUNE SYSTEM	-	1	0.0 %
JUST BECAUSE I LIKE IT	-	1	0.0 %
KEEPING MYSELF TOGETHER	-	1	0.0 %

Value	Label	Unweighted Frequency	%
MAKES HER JOINTS FEEL GOOD	-	1	0.0 %
MOM MADE IT	-	1	0.0 %
MORE ALERT	-	1	0.0 %
MORE ENERGY	-	3	0.1 %
PAIN	-	1	0.0 %
PART OF MULTIVITAMIN	-	2	0.1 %
PICK UP ENERGY	-	1	0.0 %
RELIEVE GAS	-	1	0.0 %
STAMINA, STRENGTH	-	1	0.0 %
TO HELP WITH ENERGY	-	1	0.0 %
WARM UP BODY	-	1	0.0 %
	Total	**2,327**	**100%**

Based upon 2,327 valid cases out of 2,327 total cases.

Location: 975-1012 (width: 38; decimal: 0)
Variable Type: character

GLUSAMI7: Glucosamine

During the past 12 months, have you used any of the following for your health? Glucosamine with or without Chondroitin

Value	Label	Unweighted Frequency	%
1	No	1816	78.0 %
2	Yes	386	16.6 %
	Missing Data		
.	-	125	5.4 %
	Total	**2,327**	**100%**

Based upon 2,202 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1013-1014 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GLUSHAR7: Glucosamine - Heart

If YES to GLUSAMI7: Please tell me whether or not you use glucosamine with or without Chondroitin: To reduce the risk of heart disease?

Value	Label	Unweighted Frequency	%
1	No	379	16.3 %
2	Yes	7	0.3 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	1941	83.4 %
	Total	**2,327**	**100%**

Based upon 386 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1015-1016 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GLUSOST7: Glucosamine - Osteoporosis

If YES to GLUSAMI7: Please tell me whether or not you use glucosamine with or without Chondroitin: To reduce the risk of osteoporosis?

Value	Label	Unweighted Frequency	%
1	No	256	11.0 %
2	Yes	130	5.6 %
	Missing Data		
.	-	1941	83.4 %
	Total	**2,327**	**100%**

Based upon 386 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1017-1018 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GLUSMEN7: Glucosamine - Meno. symptoms

If YES to GLUSAMI7: Please tell me whether or not you use glucosamine with or without Chondroitin: To relieve menopausal symptoms?

Value	Label	Unweighted Frequency	%
1	No	377	16.2 %
2	Yes	9	0.4 %
	Missing Data		
.	-	1941	83.4 %
	Total	**2,327**	**100%**

Based upon 386 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1019-1020 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GLUSLOO7: Glucosamine - Young Looking

If YES to GLUSAMI7: Please tell me whether or not you use glucosamine with or without Chondroitin: To stay young-looking?

Value	Label	Unweighted Frequency	%
1	No	372	16.0 %
2	Yes	14	0.6 %
	Missing Data		
.	-	1941	83.4 %
	Total	**2,327**	**100%**

Based upon 386 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1021-1022 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GLUSMEM7: Glucosamine - Improve Memory

If YES to GLUSAMI7: Please tell me whether or not you use glucosamine with or without Chondroitin: To improve memory?

Value	Label	Unweighted Frequency	%
1	No	381	16.4 %
2	Yes	5	0.2 %
	Missing Data		
.	-	1941	83.4 %
	Total	**2,327**	**100%**

Based upon 386 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1023-1024 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GLUSPER7: Glucosamine - Reg. Periods

If YES to GLUSAMI7: Please tell me whether or not you use glucosamine with or without Chondroitin: To regulate periods?

Value	Label	Unweighted Frequency	%
1	No	385	16.5 %
2	Yes	1	0.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	1941	83.4 %
	Total	**2,327**	**100%**

Based upon 386 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1025-1026 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GLUSGEN7: Glucosamine - General Health

If YES to GLUSAMI7: Please tell me whether or not you use glucosamine with or without Chondroitin: For general health?

Value	Label	Unweighted Frequency	%
1	No	218	9.4 %
2	Yes	168	7.2 %
	Missing Data		
.	-	1941	83.4 %
	Total	**2,327**	**100%**

Based upon 386 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1027-1028 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GLUSWGH7: Glucosamine - Weight

If YES to GLUSAMI7: Please tell me whether or not you use glucosamine with or without Chondroitin: To lose weight or to stay the same weight?

Value	Label	Unweighted Frequency	%
1	No	377	16.2 %
2	Yes	9	0.4 %
	Missing Data		
.	-	1941	83.4 %
	Total	**2,327**	**100%**

Based upon 386 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1029-1030 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GLUSADV7: Glucosamine - Provider advice

If YES to GLUSAMI7: Please tell me whether or not you use glucosamine with or without Chondroitin: On advice from health care provider?

Value	Label	Unweighted Frequency	%
1	No	340	14.6 %
2	Yes	46	2.0 %
	Missing Data		
.	-	1941	83.4 %
	Total	**2,327**	**100%**

Based upon 386 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1031-1032 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GLUSOTH7: Glucosamine - Other reason

If YES to GLUSAMI7: Please tell me whether or not you use glucosamine with or without Chondroitin: Is there any other reason you use glucosamine with or without Chondroitin?

Value	Label	Unweighted Frequency	%
1	No	114	4.9 %
2	Yes	272	11.7 %
	Missing Data		
.	-	1941	83.4 %
	Total	**2,327**	**100%**

Based upon 386 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1033-1034 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GLUSSPE7: Glucosamine - Other specify

If YES to GLUSAMI7: Please tell me whether or not you use glucosamine with or without Chondroitin: Is there any other reason you use glucosamine with or without Chondroitin? Specify

Value	Label	Unweighted Frequency	%
	-	2055	88.3 %
AGILITY	-	1	0.0 %
ALLERGIC TO THIS STARTED FOR JOINT PAIN	-	1	0.0 %
ARITHRITS	-	1	0.0 %
ARTHRITIS	-	32	1.4 %
ARTHRITIS & JOINTS	-	1	0.0 %
ARTHRITIS - DETERIORATION	-	1	0.0 %
ARTHRITIS AND JOINT PAIN	-	1	0.0 %
ARTHRITIS AND MUSCLES	-	1	0.0 %
ARTHRITIS FOR JOINTS	-	1	0.0 %
ARTHRITIS IN KNEES	-	1	0.0 %
ARTHRITIS IN MY KNEES	-	1	0.0 %
ARTHRITIS PAIN	-	2	0.1 %
ARTHRITIS, MOBILITY, PAIN MANAGEMENT	-	1	0.0 %
ARTHRITIS/JOINT PROBLEMS	-	1	0.0 %
ARTHRITS IN JOINTS	-	1	0.0 %
BACK PAIN, JOINT PAIN	-	1	0.0 %
BACKACHE	-	1	0.0 %
BAD HIP	-	1	0.0 %
BAD KNEES	-	1	0.0 %
BONE	-	1	0.0 %
BONE DISCOMFORT	-	1	0.0 %
BONE HEALTH I GUESS	-	1	0.0 %
BONE/JOINTS	-	1	0.0 %
BONES	-	1	0.0 %
BONES & JOINTS	-	1	0.0 %
CONNECTIVE TISSUE	-	1	0.0 %
DR. TOLD ME TO TAKE FOR PAIN IN KNEES	-	1	0.0 %
FOR ARTHRITIS	-	2	0.1 %
FOR BAD KNEE	-	1	0.0 %
FOR HEALTHY BONES AND JOINTS	-	1	0.0 %
FOR JOINT ACHES	-	2	0.1 %
FOR JOINT HEALTH	-	1	0.0 %
FOR JOINT PAIN	-	1	0.0 %
FOR JOINT REGENERATION	-	1	0.0 %
FOR JOINT STIFFNESS	-	1	0.0 %
FOR JOINT STRENGTHENING	-	1	0.0 %
FOR JOINTS	-	12	0.5 %
FOR JOINTS RELIEVES PAIN IN THEM	-	1	0.0 %
FOR JOINTS, HIP PAIN	-	1	0.0 %
FOR JOINTS, TO HELP MOVE AROUND	-	1	0.0 %
FOR KNEE PAIN	-	3	0.1 %

Value	Label	Unweighted Frequency	%
FOR KNEES	-	3	0.1 %
FOR MY ARTHRITIS	-	1	0.0 %
FOR MY JOINTS	-	2	0.1 %
FOR OSTEOARTHRITIS	-	1	0.0 %
FOR PAIN IN JOINTS	-	1	0.0 %
FOR PAIN IN KNEES	-	1	0.0 %
FOR PAIN RELIEF	-	1	0.0 %
FOR PREVENTION OF ARTHRITIS AND OSTEOPOROSIS	-	1	0.0 %
	Total	**2,327**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,327 valid cases out of 2,327 total cases.

Location: 1035-1087 (width: 53; decimal: 0)
Variable Type: character

MYAMPRO7: Mexican yam

During the past 12 months, have you used any of the following for your health? Mexican yam or progesterone cream

Value	Label	Unweighted Frequency	%
1	No	2149	92.4 %
2	Yes	53	2.3 %
	Missing Data		
.	-	125	5.4 %
	Total	**2,327**	**100%**

Based upon 2,202 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1088-1089 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MYAMHAR7: Mexican yam - Heart

If YES to MYAMPRO7: Please tell me whether or not you use Mexican yam or progesterone cream: To reduce the risk of heart disease?

Value	Label	Unweighted Frequency	%
1	No	49	2.1 %
2	Yes	4	0.2 %
	Missing Data		
.	-	2274	97.7 %

Value	Label	Unweighted Frequency	%
	Total	**2,327**	**100%**

Based upon 53 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1090-1091 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MYAMOST7: Mexican yam - Osteoporosis

If YES to MYAMPRO7: Please tell me whether or not you use Mexican yam or progesterone cream: To reduce the risk of osteoporosis?

Value	Label	Unweighted Frequency	%
1	No	45	1.9 %
2	Yes	8	0.3 %
	Missing Data		
.	-	2274	97.7 %
	Total	**2,327**	**100%**

Based upon 53 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1092-1093 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MYAMMEN7: Mexican yam - Meno. symptoms

If YES to MYAMPRO7: Please tell me whether or not you use Mexican yam or progesterone cream: To relieve menopausal symptoms?

Value	Label	Unweighted Frequency	%
1	No	12	0.5 %
2	Yes	41	1.8 %
	Missing Data		
.	-	2274	97.7 %
	Total	**2,327**	**100%**

Based upon 53 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1094-1095 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MYAMLOO7: Mexican yam - Young Looking

If YES to MYAMPRO7: Please tell me whether or not you use Mexican yam or progesterone cream: To stay young-looking?

Value	Label	Unweighted Frequency	%
1	No	47	2.0 %
2	Yes	6	0.3 %
	Missing Data		
.	-	2274	97.7 %
	Total	**2,327**	**100%**

Based upon 53 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1096-1097 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MYAMMEM7: Mexican yam - Improve Memory

If YES to MYAMPRO7: Please tell me whether or not you use Mexican yam or progesterone cream: To improve memory?

Value	Label	Unweighted Frequency	%
1	No	49	2.1 %
2	Yes	4	0.2 %
	Missing Data		
.	-	2274	97.7 %
	Total	**2,327**	**100%**

Based upon 53 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1098-1099 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MYAMPER7: Mexican yam - Reg. Periods

If YES to MYAMPRO7: Please tell me whether or not you use Mexican yam or progesterone cream: To regulate periods?

Value	Label	Unweighted Frequency	%
1	No	48	2.1 %
2	Yes	5	0.2 %
	Missing Data		
.	-	2274	97.7 %

Value	Label	Unweighted Frequency	%
	Total	**2,327**	**100%**

Based upon 53 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1100-1101 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MYAMGEN7: Mexican yam - General Health

If YES to MYAMPRO7: Please tell me whether or not you use Mexican yam or progesterone cream: For general health?

Value	Label	Unweighted Frequency	%
1	No	36	1.5 %
2	Yes	17	0.7 %
	Missing Data		
.	-	2274	97.7 %
	Total	**2,327**	**100%**

Based upon 53 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1102-1103 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MYAMWGH7: Mexican yam - Weight

If YES to MYAMPRO7: Please tell me whether or not you use Mexican yam or progesterone cream: To lose weight or to stay the same weight?

Value	Label	Unweighted Frequency	%
1	No	51	2.2 %
2	Yes	2	0.1 %
	Missing Data		
.	-	2274	97.7 %
	Total	**2,327**	**100%**

Based upon 53 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1104-1105 (width: 2; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MYAMADV7: Mexican yam - Provider advice

If YES to MYAMPRO7: Please tell me whether or not you use Mexican yam or progesterone cream: On advice from health care provider?

Value	Label	Unweighted Frequency	%
1	No	49	2.1 %
2	Yes	4	0.2 %
	Missing Data		
.	-	2274	97.7 %
	Total	**2,327**	**100%**

Based upon 53 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1106-1107 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MYAMOTH7: Mexican yam - Other reason

If YES to MYAMPRO7: Please tell me whether or not you use Mexican yam or progesterone cream: Is there any other reason you use Mexican yam or progesterone cream?

Value	Label	Unweighted Frequency	%
1	No	44	1.9 %
2	Yes	9	0.4 %
	Missing Data		
.	-	2274	97.7 %
	Total	**2,327**	**100%**

Based upon 53 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1108-1109 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MYAMSPE7: Mexican yam - Other specify

If YES to MYAMPRO7: Please tell me whether or not you use Mexican yam or progesterone cream: Is there any other reason you use Mexican yam or progesterone cream? Specify

Value	Label	Unweighted Frequency	%
	-	2318	99.6 %

Value	Label	Unweighted Frequency	%
FEEL YOUNGER	-	1	0.0 %
FEELS SHOULDS	-	1	0.0 %
IN PLACE OF HORMONES	-	1	0.0 %
INFLUENCED BLOOD COMPOSITION	-	1	0.0 %
KNEE PAIN	-	1	0.0 %
REDUCE SYMPTOMS	-	1	0.0 %
RELIEVE PMS	-	1	0.0 %
SPIRTUAL HEALTH AND WELL BEING	-	1	0.0 %
TO STOP BLEEDING	-	1	0.0 %
	Total	**2,327**	**100%**

Based upon 2,327 valid cases out of 2,327 total cases.

Location: 1110-1139 (width: 30; decimal: 0)
Variable Type: character

PRAYER7: Prayer

During the past 12 months, have you used any of the following for your health? Prayer

Value	Label	Unweighted Frequency	%
1	No	1061	45.6 %
2	Yes	1141	49.0 %
	Missing Data		
.	-	125	5.4 %
	Total	**2,327**	**100%**

Based upon 2,202 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1140-1141 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PRAYHAR7: Prayer - Heart

If YES to PRAYER7: Please tell me whether or not you use prayer: To reduce the risk of heart disease?

Value	Label	Unweighted Frequency	%
1	No	925	39.8 %
2	Yes	216	9.3 %
	Missing Data		
.	-	1186	51.0 %
	Total	**2,327**	**100%**

Based upon 1,141 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1142-1143 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PRAYOST7: Prayer - Osteoporosis

If YES to PRAYER7: Please tell me whether or not you use prayer: To reduce the risk of osteoporosis?

Value	Label	Unweighted Frequency	%
1	No	962	41.3 %
2	Yes	179	7.7 %
	Missing Data		
.	-	1186	51.0 %
	Total	**2,327**	**100%**

Based upon 1,141 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1144-1145 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PRAYMEN7: Prayer - Meno. symptoms

If YES to PRAYER7: Please tell me whether or not you use prayer: To relieve menopausal symptoms?

Value	Label	Unweighted Frequency	%
1	No	985	42.3 %
2	Yes	156	6.7 %
	Missing Data		
.	-	1186	51.0 %
	Total	**2,327**	**100%**

Based upon 1,141 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1146-1147 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PRAYLOO7: Prayer - Young Looking

If YES to PRAYER7: Please tell me whether or not you use prayer: To stay young-looking?

Value	Label	Unweighted Frequency	%
1	No	977	42.0 %
2	Yes	164	7.0 %
	Missing Data		
.	-	1186	51.0 %
	Total	**2,327**	**100%**

Based upon 1,141 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1148-1149 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PRAYMEM7: Prayer - Improve Memory

If YES to PRAYER7: Please tell me whether or not you use prayer: To improve memory?

Value	Label	Unweighted Frequency	%
1	No	921	39.6 %
2	Yes	220	9.5 %
	Missing Data		
.	-	1186	51.0 %
	Total	**2,327**	**100%**

Based upon 1,141 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1150-1151 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PRAYPER7: Prayer - Reg. Periods

If YES to PRAYER7: Please tell me whether or not you use prayer: To regulate periods?

Value	Label	Unweighted Frequency	%
1	No	1073	46.1 %
2	Yes	68	2.9 %
	Missing Data		
.	-	1186	51.0 %
	Total	**2,327**	**100%**

Based upon 1,141 valid cases out of 2,327 total cases.

- Minimum: 1.00

- Maximum: 2.00

Location: 1152-1153 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PRAYGEN7: Prayer - General Health

If YES to PRAYER7: Please tell me whether or not you use prayer: For general health?

Value	Label	Unweighted Frequency	%
1	No	406	17.4 %
2	Yes	735	31.6 %
	Missing Data		
.	-	1186	51.0 %
	Total	**2,327**	**100%**

Based upon 1,141 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1154-1155 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PRAYWGH7: Prayer - Weight

If YES to PRAYER7: Please tell me whether or not you use prayer: To lose weight or to stay the same weight?

Value	Label	Unweighted Frequency	%
1	No	920	39.5 %
2	Yes	221	9.5 %
	Missing Data		
.	-	1186	51.0 %
	Total	**2,327**	**100%**

Based upon 1,141 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1156-1157 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PRAYADV7: Prayer - Provider advice

If YES to PRAYER7: Please tell me whether or not you use prayer: On advice from health care provider?

Value	Label	Unweighted Frequency	%
1	No	1061	45.6 %
2	Yes	80	3.4 %
	Missing Data		
.	-	1186	51.0 %
	Total	**2,327**	**100%**

Based upon 1,141 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1158-1159 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PRAYOTH7: Prayer - Other reason

If YES to PRAYER7: Please tell me whether or not you use prayer: Is there any other reason you use prayer?

Value	Label	Unweighted Frequency	%
1	No	394	16.9 %
2	Yes	747	32.1 %
	Missing Data		
.	-	1186	51.0 %
	Total	**2,327**	**100%**

Based upon 1,141 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1160-1161 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PRAYSPE7: Prayer - Other specify

If YES to PRAYER7: Please tell me whether or not you use prayer: Is there any other reason you use prayer? Specify

Value	Label	Unweighted Frequency	%
	-	1581	67.9 %
A GOOD LIFE	-	1	0.0 %
A LOT OF FAITH	-	1	0.0 %
A PART OF MY FAITH	-	1	0.0 %
A STRESS RELIEVER AND PART OF MY FAMILYS TRADITION	-	1	0.0 %
ACTIVE RELATIONSHIP WITH GOD	-	1	0.0 %
ALTERNATIVE HEALING	-	1	0.0 %
ALWAYS BEEN	-	1	0.0 %

Value	Label	Unweighted Frequency	%
ALWAYS FOR MY CAT I PRAY	-	1	0.0 %
ALWAYS HAVE DONE	-	1	0.0 %
AND PEACE OF MIND RELIEVES STRESS	-	1	0.0 %
ANSWER TO ANYTHING	-	1	0.0 %
ASK GOD'S BLESSING	-	1	0.0 %
BE OBEDIENT TO GOD, WHERE HER HELP COMES FROM	-	1	0.0 %
BECAUSE I AM GREATFUL	-	1	0.0 %
BECAUSE I BELIEVE IN IT	-	2	0.1 %
BECAUSE I BELIEVE IN PRAYER	-	1	0.0 %
BECAUSE I HAVE FAITH AND BELIEVE IN PRAYER	-	1	0.0 %
BECAUSE I LIKE TO KEEP IN TOUCH WITH GOD, INSPIRES ME	-	1	0.0 %
BECAUSE I LOVE GOD	-	1	0.0 %
BECAUSE I LOVE THE LORD	-	2	0.1 %
BECAUSE I NEED TO AND WANT TO, IT'S REQUIRED	-	1	0.0 %
BECAUSE I THINK GOD WILL HELP US FEEL BETTER	-	1	0.0 %
BECAUSE I WANT TO	-	1	0.0 %
BECAUSE I'M A RELIGIOUS PERSON	-	1	0.0 %
BECAUSE I'M SPIRITUAL, IT'S THE RIGHT THING TO DO	-	1	0.0 %
BECAUSE IS A CHRISTIAN	-	1	0.0 %
BECAUSE IT FEELS GOOD	-	1	0.0 %
BECAUSE IT WORKS, RELAXATION	-	1	0.0 %
BECAUSE IT'S THERE, IT'S THE KEY TO LIFE	-	1	0.0 %
BECAUSE OF MY FAITH IN GOD	-	1	0.0 %
BECAUSE OF MY RELATIONSHIP WITH GOD	-	1	0.0 %
BECAUSE OF MY WALK WITH GOD	-	1	0.0 %
BECAUSE THAT'S MY RELIGION	-	1	0.0 %
BECAUSE YOU SHOULD	-	1	0.0 %
BELIEF	-	2	0.1 %
BELIEF SYSTEM	-	1	0.0 %
BELIEFS	-	1	0.0 %
BELIEVE IN GOD	-	5	0.2 %
BELIEVE IN GOD; MY GUIDE	-	1	0.0 %
BELIEVE IN HIGH SPIRITUALITY HELP ACCOMPLISHING MY GOALS	-	1	0.0 %
BELIEVE IN IT	-	1	0.0 %
BELIEVE IN PRAYER & COMMUNICATE WITH GOD	-	1	0.0 %
BELIEVE IN THE POWER OF PRAYER	-	1	0.0 %
BELIEVE IT HELPS/SPIRITUAL HEALTH	-	1	0.0 %
BELIEVE PRAYER CAN HELP	-	1	0.0 %
BELIEVES IN IT	-	1	0.0 %
BEST THING IN LIFE SPIRITUALLY	-	1	0.0 %
BLESSING	-	1	0.0 %
CALM	-	1	0.0 %

Value	Label	Unweighted Frequency	%
	Total	**2,327**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,327 valid cases out of 2,327 total cases.

Location: 1162-1221 (width: 60; decimal: 0)
Variable Type: character

SELFHEL7: Self-help group

During the past 12 months, have you used any of the following for your health? Self-help group

Value	Label	Unweighted Frequency	%
1	No	2052	88.2 %
2	Yes	150	6.4 %
	Missing Data		
.	-	125	5.4 %
	Total	**2,327**	**100%**

Based upon 2,202 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1222-1223 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SELFHAR7: Self-help group - Heart

If YES to SELFHEL7: Please tell me whether or not you use self-help group: To reduce the risk of heart disease?

Value	Label	Unweighted Frequency	%
1	No	119	5.1 %
2	Yes	31	1.3 %
	Missing Data		
.	-	2177	93.6 %
	Total	**2,327**	**100%**

Based upon 150 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1224-1225 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SELFOST7: Self-help group - Osteoporosis

If YES to SELFHEL7: Please tell me whether or not you use self-help group: To reduce the risk of osteoporosis?

Value	Label	Unweighted Frequency	%
1	No	134	5.8 %
2	Yes	16	0.7 %
	Missing Data		
.	-	2177	93.6 %
	Total	**2,327**	**100%**

Based upon 150 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1226-1227 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SELFMEN7: Self-help group - Meno. symptoms

If YES to SELFHEL7: Please tell me whether or not you use self-help group: To relieve menopausal symptoms?

Value	Label	Unweighted Frequency	%
1	No	135	5.8 %
2	Yes	15	0.6 %
	Missing Data		
.	-	2177	93.6 %
	Total	**2,327**	**100%**

Based upon 150 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1228-1229 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SELFLOO7: Self-help group - Young Looking

If YES to SELFHEL7: Please tell me whether or not you use self-help group: To stay young-looking?

Value	Label	Unweighted Frequency	%
1	No	125	5.4 %
2	Yes	25	1.1 %
	Missing Data		
.	-	2177	93.6 %

Value	Label	Unweighted Frequency	%
	Total	**2,327**	**100%**

Based upon 150 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1230-1231 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SELFMEM7: Self-help group - Improve Memory

If YES to SELFHEL7: Please tell me whether or not you use self-help group: To improve memory?

Value	Label	Unweighted Frequency	%
1	No	125	5.4 %
2	Yes	25	1.1 %
	Missing Data		
.	-	2177	93.6 %
	Total	**2,327**	**100%**

Based upon 150 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1232-1233 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SELFPER7: Self-help group - Reg. Periods

If YES to SELFHEL7: Please tell me whether or not you use self-help group: To regulate periods?

Value	Label	Unweighted Frequency	%
1	No	145	6.2 %
2	Yes	5	0.2 %
	Missing Data		
.	-	2177	93.6 %
	Total	**2,327**	**100%**

Based upon 150 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1234-1235 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SELFGEN7: Self-help group - General Health

If YES to SELFHEL7: Please tell me whether or not you use self-help group: For general health?

Value	Label	Unweighted Frequency	%
1	No	62	2.7 %
2	Yes	88	3.8 %
	Missing Data		
.	-	2177	93.6 %
	Total	**2,327**	**100%**

Based upon 150 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1236-1237 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SELFWGH7: Self-help group - Weight

If YES to SELFHEL7: Please tell me whether or not you use self-help group: To lose weight or to stay the same weight?

Value	Label	Unweighted Frequency	%
1	No	92	4.0 %
2	Yes	58	2.5 %
	Missing Data		
.	-	2177	93.6 %
	Total	**2,327**	**100%**

Based upon 150 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1238-1239 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SELFADV7: Self-help group - Provider advice

If YES to SELFHEL7: Please tell me whether or not you use self-help group: On advice from health care provider?

Value	Label	Unweighted Frequency	%
1	No	122	5.2 %
2	Yes	28	1.2 %
	Missing Data		
.	-	2177	93.6 %

Value	Label	Unweighted Frequency	%
	Total	**2,327**	**100%**

Based upon 150 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1240-1241 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SELFOTH7: Self-help group - Other reason

If YES to SELFHEL7: Please tell me whether or not you use self-help group: Is there any other reason you use self-help group?

Value	Label	Unweighted Frequency	%
1	No	61	2.6 %
2	Yes	89	3.8 %
	Missing Data		
.	-	2177	93.6 %
	Total	**2,327**	**100%**

Based upon 150 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1242-1243 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SELFSPE7: Self-help group - Other specify

If YES to SELFHEL7: Please tell me whether or not you use self-help group: Is there any other reason you use self-help group? Specify

Value	Label	Unweighted Frequency	%
	-	2239	96.2 %
AA - NOT TO DRINK	-	1	0.0 %
AA FOR ALCOHOLISM	-	1	0.0 %
ANXIETY REDUCTION	-	1	0.0 %
BELONGS TO AN USHERS GROUP AT CHURCH WHO ARE SUPPORTIVE	-	1	0.0 %
BIBLE STUDY	-	1	0.0 %
COMMUNICATION	-	1	0.0 %
COMMUNICATION WITH GOD	-	1	0.0 %
CURB ANXIETY	-	1	0.0 %
DEPRESSION	-	2	0.1 %
DEVELOP FRIENDSHIPS	-	1	0.0 %

Value	Label	Unweighted Frequency	%
DIABETES	-	1	0.0 %
EATING, FEELING, THINKING BETTER	-	1	0.0 %
EFFECTIVE FOR LIFESTYLE	-	1	0.0 %
EMOTIONAL HEALTH	-	2	0.1 %
EMOTIONAL SUPPORT	-	1	0.0 %
FELLOWSHIP	-	1	0.0 %
FOR ALCOLHOL ABUSE IN FAMILY-FOUND A SUPPORT NETWORK	-	1	0.0 %
FOR MS	-	1	0.0 %
FOR RECOVERING FROM DRUG AND ALCOHOL ADDICTION	-	1	0.0 %
FRIENDSHIP, MENTAL & EMOTIONAL HEALTH.	-	1	0.0 %
FUN	-	1	0.0 %
GAIN MORE KNOWLEDGE, TO SHARE	-	1	0.0 %
GAMBLING	-	1	0.0 %
GET AROUND PEOPLE WITH SOME PROBLEMS	-	1	0.0 %
GET EMOTIONAL HELP	-	1	0.0 %
GET THROUGH DIFFICULT PERIOD	-	1	0.0 %
GOD LOVES ME, SUPPORT	-	1	0.0 %
GOOD STRESS RELIEVER	-	1	0.0 %
HELP REINFORECE NOT DRINKING	-	1	0.0 %
HELP WITH COMPLIANCE RE: DIABETES & TO REGULATE BLD SUGAR	-	1	0.0 %
INFORMATION AND SUPPORT	-	1	0.0 %
INNER WELL-BEING	-	1	0.0 %
IT'S ALWAYS GOOD TO HAVE CONNECTION WITH OTHER PEOPLE	-	1	0.0 %
KEEP WEIGHT DOWN	-	1	0.0 %
LIFE COURSE	-	1	0.0 %
LIMPODEMA	-	1	0.0 %
LOOKING FOR INFO AND SUPPORT	-	1	0.0 %
MAINTAIN WEIGHT LOSS, ACCOUNTABLE FOR WHAT IM EATING, EXER	-	1	0.0 %
MENTAL HEALTH	-	3	0.1 %
MENTAL HEALTH SUPPORT	-	1	0.0 %
MENTAL STABILITY	-	1	0.0 %
MULTIPLE SCLEROSIS	-	1	0.0 %
NEED SUPPORT DUE TO BREAST CANCER	-	1	0.0 %
NIGHT SWEATS	-	1	0.0 %
PEACEFUL MINE	-	1	0.0 %
PRESSURE FROM DAUGHTERS	-	1	0.0 %
RELIGIOUS	-	1	0.0 %
RELIGIOUS BELIEF	-	1	0.0 %
SANITY	-	1	0.0 %
	Total	**2,327**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,327 valid cases out of 2,327 total cases.

Location: 1244-1302 (width: 59; decimal: 0)
Variable Type: character

SOYSUPP7: Soy supplement

During the past 12 months, have you used any of the following for your health? Soy supplement

Value	Label	Unweighted Frequency	%
1	No	1892	81.3 %
2	Yes	310	13.3 %
	Missing Data		
.	-	125	5.4 %
	Total	**2,327**	**100%**

Based upon 2,202 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1303-1304 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SOYHAR7: Soy supplement - Heart

If YES to SOYSUPP7: Please tell me whether or not you use soy supplement: To reduce the risk of heart disease?

Value	Label	Unweighted Frequency	%
1	No	228	9.8 %
2	Yes	82	3.5 %
	Missing Data		
.	-	2017	86.7 %
	Total	**2,327**	**100%**

Based upon 310 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1305-1306 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SOYOST7: Soy supplement - Osteoporosis

If YES to SOYSUPP7: Please tell me whether or not you use soy supplement: To reduce the risk of osteoporosis?

Value	Label	Unweighted Frequency	%
1	No	231	9.9 %
2	Yes	79	3.4 %
	Missing Data		
.	-	2017	86.7 %
	Total	**2,327**	**100%**

Based upon 310 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1307-1308 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SOYMEN7: Soy supplement - Meno. symptoms

If YES to SOYSUPP7: Please tell me whether or not you use soy supplement: To relieve menopausal symptoms?

Value	Label	Unweighted Frequency	%
1	No	117	5.0 %
2	Yes	193	8.3 %
	Missing Data		
.	-	2017	86.7 %
	Total	**2,327**	**100%**

Based upon 310 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1309-1310 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SOYLOO7: Soy supplement - Young Looking

If YES to SOYSUPP7: Please tell me whether or not you use soy supplement: To stay young-looking?

Value	Label	Unweighted Frequency	%
1	No	255	11.0 %
2	Yes	55	2.4 %
	Missing Data		
.	-	2017	86.7 %
	Total	**2,327**	**100%**

Based upon 310 valid cases out of 2,327 total cases.

- Minimum: 1.00

- Maximum: 2.00

Location: 1311-1312 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SOYMEM7: Soy supplement - Improve Memory

If YES to SOYSUPP7: Please tell me whether or not you use soy supplement: To improve memory?

Value	Label	Unweighted Frequency	%
1	No	274	11.8 %
2	Yes	36	1.5 %
	Missing Data		
.	-	2017	86.7 %
	Total	**2,327**	**100%**

Based upon 310 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1313-1314 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SOYPER7: Soy supplement - Reg. Periods

If YES to SOYSUPP7: Please tell me whether or not you use soy supplement: To regulate periods?

Value	Label	Unweighted Frequency	%
1	No	292	12.5 %
2	Yes	18	0.8 %
	Missing Data		
.	-	2017	86.7 %
	Total	**2,327**	**100%**

Based upon 310 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1315-1316 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SOYGEN7: Soy supplement - General Health

If YES to SOYSUPP7: Please tell me whether or not you use soy supplement: For general health?

Value	Label	Unweighted Frequency	%
1	No	93	4.0 %
2	Yes	217	9.3 %
	Missing Data		
.	-	2017	86.7 %
	Total	**2,327**	**100%**

Based upon 310 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1317-1318 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SOYWGH7: Soy supplement - Weight

If YES to SOYSUPP7: Please tell me whether or not you use soy supplement: To lose weight or to stay the same weight?

Value	Label	Unweighted Frequency	%
1	No	247	10.6 %
2	Yes	63	2.7 %
	Missing Data		
.	-	2017	86.7 %
	Total	**2,327**	**100%**

Based upon 310 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1319-1320 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SOYADV7: Soy supplement - Provider advice

If YES to SOYSUPP7: Please tell me whether or not you use soy supplement: On advice from health care provider?

Value	Label	Unweighted Frequency	%
1	No	267	11.5 %
2	Yes	43	1.8 %
	Missing Data		
.	-	2017	86.7 %
	Total	**2,327**	**100%**

Based upon 310 valid cases out of 2,327 total cases.

- Minimum: 1.00

- Maximum: 2.00

Location: 1321-1322 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SOYOTH7: Soy supplement - Other reason

If YES to SOYSUPP7: Please tell me whether or not you use soy supplement: Is there any other reason you use soy supplement?

Value	Label	Unweighted Frequency	%
1	No	266	11.4 %
2	Yes	44	1.9 %
	Missing Data		
.	-	2017	86.7 %
	Total	**2,327**	**100%**

Based upon 310 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1323-1324 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SOYSPE7: Soy supplement - Other specify

If YES to SOYSUPP7: Please tell me whether or not you use soy supplement: Is there any other reason you use soy supplement? Specify

Value	Label	Unweighted Frequency	%
	-	2283	98.1 %
ADDITIONAL PROTEIN AND CALCIUM.	-	1	0.0 %
ALLERGIC TO DAIRY	-	1	0.0 %
BECAUSE SHE LIKES IT	-	1	0.0 %
BREAKFAST	-	1	0.0 %
CAN NOT DRINK WHOLE MILK	-	1	0.0 %
CAN'T DRINK MILK	-	1	0.0 %
CAN'T DRINK REGULAR MILK	-	1	0.0 %
DAUGHTER SUGGESTED IT	-	1	0.0 %
ENERGY	-	1	0.0 %
FOR CHOLESTEROL, CLEANSE INTESTINE	-	1	0.0 %
FOR HOT FLASHES	-	1	0.0 %
GENERAL WELLNESS	-	1	0.0 %
GOOD SOURCE OF PROTEIN	-	1	0.0 %
HARD TO EAT SOILD FOOD	-	1	0.0 %
HEALTHEY BREAKFAST SUPPLEMENT	-	1	0.0 %
HELP CHOLESTEROL	-	1	0.0 %

Value	Label	Unweighted Frequency	%
HOT FLASHES	-	2	0.1 %
I LIKE IT	-	1	0.0 %
IN CEREAL	-	1	0.0 %
INSULIN RESISTANCE	-	1	0.0 %
LACTOSE INTOLERANCE	-	4	0.2 %
LACTOSE INTOLERANT	-	1	0.0 %
LESS MEAT IN DIET	-	1	0.0 %
LOOKING TO RELIEVE HOT FLASHES AFTER HYSTERECTOMY	-	1	0.0 %
LOVE SOY	-	1	0.0 %
MENOPAUSE SYMPTOMS	-	1	0.0 %
POST SURGERY	-	1	0.0 %
PREFERS DRINKS FOR BREAKFAST	-	1	0.0 %
PROTEIN GET AWAY FROM RED MEAT	-	1	0.0 %
QUICK MEAL	-	1	0.0 %
READ THAT IT IS GOOD FOR YOU AFTER MENOPAUSE	-	1	0.0 %
RECOMMENDED BY FRIENDS	-	1	0.0 %
REDUCE RISK OF BREAST CANCER	-	1	0.0 %
SHE JUST LIKE IT	-	1	0.0 %
SUPPOSED TO BE GOOD FOR YOU	-	1	0.0 %
TO KEEP CALCIUM INTACT	-	1	0.0 %
TO MAKE FEEL MORE FEMININE	-	1	0.0 %
TO MEET PROTEIN SUPPLEMENT (VEGETARIAN DIET)	-	1	0.0 %
TO USE AS A HORMONE THERAPY	-	1	0.0 %
USE TO REPLACE VITAMINS IN BODY	-	1	0.0 %
	Total	**2,327**	**100%**

Based upon 2,327 valid cases out of 2,327 total cases.

Location: 1325-1373 (width: 49; decimal: 0)
Variable Type: character

WORTSTJ7: St. John's wort

During the past 12 months, have you used any of the following for your health? St. John's wort

Value	Label	Unweighted Frequency	%
1	No	2147	92.3 %
2	Yes	55	2.4 %
	Missing Data		
.	-	125	5.4 %
	Total	**2,327**	**100%**

Based upon 2,202 valid cases out of 2,327 total cases.

- Minimum: 1.00

- Maximum: 2.00

Location: 1374-1375 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WORTHAR7: St. John's wort - Heart

If YES to WORTSTJ7: Please tell me whether or not you use St. John's wort: To reduce the risk of heart disease?

Value	Label	Unweighted Frequency	%
1	No	50	2.1 %
2	Yes	5	0.2 %
	Missing Data		
.	-	2272	97.6 %
	Total	**2,327**	**100%**

Based upon 55 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1376-1377 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WORTOST7: St. John's wort - Osteoporosis

If YES to WORTSTJ7: Please tell me whether or not you use St. John's wort: To reduce the risk of osteoporosis?

Value	Label	Unweighted Frequency	%
1	No	49	2.1 %
2	Yes	6	0.3 %
	Missing Data		
.	-	2272	97.6 %
	Total	**2,327**	**100%**

Based upon 55 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1378-1379 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WORTMEN7: St. John's wort - Meno. symptoms

If YES to WORTSTJ7: Please tell me whether or not you use St. John's wort: To relieve menopausal symptoms?

Value	Label	Unweighted Frequency	%
1	No	35	1.5 %
2	Yes	20	0.9 %
	Missing Data		
.	-	2272	97.6 %
	Total	**2,327**	**100%**

Based upon 55 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1380-1381 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WORTLOO7: St. John's wort - Young Looking

If YES to WORTSTJ7: Please tell me whether or not you use St. John's wort: To stay young-looking?

Value	Label	Unweighted Frequency	%
1	No	48	2.1 %
2	Yes	7	0.3 %
	Missing Data		
.	-	2272	97.6 %
	Total	**2,327**	**100%**

Based upon 55 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1382-1383 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WORTMEM7: St. John's wort - Improve Memory

If YES to WORTSTJ7: Please tell me whether or not you use St. John's wort: To improve memory?

Value	Label	Unweighted Frequency	%
1	No	49	2.1 %
2	Yes	6	0.3 %
	Missing Data		
.	-	2272	97.6 %
	Total	**2,327**	**100%**

Based upon 55 valid cases out of 2,327 total cases.

- Minimum: 1.00

- Maximum: 2.00

Location: 1384-1385 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WORTPER7: St. John's wort - Reg. Periods

If YES to WORTSTJ7: Please tell me whether or not you use St. John's wort: To regulate periods?

Value	Label	Unweighted Frequency	%
1	No	53	2.3 %
2	Yes	2	0.1 %
	Missing Data		
.	-	2272	97.6 %
	Total	**2,327**	**100%**

Based upon 55 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1386-1387 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WORTGEN7: St. John's wort - General Health

If YES to WORTSTJ7: Please tell me whether or not you use St. John's wort: For general health?

Value	Label	Unweighted Frequency	%
1	No	26	1.1 %
2	Yes	29	1.2 %
	Missing Data		
.	-	2272	97.6 %
	Total	**2,327**	**100%**

Based upon 55 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1388-1389 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WORTWGH7: St. John's wort - Weight

If YES to WORTSTJ7: Please tell me whether or not you use St. John's wort: To lose weight or to stay the same weight?

Value	Label	Unweighted Frequency	%
1	No	52	2.2 %
2	Yes	3	0.1 %
	Missing Data		
.	-	2272	97.6 %
	Total	**2,327**	**100%**

Based upon 55 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1390-1391 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WORTADV7: St. John's wort - Provider advice

If YES to WORTSTJ7: Please tell me whether or not you use St. John's wort: On advice from health care provider?

Value	Label	Unweighted Frequency	%
1	No	52	2.2 %
2	Yes	3	0.1 %
	Missing Data		
.	-	2272	97.6 %
	Total	**2,327**	**100%**

Based upon 55 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1392-1393 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WORTOTH7: St. John's wort - Other reason

If YES to WORTSTJ7: Please tell me whether or not you use St. John's wort: Is there any other reason you use St. John's wort?

Value	Label	Unweighted Frequency	%
1	No	28	1.2 %
2	Yes	27	1.2 %
	Missing Data		
.	-	2272	97.6 %
	Total	**2,327**	**100%**

Based upon 55 valid cases out of 2,327 total cases.

- Minimum: 1.00

- Maximum: 2.00

Location: 1394-1395 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WORTSPE7: St. John's wort - Other specify

If YES to WORTSTJ7: Please tell me whether or not you use St. John's wort: Is there any other reason you use St. John's wort? Specify

Value	Label	Unweighted Frequency	%
	-	2300	98.8 %
BETTER MENTAL MOOD	-	1	0.0 %
DEPRESSION	-	1	0.0 %
ELEVATE MOOD	-	1	0.0 %
EMOTIONAL STABILITY	-	1	0.0 %
EMOTIONAL WELL-BEING	-	1	0.0 %
FEELING BLUE	-	1	0.0 %
FOR MOOD	-	1	0.0 %
FRIEND SUGGESTED IT	-	1	0.0 %
HEALING PROPERTIES IN SKIN PRODUCTS	-	1	0.0 %
HELP WITH DEPRESSION	-	1	0.0 %
JOINTS	-	1	0.0 %
MENTAL HEALTH	-	1	0.0 %
MOOD	-	1	0.0 %
MOOD STABILIZER	-	1	0.0 %
MOOD SWINGS	-	2	0.1 %
MOODY	-	1	0.0 %
NOURISH NERVES AND MAINTENANCE BACK PROBLEM	-	1	0.0 %
REGULATE MOODS	-	1	0.0 %
STRESS	-	1	0.0 %
TO ALLEVIATE DEPRESSION	-	1	0.0 %
TO IMPROVE MOOD	-	1	0.0 %
TO KEEP CALM, COOL, COLLECTED	-	1	0.0 %
TO LIFT MOOD	-	1	0.0 %
TO RELIEVE DEPRESSION	-	1	0.0 %
TO STABILIZE MY PERSONA, IT WORKS FOR ME	-	1	0.0 %
TOO EMOTIONAL	-	1	0.0 %
	Total	**2,327**	**100%**

Based upon 2,327 valid cases out of 2,327 total cases.

Location: 1396-1438 (width: 43; decimal: 0)
Variable Type: character

WVITAMI7: Women's vitamins

During the past 12 months, have you used any of the following for your health? Vitamin or supplement combination especially designed for women's health

Value	Label	Unweighted Frequency	%
1	No	1658	71.3 %
2	Yes	544	23.4 %
	Missing Data		
.	-	125	5.4 %
	Total	**2,327**	**100%**

Based upon 2,202 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1439-1440 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WVITHAR7: Women's vitamins - Heart

If YES to WVITAMI7: Please tell me whether or not you use vitamin or supplement combination especially for women's health: To reduce the risk of heart disease?

Value	Label	Unweighted Frequency	%
1	No	366	15.7 %
2	Yes	177	7.6 %
	Missing Data		
.	-	1784	76.7 %
	Total	**2,327**	**100%**

Based upon 543 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1441-1442 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WVITOST7: Women's vitamins - Osteoporosis

If YES to WVITAMI7: Please tell me whether or not you use vitamin or supplement combination especially for women's health: To reduce the risk of osteoporosis?

Value	Label	Unweighted Frequency	%
1	No	327	14.1 %
2	Yes	216	9.3 %
	Missing Data		
.	-	1784	76.7 %

Value	Label	Unweighted Frequency	%
	Total	**2,327**	**100%**

Based upon 543 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1443-1444 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WVITMEN7: Women's vitamins - Meno. symptoms

If YES to WVITAMI7: Please tell me whether or not you use vitamin or supplement combination especially for women's health: To relieve menopausal symptoms?

Value	Label	Unweighted Frequency	%
1	No	405	17.4 %
2	Yes	138	5.9 %
	Missing Data		
.	-	1784	76.7 %
	Total	**2,327**	**100%**

Based upon 543 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1445-1446 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WVITLOO7: Women's vitamins - Young Looking

If YES to WVITAMI7: Please tell me whether or not you use vitamin or supplement combination especially for women's health: To stay young-looking?

Value	Label	Unweighted Frequency	%
1	No	408	17.5 %
2	Yes	135	5.8 %
	Missing Data		
.	-	1784	76.7 %
	Total	**2,327**	**100%**

Based upon 543 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1447-1448 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WVITMEM7: Women's vitamins - Improve Memory

If YES to WVITAMI7: Please tell me whether or not you use vitamin or supplement combination especially for women's health: To improve memory?

Value	Label	Unweighted Frequency	%
1	No	424	18.2 %
2	Yes	119	5.1 %
	Missing Data		
.	-	1784	76.7 %
	Total	**2,327**	**100%**

Based upon 543 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1449-1450 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WVITPER7: Women's vitamins - Reg. Periods

If YES to WVITAMI7: Please tell me whether or not you use vitamin or supplement combination especially for women's health: To regulate periods?

Value	Label	Unweighted Frequency	%
1	No	519	22.3 %
2	Yes	24	1.0 %
	Missing Data		
.	-	1784	76.7 %
	Total	**2,327**	**100%**

Based upon 543 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1451-1452 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WVITGEN7: Women's vitamins - General Health

If YES to WVITAMI7: Please tell me whether or not you use vitamin or supplement combination especially for women's health: For general health?

Value	Label	Unweighted Frequency	%
1	No	55	2.4 %
2	Yes	488	21.0 %
	Missing Data		
.	-	1784	76.7 %
	Total	**2,327**	**100%**

Based upon 543 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1453-1454 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WVITWGH7: Women's vitamins - Weight

If YES to WVITAMI7: Please tell me whether or not you use vitamin or supplement combination especially for women's health: To lose weight or to stay the same weight?

Value	Label	Unweighted Frequency	%
1	No	442	19.0 %
2	Yes	101	4.3 %
	Missing Data		
.	-	1784	76.7 %
	Total	**2,327**	**100%**

Based upon 543 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1455-1456 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WVITADV7: Women's vitamins - Provider advice

If YES to WVITAMI7: Please tell me whether or not you use vitamin or supplement combination especially for women's health: On advice from health care provider?

Value	Label	Unweighted Frequency	%
1	No	425	18.3 %
2	Yes	118	5.1 %
	Missing Data		
.	-	1784	76.7 %
	Total	**2,327**	**100%**

Based upon 543 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1457-1458 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WVITOTH7: Women's vitamins - Other reason

If YES to WVITAMI7: Please tell me whether or not you use vitamin or supplement combination especially for women's health: Is there any other reason you use vitamin or supplement combination especially for women's health?

Value	Label	Unweighted Frequency	%
1	No	496	21.3 %
2	Yes	47	2.0 %
	Missing Data		
.	-	1784	76.7 %
	Total	**2,327**	**100%**

Based upon 543 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1459-1460 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WVITSPE7: Women's vitamins - Other specify

If YES to WVITAMI7: Please tell me whether or not you use vitamin or supplement combination especially for women's health: Is there any other reason you use vitamin or supplement combination especially for women's health? Specify

Value	Label	Unweighted Frequency	%
	-	2280	98.0 %
ADDED CALCIUM AND NOT TOO MUCH IRON	-	1	0.0 %
ANEMIA UNDER CONTROL	-	1	0.0 %
ANEMIC/HEAVY BLEEDING	-	1	0.0 %
BECAUSE I OUGHT TO.	-	1	0.0 %
BYPASS SURGERY HAS TO DO THIS LIFE LONG	-	1	0.0 %
CONTAINS ALL THE VITAMINS SHE NEEDS.	-	1	0.0 %
DAUGHTER HAD LEFTOVER SUPPLY	-	1	0.0 %
DIABETES	-	1	0.0 %
ENERGY	-	3	0.1 %
EYE HEATLH TO REDUCE RISK OF MACULLAR DEGENERATION	-	1	0.0 %
FEEL BETTER, FATIGUE	-	1	0.0 %
FOR HEALTH	-	1	0.0 %
FOR IRON	-	1	0.0 %
FOR OVERALL HEALTH AND BENEFIT	-	1	0.0 %

Value	Label	Unweighted Frequency	%
FOR WOMEN'S HEALTH	-	1	0.0 %
GOOD ANTIOXIDANT	-	1	0.0 %
GUY AT GNC SAID IT'S GOOD FOR YOU	-	1	0.0 %
HABIT	-	1	0.0 %
HUSBAND NAGGED HER	-	1	0.0 %
HUSBAND WANTS HER TO TAKE THEM	-	1	0.0 %
IMMUNE SYSTEM	-	1	0.0 %
ITS THE INTELLIGENT THING TO DO	-	1	0.0 %
JOINTS	-	1	0.0 %
KEEP ME GOING THROUGH THE DAY	-	1	0.0 %
KEEP VITAMINS IN ME	-	1	0.0 %
MEDICAL KNOWLEDGE	-	1	0.0 %
MORE ENERGY MAKE FUNCTION BETTER IN AM	-	1	0.0 %
NOT REGULARLY	-	1	0.0 %
PEOPLE TELL ME TO TAKE IT	-	1	0.0 %
PREVENTS COLDS AND GIVES ENERGY	-	1	0.0 %
R DOES NOT EAT AS WELL AS SHE SHOULD WANTS TO GET REQ. VIT.	-	1	0.0 %
REDUCES STRESS	-	1	0.0 %
RESPONDENT WAS VERY TIRED ALL THE TIME BEFORE VITAMINS	-	1	0.0 %
SHRINK FIBROIDS	-	1	0.0 %
SPECIAL WOMENS NEEDS	-	1	0.0 %
STAY ALIVE	-	1	0.0 %
THINKS IT IS A GOOD IDEA.	-	1	0.0 %
THREAT OF LOSING TO MUCH IRON	-	1	0.0 %
TO HELP WITH BLOOD PRESSURE	-	1	0.0 %
TO INCREASE MY ENERGY	-	1	0.0 %
TO MAKE SURE TO TAKE WHAT I'M SUPPOSED TO TAKE.	-	1	0.0 %
TO PREVENT MENOPAUSAL SYMPTOMS	-	1	0.0 %
TO RELIEVE STRESS	-	1	0.0 %
WHY NOT IT'S THERE	-	1	0.0 %
WOMEN'S HEALTH	-	1	0.0 %
	Total	**2,327**	**100%**

Based upon 2,327 valid cases out of 2,327 total cases.

Location: 1461-1519 (width: 59; decimal: 0)
Variable Type: character

YOGA7: Yoga

During the past 12 months, have you used any of the following for your health? Yoga

Value	Label	Unweighted Frequency	%
1	No	1919	82.5 %

Value	Label	Unweighted Frequency	%
2	Yes	283	12.2 %
	Missing Data		
.	-	125	5.4 %
	Total	**2,327**	**100%**

Based upon 2,202 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1520-1521 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

YOGAHAR7: Yoga - Heart

If YES to YOGA7: Please tell me whether or not you use yoga: To reduce the risk of heart disease?

Value	Label	Unweighted Frequency	%
1	No	208	8.9 %
2	Yes	75	3.2 %
	Missing Data		
.	-	2044	87.8 %
	Total	**2,327**	**100%**

Based upon 283 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1522-1523 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

YOGAOST7: Yoga - Osteoporosis

If YES to YOGA7: Please tell me whether or not you use yoga: To reduce the risk of osteoporosis?

Value	Label	Unweighted Frequency	%
1	No	187	8.0 %
2	Yes	96	4.1 %
	Missing Data		
.	-	2044	87.8 %
	Total	**2,327**	**100%**

Based upon 283 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1524-1525 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

YOGAMEN7: Yoga - Meno. symptoms

If YES to YOGA7: Please tell me whether or not you use yoga: To relieve menopausal symptoms?

Value	Label	Unweighted Frequency	%
1	No	233	10.0 %
2	Yes	50	2.1 %
	Missing Data		
.	-	2044	87.8 %
	Total	**2,327**	**100%**

Based upon 283 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1526-1527 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

YOGALOO7: Yoga - Young Looking

If YES to YOGA7: Please tell me whether or not you use yoga: To stay young-looking?

Value	Label	Unweighted Frequency	%
1	No	179	7.7 %
2	Yes	104	4.5 %
	Missing Data		
.	-	2044	87.8 %
	Total	**2,327**	**100%**

Based upon 283 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1528-1529 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

YOGAMEM7: Yoga - Improve Memory

If YES to YOGA7: Please tell me whether or not you use yoga: To improve memory?

Value	Label	Unweighted Frequency	%
1	No	228	9.8 %
2	Yes	55	2.4 %

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	2044	87.8 %
	Total	**2,327**	**100%**

Based upon 283 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1530-1531 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

YOGAPER7: Yoga - Reg. Periods

If YES to YOGA7: Please tell me whether or not you use yoga: To regulate periods?

Value	Label	Unweighted Frequency	%
1	No	277	11.9 %
2	Yes	6	0.3 %
	Missing Data		
.	-	2044	87.8 %
	Total	**2,327**	**100%**

Based upon 283 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1532-1533 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

YOGAGEN7: Yoga - General Health

If YES to YOGA7: Please tell me whether or not you use yoga: For general health?

Value	Label	Unweighted Frequency	%
1	No	27	1.2 %
2	Yes	256	11.0 %
	Missing Data		
.	-	2044	87.8 %
	Total	**2,327**	**100%**

Based upon 283 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1534-1535 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

YOGAWGH7: Yoga - Weight

If YES to YOGA7: Please tell me whether or not you use yoga: To lose weight or to stay the same weight?

Value	Label	Unweighted Frequency	%
1	No	159	6.8 %
2	Yes	124	5.3 %
	Missing Data		
.	-	2044	87.8 %
	Total	**2,327**	**100%**

Based upon 283 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1536-1537 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

YOGAADV7: Yoga - Provider advice

If YES to YOGA7: Please tell me whether or not you use yoga: On advice from health care provider?

Value	Label	Unweighted Frequency	%
1	No	263	11.3 %
2	Yes	20	0.9 %
	Missing Data		
.	-	2044	87.8 %
	Total	**2,327**	**100%**

Based upon 283 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1538-1539 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

YOGAOTH7: Yoga - Other reason

If YES to YOGA7: Please tell me whether or not you use yoga: Is there any other reason you use yoga?

Value	Label	Unweighted Frequency	%
1	No	155	6.7 %
2	Yes	128	5.5 %

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	2044	87.8 %
	Total	**2,327**	**100%**

Based upon 283 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1540-1541 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

YOGASPE7: Yoga - Other specify

If YES to YOGA7: Please tell me whether or not you use yoga: Is there any other reason you use yoga? Specify

Value	Label	Unweighted Frequency	%
	-	2199	94.5 %
ARTHRITIS	-	2	0.1 %
BE LIMBER	-	1	0.0 %
BECAUSE SISTER WAS DOING IT AND WANTED ME TO DO IT	-	1	0.0 %
BREATHING IS INVIGORATING	-	1	0.0 %
CALMING DOWN	-	1	0.0 %
CALMING/STRESS REDUCTION	-	1	0.0 %
CANCER	-	1	0.0 %
EMOTIONAL & PHYSICAL WELL BEING & BALANCE.	-	1	0.0 %
EMOTIONAL HEALTH; IMPROVE GOLF	-	1	0.0 %
EMOTIONAL WELL BEING	-	1	0.0 %
EMOTIONAL WELL-BEING	-	1	0.0 %
ENJOYMENT	-	3	0.1 %
ENJOYS IT	-	1	0.0 %
ENLIGHTENMENT	-	1	0.0 %
FEEL BETTER	-	1	0.0 %
FEEL GOOD	-	1	0.0 %
FEEL GOOD; HELP BACK	-	1	0.0 %
FEELS GOOD	-	2	0.1 %
FLEXABILITY	-	1	0.0 %
FLEXBILITY	-	1	0.0 %
FLEXIBILITY	-	12	0.5 %
FLEXIBILITY & STRESS RELEASE	-	1	0.0 %
FLEXIBILITY AND EMOTIONAL SERENITY	-	1	0.0 %
FLEXIBILITY OF JOINTS	-	1	0.0 %
FLEXIBILITY, MENTAL HEALTH	-	1	0.0 %
FLEXIBILITY, STRENGTH, MENTAL HEALTH	-	1	0.0 %

Value	Label	Unweighted Frequency	%
FLEXIBILITY; RELAXATION	-	1	0.0 %
FOR ALS	-	1	0.0 %
FOR FLEXIBILITY	-	1	0.0 %
FOR FLEXIBILITY AND BALANCE	-	1	0.0 %
FOR FUN	-	1	0.0 %
FOR PEACE OF MIND	-	1	0.0 %
FOR PHYSICAL HEALTH	-	1	0.0 %
FOR RELAXATIION AND HELPING TO LESSEN STIFFNESS OF JOINTS	-	1	0.0 %
FOR RELAXATION	-	1	0.0 %
FRIENDSHIP	-	1	0.0 %
GOT IT AS A GIFT	-	1	0.0 %
HABIT	-	1	0.0 %
HAUGHT IT	-	1	0.0 %
HELP LIMBER	-	1	0.0 %
HELP W/ FOCUS AND FEELING OF WELL-BEING	-	1	0.0 %
I REALLY ENJOY IT	-	1	0.0 %
I STRETCH ALOT	-	1	0.0 %
IMPROVE FLEXIBILITY, REDUCE STRESS	-	1	0.0 %
INCREASE FLEXIBILITY	-	3	0.1 %
INNER PEACE & STRESS REDUCER	-	1	0.0 %
IT'S GREAT	-	1	0.0 %
JOINT PAIN	-	1	0.0 %
LIKE IT	-	1	0.0 %
	Total	**2,327**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,327 valid cases out of 2,327 total cases.

Location: 1542-1598 (width: 57; decimal: 0)
Variable Type: character

BOTANIC7: Botanica

During the past 12 months, have you used any of the following for your health? Botanica/Curandero

Value	Label	Unweighted Frequency	%
1	No	2196	94.4 %
2	Yes	6	0.3 %
	Missing Data		
.	-	125	5.4 %
	Total	**2,327**	**100%**

Based upon 2,202 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1599-1600 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BOTAHAR7: Botanica - Heart

If YES to BOTANIC7: Please tell me whether or not you use botanica/curandero: To reduce the risk of heart disease?

Value	Label	Unweighted Frequency	%
1	No	6	0.3 %
2	Yes	0	0.0 %
	Missing Data		
.	-	2321	99.7 %
	Total	**2,327**	**100%**

Based upon 6 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 1601-1602 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BOTAOST7: Botanica - Osteoporosis

If YES to BOTANIC7: Please tell me whether or not you use botanica/curandero: To reduce the risk of osteoporosis?

Value	Label	Unweighted Frequency	%
1	No	6	0.3 %
2	Yes	0	0.0 %
	Missing Data		
.	-	2321	99.7 %
	Total	**2,327**	**100%**

Based upon 6 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 1603-1604 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BOTAMEN7: Botanica - Meno. symptoms

If YES to BOTANIC7: Please tell me whether or not you use botanica/curandero: To relieve menopausal symptoms?

Value	Label	Unweighted Frequency	%
1	No	5	0.2 %
2	Yes	1	0.0 %
	Missing Data		
.	-	2321	99.7 %
	Total	**2,327**	**100%**

Based upon 6 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1605-1606 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BOTALOO7: Botanica - Young Looking

If YES to BOTANIC7: Please tell me whether or not you use botanica/curandero: To stay young-looking?

Value	Label	Unweighted Frequency	%
1	No	6	0.3 %
2	Yes	0	0.0 %
	Missing Data		
.	-	2321	99.7 %
	Total	**2,327**	**100%**

Based upon 6 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 1607-1608 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BOTAMEM7: Botanica - Improve Memory

If YES to BOTANIC7: Please tell me whether or not you use botanica/curandero: To improve memory?

Value	Label	Unweighted Frequency	%
1	No	6	0.3 %
2	Yes	0	0.0 %
	Missing Data		
.	-	2321	99.7 %
	Total	**2,327**	**100%**

Based upon 6 valid cases out of 2,327 total cases.

- Minimum: 1.00

- Maximum: 1.00

Location: 1609-1610 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BOTAPER7: Botanica - Reg. Periods

If YES to BOTANIC7: Please tell me whether or not you use botanica/curandero: To regulate periods?

Value	Label	Unweighted Frequency	%
1	No	6	0.3 %
2	Yes	0	0.0 %
	Missing Data		
.	-	2321	99.7 %
	Total	**2,327**	**100%**

Based upon 6 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 1611-1612 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BOTAGEN7: Botanica - General Health

If YES to BOTANIC7: Please tell me whether or not you use botanica/curandero: For general health?

Value	Label	Unweighted Frequency	%
1	No	2	0.1 %
2	Yes	4	0.2 %
	Missing Data		
.	-	2321	99.7 %
	Total	**2,327**	**100%**

Based upon 6 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1613-1614 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BOTAWGH7: Botanica - Weight

If YES to BOTANIC7: Please tell me whether or not you use botanica/curandero: To lose weight or to stay the same weight?

Value	Label	Unweighted Frequency	%
1	No	6	0.3 %
2	Yes	0	0.0 %
	Missing Data		
.	-	2321	99.7 %
	Total	**2,327**	**100%**

Based upon 6 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 1615-1616 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BOTAADV7: Botanica - Provider advice

If YES to BOTANIC7: Please tell me whether or not you use botanica/curandero: On advice from health care provider?

Value	Label	Unweighted Frequency	%
1	No	6	0.3 %
2	Yes	0	0.0 %
	Missing Data		
.	-	2321	99.7 %
	Total	**2,327**	**100%**

Based upon 6 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 1617-1618 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BOTAOTH7: Botanica - Other reason

If YES to BOTANIC7: Please tell me whether or not you use botanica/curandero: Is there any other reason you use botanica/curandero?

Value	Label	Unweighted Frequency	%
1	No	3	0.1 %
2	Yes	3	0.1 %
	Missing Data		
.	-	2321	99.7 %
	Total	**2,327**	**100%**

Based upon 6 valid cases out of 2,327 total cases.

- Minimum: 1.00

- Maximum: 2.00

Location: 1619-1620 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BOTASPE7: Botanica - Other specify

If YES to BOTANIC7: Please tell me whether or not you use botanica/curandero: Is there any other reason you use botanica/curandero? Specify

Value	Label	Unweighted Frequency	%
	-	2324	99.9 %
EMOTIONAL BALANCE	-	1	0.0 %
INCREASE METABOLISIM	-	1	0.0 %
ON ADVICE FROM RELIGIOUS DIRECTOR	-	1	0.0 %
	Total	**2,327**	**100%**

Based upon 2,327 valid cases out of 2,327 total cases.

Location: 1621-1653 (width: 33; decimal: 0)
Variable Type: character

HERBALT7: Herbal Tea

During the past 12 months, have you used any of the following for your health? Herbal Tea

Value	Label	Unweighted Frequency	%
1	No	1498	64.4 %
2	Yes	704	30.3 %
	Missing Data		
.	-	125	5.4 %
	Total	**2,327**	**100%**

Based upon 2,202 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1654-1655 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HTEAHAR7: Herbal Tea - Heart

If YES to HERBALT7: Please tell me whether or not you use herbal tea: To reduce the risk of heart disease?

Value	Label	Unweighted Frequency	%
1	No	603	25.9 %
2	Yes	101	4.3 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	1623	69.7 %
	Total	**2,327**	**100%**

Based upon 704 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1656-1657 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HTEAOST7: Herbal Tea - Osteoporosis

If YES to HERBALT7: Please tell me whether or not you use herbal tea: To reduce the risk of osteoporosis?

Value	Label	Unweighted Frequency	%
1	No	659	28.3 %
2	Yes	45	1.9 %
	Missing Data		
.	-	1623	69.7 %
	Total	**2,327**	**100%**

Based upon 704 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1658-1659 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HTEAMEN7: Herbal Tea - Meno. symptoms

If YES to HERBALT7: Please tell me whether or not you use herbal tea: To relieve menopausal symptoms?

Value	Label	Unweighted Frequency	%
1	No	615	26.4 %
2	Yes	89	3.8 %
	Missing Data		
.	-	1623	69.7 %
	Total	**2,327**	**100%**

Based upon 704 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1660-1661 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HTEALOO7: Herbal Tea - Young Looking

If YES to HERBALT7: Please tell me whether or not you use herbal tea: To stay young-looking?

Value	Label	Unweighted Frequency	%
1	No	641	27.5 %
2	Yes	63	2.7 %
	Missing Data		
.	-	1623	69.7 %
	Total	**2,327**	**100%**

Based upon 704 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1662-1663 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HTEAMEM7: Herbal Tea - Improve Memory

If YES to HERBALT7: Please tell me whether or not you use herbal tea: To improve memory?

Value	Label	Unweighted Frequency	%
1	No	633	27.2 %
2	Yes	71	3.1 %
	Missing Data		
.	-	1623	69.7 %
	Total	**2,327**	**100%**

Based upon 704 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1664-1665 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HTEAPER7: Herbal Tea - Reg. Periods

If YES to HERBALT7: Please tell me whether or not you use herbal tea: To regulate periods?

Value	Label	Unweighted Frequency	%
1	No	688	29.6 %
2	Yes	16	0.7 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	1623	69.7 %
	Total	**2,327**	**100%**

Based upon 704 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1666-1667 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HTEAGEN7: Herbal Tea - General Health

If YES to HERBALT7: Please tell me whether or not you use herbal tea: For general health?

Value	Label	Unweighted Frequency	%
1	No	239	10.3 %
2	Yes	465	20.0 %
	Missing Data		
.	-	1623	69.7 %
	Total	**2,327**	**100%**

Based upon 704 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1668-1669 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HTEAWGH7: Herbal Tea - Weight

If YES to HERBALT7: Please tell me whether or not you use herbal tea: To lose weight or to stay the same weight?

Value	Label	Unweighted Frequency	%
1	No	610	26.2 %
2	Yes	94	4.0 %
	Missing Data		
.	-	1623	69.7 %
	Total	**2,327**	**100%**

Based upon 704 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1670-1671 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HTEAADV7: Herbal Tea - Provider advice

If YES to HERBALT7: Please tell me whether or not you use herbal tea: On advice from health care provider?

Value	Label	Unweighted Frequency	%
1	No	677	29.1 %
2	Yes	27	1.2 %
	Missing Data		
.	-	1623	69.7 %
	Total	**2,327**	**100%**

Based upon 704 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1672-1673 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HTEAOTH7: Herbal Tea - Other reason

If YES to HERBALT7: Please tell me whether or not you use herbal tea: Is there any other reason you use herbal tea?

Value	Label	Unweighted Frequency	%
1	No	352	15.1 %
2	Yes	352	15.1 %
	Missing Data		
.	-	1623	69.7 %
	Total	**2,327**	**100%**

Based upon 704 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1674-1675 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HTEASPE7: Herbal Tea - Other specify

If YES to HERBALT7: Please tell me whether or not you use herbal tea: Is there any other reason you use herbal tea? Specify

Value	Label	Unweighted Frequency	%
	-	1975	84.9 %
1. HELPS ME SLEEP 2. SORE THROAT	-	1	0.0 %
1. SINUS 2. INTESTINAL CLEANSING	-	1	0.0 %

Value	Label	Unweighted Frequency	%
ADVICE FROM OTHERS	-	1	0.0 %
ADVISE OF A FRIEND	-	1	0.0 %
AID IN DIGESTION AND PURIFYING SYSTEM AND RELAXATION	-	1	0.0 %
ALTERNATIVE TO COFFEE, PLEASURE	-	1	0.0 %
ANTI CANCER	-	1	0.0 %
ANTIOXIDANT	-	2	0.1 %
ANTIOXIDANT IN TAKE	-	1	0.0 %
ANTIOXIDANTS	-	1	0.0 %
ANTIOXIDENT	-	1	0.0 %
ARTHRITIS	-	1	0.0 %
ARTICLES	-	1	0.0 %
AS A SUBSTITUTE FOR COFFEE	-	1	0.0 %
AS ANTACID	-	1	0.0 %
ASTHMA AND RELAXATION	-	1	0.0 %
B/C NO CAFFEINE/ MOOD AND ENERGY	-	1	0.0 %
BECAUSE I LIKE IT	-	2	0.1 %
BECAUSE I LIKE IT , NO CAFFEINE	-	1	0.0 %
BECAUSE I LIKE THEM	-	1	0.0 %
BECAUSE IT TASTE GOOD	-	1	0.0 %
BECAUSE THEY TASTE GOOD	-	2	0.1 %
BETTER SLEEP	-	1	0.0 %
BETTER THAN SODA	-	1	0.0 %
BLACK TEA HIGH IN ANTIOXIDANTS;SOME HELP DIGEST;COMFORT FOOD	-	1	0.0 %
BLOOD	-	1	0.0 %
BUILD UP IMMUNE SYSTEM	-	1	0.0 %
CAFFEINE SENSITIVE	-	1	0.0 %
CALM HEART	-	1	0.0 %
CALMING	-	1	0.0 %
CALMING AFFECT	-	1	0.0 %
CALMING EFFECT	-	1	0.0 %
CALMING EFFECT AND TASTES GOOD	-	1	0.0 %
CALMING EFFECTS	-	1	0.0 %
CALMING; TO FEEL BETTER	-	1	0.0 %
CALMNESS, UPSET STOMACH	-	1	0.0 %
CANCER	-	1	0.0 %
CANCER PREVENTION	-	1	0.0 %
CANCER REDUCING	-	1	0.0 %
CANCER TREATMENT	-	1	0.0 %
CLEANSING	-	1	0.0 %
COFFEE SUBSTITUTE	-	1	0.0 %
COLD	-	1	0.0 %
COLD, FLUS	-	1	0.0 %

Value	Label	Unweighted Frequency	%
COMMON COLD	-	1	0.0 %
CONSTIPATION	-	1	0.0 %
COUGHS	-	1	0.0 %
DECREASE CAFFIENE	-	1	0.0 %
DIET SAYS TO	-	1	0.0 %
	Total	**2,327**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,327 valid cases out of 2,327 total cases.

Location: 1676-1735 (width: 60; decimal: 0)
Variable Type: character

OTHALT7: Other health practice

During the past 12 months, have you used any of the following for your health? Any other health practice or remedy

Value	Label	Unweighted Frequency	%
1	No	1832	78.7 %
2	Yes	370	15.9 %
	Missing Data		
.	-	125	5.4 %
	Total	**2,327**	**100%**

Based upon 2,202 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1736-1737 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHALTS7: Other - Specify

If YES to OTHALT7: During the past 12 months, have you used any of the following for your health? Any other health practice or remedy - Specify

Value	Label	Unweighted Frequency	%
	-	1957	84.1 %
8 HOURS OF SLEEP	-	1	0.0 %
8 HRS. SLEEP	-	1	0.0 %
A DOG	-	1	0.0 %
ACCUPRESSURE	-	1	0.0 %
ACTIVATED CHARCOAL	-	1	0.0 %
ACUPRESSURE	-	2	0.1 %

Value	Label	Unweighted Frequency	%
AEROBICS	-	1	0.0 %
ALKALINE DIET	-	1	0.0 %
ALOE VERA	-	1	0.0 %
ALOE VERA GEL	-	1	0.0 %
ANGER MANAGEMENT	-	1	0.0 %
ARIZONIA ICE TEA	-	1	0.0 %
AROMA THERAPY	-	2	0.1 %
AROMATHERAPY	-	1	0.0 %
ART	-	1	0.0 %
ARTHRAFECT	-	1	0.0 %
ATKIN'S DIET	-	1	0.0 %
BACK EXERCISE	-	1	0.0 %
BARIATRIC VITAMIN SHOTS	-	1	0.0 %
BARLEY DRINK & SOY MILK	-	1	0.0 %
BARLEY GREEN	-	1	0.0 %
BARLEY LEAF POWDER	-	1	0.0 %
BARLEY POWDER DRINK	-	1	0.0 %
BARLEY SOY DRINK	-	1	0.0 %
BEING QUIET, BEING STILL	-	1	0.0 %
BIOFEED BACK	-	1	0.0 %
BITTERN WATER	-	1	0.0 %
BLACK LICORICE	-	1	0.0 %
BLUE GREEN ALGAE	-	1	0.0 %
BODY MASSAGE	-	1	0.0 %
BREW CHINESE HERB	-	1	0.0 %
BROWN RICE	-	1	0.0 %
BURN CANDLES	-	1	0.0 %
CALICUM BY TABLET	-	1	0.0 %
CALMAG	-	1	0.0 %
CARDIOVASCULAR FITNESS & WEIGHT TRAINING	-	1	0.0 %
CHANTING	-	1	0.0 %
CHI GONG	-	1	0.0 %
CHI GUONG	-	1	0.0 %
CHICKEN SOUP	-	1	0.0 %
CHINEESE MEDICINE	-	1	0.0 %
CHINESE HERBAL	-	1	0.0 %
CHINESE HERBS	-	2	0.1 %
CHINESE MEDICINE	-	1	0.0 %
CHIPRACTOR	-	1	0.0 %
CHIROPRACTA	-	1	0.0 %
CHIROPRACTIC	-	6	0.3 %
CHIROPRACTIC EXERCISE	-	1	0.0 %

Value	Label	Unweighted Frequency	%
CHIROPRACTIC MEDICINE	-	1	0.0 %
	Total	**2,327**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,327 valid cases out of 2,327 total cases.

Location: 1738-1790 (width: 53; decimal: 0)
Variable Type: character

OTHHAR7: Other - Heart

If YES to OTHALT7: Please tell me whether or not you use any other health practice or remedy: To reduce the risk of heart disease?

Value	Label	Unweighted Frequency	%
1	No	310	13.3 %
2	Yes	59	2.5 %
	Missing Data		
.	-	1958	84.1 %
	Total	**2,327**	**100%**

Based upon 369 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1791-1792 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHOST7: Other - Osteoporosis

If YES to OTHALT7: Please tell me whether or not you use any other health practice or remedy: To reduce the risk of osteoporosis?

Value	Label	Unweighted Frequency	%
1	No	317	13.6 %
2	Yes	52	2.2 %
	Missing Data		
.	-	1958	84.1 %
	Total	**2,327**	**100%**

Based upon 369 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1793-1794 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHMEN7: Other - Meno. symptoms

If YES to OTHALT7: Please tell me whether or not you use any other health practice or remedy: To relieve menopausal symptoms?

Value	Label	Unweighted Frequency	%
1	No	331	14.2 %
2	Yes	38	1.6 %
	Missing Data		
.	-	1958	84.1 %
	Total	**2,327**	**100%**

Based upon 369 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1795-1796 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHLOO7: Other - Young Looking

If YES to OTHALT7: Please tell me whether or not you use any other health practice or remedy: To stay young-looking?

Value	Label	Unweighted Frequency	%
1	No	306	13.1 %
2	Yes	63	2.7 %
	Missing Data		
.	-	1958	84.1 %
	Total	**2,327**	**100%**

Based upon 369 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1797-1798 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHMEM7: Other - Improve Memory

If YES to OTHALT7: Please tell me whether or not you use any other health practice or remedy: To improve memory?

Value	Label	Unweighted Frequency	%
1	No	324	13.9 %
2	Yes	45	1.9 %
	Missing Data		
.	-	1958	84.1 %

Value	Label	Unweighted Frequency	%
	Total	**2,327**	**100%**

Based upon 369 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1799-1800 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHPER7: Other - Reg. Periods

If YES to OTHALT7: Please tell me whether or not you use any other health practice or remedy: To regulate periods?

Value	Label	Unweighted Frequency	%
1	No	362	15.6 %
2	Yes	7	0.3 %
	Missing Data		
.	-	1958	84.1 %
	Total	**2,327**	**100%**

Based upon 369 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1801-1802 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHGEN7: Other - General Health

If YES to OTHALT7: Please tell me whether or not you use any other health practice or remedy: For general health?

Value	Label	Unweighted Frequency	%
1	No	119	5.1 %
2	Yes	250	10.7 %
	Missing Data		
.	-	1958	84.1 %
	Total	**2,327**	**100%**

Based upon 369 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1803-1804 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHWGH7: Other - Weight

If YES to OTHALT7: Please tell me whether or not you use any other health practice or remedy: To lose weight or to stay the same weight?

Value	Label	Unweighted Frequency	%
1	No	306	13.1 %
2	Yes	63	2.7 %
	Missing Data		
.	-	1958	84.1 %
	Total	**2,327**	**100%**

Based upon 369 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1805-1806 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHADV7: Other - Provider advice

If YES to OTHALT7: Please tell me whether or not you use any other health practice or remedy: On advice from health care provider?

Value	Label	Unweighted Frequency	%
1	No	321	13.8 %
2	Yes	48	2.1 %
	Missing Data		
.	-	1958	84.1 %
	Total	**2,327**	**100%**

Based upon 369 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1807-1808 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHALTR7: Other - Other reason

If YES to OTHALT7: Please tell me whether or not you use any other health practice or remedy: Is there any other reason you use any other health practice or remedy?

Value	Label	Unweighted Frequency	%
1	No	155	6.7 %
2	Yes	214	9.2 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	1958	84.1 %
	Total	**2,327**	**100%**

Based upon 369 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1809-1810 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WHYOTHA7: Other - Other specify

If YES to OTHALT7: Please tell me whether or not you use any other health practice or remedy: Is there any other reason you use any other health practice or remedy? Specify

Value	Label	Unweighted Frequency	%
	-	2113	90.8 %
ALLERGIES, JOINT PAIN	-	1	0.0 %
ALLERGY ELIMINATION TREATMENT	-	1	0.0 %
ANGER MANAGEMENT	-	1	0.0 %
ANTIOXIDANT	-	1	0.0 %
ARTERIES	-	1	0.0 %
ARTHRITIS	-	2	0.1 %
ARTHRITIS PAIN	-	1	0.0 %
BACK AND JOINT PAIN	-	1	0.0 %
BACK PAIN	-	2	0.1 %
BACK PROBLEM	-	2	0.1 %
BACK PROBLEMS	-	1	0.0 %
BALANCE YOUR CHAKRAS AND HELP ANKLE AND JOINT PROBLEMS	-	1	0.0 %
BETTER LIVER FUNCTION	-	1	0.0 %
BETTER PERSON, WANT PEOPLE AROUND ME TO BE WELL	-	1	0.0 %
BLOOD PRESSURE	-	1	0.0 %
BRING TENSION DOWN; FOCUS	-	1	0.0 %
CANCER	-	1	0.0 %
CANCER PREVENTION	-	1	0.0 %
CANCER THERAPY	-	1	0.0 %
CARPAL TUNNEL	-	1	0.0 %
CHANGED EATING HABITS	-	1	0.0 %
CHOLESTEROL LEVEL REDUCTION	-	1	0.0 %
CLEANSING BLOOD	-	1	0.0 %
COLD SYMPTOMS	-	1	0.0 %
COMMON SENSE	-	1	0.0 %
COMMUNICABLE DISEASE	-	1	0.0 %

Value	Label	Unweighted Frequency	%
CONTROL PAIN	-	1	0.0 %
COULDN'T LIFT ARM	-	1	0.0 %
COUNTER SPECIFIC CONDITIONS	-	1	0.0 %
DEC. STRESS, ANXIETY, DEPRESSION. MENTAL WELLBEING, INC. BD	-	1	0.0 %
DEPRESSION	-	1	0.0 %
DURING EXERCISE CONCENTRATE AT THAT TIME IN ORDER TO RELAX	-	1	0.0 %
EAT NUTRITIOUS FOOD + HELPS TO CHANNEL TIME & ENERGY	-	1	0.0 %
EMOTIONAL HEALTH	-	1	0.0 %
EMOTIONAL SUPPORT	-	1	0.0 %
ENERGY	-	1	0.0 %
ENJOYABLE	-	1	0.0 %
EXPRESSION	-	1	0.0 %
FATIGUE	-	1	0.0 %
FEEL GOOD	-	1	0.0 %
FEELS GOOD	-	3	0.1 %
FEELS GREAT	-	1	0.0 %
FIBER INTAKE	-	1	0.0 %
FIGHT WITH DAUGHTER	-	1	0.0 %
FIND IT CALMING, FOR MENTAL HEALTH	-	1	0.0 %
FLEXIBILITY AND CIRCULATION	-	1	0.0 %
FLOSS TO PREVENT HEART DISEASE	-	1	0.0 %
FLUID MOBILITY	-	1	0.0 %
FOR ALLERGY	-	1	0.0 %
	Total	**2,327**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,327 valid cases out of 2,327 total cases.

Location: 1811-1870 (width: 60; decimal: 0)
Variable Type: character

OTHALT27: Other health practice 2

During the past 12 months, have you used any of the following for your health? Any other health practice or remedy

Value	Label	Unweighted Frequency	%
1	No	722	31.0 %
2	Yes	90	3.9 %
	Missing Data		
.	-	1515	65.1 %
	Total	**2,327**	**100%**

Based upon 812 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1871-1872 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTALT2S7: Other 2 - Specify

If YES to OTHALT27: During the past 12 months, have you used any of the following for your health? Any other health practice or remedy - Specify

Value	Label	Unweighted Frequency	%
	-	2237	96.1 %
ACCUPRESSURE	-	1	0.0 %
ACIDOPHILUS	-	1	0.0 %
AGALISC	-	1	0.0 %
AQUATIC	-	1	0.0 %
ART THERAPY	-	1	0.0 %
BALANCE BALL	-	1	0.0 %
BIOFEEDBACK	-	2	0.1 %
BREATHING TECHNIQUE	-	1	0.0 %
BURN CANDLES	-	1	0.0 %
CA	-	1	0.0 %
CHI GONG	-	1	0.0 %
CHINESE HERBS	-	1	0.0 %
CHINESE SPECIAL DIET	-	1	0.0 %
CHIROPRACTIC	-	1	0.0 %
CHIROPRACTOR	-	6	0.3 %
CHIRPRACTOR	-	1	0.0 %
COD LIVER OIL	-	1	0.0 %
COUNSELOR	-	1	0.0 %
COUPLES DIALOG	-	1	0.0 %
DIGESTIVE ENZYMES	-	1	0.0 %
DIGESTIVE ENZYMES - PANCREATIN 10X	-	1	0.0 %
DRESS IN CONTON	-	1	0.0 %
DRINKING H20 - 10+ GLASSES/DAY	-	1	0.0 %
EATING COLORS/ DARK GREEN VEGETABLES	-	1	0.0 %
ESSENTIAL OILS AROMATHERAPY	-	1	0.0 %
GRAPEFRUIT SEED EXTRACT	-	1	0.0 %
GUIDED IMAGING AND MEDITATION	-	1	0.0 %
HOT BATHES	-	1	0.0 %
JAZZ	-	1	0.0 %
KANINE PERFORMANCE SPORTS	-	1	0.0 %
KIND & LOVE (BUDDHIST)	-	1	0.0 %
LIGHT THERAPY	-	1	0.0 %

Value	Label	Unweighted Frequency	%
LISTEN TO MUSIC	-	1	0.0 %
LOW CARB DIET	-	1	0.0 %
MA-ROLLER	-	1	0.0 %
MASSAGE	-	6	0.3 %
MASSAGE BED	-	1	0.0 %
MEDITATION	-	1	0.0 %
MUSIC THERAPIST	-	1	0.0 %
OIL OF OREGANO	-	1	0.0 %
OSTEOPATHIN DOCTOR	-	1	0.0 %
PHITEN WATER	-	1	0.0 %
PHYSICAL THERAPY	-	2	0.1 %
PIANO	-	1	0.0 %
PILATES ON REFORMER	-	1	0.0 %
POWDERED BARLEY GRASS JUICE	-	1	0.0 %
PSYCHOLOGIST	-	1	0.0 %
PSYCO THERAPY	-	1	0.0 %
READING	-	2	0.1 %
	Total	**2,327**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,327 valid cases out of 2,327 total cases.

Location: 1873-1914 (width: 42; decimal: 0)
Variable Type: character

OT2HAR7: Other 2 - Heart

If YES to OTHALT27: Please tell me whether or not you use any other health practice or remedy: To reduce the risk of heart disease?

Value	Label	Unweighted Frequency	%
1	No	78	3.4 %
2	Yes	10	0.4 %
	Missing Data		
.	-	2239	96.2 %
	Total	**2,327**	**100%**

Based upon 88 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1915-1916 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OT2OST7: Other 2 - Osteoporosis

If YES to OTHALT27: Please tell me whether or not you use any other health practice or remedy: To reduce the risk of osteoporosis?

Value	Label	Unweighted Frequency	%
1	No	79	3.4 %
2	Yes	9	0.4 %
	Missing Data		
.	-	2239	96.2 %
	Total	**2,327**	**100%**

Based upon 88 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1917-1918 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OT2MEN7: Other 2 - Meno. symptoms

If YES to OTHALT27: Please tell me whether or not you use any other health practice or remedy: To relieve menopausal symptoms?

Value	Label	Unweighted Frequency	%
1	No	79	3.4 %
2	Yes	9	0.4 %
	Missing Data		
.	-	2239	96.2 %
	Total	**2,327**	**100%**

Based upon 88 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1919-1920 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OT2LOO7: Other 2 - Young Looking

If YES to OTHALT27: Please tell me whether or not you use any other health practice or remedy: To stay young-looking?

Value	Label	Unweighted Frequency	%
1	No	74	3.2 %
2	Yes	14	0.6 %
	Missing Data		
.	-	2239	96.2 %

Value	Label	Unweighted Frequency	%
	Total	**2,327**	**100%**

Based upon 88 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1921-1922 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OT2MEM7: Other 2 - Improve Memory

If YES to OTHALT27: Please tell me whether or not you use any other health practice or remedy: To improve memory?

Value	Label	Unweighted Frequency	%
1	No	79	3.4 %
2	Yes	9	0.4 %
	Missing Data		
.	-	2239	96.2 %
	Total	**2,327**	**100%**

Based upon 88 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1923-1924 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OT2PER7: Other 2 - Reg. Periods

If YES to OTHALT27: Please tell me whether or not you use any other health practice or remedy: To regulate periods?

Value	Label	Unweighted Frequency	%
1	No	88	3.8 %
2	Yes	0	0.0 %
	Missing Data		
.	-	2239	96.2 %
	Total	**2,327**	**100%**

Based upon 88 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 1925-1926 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OT2GEN7: Other 2 - General Health

If YES to OTHALT27: Please tell me whether or not you use any other health practice or remedy: For general health?

Value	Label	Unweighted Frequency	%
1	No	32	1.4 %
2	Yes	56	2.4 %
	Missing Data		
.	-	2239	96.2 %
	Total	**2,327**	**100%**

Based upon 88 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1927-1928 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OT2WGH7: Other 2 - Weight

If YES to OTHALT27: Please tell me whether or not you use any other health practice or remedy: To lose weight or to stay the same weight?

Value	Label	Unweighted Frequency	%
1	No	76	3.3 %
2	Yes	12	0.5 %
	Missing Data		
.	-	2239	96.2 %
	Total	**2,327**	**100%**

Based upon 88 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1929-1930 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OT2ADV7: Other 2 - Provider advice

If YES to OTHALT27: Please tell me whether or not you use any other health practice or remedy: On advice from health care provider?

Value	Label	Unweighted Frequency	%
1	No	81	3.5 %
2	Yes	7	0.3 %
	Missing Data		
.	-	2239	96.2 %

Value	Label	Unweighted Frequency	%
	Total	**2,327**	**100%**

Based upon 88 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1931-1932 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OT2ALT7: Other 2 - Other reason

If YES to OTHALT27: Please tell me whether or not you use any other health practice or remedy: Is there any other reason you use any other health practice or remedy?

Value	Label	Unweighted Frequency	%
1	No	27	1.2 %
2	Yes	61	2.6 %
	Missing Data		
.	-	2239	96.2 %
	Total	**2,327**	**100%**

Based upon 88 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1933-1934 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WHYOT2A7: Other 2 - Other specify

If YES to OTHALT27: Please tell me whether or not you use any other health practice or remedy: Is there any other reason you use any other health practice or remedy? Specify

Value	Label	Unweighted Frequency	%
	-	2266	97.4 %
BACK AND NECK PAIN	-	1	0.0 %
BACK PAIN	-	1	0.0 %
BACK PAIN FROM GARDENING AND AUTO ACCIDENT	-	1	0.0 %
BACKACHE	-	1	0.0 %
BENEFITS SIMILAR TO MEDITATION, STRESS REDUCTION	-	1	0.0 %
BOWEL MOVEMENT	-	1	0.0 %
COMBAT DEPRESSION	-	1	0.0 %
DEPRESSION	-	1	0.0 %
EXPRESSION	-	1	0.0 %

Value	Label	Unweighted Frequency	%
FEELS GOOD	-	2	0.1 %
FEELS GREAT.	-	1	0.0 %
FOR ALLERGY	-	1	0.0 %
FOR BACTERIA	-	1	0.0 %
FOR BALANCE AND IMPROVEMENT OF BALANCE	-	1	0.0 %
FOR COMFORT, ENJOYMENT	-	1	0.0 %
FOR THE SOUL	-	1	0.0 %
GOITER	-	1	0.0 %
GOOD FOR IMMUNE SYSTEM	-	1	0.0 %
I LIKE IT	-	1	0.0 %
IN SPECIFIC AREAS	-	1	0.0 %
INCREASED MENTAL HEALTH + WELLBEING	-	1	0.0 %
INFLAMMATION OF BACK	-	1	0.0 %
IT HELPS YOU CALM, RELAXES YOU	-	1	0.0 %
LOWER PAIN IN BACK AND HIP	-	1	0.0 %
LOWERS BLD SUGAR; HELPS W/BP	-	1	0.0 %
MENTAL HEALTH	-	1	0.0 %
MENTAL HEALTH & MARRIAGE	-	1	0.0 %
MIGRAINE	-	1	0.0 %
MINIMIZE STRESS, GIVE YOU ENERGY	-	1	0.0 %
MOM	-	1	0.0 %
MONITORING WEIGHT	-	1	0.0 %
MOODS	-	1	0.0 %
MUSCLE, BONES HEALTH, MENTAL HEALTH	-	1	0.0 %
MUSCLES	-	1	0.0 %
NECK CARTILAGE LOSS	-	1	0.0 %
NERVE CONDITION	-	1	0.0 %
NERVE PROBLEM	-	1	0.0 %
NOT TO FORGET KANJI(CHINESE CHARACTORS)	-	1	0.0 %
PREVENTING CONSTIPATION	-	1	0.0 %
REDUCES BAD INFLUENCES AND BUILDS IMMUNE SYSTEM	-	1	0.0 %
REDUCING STRESS & DECREASING BLOOD PRESSURE	-	1	0.0 %
REGULATE BLOOD SUGAR	-	1	0.0 %
RELAXATION	-	2	0.1 %
RELEASE MENTAL STRESS	-	1	0.0 %
RELIGIOUS	-	1	0.0 %
SEES HIM WHEN ILL FOR ALIGNMENT	-	1	0.0 %
SELF HELP BOOKS	-	1	0.0 %
SHOULDERACHE, FATIGUE	-	1	0.0 %
SOMETHING TO DO	-	1	0.0 %
	Total	**2,327**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,327 valid cases out of 2,327 total cases.

Location: 1935-1982 (width: 48; decimal: 0)
Variable Type: character

OTHALT37: Other health practice 3

During the past 12 months, have you used any of the following for your health? Any other health practice or remedy

Value	Label	Unweighted Frequency	%
1	No	563	24.2 %
2	Yes	31	1.3 %
	Missing Data		
.	-	1733	74.5 %
	Total	**2,327**	**100%**

Based upon 594 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1983-1984 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTALT3S7: Other 3 - Specify

If YES to OTHALT37: During the past 12 months, have you used any of the following for your health? Any other health practice or remedy - Specify

Value	Label	Unweighted Frequency	%
	-	2296	98.7 %
AROMA THERAPY	-	1	0.0 %
CALCIUM	-	1	0.0 %
CHIROPRACTOR	-	1	0.0 %
DANCE	-	1	0.0 %
DECREASE IN CAFFINE	-	1	0.0 %
DEEP BREATHE	-	1	0.0 %
ECHINASEA & VIT C	-	1	0.0 %
FERMENTED FOODS, KIM CHEE	-	1	0.0 %
GARLIC SUPPLEMENT	-	1	0.0 %
GOING TO CHURCH	-	1	0.0 %
HERBS	-	1	0.0 %
HOMEOPATHIC REMEDY	-	1	0.0 %
HYPNOSIS	-	1	0.0 %
LINOLEIC ACID	-	1	0.0 %

Value	Label	Unweighted Frequency	%
MASSAGE	-	4	0.2 %
MEDITATION	-	1	0.0 %
MUSIC	-	1	0.0 %
MUSIC/CHANT	-	1	0.0 %
NATURE OBSERVING	-	1	0.0 %
OMEGA 3, 6 FISH OIL	-	1	0.0 %
PAPAYA ENZYME PLUS	-	1	0.0 %
PROBIOTICS	-	1	0.0 %
RM10	-	1	0.0 %
WALKING 2 MILES A DAY	-	1	0.0 %
WATER INTAKE, SLEEP, FRIENDS.	-	1	0.0 %
WRITE POETRY	-	1	0.0 %
YOGURT	-	1	0.0 %
ZERO BALANCING	-	1	0.0 %
	Total	**2,327**	**100%**

Based upon 2,327 valid cases out of 2,327 total cases.

Location: 1985-2013 (width: 29; decimal: 0)
Variable Type: character

OT3HAR7: Other 3 - Heart

If YES to OTHALT37: Please tell me whether or not you use any other health practice or remedy: To reduce the risk of heart disease?

Value	Label	Unweighted Frequency	%
1	No	28	1.2 %
2	Yes	3	0.1 %
	Missing Data		
.	-	2296	98.7 %
	Total	**2,327**	**100%**

Based upon 31 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2014-2015 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OT3OST7: Other 3 - Osteoporosis

If YES to OTHALT37: Please tell me whether or not you use any other health practice or remedy: To reduce the risk of osteoporosis?

Value	Label	Unweighted Frequency	%
1	No	28	1.2 %

Value	Label	Unweighted Frequency	%
2	Yes	3	0.1 %
	Missing Data		
.	-	2296	98.7 %
	Total	**2,327**	**100%**

Based upon 31 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2016-2017 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OT3MEN7: Other 3 - Meno. symptoms

If YES to OTHALT37: Please tell me whether or not you use any other health practice or remedy: To relieve menopausal symptoms?

Value	Label	Unweighted Frequency	%
1	No	29	1.2 %
2	Yes	2	0.1 %
	Missing Data		
.	-	2296	98.7 %
	Total	**2,327**	**100%**

Based upon 31 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2018-2019 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OT3LOO7: Other 3 - Young Looking

If YES to OTHALT37: Please tell me whether or not you use any other health practice or remedy: To stay young-looking?

Value	Label	Unweighted Frequency	%
1	No	30	1.3 %
2	Yes	1	0.0 %
	Missing Data		
.	-	2296	98.7 %
	Total	**2,327**	**100%**

Based upon 31 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2020-2021 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OT3MEM7: Other 3 - Improve Memory

If YES to OTHALT37: Please tell me whether or not you use any other health practice or remedy: To improve memory?

Value	Label	Unweighted Frequency	%
1	No	29	1.2 %
2	Yes	2	0.1 %
	Missing Data		
.	-	2296	98.7 %
	Total	**2,327**	**100%**

Based upon 31 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2022-2023 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OT3PER7: Other 3 - Reg. Periods

If YES to OTHALT37: Please tell me whether or not you use any other health practice or remedy: To regulate periods?

Value	Label	Unweighted Frequency	%
1	No	31	1.3 %
2	Yes	0	0.0 %
	Missing Data		
.	-	2296	98.7 %
	Total	**2,327**	**100%**

Based upon 31 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 2024-2025 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OT3GEN7: Other 3 - General Health

If YES to OTHALT37: Please tell me whether or not you use any other health practice or remedy: For general health?

Value	Label	Unweighted Frequency	%
1	No	8	0.3 %
2	Yes	23	1.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	2296	98.7 %
	Total	**2,327**	**100%**

Based upon 31 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2026-2027 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OT3WGH7: Other 3 - Weight

If YES to OTHALT37: Please tell me whether or not you use any other health practice or remedy: To lose weight or to stay the same weight?

Value	Label	Unweighted Frequency	%
1	No	29	1.2 %
2	Yes	2	0.1 %
	Missing Data		
.	-	2296	98.7 %
	Total	**2,327**	**100%**

Based upon 31 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2028-2029 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OT3ADV7: Other 3 - Provider advice

If YES to OTHALT37: Please tell me whether or not you use any other health practice or remedy: On advice from health care provider?

Value	Label	Unweighted Frequency	%
1	No	31	1.3 %
2	Yes	0	0.0 %
	Missing Data		
.	-	2296	98.7 %
	Total	**2,327**	**100%**

Based upon 31 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 2030-2031 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OT3ALT7: Other 3 - Other reason

If YES to OTHALT37: Please tell me whether or not you use any other health practice or remedy: Is there any other reason you use any other health practice or remedy?

Value	Label	Unweighted Frequency	%
1	No	11	0.5 %
2	Yes	20	0.9 %
	Missing Data		
.	-	2296	98.7 %
	Total	**2,327**	**100%**

Based upon 31 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2032-2033 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WHYOT3A7: Other 3 - Other specify

If YES to OTHALT37: Please tell me whether or not you use any other health practice or remedy: Is there any other reason you use any other health practice or remedy? Specify

Value	Label	Unweighted Frequency	%
	-	2307	99.1 %
ACHES AND PAINS-NECK, BACK; RELAXATION	-	1	0.0 %
BACK PAIN	-	1	0.0 %
BACK PAIN AND MUSCLE STIFFNESS	-	1	0.0 %
BECAUSE I LOVE DOING IT	-	1	0.0 %
COLD	-	1	0.0 %
DETOX	-	1	0.0 %
FOR ALS	-	1	0.0 %
GLEAR LUNGS OF (CO2)	-	1	0.0 %
GOOD FOR IMMUNE SYSTEM	-	1	0.0 %
HELP ME FEEL BETTER ABOUT WHERE I AM - RELAXATION	-	1	0.0 %
HIGHER QUALITY OF LIFE.	-	1	0.0 %
INCREASING METABOLISM	-	1	0.0 %
MENTAL, EMOTIONAL, SPIRITUAL HEALTH	-	1	0.0 %
PEACE OF MIND	-	1	0.0 %
PRENVENTING CONSTIPATION	-	1	0.0 %
PROVIDES ENZYMES FOR DIGESTION	-	1	0.0 %

Value	Label	Unweighted Frequency	%
REDUCE STRESS/PAIN	-	1	0.0 %
RELAXATION	-	2	0.1 %
THERAPY	-	1	0.0 %
	Total	**2,327**	**100%**

Based upon 2,327 valid cases out of 2,327 total cases.

Location: 2034-2082 (width: 49; decimal: 0)
Variable Type: character

ANEMIA7: Anemia since last visit

Since your last study visit, has a doctor, nurse practitioner or other health care provider told you that you had any of the following conditions or treated you for them? Anemia?

Value	Label	Unweighted Frequency	%
1	No	2036	87.5 %
2	Yes	164	7.0 %
	Missing Data		
-8	Do not know	2	0.1 %
.	-	125	5.4 %
	Total	**2,327**	**100%**

Based upon 2,200 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2083-2084 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIABETE7: Diabetes since last visit

Since your last study visit, has a doctor, nurse practitioner or other health care provider told you that you had any of the following conditions or treated you for them? Diabetes?

Value	Label	Unweighted Frequency	%
1	No	2134	91.7 %
2	Yes	186	8.0 %
	Missing Data		
.	-	7	0.3 %
	Total	**2,327**	**100%**

Based upon 2,320 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2085-2086 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HIGHBP7: Hypertension since last visit

Since your last study visit, has a doctor, nurse practitioner or other health care provider told you that you had any of the following conditions or treated you for them? High blood pressure or hypertension?

Value	Label	Unweighted Frequency	%
1	No	1716	73.7 %
2	Yes	604	26.0 %
	Missing Data		
.	-	7	0.3 %
	Total	**2,327**	**100%**

Based upon 2,320 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2087-2088 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HBCHOLE7: High cholesterol since last visit

Since your last study visit, has a doctor, nurse practitioner or other health care provider told you that you had any of the following conditions or treated you for them? High cholesterol?

Value	Label	Unweighted Frequency	%
1	No	1724	74.1 %
2	Yes	478	20.5 %
	Missing Data		
.	-	125	5.4 %
	Total	**2,327**	**100%**

Based upon 2,202 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2089-2090 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MIGRAIN7: Migraines since last visit

Since your last study visit, has a doctor, nurse practitioner or other health care provider told you that you had any of the following conditions or treated you for them? Migraines?

Value	Label	Unweighted Frequency	%
1	No	2068	88.9 %
2	Yes	134	5.8 %
	Missing Data		
.	-	125	5.4 %
	Total	**2,327**	**100%**

Based upon 2,202 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2091-2092 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

STROKE7: Stroke since last visit

Since your last study visit, has a doctor, nurse practitioner or other health care provider told you that you had any of the following conditions or treated you for them? Stroke?

Value	Label	Unweighted Frequency	%
1	No	2184	93.9 %
2	Yes	16	0.7 %
	Missing Data		
-8	Do not know	2	0.1 %
.	-	125	5.4 %
	Total	**2,327**	**100%**

Based upon 2,200 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2093-2094 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OSTEOAR7: Arthritis since last visit

Since your last study visit, has a doctor, nurse practitioner or other health care provider told you that you had any of the following conditions or treated you for them? Arthritis or osteoarthritis (degenerative joint disease)?

Value	Label	Unweighted Frequency	%
1	No	1875	80.6 %
2	Yes	442	19.0 %
	Missing Data		
-8	Do not know	3	0.1 %
.	-	7	0.3 %

Value	Label	Unweighted Frequency	%
	Total	**2,327**	**100%**

Based upon 2,317 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2095-2096 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

THYROID7: Over/underactive Thyroid since last visit

Since your last study visit, has a doctor, nurse practitioner or other health care provider told you that you had any of the following conditions or treated you for them? Overactive or underactive thyroid?

Value	Label	Unweighted Frequency	%
1	No	2085	89.6 %
2	Yes	235	10.1 %
	Missing Data		
.	-	7	0.3 %
	Total	**2,327**	**100%**

Based upon 2,320 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2097-2098 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HEARTAT7: Heart attack since last visit

Since your last study visit, has a doctor, nurse practitioner or other health care provider told you that you had any of the following conditions or treated you for them? Heart attack?

Value	Label	Unweighted Frequency	%
1	No	2310	99.3 %
2	Yes	10	0.4 %
	Missing Data		
.	-	7	0.3 %
	Total	**2,327**	**100%**

Based upon 2,320 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2099-2100 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ANGINA7: Angina since last visit

Since your last study visit, has a doctor, nurse practitioner or other health care provider told you that you had any of the following conditions or treated you for them? Angina?

Value	Label	Unweighted Frequency	%
1	No	2291	98.5 %
2	Yes	28	1.2 %
	Missing Data		
-8	Do not know	1	0.0 %
.	-	7	0.3 %
	Total	**2,327**	**100%**

Based upon 2,319 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2101-2102 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OSTEOPR7: Osteoporosis since last visit

Since your last study visit, has a doctor, nurse practitioner or other health care provider told you that you had any of the following conditions or treated you for them? Osteoporosis (brittle or thinning bones)?

Value	Label	Unweighted Frequency	%
1	No	2217	95.3 %
2	Yes	101	4.3 %
	Missing Data		
-8	Do not know	2	0.1 %
.	-	7	0.3 %
	Total	**2,327**	**100%**

Based upon 2,318 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2103-2104 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CANCERS7: Cancer since last visit

Since your last study visit, has a doctor, nurse practitioner or other health care provider told you that you had any of the following conditions or treated you for them? Cancer, other than skin cancer?

Value	Label	Unweighted Frequency	%
1	No	2283	98.1 %
2	Yes	36	1.5 %
	Missing Data		
-8	Do not know	1	0.0 %
.	-	7	0.3 %
	Total	**2,327**	**100%**

Based upon 2,319 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2105-2106 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PSITECA7: Primary site of cancer

If YES to CANCERS7: What is the primary site of the cancer?

Value	Label	Unweighted Frequency	%
1	One Breast	17	0.7 %
2	Both Breasts	1	0.0 %
3	Ovary	1	0.0 %
4	Uterus	2	0.1 %
5	Cervix	1	0.0 %
6	Leukemia	2	0.1 %
7	Lung	2	0.1 %
8	Colon	0	0.0 %
9	Rectum	0	0.0 %
10	Throat	2	0.1 %
11	Other cancer	8	0.3 %
	Missing Data		
-1	N/A	2284	98.2 %
.	-	7	0.3 %
	Total	**2,327**	**100%**

Based upon 36 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 11.00

Location: 2107-2108 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SITESPE7: Other site of cancer-specify

If YES to CANCERS7: What is the primary site of the cancer? Specify.

Value	Label	Unweighted Frequency	%
	-	7	0.3 %
-1: N/A	-	2312	99.4 %
BONE MARROW- MULTIPLE MYELOMA	-	1	0.0 %
ENDOMETRIAL	-	1	0.0 %
RIGHT THYROID	-	1	0.0 %
THYROID	-	3	0.1 %
TONGUE	-	1	0.0 %
TRACHEA	-	1	0.0 %
	Total	**2,327**	**100%**

Based upon 2,327 valid cases out of 2,327 total cases.

Location: 2109-2138 (width: 30; decimal: 0)
Variable Type: character

TAMOXIF7: Taken Tamoxifen since last visit

If BREAST CANCER: Have you taken Tamoxifen since your last study visit?

Value	Label	Unweighted Frequency	%
1	No	9	0.4 %
2	Yes	7	0.3 %
	Missing Data		
-1	N/A	2186	93.9 %
.	-	125	5.4 %
	Total	**2,327**	**100%**

Based upon 16 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2139-2140 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CHEMOTH7: Chemotherapy/radiation for cancer

Since your last study visit, have you received chemotherapy or radiation treatment for this cancer?

Value	Label	Unweighted Frequency	%
1	No	20	0.9 %
2	Yes	14	0.6 %
	Missing Data		
-1	N/A	2168	93.2 %
.	-	125	5.4 %

Value	Label	Unweighted Frequency	%
	Total	**2,327**	**100%**

Based upon 34 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2141-2142 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BROKEBO7: # events where bone(s) broken since last visit

How many times have you broken or fractured one or more bones since your last study visit? # of events where bone(s) were broken or fractured

Value	Label	Unweighted Frequency	%
0	-	2254	96.9 %
1	-	63	2.7 %
2	-	1	0.0 %
3	-	1	0.0 %
	Missing Data		
-9	Missing	1	0.0 %
.	-	7	0.3 %
	Total	**2,327**	**100%**

Based upon 2,319 valid cases out of 2,327 total cases.

- Mean: 0.03
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.18

Location: 2143-2144 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BONES17: Bone #1 broken

Which bones did you break or fracture?

Value	Label	Unweighted Frequency	%
	-	2262	97.2 %
-8: Do not know	-	9	0.4 %
2 TOES ON RT FOOT (BIG & SMALL)	-	1	0.0 %
4TH METATARSAL	-	1	0.0 %
BOTH TAIL BONE, SACRUM	-	1	0.0 %

Value	Label	Unweighted Frequency	%
BOTH TOES, 2 ON L, 2 ON R	-	1	0.0 %
LEFT 3 TOES	-	1	0.0 %
LEFT ANKLE	-	4	0.2 %
LEFT ANKLE - HAIRLINE FRACTURE	-	1	0.0 %
LEFT BIG TOE	-	2	0.1 %
LEFT CLAVICLE	-	1	0.0 %
LEFT ELBOW CHIPPED	-	1	0.0 %
LEFT FOOT	-	2	0.1 %
LEFT FOOT (ARCH OF FOOT)	-	1	0.0 %
LEFT KNEE CAP (PATELLA)	-	1	0.0 %
LEFT OUTSIDE OF FOOT	-	1	0.0 %
LEFT RADIUS	-	1	0.0 %
LEFT RIBS	-	1	0.0 %
LEFT SHOULDER	-	1	0.0 %
LEFT TIBIA	-	1	0.0 %
LEFT TIBIA FRACTURE	-	1	0.0 %
LEFT TOE	-	3	0.1 %
LEFT TOE NEXT TO BIG TOE AND KNEE - LEFT SIDE	-	1	0.0 %
LEFT TOE(MIDDLE PHALANX)	-	1	0.0 %
LEFT UPPER ARM	-	1	0.0 %
LEFT WRIST	-	2	0.1 %
RIGHT ANKLE	-	3	0.1 %
RIGHT ELBOW (NEAR TIP OF HUMERUS)	-	1	0.0 %
RIGHT FOOT	-	1	0.0 %
RIGHT METATARSAL	-	1	0.0 %
RIGHT RADIUS	-	2	0.1 %
RIGHT RIBS	-	3	0.1 %
RIGHT SHATTERED BASE OF THUMB (3 PINS WITH SURGERY)	-	1	0.0 %
RIGHT SHOULDER	-	1	0.0 %
RIGHT SMALL TOE	-	1	0.0 %
RIGHT TIBIA	-	3	0.1 %
RIGHT TOE	-	1	0.0 %
RIGHT WRIST	-	1	0.0 %
RT FOOT	-	1	0.0 %
SHE DOESN'T KNOW HOW OR WHEN SHE FRACTURED HER LEFT LEG	-	1	0.0 %
SPINE	-	3	0.1 %
	Total	**2,327**	**100%**

Based upon 2,327 valid cases out of 2,327 total cases.

Location: 2145-2204 (width: 60; decimal: 0)
Variable Type: character

HAPPEN17: How happened #1

How did it happen? Was it for any of the following reasons?: After a fall from a height above the ground greater than six inches; in a motor vehicle accident; while moving fast, like running, bicycling or skating; while playing sports; or because something heavy fell on you or struck you.

Value	Label	Unweighted Frequency	%
1	No	25	1.1 %
2	Yes	31	1.3 %
	Missing Data		
-8	Do not know	9	0.4 %
.	-	2262	97.2 %
	Total	**2,327**	**100%**

Based upon 56 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2205-2206 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BONES27: Bone #2 broken

Which bones did you break or fracture?

Value	Label	Unweighted Frequency	%
	-	2262	97.2 %
-1: N/A	-	62	2.7 %
4TH METATARSAL	-	1	0.0 %
LEFT & RIGHT BIG TOES	-	1	0.0 %
RIGHT FINGER	-	1	0.0 %
	Total	**2,327**	**100%**

Based upon 2,327 valid cases out of 2,327 total cases.

Location: 2207-2266 (width: 60; decimal: 0)
Variable Type: character

HAPPEN27: How happened #2

How did it happen? Was it for any of the following reasons?: After a fall from a height above the ground greater than six inches; in a motor vehicle accident; while moving fast, like running, bicycling or skating; while playing sports; or because something heavy fell on you or struck you.

Value	Label	Unweighted Frequency	%
1	No	2	0.1 %
2	Yes	1	0.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-1	N/A	62	2.7 %
.	-	2262	97.2 %
	Total	**2,327**	**100%**

Based upon 3 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2267-2268 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BONES37: Bone #3 broken

Which bones did you break or fracture?

Value	Label	Unweighted Frequency	%
	-	2262	97.2 %
-1: N/A	-	64	2.8 %
5TH METATARSAL	-	1	0.0 %
	Total	**2,327**	**100%**

Based upon 2,327 valid cases out of 2,327 total cases.

Location: 2269-2328 (width: 60; decimal: 0)
Variable Type: character

HAPPEN37: How happened #3

How did it happen? Was it for any of the following reasons?: After a fall from a height above the ground greater than six inches; in a motor vehicle accident; while moving fast, like running, bicycling or skating; while playing sports; or because something heavy fell on you or struck you.

Value	Label	Unweighted Frequency	%
1	No	1	0.0 %
2	Yes	0	0.0 %
	Missing Data		
-1	N/A	64	2.8 %
.	-	2262	97.2 %
	Total	**2,327**	**100%**

Based upon 1 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 2329-2330 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DANDC7: D & C since last visit

Since your last study visit, have you had any of the following surgeries or procedures? D and C, a scraping of the uterus for any reason, including abortion?

Value	Label	Unweighted Frequency	%
1	No	2168	93.2 %
2	Yes	34	1.5 %
	Missing Data		
.	-	125	5.4 %
	Total	**2,327**	**100%**

Based upon 2,202 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2331-2332 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NUMDAND7: D & C # of times

Since your last study visit, how many times have you had a D and C? Number of times

Value	Label	Unweighted Frequency	%
1	-	30	1.3 %
2	-	3	0.1 %
	Missing Data		
-9	Missing	1	0.0 %
-1	N/A	2168	93.2 %
.	-	125	5.4 %
	Total	**2,327**	**100%**

Based upon 33 valid cases out of 2,327 total cases.

- Mean: 1.09
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.29

Location: 2333-2334 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HYSTERE7: Hysterectomy since last visit

Since your last study visit, have you had any of the following surgeries or procedures? Hysterectomy (an operation to remove your uterus or womb)?

Value	Label	Unweighted Frequency	%
1	No	2297	98.7 %
2	Yes	23	1.0 %
	Missing Data		
.	-	7	0.3 %
	Total	**2,327**	**100%**

Based upon 2,320 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2335-2336 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HYSTDAY7: Day of hysterectomy

Since your last study visit, have you had any of the following surgeries or procedures? Hysterectomy (an operation to remove your uterus or womb)? When was this performed?

Value	Label	Unweighted Frequency	%
1295	-	1	0.0 %
1940	-	1	0.0 %
2047	-	1	0.0 %
2182	-	1	0.0 %
2207	-	1	0.0 %
2228	-	1	0.0 %
2251	-	1	0.0 %
2253	-	1	0.0 %
2311	-	1	0.0 %
2331	-	1	0.0 %
2334	-	1	0.0 %
2347	-	2	0.1 %
2348	-	1	0.0 %
2360	-	1	0.0 %
2374	-	1	0.0 %
2399	-	1	0.0 %
2525	-	1	0.0 %
2541	-	1	0.0 %
2568	-	1	0.0 %
2743	-	1	0.0 %
	Missing Data		
.	-	2306	99.1 %
	Total	**2,327**	**100%**

Based upon 21 valid cases out of 2,327 total cases.

- Mean: 2282.43
- Median: 2334.00
- Mode: 2347.00
- Minimum: 1295.00
- Maximum: 2743.00
- Standard Deviation: 285.84

Location: 2337-2340 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: .

OOPHORE7: Ovaries removed since last visit

Since your last study visit, have you had any of the following surgeries or procedures? Did you have one or both ovaries removed (an oophorectomy)?

Value	Label	Unweighted Frequency	%
1	No	2293	98.5 %
2	Yes	27	1.2 %
	Missing Data		
.	-	7	0.3 %
	Total	**2,327**	**100%**

Based upon 2,320 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2341-2342 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ONEOVAR7: One or both ovaries removed

Since your last study visit, have you had any of the following surgeries or procedures? Was one ovary removed or were both ovaries removed?

Value	Label	Unweighted Frequency	%
1	One Ovary Removed	7	0.3 %
2	Both Ovaries Removed	20	0.9 %
	Missing Data		
-1	N/A	2293	98.5 %
.	-	7	0.3 %
	Total	**2,327**	**100%**

Based upon 27 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2343-2344 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ABLATIN7: Endometrial ablation since last visit

Since your last study visit, have you had any of the following surgeries or procedures? Did you have an endometrial ablation (a procedure to reduce or eliminate menstrual periods by partially or completely destroying the lining of the uterus)?

Value	Label	Unweighted Frequency	%
1	No	2195	94.3 %
2	Yes	4	0.2 %
	Missing Data		
-8	Do not know	3	0.1 %
.	-	125	5.4 %
	Total	**2,327**	**100%**

Based upon 2,199 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2345-2346 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

UTERPRO7: Uterine procedure since last visit

Since your last study visit, have you had any of the following surgeries or procedures? Any other uterine procedures, other than D and C, for example: cesarean section, IUD insertion, fibroid removal or endometrial biopsy?

Value	Label	Unweighted Frequency	%
1	No	2131	91.6 %
2	Yes	71	3.1 %
	Missing Data		
.	-	125	5.4 %
	Total	**2,327**	**100%**

Based upon 2,202 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2347-2348 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

THYRREM7: Thyroid gland removed since last visit

Since your last study visit, have you had any of the following surgeries or procedures? Thyroid gland removed?

Value	Label	Unweighted Frequency	%
1	No	2198	94.5 %
2	Yes	4	0.2 %
	Missing Data		
.	-	125	5.4 %
	Total	**2,327**	**100%**

Based upon 2,202 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2349-2350 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ENDO7: Endometriosis since last visit

Since your last study visit, have you had any of the following conditions? Endometriosis diagnosed by a physician (abnormal growths in lining of uterus)?

Value	Label	Unweighted Frequency	%
1	No	2187	94.0 %
2	Yes	15	0.6 %
	Missing Data		
.	-	125	5.4 %
	Total	**2,327**	**100%**

Based upon 2,202 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2351-2352 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PELVCPN7: Pelvic pain since last visit

Since your last study visit, have you had any of the following conditions? Pelvic pain (pain in the lowest part of the abdomen)?

Value	Label	Unweighted Frequency	%
1	No	2116	90.9 %
2	Yes	86	3.7 %
	Missing Data		
.	-	125	5.4 %
	Total	**2,327**	**100%**

Based upon 2,202 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2353-2354 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PROLAPS7: Pelvic prolapse since last visit

Since your last study visit, have you had any of the following conditions? Pelvic prolapse or relaxation (the uterus, bladder, or rectum drops, sometimes bulging out of vagina)?

Value	Label	Unweighted Frequency	%
1	No	2184	93.9 %
2	Yes	17	0.7 %
	Missing Data		
-8	Do not know	1	0.0 %
.	-	125	5.4 %
	Total	**2,327**	**100%**

Based upon 2,201 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2355-2356 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PELVCNC7: Pelvic cancer since last visit

Since your last study visit, have you had any of the following conditions? Pelvic cancer (cancer of the vulva, cervix, uterus, or ovaries)?

Value	Label	Unweighted Frequency	%
1	No	2199	94.5 %
2	Yes	3	0.1 %
	Missing Data		
.	-	125	5.4 %
	Total	**2,327**	**100%**

Based upon 2,202 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2357-2358 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ABBLEED7: Abnormal vaginal bleeding since last visit

Since your last study visit, have you had any of the following conditions? Abnormal vaginal bleeding (bleeding from the vagina that is different enough from your normal pattern to be a concern: irregular, heavy, or long in duration)?

Value	Label	Unweighted Frequency	%
1	No	2090	89.8 %
2	Yes	112	4.8 %
	Missing Data		
.	-	125	5.4 %
	Total	**2,327**	**100%**

Based upon 2,202 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2359-2360 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FIBRUTR7: Fibroids since last visit

Since your last study visit, have you had any of the following conditions? Fibroids (benign growths in the uterus or womb)?

Value	Label	Unweighted Frequency	%
1	No	1988	85.4 %
2	Yes	214	9.2 %
	Missing Data		
.	-	125	5.4 %
	Total	**2,327**	**100%**

Based upon 2,202 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2361-2362 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PRVIDER7: Health care provider for women's health

Do you have a health care provider from whom you primarily get your care for women's health conditions? (If you have an obstetrician or gynecologist (ob/gyn) refer to him or her. If you don't, refer to the person from whom you get care for women's health).

Value	Label	Unweighted Frequency	%
1	No	284	12.2 %
2	Yes	1918	82.4 %
	Missing Data		
.	-	125	5.4 %
	Total	**2,327**	**100%**

Based upon 2,202 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2363-2364 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PROFDEG7: Professional degree of HCP

What professional degree does this health care provider have? If you are not sure, please make your best guess.

Value	Label	Unweighted Frequency	%
1	Medical Doctor (MD)	1704	73.2 %
2	Dr. of Osteopathy (DO)	33	1.4 %
3	Chiropractor (DC)	0	0.0 %
4	Registered Nurse (RN)	7	0.3 %
5	Nurse Practitioner (NP)	152	6.5 %
6	Physician Assistant (PA)	7	0.3 %
7	Other: Specify	1	0.0 %
	Missing Data		
-8	Do not know	13	0.6 %
-7	Refused	1	0.0 %
-1	N/A	284	12.2 %
.	-	125	5.4 %
	Total	**2,327**	**100%**

Based upon 1,904 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 2365-2366 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SPECIFY7: Professional degree - other specify

What professional degree does this health care provider have? If you are not sure, please make your best guess - Specify

Value	Label	Unweighted Frequency	%
	-	125	5.4 %
-1: N/A	-	2201	94.6 %
DR OF NUTRITION & CHIROPRACTOR	-	1	0.0 %
	Total	**2,327**	**100%**

Based upon 2,327 valid cases out of 2,327 total cases.

Location: 2367-2406 (width: 40; decimal: 0)

Variable Type: character

PROVSPC7: Provider's specialty

Which of the following best describes this provider's speciality?

Value	Label	Unweighted Frequency	%
1	Family Practitioner	463	19.9 %
2	Internist	320	13.8 %
3	Gynecologist	886	38.1 %
4	Naturopath	5	0.2 %
5	Other	31	1.3 %
6	No specialty	2	0.1 %
	Missing Data		
-8	Do not know	30	1.3 %
-7	Refused	1	0.0 %
-1	N/A	464	19.9 %
.	-	125	5.4 %
	Total	**2,327**	**100%**

Based upon 1,707 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 2407-2408 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SPECIAL7: HCP specialty - other specify

Which of the following best describes this provider's speciality? - Specify

Value	Label	Unweighted Frequency	%
	-	125	5.4 %
-1: N/A	-	2171	93.3 %
6	-	1	0.0 %
ADULT MEDICINE	-	3	0.1 %
BREAST CANCER	-	1	0.0 %
CARDIOLOGIST	-	1	0.0 %
CNS SPECIALIST	-	1	0.0 %
DIABETES	-	1	0.0 %
DO	-	1	0.0 %
GASTROENTEROLOGY	-	1	0.0 %
GEN. MEDICINE	-	1	0.0 %
GENERAL MEDICINE	-	1	0.0 %
GENERAL PRACTIONER	-	2	0.1 %

Value	Label	Unweighted Frequency	%
GENERAL PRACTITIONER	-	4	0.2 %
GENERAL PRACTITIONER + ENDOCRINOLOGY SPECIALIST	-	1	0.0 %
GERIATRICS	-	2	0.1 %
HEMOGLOBIN SPECIALIST	-	1	0.0 %
HOLISTIC	-	1	0.0 %
INTERNIST/RHEUMATOLOGIST	-	1	0.0 %
ONCOLOGIST	-	1	0.0 %
SURGEON	-	2	0.1 %
WOMAN'S HEALTH	-	1	0.0 %
WOMEN'S HEALTH	-	2	0.1 %
WOMEN'S HEALTH PCP	-	1	0.0 %
	Total	**2,327**	**100%**

Based upon 2,327 valid cases out of 2,327 total cases.

Location: 2409-2468 (width: 60; decimal: 0)
Variable Type: character

PROVTIM7: Time spent by HCP on avg

On average, how much time does this health care provider spend with you at each visit?

Value	Label	Unweighted Frequency	%
1	0-5 minutes	49	2.1 %
2	6-10 minutes	182	7.8 %
3	11-15 minutes	404	17.4 %
4	16-20 minutes	436	18.7 %
5	21-30 minutes	503	21.6 %
6	> 30 minutes	320	13.8 %
	Missing Data		
-8	Do not know	23	1.0 %
-7	Refused	1	0.0 %
-1	N/A	284	12.2 %
.	-	125	5.4 %
	Total	**2,327**	**100%**

Based upon 1,894 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 2469-2470 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BLEEDNG7: Menstrual bleeding since last visit

Did you have any menstrual bleeding since your last study visit?

Value	Label	Unweighted Frequency	%
1	No	1296	55.7 %
2	Yes	1022	43.9 %
	Missing Data		
-8	Do not know	2	0.1 %
.	-	7	0.3 %
	Total	**2,327**	**100%**

Based upon 2,318 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2471-2472 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BLD3MON7: Menstrual bleeding in last 3 mos

Did you have any menstrual bleeding in the last 3 months?

Value	Label	Unweighted Frequency	%
1	No	262	11.3 %
2	Yes	760	32.7 %
	Missing Data		
-1	N/A	1298	55.8 %
.	-	7	0.3 %
	Total	**2,327**	**100%**

Based upon 1,022 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2473-2474 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

LMPDAY7: Last Menstrual Period Day

What was the date that you started your most recent menstrual bleeding?

Value	Label	Unweighted Frequency	%
1994	-	1	0.0 %
2175	-	1	0.0 %
2187	-	1	0.0 %
2188	-	1	0.0 %

Value	Label	Unweighted Frequency	%
2195	-	1	0.0 %
2196	-	1	0.0 %
2199	-	2	0.1 %
2205	-	1	0.0 %
2213	-	1	0.0 %
2215	-	1	0.0 %
2222	-	1	0.0 %
2231	-	1	0.0 %
2235	-	1	0.0 %
2240	-	1	0.0 %
2242	-	1	0.0 %
2245	-	3	0.1 %
2252	-	1	0.0 %
2253	-	1	0.0 %
2254	-	2	0.1 %
2260	-	1	0.0 %
2264	-	1	0.0 %
2269	-	1	0.0 %
2270	-	1	0.0 %
2271	-	1	0.0 %
2273	-	1	0.0 %
2274	-	1	0.0 %
2276	-	1	0.0 %
2277	-	2	0.1 %
2280	-	1	0.0 %
2281	-	1	0.0 %
2282	-	1	0.0 %
2285	-	2	0.1 %
2287	-	1	0.0 %
2289	-	1	0.0 %
2290	-	1	0.0 %
2293	-	1	0.0 %
2294	-	1	0.0 %
2297	-	1	0.0 %
2301	-	2	0.1 %
2303	-	2	0.1 %
2304	-	2	0.1 %
2311	-	2	0.1 %
2315	-	2	0.1 %
2316	-	1	0.0 %
2317	-	1	0.0 %
2319	-	1	0.0 %

Value	Label	Unweighted Frequency	%
2320	-	1	0.0 %
2322	-	1	0.0 %
2324	-	1	0.0 %
2329	-	1	0.0 %
	Missing Data		
.	-	1320	56.7 %
	Total	**2,327**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,007 valid cases out of 2,327 total cases.

- Mean: 2532.67
- Minimum: 1994.00
- Maximum: 3003.00
- Standard Deviation: 114.09

Location: 2475-2478 (width: 4; decimal: 0)
Variable Type: numeric

DESCPER7: Describe your menstrual periods

For the next few questions I would like to ask you to think about your periods since your last study visit, during times when you were not using birth control medications: Which of the following best describes your menstrual periods since your last study visit? Have they:

Value	Label	Unweighted Frequency	%
1	Become Farther Apart	395	17.0 %
2	Become Closer Together	89	3.8 %
3	Occurred At More Variable Intervals	244	10.5 %
4	Stayed The Same	202	8.7 %
5	Become More Regular	23	1.0 %
	Missing Data		
-8	Do not know	4	0.2 %
-1	N/A	1363	58.6 %
.	-	7	0.3 %
	Total	**2,327**	**100%**

Based upon 953 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 2479-2480 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

LENGCYL7: Length of menstrual cycle

For the next few questions I would like to ask you to think about your periods since your last study visit, during times when you were not using birth control medications: A menstrual cycle is the period of time from the beginning of bleeding from one menstrual period to the beginning of bleeding of the next menstrual period. Since your last study visit, what was the usual length of your menstrual cycles?

Value	Label	Unweighted Frequency	%
1	< 24 days	83	3.6 %
2	24-35 days	372	16.0 %
3	> 35 days	124	5.3 %
4	Too variable to say	314	13.5 %
	Missing Data		
-9	Missing	1	0.0 %
-8	Do not know	14	0.6 %
-1	N/A	1294	55.6 %
.	-	125	5.4 %
	Total	**2,327**	**100%**

Based upon 893 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 2481-2482 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PRGNANT7: Pregnant since last visit

Since your last study visit, have you been pregnant? Please include live births, stillbirths, abortions, miscarriages, tubal or ectopic pregnancies.

Value	Label	Unweighted Frequency	%
1	No	2198	94.5 %
2	Yes	0	0.0 %
	Missing Data		
-9	Missing	4	0.2 %
.	-	125	5.4 %
	Total	**2,327**	**100%**

Based upon 2,198 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 2483-2484 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OUTCOME7: Outcome of pregnancy

If YES to PRGNANT7: What was the outcome of the pregnancy?

Value	Label	Unweighted Frequency	%
1	Live Birth	0	0.0 %
2	Still Birth	0	0.0 %
3	Miscarriage	0	0.0 %
4	Abortion	0	0.0 %
5	Tubal (Ectopic) Pregnancy	0	0.0 %
6	Still Pregnant	0	0.0 %
	Missing Data		
-1	N/A	2202	94.6 %
.	-	125	5.4 %
	Total	**2,327**	**100%**

Based upon 0 valid cases out of 2,327 total cases.

Location: 2485-2486 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BRSTFEE7: Currently breastfeeding

FOR LIVE BIRTHS ONLY: Are you currently breastfeeding?

Value	Label	Unweighted Frequency	%
1	No	0	0.0 %
2	Yes	0	0.0 %
	Missing Data		
-1	N/A	2202	94.6 %
.	-	125	5.4 %
	Total	**2,327**	**100%**

Based upon 0 valid cases out of 2,327 total cases.

Location: 2487-2488 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

QLTYLIF7: Quality of life

Thinking about your quality of life at the present time, I'd like you to give it a rating where 0 represents the worst possible quality for you and 10 represents the best possible quality for you. Looking at this line, how would you rate your overall quality of life at the present time? Choose a number between 0 and 10.

Value	Label	Unweighted Frequency	%
0	-	3	0.1 %
1	-	6	0.3 %
2	-	10	0.4 %
3	-	35	1.5 %
4	-	68	2.9 %

Value	Label	Unweighted Frequency	%
5	-	162	7.0 %
6	-	170	7.3 %
7	-	475	20.4 %
8	-	736	31.6 %
9	-	397	17.1 %
10	-	213	9.2 %
	Missing Data		
-1	N/A	21	0.9 %
.	-	31	1.3 %
	Total	**2,327**	**100%**

Based upon 2,275 valid cases out of 2,327 total cases.

- Mean: 7.54
- Median: 8.00
- Mode: 8.00
- Minimum: 0.00
- Maximum: 10.00
- Standard Deviation: 1.65

Location: 2489-2490 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CONTROL7: Unable to control imp things in your life

In the past two weeks you have: Felt unable to control important things in your life?

Value	Label	Unweighted Frequency	%
1	Never	1017	43.7 %
2	Almost Never	705	30.3 %
3	Sometimes	458	19.7 %
4	Fairly Often	100	4.3 %
5	Very Often	40	1.7 %
	Missing Data		
.	-	7	0.3 %
	Total	**2,327**	**100%**

Based upon 2,320 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 2491-2492 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ABILITY7: Confident in ability to handle problems

In the past two weeks you have: Felt confident about your ability to handle your personal problems?

Value	Label	Unweighted Frequency	%
1	Never	18	0.8 %
2	Almost Never	66	2.8 %
3	Sometimes	383	16.5 %
4	Fairly Often	789	33.9 %
5	Very Often	1064	45.7 %
	Missing Data		
.	-	7	0.3 %
	Total	**2,327**	**100%**

Based upon 2,320 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 2493-2494 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

YOURWAY7: Things were going your way

In the past two weeks you have: Felt that things were going your way?

Value	Label	Unweighted Frequency	%
1	Never	22	0.9 %
2	Almost Never	101	4.3 %
3	Sometimes	606	26.0 %
4	Fairly Often	964	41.4 %
5	Very Often	627	26.9 %
	Missing Data		
.	-	7	0.3 %
	Total	**2,327**	**100%**

Based upon 2,320 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 2495-2496 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PILING7: Difficulties piling up

In the past two weeks you have: Felt difficulties piling so high that you could not overcome them?

Value	Label	Unweighted Frequency	%
1	Never	1116	48.0 %
2	Almost Never	713	30.6 %
3	Sometimes	358	15.4 %
4	Fairly Often	99	4.3 %
5	Very Often	34	1.5 %
	Missing Data		
.	-	7	0.3 %
	Total	**2,327**	**100%**

Based upon 2,320 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 2497-2498 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BOTHER7: Bothered past week

During the past week: I was bothered by things that usually don't bother me.

Value	Label	Unweighted Frequency	%
1	Rarely/None Of The Time (< 1 Day)	1460	62.7 %
2	Some/A Little Of The Time (1-2 Days)	498	21.4 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	161	6.9 %
4	Most/All Of The Time (5-7 Days)	62	2.7 %
	Missing Data		
.	-	146	6.3 %
	Total	**2,327**	**100%**

Based upon 2,181 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 2499-2500 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

APPETIT7: Lost appetite past week

During the past week: I did not feel like eating; my appetite was poor

Value	Label	Unweighted Frequency	%
1	Rarely/None Of The Time (< 1 Day)	1836	78.9 %
2	Some/A Little Of The Time (1-2 Days)	240	10.3 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	83	3.6 %

Value	Label	Unweighted Frequency	%
4	Most/All Of The Time (5-7 Days)	22	0.9 %
	Missing Data		
.	-	146	6.3 %
	Total	**2,327**	**100%**

Based upon 2,181 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 2501-2502 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BLUES7: Had blues past week

During the past week: I felt that I could not shake off the blues even with help from my friends

Value	Label	Unweighted Frequency	%
1	Rarely/None Of The Time (< 1 Day)	1704	73.2 %
2	Some/A Little Of The Time (1-2 Days)	318	13.7 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	111	4.8 %
4	Most/All Of The Time (5-7 Days)	48	2.1 %
	Missing Data		
.	-	146	6.3 %
	Total	**2,327**	**100%**

Based upon 2,181 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 2503-2504 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GOOD7: As good as others past week

During the past week: I felt that I was just as good as other people

Value	Label	Unweighted Frequency	%
1	Rarely/None Of The Time (< 1 Day)	48	2.1 %
2	Some/A Little Of The Time (1-2 Days)	99	4.3 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	256	11.0 %
4	Most/All Of The Time (5-7 Days)	1773	76.2 %
	Missing Data		
-7	Refused	5	0.2 %
.	-	146	6.3 %

Value	Label	Unweighted Frequency	%
	Total	**2,327**	**100%**

Based upon 2,176 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 2505-2506 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

KEEPMIN7: Mind on what doing past week

During the past week: I had trouble keeping my mind on what I was doing

Value	Label	Unweighted Frequency	%
1	Rarely/None Of The Time (< 1 Day)	1053	45.3 %
2	Some/A Little Of The Time (1-2 Days)	656	28.2 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	374	16.1 %
4	Most/All Of The Time (5-7 Days)	97	4.2 %
	Missing Data		
-7	Refused	1	0.0 %
.	-	146	6.3 %
	Total	**2,327**	**100%**

Based upon 2,180 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 2507-2508 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DEPRESS7: Felt depressed past week

During the past week: I felt depressed

Value	Label	Unweighted Frequency	%
1	Rarely/None Of The Time (< 1 Day)	1482	63.7 %
2	Some/A Little Of The Time (1-2 Days)	458	19.7 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	164	7.0 %
4	Most/All Of The Time (5-7 Days)	75	3.2 %
	Missing Data		
-7	Refused	2	0.1 %
.	-	146	6.3 %
	Total	**2,327**	**100%**

Based upon 2,179 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 2509-2510 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

EFFORT7: Everything an effort past week

During the past week: I felt that everything I did was an effort

Value	Label	Unweighted Frequency	%
1	Rarely/None Of The Time (< 1 Day)	1318	56.6 %
2	Some/A Little Of The Time (1-2 Days)	567	24.4 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	185	8.0 %
4	Most/All Of The Time (5-7 Days)	110	4.7 %
	Missing Data		
-7	Refused	1	0.0 %
.	-	146	6.3 %
	Total	**2,327**	**100%**

Based upon 2,180 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 2511-2512 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HOPEFUL7: Hopeful about future past week

During the past week: I felt hopeful about the future

Value	Label	Unweighted Frequency	%
1	Rarely/None Of The Time (< 1 Day)	52	2.2 %
2	Some/A Little Of The Time (1-2 Days)	224	9.6 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	465	20.0 %
4	Most/All Of The Time (5-7 Days)	1437	61.8 %
	Missing Data		
-7	Refused	3	0.1 %
.	-	146	6.3 %
	Total	**2,327**	**100%**

Based upon 2,178 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 2513-2514 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FAILURE7: Life has been failure past week

During the past week: I thought my life had been a failure

Value	Label	Unweighted Frequency	%
1	Rarely/None Of The Time (< 1 Day)	1899	81.6 %
2	Some/A Little Of The Time (1-2 Days)	190	8.2 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	71	3.1 %
4	Most/All Of The Time (5-7 Days)	19	0.8 %
	Missing Data		
-7	Refused	2	0.1 %
.	-	146	6.3 %
	Total	**2,327**	**100%**

Based upon 2,179 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 2515-2516 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FEARFUL7: Felt fearful past week

During the past week: I felt fearful

Value	Label	Unweighted Frequency	%
1	Rarely/None Of The Time (< 1 Day)	1768	76.0 %
2	Some/A Little Of The Time (1-2 Days)	314	13.5 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	71	3.1 %
4	Most/All Of The Time (5-7 Days)	26	1.1 %
	Missing Data		
-7	Refused	2	0.1 %
.	-	146	6.3 %
	Total	**2,327**	**100%**

Based upon 2,179 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 2517-2518 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RESTLES7: Sleep was restless past week

During the past week: My sleep was restless

Value	Label	Unweighted Frequency	%
1	Rarely/None Of The Time (< 1 Day)	958	41.2 %
2	Some/A Little Of The Time (1-2 Days)	608	26.1 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	333	14.3 %
4	Most/All Of The Time (5-7 Days)	280	12.0 %
	Missing Data		
-7	Refused	2	0.1 %
.	-	146	6.3 %
	Total	**2,327**	**100%**

Based upon 2,179 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 2519-2520 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HAPPY7: Happy past week

During the past week: I was happy

Value	Label	Unweighted Frequency	%
1	Rarely/None Of The Time (< 1 Day)	62	2.7 %
2	Some/A Little Of The Time (1-2 Days)	256	11.0 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	559	24.0 %
4	Most/All Of The Time (5-7 Days)	1301	55.9 %
	Missing Data		
-7	Refused	3	0.1 %
.	-	146	6.3 %
	Total	**2,327**	**100%**

Based upon 2,178 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 2521-2522 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

TALKLES7: Talked less than usual past week

During the past week: I talked less than usual

Value	Label	Unweighted Frequency	%
1	Rarely/None Of The Time (< 1 Day)	1583	68.0 %
2	Some/A Little Of The Time (1-2 Days)	379	16.3 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	167	7.2 %
4	Most/All Of The Time (5-7 Days)	49	2.1 %
	Missing Data		
-7	Refused	3	0.1 %
.	-	146	6.3 %
	Total	**2,327**	**100%**

Based upon 2,178 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 2523-2524 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

LONELY7: Felt lonely past week

During the past week: I felt lonely

Value	Label	Unweighted Frequency	%
1	Rarely/None Of The Time (< 1 Day)	1588	68.2 %
2	Some/A Little Of The Time (1-2 Days)	421	18.1 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	110	4.7 %
4	Most/All Of The Time (5-7 Days)	60	2.6 %
	Missing Data		
-7	Refused	2	0.1 %
.	-	146	6.3 %
	Total	**2,327**	**100%**

Based upon 2,179 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 2525-2526 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

UNFRNDL7: People unfriendly past week

During the past week: People were unfriendly

Value	Label	Unweighted Frequency	%
1	Rarely/None Of The Time (< 1 Day)	1913	82.2 %
2	Some/A Little Of The Time (1-2 Days)	210	9.0 %

Value	Label	Unweighted Frequency	%
3	Occasionally/Mod Amt Of The Time (3-4 Days)	43	1.8 %
4	Most/All Of The Time (5-7 Days)	13	0.6 %
	Missing Data		
-7	Refused	2	0.1 %
.	-	146	6.3 %
	Total	**2,327**	**100%**

Based upon 2,179 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 2527-2528 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ENJOY7: Enjoyed life past week

During the past week: I enjoyed life

Value	Label	Unweighted Frequency	%
1	Rarely/None Of The Time (< 1 Day)	54	2.3 %
2	Some/A Little Of The Time (1-2 Days)	176	7.6 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	406	17.4 %
4	Most/All Of The Time (5-7 Days)	1543	66.3 %
	Missing Data		
-7	Refused	2	0.1 %
.	-	146	6.3 %
	Total	**2,327**	**100%**

Based upon 2,179 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 2529-2530 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CRYING7: Crying spells past week

During the past week: I had crying spells

Value	Label	Unweighted Frequency	%
1	Rarely/None Of The Time (< 1 Day)	1822	78.3 %
2	Some/A Little Of The Time (1-2 Days)	230	9.9 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	90	3.9 %
4	Most/All Of The Time (5-7 Days)	36	1.5 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-9	Missing	1	0.0 %
-7	Refused	2	0.1 %
.	-	146	6.3 %
	Total	**2,327**	**100%**

Based upon 2,178 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 2531-2532 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SAD7: Felt sad past week

During the past week: I felt sad

Value	Label	Unweighted Frequency	%
1	Rarely/None Of The Time (< 1 Day)	1448	62.2 %
2	Some/A Little Of The Time (1-2 Days)	524	22.5 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	145	6.2 %
4	Most/All Of The Time (5-7 Days)	62	2.7 %
	Missing Data		
-7	Refused	2	0.1 %
.	-	146	6.3 %
	Total	**2,327**	**100%**

Based upon 2,179 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 2533-2534 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DISLIKE7: People disliked me past week

During the past week: I felt that people disliked me

Value	Label	Unweighted Frequency	%
1	Rarely/None Of The Time (< 1 Day)	1935	83.2 %
2	Some/A Little Of The Time (1-2 Days)	204	8.8 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	26	1.1 %
4	Most/All Of The Time (5-7 Days)	13	0.6 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-7	Refused	3	0.1 %
.	-	146	6.3 %
	Total	**2,327**	**100%**

Based upon 2,178 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 2535-2536 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GETGOIN7: Could not get going past week

During the past week: I could not get going

Value	Label	Unweighted Frequency	%
1	Rarely/None Of The Time (< 1 Day)	1411	60.6 %
2	Some/A Little Of The Time (1-2 Days)	544	23.4 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	152	6.5 %
4	Most/All Of The Time (5-7 Days)	72	3.1 %
	Missing Data		
-7	Refused	2	0.1 %
.	-	146	6.3 %
	Total	**2,327**	**100%**

Based upon 2,179 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 2537-2538 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CHNGJOB7: Change in job since last visit

Since your last study visit, has there been a change in any of your jobs, that is: your place of employment, your job title, or your usual job tasks?

Value	Label	Unweighted Frequency	%
1	No	1208	51.9 %
2	Yes	644	27.7 %
	Missing Data		
-1	N/A	329	14.1 %
.	-	146	6.3 %
	Total	**2,327**	**100%**

Based upon 1,852 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2539-2540 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

JOB7: Work for pay past 2 wks

During the past 2 weeks, did you work at any time at a job or business, including work for pay performed at home? (Include unpaid work in the family farm or business. If you were on vacation, or scheduled leave or sick leave, please answer as though you were at your usual job.)

Value	Label	Unweighted Frequency	%
1	No	140	6.0 %
2	Yes	504	21.7 %
	Missing Data		
-1	N/A	1537	66.1 %
.	-	146	6.3 %
	Total	**2,327**	**100%**

Based upon 644 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2541-2542 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CHANGHR7: Change in usual hrs of work

Since your last study visit, has there been a change in your usual hours of work of any of your jobs?

Value	Label	Unweighted Frequency	%
1	No	1263	54.3 %
2	Yes	448	19.3 %
	Missing Data		
-9	Missing	1	0.0 %
-1	N/A	469	20.2 %
.	-	146	6.3 %
	Total	**2,327**	**100%**

Based upon 1,711 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2543-2544 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ROTAT17: Work rotating/alternating

What are your usual hours of work each day for each job? Rotating/Alternating (Alternating weekly/monthly?)

Value	Label	Unweighted Frequency	%
1	No	347	14.9 %
2	Yes	101	4.3 %
	Missing Data		
-1	N/A	1733	74.5 %
.	-	146	6.3 %
	Total	**2,327**	**100%**

Based upon 448 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2545-2546 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

STRTIM17: Work start time

Work start time

Value	Label	Unweighted Frequency	%
	-	146	6.3 %
-1	N/A	1834	78.8 %
-7	Refused	0	0.0 %
-8	Do not know	0	0.0 %
-9	Missing	0	0.0 %
10:00	-	19	0.8 %
10:30	-	4	0.2 %
10:45	-	1	0.0 %
11:00	-	10	0.4 %
11:30	-	3	0.1 %
11:45	-	1	0.0 %
12:00	-	5	0.2 %
1:00	-	2	0.1 %
2:00	-	1	0.0 %
3:00	-	8	0.3 %
4:00	-	4	0.2 %
4:30	-	2	0.1 %
5:00	-	8	0.3 %
5:15	-	1	0.0 %

Value	Label	Unweighted Frequency	%
5:30	-	3	0.1 %
6:00	-	14	0.6 %
6:20	-	1	0.0 %
6:30	-	11	0.5 %
6:45	-	1	0.0 %
6:55	-	1	0.0 %
7:00	-	28	1.2 %
7:15	-	3	0.1 %
7:20	-	1	0.0 %
7:30	-	33	1.4 %
7:45	-	1	0.0 %
7:50	-	1	0.0 %
8:00	-	84	3.6 %
8:15	-	1	0.0 %
8:30	-	33	1.4 %
9:00	-	55	2.4 %
9:30	-	7	0.3 %
	Total	**2,327**	**100%**

Based upon 2,327 valid cases out of 2,327 total cases.

Location: 2547-2551 (width: 5; decimal: 0)
Variable Type: character

STRAMP17: Work start AM/PM

Work start AM/PM

Value	Label	Unweighted Frequency	%
1	A.M.	312	13.4 %
2	P.M.	35	1.5 %
	Missing Data		
-1	N/A	1834	78.8 %
.	-	146	6.3 %
	Total	**2,327**	**100%**

Based upon 347 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2552-2553 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

STPTIM17: Work stop time

Work stop time

Value	Label	Unweighted Frequency	%
	-	146	6.3 %
-1	N/A	1834	78.8 %
-7	Refused	0	0.0 %
-8	Do not know	0	0.0 %
-9	Missing	0	0.0 %
10:00	-	4	0.2 %
10:30	-	2	0.1 %
11:00	-	6	0.3 %
11:30	-	5	0.2 %
12:00	-	6	0.3 %
12:11	-	1	0.0 %
12:30	-	2	0.1 %
1:00	-	7	0.3 %
1:25	-	1	0.0 %
1:30	-	4	0.2 %
2:00	-	12	0.5 %
2:15	-	1	0.0 %
2:30	-	9	0.4 %
2:40	-	1	0.0 %
2:45	-	1	0.0 %
3:00	-	23	1.0 %
3:15	-	1	0.0 %
3:30	-	16	0.7 %
3:33	-	1	0.0 %
3:45	-	4	0.2 %
4:00	-	25	1.1 %
4:30	-	31	1.3 %
4:45	-	5	0.2 %
5:00	-	62	2.7 %
5:30	-	21	0.9 %
5:40	-	1	0.0 %
6:00	-	34	1.5 %
6:30	-	8	0.3 %
7:00	-	24	1.0 %
7:30	-	8	0.3 %
7:40	-	1	0.0 %
8:00	-	10	0.4 %
8:30	-	1	0.0 %
9:00	-	7	0.3 %
9:30	-	2	0.1 %

Value	Label	Unweighted Frequency	%
	Total	**2,327**	**100%**

Based upon 2,327 valid cases out of 2,327 total cases.

Location: 2554-2558 (width: 5; decimal: 0)
Variable Type: character

STPAMP17: Work stop AM/PM

Work stop AM/PM

Value	Label	Unweighted Frequency	%
1	A.M.	26	1.1 %
2	P.M.	321	13.8 %
	Missing Data		
-1	N/A	1834	78.8 %
.	-	146	6.3 %
	Total	**2,327**	**100%**

Based upon 347 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2559-2560 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ROTAT27: Work rotating/alternating (2)

What are your usual hours of work each day for each job? Rotating/Alternating (Alternating weekly/monthly?)

Value	Label	Unweighted Frequency	%
1	No	44	1.9 %
2	Yes	39	1.7 %
	Missing Data		
-9	Missing	1	0.0 %
-1	N/A	2097	90.1 %
.	-	146	6.3 %
	Total	**2,327**	**100%**

Based upon 83 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2561-2562 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

STRTIM27: Work start time (2)

Work start time (2)

Value	Label	Unweighted Frequency	%
	-	146	6.3 %
-1	N/A	2137	91.8 %
-7	Refused	0	0.0 %
-8	Do not know	0	0.0 %
-9	Missing	0	0.0 %
10:00	-	3	0.1 %
11:00	-	2	0.1 %
12:00	-	1	0.0 %
1:30	-	1	0.0 %
3:00	-	2	0.1 %
3:30	-	2	0.1 %
4:00	-	2	0.1 %
5:00	-	4	0.2 %
5:30	-	1	0.0 %
6:00	-	6	0.3 %
6:30	-	2	0.1 %
7:00	-	2	0.1 %
7:30	-	1	0.0 %
8:00	-	6	0.3 %
8:30	-	3	0.1 %
9:00	-	6	0.3 %
	Total	**2,327**	**100%**

Based upon 2,327 valid cases out of 2,327 total cases.

Location: 2563-2567 (width: 5; decimal: 0)
Variable Type: character

STRAMP27: Work start AM/PM (2)

Work start AM/PM (2)

Value	Label	Unweighted Frequency	%
1	A.M.	23	1.0 %
2	P.M.	21	0.9 %
	Missing Data		
-1	N/A	2137	91.8 %
.	-	146	6.3 %
	Total	**2,327**	**100%**

Based upon 44 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2568-2569 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

STPTIM27: Work stop time (2)

Work stop time (2)

Value	Label	Unweighted Frequency	%
	-	146	6.3 %
-1	N/A	2137	91.8 %
-7	Refused	0	0.0 %
-8	Do not know	0	0.0 %
-9	Missing	0	0.0 %
10:00	-	1	0.0 %
10:30	-	1	0.0 %
11:00	-	2	0.1 %
12:00	-	3	0.1 %
12:30	-	1	0.0 %
1:30	-	1	0.0 %
2:00	-	4	0.2 %
2:30	-	1	0.0 %
3:00	-	7	0.3 %
4:00	-	3	0.1 %
5:00	-	7	0.3 %
5:30	-	2	0.1 %
6:00	-	1	0.0 %
7:00	-	1	0.0 %
7:15	-	1	0.0 %
7:30	-	1	0.0 %
8:00	-	3	0.1 %
8:30	-	1	0.0 %
9:00	-	1	0.0 %
9:30	-	2	0.1 %
	Total	**2,327**	**100%**

Based upon 2,327 valid cases out of 2,327 total cases.

Location: 2570-2574 (width: 5; decimal: 0)
Variable Type: character

STPAMP27: Work stop AM/PM (2)

Work stop AM/PM (2)

Value	Label	Unweighted Frequency	%
1	A.M.	4	0.2 %
2	P.M.	40	1.7 %
	Missing Data		
-1	N/A	2137	91.8 %
.	-	146	6.3 %
	Total	**2,327**	**100%**

Based upon 44 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2575-2576 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ROTAT37: Work rotating/alternating (3)

What are your usual hours of work each day for each job? Rotating/Alternating (Alternating weekly/monthly?)

Value	Label	Unweighted Frequency	%
1	No	5	0.2 %
2	Yes	16	0.7 %
	Missing Data		
-9	Missing	1	0.0 %
-1	N/A	2159	92.8 %
.	-	146	6.3 %
	Total	**2,327**	**100%**

Based upon 21 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2577-2578 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

STRTIM37: Work start time (3)

Work start time (3)

Value	Label	Unweighted Frequency	%
	-	146	6.3 %
-1	N/A	2176	93.5 %
-7	Refused	0	0.0 %
-8	Do not know	0	0.0 %
-9	Missing	0	0.0 %

Value	Label	Unweighted Frequency	%
11:00	-	1	0.0 %
6:00	-	1	0.0 %
6:30	-	1	0.0 %
8:00	-	1	0.0 %
8:30	-	1	0.0 %
	Total	**2,327**	**100%**

Based upon 2,327 valid cases out of 2,327 total cases.

Location: 2579-2583 (width: 5; decimal: 0)
Variable Type: character

STRAMP37: Work start AM/PM (3)

Work start AM/PM (3)

Value	Label	Unweighted Frequency	%
1	A.M.	4	0.2 %
2	P.M.	1	0.0 %
	Missing Data		
-1	N/A	2176	93.5 %
.	-	146	6.3 %
	Total	**2,327**	**100%**

Based upon 5 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2584-2585 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

STPTIM37: Work stop time (3)

Work stop time (3)

Value	Label	Unweighted Frequency	%
	-	146	6.3 %
-1	N/A	2176	93.5 %
-7	Refused	0	0.0 %
-8	Do not know	0	0.0 %
-9	Missing	0	0.0 %
11:00	-	1	0.0 %
1:00	-	1	0.0 %
3:30	-	1	0.0 %
9:00	-	1	0.0 %

Value	Label	Unweighted Frequency	%
9:30	-	1	0.0 %
	Total	**2,327**	**100%**

Based upon 2,327 valid cases out of 2,327 total cases.

Location: 2586-2590 (width: 5; decimal: 0)
Variable Type: character

STPAMP37: Work stop AM/PM (3)

Work stop AM/PM (3)

Value	Label	Unweighted Frequency	%
1	A.M.	1	0.0 %
2	P.M.	4	0.2 %
	Missing Data		
-1	N/A	2176	93.5 %
.	-	146	6.3 %
	Total	**2,327**	**100%**

Based upon 5 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2591-2592 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HOURSPA7: How many hrs/wk work for pay

On average, how many total hours a week do you work, for pay?

Value	Label	Unweighted Frequency	%
1	<= 10 hrs	104	4.5 %
2	11-19 hrs	75	3.2 %
3	20-34 hrs	325	14.0 %
4	35-40 hrs	765	32.9 %
5	41-60 hrs	388	16.7 %
6	>60 hrs	53	2.3 %
	Missing Data		
-7	Refused	2	0.1 %
-1	N/A	469	20.2 %
.	-	146	6.3 %
	Total	**2,327**	**100%**

Based upon 1,710 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 2593-2594 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

VOLUNTE7: Do volunteer work

Do you do volunteer work?

Value	Label	Unweighted Frequency	%
1	No	1314	56.5 %
2	Yes	867	37.3 %
	Missing Data		
.	-	146	6.3 %
	Total	**2,327**	**100%**

Based upon 2,181 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2595-2596 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

VLNTHR17: Volunteer (1) hrs/wk

What type of volunteer work do you do? How many hours a week do you spend doing it?

Value	Label	Unweighted Frequency	%
0.06	-	2	0.1 %
0.07	-	1	0.0 %
0.12	-	2	0.1 %
0.19	-	1	0.0 %
0.25	-	12	0.5 %
0.33	-	1	0.0 %
0.38	-	1	0.0 %
0.50	-	51	2.2 %
0.58	-	1	0.0 %
0.75	-	8	0.3 %
0.87	-	1	0.0 %
1.00	-	168	7.2 %
1.15	-	1	0.0 %
1.30	-	2	0.1 %
1.50	-	28	1.2 %
1.54	-	1	0.0 %

Value	Label	Unweighted Frequency	%
1.60	-	1	0.0 %
2.00	-	160	6.9 %
2.16	-	1	0.0 %
2.20	-	1	0.0 %
2.50	-	21	0.9 %
3.00	-	86	3.7 %
3.50	-	6	0.3 %
3.75	-	1	0.0 %
4.00	-	84	3.6 %
4.50	-	5	0.2 %
5.00	-	52	2.2 %
5.50	-	2	0.1 %
6.00	-	23	1.0 %
7.00	-	7	0.3 %
8.00	-	20	0.9 %
8.50	-	1	0.0 %
8.75	-	1	0.0 %
9.00	-	3	0.1 %
10.00	-	35	1.5 %
11.00	-	3	0.1 %
12.00	-	8	0.3 %
12.50	-	2	0.1 %
15.00	-	16	0.7 %
16.00	-	2	0.1 %
17.00	-	1	0.0 %
18.00	-	2	0.1 %
18.80	-	1	0.0 %
20.00	-	16	0.7 %
24.00	-	1	0.0 %
25.00	-	4	0.2 %
30.00	-	6	0.3 %
32.00	-	1	0.0 %
40.00	-	5	0.2 %
48.00	-	1	0.0 %
	Missing Data		
-9.00	Missing	2	0.1 %
-8.00	Do not know	3	0.1 %
-1.00	N/A	1314	56.5 %
.	-	146	6.3 %
	Total	**2,327**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 862 valid cases out of 2,327 total cases.

- Mean: 4.42
- Median: 2.00
- Mode: 1.00
- Minimum: 0.06
- Maximum: 60.00
- Standard Deviation: 6.36

Location: 2597-2602 (width: 6; decimal: 2)
Variable Type: numeric
(Range of) Missing Values: -9.00 , -8.00 , -7.00 , -1.00 , .

VLNTHR27: Volunteer (2) hrs/wk

What type of volunteer work do you do? How many hours a week do you spend doing it?

Value	Label	Unweighted Frequency	%
0.04	-	1	0.0 %
0.11	-	1	0.0 %
0.17	-	1	0.0 %
0.19	-	2	0.1 %
0.21	-	1	0.0 %
0.25	-	8	0.3 %
0.43	-	1	0.0 %
0.50	-	29	1.2 %
0.75	-	5	0.2 %
1.00	-	80	3.4 %
1.20	-	1	0.0 %
1.25	-	2	0.1 %
1.50	-	11	0.5 %
2.00	-	50	2.1 %
2.50	-	4	0.2 %
3.00	-	22	0.9 %
3.50	-	1	0.0 %
4.00	-	15	0.6 %
4.50	-	1	0.0 %
5.00	-	17	0.7 %
6.00	-	9	0.4 %
7.00	-	2	0.1 %
8.00	-	4	0.2 %
10.00	-	8	0.3 %
12.00	-	1	0.0 %
15.00	-	6	0.3 %
16.00	-	1	0.0 %

Value	Label	Unweighted Frequency	%
20.00	-	2	0.1 %
30.00	-	1	0.0 %
	Missing Data		
-8.00	Do not know	5	0.2 %
-1.00	N/A	1889	81.2 %
.	-	146	6.3 %
	Total	**2,327**	**100%**

Based upon 287 valid cases out of 2,327 total cases.

- Mean: 2.85
- Median: 2.00
- Mode: 1.00
- Minimum: 0.04
- Maximum: 30.00
- Standard Deviation: 3.66

Location: 2603-2608 (width: 6; decimal: 2)
Variable Type: numeric
(Range of) Missing Values: -9.00 , -8.00 , -7.00 , -1.00 , .

VLNTHR37: Volunteer (3) hrs/wk

What type of volunteer work do you do? How many hours a week do you spend doing it?

Value	Label	Unweighted Frequency	%
0.25	-	5	0.2 %
0.32	-	1	0.0 %
0.50	-	11	0.5 %
0.75	-	3	0.1 %
1.00	-	21	0.9 %
1.25	-	1	0.0 %
1.50	-	2	0.1 %
2.00	-	14	0.6 %
2.50	-	2	0.1 %
3.00	-	10	0.4 %
3.50	-	1	0.0 %
5.00	-	7	0.3 %
6.00	-	2	0.1 %
7.00	-	1	0.0 %
8.00	-	1	0.0 %
10.00	-	1	0.0 %
11.00	-	1	0.0 %
16.00	-	1	0.0 %
20.00	-	1	0.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-8.00	Do not know	2	0.1 %
-1.00	N/A	2093	89.9 %
.	-	146	6.3 %
	Total	**2,327**	**100%**

Based upon 86 valid cases out of 2,327 total cases.

- Mean: 2.56
- Median: 1.50
- Mode: 1.00
- Minimum: 0.25
- Maximum: 20.00
- Standard Deviation: 3.21

Location: 2609-2614 (width: 6; decimal: 2)
Variable Type: numeric
(Range of) Missing Values: -9.00 , -8.00 , -7.00 , -1.00 , .

MARITAL7: Marital status

What is your current marital status? Would you say ...

Value	Label	Unweighted Frequency	%
1	Single/Never Married	289	12.4 %
2	Currently Married/Living as Married	1508	64.8 %
3	Separated	78	3.4 %
4	Widowed	87	3.7 %
5	Divorced	357	15.3 %
	Missing Data		
-7	Refused	1	0.0 %
.	-	7	0.3 %
	Total	**2,327**	**100%**

Based upon 2,319 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 2615-2616 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CHGHHLD7: Change in anyone living in house

Since your last study visit, has there been any change in who is living in your household?

Value	Label	Unweighted Frequency	%
1	No	1657	71.2 %
2	Yes	521	22.4 %
	Missing Data		
-8	Do not know	3	0.1 %
.	-	146	6.3 %
	Total	**2,327**	**100%**

Based upon 2,178 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2617-2618 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HOUSEHL7: Anyone living in your household

Other than yourself, is there anyone living in your household?

Value	Label	Unweighted Frequency	%
1	No	57	2.4 %
2	Yes	467	20.1 %
	Missing Data		
-1	N/A	1657	71.2 %
.	-	146	6.3 %
	Total	**2,327**	**100%**

Based upon 524 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2619-2620 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RLATE17: Relationship to self (1)-enum

Please tell me their relationship to you

Value	Label	Unweighted Frequency	%
1	Spouse	246	10.6 %
2	Partner (not married)	13	0.6 %
3	Parent	13	0.6 %
4	Parent-in-law	3	0.1 %
5	Child (biol/adopt/step)	128	5.5 %
6	Grandchild	9	0.4 %

Value	Label	Unweighted Frequency	%
7	Son/Daughter-in-law	0	0.0 %
8	Sibling	11	0.5 %
9	Niece/nephew	9	0.4 %
10	Friend	14	0.6 %
11	Tenant/boarder	4	0.2 %
12	Other relation	16	0.7 %
	Missing Data		
-1	N/A	1715	73.7 %
.	-	146	6.3 %
	Total	**2,327**	**100%**

Based upon 466 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 12.00

Location: 2621-2622 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RELAT17: Relationship to yourself (1)

Please tell me their relationship to you

Value	Label	Unweighted Frequency	%
	-	146	6.3 %
-1: N/A	-	1715	73.7 %
AUNT	-	1	0.0 %
BOYFRIEND	-	1	0.0 %
CHILD (BIOLOGICAL, ADOPTED, ST	-	128	5.5 %
COUSIN	-	2	0.1 %
FOREIGN STUDENT	-	1	0.0 %
FOSTER CHILD	-	1	0.0 %
FRIEND	-	14	0.6 %
GOD SON	-	1	0.0 %
GODSON	-	1	0.0 %
GRANDCHILD	-	9	0.4 %
NEIGHBOR	-	1	0.0 %
NIECE/NEPHEW	-	9	0.4 %
PARENT	-	13	0.6 %
PARENT-IN-LAW	-	3	0.1 %
PARTNER	-	1	0.0 %
PARTNER (NOT MARRIED)	-	13	0.6 %
PERSON I TAKE CARE OF	-	1	0.0 %
RELIGIOUS SISTER	-	1	0.0 %

Value	Label	Unweighted Frequency	%
ROOMMATE	-	2	0.1 %
ROOMMATE 1	-	1	0.0 %
SIBLING	-	11	0.5 %
SINGNIFICANT	-	1	0.0 %
SPOUSE	-	246	10.6 %
TENANT/BOARDER	-	4	0.2 %
	Total	**2,327**	**100%**

Based upon 2,327 valid cases out of 2,327 total cases.

Location: 2623-2652 (width: 30; decimal: 0)
Variable Type: character

SEX17: Gender (1)

Please tell me their gender

Value	Label	Unweighted Frequency	%
	-	146	6.3 %
-1: N/A	-	1715	73.7 %
F	-	118	5.1 %
M	-	348	15.0 %
	Total	**2,327**	**100%**

Based upon 2,327 valid cases out of 2,327 total cases.

Location: 2653-2667 (width: 15; decimal: 0)
Variable Type: character

AGE17: Age (1)

Please tell me their age

Value	Label	Unweighted Frequency	%
1	-	1	0.0 %
2	-	1	0.0 %
3	-	1	0.0 %
5	-	1	0.0 %
8	-	1	0.0 %
11	-	1	0.0 %
12	-	4	0.2 %
13	-	4	0.2 %
14	-	3	0.1 %
15	-	2	0.1 %
16	-	9	0.4 %
17	-	6	0.3 %

Value	Label	Unweighted Frequency	%
18	-	7	0.3 %
19	-	9	0.4 %
20	-	5	0.2 %
21	-	12	0.5 %
22	-	9	0.4 %
23	-	11	0.5 %
24	-	4	0.2 %
25	-	10	0.4 %
26	-	12	0.5 %
27	-	6	0.3 %
28	-	8	0.3 %
29	-	6	0.3 %
30	-	7	0.3 %
31	-	2	0.1 %
32	-	1	0.0 %
33	-	3	0.1 %
34	-	7	0.3 %
35	-	6	0.3 %
36	-	2	0.1 %
37	-	3	0.1 %
38	-	1	0.0 %
39	-	2	0.1 %
40	-	2	0.1 %
41	-	3	0.1 %
42	-	2	0.1 %
44	-	2	0.1 %
45	-	5	0.2 %
46	-	3	0.1 %
47	-	3	0.1 %
48	-	5	0.2 %
49	-	9	0.4 %
50	-	14	0.6 %
51	-	18	0.8 %
52	-	23	1.0 %
53	-	24	1.0 %
54	-	18	0.8 %
55	-	21	0.9 %
56	-	18	0.8 %
	Missing Data		
-7	Refused	1	0.0 %
-1	N/A	1715	73.7 %
.	-	146	6.3 %

Value	Label	Unweighted Frequency	%
	Total	**2,327**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 465 valid cases out of 2,327 total cases.

- Mean: 44.80
- Median: 51.00
- Mode: 57.00
- Minimum: 1.00
- Maximum: 95.00
- Standard Deviation: 18.00

Location: 2668-2669 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RLATE27: Relationship to yourself (2)-enum

Please tell me their relationship to you

Value	Label	Unweighted Frequency	%
1	Spouse	19	0.8 %
2	Partner (not married)	2	0.1 %
3	Parent	12	0.5 %
4	Parent-in-law	0	0.0 %
5	Child (biol/adopt/step)	209	9.0 %
6	Grandchild	26	1.1 %
7	Son/Daughter-in-law	8	0.3 %
8	Sibling	4	0.2 %
9	Niece/nephew	9	0.4 %
10	Friend	2	0.1 %
11	Tenant/boarder	7	0.3 %
12	Other relation	20	0.9 %
	Missing Data		
-1	N/A	1863	80.1 %
.	-	146	6.3 %
	Total	**2,327**	**100%**

Based upon 318 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 12.00

Location: 2670-2671 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RELAT27: Relationship to yourself (2)

Please tell me their relationship to you

Value	Label	Unweighted Frequency	%
	-	146	6.3 %
-1: N/A	-	1863	80.1 %
BROTHER -IN -LAW	-	1	0.0 %
BROTHER-IN-LAW	-	2	0.1 %
CHILD (BIOLOGICAL, ADOPTED, ST	-	209	9.0 %
COUSIN PARTNER	-	1	0.0 %
DAUGHTER'S BOYFRIEND	-	2	0.1 %
EXCHANGE STUDENT	-	1	0.0 %
FOSTER CHILD	-	1	0.0 %
FRIEND	-	2	0.1 %
FRIENDS SISTER	-	1	0.0 %
GARDENER	-	1	0.0 %
GRANDCHILD	-	26	1.1 %
NIECE/NEPHEW	-	9	0.4 %
PARENT	-	12	0.5 %
PARTNER (NOT MARRIED)	-	2	0.1 %
PARTNER'S SON	-	1	0.0 %
PERSON I TAKE CARE OF	-	1	0.0 %
RELIGIOUS SISTER	-	1	0.0 %
ROOMATE	-	1	0.0 %
ROOMMATE 2	-	1	0.0 %
SIBLING	-	4	0.2 %
SISTER IN LAW	-	1	0.0 %
SISTER-IN-LAW	-	1	0.0 %
SON'S FIANCEE	-	1	0.0 %
SON'S GIRLFRIEND	-	1	0.0 %
SON-IN-LAW/DAUGHTER-IN-LAW	-	8	0.3 %
SONS GIRLFRIEND	-	1	0.0 %
SPOUSE	-	19	0.8 %
TENANT/BOARDER	-	7	0.3 %
	Total	**2,327**	**100%**

Based upon 2,327 valid cases out of 2,327 total cases.

Location: 2672-2701 (width: 30; decimal: 0)
Variable Type: character

SEX27: Gender (2)

Please tell me their gender

Value	Label	Unweighted Frequency	%
	-	146	6.3 %
-1: N/A	-	1863	80.1 %
F	-	126	5.4 %
M	-	192	8.3 %
	Total	**2,327**	**100%**

Based upon 2,327 valid cases out of 2,327 total cases.

Location: 2702-2716 (width: 15; decimal: 0)
Variable Type: character

AGE27: Age (2)

Please tell me their age

Value	Label	Unweighted Frequency	%
1	-	4	0.2 %
2	-	3	0.1 %
3	-	1	0.0 %
5	-	2	0.1 %
7	-	1	0.0 %
9	-	5	0.2 %
10	-	3	0.1 %
11	-	7	0.3 %
12	-	3	0.1 %
13	-	8	0.3 %
14	-	15	0.6 %
15	-	14	0.6 %
16	-	13	0.6 %
17	-	12	0.5 %
18	-	7	0.3 %
19	-	9	0.4 %
20	-	13	0.6 %
21	-	14	0.6 %
22	-	10	0.4 %
23	-	26	1.1 %
24	-	19	0.8 %
25	-	12	0.5 %
26	-	11	0.5 %
27	-	3	0.1 %
28	-	8	0.3 %
29	-	6	0.3 %
30	-	12	0.5 %
31	-	5	0.2 %

Value	Label	Unweighted Frequency	%
32	-	4	0.2 %
33	-	4	0.2 %
34	-	8	0.3 %
35	-	4	0.2 %
36	-	3	0.1 %
38	-	2	0.1 %
41	-	1	0.0 %
44	-	2	0.1 %
45	-	3	0.1 %
46	-	1	0.0 %
48	-	1	0.0 %
49	-	1	0.0 %
50	-	3	0.1 %
51	-	1	0.0 %
52	-	1	0.0 %
53	-	4	0.2 %
54	-	3	0.1 %
55	-	3	0.1 %
57	-	2	0.1 %
58	-	2	0.1 %
59	-	2	0.1 %
60	-	1	0.0 %
	Missing Data		
-1	N/A	1863	80.1 %
.	-	146	6.3 %
	Total	**2,327**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 318 valid cases out of 2,327 total cases.

- Mean: 26.83
- Median: 23.00
- Mode: 23.00
- Minimum: 1.00
- Maximum: 91.00
- Standard Deviation: 16.30

Location: 2717-2718 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RLATE37: Relationship to yourself (3)-enum

Please tell me their relationship to you

Value	Label	Unweighted Frequency	%
1	Spouse	12	0.5 %
2	Partner (not married)	2	0.1 %
3	Parent	3	0.1 %
4	Parent-in-law	1	0.0 %
5	Child (biol/adopt/step)	85	3.7 %
6	Grandchild	33	1.4 %
7	Son/Daughter-in-law	4	0.2 %
8	Sibling	5	0.2 %
9	Niece/nephew	7	0.3 %
10	Friend	3	0.1 %
11	Tenant/boarder	2	0.1 %
12	Other relation	15	0.6 %
	Missing Data		
-1	N/A	2009	86.3 %
.	-	146	6.3 %
	Total	**2,327**	**100%**

Based upon 172 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 12.00

Location: 2719-2720 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RELAT37: Relationship to yourself (3)

Please tell me their relationship to you

Value	Label	Unweighted Frequency	%
	-	146	6.3 %
-1: N/A	-	2009	86.3 %
BROTHER-IN-LAW	-	1	0.0 %
CHILD (BIOLOGICAL, ADOPTED, ST	-	85	3.7 %
COUSIN	-	1	0.0 %
COUSIN KID	-	1	0.0 %
DAUGHTERS BOY FRIEND	-	1	0.0 %
EX HUSBAND	-	1	0.0 %
FORIEGN EXCHANGE STUDENT	-	1	0.0 %
FRIEND	-	3	0.1 %
FRIENDS	-	1	0.0 %
GRANDCHILD	-	33	1.4 %
GREAT NIECE	-	1	0.0 %
HUSBANDS BROTHER	-	1	0.0 %

Value	Label	Unweighted Frequency	%
LIVE IN GUEST	-	1	0.0 %
NEIGHBOR'S RELATIVE	-	1	0.0 %
NIECE/NEPHEW	-	7	0.3 %
PARENT	-	3	0.1 %
PARENT-IN-LAW	-	1	0.0 %
PARTNER (NOT MARRIED)	-	2	0.1 %
SIBLING	-	5	0.2 %
SON'S FIANCE	-	2	0.1 %
SON'S FRIEND	-	1	0.0 %
SON'S GIRL FRIEND	-	1	0.0 %
SON-IN-LAW/DAUGHTER-IN-LAW	-	4	0.2 %
SPOUSE	-	12	0.5 %
TENANT/BOARDER	-	2	0.1 %
	Total	**2,327**	**100%**

Based upon 2,327 valid cases out of 2,327 total cases.

Location: 2721-2750 (width: 30; decimal: 0)
Variable Type: character

SEX37: Gender (3)

Please tell me their gender

Value	Label	Unweighted Frequency	%
	-	146	6.3 %
-1: N/A	-	2009	86.3 %
F	-	81	3.5 %
M	-	91	3.9 %
	Total	**2,327**	**100%**

Based upon 2,327 valid cases out of 2,327 total cases.

Location: 2751-2765 (width: 15; decimal: 0)
Variable Type: character

AGE37: Age (3)

Please tell me their age

Value	Label	Unweighted Frequency	%
1	-	4	0.2 %
2	-	2	0.1 %
3	-	3	0.1 %
4	-	2	0.1 %
5	-	3	0.1 %

Value	Label	Unweighted Frequency	%
6	-	1	0.0 %
7	-	1	0.0 %
8	-	3	0.1 %
9	-	2	0.1 %
10	-	6	0.3 %
11	-	3	0.1 %
12	-	7	0.3 %
13	-	4	0.2 %
14	-	10	0.4 %
15	-	4	0.2 %
16	-	6	0.3 %
17	-	10	0.4 %
18	-	8	0.3 %
19	-	12	0.5 %
20	-	8	0.3 %
21	-	7	0.3 %
22	-	8	0.3 %
23	-	7	0.3 %
24	-	2	0.1 %
25	-	5	0.2 %
26	-	1	0.0 %
27	-	5	0.2 %
29	-	1	0.0 %
30	-	4	0.2 %
33	-	1	0.0 %
34	-	1	0.0 %
38	-	1	0.0 %
39	-	1	0.0 %
40	-	1	0.0 %
42	-	1	0.0 %
45	-	1	0.0 %
46	-	1	0.0 %
47	-	2	0.1 %
48	-	2	0.1 %
50	-	2	0.1 %
52	-	2	0.1 %
53	-	3	0.1 %
54	-	3	0.1 %
55	-	2	0.1 %
56	-	1	0.0 %
59	-	2	0.1 %
62	-	1	0.0 %

Value	Label	Unweighted Frequency	%
67	-	1	0.0 %
73	-	1	0.0 %
80	-	1	0.0 %
	Missing Data		
-1	N/A	2009	86.3 %
.	-	146	6.3 %
	Total	**2,327**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 172 valid cases out of 2,327 total cases.

- Mean: 23.57
- Median: 19.00
- Mode: 19.00
- Minimum: 1.00
- Maximum: 84.00
- Standard Deviation: 16.80

Location: 2766-2767 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RLATE47: Relationship to self (4)-enum

Please tell me their relationship to you

Value	Label	Unweighted Frequency	%
1	Spouse	4	0.2 %
2	Partner (not married)	0	0.0 %
3	Parent	0	0.0 %
4	Parent-in-law	0	0.0 %
5	Child (biol/adopt/step)	30	1.3 %
6	Grandchild	21	0.9 %
7	Son/Daughter-in-law	4	0.2 %
8	Sibling	2	0.1 %
9	Niece/nephew	5	0.2 %
10	Friend	4	0.2 %
11	Tenant/boarder	2	0.1 %
12	Other relation	6	0.3 %
	Missing Data		
-1	N/A	2103	90.4 %
.	-	146	6.3 %
	Total	**2,327**	**100%**

Based upon 78 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 12.00

Location: 2768-2769 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RELAT47: Relationship to yourself (4)

Please tell me their relationship to you

Value	Label	Unweighted Frequency	%
	-	146	6.3 %
-1: N/A	-	2103	90.4 %
BROTHE-IN-LAW'S FATHER	-	1	0.0 %
CHILD (BIOLOGICAL, ADOPTED, ST	-	30	1.3 %
COUSIN	-	1	0.0 %
COUSIN KID	-	1	0.0 %
DAUGHTER BOYFRIEND	-	1	0.0 %
FRIEND	-	4	0.2 %
FRIENDS SON	-	1	0.0 %
GRANDCHILD	-	21	0.9 %
GREAT GRANDSON	-	1	0.0 %
NIECE/NEPHEW	-	5	0.2 %
SIBLING	-	2	0.1 %
SON-IN-LAW/DAUGHTER-IN-LAW	-	4	0.2 %
SPOUSE	-	4	0.2 %
TENANT/BOARDER	-	2	0.1 %
	Total	**2,327**	**100%**

Based upon 2,327 valid cases out of 2,327 total cases.

Location: 2770-2799 (width: 30; decimal: 0)
Variable Type: character

SEX47: Gender (4)

Please tell me their gender

Value	Label	Unweighted Frequency	%
	-	146	6.3 %
-1: N/A	-	2103	90.4 %
F	-	31	1.3 %
M	-	47	2.0 %
	Total	**2,327**	**100%**

Based upon 2,327 valid cases out of 2,327 total cases.

Location: 2800-2814 (width: 15; decimal: 0)

Variable Type: character

AGE47: Age (4)

Please tell me their age

Value	Label	Unweighted Frequency	%
1	-	7	0.3 %
2	-	3	0.1 %
3	-	1	0.0 %
4	-	1	0.0 %
7	-	1	0.0 %
8	-	2	0.1 %
9	-	1	0.0 %
10	-	5	0.2 %
11	-	2	0.1 %
12	-	2	0.1 %
13	-	2	0.1 %
14	-	5	0.2 %
15	-	4	0.2 %
16	-	4	0.2 %
17	-	4	0.2 %
18	-	3	0.1 %
19	-	4	0.2 %
20	-	2	0.1 %
21	-	3	0.1 %
22	-	1	0.0 %
23	-	1	0.0 %
24	-	4	0.2 %
25	-	1	0.0 %
27	-	2	0.1 %
29	-	1	0.0 %
30	-	1	0.0 %
33	-	1	0.0 %
36	-	1	0.0 %
37	-	2	0.1 %
49	-	1	0.0 %
52	-	1	0.0 %
53	-	2	0.1 %
57	-	1	0.0 %
58	-	1	0.0 %
79	-	1	0.0 %
	Missing Data		
-1	N/A	2103	90.4 %

Value	Label	Unweighted Frequency	%
.	-	146	6.3 %
	Total	**2,327**	**100%**

Based upon 78 valid cases out of 2,327 total cases.

- Mean: 19.13
- Median: 16.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 79.00
- Standard Deviation: 15.11

Location: 2815-2816 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RLATE57: Relationship to self (5)-enum

Please tell me their relationship to you

Value	Label	Unweighted Frequency	%
1	Spouse	2	0.1 %
2	Partner (not married)	0	0.0 %
3	Parent	0	0.0 %
4	Parent-in-law	1	0.0 %
5	Child (biol/adopt/step)	8	0.3 %
6	Grandchild	14	0.6 %
7	Son/Daughter-in-law	0	0.0 %
8	Sibling	0	0.0 %
9	Niece/nephew	2	0.1 %
10	Friend	2	0.1 %
11	Tenant/boarder	1	0.0 %
12	Other relation	4	0.2 %
	Missing Data		
-1	N/A	2147	92.3 %
.	-	146	6.3 %
	Total	**2,327**	**100%**

Based upon 34 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 12.00

Location: 2817-2818 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RELAT57: Relationship to self (5)

Please tell me their relationship to you

Value	Label	Unweighted Frequency	%
	-	146	6.3 %
-1: N/A	-	2147	92.3 %
CHILD (BIOLOGICAL, ADOPTED, ST	-	8	0.3 %
CHILD'S FRIEND	-	1	0.0 %
COUSIN	-	1	0.0 %
COUSIN KID	-	1	0.0 %
FRIEND	-	2	0.1 %
FRIENDS DAUGHTER	-	1	0.0 %
GRANDCHILD	-	14	0.6 %
NIECE/NEPHEW	-	2	0.1 %
PARENT-IN-LAW	-	1	0.0 %
SPOUSE	-	2	0.1 %
TENANT/BOARDER	-	1	0.0 %
	Total	**2,327**	**100%**

Based upon 2,327 valid cases out of 2,327 total cases.

Location: 2819-2848 (width: 30; decimal: 0)
Variable Type: character

SEX57: Gender (5)

Please tell me their gender

Value	Label	Unweighted Frequency	%
	-	146	6.3 %
-1: N/A	-	2147	92.3 %
F	-	12	0.5 %
M	-	22	0.9 %
	Total	**2,327**	**100%**

Based upon 2,327 valid cases out of 2,327 total cases.

Location: 2849-2863 (width: 15; decimal: 0)
Variable Type: character

AGE57: Age (5)

Please tell me their age

Value	Label	Unweighted Frequency	%
1	-	4	0.2 %
3	-	1	0.0 %
4	-	1	0.0 %
5	-	1	0.0 %

Value	Label	Unweighted Frequency	%
6	-	2	0.1 %
8	-	2	0.1 %
9	-	1	0.0 %
10	-	2	0.1 %
11	-	3	0.1 %
12	-	1	0.0 %
13	-	1	0.0 %
15	-	1	0.0 %
16	-	2	0.1 %
18	-	3	0.1 %
20	-	3	0.1 %
21	-	1	0.0 %
26	-	1	0.0 %
42	-	1	0.0 %
56	-	2	0.1 %
83	-	1	0.0 %
	Missing Data		
-1	N/A	2147	92.3 %
.	-	146	6.3 %
	Total	**2,327**	**100%**

Based upon 34 valid cases out of 2,327 total cases.

- Mean: 16.94
- Median: 11.50
- Mode: 1.00
- Minimum: 1.00
- Maximum: 83.00
- Standard Deviation: 17.76

Location: 2864-2865 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RLATE67: Relationship to self (6)-enum

Please tell me their relationship to you

Value	Label	Unweighted Frequency	%
1	Spouse	1	0.0 %
2	Partner (not married)	0	0.0 %
3	Parent	0	0.0 %
4	Parent-in-law	0	0.0 %
5	Child (biol/adopt/step)	4	0.2 %
6	Grandchild	4	0.2 %

Value	Label	Unweighted Frequency	%
7	Son/Daughter-in-law	0	0.0 %
8	Sibling	0	0.0 %
9	Niece/nephew	2	0.1 %
10	Friend	1	0.0 %
11	Tenant/boarder	0	0.0 %
12	Other relation	1	0.0 %
	Missing Data		
-1	N/A	2168	93.2 %
.	-	146	6.3 %
	Total	**2,327**	**100%**

Based upon 13 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 12.00

Location: 2866-2867 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RELAT67: Relationship to self (6)

Please tell me their relationship to you

Value	Label	Unweighted Frequency	%
	-	146	6.3 %
-1: N/A	-	2168	93.2 %
CHILD (BIOLOGICAL, ADOPTED, ST	-	4	0.2 %
FRIEND	-	1	0.0 %
GRANDCHILD	-	4	0.2 %
NIECE/NEPHEW	-	2	0.1 %
SON'S FRIEND	-	1	0.0 %
SPOUSE	-	1	0.0 %
	Total	**2,327**	**100%**

Based upon 2,327 valid cases out of 2,327 total cases.

Location: 2868-2897 (width: 30; decimal: 0)
Variable Type: character

SEX67: Gender (6)

Please tell me their gender

Value	Label	Unweighted Frequency	%
	-	146	6.3 %
-1: N/A	-	2168	93.2 %

Value	Label	Unweighted Frequency	%
F	-	5	0.2 %
M	-	8	0.3 %
	Total	**2,327**	**100%**

Based upon 2,327 valid cases out of 2,327 total cases.

Location: 2898-2912 (width: 15; decimal: 0)
Variable Type: character

AGE67: Age (6)

Please tell me their age

Value	Label	Unweighted Frequency	%
4	-	1	0.0 %
5	-	1	0.0 %
6	-	1	0.0 %
9	-	1	0.0 %
10	-	2	0.1 %
13	-	1	0.0 %
14	-	2	0.1 %
18	-	1	0.0 %
21	-	1	0.0 %
48	-	1	0.0 %
65	-	1	0.0 %
	Missing Data		
-1	N/A	2168	93.2 %
.	-	146	6.3 %
	Total	**2,327**	**100%**

Based upon 13 valid cases out of 2,327 total cases.

- Mean: 18.23
- Median: 13.00
- Minimum: 4.00
- Maximum: 65.00
- Standard Deviation: 18.01

Location: 2913-2914 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RLATE77: Relationship to self (7)-enum

Please tell me their relationship to you

Value	Label	Unweighted Frequency	%
1	Spouse	0	0.0 %
2	Partner (not married)	0	0.0 %
3	Parent	0	0.0 %
4	Parent-in-law	0	0.0 %
5	Child (biol/adopt/step)	2	0.1 %
6	Grandchild	5	0.2 %
7	Son/Daughter-in-law	0	0.0 %
8	Sibling	0	0.0 %
9	Niece/nephew	1	0.0 %
10	Friend	0	0.0 %
11	Tenant/boarder	0	0.0 %
12	Other relation	1	0.0 %
	Missing Data		
-1	N/A	2172	93.3 %
.	-	146	6.3 %
	Total	**2,327**	**100%**

Based upon 9 valid cases out of 2,327 total cases.

- Minimum: 5.00
- Maximum: 12.00

Location: 2915-2916 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RELAT77: Relationship to yourself (7)

Please tell me their relationship to you

Value	Label	Unweighted Frequency	%
	-	146	6.3 %
-1: N/A	-	2172	93.3 %
CHILD (BIOLOGICAL, ADOPTED, ST	-	2	0.1 %
GRANDCHILD	-	5	0.2 %
NIECE/NEPHEW	-	1	0.0 %
SON'S FRIEND	-	1	0.0 %
	Total	**2,327**	**100%**

Based upon 2,327 valid cases out of 2,327 total cases.

Location: 2917-2946 (width: 30; decimal: 0)
Variable Type: character

SEX77: Gender (7)

Please tell me their gender

Value	Label	Unweighted Frequency	%
	-	146	6.3 %
-1: N/A	-	2172	93.3 %
F	-	3	0.1 %
M	-	6	0.3 %
	Total	**2,327**	**100%**

Based upon 2,327 valid cases out of 2,327 total cases.

Location: 2947-2961 (width: 15; decimal: 0)
Variable Type: character

AGE77: Age (7)

Please tell me their age

Value	Label	Unweighted Frequency	%
2	-	1	0.0 %
5	-	1	0.0 %
7	-	2	0.1 %
8	-	2	0.1 %
10	-	1	0.0 %
11	-	1	0.0 %
22	-	1	0.0 %
	Missing Data		
-1	N/A	2172	93.3 %
.	-	146	6.3 %
	Total	**2,327**	**100%**

Based upon 9 valid cases out of 2,327 total cases.

- Mean: 8.89
- Median: 8.00
- Minimum: 2.00
- Maximum: 22.00
- Standard Deviation: 5.58

Location: 2962-2963 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RLATE87: Relationship to self (8)-enum

Please tell me their relationship to you

Value	Label	Unweighted Frequency	%
1	Spouse	1	0.0 %
2	Partner (not married)	0	0.0 %

Value	Label	Unweighted Frequency	%
3	Parent	0	0.0 %
4	Parent-in-law	0	0.0 %
5	Child (biol/adopt/step)	0	0.0 %
6	Grandchild	3	0.1 %
7	Son/Daughter-in-law	0	0.0 %
8	Sibling	0	0.0 %
9	Niece/nephew	1	0.0 %
10	Friend	0	0.0 %
11	Tenant/boarder	0	0.0 %
12	Other relation	1	0.0 %
	Missing Data		
-1	N/A	2175	93.5 %
.	-	146	6.3 %
	Total	**2,327**	**100%**

Based upon 6 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 12.00

Location: 2964-2965 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RELAT87: Relationship to yourself (8)

Please tell me their relationship to you

Value	Label	Unweighted Frequency	%
	-	146	6.3 %
-1: N/A	-	2175	93.5 %
DAUGHTER'S FIANCE	-	1	0.0 %
GRANDCHILD	-	3	0.1 %
NIECE/NEPHEW	-	1	0.0 %
SPOUSE	-	1	0.0 %
	Total	**2,327**	**100%**

Based upon 2,327 valid cases out of 2,327 total cases.

Location: 2966-2995 (width: 30; decimal: 0)
Variable Type: character

SEX87: Gender (8)

Please tell me their gender

Value	Label	Unweighted Frequency	%
	-	146	6.3 %
-1: N/A	-	2175	93.5 %
F	-	3	0.1 %
M	-	3	0.1 %
	Total	**2,327**	**100%**

Based upon 2,327 valid cases out of 2,327 total cases.

Location: 2996-3010 (width: 15; decimal: 0)
Variable Type: character

AGE87: Age (8)

Please tell me their age

Value	Label	Unweighted Frequency	%
4	-	2	0.1 %
5	-	1	0.0 %
8	-	1	0.0 %
68	-	1	0.0 %
	Missing Data		
-8	Do not know	1	0.0 %
-1	N/A	2175	93.5 %
.	-	146	6.3 %
	Total	**2,327**	**100%**

Based upon 5 valid cases out of 2,327 total cases.

- Mean: 17.80
- Median: 5.00
- Mode: 4.00
- Minimum: 4.00
- Maximum: 68.00
- Standard Deviation: 28.11

Location: 3011-3012 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RLATE97: Relationship to self (9)-enum

Please tell me their relationship to you

Value	Label	Unweighted Frequency	%
1	Spouse	0	0.0 %
2	Partner (not married)	0	0.0 %
3	Parent	0	0.0 %
4	Parent-in-law	0	0.0 %

Value	Label	Unweighted Frequency	%
5	Child (biol/adopt/step)	1	0.0 %
6	Grandchild	2	0.1 %
7	Son/Daughter-in-law	0	0.0 %
8	Sibling	0	0.0 %
9	Niece/nephew	0	0.0 %
10	Friend	0	0.0 %
11	Tenant/boarder	0	0.0 %
12	Other relation	0	0.0 %
	Missing Data		
-1	N/A	2178	93.6 %
.	-	146	6.3 %
	Total	**2,327**	**100%**

Based upon 3 valid cases out of 2,327 total cases.

- Minimum: 5.00
- Maximum: 6.00

Location: 3013-3014 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RELAT97: Relationship to yourself (9)

Please tell me their relationship to you

Value	Label	Unweighted Frequency	%
	-	146	6.3 %
-1: N/A	-	2178	93.6 %
CHILD (BIOLOGICAL, ADOPTED, ST	-	1	0.0 %
GRANDCHILD	-	2	0.1 %
	Total	**2,327**	**100%**

Based upon 2,327 valid cases out of 2,327 total cases.

Location: 3015-3044 (width: 30; decimal: 0)
Variable Type: character

SEX97: Gender (9)

Please tell me their gender

Value	Label	Unweighted Frequency	%
	-	146	6.3 %
-1: N/A	-	2178	93.6 %
F	-	2	0.1 %
M	-	1	0.0 %

Value	Label	Unweighted Frequency	%
	Total	**2,327**	**100%**

Based upon 2,327 valid cases out of 2,327 total cases.

Location: 3045-3059 (width: 15; decimal: 0)
Variable Type: character

AGE97: Age (9)

Please tell me their age

Value	Label	Unweighted Frequency	%
2	-	1	0.0 %
6	-	1	0.0 %
22	-	1	0.0 %
	Missing Data		
-1	N/A	2178	93.6 %
.	-	146	6.3 %
	Total	**2,327**	**100%**

Based upon 3 valid cases out of 2,327 total cases.

- Mean: 10.00
- Median: 6.00
- Minimum: 2.00
- Maximum: 22.00
- Standard Deviation: 10.58

Location: 3060-3061 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RLATE107: Relationship to self (10)-enum

Please tell me their relationship to you

Value	Label	Unweighted Frequency	%
1	Spouse	0	0.0 %
2	Partner (not married)	0	0.0 %
3	Parent	0	0.0 %
4	Parent-in-law	0	0.0 %
5	Child (biol/adopt/step)	0	0.0 %
6	Grandchild	2	0.1 %
7	Son/Daughter-in-law	0	0.0 %
8	Sibling	0	0.0 %
9	Niece/nephew	0	0.0 %
10	Friend	0	0.0 %

Value	Label	Unweighted Frequency	%
11	Tenant/boarder	0	0.0 %
12	Other relation	0	0.0 %
	Missing Data		
-1	N/A	2179	93.6 %
.	-	146	6.3 %
	Total	**2,327**	**100%**

Based upon 2 valid cases out of 2,327 total cases.

- Minimum: 6.00
- Maximum: 6.00

Location: 3062-3063 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RELAT107: Relationship to yourself (10)

Please tell me their relationship to you

Value	Label	Unweighted Frequency	%
	-	146	6.3 %
-1: N/A	-	2179	93.6 %
GRANDCHILD	-	2	0.1 %
	Total	**2,327**	**100%**

Based upon 2,327 valid cases out of 2,327 total cases.

Location: 3064-3093 (width: 30; decimal: 0)
Variable Type: character

SEX107: Gender (10)

Please tell me their gender

Value	Label	Unweighted Frequency	%
	-	146	6.3 %
-1: N/A	-	2179	93.6 %
M	-	2	0.1 %
	Total	**2,327**	**100%**

Based upon 2,327 valid cases out of 2,327 total cases.

Location: 3094-3108 (width: 15; decimal: 0)
Variable Type: character

AGE107: Age (10)

Please tell me their age

Value	Label	Unweighted Frequency	%
5	-	1	0.0 %
6	-	1	0.0 %
	Missing Data		
-1	N/A	2179	93.6 %
.	-	146	6.3 %
	Total	**2,327**	**100%**

Based upon 2 valid cases out of 2,327 total cases.

- Mean: 5.50
- Median: 5.50
- Minimum: 5.00
- Maximum: 6.00
- Standard Deviation: 0.71

Location: 3109-3110 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RLATE117: Relationship to self (11)-enum

Please tell me their relationship to you

Value	Label	Unweighted Frequency	%
1	Spouse	0	0.0 %
2	Partner (not married)	0	0.0 %
3	Parent	0	0.0 %
4	Parent-in-law	0	0.0 %
5	Child (biol/adopt/step)	0	0.0 %
6	Grandchild	1	0.0 %
7	Son/Daughter-in-law	0	0.0 %
8	Sibling	0	0.0 %
9	Niece/nephew	0	0.0 %
10	Friend	0	0.0 %
11	Tenant/boarder	0	0.0 %
12	Other relation	0	0.0 %
	Missing Data		
-1	N/A	2180	93.7 %
.	-	146	6.3 %
	Total	**2,327**	**100%**

Based upon 1 valid cases out of 2,327 total cases.

- Minimum: 6.00
- Maximum: 6.00

Location: 3111-3112 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RELAT117: Relationship to yourself (11)

Please tell me their relationship to you

Value	Label	Unweighted Frequency	%
	-	146	6.3 %
-1: N/A	-	2180	93.7 %
GRANDCHILD	-	1	0.0 %
	Total	**2,327**	**100%**

Based upon 2,327 valid cases out of 2,327 total cases.

Location: 3113-3142 (width: 30; decimal: 0)
Variable Type: character

SEX117: Gender (11)

Please tell me their gender

Value	Label	Unweighted Frequency	%
	-	146	6.3 %
-1: N/A	-	2180	93.7 %
M	-	1	0.0 %
	Total	**2,327**	**100%**

Based upon 2,327 valid cases out of 2,327 total cases.

Location: 3143-3157 (width: 15; decimal: 0)
Variable Type: character

AGE117: Age (11)

Please tell me their age

Value	Label	Unweighted Frequency	%
4	-	1	0.0 %
	Missing Data		
-1	N/A	2180	93.7 %
.	-	146	6.3 %
	Total	**2,327**	**100%**

Based upon 1 valid cases out of 2,327 total cases.

- Mean: 4.00
- Median: 4.00
- Mode: 4.00
- Minimum: 4.00
- Maximum: 4.00

- Standard Deviation: 0.00

Location: 3158-3159 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RLATE127: Relationship to self (12)-enum

Please tell me their relationship to you

Value	Label	Unweighted Frequency	%
1	Spouse	0	0.0 %
2	Partner (not married)	0	0.0 %
3	Parent	0	0.0 %
4	Parent-in-law	0	0.0 %
5	Child (biol/adopt/step)	0	0.0 %
6	Grandchild	1	0.0 %
7	Son/Daughter-in-law	0	0.0 %
8	Sibling	0	0.0 %
9	Niece/nephew	0	0.0 %
10	Friend	0	0.0 %
11	Tenant/boarder	0	0.0 %
12	Other relation	0	0.0 %
	Missing Data		
-1	N/A	2180	93.7 %
.	-	146	6.3 %
	Total	**2,327**	**100%**

Based upon 1 valid cases out of 2,327 total cases.

- Minimum: 6.00
- Maximum: 6.00

Location: 3160-3161 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RELAT127: Relationship to yourself (12)

Please tell me their relationship to you

Value	Label	Unweighted Frequency	%
	-	146	6.3 %
-1: N/A	-	2180	93.7 %
GRANDCHILD	-	1	0.0 %
	Total	**2,327**	**100%**

Based upon 2,327 valid cases out of 2,327 total cases.

Location: 3162-3191 (width: 30; decimal: 0)

Variable Type: character

SEX127: Gender (12)

Please tell me their gender

Value	Label	Unweighted Frequency	%
	-	146	6.3 %
-1: N/A	-	2180	93.7 %
M	-	1	0.0 %
	Total	**2,327**	**100%**

Based upon 2,327 valid cases out of 2,327 total cases.

Location: 3192-3206 (width: 15; decimal: 0)
Variable Type: character

AGE127: Age (12)

Please tell me their age

Value	Label	Unweighted Frequency	%
3	-	1	0.0 %
	Missing Data		
-1	N/A	2180	93.7 %
.	-	146	6.3 %
	Total	**2,327**	**100%**

Based upon 1 valid cases out of 2,327 total cases.

- Mean: 3.00
- Median: 3.00
- Mode: 3.00
- Minimum: 3.00
- Maximum: 3.00
- Standard Deviation: 0.00

Location: 3207-3208 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FORMINT7: Abbreviated (AIN) or regular (INT) interview

Which version of the interview was administered:

Value	Label	Unweighted Frequency	%
	-	7	0.3 %
AFUI	-	21	0.9 %
AINT	-	94	4.0 %
FUI	-	2181	93.7 %

Value	Label	Unweighted Frequency	%
OFUI	-	24	1.0 %
	Total	**2,327**	**100%**

Based upon 2,327 valid cases out of 2,327 total cases.

Location: 3209-3212 (width: 4; decimal: 0)
Variable Type: character

FLGINTV7: Completed before V7 began (05/15/2003)

Completed before V7 began (05/15/2003)

Value	Label	Unweighted Frequency	%
0	No	2199	94.5 %
1	Yes	3	0.1 %
	Missing Data		
.	-	125	5.4 %
	Total	**2,327**	**100%**

Based upon 2,202 valid cases out of 2,327 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3213-3214 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

STATUS7: Menopausal Status

Menopausal status variable

Value	Label	Unweighted Frequency	%
1	Hysterectomy/both ovaries removed	184	7.9 %
2	Post-menopausal	1185	50.9 %
3	Late Peri	237	10.2 %
4	Early Peri	562	24.2 %
5	Pre-menopausal	48	2.1 %
6	Pregnant/breastfeeding	0	0.0 %
7	Unknown due to HT use	104	4.5 %
	Missing Data		
.	-	7	0.3 %
	Total	**2,327**	**100%**

Based upon 2,320 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 3215-3215 (width: 1; decimal: 0)
Variable Type: numeric

SAADAY7: Self-administered-Part A Day

Date form completed

Value	Label	Unweighted Frequency	%
2324	-	1	0.0 %
2429	-	1	0.0 %
2439	-	1	0.0 %
2455	-	1	0.0 %
2468	-	1	0.0 %
2480	-	2	0.1 %
2481	-	1	0.0 %
2482	-	1	0.0 %
2483	-	1	0.0 %
2484	-	1	0.0 %
2485	-	2	0.1 %
2486	-	1	0.0 %
2490	-	1	0.0 %
2491	-	1	0.0 %
2492	-	5	0.2 %
2493	-	1	0.0 %
2494	-	1	0.0 %
2495	-	1	0.0 %
2496	-	1	0.0 %
2497	-	1	0.0 %
2498	-	1	0.0 %
2499	-	1	0.0 %
2500	-	3	0.1 %
2501	-	4	0.2 %
2502	-	1	0.0 %
2503	-	2	0.1 %
2504	-	4	0.2 %
2505	-	4	0.2 %
2506	-	6	0.3 %
2507	-	1	0.0 %
2508	-	6	0.3 %
2509	-	11	0.5 %
2510	-	7	0.3 %
2511	-	14	0.6 %
2512	-	15	0.6 %
2513	-	15	0.6 %
2514	-	9	0.4 %

Value	Label	Unweighted Frequency	%
2515	-	4	0.2 %
2516	-	10	0.4 %
2517	-	7	0.3 %
2518	-	9	0.4 %
2519	-	12	0.5 %
2520	-	25	1.1 %
2521	-	8	0.3 %
2522	-	15	0.6 %
2523	-	11	0.5 %
2524	-	8	0.3 %
2525	-	14	0.6 %
2526	-	17	0.7 %
2527	-	22	0.9 %
	Missing Data		
.	-	32	1.4 %
	Total	**2,327**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,295 valid cases out of 2,327 total cases.

- Mean: 2605.17
- Minimum: 2324.00
- Maximum: 3515.00
- Standard Deviation: 87.79

Location: 3216-3219 (width: 4; decimal: 0)
Variable Type: numeric

FORMSAA7: Full form (SAA), Abbreviated (AIN) or Phone Interview (PAT)

Which form/questionnaire completed:

Value	Label	Unweighted Frequency	%
	-	32	1.4 %
AFU	-	21	0.9 %
AIN	-	80	3.4 %
OFU	-	16	0.7 %
PAT	-	20	0.9 %
SAA	-	2158	92.7 %
	Total	**2,327**	**100%**

Based upon 2,327 valid cases out of 2,327 total cases.

Location: 3220-3222 (width: 3; decimal: 0)
Variable Type: character

LANGSAA7: Language of Self-A

Interview language

Value	Label	Unweighted Frequency	%
1	English	2101	90.3 %
2	Spanish	0	0.0 %
3	Cantonese	87	3.7 %
4	Japanese	107	4.6 %
	Missing Data		
.	-	32	1.4 %
	Total	**2,327**	**100%**

Based upon 2,295 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 3223-3224 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OVERHLT7: Overall health

In general, would you say your health is excellent, very good, good, fair or poor?

Value	Label	Unweighted Frequency	%
1	Excellent	311	13.4 %
2	Very good	862	37.0 %
3	Good	759	32.6 %
4	Fair	306	13.1 %
5	Poor	43	1.8 %
	Missing Data		
-8	Do not know	3	0.1 %
-7	Refused	11	0.5 %
.	-	32	1.4 %
	Total	**2,327**	**100%**

Based upon 2,281 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3225-3226 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HOSPSTA7: Hospital stays since last visit

Since your last study visit, how many different times did you stay in the hospital overnight or longer?

Value	Label	Unweighted Frequency	%
0	-	1965	84.4 %
1	-	140	6.0 %
2	-	26	1.1 %
3	-	11	0.5 %
4	-	7	0.3 %
5	-	3	0.1 %
6	-	2	0.1 %
10	-	1	0.0 %
	Missing Data		
-9	Missing	137	5.9 %
-7	Refused	3	0.1 %
.	-	32	1.4 %
	Total	**2,327**	**100%**

Based upon 2,155 valid cases out of 2,327 total cases.

- Mean: 0.13
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 10.00
- Standard Deviation: 0.55

Location: 3227-3228 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MDTALK7: # times talk to health professional

Since your last study visit, about how many times did you see or talk to a doctor, nurse practitioner or other health care provider, regarding your own health? (Do not count hospitalizations or visits for this study).

Value	Label	Unweighted Frequency	%
0	-	206	8.9 %
1	-	297	12.8 %
2	-	354	15.2 %
3	-	326	14.0 %
4	-	273	11.7 %
5	-	161	6.9 %
6	-	131	5.6 %
7	-	50	2.1 %
8	-	54	2.3 %
9	-	17	0.7 %
10	-	89	3.8 %
11	-	3	0.1 %
12	-	41	1.8 %

Value	Label	Unweighted Frequency	%
13	-	3	0.1 %
14	-	5	0.2 %
15	-	18	0.8 %
16	-	4	0.2 %
17	-	4	0.2 %
18	-	4	0.2 %
19	-	1	0.0 %
20	-	38	1.6 %
21	-	1	0.0 %
24	-	3	0.1 %
25	-	10	0.4 %
26	-	2	0.1 %
27	-	1	0.0 %
28	-	2	0.1 %
29	-	1	0.0 %
30	-	17	0.7 %
32	-	1	0.0 %
35	-	4	0.2 %
36	-	2	0.1 %
38	-	2	0.1 %
40	-	3	0.1 %
45	-	3	0.1 %
50	-	5	0.2 %
52	-	2	0.1 %
54	-	1	0.0 %
60	>=60 times	12	0.5 %
	Missing Data		
-9	Missing	138	5.9 %
-8	Do not know	1	0.0 %
-7	Refused	5	0.2 %
.	-	32	1.4 %
	Total	**2,327**	**100%**

Based upon 2,151 valid cases out of 2,327 total cases.

- Mean: 5.16
- Median: 3.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 60.00
- Standard Deviation: 7.53

Location: 3229-3230 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NERVES7: Talk to professional for nerves

Since your last study visit, about how many times did you see or talk to a health care provider or other professional for problems with emotions, "nerves", or mental health?

Value	Label	Unweighted Frequency	%
0	-	1725	74.1 %
1	-	127	5.5 %
2	-	65	2.8 %
3	-	42	1.8 %
4	-	28	1.2 %
5	-	18	0.8 %
6	-	21	0.9 %
7	-	5	0.2 %
8	-	10	0.4 %
9	-	4	0.2 %
10	-	24	1.0 %
12	-	15	0.6 %
13	-	1	0.0 %
14	-	4	0.2 %
15	-	5	0.2 %
16	-	2	0.1 %
18	-	3	0.1 %
19	-	1	0.0 %
20	-	13	0.6 %
22	-	1	0.0 %
24	-	4	0.2 %
26	-	1	0.0 %
27	-	1	0.0 %
28	-	1	0.0 %
30	-	5	0.2 %
32	-	1	0.0 %
35	-	1	0.0 %
36	-	2	0.1 %
38	-	1	0.0 %
40	-	4	0.2 %
48	-	1	0.0 %
50	-	2	0.1 %
52	-	1	0.0 %
54	-	1	0.0 %
56	-	1	0.0 %
60	>=60 times	11	0.5 %
	Missing Data		
-9	Missing	137	5.9 %

Value	Label	Unweighted Frequency	%
-8	Do not know	1	0.0 %
-7	Refused	5	0.2 %
.	-	32	1.4 %
	Total	**2,327**	**100%**

Based upon 2,152 valid cases out of 2,327 total cases.

- Mean: 1.60
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 60.00
- Standard Deviation: 6.45

Location: 3231-3232 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PAPSMEA7: Pap smear since last visit

Since your last study visit, have you had: A Pap Smear (a routine medical test in which the doctor examines the cervix)?

Value	Label	Unweighted Frequency	%
1	No	611	26.3 %
2	Yes	1546	66.4 %
	Missing Data		
-9	Missing	137	5.9 %
-7	Refused	1	0.0 %
.	-	32	1.4 %
	Total	**2,327**	**100%**

Based upon 2,157 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3233-3234 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BRSTEXA7: Breast exam since last visit

Since your last study visit, have you had: A breast physical examination (a doctor or medical assistant feels for lumps in the breast)?

Value	Label	Unweighted Frequency	%
1	No	516	22.2 %
2	Yes	1642	70.6 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-9	Missing	137	5.9 %
.	-	32	1.4 %
	Total	**2,327**	**100%**

Based upon 2,158 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3235-3236 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MAMOGRA7: Mammogram since last visit

Since your last study visit, have you had: A mammogram (an x-ray taken only of the breast by a machine that presses the breast against a glass plate)?

Value	Label	Unweighted Frequency	%
1	No	588	25.3 %
2	Yes	1569	67.4 %
	Missing Data		
-9	Missing	137	5.9 %
-7	Refused	1	0.0 %
.	-	32	1.4 %
	Total	**2,327**	**100%**

Based upon 2,157 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3237-3238 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HLTHSER7: Health services did not receive

Since your last study visit, are there any health services that you needed but did not receive?

Value	Label	Unweighted Frequency	%
1	No	1789	76.9 %
2	Yes	278	11.9 %
	Missing Data		
-9	Missing	227	9.8 %
-7	Refused	1	0.0 %
.	-	32	1.4 %
	Total	**2,327**	**100%**

Based upon 2,067 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3239-3240 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

INSURAN7: Insurance doesn't cover

People fail to get health care for a variety of reasons. Have any of the following reasons prevented you from getting health care? - Insurance or health plan does not cover

Value	Label	Unweighted Frequency	%
1	No	162	7.0 %
2	Yes	106	4.6 %
	Missing Data		
-9	Missing	137	5.9 %
-7	Refused	10	0.4 %
-1	N/A	1880	80.8 %
.	-	32	1.4 %
	Total	**2,327**	**100%**

Based upon 268 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3241-3242 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NOTAFFR7: Cannot afford

People fail to get health care for a variety of reasons. Have any of the following reasons prevented you from getting health care? - Cannot afford

Value	Label	Unweighted Frequency	%
1	No	159	6.8 %
2	Yes	111	4.8 %
	Missing Data		
-9	Missing	137	5.9 %
-7	Refused	8	0.3 %
-1	N/A	1880	80.8 %
.	-	32	1.4 %
	Total	**2,327**	**100%**

Based upon 270 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3243-3244 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NOTRANS7: Travel distance/no transportation

People fail to get health care for a variety of reasons. Have any of the following reasons prevented you from getting health care? - Travel distance / lack of transportation

Value	Label	Unweighted Frequency	%
1	No	244	10.5 %
2	Yes	22	0.9 %
	Missing Data		
-9	Missing	137	5.9 %
-7	Refused	12	0.5 %
-1	N/A	1880	80.8 %
.	-	32	1.4 %
	Total	**2,327**	**100%**

Based upon 266 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3245-3246 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NOPROVI7: No health care provider

People fail to get health care for a variety of reasons. Have any of the following reasons prevented you from getting health care? - No health care provider

Value	Label	Unweighted Frequency	%
1	No	214	9.2 %
2	Yes	51	2.2 %
	Missing Data		
-9	Missing	137	5.9 %
-7	Refused	13	0.6 %
-1	N/A	1880	80.8 %
.	-	32	1.4 %
	Total	**2,327**	**100%**

Based upon 265 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3247-3248 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

TOOBUSY7: Too busy

People fail to get health care for a variety of reasons. Have any of the following reasons prevented you from getting health care? - Too busy / didn't have the time

Value	Label	Unweighted Frequency	%
1	No	156	6.7 %
2	Yes	113	4.9 %
	Missing Data		
-9	Missing	137	5.9 %
-7	Refused	9	0.4 %
-1	N/A	1880	80.8 %
.	-	32	1.4 %
	Total	**2,327**	**100%**

Based upon 269 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3249-3250 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NOTRUST7: Don't trust drs

People fail to get health care for a variety of reasons. Have any of the following reasons prevented you from getting health care? - Don't trust doctors

Value	Label	Unweighted Frequency	%
1	No	235	10.1 %
2	Yes	30	1.3 %
	Missing Data		
-9	Missing	137	5.9 %
-7	Refused	13	0.6 %
-1	N/A	1880	80.8 %
.	-	32	1.4 %
	Total	**2,327**	**100%**

Based upon 265 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3251-3252 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BETTROF7: Better off not knowing

People fail to get health care for a variety of reasons. Have any of the following reasons prevented you from getting health care? - I'm better off not knowing

Value	Label	Unweighted Frequency	%
1	No	256	11.0 %
2	Yes	9	0.4 %
	Missing Data		
-9	Missing	137	5.9 %
-7	Refused	13	0.6 %
-1	N/A	1880	80.8 %
.	-	32	1.4 %
	Total	**2,327**	**100%**

Based upon 265 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3253-3254 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FAILOTH7: No health care - other reason

People fail to get health care for a variety of reasons. Have any of the following reasons prevented you from getting health care? - Other

Value	Label	Unweighted Frequency	%
1	No	186	8.0 %
2	Yes	81	3.5 %
	Missing Data		
-9	Missing	137	5.9 %
-7	Refused	11	0.5 %
-1	N/A	1880	80.8 %
.	-	32	1.4 %
	Total	**2,327**	**100%**

Based upon 267 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3255-3256 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SMOKERE7: Smoked regularly since last visit

Since your last study visit, have you smoked cigarettes regularly (at least one cigarette a day)?

Value	Label	Unweighted Frequency	%
1	No	1979	85.0 %
2	Yes	314	13.5 %
	Missing Data		
-9	Missing	1	0.0 %
-7	Refused	1	0.0 %
.	-	32	1.4 %
	Total	**2,327**	**100%**

Based upon 2,293 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3257-3258 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

AVCIGDA7: Avg cigarettes/day since last visit

If YES to SMOKERE7: How many cigarettes, on average, do you smoke per day now?

Value	Label	Unweighted Frequency	%
0	-	26	1.1 %
1	-	7	0.3 %
2	-	9	0.4 %
3	-	13	0.6 %
4	-	15	0.6 %
5	-	14	0.6 %
6	-	14	0.6 %
7	-	7	0.3 %
8	-	10	0.4 %
9	-	3	0.1 %
10	-	64	2.8 %
11	-	1	0.0 %
12	-	10	0.4 %
13	-	1	0.0 %
15	-	25	1.1 %
16	-	3	0.1 %
18	-	2	0.1 %
19	-	2	0.1 %
20	-	64	2.8 %
21	-	1	0.0 %
25	-	8	0.3 %

Value	Label	Unweighted Frequency	%
28	-	1	0.0 %
30	-	5	0.2 %
35	-	2	0.1 %
40	-	5	0.2 %
	Missing Data		
-7	Refused	2	0.1 %
-1	N/A	1981	85.1 %
.	-	32	1.4 %
	Total	**2,327**	**100%**

Based upon 312 valid cases out of 2,327 total cases.

- Mean: 11.74
- Median: 10.00
- Minimum: 0.00
- Maximum: 40.00
- Standard Deviation: 8.43

Location: 3259-3260 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HHMEMSM7: Household members who smoke

How many members of your household smoke tobacco in the house (at least 1 cigarette, cigar or pipe bowl per day)?

Value	Label	Unweighted Frequency	%
0	-	1756	75.5 %
1	-	302	13.0 %
2	-	63	2.7 %
3	-	27	1.2 %
4	-	5	0.2 %
6	-	1	0.0 %
	Missing Data		
-9	Missing	137	5.9 %
-7	Refused	4	0.2 %
.	-	32	1.4 %
	Total	**2,327**	**100%**

Based upon 2,154 valid cases out of 2,327 total cases.

- Mean: 0.25
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 0.60

Location: 3261-3262 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HOMEXPD7: Days exposed to smoke in home past week

During the past 7 days, on how many days were you exposed to tobacco smoke inside your home?

Value	Label	Unweighted Frequency	%
0	-	1815	78.0 %
1	-	25	1.1 %
2	-	41	1.8 %
3	-	9	0.4 %
4	-	16	0.7 %
5	-	13	0.6 %
6	-	4	0.2 %
7	-	209	9.0 %
	Missing Data		
-9	Missing	137	5.9 %
-7	Refused	26	1.1 %
.	-	32	1.4 %
	Total	**2,327**	**100%**

Based upon 2,132 valid cases out of 2,327 total cases.

- Mean: 0.82
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 7.00
- Standard Deviation: 2.14

Location: 3263-3264 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HOMEXPH7: Hrs exposed to smoke in home past week

Over the past 7 days, when you were exposed to tobacco smoke in your home, how many hours were you exposed during a typical day?

Value	Label	Unweighted Frequency	%
0	-	234	10.1 %
1	-	86	3.7 %
2	-	55	2.4 %
3	-	29	1.2 %
4	-	27	1.2 %
5	-	18	0.8 %
6	-	21	0.9 %

Value	Label	Unweighted Frequency	%
7	-	4	0.2 %
8	-	20	0.9 %
10	-	8	0.3 %
11	-	1	0.0 %
12	-	12	0.5 %
14	-	2	0.1 %
15	-	5	0.2 %
16	-	2	0.1 %
20	-	5	0.2 %
24	-	7	0.3 %
	Missing Data		
-9	Missing	137	5.9 %
-7	Refused	12	0.5 %
-1	N/A	1610	69.2 %
.	-	32	1.4 %
	Total	**2,327**	**100%**

Based upon 536 valid cases out of 2,327 total cases.

- Mean: 2.67
- Median: 1.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 24.00
- Standard Deviation: 4.44

Location: 3265-3266 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WRKEXPD7: Past 7 days, days exposed to smoke - work

During the past 7 days, on how many days were you exposed to tobacco smoke while at work?

Value	Label	Unweighted Frequency	%
0	-	1997	85.8 %
1	-	26	1.1 %
2	-	27	1.2 %
3	-	11	0.5 %
4	-	19	0.8 %
5	-	42	1.8 %
6	-	5	0.2 %
7	-	26	1.1 %
	Missing Data		
-9	Missing	137	5.9 %

Value	Label	Unweighted Frequency	%
-7	Refused	5	0.2 %
.	-	32	1.4 %
	Total	**2,327**	**100%**

Based upon 2,153 valid cases out of 2,327 total cases.

- Mean: 0.28
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 7.00
- Standard Deviation: 1.15

Location: 3267-3268 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WRKEXPH7: Hours/day at work exposed to smoke

Over the past 7 days, when you were exposed to tobacco smoke while at work, how many hours were you exposed during a typical day?

Value	Label	Unweighted Frequency	%
0	-	195	8.4 %
1	-	83	3.6 %
2	-	28	1.2 %
3	-	9	0.4 %
4	-	6	0.3 %
5	-	7	0.3 %
6	-	2	0.1 %
7	-	2	0.1 %
8	-	9	0.4 %
12	-	1	0.0 %
	Missing Data		
-9	Missing	137	5.9 %
-7	Refused	1	0.0 %
-1	N/A	1815	78.0 %
.	-	32	1.4 %
	Total	**2,327**	**100%**

Based upon 342 valid cases out of 2,327 total cases.

- Mean: 0.98
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 12.00

- Standard Deviation: 1.80

Location: 3269-3270 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WRKEXPE7: # people smoking when exposed to smoke-work

During the past 7 days, when you were exposed to tobacco smoke while at work, how many people on average were smoking in the room you were in?

Value	Label	Unweighted Frequency	%
0	-	192	8.3 %
1	-	50	2.1 %
2	-	28	1.2 %
3	-	17	0.7 %
4	-	8	0.3 %
5	-	9	0.4 %
6	-	6	0.3 %
7	-	3	0.1 %
8	-	1	0.0 %
10	-	8	0.3 %
12	-	1	0.0 %
15	-	1	0.0 %
20	-	1	0.0 %
36	-	1	0.0 %
50	-	1	0.0 %
	Missing Data		
-9	Missing	138	5.9 %
-8	Do not know	1	0.0 %
-7	Refused	4	0.2 %
-1	N/A	1825	78.4 %
.	-	32	1.4 %
	Total	**2,327**	**100%**

Based upon 327 valid cases out of 2,327 total cases.

- Mean: 1.57
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 50.00
- Standard Deviation: 4.17

Location: 3271-3272 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

TOTEXPH7: Total hrs exposed to smoke-other places

During the past 7 days, how many total hours were you exposed to tobacco smoke while at places other than home or work (including meetings, restaurants, bars, parties, etc.)?

Value	Label	Unweighted Frequency	%
0	-	1502	64.5 %
1	-	274	11.8 %
2	-	150	6.4 %
3	-	70	3.0 %
4	-	38	1.6 %
5	-	25	1.1 %
6	-	19	0.8 %
7	-	9	0.4 %
8	-	13	0.6 %
9	-	5	0.2 %
10	-	10	0.4 %
11	-	1	0.0 %
12	-	10	0.4 %
14	-	2	0.1 %
15	-	2	0.1 %
16	-	2	0.1 %
20	-	6	0.3 %
24	-	6	0.3 %
25	-	1	0.0 %
30	-	2	0.1 %
32	-	1	0.0 %
35	-	1	0.0 %
46	-	1	0.0 %
100	-	1	0.0 %
105	-	1	0.0 %
	Missing Data		
-9	Missing	137	5.9 %
-8	Do not know	1	0.0 %
-7	Refused	5	0.2 %
.	-	32	1.4 %
	Total	**2,327**	**100%**

Based upon 2,152 valid cases out of 2,327 total cases.

- Mean: 1.10
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 105.00
- Standard Deviation: 4.32

Location: 3273-3275 (width: 3; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DRNKBEE7: Drink alcoholic bev since last visit

Since your last study visit, did you drink any beer, wine, liquor, or mixed drinks?

Value	Label	Unweighted Frequency	%
1	No	666	28.6 %
2	Yes	1522	65.4 %
	Missing Data		
-9	Missing	107	4.6 %
.	-	32	1.4 %
	Total	**2,327**	**100%**

Based upon 2,188 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3276-3277 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GLASBEE7: Avg glasses of beer

How many glasses of beer (a medium glass or serving of beer is twelve ounces) did you drink on average per day, week or month?

Value	Label	Unweighted Frequency	%
1	None or < 1/mo	1042	44.8 %
2	1-3/mo	244	10.5 %
3	1/wk	79	3.4 %
4	2-4/wk	76	3.3 %
5	5-6/wk	26	1.1 %
6	1/day	20	0.9 %
7	2-3/day	22	0.9 %
8	4/day	4	0.2 %
9	>= 5/day	3	0.1 %
	Missing Data		
-9	Missing	102	4.4 %
-7	Refused	4	0.2 %
-1	N/A	673	28.9 %
.	-	32	1.4 %
	Total	**2,327**	**100%**

Based upon 1,516 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 3278-3279 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GLASWIN7: Avg glasses of wine

How many glasses of wine or wine coolers (a medium glass or serving of wine is 4 to 6 ounces), did you drink on average per day, week or month?

Value	Label	Unweighted Frequency	%
1	None or < 1/mo	664	28.5 %
2	1-3/mo	358	15.4 %
3	1/wk	116	5.0 %
4	2-4/wk	197	8.5 %
5	5-6/wk	61	2.6 %
6	1/day	60	2.6 %
7	2-3/day	60	2.6 %
8	4/day	2	0.1 %
9	>= 5/day	2	0.1 %
	Missing Data		
-9	Missing	100	4.3 %
-7	Refused	2	0.1 %
-1	N/A	673	28.9 %
.	-	32	1.4 %
	Total	**2,327**	**100%**

Based upon 1,520 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 3280-3281 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GLASLIQ7: Avg glasses of liquor

How many glasses of liquor or mixed drinks (a medium serving is one shot), did you drink on average per day, week or month?

Value	Label	Unweighted Frequency	%
1	None or < 1/mo	1035	44.5 %
2	1-3/mo	304	13.1 %
3	1/wk	58	2.5 %
4	2-4/wk	73	3.1 %
5	5-6/wk	19	0.8 %
6	1/day	17	0.7 %
7	2-3/day	12	0.5 %
8	4/day	0	0.0 %

Value	Label	Unweighted Frequency	%
9	>= 5/day	1	0.0 %
	Missing Data		
-9	Missing	100	4.3 %
-7	Refused	3	0.1 %
-1	N/A	673	28.9 %
.	-	32	1.4 %
	Total	**2,327**	**100%**

Based upon 1,519 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 3282-3283 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HOTFLAS7: Hot flashes past 2 wks

Thinking back over the past two weeks, how often have you had: Hot flashes or flushes?

Value	Label	Unweighted Frequency	%
1	Not At All	1061	45.6 %
2	1-5 Days	695	29.9 %
3	6-8 Days	115	4.9 %
4	9-13 Days	104	4.5 %
5	Every Day	317	13.6 %
	Missing Data		
-9	Missing	3	0.1 %
.	-	32	1.4 %
	Total	**2,327**	**100%**

Based upon 2,292 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3284-3285 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NUMHOTF7: Hot flashes/flushes times/day

On the days that you have hot flashes or flushes, how many times each day do you usually have them?

Value	Label	Unweighted Frequency	%
0.0	-	1	0.0 %
1.0	-	335	14.4 %

Value	Label	Unweighted Frequency	%
1.5	-	9	0.4 %
2.0	-	331	14.2 %
2.5	-	6	0.3 %
3.0	-	197	8.5 %
3.5	-	8	0.3 %
4.0	-	86	3.7 %
4.5	-	2	0.1 %
5.0	-	57	2.4 %
5.5	-	2	0.1 %
6.0	-	45	1.9 %
7.0	-	10	0.4 %
8.0	-	6	0.3 %
9.0	-	4	0.2 %
10.0	-	30	1.3 %
12.0	-	5	0.2 %
13.0	-	3	0.1 %
14.0	-	3	0.1 %
15.0	-	5	0.2 %
20.0	-	5	0.2 %
40.0	-	2	0.1 %
	Missing Data		
-9.0	Missing	137	5.9 %
-8.0	Do not know	1	0.0 %
-7.0	Refused	15	0.6 %
-1.0	N/A	990	42.5 %
.	-	32	1.4 %
	Total	**2,327**	**100%**

Based upon 1,152 valid cases out of 2,327 total cases.

- Mean: 2.96
- Median: 2.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 40.00
- Standard Deviation: 3.00

Location: 3286-3290 (width: 5; decimal: 1)
Variable Type: numeric
(Range of) Missing Values: -9.0 , -8.0 , -7.0 , -1.0 , .

BOTHOTF7: Bothered by hot flashes

How much are you usually bothered by hot flashes or flushes?

Value	Label	Unweighted Frequency	%
1	Not At All	87	3.7 %
2	Very Little	551	23.7 %
3	Moderately	427	18.3 %
4	A lot	98	4.2 %
	Missing Data		
-9	Missing	138	5.9 %
-7	Refused	3	0.1 %
-1	N/A	991	42.6 %
.	-	32	1.4 %
	Total	**2,327**	**100%**

Based upon 1,163 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 3291-3292 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

COLDSWE7: Cold sweats past 2 wks

Thinking back over the past two weeks, how often have you had: Cold sweats?

Value	Label	Unweighted Frequency	%
1	Not At All	1947	83.7 %
2	1-5 Days	166	7.1 %
3	6-8 Days	26	1.1 %
4	9-13 Days	15	0.6 %
5	Every Day	36	1.5 %
	Missing Data		
-9	Missing	105	4.5 %
.	-	32	1.4 %
	Total	**2,327**	**100%**

Based upon 2,190 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3293-3294 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NUMCLDS7: Cold sweats times/day

On the days that you have cold sweats, how many times each day do you usually have them?

Value	Label	Unweighted Frequency	%
0.0	-	1	0.0 %
1.0	-	124	5.3 %
1.5	-	6	0.3 %
2.0	-	53	2.3 %
2.5	-	1	0.0 %
3.0	-	27	1.2 %
4.0	-	5	0.2 %
5.0	-	8	0.3 %
6.0	-	3	0.1 %
7.0	-	2	0.1 %
8.0	-	1	0.0 %
10.0	-	4	0.2 %
15.0	-	1	0.0 %
	Missing Data		
-9.0	Missing	138	5.9 %
-8.0	Do not know	1	0.0 %
-7.0	Refused	4	0.2 %
-1.0	N/A	1916	82.3 %
.	-	32	1.4 %
	Total	**2,327**	**100%**

Based upon 236 valid cases out of 2,327 total cases.

- Mean: 2.02
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 15.00
- Standard Deviation: 1.85

Location: 3295-3299 (width: 5; decimal: 1)
Variable Type: numeric
(Range of) Missing Values: -9.0 , -8.0 , -7.0 , -1.0 , .

BOTCLDS7: Bothered by cold sweats

How much are you usually bothered by cold sweats?

Value	Label	Unweighted Frequency	%
1	Not At All	25	1.1 %
2	Very Little	101	4.3 %
3	Moderately	87	3.7 %
4	A lot	28	1.2 %
	Missing Data		
-9	Missing	137	5.9 %

Value	Label	Unweighted Frequency	%
-7	Refused	1	0.0 %
-1	N/A	1916	82.3 %
.	-	32	1.4 %
	Total	**2,327**	**100%**

Based upon 241 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 3300-3301 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NITESWE7: Night sweats past 2 wks

Thinking back over the past two weeks, how often have you had: Night sweats?

Value	Label	Unweighted Frequency	%
1	Not At All	1384	59.5 %
2	1-5 Days	585	25.1 %
3	6-8 Days	80	3.4 %
4	9-13 Days	69	3.0 %
5	Every Day	174	7.5 %
	Missing Data		
-9	Missing	2	0.1 %
-7	Refused	1	0.0 %
.	-	32	1.4 %
	Total	**2,327**	**100%**

Based upon 2,292 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3302-3303 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NUMNITS7: Night sweats times/night

On the days that you have night sweats, how many times each night do you usually have them?

Value	Label	Unweighted Frequency	%
0.0	-	2	0.1 %
1.0	-	452	19.4 %
1.5	-	11	0.5 %
2.0	-	246	10.6 %

Value	Label	Unweighted Frequency	%
2.5	-	6	0.3 %
3.0	-	81	3.5 %
3.5	-	2	0.1 %
4.0	-	23	1.0 %
5.0	-	18	0.8 %
6.0	-	5	0.2 %
7.0	-	2	0.1 %
8.0	-	2	0.1 %
9.0	-	1	0.0 %
10.0	-	1	0.0 %
13.0	-	1	0.0 %
14.0	-	1	0.0 %
20.0	-	1	0.0 %
40.0	-	1	0.0 %
	Missing Data		
-9.0	Missing	139	6.0 %
-8.0	Do not know	1	0.0 %
-7.0	Refused	6	0.3 %
-1.0	N/A	1293	55.6 %
.	-	32	1.4 %
	Total	**2,327**	**100%**

Based upon 856 valid cases out of 2,327 total cases.

- Mean: 1.84
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 40.00
- Standard Deviation: 1.91

Location: 3304-3308 (width: 5; decimal: 1)
Variable Type: numeric
(Range of) Missing Values: -9.0 , -8.0 , -7.0 , -1.0 , .

BOTNITS7: Bothered by night sweats

How much are you usually bothered by night sweats?

Value	Label	Unweighted Frequency	%
1	Not At All	65	2.8 %
2	Very Little	342	14.7 %
3	Moderately	345	14.8 %
4	A lot	108	4.6 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-9	Missing	137	5.9 %
-7	Refused	5	0.2 %
-1	N/A	1293	55.6 %
.	-	32	1.4 %
	Total	**2,327**	**100%**

Based upon 860 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 3309-3310 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

STIFF7: Stiffness/soreness past 2 wks

Thinking back over the past two weeks, how often have you had: Stiffness or soreness in joints, neck or shoulders?

Value	Label	Unweighted Frequency	%
1	Not At All	633	27.2 %
2	1-5 Days	802	34.5 %
3	6-8 Days	189	8.1 %
4	9-13 Days	124	5.3 %
5	Every Day	543	23.3 %
	Missing Data		
-9	Missing	4	0.2 %
.	-	32	1.4 %
	Total	**2,327**	**100%**

Based upon 2,291 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3311-3312 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BOTSTIF7: Bothered by stiffness

How much are you usually bothered by stiffness or soreness in joints, neck or shoulders?

Value	Label	Unweighted Frequency	%
1	Not At All	35	1.5 %
2	Very Little	586	25.2 %
3	Moderately	695	29.9 %
4	A lot	237	10.2 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-9	Missing	137	5.9 %
-7	Refused	3	0.1 %
-1	N/A	602	25.9 %
.	-	32	1.4 %
	Total	**2,327**	**100%**

Based upon 1,553 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 3313-3314 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

IRRITAB7: Irritability past 2 wks

Thinking back over the past two weeks, how often have you had: Irritability or grouchiness?

Value	Label	Unweighted Frequency	%
1	Not At All	891	38.3 %
2	1-5 Days	1119	48.1 %
3	6-8 Days	131	5.6 %
4	9-13 Days	63	2.7 %
5	Every Day	84	3.6 %
	Missing Data		
-9	Missing	7	0.3 %
.	-	32	1.4 %
	Total	**2,327**	**100%**

Based upon 2,288 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3315-3316 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BOTIRRT7: Bothered by irritability

How much are you usually bothered by irritability or grouchiness?

Value	Label	Unweighted Frequency	%
1	Not At All	63	2.7 %
2	Very Little	701	30.1 %
3	Moderately	464	19.9 %

Value	Label	Unweighted Frequency	%
4	A lot	94	4.0 %
	Missing Data		
-9	Missing	137	5.9 %
-7	Refused	5	0.2 %
-1	N/A	831	35.7 %
.	-	32	1.4 %
	Total	**2,327**	**100%**

Based upon 1,322 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 3317-3318 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NRVOUS7: Tense/nervous past 2 wks

Thinking back over the past two weeks, how often have you felt: Tense or nervous

Value	Label	Unweighted Frequency	%
1	Not At All	870	37.4 %
2	1-5 Days	1000	43.0 %
3	6-8 Days	145	6.2 %
4	9-13 Days	87	3.7 %
5	Every Day	88	3.8 %
	Missing Data		
-9	Missing	105	4.5 %
.	-	32	1.4 %
	Total	**2,327**	**100%**

Based upon 2,190 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3319-3320 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BOTNERV7: Bothered by tenseness

How much are you usually bothered by feeling tense or nervous?

Value	Label	Unweighted Frequency	%
1	Not At All	68	2.9 %
2	Very Little	611	26.3 %

Value	Label	Unweighted Frequency	%
3	Moderately	505	21.7 %
4	A lot	123	5.3 %
	Missing Data		
-9	Missing	137	5.9 %
-7	Refused	2	0.1 %
-1	N/A	849	36.5 %
.	-	32	1.4 %
	Total	**2,327**	**100%**

Based upon 1,307 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 3321-3322 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ACHES7: Back aches/pains past 2 wks

Thinking back over the past two weeks, how often have you had: Back aches or pains?

Value	Label	Unweighted Frequency	%
1	Not At All	787	33.8 %
2	1-5 Days	820	35.2 %
3	6-8 Days	168	7.2 %
4	9-13 Days	122	5.2 %
5	Every Day	296	12.7 %
	Missing Data		
-9	Missing	101	4.3 %
-7	Refused	1	0.0 %
.	-	32	1.4 %
	Total	**2,327**	**100%**

Based upon 2,193 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3323-3324 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

VAGINDR7: Vaginal dryness past 2 wks

Thinking back over the past two weeks, how often have you had: Vaginal dryness?

Value	Label	Unweighted Frequency	%
1	Not At All	1601	68.8 %
2	1-5 Days	380	16.3 %
3	6-8 Days	70	3.0 %
4	9-13 Days	47	2.0 %
5	Every Day	190	8.2 %
	Missing Data		
-7	Refused	7	0.3 %
.	-	32	1.4 %
	Total	**2,327**	**100%**

Based upon 2,288 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3325-3326 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FEELBLU7: Feeling blue past 2 wks

Thinking back over the past two weeks, how often have you had: Feeling blue or depressed?

Value	Label	Unweighted Frequency	%
1	Not At All	1099	47.2 %
2	1-5 Days	904	38.8 %
3	6-8 Days	137	5.9 %
4	9-13 Days	78	3.4 %
5	Every Day	73	3.1 %
	Missing Data		
-7	Refused	4	0.2 %
.	-	32	1.4 %
	Total	**2,327**	**100%**

Based upon 2,291 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3327-3328 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIZZY7: Dizzy spells past 2 wks

Thinking back over the past two weeks, how often have you had: Dizzy spells?

Value	Label	Unweighted Frequency	%
1	Not At All	1768	76.0 %
2	1-5 Days	373	16.0 %
3	6-8 Days	20	0.9 %
4	9-13 Days	18	0.8 %
5	Every Day	12	0.5 %
	Missing Data		
-9	Missing	102	4.4 %
-7	Refused	2	0.1 %
.	-	32	1.4 %
	Total	**2,327**	**100%**

Based upon 2,191 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3329-3330 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FORGET7: Forgetfulness past 2 wks

Thinking back over the past two weeks, how often have you had: Forgetfulness?

Value	Label	Unweighted Frequency	%
1	Not At All	713	30.6 %
2	1-5 Days	1010	43.4 %
3	6-8 Days	218	9.4 %
4	9-13 Days	84	3.6 %
5	Every Day	169	7.3 %
	Missing Data		
-9	Missing	100	4.3 %
-7	Refused	1	0.0 %
.	-	32	1.4 %
	Total	**2,327**	**100%**

Based upon 2,194 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3331-3332 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MOODCHG7: Freq mood changes past 2 wks

Thinking back over the past two weeks, how often have you had: Frequent mood changes?

Value	Label	Unweighted Frequency	%
1	Not At All	1387	59.6 %
2	1-5 Days	708	30.4 %
3	6-8 Days	112	4.8 %
4	9-13 Days	42	1.8 %
5	Every Day	44	1.9 %
	Missing Data		
-9	Missing	1	0.0 %
-7	Refused	1	0.0 %
.	-	32	1.4 %
	Total	**2,327**	**100%**

Based upon 2,293 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3333-3334 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HARTRAC7: Heart pounding/racing past 2 wks

Thinking back over the past two weeks, how often have you had: Heart pounding or racing?

Value	Label	Unweighted Frequency	%
1	Not At All	1614	69.4 %
2	1-5 Days	470	20.2 %
3	6-8 Days	61	2.6 %
4	9-13 Days	25	1.1 %
5	Every Day	23	1.0 %
	Missing Data		
-9	Missing	100	4.3 %
-7	Refused	2	0.1 %
.	-	32	1.4 %
	Total	**2,327**	**100%**

Based upon 2,193 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3335-3336 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FEARFULA7: Feeling fearful past 2 wks

Thinking back over the past two weeks, how often have you had: Feeling fearful for no reason?

Value	Label	Unweighted Frequency	%
1	Not At All	1839	79.0 %
2	1-5 Days	267	11.5 %
3	6-8 Days	42	1.8 %
4	9-13 Days	26	1.1 %
5	Every Day	19	0.8 %
	Missing Data		
-9	Missing	101	4.3 %
-7	Refused	1	0.0 %
.	-	32	1.4 %
	Total	**2,327**	**100%**

Based upon 2,193 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3337-3338 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HDACHE7: Headaches past 2 wks

Thinking back over the past two weeks, how often have you had: Headaches?

Value	Label	Unweighted Frequency	%
1	Not At All	1039	44.6 %
2	1-5 Days	968	41.6 %
3	6-8 Days	109	4.7 %
4	9-13 Days	40	1.7 %
5	Every Day	38	1.6 %
	Missing Data		
-9	Missing	100	4.3 %
-7	Refused	1	0.0 %
.	-	32	1.4 %
	Total	**2,327**	**100%**

Based upon 2,194 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3339-3340 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BRSTPAI7: Breast pain/tenderness past 2 wks

Thinking back over the past two weeks, how often have you had: Breast pain/tenderness?

Value	Label	Unweighted Frequency	%
1	Not At All	1720	73.9 %
2	1-5 Days	393	16.9 %
3	6-8 Days	50	2.1 %
4	9-13 Days	13	0.6 %
5	Every Day	18	0.8 %
	Missing Data		
-9	Missing	100	4.3 %
-7	Refused	1	0.0 %
.	-	32	1.4 %
	Total	**2,327**	**100%**

Based upon 2,194 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3341-3342 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

TRBLSLE7: Trouble falling asleep past 2 wks

In the past two weeks: Did you have trouble falling asleep?

Value	Label	Unweighted Frequency	%
1	No, Not In The Past 2 Wks	1164	50.0 %
2	Yes, < Once A Wk	343	14.7 %
3	Yes, 1-2 Times/Wk	318	13.7 %
4	Yes, 3-4 Times/Wk	177	7.6 %
5	Yes, 5 or More Times/Wk	155	6.7 %
	Missing Data		
-9	Missing	137	5.9 %
-7	Refused	1	0.0 %
.	-	32	1.4 %
	Total	**2,327**	**100%**

Based upon 2,157 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3343-3344 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WAKEUP7: Wake up several times/night past 2 wks

In the past two weeks: Did you wake up several times a night?

Value	Label	Unweighted Frequency	%
1	No, Not In The Past 2 Wks	567	24.4 %
2	Yes, < Once A Wk	356	15.3 %
3	Yes, 1-2 Times/Wk	391	16.8 %
4	Yes, 3-4 Times/Wk	374	16.1 %
5	Yes, 5 or More Times/Wk	466	20.0 %
	Missing Data		
-9	Missing	138	5.9 %
-7	Refused	3	0.1 %
.	-	32	1.4 %
	Total	**2,327**	**100%**

Based upon 2,154 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3345-3346 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WAKEARL7: Wake up early past 2 wks

In the past two weeks: Did you wake up earlier than you had planned to, and were unable to fall asleep again?

Value	Label	Unweighted Frequency	%
1	No, Not In The Past 2 Wks	1007	43.3 %
2	Yes, < Once A Wk	416	17.9 %
3	Yes, 1-2 Times/Wk	360	15.5 %
4	Yes, 3-4 Times/Wk	202	8.7 %
5	Yes, 5 or More Times/Wk	172	7.4 %
	Missing Data		
-9	Missing	137	5.9 %
-7	Refused	1	0.0 %
.	-	32	1.4 %
	Total	**2,327**	**100%**

Based upon 2,157 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3347-3348 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SLEEPQL7: Sleep quality overall past month

During the past month, how would you rate your sleep quality overall?

Value	Label	Unweighted Frequency	%
1	Very good	505	21.7 %
2	Fairly good	1147	49.3 %
3	Fairly bad	410	17.6 %
4	Very bad	92	4.0 %
	Missing Data		
-9	Missing	138	5.9 %
-7	Refused	3	0.1 %
.	-	32	1.4 %
	Total	**2,327**	**100%**

Based upon 2,154 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 3349-3350 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

LEKEVER7: Involuntary leakage ever

Have you ever leaked urine, even a very small amount, beyond your control?

Value	Label	Unweighted Frequency	%
1	No	614	26.4 %
2	Yes	1528	65.7 %
	Missing Data		
-9	Missing	153	6.6 %
.	-	32	1.4 %
	Total	**2,327**	**100%**

Based upon 2,142 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3351-3352 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

LEKDISC7: Ever discuss leakage w/health care pro

Have you ever discussed your urine leakage with a doctor, nurse or other health care professional?

Value	Label	Unweighted Frequency	%
1	No	1067	45.9 %
2	Yes	451	19.4 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-9	Missing	145	6.2 %
-7	Refused	4	0.2 %
-1	N/A	628	27.0 %
.	-	32	1.4 %
	Total	**2,327**	**100%**

Based upon 1,518 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3353-3354 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

LNOTBAD7: Not discuss: problem not bad enough

If NO to LEKDISC7: Why have you not discussed your leakage with a doctor, nurse or other health care professional? - My problem is not bad enough to discuss it with a doctor, nurse or health care professional

Value	Label	Unweighted Frequency	%
1	No	184	7.9 %
2	Yes	892	38.3 %
	Missing Data		
-9	Missing	137	5.9 %
-7	Refused	13	0.6 %
-1	N/A	1069	45.9 %
.	-	32	1.4 %
	Total	**2,327**	**100%**

Based upon 1,076 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3355-3356 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

LNOEFTX7: Not discuss: think no effective tmt

If NO to LEKDISC7: Why have you not discussed your leakage with a doctor, nurse or other health care professional? - I don't think there are any effective treatments for my leaking problem

Value	Label	Unweighted Frequency	%
1	No	820	35.2 %
2	Yes	249	10.7 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-9	Missing	138	5.9 %
-7	Refused	19	0.8 %
-1	N/A	1069	45.9 %
.	-	32	1.4 %
	Total	**2,327**	**100%**

Based upon 1,069 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3357-3358 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

LNRMOLD7: Not discuss: normal part of getting old

If NO to LEKDISC7: Why have you not discussed your leakage with a doctor, nurse or other health care professional? - Leaking urine is a normal part of getting older

Value	Label	Unweighted Frequency	%
1	No	505	21.7 %
2	Yes	569	24.5 %
	Missing Data		
-9	Missing	137	5.9 %
-7	Refused	15	0.6 %
-1	N/A	1069	45.9 %
.	-	32	1.4 %
	Total	**2,327**	**100%**

Based upon 1,074 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3359-3360 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

LNRMCHD7: Not discuss: normal after having children

If NO to LEKDISC7: Why have you not discussed your leakage with a doctor, nurse or other health care professional? - Leaking urine is normal after having children

Value	Label	Unweighted Frequency	%
1	No	769	33.0 %
2	Yes	300	12.9 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-9	Missing	137	5.9 %
-7	Refused	20	0.9 %
-1	N/A	1069	45.9 %
.	-	32	1.4 %
	Total	**2,327**	**100%**

Based upon 1,069 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3361-3362 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

LWYSURG7: Not discuss: worried will need surgery

If NO to LEKDISC7: Why have you not discussed your leakage with a doctor, nurse or other health care professional? - I am worried that I will be told I need surgery

Value	Label	Unweighted Frequency	%
1	No	1024	44.0 %
2	Yes	49	2.1 %
	Missing Data		
-9	Missing	137	5.9 %
-7	Refused	16	0.7 %
-1	N/A	1069	45.9 %
.	-	32	1.4 %
	Total	**2,327**	**100%**

Based upon 1,073 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3363-3364 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

LEMBARR7: Not discuss: too embarrassed to bring up

If NO to LEKDISC7: Why have you not discussed your leakage with a doctor, nurse or other health care professional? - I am too embarrassed about my leaking problem to bring it up at a visit with my doctor/nurse/other health care professional

Value	Label	Unweighted Frequency	%
1	No	987	42.4 %
2	Yes	85	3.7 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-9	Missing	137	5.9 %
-7	Refused	17	0.7 %
-1	N/A	1069	45.9 %
.	-	32	1.4 %
	Total	**2,327**	**100%**

Based upon 1,072 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3365-3366 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

LDRNASK7: Not discuss: HCP never asked

If NO to LEKDISC7: Why have you not discussed your leakage with a doctor, nurse or other health care professional? - My doctor/nurse/health care professional has never asked me about my leaking problem

Value	Label	Unweighted Frequency	%
1	No	484	20.8 %
2	Yes	588	25.3 %
	Missing Data		
-9	Missing	137	5.9 %
-7	Refused	17	0.7 %
-1	N/A	1069	45.9 %
.	-	32	1.4 %
	Total	**2,327**	**100%**

Based upon 1,072 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3367-3368 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

LTXMYSF7: Not discuss: can treat myself

If NO to LEKDISC7: Why have you not discussed your leakage with a doctor, nurse or other health care professional? - I can or have treated my leaking problem by myself

Value	Label	Unweighted Frequency	%
1	No	719	30.9 %
2	Yes	351	15.1 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-9	Missing	137	5.9 %
-7	Refused	18	0.8 %
-1	N/A	1070	46.0 %
.	-	32	1.4 %
	Total	**2,327**	**100%**

Based upon 1,070 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3369-3370 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

LEAKOR7: Not discuss: other reason

If NO to LEKDISC7: Why have you not discussed your leakage with a doctor, nurse or other health care professional? - Are there any other reason(s) you have not discussed your leaking problem with a doctor/nurse/health care professional?

Value	Label	Unweighted Frequency	%
1	No	894	38.4 %
2	Yes	171	7.3 %
	Missing Data		
-9	Missing	137	5.9 %
-7	Refused	24	1.0 %
-1	N/A	1069	45.9 %
.	-	32	1.4 %
	Total	**2,327**	**100%**

Based upon 1,065 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3371-3372 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

LEAKORS7: Not discuss: other specify

If NO to LEKDISC7: Why have you not discussed your leakage with a doctor, nurse or other health care professional? - Are there any other reason(s) you have not discussed your leaking problem with a doctor/nurse/health care professional? - Please list (Specify)

Value	Label	Unweighted Frequency	%
	-	169	7.3 %
-1: N/A	-	1987	85.4 %
-7: Refused	-	3	0.1 %

Value	Label	Unweighted Frequency	%
0	-	1	0.0 %
AFTER BEING IN CAR FOR LONG PERIOD OF TIME/WAITING TOO LONG	-	1	0.0 %
ALL MY LIFE HAVE BEEN LIKE THAT	-	1	0.0 %
BECAUSE I HELD URINE TO LONG	-	1	0.0 %
BECAUSE IT ONLEY HAPPEN WHEN I HAV A COLD	-	1	0.0 %
BEE BUSY YTAKING CARE IF HUSBAND & WORKING	-	1	0.0 %
BLADDER SUSPENSION 8 YRS AGO	-	1	0.0 %
CAN'T REMEMBER WHEN I GET MY PHYSICAL	-	1	0.0 %
CAUSED BY CAFFEINE, SOLVED BY AVOIDING CAFFEINE	-	1	0.0 %
CUT BACK ON CAFFEINE, WHICH SEEMED TO WORK	-	1	0.0 %
DID NOT THINK IT WAS VERY IMPORTANT	-	1	0.0 %
DID NOT THINK OF IT AT THE TIME	-	1	0.0 %
DIDN'T THINK IT WAS THAT IMPORTANT	-	1	0.0 %
DIDN'T THINK IT WAS TOO MUCH OF PROBLEM, WILL TALK TO DR.	-	1	0.0 %
DIDN'T THINK TO BRING IT UP	-	1	0.0 %
DISAPPEARED - JUST DURING A COLD/COUGHING	-	1	0.0 %
DO A VAGINAL EXERCISE W/THE MUSCLES,RELEASE THEN TIGHTEN	-	1	0.0 %
DO NOT WANT TO USE DRUGS - VERY SENSITIVE TO DRUGS.	-	1	0.0 %
DOES NOT HAPPEN OFTEN	-	1	0.0 %
DOES NOT HAPPEN VERY OFTEN	-	1	0.0 %
DOESN'T BOTHER ME	-	1	0.0 %
DON'T FEEL ITS A PROBLEM	-	1	0.0 %
DON'T GET TO DR'S VERY OFTEN	-	1	0.0 %
DON'T LEAK THAT MUCH OR THAT OFTEN IF I GO TO THE BATHROOM,	-	1	0.0 %
DON'T WANT TO GET UP & PUT OFF GETTING UP TO GO TO BATHROOM	-	1	0.0 %
DON'T WANT TO TAKE ANY MORE PILLS	-	1	0.0 %
DUE TO FIBROIDS TUMORS	-	1	0.0 %
EMBARRASSED	-	1	0.0 %
FORGET TO MENTION	-	1	0.0 %
FORGOT ABOUT PROBLEM	-	1	0.0 %
FORGOT TO ASK	-	1	0.0 %
FORGOT, IT DOES NOT HAPPEN OFTEN ENOUGH YET	-	1	0.0 %
HADD HYSTERECTOMY A FEW YRS AGO- WEAK MUSCLES	-	1	0.0 %
HADNT THOUGHT ABOUT IT; BUT NOW I WILL	-	1	0.0 %
HAPPENED FOR SHORT PERIOD OF TIME(NOT SEVER) NOT HAPPEN NOW	-	1	0.0 %
HAPPENS VERY LITTLE ONLY WHEN I WAIT TO GO TO THE BATHROOM	-	1	0.0 %
HAPPENS WHEN COUGHING OR WAITING TO LONG TO GO TO BATHROOM	-	1	0.0 %
HARDLY EVER HAPPENS	-	1	0.0 %
HAVE BEEN DOING KEGEL EXERCISES, WHICH SEEM TO HELP	-	1	0.0 %
HAVE FIBROIDS WHICH CAUSE PRESSURE	-	1	0.0 %
HAVE HAD A 'WEAK' BLADDER ALL MY LIFE	-	1	0.0 %
HAVE NOT BEEN TO SEE A DOCTOR/NURSE OR OTHER HEALTH CARE PRO	-	1	0.0 %

Value	Label	Unweighted Frequency	%
HAVE NOT MADE IT A POINT TO SEE THE DOCTOR.	-	1	0.0 %
HAVE NOT SEEN DOCTOR	-	1	0.0 %
HAVE NOT TAKEN THE TIME TO GO TO DOCTOR & DISCUSS PROBLEM	-	1	0.0 %
HAVEN'T BEEN GOING TO DR.	-	1	0.0 %
HAVEN'T BEEN TO DOCTOR	-	1	0.0 %
	Total	**2,327**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,327 valid cases out of 2,327 total cases.

Location: 3373-3432 (width: 60; decimal: 0)
Variable Type: character

RXTRMLK7: HCP recommended leakage treatment

Did a doctor, nurse or other health care professional recommend or prescribe any treatment for your urine leakage?

Value	Label	Unweighted Frequency	%
1	No	174	7.5 %
2	Yes	285	12.2 %
	Missing Data		
-9	Missing	145	6.2 %
-7	Refused	1	0.0 %
-1	N/A	1690	72.6 %
.	-	32	1.4 %
	Total	**2,327**	**100%**

Based upon 459 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3433-3434 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

LRXMED7: Leak tmt recommended: medication

If YES to RXTRMLK7: For the treatments that were recommended or prescribed by a doctor, nurse or other health care professional, tell us how satisfied you were with each of them - Medication

Value	Label	Unweighted Frequency	%
0	Not Recommended	192	8.3 %
1	Recommended, but have not tried tmt	19	0.8 %
2	Recommended, but not satisfied w/tmt	17	0.7 %
3	Recommended, somewhat satisfied w/tmt	27	1.2 %

Value	Label	Unweighted Frequency	%
4	Recommended, very satisfied w/tmt	18	0.8 %
	Missing Data		
-9	Missing	141	6.1 %
-7	Refused	8	0.3 %
-1	N/A	1873	80.5 %
.	-	32	1.4 %
	Total	**2,327**	**100%**

Based upon 273 valid cases out of 2,327 total cases.

- Minimum: 0.00
- Maximum: 4.00

Location: 3435-3436 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

LRXKEGL7: Leak tmt recommended: kegel exerc

If YES to RXTRMLK7: For the treatments that were recommended or prescribed by a doctor, nurse or other health care professional, tell us how satisfied you were with each of them - Kegel or pelvic muscle exercises

Value	Label	Unweighted Frequency	%
0	Not Recommended	66	2.8 %
1	Recommended, but have not tried tmt	34	1.5 %
2	Recommended, but not satisfied w/tmt	61	2.6 %
3	Recommended, somewhat satisfied w/tmt	98	4.2 %
4	Recommended, very satisfied w/tmt	22	0.9 %
	Missing Data		
-9	Missing	138	5.9 %
-7	Refused	3	0.1 %
-1	N/A	1873	80.5 %
.	-	32	1.4 %
	Total	**2,327**	**100%**

Based upon 281 valid cases out of 2,327 total cases.

- Minimum: 0.00
- Maximum: 4.00

Location: 3437-3438 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

LRXBIOF7: Leak tmt recommended: biofeedback

If YES to RXTRMLK7: For the treatments that were recommended or prescribed by a doctor, nurse or other health care professional, tell us how satisfied you were with each of them - Biofeedback or electrical stimulation

Value	Label	Unweighted Frequency	%
0	Not Recommended	254	10.9 %
1	Recommended, but have not tried tmt	9	0.4 %
2	Recommended, but not satisfied w/tmt	4	0.2 %
3	Recommended, somewhat satisfied w/tmt	5	0.2 %
4	Recommended, very satisfied w/tmt	4	0.2 %
	Missing Data		
-9	Missing	137	5.9 %
-7	Refused	9	0.4 %
-1	N/A	1873	80.5 %
.	-	32	1.4 %
	Total	**2,327**	**100%**

Based upon 276 valid cases out of 2,327 total cases.

- Minimum: 0.00
- Maximum: 4.00

Location: 3439-3440 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

LRXUMOR7: Leak tmt recommended: urinate more often

If YES to RXTRMLK7: For the treatments that were recommended or prescribed by a doctor, nurse or other health care professional, tell us how satisfied you were with each of them - Urinate more often or urinate on a schedule

Value	Label	Unweighted Frequency	%
0	Not Recommended	214	9.2 %
1	Recommended, but have not tried tmt	7	0.3 %
2	Recommended, but not satisfied w/tmt	15	0.6 %
3	Recommended, somewhat satisfied w/tmt	36	1.5 %
4	Recommended, very satisfied w/tmt	5	0.2 %
	Missing Data		
-9	Missing	137	5.9 %
-7	Refused	8	0.3 %
-1	N/A	1873	80.5 %
.	-	32	1.4 %
	Total	**2,327**	**100%**

Based upon 277 valid cases out of 2,327 total cases.

- Minimum: 0.00
- Maximum: 4.00

Location: 3441-3442 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

LRXLIMT7: Leak tmt recommended: limit fluids

If YES to RXTRMLK7: For the treatments that were recommended or prescribed by a doctor, nurse or other health care professional, tell us how satisfied you were with each of them - Limit fluid intake

Value	Label	Unweighted Frequency	%
0	Not Recommended	234	10.1 %
1	Recommended, but have not tried tmt	8	0.3 %
2	Recommended, but not satisfied w/tmt	14	0.6 %
3	Recommended, somewhat satisfied w/tmt	15	0.6 %
4	Recommended, very satisfied w/tmt	5	0.2 %
	Missing Data		
-9	Missing	137	5.9 %
-7	Refused	9	0.4 %
-1	N/A	1873	80.5 %
.	-	32	1.4 %
	Total	**2,327**	**100%**

Based upon 276 valid cases out of 2,327 total cases.

- Minimum: 0.00
- Maximum: 4.00

Location: 3443-3444 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

LRXSURG7: Leak tmt recommended: surgery

If YES to RXTRMLK7: For the treatments that were recommended or prescribed by a doctor, nurse or other health care professional, tell us how satisfied you were with each of them - Surgery

Value	Label	Unweighted Frequency	%
0	Not Recommended	219	9.4 %
1	Recommended, but have not tried tmt	28	1.2 %
2	Recommended, but not satisfied w/tmt	7	0.3 %
3	Recommended, somewhat satisfied w/tmt	8	0.3 %
4	Recommended, very satisfied w/tmt	16	0.7 %
	Missing Data		
-9	Missing	137	5.9 %
-7	Refused	7	0.3 %
-1	N/A	1873	80.5 %
.	-	32	1.4 %
	Total	**2,327**	**100%**

Based upon 278 valid cases out of 2,327 total cases.

- Minimum: 0.00

- Maximum: 4.00

Location: 3445-3446 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

LRXOTH7: Leak tmt recommended: other tmt

If YES to RXTRMLK7: For the treatments that were recommended or prescribed by a doctor, nurse or other health care professional, tell us how satisfied you were with each of them - Any other treatments

Value	Label	Unweighted Frequency	%
0	Not Recommended	239	10.3 %
1	Recommended, but have not tried tmt	8	0.3 %
2	Recommended, but not satisfied w/tmt	5	0.2 %
3	Recommended, somewhat satisfied w/tmt	9	0.4 %
4	Recommended, very satisfied w/tmt	7	0.3 %
	Missing Data		
-9	Missing	141	6.1 %
-7	Refused	13	0.6 %
-1	N/A	1873	80.5 %
.	-	32	1.4 %
	Total	**2,327**	**100%**

Based upon 268 valid cases out of 2,327 total cases.

- Minimum: 0.00
- Maximum: 4.00

Location: 3447-3448 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

LEKINVO7: Involuntary leakage since last study visit

Since your last study visit, have you leaked, even a very small amount, of urine involuntarily or beyond your control?

Value	Label	Unweighted Frequency	%
1	No	137	5.9 %
2	Yes	1372	59.0 %
	Missing Data		
-9	Missing	129	5.5 %
-7	Refused	5	0.2 %
-1	N/A	615	26.4 %
.	-	69	3.0 %
	Total	**2,327**	**100%**

Based upon 1,509 valid cases out of 2,327 total cases.

- Minimum: 1.00

- Maximum: 2.00

Location: 3449-3450 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

LEKDAYS7: Days leaked urine in last month

In the last month, about how many days have you lost any urine, even a small amount, beyond your control?

Value	Label	Unweighted Frequency	%
1	Never	156	6.7 %
2	Less Than 1 Day/Week	755	32.4 %
3	Several Days/Week	270	11.6 %
4	Almost Daily/Daily	154	6.6 %
	Missing Data		
-9	Missing	174	7.5 %
-7	Refused	2	0.1 %
-1	N/A	784	33.7 %
.	-	32	1.4 %
	Total	**2,327**	**100%**

Based upon 1,335 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 3451-3452 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

LEKCOUG7: Leak urine due to cough, laugh, etc. in last mo

In the last month, have you lost any urine, even a small amount, beyond your control when you are coughing, laughing, sneezing, jogging, picking up an object from the floor or similar type of activity?

Value	Label	Unweighted Frequency	%
1	No	280	12.0 %
2	Yes	914	39.3 %
	Missing Data		
-9	Missing	140	6.0 %
-7	Refused	1	0.0 %
-1	N/A	960	41.3 %
.	-	32	1.4 %
	Total	**2,327**	**100%**

Based upon 1,194 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3453-3454 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

COUGLWK7: Times/wk leak due to cough, laugh, etc.

If YES to LEKCOUG7: About how many time per week have you lost any urine under these circumstances?

Value	Label	Unweighted Frequency	%
1	LT Once/Wk	526	22.6 %
2	One-Several Times/Wk	292	12.5 %
3	Almost Daily/Daily	106	4.6 %
	Missing Data		
-9	Missing	137	5.9 %
-7	Refused	7	0.3 %
-1	N/A	1227	52.7 %
.	-	32	1.4 %
	Total	**2,327**	**100%**

Based upon 924 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 3455-3456 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

LEKURGE7: Leak urine due to urge to void & too slow in last mo

In the last month, have you lost any urine, even a small amount, beyond your control when you have the urge to urinate and can't get to the toilet fast enough?

Value	Label	Unweighted Frequency	%
1	No	457	19.6 %
2	Yes	730	31.4 %
	Missing Data		
-9	Missing	146	6.3 %
-7	Refused	2	0.1 %
-1	N/A	960	41.3 %
.	-	32	1.4 %
	Total	**2,327**	**100%**

Based upon 1,187 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3457-3458 (width: 2; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

URGELWK7: Times/wk leak due to urge to void

If YES to LEKURGE7: About how many times per week have you lost any urine under this circumstance?

Value	Label	Unweighted Frequency	%
1	LT Once/Wk	371	15.9 %
2	One-Several Times/Wk	283	12.2 %
3	Almost Daily/Daily	86	3.7 %
	Missing Data		
-9	Missing	137	5.9 %
-7	Refused	3	0.1 %
-1	N/A	1415	60.8 %
.	-	32	1.4 %
	Total	**2,327**	**100%**

Based upon 740 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 3459-3460 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

LEKAMNT7: Amount leaked

How much urine do you lose when you leak?

Value	Label	Unweighted Frequency	%
1	A Drop Or Two	702	30.2 %
2	Enough to Change Underwear/Wear Liner	437	18.8 %
3	Enough to Wet Outer Clothing	36	1.5 %
4	Enough to Wet Floor	12	0.5 %
	Missing Data		
-9	Missing	139	6.0 %
-7	Refused	9	0.4 %
-1	N/A	960	41.3 %
.	-	32	1.4 %
	Total	**2,327**	**100%**

Based upon 1,187 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 3461-3462 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

LEKBOTH7: Bothered by leakage

On a scale from 0 to 10, where 0 = Not at all bothered and 10 = Extremely bothered, how much does the leakage of urine bother you?

Value	Label	Unweighted Frequency	%
0	-	98	4.2 %
1	-	169	7.3 %
2	-	140	6.0 %
3	-	133	5.7 %
4	-	120	5.2 %
5	-	219	9.4 %
6	-	56	2.4 %
7	-	74	3.2 %
8	-	62	2.7 %
9	-	29	1.2 %
10	-	89	3.8 %
	Missing Data		
-9	Missing	137	5.9 %
-7	Refused	8	0.3 %
-1	N/A	961	41.3 %
.	-	32	1.4 %
	Total	**2,327**	**100%**

Based upon 1,189 valid cases out of 2,327 total cases.

- Mean: 4.14
- Median: 4.00
- Mode: 5.00
- Minimum: 0.00
- Maximum: 10.00
- Standard Deviation: 2.87

Location: 3463-3464 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

STARTNE7: Started new job/school upsetting since last visit

Since your last study visit, have you experienced any of the following: Started school, a training program, or new job?

Value	Label	Unweighted Frequency	%
1	No	1741	74.8 %
2	Yes, Not At All Upsetting	221	9.5 %
3	Yes, Somewhat Upsetting	161	6.9 %
4	Yes, Very Upsetting	24	1.0 %
5	Yes, Very Upsetting & Still Upsetting	10	0.4 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-9	Missing	137	5.9 %
-7	Refused	1	0.0 %
.	-	32	1.4 %
	Total	**2,327**	**100%**

Based upon 2,157 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3465-3466 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WORKTRB7: Work problems upsetting since last visit

Since your last study visit, have you experienced any of the following: Had trouble with a boss or conditions at work got worse?

Value	Label	Unweighted Frequency	%
1	No	1602	68.8 %
2	Yes, Not At All Upsetting	75	3.2 %
3	Yes, Somewhat Upsetting	357	15.3 %
4	Yes, Very Upsetting	123	5.3 %
5	Yes, Very Upsetting & Still Upsetting	97	4.2 %
	Missing Data		
-9	Missing	37	1.6 %
-7	Refused	4	0.2 %
.	-	32	1.4 %
	Total	**2,327**	**100%**

Based upon 2,254 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3467-3468 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

QUITJOB7: Quit job upsetting since last visit

Since your last study visit, have you experienced any of the following: Quit, fired or laid off from a job?

Value	Label	Unweighted Frequency	%
1	No	1960	84.2 %
2	Yes, Not At All Upsetting	57	2.4 %
3	Yes, Somewhat Upsetting	67	2.9 %
4	Yes, Very Upsetting	43	1.8 %

Value	Label	Unweighted Frequency	%
5	Yes, Very Upsetting & Still Upsetting	30	1.3 %
	Missing Data		
-9	Missing	137	5.9 %
-7	Refused	1	0.0 %
.	-	32	1.4 %
	Total	**2,327**	**100%**

Based upon 2,157 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3469-3470 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WORKLOA7: Increase work load upsetting since last visit

Since your last study visit, have you experienced any of the following: Took on a greatly increased workload at job?

Value	Label	Unweighted Frequency	%
1	No	1555	66.8 %
2	Yes, Not At All Upsetting	216	9.3 %
3	Yes, Somewhat Upsetting	273	11.7 %
4	Yes, Very Upsetting	77	3.3 %
5	Yes, Very Upsetting & Still Upsetting	34	1.5 %
	Missing Data		
-9	Missing	137	5.9 %
-7	Refused	3	0.1 %
.	-	32	1.4 %
	Total	**2,327**	**100%**

Based upon 2,155 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3471-3472 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PRTUNEM7: Partner unemployed upsetting since last visit

Since your last study visit, have you experienced any of the following: Husband/partner became unemployed?

Value	Label	Unweighted Frequency	%
1	No	2007	86.2 %
2	Yes, Not At All Upsetting	38	1.6 %

Value	Label	Unweighted Frequency	%
3	Yes, Somewhat Upsetting	51	2.2 %
4	Yes, Very Upsetting	32	1.4 %
5	Yes, Very Upsetting & Still Upsetting	29	1.2 %
	Missing Data		
-9	Missing	137	5.9 %
-7	Refused	1	0.0 %
.	-	32	1.4 %
	Total	**2,327**	**100%**

Based upon 2,157 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3473-3474 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MONEYPR7: Money problems upsetting since last visit

Since your last study visit, have you experienced any of the following: Major money problems?

Value	Label	Unweighted Frequency	%
1	No	1706	73.3 %
2	Yes, Not At All Upsetting	62	2.7 %
3	Yes, Somewhat Upsetting	268	11.5 %
4	Yes, Very Upsetting	116	5.0 %
5	Yes, Very Upsetting & Still Upsetting	105	4.5 %
	Missing Data		
-9	Missing	37	1.6 %
-7	Refused	1	0.0 %
.	-	32	1.4 %
	Total	**2,327**	**100%**

Based upon 2,257 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3475-3476 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WORSREL7: Worsening relationship upsetting since last visit

Since your last study visit, have you experienced any of the following: Relations with husband/partner changed for the worse but without separation or divorce?

Value	Label	Unweighted Frequency	%
1	No	1896	81.5 %
2	Yes, Not At All Upsetting	37	1.6 %
3	Yes, Somewhat Upsetting	131	5.6 %
4	Yes, Very Upsetting	47	2.0 %
5	Yes, Very Upsetting & Still Upsetting	47	2.0 %
	Missing Data		
-9	Missing	137	5.9 %
.	-	32	1.4 %
	Total	**2,327**	**100%**

Based upon 2,158 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3477-3478 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RELATEN7: Ended relationship upsetting since last visit

Since your last study visit, have you experienced any of the following: Were separated or divorced or a long-term relationship ended?

Value	Label	Unweighted Frequency	%
1	No	2053	88.2 %
2	Yes, Not At All Upsetting	24	1.0 %
3	Yes, Somewhat Upsetting	30	1.3 %
4	Yes, Very Upsetting	22	0.9 %
5	Yes, Very Upsetting & Still Upsetting	29	1.2 %
	Missing Data		
-9	Missing	137	5.9 %
.	-	32	1.4 %
	Total	**2,327**	**100%**

Based upon 2,158 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3479-3480 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SERIPRO7: Serious family problem upsetting since last visit

Since your last study visit, have you experienced any of the following: Had a serious problem with child or family member (other than husband/partner) or with a close friend?

Value	Label	Unweighted Frequency	%
1	No	1655	71.1 %
2	Yes, Not At All Upsetting	46	2.0 %
3	Yes, Somewhat Upsetting	282	12.1 %
4	Yes, Very Upsetting	157	6.7 %
5	Yes, Very Upsetting & Still Upsetting	116	5.0 %
	Missing Data		
-9	Missing	37	1.6 %
-7	Refused	2	0.1 %
.	-	32	1.4 %
	Total	**2,327**	**100%**

Based upon 2,256 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3481-3482 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CHILDMO7: Child moved upsetting since last visit

Since your last study visit, have you experienced any of the following: A child moved out of the house or left the area?

Value	Label	Unweighted Frequency	%
1	No	1808	77.7 %
2	Yes, Not At All Upsetting	162	7.0 %
3	Yes, Somewhat Upsetting	143	6.1 %
4	Yes, Very Upsetting	28	1.2 %
5	Yes, Very Upsetting & Still Upsetting	17	0.7 %
	Missing Data		
-9	Missing	137	5.9 %
.	-	32	1.4 %
	Total	**2,327**	**100%**

Based upon 2,158 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3483-3484 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RESPCAR7: Responsibility for care upsetting since last visit

Since your last study visit, have you experienced any of the following: Took on responsibility for the care of another child, grandchild, parent, other family member or friend?

Value	Label	Unweighted Frequency	%
1	No	1800	77.4 %
2	Yes, Not At All Upsetting	145	6.2 %
3	Yes, Somewhat Upsetting	151	6.5 %
4	Yes, Very Upsetting	38	1.6 %
5	Yes, Very Upsetting & Still Upsetting	24	1.0 %
	Missing Data		
-9	Missing	137	5.9 %
.	-	32	1.4 %
	Total	**2,327**	**100%**

Based upon 2,158 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3485-3486 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

LEGALPR7: Legal problems upsetting since last visit

Since your last study visit, have you experienced any of the following: Family member had legal problems or a problem with the police?

Value	Label	Unweighted Frequency	%
1	No	1911	82.1 %
2	Yes, Not At All Upsetting	39	1.7 %
3	Yes, Somewhat Upsetting	113	4.9 %
4	Yes, Very Upsetting	54	2.3 %
5	Yes, Very Upsetting & Still Upsetting	41	1.8 %
	Missing Data		
-9	Missing	137	5.9 %
.	-	32	1.4 %
	Total	**2,327**	**100%**

Based upon 2,158 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3487-3488 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CRELDIE7: Close relative died upsetting since last visit

Since your last study visit, have you experienced any of the following: A close relative (husband/partner, child or parent) died?

Value	Label	Unweighted Frequency	%
1	No	2011	86.4 %
2	Yes, Not At All Upsetting	20	0.9 %
3	Yes, Somewhat Upsetting	88	3.8 %
4	Yes, Very Upsetting	72	3.1 %
5	Yes, Very Upsetting & Still Upsetting	65	2.8 %
	Missing Data		
-9	Missing	37	1.6 %
-7	Refused	2	0.1 %
.	-	32	1.4 %
	Total	**2,327**	**100%**

Based upon 2,256 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3489-3490 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CLOSDIE7: Other close friend/relative died upsetting since last visit

Since your last study visit, have you experienced any of the following: A close friend or family member other than a husband/partner, child or parent died?

Value	Label	Unweighted Frequency	%
1	No	1695	72.8 %
2	Yes, Not At All Upsetting	61	2.6 %
3	Yes, Somewhat Upsetting	280	12.0 %
4	Yes, Very Upsetting	143	6.1 %
5	Yes, Very Upsetting & Still Upsetting	77	3.3 %
	Missing Data		
-9	Missing	37	1.6 %
-7	Refused	2	0.1 %
.	-	32	1.4 %
	Total	**2,327**	**100%**

Based upon 2,256 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3491-3492 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SELFVIO7: Violent event to self upsetting since last visit

Since your last study visit, have you experienced any of the following: Major accident, assault, disaster, robbery or other violent event happened to yourself?

Value	Label	Unweighted Frequency	%
1	No	2058	88.4 %
2	Yes, Not At All Upsetting	7	0.3 %
3	Yes, Somewhat Upsetting	35	1.5 %
4	Yes, Very Upsetting	31	1.3 %
5	Yes, Very Upsetting & Still Upsetting	27	1.2 %
	Missing Data		
-9	Missing	137	5.9 %
.	-	32	1.4 %
	Total	**2,327**	**100%**

Based upon 2,158 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3493-3494 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FAMLVIO7: Violent event to other fam mem upsetting since last visit

Since your last study visit, have you experienced any of the following: Major accident, assault, disaster, robbery or other violent event happened to a family member?

Value	Label	Unweighted Frequency	%
1	No	2033	87.4 %
2	Yes, Not At All Upsetting	8	0.3 %
3	Yes, Somewhat Upsetting	53	2.3 %
4	Yes, Very Upsetting	44	1.9 %
5	Yes, Very Upsetting & Still Upsetting	19	0.8 %
	Missing Data		
-9	Missing	137	5.9 %
-7	Refused	1	0.0 %
.	-	32	1.4 %
	Total	**2,327**	**100%**

Based upon 2,157 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3495-3496 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PHYSILL7: Serious illness family upsetting since last visit

Since your last study visit, have you experienced any of the following: Serious physical illness, injury or drug/alcohol problem in family member, partner or close friend?

Value	Label	Unweighted Frequency	%
1	No	1637	70.3 %
2	Yes, Not At All Upsetting	34	1.5 %
3	Yes, Somewhat Upsetting	222	9.5 %
4	Yes, Very Upsetting	146	6.3 %
5	Yes, Very Upsetting & Still Upsetting	117	5.0 %
	Missing Data		
-9	Missing	137	5.9 %
-7	Refused	2	0.1 %
.	-	32	1.4 %
	Total	**2,327**	**100%**

Based upon 2,156 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3497-3498 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MAJEVEN7: Other major event upsetting since last visit

Since your last study visit, have you experienced any of the following: Other major event not included above?

Value	Label	Unweighted Frequency	%
1	No	1920	82.5 %
2	Yes, Not At All Upsetting	31	1.3 %
3	Yes, Somewhat Upsetting	123	5.3 %
4	Yes, Very Upsetting	79	3.4 %
5	Yes, Very Upsetting & Still Upsetting	95	4.1 %
	Missing Data		
-9	Missing	41	1.8 %
-7	Refused	6	0.3 %
.	-	32	1.4 %
	Total	**2,327**	**100%**

Based upon 2,248 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3499-3500 (width: 2; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

INCOME7: Total family income

What is your total family income (before taxes) from all sources within your household in the last year?

Value	Label	Unweighted Frequency	%
1	Less Than $19,999	189	8.1 %
2	$20,000 to $49,999	565	24.3 %
3	$50,000 to $99,999	466	20.0 %
4	$100,000 or More	841	36.1 %
	Missing Data		
-9	Missing	137	5.9 %
-8	Do not know	38	1.6 %
-7	Refused	59	2.5 %
.	-	32	1.4 %
	Total	**2,327**	**100%**

Based upon 2,061 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 3501-3502 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HOW_HAR7: How hard to pay for basics

How hard is it for you to pay for the very basics like food, housing, medical care, and heating? Would you say it is ...

Value	Label	Unweighted Frequency	%
1	Very Hard	113	4.9 %
2	Somewhat Hard	474	20.4 %
3	Not hard at all	1587	68.2 %
	Missing Data		
-9	Missing	100	4.3 %
-8	Do not know	19	0.8 %
-7	Refused	2	0.1 %
.	-	32	1.4 %
	Total	**2,327**	**100%**

Based upon 2,174 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 3503-3504 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

INTRPAN7: Interested this wk

Indicate in the space next to each item how strongly you have experienced these feelings this past week: Interested

Value	Label	Unweighted Frequency	%
1	Not At All/Very Slightly	78	3.4 %
2	A Little	194	8.3 %
3	Moderately	596	25.6 %
4	Quite A Bit	868	37.3 %
5	Extremely	318	13.7 %
	Missing Data		
-9	Missing	134	5.8 %
.	-	139	6.0 %
	Total	**2,327**	**100%**

Based upon 2,054 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3505-3506 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DISIPAN7: Disinterested this wk

Indicate in the space next to each item how strongly you have experienced these feelings this past week: Disinterested

Value	Label	Unweighted Frequency	%
1	Not At All/Very Slightly	0	0.0 %
2	A Little	0	0.0 %
3	Moderately	0	0.0 %
4	Quite A Bit	0	0.0 %
5	Extremely	0	0.0 %
	Missing Data		
.	-	2327	100.0 %
	Total	**2,327**	**100%**

Based upon 0 valid cases out of 2,327 total cases.

Location: 3507-3508 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

EXCIPAN7: Excited this wk

Indicate in the space next to each item how strongly you have experienced these feelings this past week: Excited

Value	Label	Unweighted Frequency	%
1	Not At All/Very Slightly	278	11.9 %
2	A Little	435	18.7 %
3	Moderately	805	34.6 %
4	Quite A Bit	412	17.7 %
5	Extremely	124	5.3 %
	Missing Data		
-9	Missing	134	5.8 %
.	-	139	6.0 %
	Total	**2,327**	**100%**

Based upon 2,054 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3509-3510 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

UPSEPAN7: Upset this wk

Indicate in the space next to each item how strongly you have experienced these feelings this past week: Upset

Value	Label	Unweighted Frequency	%
1	Not At All/Very Slightly	657	28.2 %
2	A Little	723	31.1 %
3	Moderately	366	15.7 %
4	Quite A Bit	204	8.8 %
5	Extremely	102	4.4 %
	Missing Data		
-9	Missing	134	5.8 %
-7	Refused	2	0.1 %
.	-	139	6.0 %
	Total	**2,327**	**100%**

Based upon 2,052 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3511-3512 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

STROPAN7: Strong this wk

Indicate in the space next to each item how strongly you have experienced these feelings this past week: Strong

Value	Label	Unweighted Frequency	%
1	Not At All/Very Slightly	159	6.8 %
2	A Little	295	12.7 %
3	Moderately	728	31.3 %
4	Quite A Bit	664	28.5 %
5	Extremely	204	8.8 %
	Missing Data		
-9	Missing	134	5.8 %
-7	Refused	4	0.2 %
.	-	139	6.0 %
	Total	**2,327**	**100%**

Based upon 2,050 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3513-3514 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GUILPAN7: Guilty this wk

Indicate in the space next to each item how strongly you have experienced these feelings this past week: Guilty

Value	Label	Unweighted Frequency	%
1	Not At All/Very Slightly	1428	61.4 %
2	A Little	455	19.6 %
3	Moderately	111	4.8 %
4	Quite A Bit	47	2.0 %
5	Extremely	11	0.5 %
	Missing Data		
-9	Missing	134	5.8 %
-7	Refused	2	0.1 %
.	-	139	6.0 %
	Total	**2,327**	**100%**

Based upon 2,052 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3515-3516 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SCARPAN7: Scared this wk

Indicate in the space next to each item how strongly you have experienced these feelings this past week: Scared

Value	Label	Unweighted Frequency	%
1	Not At All/Very Slightly	1369	58.8 %
2	A Little	440	18.9 %
3	Moderately	134	5.8 %
4	Quite A Bit	85	3.7 %
5	Extremely	23	1.0 %
	Missing Data		
-9	Missing	135	5.8 %
-7	Refused	2	0.1 %
.	-	139	6.0 %
	Total	**2,327**	**100%**

Based upon 2,051 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3517-3518 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HOSTPAN7: Hostile this wk

Indicate in the space next to each item how strongly you have experienced these feelings this past week: Hostile

Value	Label	Unweighted Frequency	%
1	Not At All/Very Slightly	1501	64.5 %
2	A Little	382	16.4 %
3	Moderately	105	4.5 %
4	Quite A Bit	44	1.9 %
5	Extremely	17	0.7 %
	Missing Data		
-9	Missing	136	5.8 %
-7	Refused	3	0.1 %
.	-	139	6.0 %
	Total	**2,327**	**100%**

Based upon 2,049 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3519-3520 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ENTHPAN7: Enthusiastic this wk

Indicate in the space next to each item how strongly you have experienced these feelings this past week: Enthusiastic

Value	Label	Unweighted Frequency	%
1	Not At All/Very Slightly	164	7.0 %
2	A Little	410	17.6 %
3	Moderately	692	29.7 %
4	Quite A Bit	600	25.8 %
5	Extremely	187	8.0 %
	Missing Data		
-9	Missing	134	5.8 %
-7	Refused	1	0.0 %
.	-	139	6.0 %
	Total	**2,327**	**100%**

Based upon 2,053 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3521-3522 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PROUPAN7: Proud this wk

Indicate in the space next to each item how strongly you have experienced these feelings this past week: Proud

Value	Label	Unweighted Frequency	%
1	Not At All/Very Slightly	217	9.3 %
2	A Little	328	14.1 %
3	Moderately	631	27.1 %
4	Quite A Bit	594	25.5 %
5	Extremely	281	12.1 %
	Missing Data		
-9	Missing	134	5.8 %
-7	Refused	3	0.1 %
.	-	139	6.0 %
	Total	**2,327**	**100%**

Based upon 2,051 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3523-3524 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

IRRIPAN7: Irritable this wk

Indicate in the space next to each item how strongly you have experienced these feelings this past week: Irritable

Value	Label	Unweighted Frequency	%
1	Not At All/Very Slightly	681	29.3 %
2	A Little	857	36.8 %
3	Moderately	302	13.0 %
4	Quite A Bit	163	7.0 %
5	Extremely	50	2.1 %
	Missing Data		
-9	Missing	134	5.8 %
-7	Refused	1	0.0 %
.	-	139	6.0 %
	Total	**2,327**	**100%**

Based upon 2,053 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3525-3526 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ALERPAN7: Alert this wk

Indicate in the space next to each item how strongly you have experienced these feelings this past week: Alert

Value	Label	Unweighted Frequency	%
1	Not At All/Very Slightly	105	4.5 %
2	A Little	224	9.6 %
3	Moderately	705	30.3 %
4	Quite A Bit	768	33.0 %
5	Extremely	248	10.7 %
	Missing Data		
-9	Missing	135	5.8 %
-7	Refused	3	0.1 %
.	-	139	6.0 %
	Total	**2,327**	**100%**

Based upon 2,050 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3527-3528 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ASHAPAN7: Ashamed this wk

Indicate in the space next to each item how strongly you have experienced these feelings this past week: Ashamed

Value	Label	Unweighted Frequency	%
1	Not At All/Very Slightly	1696	72.9 %
2	A Little	251	10.8 %
3	Moderately	64	2.8 %
4	Quite A Bit	22	0.9 %
5	Extremely	16	0.7 %
	Missing Data		
-9	Missing	137	5.9 %
-7	Refused	2	0.1 %
.	-	139	6.0 %
	Total	**2,327**	**100%**

Based upon 2,049 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3529-3530 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

INSPPAN7: Inspired this wk

Indicate in the space next to each item how strongly you have experienced these feelings this past week: Inspired

Value	Label	Unweighted Frequency	%
1	Not At All/Very Slightly	300	12.9 %
2	A Little	453	19.5 %
3	Moderately	658	28.3 %
4	Quite A Bit	454	19.5 %
5	Extremely	186	8.0 %
	Missing Data		
-9	Missing	134	5.8 %
-7	Refused	3	0.1 %
.	-	139	6.0 %
	Total	**2,327**	**100%**

Based upon 2,051 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3531-3532 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NERVPAN7: Nervous this wk

Indicate in the space next to each item how strongly you have experienced these feelings this past week: Nervous

Value	Label	Unweighted Frequency	%
1	Not At All/Very Slightly	923	39.7 %
2	A Little	719	30.9 %
3	Moderately	248	10.7 %
4	Quite A Bit	119	5.1 %
5	Extremely	41	1.8 %
	Missing Data		
-9	Missing	137	5.9 %
-7	Refused	1	0.0 %
.	-	139	6.0 %
	Total	**2,327**	**100%**

Based upon 2,050 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3533-3534 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DETEPAN7: Determined this wk

Indicate in the space next to each item how strongly you have experienced these feelings this past week: Determined

Value	Label	Unweighted Frequency	%
1	Not At All/Very Slightly	127	5.5 %
2	A Little	258	11.1 %
3	Moderately	606	26.0 %
4	Quite A Bit	695	29.9 %
5	Extremely	368	15.8 %
	Missing Data		
-9	Missing	134	5.8 %
.	-	139	6.0 %
	Total	**2,327**	**100%**

Based upon 2,054 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3535-3536 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ATTEPAN7: Attentive this wk

Indicate in the space next to each item how strongly you have experienced these feelings this past week: Attentive

Value	Label	Unweighted Frequency	%
1	Not At All/Very Slightly	92	4.0 %
2	A Little	268	11.5 %
3	Moderately	691	29.7 %
4	Quite A Bit	764	32.8 %
5	Extremely	235	10.1 %
	Missing Data		
-9	Missing	134	5.8 %
-7	Refused	4	0.2 %
.	-	139	6.0 %
	Total	**2,327**	**100%**

Based upon 2,050 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3537-3538 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

JITTPAN7: Jittery this wk

Indicate in the space next to each item how strongly you have experienced these feelings this past week: Jittery

Value	Label	Unweighted Frequency	%
1	Not At All/Very Slightly	1294	55.6 %
2	A Little	494	21.2 %
3	Moderately	154	6.6 %
4	Quite A Bit	86	3.7 %
5	Extremely	18	0.8 %
	Missing Data		
-9	Missing	138	5.9 %
-7	Refused	4	0.2 %
.	-	139	6.0 %
	Total	**2,327**	**100%**

Based upon 2,046 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3539-3540 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ACTIPAN7: Active this wk

Indicate in the space next to each item how strongly you have experienced these feelings this past week: Active

Value	Label	Unweighted Frequency	%
1	Not At All/Very Slightly	130	5.6 %
2	A Little	277	11.9 %
3	Moderately	681	29.3 %
4	Quite A Bit	636	27.3 %
5	Extremely	326	14.0 %
	Missing Data		
-9	Missing	134	5.8 %
-7	Refused	4	0.2 %
.	-	139	6.0 %
	Total	**2,327**	**100%**

Based upon 2,050 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3541-3542 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

AFRAPAN7: Afraid this wk

Indicate in the space next to each item how strongly you have experienced these feelings this past week: Afraid

Value	Label	Unweighted Frequency	%
1	Not At All/Very Slightly	1440	61.9 %
2	A Little	422	18.1 %
3	Moderately	105	4.5 %
4	Quite A Bit	58	2.5 %
5	Extremely	28	1.2 %
	Missing Data		
-9	Missing	134	5.8 %
-7	Refused	1	0.0 %
.	-	139	6.0 %
	Total	**2,327**	**100%**

Based upon 2,053 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3543-3544 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

STEADPE7: Steady person

Please read each statement and circle the number that represents how you generally feel: I am a steady person

Value	Label	Unweighted Frequency	%
1	Almost Never	15	0.6 %
2	Sometimes	239	10.3 %
3	Often	734	31.5 %
4	Almost Always	1166	50.1 %
	Missing Data		
-9	Missing	137	5.9 %
-7	Refused	3	0.1 %
-1	N/A	1	0.0 %
.	-	32	1.4 %
	Total	**2,327**	**100%**

Based upon 2,154 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 3545-3546 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SATISEL7: Satisfied w/self

Please read each statement and circle the number that represents how you generally feel: I feel satisfied with myself

Value	Label	Unweighted Frequency	%
1	Almost Never	63	2.7 %
2	Sometimes	454	19.5 %
3	Often	880	37.8 %
4	Almost Always	757	32.5 %
	Missing Data		
-9	Missing	137	5.9 %
-7	Refused	3	0.1 %
-1	N/A	1	0.0 %
.	-	32	1.4 %
	Total	**2,327**	**100%**

Based upon 2,154 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 3547-3548 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RESTLESA7: Nervous/restless

Please read each statement and circle the number that represents how you generally feel: I feel nervous and restless

Value	Label	Unweighted Frequency	%
1	Almost Never	1032	44.3 %
2	Sometimes	942	40.5 %
3	Often	143	6.1 %
4	Almost Always	37	1.6 %
	Missing Data		
-9	Missing	137	5.9 %
-7	Refused	3	0.1 %
-1	N/A	1	0.0 %
.	-	32	1.4 %
	Total	**2,327**	**100%**

Based upon 2,154 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 3549-3550 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WISHAPP7: Wish could be happy as others

Please read each statement and circle the number that represents how you generally feel: I wish I could be as happy as other seem to be

Value	Label	Unweighted Frequency	%
1	Almost Never	1114	47.9 %
2	Sometimes	732	31.5 %
3	Often	212	9.1 %
4	Almost Always	91	3.9 %
	Missing Data		
-9	Missing	137	5.9 %
-7	Refused	8	0.3 %
-1	N/A	1	0.0 %
.	-	32	1.4 %
	Total	**2,327**	**100%**

Based upon 2,149 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 3551-3552 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

LIKEFAI7: Feel like failure

Please read each statement and circle the number that represents how you generally feel: I feel like a failure

Value	Label	Unweighted Frequency	%
1	Almost Never	1618	69.5 %
2	Sometimes	453	19.5 %
3	Often	57	2.4 %
4	Almost Always	27	1.2 %
	Missing Data		
-9	Missing	137	5.9 %
-7	Refused	2	0.1 %
-1	N/A	1	0.0 %
.	-	32	1.4 %
	Total	**2,327**	**100%**

Based upon 2,155 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 3553-3554 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

TENSION7: State of turmoil over recent concerns

Please read each statement and circle the number that represents how you generally feel: I get in a state of turmoil or tension as I think over my recent concerns and interests

Value	Label	Unweighted Frequency	%
1	Almost Never	1179	50.7 %
2	Sometimes	745	32.0 %
3	Often	177	7.6 %
4	Almost Always	53	2.3 %
	Missing Data		
-9	Missing	137	5.9 %
-7	Refused	3	0.1 %
-1	N/A	1	0.0 %
.	-	32	1.4 %
	Total	**2,327**	**100%**

Based upon 2,154 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 3555-3556 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FEELSEC7: Feel secure

Please read each statement and circle the number that represents how you generally feel: I feel secure

Value	Label	Unweighted Frequency	%
1	Almost Never	128	5.5 %
2	Sometimes	438	18.8 %
3	Often	773	33.2 %
4	Almost Always	817	35.1 %
	Missing Data		
-9	Missing	137	5.9 %
-7	Refused	1	0.0 %
-1	N/A	1	0.0 %
.	-	32	1.4 %
	Total	**2,327**	**100%**

Based upon 2,156 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 3557-3558 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

LACKSEL7: Lack self-confidence

Please read each statement and circle the number that represents how you generally feel: I lack self-confidence

Value	Label	Unweighted Frequency	%
1	Almost Never	1093	47.0 %
2	Sometimes	857	36.8 %
3	Often	155	6.7 %
4	Almost Always	49	2.1 %
	Missing Data		
-9	Missing	138	5.9 %
-7	Refused	2	0.1 %
-1	N/A	1	0.0 %
.	-	32	1.4 %
	Total	**2,327**	**100%**

Based upon 2,154 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 3559-3560 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

INADEQA7: Feel inadequate

Please read each statement and circle the number that represents how you generally feel: I feel inadequate

Value	Label	Unweighted Frequency	%
1	Almost Never	1300	55.9 %
2	Sometimes	711	30.6 %
3	Often	107	4.6 %
4	Almost Always	37	1.6 %
	Missing Data		
-9	Missing	137	5.9 %
-7	Refused	2	0.1 %
-1	N/A	1	0.0 %
.	-	32	1.4 %
	Total	**2,327**	**100%**

Based upon 2,155 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 3561-3562 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WORRYTO7: Worry over things that don't matter

Please read each statement and circle the number that represents how you generally feel: I worry too much over something that does not matter

Value	Label	Unweighted Frequency	%
1	Almost Never	871	37.4 %
2	Sometimes	1015	43.6 %
3	Often	204	8.8 %
4	Almost Always	66	2.8 %
	Missing Data		
-9	Missing	137	5.9 %
-7	Refused	1	0.0 %
-1	N/A	1	0.0 %
.	-	32	1.4 %
	Total	**2,327**	**100%**

Based upon 2,156 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 3563-3564 (width: 2; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

COURTES7: Treated w/less courtesy than others

In your day-to-day life have you had the following experiences: You are treated with less courtesy than other people

Value	Label	Unweighted Frequency	%
1	Often	41	1.8 %
2	Sometimes	429	18.4 %
3	Rarely	1080	46.4 %
4	Never	605	26.0 %
	Missing Data		
-9	Missing	138	5.9 %
-7	Refused	1	0.0 %
-1	N/A	1	0.0 %
.	-	32	1.4 %
	Total	**2,327**	**100%**

Based upon 2,155 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 3565-3566 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RESPECT7: Treated w/less respect than others

In your day-to-day life have you had the following experiences: You are treated with less respect than other people

Value	Label	Unweighted Frequency	%
1	Often	38	1.6 %
2	Sometimes	392	16.8 %
3	Rarely	1091	46.9 %
4	Never	633	27.2 %
	Missing Data		
-9	Missing	139	6.0 %
-7	Refused	1	0.0 %
-1	N/A	1	0.0 %
.	-	32	1.4 %
	Total	**2,327**	**100%**

Based upon 2,154 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 3567-3568 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

POORSER7: Received poorer service than others

In your day-to-day life have you had the following experiences: You receive poorer service than other people at restaurants

Value	Label	Unweighted Frequency	%
1	Often	16	0.7 %
2	Sometimes	247	10.6 %
3	Rarely	1034	44.4 %
4	Never	854	36.7 %
	Missing Data		
-9	Missing	138	5.9 %
-7	Refused	5	0.2 %
-1	N/A	1	0.0 %
.	-	32	1.4 %
	Total	**2,327**	**100%**

Based upon 2,151 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 3569-3570 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NOTSMAR7: People think not as smart as others

In your day-to-day life have you had the following experiences: People act as if they think you are not smart

Value	Label	Unweighted Frequency	%
1	Often	37	1.6 %
2	Sometimes	352	15.1 %
3	Rarely	956	41.1 %
4	Never	809	34.8 %
	Missing Data		
-9	Missing	138	5.9 %
-7	Refused	2	0.1 %
-1	N/A	1	0.0 %
.	-	32	1.4 %
	Total	**2,327**	**100%**

Based upon 2,154 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 3571-3572 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

AFRAIDO7: People act as if afraid of you

In your day-to-day life have you had the following experiences: People act as if they are afraid of you

Value	Label	Unweighted Frequency	%
1	Often	29	1.2 %
2	Sometimes	266	11.4 %
3	Rarely	645	27.7 %
4	Never	1214	52.2 %
	Missing Data		
-9	Missing	138	5.9 %
-7	Refused	2	0.1 %
-1	N/A	1	0.0 %
.	-	32	1.4 %
	Total	**2,327**	**100%**

Based upon 2,154 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 3573-3574 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DISHONS7: People think you are dishonest

In your day-to-day life have you had the following experiences: People act as if they think you are dishonest

Value	Label	Unweighted Frequency	%
1	Often	17	0.7 %
2	Sometimes	101	4.3 %
3	Rarely	532	22.9 %
4	Never	1504	64.6 %
	Missing Data		
-9	Missing	138	5.9 %
-7	Refused	2	0.1 %
-1	N/A	1	0.0 %
.	-	32	1.4 %
	Total	**2,327**	**100%**

Based upon 2,154 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 3575-3576 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BETTER7: People act as if better than you

In your day-to-day life have you had the following experiences: People act as if they're better than you are

Value	Label	Unweighted Frequency	%
1	Often	51	2.2 %
2	Sometimes	534	22.9 %
3	Rarely	912	39.2 %
4	Never	657	28.2 %
	Missing Data		
-9	Missing	138	5.9 %
-7	Refused	2	0.1 %
-1	N/A	1	0.0 %
.	-	32	1.4 %
	Total	**2,327**	**100%**

Based upon 2,154 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 3577-3578 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

INSULTE7: Insulted by other people

In your day-to-day life have you had the following experiences: You or your family members are called names or insulted

Value	Label	Unweighted Frequency	%
1	Often	29	1.2 %
2	Sometimes	88	3.8 %
3	Rarely	438	18.8 %
4	Never	1599	68.7 %
	Missing Data		
-9	Missing	138	5.9 %
-7	Refused	2	0.1 %
-1	N/A	1	0.0 %
.	-	32	1.4 %
	Total	**2,327**	**100%**

Based upon 2,154 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 3579-3580 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HARASSE7: Harrassed by other people

In your day-to-day life have you had the following experiences: You are threatened or harassed

Value	Label	Unweighted Frequency	%
1	Often	29	1.2 %
2	Sometimes	68	2.9 %
3	Rarely	404	17.4 %
4	Never	1653	71.0 %
	Missing Data		
-9	Missing	138	5.9 %
-7	Refused	2	0.1 %
-1	N/A	1	0.0 %
.	-	32	1.4 %
	Total	**2,327**	**100%**

Based upon 2,154 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 3581-3582 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

IGNORED7: Ignored by other people

In your day-to-day life have you had the following experiences: People ignore you or act as if you are not there

Value	Label	Unweighted Frequency	%
1	Often	40	1.7 %
2	Sometimes	304	13.1 %
3	Rarely	781	33.6 %
4	Never	1030	44.3 %
	Missing Data		
-9	Missing	138	5.9 %
-7	Refused	1	0.0 %
-1	N/A	1	0.0 %
.	-	32	1.4 %
	Total	**2,327**	**100%**

Based upon 2,155 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 3583-3584 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BCRACE7: Because of race

Were any of the following reasons why you "sometimes" or "often" had these experiences? Race

Value	Label	Unweighted Frequency	%
1	No	600	25.8 %
2	Yes	369	15.9 %
	Missing Data		
-9	Missing	138	5.9 %
-7	Refused	3	0.1 %
-1	N/A	1185	50.9 %
.	-	32	1.4 %
	Total	**2,327**	**100%**

Based upon 969 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3585-3586 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BCETHN7: Because of ethnicity

Were any of the following reasons why you "sometimes" or "often" had these experiences? Ethnicity

Value	Label	Unweighted Frequency	%
1	No	661	28.4 %
2	Yes	303	13.0 %
	Missing Data		
-9	Missing	138	5.9 %
-7	Refused	8	0.3 %
-1	N/A	1185	50.9 %
.	-	32	1.4 %
	Total	**2,327**	**100%**

Based upon 964 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3587-3588 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BCGENDR7: Because of gender

Were any of the following reasons why you "sometimes" or "often" had these experiences? Gender

Value	Label	Unweighted Frequency	%
1	No	487	20.9 %
2	Yes	478	20.5 %
	Missing Data		
-9	Missing	137	5.9 %
-7	Refused	8	0.3 %
-1	N/A	1185	50.9 %
.	-	32	1.4 %
	Total	**2,327**	**100%**

Based upon 965 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3589-3590 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BCAGE7: Because of age

Were any of the following reasons why you "sometimes" or "often" had these experiences? Age

Value	Label	Unweighted Frequency	%
1	No	588	25.3 %
2	Yes	378	16.2 %
	Missing Data		
-9	Missing	137	5.9 %
-7	Refused	7	0.3 %
-1	N/A	1185	50.9 %
.	-	32	1.4 %
	Total	**2,327**	**100%**

Based upon 966 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3591-3592 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BCINCML7: Because of income level

Were any of the following reasons why you "sometimes" or "often" had these experiences? Income Level

Value	Label	Unweighted Frequency	%
1	No	743	31.9 %
2	Yes	222	9.5 %
	Missing Data		
-9	Missing	137	5.9 %
-7	Refused	8	0.3 %
-1	N/A	1185	50.9 %
.	-	32	1.4 %
	Total	**2,327**	**100%**

Based upon 965 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3593-3594 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BCLANG7: Because of language

Were any of the following reasons why you "sometimes" or "often" had these experiences? Language

Value	Label	Unweighted Frequency	%
1	No	829	35.6 %
2	Yes	135	5.8 %
	Missing Data		
-9	Missing	138	5.9 %
-7	Refused	8	0.3 %
-1	N/A	1185	50.9 %
.	-	32	1.4 %
	Total	**2,327**	**100%**

Based upon 964 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3595-3596 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BCWGHT7: Because of weight

Were any of the following reasons why you "sometimes" or "often" had these experiences? Body Weight

Value	Label	Unweighted Frequency	%
1	No	745	32.0 %
2	Yes	221	9.5 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-9	Missing	138	5.9 %
-7	Refused	6	0.3 %
-1	N/A	1185	50.9 %
.	-	32	1.4 %
	Total	**2,327**	**100%**

Based upon 966 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3597-3598 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BCPHAPP7: Because of phys appearance

Were any of the following reasons why you "sometimes" or "often" had these experiences? Physical Appearance

Value	Label	Unweighted Frequency	%
1	No	737	31.7 %
2	Yes	229	9.8 %
	Missing Data		
-9	Missing	137	5.9 %
-7	Refused	7	0.3 %
-1	N/A	1185	50.9 %
.	-	32	1.4 %
	Total	**2,327**	**100%**

Based upon 966 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3599-3600 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BCORIEN7: Because of sexual orientation

Were any of the following reasons why you "sometimes" or "often" had these experiences? Sexual Orientation

Value	Label	Unweighted Frequency	%
1	No	908	39.0 %
2	Yes	58	2.5 %
	Missing Data		
-9	Missing	137	5.9 %

Value	Label	Unweighted Frequency	%
-7	Refused	7	0.3 %
-1	N/A	1185	50.9 %
.	-	32	1.4 %
	Total	**2,327**	**100%**

Based upon 966 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3601-3602 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHEREX7: Because of other reason

Were any of the following reasons why you "sometimes" or "often" had these experiences? Other, Specify:

Value	Label	Unweighted Frequency	%
1	No	702	30.2 %
2	Yes	217	9.3 %
	Missing Data		
-9	Missing	137	5.9 %
-7	Refused	54	2.3 %
-1	N/A	1185	50.9 %
.	-	32	1.4 %
	Total	**2,327**	**100%**

Based upon 919 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3603-3604 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

QUICKTP7: Quick tempered

Please read each statement and circle the number that corresponds to your response for each item ... give the answer that describes how you generally feel: I am quick tempered

Value	Label	Unweighted Frequency	%
1	Almost Never	1170	50.3 %
2	Sometimes	846	36.4 %
3	Often	117	5.0 %
4	Almost Always	21	0.9 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-9	Missing	137	5.9 %
-7	Refused	3	0.1 %
-1	N/A	1	0.0 %
.	-	32	1.4 %
	Total	**2,327**	**100%**

Based upon 2,154 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 3605-3606 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FIERYTP7: Fiery temper

Please read each statement and circle the number that corresponds to your response for each item ... give the answer that describes how you generally feel: I have a fiery temper

Value	Label	Unweighted Frequency	%
1	Almost Never	1570	67.5 %
2	Sometimes	501	21.5 %
3	Often	68	2.9 %
4	Almost Always	15	0.6 %
	Missing Data		
-9	Missing	137	5.9 %
-7	Refused	3	0.1 %
-1	N/A	1	0.0 %
.	-	32	1.4 %
	Total	**2,327**	**100%**

Based upon 2,154 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 3607-3608 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HOTHEAD7: Hot-headed person

Please read each statement and circle the number that corresponds to your response for each item ... give the answer that describes how you generally feel: I am a hot-headed person

Value	Label	Unweighted Frequency	%
1	Almost Never	1773	76.2 %

Value	Label	Unweighted Frequency	%
2	Sometimes	327	14.1 %
3	Often	41	1.8 %
4	Almost Always	9	0.4 %
	Missing Data		
-9	Missing	137	5.9 %
-7	Refused	7	0.3 %
-1	N/A	1	0.0 %
.	-	32	1.4 %
	Total	**2,327**	**100%**

Based upon 2,150 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 3609-3610 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GETANGR7: Angry when slowed by others' mistakes

Please read each statement and circle the number that corresponds to your response for each item ... give the answer that describes how you generally feel: I get angry when I'm slowed down by others' mistakes

Value	Label	Unweighted Frequency	%
1	Almost Never	982	42.2 %
2	Sometimes	1035	44.5 %
3	Often	119	5.1 %
4	Almost Always	17	0.7 %
	Missing Data		
-9	Missing	137	5.9 %
-7	Refused	4	0.2 %
-1	N/A	1	0.0 %
.	-	32	1.4 %
	Total	**2,327**	**100%**

Based upon 2,153 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 3611-3612 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ANNOYED7: Annoyed when not recognized for work

Please read each statement and circle the number that corresponds to your response for each item ... give the answer that describes how you generally feel: I feel annoyed when I am not given recognition for doing good work

Value	Label	Unweighted Frequency	%
1	Almost Never	926	39.8 %
2	Sometimes	1086	46.7 %
3	Often	117	5.0 %
4	Almost Always	25	1.1 %
	Missing Data		
-9	Missing	137	5.9 %
-7	Refused	3	0.1 %
-1	N/A	1	0.0 %
.	-	32	1.4 %
	Total	**2,327**	**100%**

Based upon 2,154 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 3613-3614 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FLYOFF7: Fly off the handle

Please read each statement and circle the number that corresponds to your response for each item ... give the answer that describes how you generally feel: I fly off the handle

Value	Label	Unweighted Frequency	%
1	Almost Never	1661	71.4 %
2	Sometimes	453	19.5 %
3	Often	29	1.2 %
4	Almost Always	10	0.4 %
	Missing Data		
-9	Missing	137	5.9 %
-7	Refused	4	0.2 %
-1	N/A	1	0.0 %
.	-	32	1.4 %
	Total	**2,327**	**100%**

Based upon 2,153 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 3615-3616 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SAYNAST7: Say nasty things

Please read each statement and circle the number that corresponds to your response for each item ... give the answer that describes how you generally feel: When I get mad, I say nasty things

Value	Label	Unweighted Frequency	%
1	Almost Never	1357	58.3 %
2	Sometimes	713	30.6 %
3	Often	63	2.7 %
4	Almost Always	20	0.9 %
	Missing Data		
-9	Missing	137	5.9 %
-7	Refused	4	0.2 %
-1	N/A	1	0.0 %
.	-	32	1.4 %
	Total	**2,327**	**100%**

Based upon 2,153 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 3617-3618 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FURIOUS7: Furious when criticized in front of others

Please read each statement and circle the number that corresponds to your response for each item ... give the answer that describes how you generally feel: It makes me furious when I'm criticized in front of others

Value	Label	Unweighted Frequency	%
1	Almost Never	957	41.1 %
2	Sometimes	936	40.2 %
3	Often	163	7.0 %
4	Almost Always	91	3.9 %
	Missing Data		
-9	Missing	137	5.9 %
-7	Refused	10	0.4 %
-1	N/A	1	0.0 %
.	-	32	1.4 %
	Total	**2,327**	**100%**

Based upon 2,147 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 3619-3620 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FEELHIT7: Feel like hitting someone

Please read each statement and circle the number that corresponds to your response for each item ... give the answer that describes how you generally feel: When I get frustrated, I feel like hitting someone

Value	Label	Unweighted Frequency	%
1	Almost Never	1919	82.5 %
2	Sometimes	201	8.6 %
3	Often	21	0.9 %
4	Almost Always	13	0.6 %
	Missing Data		
-9	Missing	137	5.9 %
-7	Refused	3	0.1 %
-1	N/A	1	0.0 %
.	-	32	1.4 %
	Total	**2,327**	**100%**

Based upon 2,154 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 3621-3622 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

INFURIA7: Infuriated when good job/poor eval

Please read each statement and circle the number that corresponds to your response for each item ... give the answer that describes how you generally feel: I feel infuriated when I do a good job & get a poor evaluation

Value	Label	Unweighted Frequency	%
1	Almost Never	1120	48.1 %
2	Sometimes	773	33.2 %
3	Often	147	6.3 %
4	Almost Always	108	4.6 %
	Missing Data		
-9	Missing	137	5.9 %
-7	Refused	9	0.4 %
-1	N/A	1	0.0 %
.	-	32	1.4 %
	Total	**2,327**	**100%**

Based upon 2,148 valid cases out of 2,327 total cases.

- Minimum: 1.00

- Maximum: 4.00

Location: 3623-3624 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FUTURE7: Future seems hopeless to me

Please indicate the extent to which you agree or disagree with each statement by circling the corresponding number: The future seems to me to be hopeless, and I can't believe things are changing for the better

Value	Label	Unweighted Frequency	%
0	Strongly Agree	39	1.7 %
1	Somewhat Agree	175	7.5 %
2	Cannot Say	207	8.9 %
3	Somewhat Disagree	385	16.5 %
4	Strongly Disagree	1349	58.0 %
	Missing Data		
-9	Missing	138	5.9 %
-7	Refused	1	0.0 %
-1	N/A	1	0.0 %
.	-	32	1.4 %
	Total	**2,327**	**100%**

Based upon 2,155 valid cases out of 2,327 total cases.

- Minimum: 0.00
- Maximum: 4.00

Location: 3625-3626 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GOALS7: Impossible for me to reach goals

Please indicate the extent to which you agree or disagree with each statement by circling the corresponding number: I feel it is impossible for me to reach the goals that I would like to strive for

Value	Label	Unweighted Frequency	%
0	Strongly Agree	89	3.8 %
1	Somewhat Agree	212	9.1 %
2	Cannot Say	172	7.4 %
3	Somewhat Disagree	446	19.2 %
4	Strongly Disagree	1237	53.2 %
	Missing Data		
-9	Missing	137	5.9 %
-7	Refused	1	0.0 %
-1	N/A	1	0.0 %
.	-	32	1.4 %

Value	Label	Unweighted Frequency	%
	Total	**2,327**	**100%**

Based upon 2,156 valid cases out of 2,327 total cases.

- Minimum: 0.00
- Maximum: 4.00

Location: 3627-3628 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FLGSAAV7: Completed after V7 cutoff (01/31/2005) or before (5/15/2003)

Completed after V7 cutoff (01/31/2005)

Value	Label	Unweighted Frequency	%
0	No	2286	98.2 %
1	Yes	2	0.1 %
	Missing Data		
-1	Before V7	7	0.3 %
.	-	32	1.4 %
	Total	**2,327**	**100%**

Based upon 2,288 valid cases out of 2,327 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3629-3630 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PHYDAY7: Physical measures Day

Date form completed

Value	Label	Unweighted Frequency	%
2324	-	1	0.0 %
2439	-	1	0.0 %
2447	-	1	0.0 %
2456	-	1	0.0 %
2468	-	2	0.1 %
2480	-	2	0.1 %
2483	-	2	0.1 %
2485	-	3	0.1 %
2486	-	1	0.0 %
2492	-	6	0.3 %
2493	-	1	0.0 %

Value	Label	Unweighted Frequency	%
2494	-	1	0.0 %
2496	-	1	0.0 %
2498	-	1	0.0 %
2499	-	2	0.1 %
2501	-	5	0.2 %
2502	-	2	0.1 %
2504	-	4	0.2 %
2505	-	1	0.0 %
2506	-	4	0.2 %
2507	-	1	0.0 %
2508	-	3	0.1 %
2509	-	4	0.2 %
2510	-	7	0.3 %
2511	-	12	0.5 %
2512	-	20	0.9 %
2513	-	18	0.8 %
2514	-	11	0.5 %
2515	-	4	0.2 %
2516	-	8	0.3 %
2517	-	7	0.3 %
2518	-	10	0.4 %
2519	-	13	0.6 %
2520	-	22	0.9 %
2521	-	8	0.3 %
2522	-	18	0.8 %
2523	-	9	0.4 %
2524	-	9	0.4 %
2525	-	12	0.5 %
2526	-	16	0.7 %
2527	-	20	0.9 %
2528	-	11	0.5 %
2529	-	12	0.5 %
2530	-	11	0.5 %
2531	-	11	0.5 %
2532	-	16	0.7 %
2533	-	14	0.6 %
2534	-	29	1.2 %
2535	-	14	0.6 %
2536	-	10	0.4 %
	Missing Data		
.	-	141	6.1 %

Value	Label	Unweighted Frequency	%
	Total	**2,327**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,186 valid cases out of 2,327 total cases.

- Mean: 2604.41
- Minimum: 2324.00
- Maximum: 3086.00
- Standard Deviation: 85.65

Location: 3631-3634 (width: 4; decimal: 0)
Variable Type: numeric

PULSE7: Pulse, beats/30 seconds

Pulse, beats/30 seconds

Value	Label	Unweighted Frequency	%
21	-	3	0.1 %
22	-	4	0.2 %
23	-	8	0.3 %
24	-	11	0.5 %
25	-	22	0.9 %
26	-	30	1.3 %
27	-	52	2.2 %
28	-	72	3.1 %
29	-	108	4.6 %
30	-	219	9.4 %
31	-	166	7.1 %
32	-	166	7.1 %
33	-	186	8.0 %
34	-	178	7.6 %
35	-	196	8.4 %
36	-	157	6.7 %
37	-	101	4.3 %
38	-	118	5.1 %
39	-	67	2.9 %
40	-	66	2.8 %
41	-	32	1.4 %
42	-	33	1.4 %
43	-	15	0.6 %
44	-	9	0.4 %
45	-	19	0.8 %
46	-	12	0.5 %

Value	Label	Unweighted Frequency	%
47	-	7	0.3 %
48	-	1	0.0 %
49	-	1	0.0 %
50	-	3	0.1 %
51	-	1	0.0 %
52	-	3	0.1 %
54	-	1	0.0 %
56	-	1	0.0 %
60	-	1	0.0 %
70	-	1	0.0 %
	Missing Data		
.	-	257	11.0 %
	Total	**2,327**	**100%**

Based upon 2,070 valid cases out of 2,327 total cases.

- Mean: 33.75
- Median: 33.00
- Mode: 30.00
- Minimum: 21.00
- Maximum: 70.00
- Standard Deviation: 4.63

Location: 3635-3636 (width: 2; decimal: 0)
Variable Type: numeric

SYSBP17: Systolic BP #1

Systolic BP #1

Value	Label	Unweighted Frequency	%
79	-	1	0.0 %
80	-	2	0.1 %
81	-	1	0.0 %
82	-	5	0.2 %
84	-	4	0.2 %
86	-	8	0.3 %
88	-	10	0.4 %
90	-	19	0.8 %
92	-	28	1.2 %
93	-	1	0.0 %
94	-	20	0.9 %
95	-	1	0.0 %
96	-	45	1.9 %
98	-	74	3.2 %

Value	Label	Unweighted Frequency	%
99	-	1	0.0 %
100	-	81	3.5 %
101	-	2	0.1 %
102	-	82	3.5 %
104	-	67	2.9 %
106	-	96	4.1 %
107	-	1	0.0 %
108	-	118	5.1 %
109	-	1	0.0 %
110	-	133	5.7 %
112	-	121	5.2 %
114	-	87	3.7 %
116	-	86	3.7 %
118	-	114	4.9 %
119	-	2	0.1 %
120	-	122	5.2 %
121	-	1	0.0 %
122	-	69	3.0 %
124	-	65	2.8 %
125	-	2	0.1 %
126	-	64	2.8 %
127	-	1	0.0 %
128	-	92	4.0 %
129	-	1	0.0 %
130	-	73	3.1 %
132	-	44	1.9 %
133	-	1	0.0 %
134	-	29	1.2 %
135	-	1	0.0 %
136	-	42	1.8 %
138	-	40	1.7 %
139	-	1	0.0 %
140	-	37	1.6 %
142	-	24	1.0 %
144	-	9	0.4 %
146	-	16	0.7 %
	Missing Data		
.	-	270	11.6 %
	Total	**2,327**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,057 valid cases out of 2,327 total cases.

- Mean: 117.40
- Median: 116.00
- Mode: 110.00
- Minimum: 79.00
- Maximum: 210.00
- Standard Deviation: 16.33

Location: 3637-3639 (width: 3; decimal: 0)
Variable Type: numeric

DIABP17: Diastolic BP #1

Diastolic BP #1

Value	Label	Unweighted Frequency	%
20	-	1	0.0 %
22	-	1	0.0 %
44	-	2	0.1 %
46	-	1	0.0 %
48	-	6	0.3 %
50	-	14	0.6 %
52	-	6	0.3 %
53	-	1	0.0 %
54	-	20	0.9 %
55	-	1	0.0 %
56	-	26	1.1 %
58	-	43	1.8 %
59	-	1	0.0 %
60	-	85	3.7 %
62	-	78	3.4 %
63	-	1	0.0 %
64	-	103	4.4 %
66	-	102	4.4 %
67	-	1	0.0 %
68	-	153	6.6 %
70	-	228	9.8 %
71	-	1	0.0 %
72	-	138	5.9 %
74	-	168	7.2 %
75	-	1	0.0 %
76	-	151	6.5 %
78	-	148	6.4 %
79	-	1	0.0 %
80	-	177	7.6 %

Value	Label	Unweighted Frequency	%
82	-	74	3.2 %
83	-	1	0.0 %
84	-	71	3.1 %
85	-	1	0.0 %
86	-	56	2.4 %
88	-	63	2.7 %
90	-	54	2.3 %
92	-	16	0.7 %
94	-	17	0.7 %
96	-	12	0.5 %
98	-	11	0.5 %
100	-	10	0.4 %
102	-	2	0.1 %
104	-	1	0.0 %
106	-	3	0.1 %
108	-	1	0.0 %
110	-	3	0.1 %
	Missing Data		
.	-	272	11.7 %
	Total	**2,327**	**100%**

Based upon 2,055 valid cases out of 2,327 total cases.

- Mean: 73.47
- Median: 74.00
- Mode: 70.00
- Minimum: 20.00
- Maximum: 110.00
- Standard Deviation: 9.94

Location: 3640-3642 (width: 3; decimal: 0)
Variable Type: numeric

SYSBP27: Systolic BP #2

Systolic BP #2

Value	Label	Unweighted Frequency	%
74	-	1	0.0 %
78	-	2	0.1 %
80	-	1	0.0 %
82	-	2	0.1 %
84	-	5	0.2 %
86	-	10	0.4 %
88	-	16	0.7 %

Value	Label	Unweighted Frequency	%
89	-	1	0.0 %
90	-	25	1.1 %
92	-	17	0.7 %
93	-	1	0.0 %
94	-	27	1.2 %
95	-	1	0.0 %
96	-	44	1.9 %
98	-	67	2.9 %
99	-	1	0.0 %
100	-	81	3.5 %
102	-	87	3.7 %
104	-	90	3.9 %
106	-	90	3.9 %
108	-	129	5.5 %
110	-	149	6.4 %
112	-	108	4.6 %
114	-	78	3.4 %
115	-	1	0.0 %
116	-	96	4.1 %
118	-	99	4.3 %
120	-	102	4.4 %
121	-	1	0.0 %
122	-	73	3.1 %
124	-	80	3.4 %
125	-	1	0.0 %
126	-	73	3.1 %
128	-	70	3.0 %
129	-	1	0.0 %
130	-	53	2.3 %
131	-	1	0.0 %
132	-	44	1.9 %
133	-	1	0.0 %
134	-	38	1.6 %
136	-	37	1.6 %
138	-	49	2.1 %
139	-	1	0.0 %
140	-	33	1.4 %
142	-	19	0.8 %
144	-	19	0.8 %
146	-	19	0.8 %
148	-	20	0.9 %
150	-	12	0.5 %

Value	Label	Unweighted Frequency	%
152	-	10	0.4 %
	Missing Data		
.	-	277	11.9 %
	Total	**2,327**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,050 valid cases out of 2,327 total cases.

- Mean: 117.08
- Median: 114.00
- Mode: 110.00
- Minimum: 74.00
- Maximum: 208.00
- Standard Deviation: 16.52

Location: 3643-3645 (width: 3; decimal: 0)
Variable Type: numeric

DIABP27: Diastolic BP #2

Diastolic BP #2

Value	Label	Unweighted Frequency	%
20	-	2	0.1 %
24	-	1	0.0 %
42	-	2	0.1 %
44	-	1	0.0 %
48	-	3	0.1 %
50	-	11	0.5 %
52	-	7	0.3 %
54	-	20	0.9 %
56	-	25	1.1 %
58	-	47	2.0 %
60	-	91	3.9 %
62	-	90	3.9 %
64	-	97	4.2 %
66	-	108	4.6 %
67	-	1	0.0 %
68	-	173	7.4 %
69	-	2	0.1 %
70	-	220	9.5 %
71	-	1	0.0 %
72	-	150	6.4 %
73	-	1	0.0 %

Value	Label	Unweighted Frequency	%
74	-	149	6.4 %
76	-	141	6.1 %
78	-	143	6.1 %
80	-	176	7.6 %
81	-	1	0.0 %
82	-	71	3.1 %
84	-	67	2.9 %
85	-	1	0.0 %
86	-	59	2.5 %
87	-	1	0.0 %
88	-	58	2.5 %
90	-	52	2.2 %
92	-	23	1.0 %
94	-	12	0.5 %
96	-	12	0.5 %
98	-	9	0.4 %
100	-	9	0.4 %
102	-	2	0.1 %
104	-	1	0.0 %
106	-	1	0.0 %
108	-	3	0.1 %
110	-	3	0.1 %
112	-	1	0.0 %
114	-	1	0.0 %
118	-	1	0.0 %
	Missing Data		
.	-	277	11.9 %
	Total	**2,327**	**100%**

Based upon 2,050 valid cases out of 2,327 total cases.

- Mean: 73.30
- Median: 72.00
- Mode: 70.00
- Minimum: 20.00
- Maximum: 118.00
- Standard Deviation: 10.05

Location: 3646-3648 (width: 3; decimal: 0)
Variable Type: numeric

HEIGHT7: Height (in cm)

Height (in cm)

Value	Label	Unweighted Frequency	%
144.20	-	1	0.0 %
144.60	-	1	0.0 %
144.70	-	1	0.0 %
144.80	-	1	0.0 %
145.00	-	1	0.0 %
145.40	-	1	0.0 %
145.70	-	2	0.1 %
146.00	-	1	0.0 %
146.10	-	1	0.0 %
146.40	-	1	0.0 %
146.80	-	2	0.1 %
146.90	-	5	0.2 %
147.00	-	1	0.0 %
147.10	-	1	0.0 %
147.30	-	1	0.0 %
147.40	-	1	0.0 %
147.50	-	1	0.0 %
147.70	-	1	0.0 %
147.80	-	1	0.0 %
148.00	-	1	0.0 %
148.10	-	1	0.0 %
148.20	-	1	0.0 %
148.40	-	1	0.0 %
148.50	-	3	0.1 %
148.60	-	4	0.2 %
148.70	-	1	0.0 %
148.80	-	1	0.0 %
148.90	-	1	0.0 %
149.00	-	2	0.1 %
149.20	-	2	0.1 %
149.30	-	2	0.1 %
149.40	-	1	0.0 %
149.50	-	3	0.1 %
149.60	-	1	0.0 %
149.70	-	1	0.0 %
149.80	-	1	0.0 %
149.90	-	2	0.1 %
150.00	-	5	0.2 %
150.20	-	1	0.0 %
150.30	-	2	0.1 %
150.40	-	2	0.1 %
150.50	-	1	0.0 %

Value	Label	Unweighted Frequency	%
150.60	-	1	0.0 %
150.70	-	2	0.1 %
150.80	-	3	0.1 %
150.90	-	4	0.2 %
151.00	-	8	0.3 %
151.10	-	4	0.2 %
151.20	-	3	0.1 %
151.30	-	4	0.2 %
	Missing Data		
.	-	258	11.1 %
	Total	**2,327**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,069 valid cases out of 2,327 total cases.

- Mean: 162.23
- Minimum: 144.20
- Maximum: 185.50
- Standard Deviation: 6.55

Location: 3649-3656 (width: 8; decimal: 2)
Variable Type: numeric

HTMETHO7: Height Measurement Method

Height Measurement Method

Value	Label	Unweighted Frequency	%
1	Stadiometer	1869	80.3 %
2	Portable	192	8.3 %
3	Self-Reported	9	0.4 %
	Missing Data		
.	-	257	11.0 %
	Total	**2,327**	**100%**

Based upon 2,070 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 3657-3658 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HTSELF7: Height Self-Reported Reason

If Self Report, then choose one of the following:

Value	Label	Unweighted Frequency	%
1	Partic in wheelchair/disabled	1	0.0 %
2	Equipment Failure	1	0.0 %
3	Refused to be measured	1	0.0 %
4	Other	6	0.3 %
	Missing Data		
-1	N/A	2064	88.7 %
.	-	254	10.9 %
	Total	**2,327**	**100%**

Based upon 9 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 3659-3660 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HTSELFS7: Height Self-Reported, Other Specify

If Self Report, then choose one of the following: Other - Specify

Value	Label	Unweighted Frequency	%
	-	254	10.9 %
-1: N/A	-	2067	88.8 %
HOME VISIT	-	3	0.1 %
HOME VISIT -- NO PORTABLE EQUIPMENT	-	1	0.0 %
JUST WENT TO DOC. AND HAD HT AND WT REPORTED IT TO ME	-	1	0.0 %
STUDY COORDINATOR DID NOT GET MEASUREMENT	-	1	0.0 %
	Total	**2,327**	**100%**

Based upon 2,327 valid cases out of 2,327 total cases.

Location: 3661-3720 (width: 60; decimal: 0)
Variable Type: character

WEIGHT7: Weight (in kg)

Weight (in kg)

Value	Label	Unweighted Frequency	%
37.800	-	1	0.0 %
39.800	-	1	0.0 %
40.400	-	2	0.1 %
40.500	-	1	0.0 %
40.600	-	1	0.0 %
41.300	-	1	0.0 %

Value	Label	Unweighted Frequency	%
41.500	-	1	0.0 %
41.900	-	1	0.0 %
42.500	-	1	0.0 %
42.700	-	1	0.0 %
43.000	-	1	0.0 %
43.400	-	1	0.0 %
43.500	-	2	0.1 %
43.600	-	2	0.1 %
43.800	-	1	0.0 %
44.200	-	3	0.1 %
45.000	-	1	0.0 %
45.100	-	1	0.0 %
45.200	-	1	0.0 %
45.300	-	1	0.0 %
45.400	-	3	0.1 %
45.455	-	1	0.0 %
45.600	-	1	0.0 %
45.700	-	2	0.1 %
45.800	-	2	0.1 %
46.000	-	3	0.1 %
46.100	-	1	0.0 %
46.200	-	2	0.1 %
46.400	-	1	0.0 %
46.500	-	1	0.0 %
46.700	-	2	0.1 %
46.800	-	2	0.1 %
46.900	-	1	0.0 %
47.000	-	4	0.2 %
47.100	-	1	0.0 %
47.400	-	1	0.0 %
47.500	-	2	0.1 %
47.600	-	1	0.0 %
47.700	-	1	0.0 %
47.727	-	2	0.1 %
47.900	-	1	0.0 %
48.000	-	4	0.2 %
48.100	-	2	0.1 %
48.200	-	4	0.2 %
48.300	-	3	0.1 %
48.400	-	6	0.3 %
48.500	-	1	0.0 %
48.700	-	2	0.1 %

Value	Label	Unweighted Frequency	%
48.800	-	3	0.1 %
48.900	-	1	0.0 %
	Missing Data		
.	-	151	6.5 %
	Total	**2,327**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,176 valid cases out of 2,327 total cases.

- Mean: 76.586
- Minimum: 37.800
- Maximum: 189.600
- Standard Deviation: 21.033

Location: 3721-3728 (width: 8; decimal: 3)
Variable Type: numeric

WTSELF7: Weight Self-Reported Reason

If Self Report, then choose one of the following:

Value	Label	Unweighted Frequency	%
1	Partic in wheelchair/disabled	1	0.0 %
2	Equipment Failure	1	0.0 %
3	Refused to be weighed	0	0.0 %
4	Weight more than scale	1	0.0 %
5	Other	113	4.9 %
	Missing Data		
-1	N/A	2066	88.8 %
.	-	145	6.2 %
	Total	**2,327**	**100%**

Based upon 116 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3729-3730 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WTSELFS7: Weight Self-Reported, Other Specify

If Self Report, then choose one of the following: Other - Specify

Value	Label	Unweighted Frequency	%
	-	145	6.2 %
-1: N/A	-	2069	88.9 %
AIN	-	90	3.9 %
HOME VISIT	-	3	0.1 %
HOME VISIT -- NO PORTABLE SCALE	-	1	0.0 %
PAT	-	19	0.8 %
	Total	**2,327**	**100%**

Based upon 2,327 valid cases out of 2,327 total cases.

Location: 3731-3790 (width: 60; decimal: 0)
Variable Type: character

SCALE7: Weight Scale Type

Weight Scale Type

Value	Label	Unweighted Frequency	%
1	Balance Beam	1124	48.3 %
2	Clinic Digital	345	14.8 %
3	Portable	592	25.4 %
4	Self-Reported	116	5.0 %
	Missing Data		
.	-	150	6.4 %
	Total	**2,327**	**100%**

Based upon 2,177 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 3791-3792 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WAIST7: Waist Circumference

Waist Circumference

Value	Label	Unweighted Frequency	%
60.0	-	1	0.0 %
60.8	-	1	0.0 %
61.0	-	1	0.0 %
61.2	-	2	0.1 %
61.5	-	1	0.0 %
61.6	-	1	0.0 %
61.9	-	1	0.0 %

Value	Label	Unweighted Frequency	%
62.0	-	1	0.0 %
62.1	-	2	0.1 %
62.2	-	2	0.1 %
62.4	-	3	0.1 %
62.5	-	2	0.1 %
62.6	-	1	0.0 %
62.7	-	1	0.0 %
62.9	-	1	0.0 %
63.0	-	4	0.2 %
63.1	-	1	0.0 %
63.2	-	3	0.1 %
63.4	-	4	0.2 %
63.6	-	1	0.0 %
63.7	-	1	0.0 %
63.9	-	1	0.0 %
64.0	-	2	0.1 %
64.1	-	1	0.0 %
64.2	-	3	0.1 %
64.3	-	1	0.0 %
64.4	-	2	0.1 %
64.5	-	2	0.1 %
64.6	-	1	0.0 %
64.7	-	1	0.0 %
64.8	-	1	0.0 %
65.0	-	3	0.1 %
65.1	-	2	0.1 %
65.2	-	3	0.1 %
65.4	-	1	0.0 %
65.5	-	2	0.1 %
65.7	-	2	0.1 %
65.8	-	2	0.1 %
65.9	-	4	0.2 %
66.0	-	4	0.2 %
66.1	-	1	0.0 %
66.2	-	1	0.0 %
66.3	-	1	0.0 %
66.4	-	2	0.1 %
66.5	-	2	0.1 %
66.6	-	2	0.1 %
66.7	-	5	0.2 %
66.8	-	2	0.1 %
67.0	-	7	0.3 %

Value	Label	Unweighted Frequency	%
67.1	-	3	0.1 %
	Missing Data		
.	-	263	11.3 %
	Total	**2,327**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,064 valid cases out of 2,327 total cases.

- Mean: 88.89
- Minimum: 60.00
- Maximum: 158.00
- Standard Deviation: 16.55

Location: 3793-3799 (width: 7; decimal: 1)
Variable Type: numeric

WASTMEA7: Waist measurement taken in:

Waist measurement

Value	Label	Unweighted Frequency	%
1	Undergarments	1642	70.6 %
2	Light Clothing	421	18.1 %
	Missing Data		
.	-	264	11.3 %
	Total	**2,327**	**100%**

Based upon 2,063 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3800-3801 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HIP7: Hip Circumference

Hip Circumference

Value	Label	Unweighted Frequency	%
75.4	-	1	0.0 %
78.0	-	1	0.0 %
79.2	-	1	0.0 %
80.4	-	1	0.0 %
81.1	-	1	0.0 %
81.4	-	2	0.1 %

Value	Label	Unweighted Frequency	%
81.7	-	1	0.0 %
82.0	-	2	0.1 %
82.2	-	1	0.0 %
82.3	-	1	0.0 %
82.9	-	1	0.0 %
83.0	-	2	0.1 %
83.3	-	1	0.0 %
83.5	-	1	0.0 %
83.6	-	1	0.0 %
83.7	-	1	0.0 %
84.0	-	2	0.1 %
84.2	-	3	0.1 %
84.3	-	1	0.0 %
84.5	-	3	0.1 %
84.6	-	1	0.0 %
84.7	-	1	0.0 %
84.9	-	3	0.1 %
85.0	-	1	0.0 %
85.3	-	1	0.0 %
85.4	-	1	0.0 %
85.5	-	3	0.1 %
85.6	-	3	0.1 %
85.7	-	1	0.0 %
85.8	-	1	0.0 %
86.0	-	3	0.1 %
86.1	-	1	0.0 %
86.2	-	3	0.1 %
86.4	-	3	0.1 %
86.5	-	1	0.0 %
86.6	-	4	0.2 %
86.7	-	3	0.1 %
86.8	-	4	0.2 %
86.9	-	2	0.1 %
87.0	-	4	0.2 %
87.1	-	1	0.0 %
87.3	-	2	0.1 %
87.4	-	2	0.1 %
87.5	-	1	0.0 %
87.6	-	3	0.1 %
87.7	-	4	0.2 %
87.8	-	3	0.1 %
87.9	-	2	0.1 %

Value	Label	Unweighted Frequency	%
88.0	-	6	0.3 %
88.1	-	3	0.1 %
	Missing Data		
.	-	266	11.4 %
	Total	**2,327**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,061 valid cases out of 2,327 total cases.

- Mean: 107.66
- Minimum: 75.40
- Maximum: 182.00
- Standard Deviation: 15.30

Location: 3802-3808 (width: 7; decimal: 1)
Variable Type: numeric

HIPMEAS7: Hip Measurement taken in:

Hip Measurement taken in:

Value	Label	Unweighted Frequency	%
1	Undergarments	1289	55.4 %
2	Light Clothing	772	33.2 %
	Missing Data		
.	-	266	11.4 %
	Total	**2,327**	**100%**

Based upon 2,061 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3809-3810 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FORMPHY7: Abbreviated or Full Physical Measures

Abbreviated or Full Physical Measures

Value	Label	Unweighted Frequency	%
	-	141	6.1 %
AIN	-	93	4.0 %
PAT	-	20	0.9 %
PHY	-	2073	89.1 %

Value	Label	Unweighted Frequency	%
	Total	**2,327**	**100%**

Based upon 2,327 valid cases out of 2,327 total cases.

Location: 3811-3813 (width: 3; decimal: 0)
Variable Type: character

BMI7: Body Mass Index

BMI is calculated as weight in kilograms divided by the square of height in meters

Value	Label	Unweighted Frequency	%
16.335	-	1	0.0 %
16.598	-	1	0.0 %
16.823	-	1	0.0 %
16.967	-	1	0.0 %
16.994	-	1	0.0 %
17.118	-	1	0.0 %
17.126	-	1	0.0 %
17.270	-	1	0.0 %
17.452	-	1	0.0 %
17.455	-	1	0.0 %
17.515	-	1	0.0 %
17.530	-	1	0.0 %
17.625	-	1	0.0 %
17.662	-	1	0.0 %
17.779	-	1	0.0 %
17.813	-	1	0.0 %
17.952	-	1	0.0 %
17.998	-	1	0.0 %
17.999	-	1	0.0 %
18.018	-	1	0.0 %
18.035	-	1	0.0 %
18.083	-	1	0.0 %
18.192	-	1	0.0 %
18.195	-	1	0.0 %
18.213	-	1	0.0 %
18.356	-	1	0.0 %
18.373	-	1	0.0 %
18.380	-	1	0.0 %
18.413	-	1	0.0 %
18.577	-	1	0.0 %
18.582	-	1	0.0 %
18.587	-	1	0.0 %

Value	Label	Unweighted Frequency	%
18.595	-	1	0.0 %
18.679	-	1	0.0 %
18.693	-	1	0.0 %
18.696	-	1	0.0 %
18.726	-	1	0.0 %
18.729	-	1	0.0 %
18.731	-	1	0.0 %
18.746	-	1	0.0 %
18.754	-	1	0.0 %
18.764	-	1	0.0 %
18.827	-	1	0.0 %
18.900	-	1	0.0 %
18.925	-	1	0.0 %
18.945	-	1	0.0 %
19.011	-	1	0.0 %
19.069	-	1	0.0 %
19.097	-	1	0.0 %
19.132	-	1	0.0 %
	Missing Data		
.	-	273	11.7 %
	Total	**2,327**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,054 valid cases out of 2,327 total cases.

- Mean: 28.818
- Minimum: 16.335
- Maximum: 63.826
- Standard Deviation: 7.275

Location: 3814-3820 (width: 7; decimal: 3)
Variable Type: numeric

COGDAY7: Cognitive Function Day

Date form completed

Value	Label	Unweighted Frequency	%
2439	-	1	0.0 %
2447	-	1	0.0 %
2456	-	1	0.0 %
2480	-	2	0.1 %
2483	-	2	0.1 %
2485	-	2	0.1 %

Value	Label	Unweighted Frequency	%
2492	-	6	0.3 %
2493	-	1	0.0 %
2494	-	1	0.0 %
2496	-	1	0.0 %
2499	-	2	0.1 %
2501	-	4	0.2 %
2502	-	2	0.1 %
2504	-	3	0.1 %
2505	-	1	0.0 %
2506	-	5	0.2 %
2508	-	3	0.1 %
2509	-	4	0.2 %
2510	-	7	0.3 %
2511	-	11	0.5 %
2512	-	19	0.8 %
2513	-	17	0.7 %
2514	-	11	0.5 %
2515	-	4	0.2 %
2516	-	8	0.3 %
2517	-	7	0.3 %
2518	-	10	0.4 %
2519	-	12	0.5 %
2520	-	21	0.9 %
2521	-	8	0.3 %
2522	-	18	0.8 %
2523	-	9	0.4 %
2524	-	8	0.3 %
2525	-	12	0.5 %
2526	-	15	0.6 %
2527	-	18	0.8 %
2528	-	10	0.4 %
2529	-	11	0.5 %
2530	-	10	0.4 %
2531	-	12	0.5 %
2532	-	14	0.6 %
2533	-	12	0.5 %
2534	-	27	1.2 %
2535	-	14	0.6 %
2536	-	10	0.4 %
2537	-	9	0.4 %
2538	-	11	0.5 %
2539	-	16	0.7 %

Value	Label	Unweighted Frequency	%
2540	-	12	0.5 %
2541	-	35	1.5 %
	Missing Data		
.	-	319	13.7 %
	Total	**2,327**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,008 valid cases out of 2,327 total cases.

- Mean: 2599.98
- Minimum: 2439.00
- Maximum: 3086.00
- Standard Deviation: 78.20

Location: 3821-3824 (width: 4; decimal: 0)
Variable Type: numeric

LANGCOG7: Language of Cognitive Function

Interview Language

Value	Label	Unweighted Frequency	%
1	English	1837	78.9 %
2	Spanish	0	0.0 %
3	Cantonese	82	3.5 %
4	Japanese	89	3.8 %
	Missing Data		
.	-	319	13.7 %
	Total	**2,327**	**100%**

Based upon 2,008 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 3825-3826 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

IMEDTHR7: EBMT Immediate Recall: Three

Now I would like to ask you to try to remember a short story. First, I'm going to read you a short story and when I'm through, I'm going to wait a few seconds and then ask you to tell me as much as you can remember. The story is: Three children were alone at home and the house caught on fire. A brave fireman managed to climb in a back window and carry them to safety. Aside from minor cuts and bruises, all were well. Please tell me the story. Is the following idea present: Three

Value	Label	Unweighted Frequency	%
0	Absent	30	1.3 %
1	Present	1977	85.0 %
	Missing Data		
.	-	320	13.8 %
	Total	**2,327**	**100%**

Based upon 2,007 valid cases out of 2,327 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3827-3828 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

IMEDCH17: EBMT Immediate Recall: Children (1)

Is the following idea present: Children

Value	Label	Unweighted Frequency	%
0	Absent	22	0.9 %
1	Present	1985	85.3 %
	Missing Data		
.	-	320	13.8 %
	Total	**2,327**	**100%**

Based upon 2,007 valid cases out of 2,327 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3829-3830 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

IMEDHOU7: EBMT Immediate Recall: House

Is the following idea present: House

Value	Label	Unweighted Frequency	%
0	Absent	254	10.9 %
1	Present	1753	75.3 %
	Missing Data		
.	-	320	13.8 %
	Total	**2,327**	**100%**

Based upon 2,007 valid cases out of 2,327 total cases.

- Minimum: 0.00

- Maximum: 1.00

Location: 3831-3832 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

IMEDFIR7: EBMT Immediate Recall: On Fire

Is the following idea present: On Fire

Value	Label	Unweighted Frequency	%
0	Absent	96	4.1 %
1	Present	1911	82.1 %
	Missing Data		
.	-	320	13.8 %
	Total	**2,327**	**100%**

Based upon 2,007 valid cases out of 2,327 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3833-3834 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

IMEDFMN7: EBMT Immediate Recall: Fireman

Is the following idea present: Fireman

Value	Label	Unweighted Frequency	%
0	Absent	30	1.3 %
1	Present	1977	85.0 %
	Missing Data		
.	-	320	13.8 %
	Total	**2,327**	**100%**

Based upon 2,007 valid cases out of 2,327 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3835-3836 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

IMEDCLM7: EBMT Immediate Recall: Climb In

Is the following idea present: Climb In

Value	Label	Unweighted Frequency	%
0	Absent	365	15.7 %
1	Present	1642	70.6 %
	Missing Data		
.	-	320	13.8 %
	Total	**2,327**	**100%**

Based upon 2,007 valid cases out of 2,327 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3837-3838 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

IMEDCH27: EBMT Immediate Recall: Children (2)

Is the following idea present: Children

Value	Label	Unweighted Frequency	%
0	Absent	177	7.6 %
1	Present	1830	78.6 %
	Missing Data		
.	-	320	13.8 %
	Total	**2,327**	**100%**

Based upon 2,007 valid cases out of 2,327 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3839-3840 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

IMEDRES7: EBMT Immediate Recall: Rescued

Is the following idea present: Rescued

Value	Label	Unweighted Frequency	%
0	Absent	158	6.8 %
1	Present	1849	79.5 %
	Missing Data		
.	-	320	13.8 %
	Total	**2,327**	**100%**

Based upon 2,007 valid cases out of 2,327 total cases.

- Minimum: 0.00

- Maximum: 1.00

Location: 3841-3842 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

IMEDMIN7: EBMT Immediate Recall: Minor

Is the following idea present: Minor

Value	Label	Unweighted Frequency	%
0	Absent	408	17.5 %
1	Present	1599	68.7 %
	Missing Data		
.	-	320	13.8 %
	Total	**2,327**	**100%**

Based upon 2,007 valid cases out of 2,327 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3843-3844 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

IMEDINJ7: EBMT Immediate Recall: Injuries

Is the following idea present: Injuries

Value	Label	Unweighted Frequency	%
0	Absent	374	16.1 %
1	Present	1633	70.2 %
	Missing Data		
.	-	320	13.8 %
	Total	**2,327**	**100%**

Based upon 2,007 valid cases out of 2,327 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3845-3846 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

IMEDEVR7: EBMT Immediate Recall: Everyone

Is the following idea present: Everyone

Value	Label	Unweighted Frequency	%
0	Absent	717	30.8 %
1	Present	1290	55.4 %
	Missing Data		
.	-	320	13.8 %
	Total	**2,327**	**100%**

Based upon 2,007 valid cases out of 2,327 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3847-3848 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

IMEDWEL7: EBMT Immediate Recall: Well

Is the following idea present: Well

Value	Label	Unweighted Frequency	%
0	Absent	614	26.4 %
1	Present	1393	59.9 %
	Missing Data		
.	-	320	13.8 %
	Total	**2,327**	**100%**

Based upon 2,007 valid cases out of 2,327 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3849-3850 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

TOTIDE17: EBMT Immediate Recall: Total Ideas

Total ideas present

Value	Label	Unweighted Frequency	%
3	-	2	0.1 %
4	-	4	0.2 %
5	-	9	0.4 %
6	-	28	1.2 %
7	-	78	3.4 %
8	-	170	7.3 %
9	-	228	9.8 %
10	-	454	19.5 %

Value	Label	Unweighted Frequency	%
11	-	302	13.0 %
12	-	732	31.5 %
	Missing Data		
.	-	320	13.8 %
	Total	**2,327**	**100%**

Based upon 2,007 valid cases out of 2,327 total cases.

- Mean: 10.38
- Median: 11.00
- Mode: 12.00
- Minimum: 3.00
- Maximum: 12.00
- Standard Deviation: 1.65

Location: 3851-3852 (width: 2; decimal: 0)
Variable Type: numeric

FACEI17: Faces Immediate Item 1

I am going to show you some pictures of faces, one at a time. Look at each face carefully and remember what it looks like. Remember each one. Now I am going to show you some more pictures of faces, one at a time. I want you to look at the face on each page carefully. Say "Yes" if the face is one that I asked you to remember or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	Not Correct	731	31.4 %
1	Correct	1259	54.1 %
	Missing Data		
-9	Missing	1	0.0 %
-7	Refused	14	0.6 %
-1	N/A	3	0.1 %
.	-	319	13.7 %
	Total	**2,327**	**100%**

Based upon 1,990 valid cases out of 2,327 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3853-3854 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACEI27: Faces Immediate Item 2

I am going to show you some pictures of faces, one at a time. Look at each face carefully and remember what it looks like. Remember each one. Now I am going to show you some more pictures of faces, one at a time. I want you to look at the face on each page carefully. Say "Yes" if the face is one that I asked you to remember or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	Not Correct	340	14.6 %
1	Correct	1650	70.9 %
	Missing Data		
-9	Missing	1	0.0 %
-7	Refused	14	0.6 %
-1	N/A	3	0.1 %
.	-	319	13.7 %
	Total	**2,327**	**100%**

Based upon 1,990 valid cases out of 2,327 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3855-3856 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACEI37: Faces Immediate Item 3

I am going to show you some pictures of faces, one at a time. Look at each face carefully and remember what it looks like. Remember each one. Now I am going to show you some more pictures of faces, one at a time. I want you to look at the face on each page carefully. Say "Yes" if the face is one that I asked you to remember or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	Not Correct	428	18.4 %
1	Correct	1562	67.1 %
	Missing Data		
-9	Missing	1	0.0 %
-7	Refused	14	0.6 %
-1	N/A	3	0.1 %
.	-	319	13.7 %
	Total	**2,327**	**100%**

Based upon 1,990 valid cases out of 2,327 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3857-3858 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACEI47: Faces Immediate Item 4

I am going to show you some pictures of faces, one at a time. Look at each face carefully and remember what it looks like. Remember each one. Now I am going to show you some more pictures of faces, one at a time. I want you to look at the face on each page carefully. Say "Yes" if the face is one that I asked you to remember or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	Not Correct	531	22.8 %
1	Correct	1459	62.7 %
	Missing Data		
-9	Missing	1	0.0 %
-7	Refused	14	0.6 %
-1	N/A	3	0.1 %
.	-	319	13.7 %
	Total	**2,327**	**100%**

Based upon 1,990 valid cases out of 2,327 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3859-3860 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACEI57: Faces Immediate Item 5

I am going to show you some pictures of faces, one at a time. Look at each face carefully and remember what it looks like. Remember each one. Now I am going to show you some more pictures of faces, one at a time. I want you to look at the face on each page carefully. Say "Yes" if the face is one that I asked you to remember or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	Not Correct	115	4.9 %
1	Correct	1875	80.6 %
	Missing Data		
-9	Missing	1	0.0 %
-7	Refused	14	0.6 %
-1	N/A	3	0.1 %
.	-	319	13.7 %
	Total	**2,327**	**100%**

Based upon 1,990 valid cases out of 2,327 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3861-3862 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACEI67: Faces Immediate Item 6

I am going to show you some pictures of faces, one at a time. Look at each face carefully and remember what it looks like. Remember each one. Now I am going to show you some more pictures of faces, one at a time. I want you to look at the face on each page carefully. Say "Yes" if the face is one that I asked you to remember or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	Not Correct	1151	49.5 %
1	Correct	839	36.1 %
	Missing Data		
-9	Missing	1	0.0 %
-7	Refused	14	0.6 %
-1	N/A	3	0.1 %
.	-	319	13.7 %
	Total	**2,327**	**100%**

Based upon 1,990 valid cases out of 2,327 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3863-3864 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACEI77: Faces Immediate Item 7

I am going to show you some pictures of faces, one at a time. Look at each face carefully and remember what it looks like. Remember each one. Now I am going to show you some more pictures of faces, one at a time. I want you to look at the face on each page carefully. Say "Yes" if the face is one that I asked you to remember or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	Not Correct	384	16.5 %
1	Correct	1606	69.0 %
	Missing Data		
-9	Missing	1	0.0 %
-7	Refused	14	0.6 %
-1	N/A	3	0.1 %
.	-	319	13.7 %
	Total	**2,327**	**100%**

Based upon 1,990 valid cases out of 2,327 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3865-3866 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACEI87: Faces Immediate Item 8

I am going to show you some pictures of faces, one at a time. Look at each face carefully and remember what it looks like. Remember each one. Now I am going to show you some more pictures of faces, one at a time. I want you to look at the face on each page carefully. Say "Yes" if the face is one that I asked you to remember or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	Not Correct	482	20.7 %
1	Correct	1508	64.8 %
	Missing Data		
-9	Missing	1	0.0 %
-7	Refused	14	0.6 %
-1	N/A	3	0.1 %
.	-	319	13.7 %
	Total	**2,327**	**100%**

Based upon 1,990 valid cases out of 2,327 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3867-3868 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACEI97: Faces Immediate Item 9

I am going to show you some pictures of faces, one at a time. Look at each face carefully and remember what it looks like. Remember each one. Now I am going to show you some more pictures of faces, one at a time. I want you to look at the face on each page carefully. Say "Yes" if the face is one that I asked you to remember or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	Not Correct	690	29.7 %
1	Correct	1300	55.9 %
	Missing Data		
-9	Missing	1	0.0 %
-7	Refused	14	0.6 %
-1	N/A	3	0.1 %
.	-	319	13.7 %
	Total	**2,327**	**100%**

Based upon 1,990 valid cases out of 2,327 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3869-3870 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACEI107: Faces Immediate Item 10

I am going to show you some pictures of faces, one at a time. Look at each face carefully and remember what it looks like. Remember each one. Now I am going to show you some more pictures of faces, one at a time. I want you to look at the face on each page carefully. Say "Yes" if the face is one that I asked you to remember or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	Not Correct	50	2.1 %
1	Correct	1940	83.4 %
	Missing Data		
-9	Missing	1	0.0 %
-7	Refused	14	0.6 %
-1	N/A	3	0.1 %
.	-	319	13.7 %
	Total	**2,327**	**100%**

Based upon 1,990 valid cases out of 2,327 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3871-3872 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACEI117: Faces Immediate Item 11

I am going to show you some pictures of faces, one at a time. Look at each face carefully and remember what it looks like. Remember each one. Now I am going to show you some more pictures of faces, one at a time. I want you to look at the face on each page carefully. Say "Yes" if the face is one that I asked you to remember or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	Not Correct	354	15.2 %
1	Correct	1636	70.3 %
	Missing Data		
-9	Missing	1	0.0 %
-7	Refused	14	0.6 %
-1	N/A	3	0.1 %
.	-	319	13.7 %
	Total	**2,327**	**100%**

Based upon 1,990 valid cases out of 2,327 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3873-3874 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACEI127: Faces Immediate Item 12

I am going to show you some pictures of faces, one at a time. Look at each face carefully and remember what it looks like. Remember each one. Now I am going to show you some more pictures of faces, one at a time. I want you to look at the face on each page carefully. Say "Yes" if the face is one that I asked you to remember or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	Not Correct	500	21.5 %
1	Correct	1490	64.0 %
	Missing Data		
-9	Missing	1	0.0 %
-7	Refused	14	0.6 %
-1	N/A	3	0.1 %
.	-	319	13.7 %
	Total	**2,327**	**100%**

Based upon 1,990 valid cases out of 2,327 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3875-3876 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACEI137: Faces Immediate Item 13

I am going to show you some pictures of faces, one at a time. Look at each face carefully and remember what it looks like. Remember each one. Now I am going to show you some more pictures of faces, one at a time. I want you to look at the face on each page carefully. Say "Yes" if the face is one that I asked you to remember or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	Not Correct	730	31.4 %
1	Correct	1260	54.1 %
	Missing Data		
-9	Missing	1	0.0 %
-7	Refused	14	0.6 %
-1	N/A	3	0.1 %
.	-	319	13.7 %
	Total	**2,327**	**100%**

Based upon 1,990 valid cases out of 2,327 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3877-3878 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACEI147: Faces Immediate Item 14

I am going to show you some pictures of faces, one at a time. Look at each face carefully and remember what it looks like. Remember each one. Now I am going to show you some more pictures of faces, one at a time. I want you to look at the face on each page carefully. Say "Yes" if the face is one that I asked you to remember or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	Not Correct	826	35.5 %
1	Correct	1164	50.0 %
	Missing Data		
-9	Missing	1	0.0 %
-7	Refused	14	0.6 %
-1	N/A	3	0.1 %
.	-	319	13.7 %
	Total	**2,327**	**100%**

Based upon 1,990 valid cases out of 2,327 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3879-3880 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACEI157: Faces Immediate Item 15

I am going to show you some pictures of faces, one at a time. Look at each face carefully and remember what it looks like. Remember each one. Now I am going to show you some more pictures of faces, one at a time. I want you to look at the face on each page carefully. Say "Yes" if the face is one that I asked you to remember or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	Not Correct	571	24.5 %
1	Correct	1418	60.9 %
	Missing Data		
-9	Missing	2	0.1 %
-7	Refused	14	0.6 %
-1	N/A	3	0.1 %
.	-	319	13.7 %
	Total	**2,327**	**100%**

Based upon 1,989 valid cases out of 2,327 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3881-3882 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACEI167: Faces Immediate Item 16

I am going to show you some pictures of faces, one at a time. Look at each face carefully and remember what it looks like. Remember each one. Now I am going to show you some more pictures of faces, one at a time. I want you to look at the face on each page carefully. Say "Yes" if the face is one that I asked you to remember or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	Not Correct	319	13.7 %
1	Correct	1670	71.8 %
	Missing Data		
-9	Missing	2	0.1 %
-7	Refused	14	0.6 %
-1	N/A	3	0.1 %
.	-	319	13.7 %
	Total	**2,327**	**100%**

Based upon 1,989 valid cases out of 2,327 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3883-3884 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACEI177: Faces Immediate Item 17

I am going to show you some pictures of faces, one at a time. Look at each face carefully and remember what it looks like. Remember each one. Now I am going to show you some more pictures of faces, one at a time. I want you to look at the face on each page carefully. Say "Yes" if the face is one that I asked you to remember or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	Not Correct	87	3.7 %
1	Correct	1902	81.7 %
	Missing Data		
-9	Missing	2	0.1 %
-7	Refused	14	0.6 %
-1	N/A	3	0.1 %
.	-	319	13.7 %
	Total	**2,327**	**100%**

Based upon 1,989 valid cases out of 2,327 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3885-3886 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACEI187: Faces Immediate Item 18

I am going to show you some pictures of faces, one at a time. Look at each face carefully and remember what it looks like. Remember each one. Now I am going to show you some more pictures of faces, one at a time. I want you to look at the face on each page carefully. Say "Yes" if the face is one that I asked you to remember or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	Not Correct	366	15.7 %
1	Correct	1623	69.7 %
	Missing Data		
-9	Missing	2	0.1 %
-7	Refused	14	0.6 %
-1	N/A	3	0.1 %
.	-	319	13.7 %
	Total	**2,327**	**100%**

Based upon 1,989 valid cases out of 2,327 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3887-3888 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACEI197: Faces Immediate Item 19

I am going to show you some pictures of faces, one at a time. Look at each face carefully and remember what it looks like. Remember each one. Now I am going to show you some more pictures of faces, one at a time. I want you to look at the face on each page carefully. Say "Yes" if the face is one that I asked you to remember or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	Not Correct	222	9.5 %
1	Correct	1767	75.9 %
	Missing Data		
-9	Missing	2	0.1 %
-7	Refused	14	0.6 %
-1	N/A	3	0.1 %
.	-	319	13.7 %
	Total	**2,327**	**100%**

Based upon 1,989 valid cases out of 2,327 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3889-3890 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACEI207: Faces Immediate Item 20

I am going to show you some pictures of faces, one at a time. Look at each face carefully and remember what it looks like. Remember each one. Now I am going to show you some more pictures of faces, one at a time. I want you to look at the face on each page carefully. Say "Yes" if the face is one that I asked you to remember or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	Not Correct	558	24.0 %
1	Correct	1431	61.5 %
	Missing Data		
-9	Missing	2	0.1 %
-7	Refused	14	0.6 %
-1	N/A	3	0.1 %
.	-	319	13.7 %
	Total	**2,327**	**100%**

Based upon 1,989 valid cases out of 2,327 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3891-3892 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACEI217: Faces Immediate Item 21

I am going to show you some pictures of faces, one at a time. Look at each face carefully and remember what it looks like. Remember each one. Now I am going to show you some more pictures of faces, one at a time. I want you to look at the face on each page carefully. Say "Yes" if the face is one that I asked you to remember or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	Not Correct	316	13.6 %
1	Correct	1673	71.9 %
	Missing Data		
-9	Missing	2	0.1 %
-7	Refused	14	0.6 %
-1	N/A	3	0.1 %
.	-	319	13.7 %
	Total	**2,327**	**100%**

Based upon 1,989 valid cases out of 2,327 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3893-3894 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACEI227: Faces Immediate Item 22

I am going to show you some pictures of faces, one at a time. Look at each face carefully and remember what it looks like. Remember each one. Now I am going to show you some more pictures of faces, one at a time. I want you to look at the face on each page carefully. Say "Yes" if the face is one that I asked you to remember or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	Not Correct	250	10.7 %
1	Correct	1739	74.7 %
	Missing Data		
-9	Missing	2	0.1 %
-7	Refused	14	0.6 %
-1	N/A	3	0.1 %
.	-	319	13.7 %
	Total	**2,327**	**100%**

Based upon 1,989 valid cases out of 2,327 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3895-3896 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACEI237: Faces Immediate Item 23

I am going to show you some pictures of faces, one at a time. Look at each face carefully and remember what it looks like. Remember each one. Now I am going to show you some more pictures of faces, one at a time. I want you to look at the face on each page carefully. Say "Yes" if the face is one that I asked you to remember or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	Not Correct	439	18.9 %
1	Correct	1550	66.6 %
	Missing Data		
-9	Missing	2	0.1 %
-7	Refused	14	0.6 %
-1	N/A	3	0.1 %
.	-	319	13.7 %
	Total	**2,327**	**100%**

Based upon 1,989 valid cases out of 2,327 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3897-3898 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACEI247: Faces Immediate Item 24

I am going to show you some pictures of faces, one at a time. Look at each face carefully and remember what it looks like. Remember each one. Now I am going to show you some more pictures of faces, one at a time. I want you to look at the face on each page carefully. Say "Yes" if the face is one that I asked you to remember or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	Not Correct	501	21.5 %
1	Correct	1488	63.9 %
	Missing Data		
-9	Missing	2	0.1 %
-7	Refused	14	0.6 %
-1	N/A	3	0.1 %
.	-	319	13.7 %
	Total	**2,327**	**100%**

Based upon 1,989 valid cases out of 2,327 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3899-3900 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACEI257: Faces Immediate Item 25

I am going to show you some pictures of faces, one at a time. Look at each face carefully and remember what it looks like. Remember each one. Now I am going to show you some more pictures of faces, one at a time. I want you to look at the face on each page carefully. Say "Yes" if the face is one that I asked you to remember or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	Not Correct	551	23.7 %
1	Correct	1438	61.8 %
	Missing Data		
-9	Missing	2	0.1 %
-7	Refused	14	0.6 %
-1	N/A	3	0.1 %
.	-	319	13.7 %
	Total	**2,327**	**100%**

Based upon 1,989 valid cases out of 2,327 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3901-3902 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACEI267: Faces Immediate Item 26

I am going to show you some pictures of faces, one at a time. Look at each face carefully and remember what it looks like. Remember each one. Now I am going to show you some more pictures of faces, one at a time. I want you to look at the face on each page carefully. Say "Yes" if the face is one that I asked you to remember or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	Not Correct	80	3.4 %
1	Correct	1909	82.0 %
	Missing Data		
-9	Missing	2	0.1 %
-7	Refused	14	0.6 %
-1	N/A	3	0.1 %
.	-	319	13.7 %
	Total	**2,327**	**100%**

Based upon 1,989 valid cases out of 2,327 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3903-3904 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACEI277: Faces Immediate Item 27

I am going to show you some pictures of faces, one at a time. Look at each face carefully and remember what it looks like. Remember each one. Now I am going to show you some more pictures of faces, one at a time. I want you to look at the face on each page carefully. Say "Yes" if the face is one that I asked you to remember or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	Not Correct	132	5.7 %
1	Correct	1857	79.8 %
	Missing Data		
-9	Missing	2	0.1 %
-7	Refused	14	0.6 %
-1	N/A	3	0.1 %
.	-	319	13.7 %
	Total	**2,327**	**100%**

Based upon 1,989 valid cases out of 2,327 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3905-3906 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACEI287: Faces Immediate Item 28

I am going to show you some pictures of faces, one at a time. Look at each face carefully and remember what it looks like. Remember each one. Now I am going to show you some more pictures of faces, one at a time. I want you to look at the face on each page carefully. Say "Yes" if the face is one that I asked you to remember or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	Not Correct	726	31.2 %
1	Correct	1263	54.3 %
	Missing Data		
-9	Missing	2	0.1 %
-7	Refused	14	0.6 %
-1	N/A	3	0.1 %
.	-	319	13.7 %
	Total	**2,327**	**100%**

Based upon 1,989 valid cases out of 2,327 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3907-3908 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACEI297: Faces Immediate Item 29

I am going to show you some pictures of faces, one at a time. Look at each face carefully and remember what it looks like. Remember each one. Now I am going to show you some more pictures of faces, one at a time. I want you to look at the face on each page carefully. Say "Yes" if the face is one that I asked you to remember or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	Not Correct	481	20.7 %
1	Correct	1508	64.8 %
	Missing Data		
-9	Missing	2	0.1 %
-7	Refused	14	0.6 %
-1	N/A	3	0.1 %
.	-	319	13.7 %
	Total	**2,327**	**100%**

Based upon 1,989 valid cases out of 2,327 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3909-3910 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACEI307: Faces Immediate Item 30

I am going to show you some pictures of faces, one at a time. Look at each face carefully and remember what it looks like. Remember each one. Now I am going to show you some more pictures of faces, one at a time. I want you to look at the face on each page carefully. Say "Yes" if the face is one that I asked you to remember or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	Not Correct	224	9.6 %
1	Correct	1765	75.8 %
	Missing Data		
-9	Missing	2	0.1 %
-7	Refused	14	0.6 %
-1	N/A	3	0.1 %
.	-	319	13.7 %
	Total	**2,327**	**100%**

Based upon 1,989 valid cases out of 2,327 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3911-3912 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACEI317: Faces Immediate Item 31

I am going to show you some pictures of faces, one at a time. Look at each face carefully and remember what it looks like. Remember each one. Now I am going to show you some more pictures of faces, one at a time. I want you to look at the face on each page carefully. Say "Yes" if the face is one that I asked you to remember or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	Not Correct	305	13.1 %
1	Correct	1684	72.4 %
	Missing Data		
-9	Missing	2	0.1 %
-7	Refused	14	0.6 %
-1	N/A	3	0.1 %
.	-	319	13.7 %
	Total	**2,327**	**100%**

Based upon 1,989 valid cases out of 2,327 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3913-3914 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACEI327: Faces Immediate Item 32

I am going to show you some pictures of faces, one at a time. Look at each face carefully and remember what it looks like. Remember each one. Now I am going to show you some more pictures of faces, one at a time. I want you to look at the face on each page carefully. Say "Yes" if the face is one that I asked you to remember or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	Not Correct	539	23.2 %
1	Correct	1450	62.3 %
	Missing Data		
-9	Missing	2	0.1 %
-7	Refused	14	0.6 %
-1	N/A	3	0.1 %
.	-	319	13.7 %
	Total	**2,327**	**100%**

Based upon 1,989 valid cases out of 2,327 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3915-3916 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACEI337: Faces Immediate Item 33

I am going to show you some pictures of faces, one at a time. Look at each face carefully and remember what it looks like. Remember each one. Now I am going to show you some more pictures of faces, one at a time. I want you to look at the face on each page carefully. Say "Yes" if the face is one that I asked you to remember or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	Not Correct	693	29.8 %
1	Correct	1296	55.7 %
	Missing Data		
-9	Missing	2	0.1 %
-7	Refused	14	0.6 %
-1	N/A	3	0.1 %
.	-	319	13.7 %
	Total	**2,327**	**100%**

Based upon 1,989 valid cases out of 2,327 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3917-3918 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACEI347: Faces Immediate Item 34

I am going to show you some pictures of faces, one at a time. Look at each face carefully and remember what it looks like. Remember each one. Now I am going to show you some more pictures of faces, one at a time. I want you to look at the face on each page carefully. Say "Yes" if the face is one that I asked you to remember or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	Not Correct	321	13.8 %
1	Correct	1667	71.6 %
	Missing Data		
-9	Missing	2	0.1 %
-7	Refused	15	0.6 %
-1	N/A	3	0.1 %
.	-	319	13.7 %
	Total	**2,327**	**100%**

Based upon 1,988 valid cases out of 2,327 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3919-3920 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACEI357: Faces Immediate Item 35

I am going to show you some pictures of faces, one at a time. Look at each face carefully and remember what it looks like. Remember each one. Now I am going to show you some more pictures of faces, one at a time. I want you to look at the face on each page carefully. Say "Yes" if the face is one that I asked you to remember or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	Not Correct	387	16.6 %
1	Correct	1601	68.8 %
	Missing Data		
-9	Missing	2	0.1 %
-7	Refused	15	0.6 %
-1	N/A	3	0.1 %
.	-	319	13.7 %
	Total	**2,327**	**100%**

Based upon 1,988 valid cases out of 2,327 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3921-3922 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACEI367: Faces Immediate Item 36

I am going to show you some pictures of faces, one at a time. Look at each face carefully and remember what it looks like. Remember each one. Now I am going to show you some more pictures of faces, one at a time. I want you to look at the face on each page carefully. Say "Yes" if the face is one that I asked you to remember or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	Not Correct	417	17.9 %
1	Correct	1571	67.5 %
	Missing Data		
-9	Missing	2	0.1 %
-7	Refused	15	0.6 %
-1	N/A	3	0.1 %
.	-	319	13.7 %
	Total	**2,327**	**100%**

Based upon 1,988 valid cases out of 2,327 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3923-3924 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACEI377: Faces Immediate Item 37

I am going to show you some pictures of faces, one at a time. Look at each face carefully and remember what it looks like. Remember each one. Now I am going to show you some more pictures of faces, one at a time. I want you to look at the face on each page carefully. Say "Yes" if the face is one that I asked you to remember or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	Not Correct	608	26.1 %
1	Correct	1380	59.3 %
	Missing Data		
-9	Missing	2	0.1 %
-7	Refused	15	0.6 %
-1	N/A	3	0.1 %
.	-	319	13.7 %
	Total	**2,327**	**100%**

Based upon 1,988 valid cases out of 2,327 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3925-3926 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACEI387: Faces Immediate Item 38

I am going to show you some pictures of faces, one at a time. Look at each face carefully and remember what it looks like. Remember each one. Now I am going to show you some more pictures of faces, one at a time. I want you to look at the face on each page carefully. Say "Yes" if the face is one that I asked you to remember or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	Not Correct	249	10.7 %
1	Correct	1739	74.7 %
	Missing Data		
-9	Missing	2	0.1 %
-7	Refused	15	0.6 %
-1	N/A	3	0.1 %
.	-	319	13.7 %
	Total	**2,327**	**100%**

Based upon 1,988 valid cases out of 2,327 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3927-3928 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACEI397: Faces Immediate Item 39

I am going to show you some pictures of faces, one at a time. Look at each face carefully and remember what it looks like. Remember each one. Now I am going to show you some more pictures of faces, one at a time. I want you to look at the face on each page carefully. Say "Yes" if the face is one that I asked you to remember or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	Not Correct	144	6.2 %
1	Correct	1844	79.2 %
	Missing Data		
-9	Missing	2	0.1 %
-7	Refused	15	0.6 %
-1	N/A	3	0.1 %
.	-	319	13.7 %
	Total	**2,327**	**100%**

Based upon 1,988 valid cases out of 2,327 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3929-3930 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACEI407: Faces Immediate Item 40

I am going to show you some pictures of faces, one at a time. Look at each face carefully and remember what it looks like. Remember each one. Now I am going to show you some more pictures of faces, one at a time. I want you to look at the face on each page carefully. Say "Yes" if the face is one that I asked you to remember or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	Not Correct	721	31.0 %
1	Correct	1267	54.4 %
	Missing Data		
-9	Missing	2	0.1 %
-7	Refused	15	0.6 %
-1	N/A	3	0.1 %
.	-	319	13.7 %
	Total	**2,327**	**100%**

Based upon 1,988 valid cases out of 2,327 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3931-3932 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACEI417: Faces Immediate Item 41

I am going to show you some pictures of faces, one at a time. Look at each face carefully and remember what it looks like. Remember each one. Now I am going to show you some more pictures of faces, one at a time. I want you to look at the face on each page carefully. Say "Yes" if the face is one that I asked you to remember or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	Not Correct	232	10.0 %
1	Correct	1756	75.5 %
	Missing Data		
-9	Missing	2	0.1 %
-7	Refused	15	0.6 %
-1	N/A	3	0.1 %
.	-	319	13.7 %
	Total	**2,327**	**100%**

Based upon 1,988 valid cases out of 2,327 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3933-3934 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACEI427: Faces Immediate Item 42

I am going to show you some pictures of faces, one at a time. Look at each face carefully and remember what it looks like. Remember each one. Now I am going to show you some more pictures of faces, one at a time. I want you to look at the face on each page carefully. Say "Yes" if the face is one that I asked you to remember or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	Not Correct	317	13.6 %
1	Correct	1671	71.8 %
	Missing Data		
-9	Missing	2	0.1 %
-7	Refused	15	0.6 %
-1	N/A	3	0.1 %
.	-	319	13.7 %
	Total	**2,327**	**100%**

Based upon 1,988 valid cases out of 2,327 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3935-3936 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACEI437: Faces Immediate Item 43

I am going to show you some pictures of faces, one at a time. Look at each face carefully and remember what it looks like. Remember each one. Now I am going to show you some more pictures of faces, one at a time. I want you to look at the face on each page carefully. Say "Yes" if the face is one that I asked you to remember or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	Not Correct	76	3.3 %
1	Correct	1912	82.2 %
	Missing Data		
-9	Missing	2	0.1 %
-7	Refused	15	0.6 %
-1	N/A	3	0.1 %
.	-	319	13.7 %
	Total	**2,327**	**100%**

Based upon 1,988 valid cases out of 2,327 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3937-3938 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACEI447: Faces Immediate Item 44

I am going to show you some pictures of faces, one at a time. Look at each face carefully and remember what it looks like. Remember each one. Now I am going to show you some more pictures of faces, one at a time. I want you to look at the face on each page carefully. Say "Yes" if the face is one that I asked you to remember or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	Not Correct	295	12.7 %
1	Correct	1693	72.8 %
	Missing Data		
-9	Missing	2	0.1 %
-7	Refused	15	0.6 %
-1	N/A	3	0.1 %
.	-	319	13.7 %
	Total	**2,327**	**100%**

Based upon 1,988 valid cases out of 2,327 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3939-3940 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACEI457: Faces Immediate Item 45

I am going to show you some pictures of faces, one at a time. Look at each face carefully and remember what it looks like. Remember each one. Now I am going to show you some more pictures of faces, one at a time. I want you to look at the face on each page carefully. Say "Yes" if the face is one that I asked you to remember or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	Not Correct	293	12.6 %
1	Correct	1695	72.8 %
	Missing Data		
-9	Missing	2	0.1 %
-7	Refused	15	0.6 %
-1	N/A	3	0.1 %
.	-	319	13.7 %
	Total	**2,327**	**100%**

Based upon 1,988 valid cases out of 2,327 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3941-3942 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACEI467: Faces Immediate Item 46

I am going to show you some pictures of faces, one at a time. Look at each face carefully and remember what it looks like. Remember each one. Now I am going to show you some more pictures of faces, one at a time. I want you to look at the face on each page carefully. Say "Yes" if the face is one that I asked you to remember or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	Not Correct	287	12.3 %
1	Correct	1701	73.1 %
	Missing Data		
-9	Missing	2	0.1 %
-7	Refused	15	0.6 %
-1	N/A	3	0.1 %
.	-	319	13.7 %
	Total	**2,327**	**100%**

Based upon 1,988 valid cases out of 2,327 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3943-3944 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACEI477: Faces Immediate Item 47

I am going to show you some pictures of faces, one at a time. Look at each face carefully and remember what it looks like. Remember each one. Now I am going to show you some more pictures of faces, one at a time. I want you to look at the face on each page carefully. Say "Yes" if the face is one that I asked you to remember or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	Not Correct	614	26.4 %
1	Correct	1374	59.0 %
	Missing Data		
-9	Missing	2	0.1 %
-7	Refused	15	0.6 %
-1	N/A	3	0.1 %
.	-	319	13.7 %
	Total	**2,327**	**100%**

Based upon 1,988 valid cases out of 2,327 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3945-3946 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACEI487: Faces Immediate Item 48

I am going to show you some pictures of faces, one at a time. Look at each face carefully and remember what it looks like. Remember each one. Now I am going to show you some more pictures of faces, one at a time. I want you to look at the face on each page carefully. Say "Yes" if the face is one that I asked you to remember or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	Not Correct	583	25.1 %
1	Correct	1405	60.4 %
	Missing Data		
-9	Missing	2	0.1 %
-7	Refused	15	0.6 %
-1	N/A	3	0.1 %
.	-	319	13.7 %
	Total	**2,327**	**100%**

Based upon 1,988 valid cases out of 2,327 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3947-3948 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACEIMD7: Faces Total Score: Immediate

Faces Total Score: Immediate

Value	Label	Unweighted Frequency	%
16	-	1	0.0 %
18	-	1	0.0 %
20	-	1	0.0 %
21	-	1	0.0 %
22	-	4	0.2 %
23	-	4	0.2 %
24	-	3	0.1 %
25	-	9	0.4 %
26	-	7	0.3 %
27	-	17	0.7 %
28	-	24	1.0 %
29	-	18	0.8 %
30	-	50	2.1 %
31	-	49	2.1 %
32	-	71	3.1 %
33	-	99	4.3 %
34	-	86	3.7 %
35	-	124	5.3 %
36	-	142	6.1 %
37	-	173	7.4 %
38	-	161	6.9 %
39	-	152	6.5 %

Value	Label	Unweighted Frequency	%
40	-	162	7.0 %
41	-	167	7.2 %
42	-	142	6.1 %
43	-	109	4.7 %
44	-	95	4.1 %
45	-	58	2.5 %
46	-	37	1.6 %
47	-	17	0.7 %
48	-	4	0.2 %
	Missing Data		
.	-	339	14.6 %
	Total	**2,327**	**100%**

Based upon 1,988 valid cases out of 2,327 total cases.

- Mean: 37.84
- Median: 38.00
- Mode: 37.00
- Minimum: 16.00
- Maximum: 48.00
- Standard Deviation: 4.70

Location: 3949-3950 (width: 2; decimal: 0)
Variable Type: numeric

SDMTSTA7: SDMT: Administration Status

SDMT: Administration Status

Value	Label	Unweighted Frequency	%
1	Test administered	1995	85.7 %
6	Not admin bec of physical impairment	2	0.1 %
7	Not admin bec of verbal refusal	5	0.2 %
8	Not admin bec of behavioral reason	0	0.0 %
9	Not admin bec of other reason	2	0.1 %
10	Administered but not according to protocol	4	0.2 %
	Missing Data		
.	-	319	13.7 %
	Total	**2,327**	**100%**

Based upon 2,008 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 10.00

Location: 3951-3952 (width: 2; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SDMTADM7: SDMT: # of Test Administrations

SDMT: # of Test Administrations

Value	Label	Unweighted Frequency	%
1	-	1993	85.6 %
2	-	5	0.2 %
3	-	1	0.0 %
	Missing Data		
.	-	328	14.1 %
	Total	**2,327**	**100%**

Based upon 1,999 valid cases out of 2,327 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.07

Location: 3953-3953 (width: 1; decimal: 0)
Variable Type: numeric

SDMTPRA7: SDMT: # of Practice Items Correct

SDMT: # of Practice Items Correct

Value	Label	Unweighted Frequency	%
0	-	1	0.0 %
1	-	3	0.1 %
2	-	2	0.1 %
3	-	2	0.1 %
4	-	1	0.0 %
5	-	7	0.3 %
6	-	64	2.8 %
7	-	1918	82.4 %
	Missing Data		
.	-	329	14.1 %
	Total	**2,327**	**100%**

Based upon 1,998 valid cases out of 2,327 total cases.

- Mean: 6.94
- Median: 7.00
- Mode: 7.00
- Minimum: 0.00
- Maximum: 7.00

- Standard Deviation: 0.41

Location: 3954-3954 (width: 1; decimal: 0)
Variable Type: numeric

SDMTATM7: SDMT: # of Test Items Attempted

SDMT: # of Test Items Attempted

Value	Label	Unweighted Frequency	%
8	-	1	0.0 %
20	-	1	0.0 %
23	-	1	0.0 %
24	-	1	0.0 %
25	-	2	0.1 %
26	-	3	0.1 %
28	-	1	0.0 %
29	-	1	0.0 %
30	-	2	0.1 %
31	-	2	0.1 %
32	-	5	0.2 %
33	-	5	0.2 %
34	-	3	0.1 %
35	-	7	0.3 %
36	-	9	0.4 %
37	-	7	0.3 %
38	-	13	0.6 %
39	-	9	0.4 %
40	-	4	0.2 %
41	-	10	0.4 %
42	-	9	0.4 %
43	-	22	0.9 %
44	-	12	0.5 %
45	-	14	0.6 %
46	-	31	1.3 %
47	-	37	1.6 %
48	-	28	1.2 %
49	-	37	1.6 %
50	-	94	4.0 %
51	-	80	3.4 %
52	-	58	2.5 %
53	-	77	3.3 %
54	-	51	2.2 %
55	-	74	3.2 %
56	-	75	3.2 %

Value	Label	Unweighted Frequency	%
57	-	103	4.4 %
58	-	89	3.8 %
59	-	86	3.7 %
60	-	77	3.3 %
61	-	83	3.6 %
62	-	60	2.6 %
63	-	88	3.8 %
64	-	39	1.7 %
65	-	118	5.1 %
66	-	70	3.0 %
67	-	54	2.3 %
68	-	52	2.2 %
69	-	64	2.8 %
70	-	32	1.4 %
71	-	29	1.2 %
	Missing Data		
.	-	328	14.1 %
	Total	**2,327**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,999 valid cases out of 2,327 total cases.

- Mean: 58.78
- Median: 59.00
- Mode: 65.00
- Minimum: 8.00
- Maximum: 96.00
- Standard Deviation: 9.96

Location: 3955-3956 (width: 2; decimal: 0)
Variable Type: numeric

SDMTCOR7: SDMT: # of Test Items Correct

SDMT: # of Test Items Correct

Value	Label	Unweighted Frequency	%
1	-	1	0.0 %
6	-	1	0.0 %
7	-	1	0.0 %
13	-	1	0.0 %
17	-	1	0.0 %
19	-	1	0.0 %
20	-	2	0.1 %

Value	Label	Unweighted Frequency	%
21	-	1	0.0 %
22	-	2	0.1 %
23	-	6	0.3 %
24	-	2	0.1 %
25	-	2	0.1 %
26	-	1	0.0 %
27	-	1	0.0 %
28	-	3	0.1 %
29	-	2	0.1 %
30	-	3	0.1 %
31	-	4	0.2 %
32	-	6	0.3 %
33	-	10	0.4 %
34	-	6	0.3 %
35	-	9	0.4 %
36	-	17	0.7 %
37	-	4	0.2 %
38	-	11	0.5 %
39	-	9	0.4 %
40	-	8	0.3 %
41	-	17	0.7 %
42	-	14	0.6 %
43	-	17	0.7 %
44	-	20	0.9 %
45	-	26	1.1 %
46	-	29	1.2 %
47	-	48	2.1 %
48	-	32	1.4 %
49	-	57	2.4 %
50	-	84	3.6 %
51	-	70	3.0 %
52	-	58	2.5 %
53	-	69	3.0 %
54	-	56	2.4 %
55	-	72	3.1 %
56	-	67	2.9 %
57	-	105	4.5 %
58	-	87	3.7 %
59	-	79	3.4 %
60	-	77	3.3 %
61	-	75	3.2 %
62	-	54	2.3 %

Value	Label	Unweighted Frequency	%
63	-	88	3.8 %
	Missing Data		
.	-	328	14.1 %
	Total	**2,327**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,999 valid cases out of 2,327 total cases.

- Mean: 57.63
- Median: 58.00
- Mode: 57.00
- Minimum: 1.00
- Maximum: 96.00
- Standard Deviation: 10.84

Location: 3957-3958 (width: 2; decimal: 0)
Variable Type: numeric

DIGIT1A7: DIGITS BACKWARD: Item 1A

I am going to say some numbers. When I stop, I want you to say them backwards. Ready? 5 - 1

Value	Label	Unweighted Frequency	%
0	Error	2	0.1 %
1	Correct	1990	85.5 %
6	Not admin bec of physical impairment	0	0.0 %
7	Not admin bec of verbal refusal	14	0.6 %
8	Not admin bec of behavioral reason	0	0.0 %
9	Not admin bec of other reason	1	0.0 %
10	Administered but not according to protocol	1	0.0 %
	Missing Data		
.	-	319	13.7 %
	Total	**2,327**	**100%**

Based upon 2,008 valid cases out of 2,327 total cases.

- Minimum: 0.00
- Maximum: 10.00

Location: 3959-3960 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIGIT1B7: DIGITS BACKWARD: Item 1B

I am going to say some numbers. When I stop, I want you to say them backwards. Here is another: 3 - 8

Value	Label	Unweighted Frequency	%
0	Error	3	0.1 %
1	Correct	1990	85.5 %
6	Not admin bec of physical impairment	0	0.0 %
7	Not admin bec of verbal refusal	14	0.6 %
8	Not admin bec of behavioral reason	0	0.0 %
9	Not admin bec of other reason	1	0.0 %
10	Administered but not according to protocol	0	0.0 %
	Missing Data		
.	-	319	13.7 %
	Total	**2,327**	**100%**

Based upon 2,008 valid cases out of 2,327 total cases.

- Minimum: 0.00
- Maximum: 9.00

Location: 3961-3962 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIGIT2A7: DIGITS BACKWARD: Item 2A

I am going to say some numbers. When I stop, I want you to say them backwards. Here is another: 4 - 9 - 3

Value	Label	Unweighted Frequency	%
0	Error	105	4.5 %
1	Correct	1884	81.0 %
6	Not admin bec of physical impairment	0	0.0 %
7	Not admin bec of verbal refusal	15	0.6 %
8	Not admin bec of behavioral reason	0	0.0 %
9	Not admin bec of other reason	1	0.0 %
10	Administered but not according to protocol	3	0.1 %
	Missing Data		
.	-	319	13.7 %
	Total	**2,327**	**100%**

Based upon 2,008 valid cases out of 2,327 total cases.

- Minimum: 0.00
- Maximum: 10.00

Location: 3963-3964 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIGIT2B7: DIGITS BACKWARD: Item 2B

I am going to say some numbers. When I stop, I want you to say them backwards. Here is another: 5 - 2 - 6

Value	Label	Unweighted Frequency	%
0	Error	250	10.7 %
1	Correct	1741	74.8 %
6	Not admin bec of physical impairment	0	0.0 %
7	Not admin bec of verbal refusal	15	0.6 %
8	Not admin bec of behavioral reason	0	0.0 %
9	Not admin bec of other reason	1	0.0 %
10	Administered but not according to protocol	1	0.0 %
	Missing Data		
.	-	319	13.7 %
	Total	**2,327**	**100%**

Based upon 2,008 valid cases out of 2,327 total cases.

- Minimum: 0.00
- Maximum: 10.00

Location: 3965-3966 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIGIT3A7: DIGITS BACKWARD: Item 3A

I am going to say some numbers. When I stop, I want you to say them backwards. Here is another: 3 - 8 - 1 - 4

Value	Label	Unweighted Frequency	%
0	Error	378	16.2 %
1	Correct	1583	68.0 %
6	Not admin bec of physical impairment	0	0.0 %
7	Not admin bec of verbal refusal	16	0.7 %
8	Not admin bec of behavioral reason	0	0.0 %
9	Not admin bec of other reason	1	0.0 %
10	Administered but not according to protocol	0	0.0 %
	Missing Data		
.	-	349	15.0 %
	Total	**2,327**	**100%**

Based upon 1,978 valid cases out of 2,327 total cases.

- Minimum: 0.00
- Maximum: 9.00

Location: 3967-3968 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIGIT3B7: DIGITS BACKWARD: Item 3B

I am going to say some numbers. When I stop, I want you to say them backwards. Here is another: 1 - 7 - 9 - 5

Value	Label	Unweighted Frequency	%
0	Error	448	19.3 %
1	Correct	1507	64.8 %
6	Not admin bec of physical impairment	0	0.0 %
7	Not admin bec of verbal refusal	18	0.8 %
8	Not admin bec of behavioral reason	1	0.0 %
9	Not admin bec of other reason	2	0.1 %
10	Administered but not according to protocol	2	0.1 %
	Missing Data		
.	-	349	15.0 %
	Total	**2,327**	**100%**

Based upon 1,978 valid cases out of 2,327 total cases.

- Minimum: 0.00
- Maximum: 10.00

Location: 3969-3970 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIGIT4A7: DIGITS BACKWARD: Item 4A

I am going to say some numbers. When I stop, I want you to say them backwards. Here is another: 6 - 2 - 9 - 7 - 2

Value	Label	Unweighted Frequency	%
0	Error	1107	47.6 %
1	Correct	690	29.7 %
6	Not admin bec of physical impairment	0	0.0 %
7	Not admin bec of verbal refusal	25	1.1 %
8	Not admin bec of behavioral reason	0	0.0 %
9	Not admin bec of other reason	2	0.1 %
10	Administered but not according to protocol	0	0.0 %
	Missing Data		
.	-	503	21.6 %
	Total	**2,327**	**100%**

Based upon 1,824 valid cases out of 2,327 total cases.

- Minimum: 0.00
- Maximum: 9.00

Location: 3971-3972 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIGIT4B7: DIGITS BACKWARD: Item 4B

I am going to say some numbers. When I stop, I want you to say them backwards. Here is another: 4 - 8 - 5 - 2 - 7

Value	Label	Unweighted Frequency	%
0	Error	858	36.9 %
1	Correct	931	40.0 %
6	Not admin bec of physical impairment	0	0.0 %
7	Not admin bec of verbal refusal	30	1.3 %
8	Not admin bec of behavioral reason	0	0.0 %
9	Not admin bec of other reason	3	0.1 %
10	Administered but not according to protocol	1	0.0 %
	Missing Data		
.	-	504	21.7 %
	Total	**2,327**	**100%**

Based upon 1,823 valid cases out of 2,327 total cases.

- Minimum: 0.00
- Maximum: 10.00

Location: 3973-3974 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIGIT5A7: DIGITS BACKWARD: Item 5A

I am going to say some numbers. When I stop, I want you to say them backwards. Here is another: 7 - 1 - 5 - 2 - 8 - 6

Value	Label	Unweighted Frequency	%
0	Error	656	28.2 %
1	Correct	449	19.3 %
6	Not admin bec of physical impairment	0	0.0 %
7	Not admin bec of verbal refusal	34	1.5 %
8	Not admin bec of behavioral reason	0	0.0 %
9	Not admin bec of other reason	3	0.1 %
10	Administered but not according to protocol	0	0.0 %
	Missing Data		
.	-	1185	50.9 %
	Total	**2,327**	**100%**

Based upon 1,142 valid cases out of 2,327 total cases.

- Minimum: 0.00
- Maximum: 9.00

Location: 3975-3976 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIGIT5B7: DIGITS BACKWARD: Item 5B

I am going to say some numbers. When I stop, I want you to say them backwards. Here is another: 8 - 3 - 1 - 9 - 6 - 4

Value	Label	Unweighted Frequency	%
0	Error	658	28.3 %
1	Correct	440	18.9 %
6	Not admin bec of physical impairment	0	0.0 %
7	Not admin bec of verbal refusal	39	1.7 %
8	Not admin bec of behavioral reason	0	0.0 %
9	Not admin bec of other reason	5	0.2 %
10	Administered but not according to protocol	0	0.0 %
	Missing Data		
.	-	1185	50.9 %
	Total	**2,327**	**100%**

Based upon 1,142 valid cases out of 2,327 total cases.

- Minimum: 0.00
- Maximum: 9.00

Location: 3977-3978 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIGIT6A7: DIGITS BACKWARD: Item 6A

I am going to say some numbers. When I stop, I want you to say them backwards. Here is another: 4 - 7 - 3 - 9 - 1 - 2 - 8

Value	Label	Unweighted Frequency	%
0	Error	369	15.9 %
1	Correct	253	10.9 %
6	Not admin bec of physical impairment	0	0.0 %
7	Not admin bec of verbal refusal	40	1.7 %
8	Not admin bec of behavioral reason	0	0.0 %
9	Not admin bec of other reason	5	0.2 %
10	Administered but not according to protocol	0	0.0 %
	Missing Data		
.	-	1660	71.3 %
	Total	**2,327**	**100%**

Based upon 667 valid cases out of 2,327 total cases.

- Minimum: 0.00
- Maximum: 9.00

Location: 3979-3980 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIGIT6B7: DIGITS BACKWARD: Item 6B

I am going to say some numbers. When I stop, I want you to say them backwards. Here is another: 8 - 1 - 2 - 9 - 3 - 6 - 3

Value	Label	Unweighted Frequency	%
0	Error	403	17.3 %
1	Correct	214	9.2 %
6	Not admin bec of physical impairment	0	0.0 %
7	Not admin bec of verbal refusal	43	1.8 %
8	Not admin bec of behavioral reason	0	0.0 %
9	Not admin bec of other reason	5	0.2 %
10	Administered but not according to protocol	1	0.0 %
	Missing Data		
.	-	1661	71.4 %
	Total	**2,327**	**100%**

Based upon 666 valid cases out of 2,327 total cases.

- Minimum: 0.00
- Maximum: 10.00

Location: 3981-3982 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIGTOT7: DIGITS BACKWARD TOTAL SCORE

DIGITS BACKWARD TOTAL SCORE

Value	Label	Unweighted Frequency	%
2	-	31	1.3 %
3	-	58	2.5 %
4	-	173	7.4 %
5	-	304	13.1 %
6	-	424	18.2 %
7	-	275	11.8 %
8	-	216	9.3 %
9	-	152	6.5 %
10	-	138	5.9 %
11	-	126	5.4 %
12	-	56	2.4 %
	Missing Data		
.	-	374	16.1 %
	Total	**2,327**	**100%**

Based upon 1,953 valid cases out of 2,327 total cases.

- Mean: 6.89
- Median: 6.00
- Mode: 6.00
- Minimum: 2.00

- Maximum: 12.00
- Standard Deviation: 2.30

Location: 3983-3984 (width: 2; decimal: 0)
Variable Type: numeric

DLAYTHR7: EBMT Delayed Recall: Three

Please recall the short story I read a few moments ago and tell me as much as you can remember of the story now. Is the following idea present: Three

Value	Label	Unweighted Frequency	%
0	Absent	80	3.4 %
1	Present	1926	82.8 %
	Missing Data		
.	-	321	13.8 %
	Total	**2,327**	**100%**

Based upon 2,006 valid cases out of 2,327 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3985-3986 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DLAYCH17: EBMT Delayed Recall: Children (1)

Please recall the short story I read a few moments ago and tell me as much as you can remember of the story now. Is the following idea present: Children

Value	Label	Unweighted Frequency	%
0	Absent	33	1.4 %
1	Present	1973	84.8 %
	Missing Data		
.	-	321	13.8 %
	Total	**2,327**	**100%**

Based upon 2,006 valid cases out of 2,327 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3987-3988 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DLAYHOU7: EBMT Delayed Recall: House

Please recall the short story I read a few moments ago and tell me as much as you can remember of the story now. Is the following idea present: House

Value	Label	Unweighted Frequency	%
0	Absent	269	11.6 %
1	Present	1737	74.6 %
	Missing Data		
.	-	321	13.8 %
	Total	**2,327**	**100%**

Based upon 2,006 valid cases out of 2,327 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3989-3990 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DLAYFIR7: EBMT Delayed Recall: On Fire

Please recall the short story I read a few moments ago and tell me as much as you can remember of the story now. Is the following idea present: On Fire

Value	Label	Unweighted Frequency	%
0	Absent	121	5.2 %
1	Present	1885	81.0 %
	Missing Data		
.	-	321	13.8 %
	Total	**2,327**	**100%**

Based upon 2,006 valid cases out of 2,327 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3991-3992 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DLAYFMN7: EBMT Delayed Recall: Fireman

Please recall the short story I read a few moments ago and tell me as much as you can remember of the story now. Is the following idea present: Fireman

Value	Label	Unweighted Frequency	%
0	Absent	46	2.0 %
1	Present	1960	84.2 %
	Missing Data		
.	-	321	13.8 %
	Total	**2,327**	**100%**

Based upon 2,006 valid cases out of 2,327 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3993-3994 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DLAYCLM7: EBMT Delayed Recall: Climb In

Please recall the short story I read a few moments ago and tell me as much as you can remember of the story now. Is the following idea present: Climb In

Value	Label	Unweighted Frequency	%
0	Absent	385	16.5 %
1	Present	1621	69.7 %
	Missing Data		
.	-	321	13.8 %
	Total	**2,327**	**100%**

Based upon 2,006 valid cases out of 2,327 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3995-3996 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DLAYCH27: EBMT Delayed Recall: Children (2)

Please recall the short story I read a few moments ago and tell me as much as you can remember of the story now. Is the following idea present: Children

Value	Label	Unweighted Frequency	%
0	Absent	163	7.0 %
1	Present	1843	79.2 %
	Missing Data		
.	-	321	13.8 %
	Total	**2,327**	**100%**

Based upon 2,006 valid cases out of 2,327 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3997-3998 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DLAYRES7: EBMT Delayed Recall: Rescued

Please recall the short story I read a few moments ago and tell me as much as you can remember of the story now. Is the following idea present: Rescued

Value	Label	Unweighted Frequency	%
0	Absent	139	6.0 %
1	Present	1867	80.2 %
	Missing Data		
.	-	321	13.8 %
	Total	**2,327**	**100%**

Based upon 2,006 valid cases out of 2,327 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3999-4000 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DLAYMIN7: EBMT Delayed Recall: Minor

Please recall the short story I read a few moments ago and tell me as much as you can remember of the story now. Is the following idea present: Minor

Value	Label	Unweighted Frequency	%
0	Absent	393	16.9 %
1	Present	1613	69.3 %
	Missing Data		
.	-	321	13.8 %
	Total	**2,327**	**100%**

Based upon 2,006 valid cases out of 2,327 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 4001-4002 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DLAYINJ7: EBMT Delayed Recall: Injuries

Please recall the short story I read a few moments ago and tell me as much as you can remember of the story now. Is the following idea present: Injuries

Value	Label	Unweighted Frequency	%
0	Absent	358	15.4 %
1	Present	1648	70.8 %
	Missing Data		
.	-	321	13.8 %

Value	Label	Unweighted Frequency	%
	Total	**2,327**	**100%**

Based upon 2,006 valid cases out of 2,327 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 4003-4004 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DLAYEVR7: EBMT Delayed Recall: Everyone

Please recall the short story I read a few moments ago and tell me as much as you can remember of the story now. Is the following idea present: Everyone

Value	Label	Unweighted Frequency	%
0	Absent	853	36.7 %
1	Present	1153	49.5 %
	Missing Data		
.	-	321	13.8 %
	Total	**2,327**	**100%**

Based upon 2,006 valid cases out of 2,327 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 4005-4006 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DLAYWEL7: EBMT Delayed Recall: Well

Please recall the short story I read a few moments ago and tell me as much as you can remember of the story now. Is the following idea present: Well

Value	Label	Unweighted Frequency	%
0	Absent	764	32.8 %
1	Present	1242	53.4 %
	Missing Data		
.	-	321	13.8 %
	Total	**2,327**	**100%**

Based upon 2,006 valid cases out of 2,327 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 4007-4008 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

TOTIDE27: EBMT Delayed Recall: Total Ideas

Total ideas present

Value	Label	Unweighted Frequency	%
0	-	1	0.0 %
2	-	1	0.0 %
3	-	1	0.0 %
4	-	10	0.4 %
5	-	17	0.7 %
6	-	33	1.4 %
7	-	86	3.7 %
8	-	185	8.0 %
9	-	229	9.8 %
10	-	510	21.9 %
11	-	299	12.8 %
12	-	634	27.2 %
	Missing Data		
.	-	321	13.8 %
	Total	**2,327**	**100%**

Based upon 2,006 valid cases out of 2,327 total cases.

- Mean: 10.20
- Median: 10.00
- Mode: 12.00
- Minimum: 0.00
- Maximum: 12.00
- Standard Deviation: 1.73

Location: 4009-4010 (width: 2; decimal: 0)
Variable Type: numeric

FACED17: Faces Delayed Item 1

Now I'm going to show you some more pictures of faces. I want you to look at each face carefully. Say "Yes" if the face is one I asked you to remember earlier or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	Not Correct	878	37.7 %
1	Correct	1108	47.6 %
	Missing Data		
-9	Missing	2	0.1 %
-7	Refused	17	0.7 %
-1	N/A	3	0.1 %

Value	Label	Unweighted Frequency	%
.	-	319	13.7 %
	Total	**2,327**	**100%**

Based upon 1,986 valid cases out of 2,327 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 4011-4012 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACED27: Faces Delayed Item 2

Now I'm going to show you some more pictures of faces. I want you to look at each face carefully. Say "Yes" if the face is one I asked you to remember earlier or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	Not Correct	361	15.5 %
1	Correct	1626	69.9 %
	Missing Data		
-9	Missing	2	0.1 %
-7	Refused	16	0.7 %
-1	N/A	3	0.1 %
.	-	319	13.7 %
	Total	**2,327**	**100%**

Based upon 1,987 valid cases out of 2,327 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 4013-4014 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACED37: Faces Delayed Item 3

Now I'm going to show you some more pictures of faces. I want you to look at each face carefully. Say "Yes" if the face is one I asked you to remember earlier or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	Not Correct	465	20.0 %
1	Correct	1521	65.4 %
	Missing Data		
-9	Missing	2	0.1 %
-7	Refused	17	0.7 %
-1	N/A	3	0.1 %

Value	Label	Unweighted Frequency	%
.	-	319	13.7 %
	Total	**2,327**	**100%**

Based upon 1,986 valid cases out of 2,327 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 4015-4016 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACED47: Faces Delayed Item 4

Now I'm going to show you some more pictures of faces. I want you to look at each face carefully. Say "Yes" if the face is one I asked you to remember earlier or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	Not Correct	892	38.3 %
1	Correct	1095	47.1 %
	Missing Data		
-9	Missing	2	0.1 %
-7	Refused	16	0.7 %
-1	N/A	3	0.1 %
.	-	319	13.7 %
	Total	**2,327**	**100%**

Based upon 1,987 valid cases out of 2,327 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 4017-4018 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACED57: Faces Delayed Item 5

Now I'm going to show you some more pictures of faces. I want you to look at each face carefully. Say "Yes" if the face is one I asked you to remember earlier or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	Not Correct	168	7.2 %
1	Correct	1818	78.1 %
	Missing Data		
-9	Missing	2	0.1 %
-7	Refused	17	0.7 %
-1	N/A	3	0.1 %

Value	Label	Unweighted Frequency	%
.	-	319	13.7 %
	Total	**2,327**	**100%**

Based upon 1,986 valid cases out of 2,327 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 4019-4020 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACED67: Faces Delayed Item 6

Now I'm going to show you some more pictures of faces. I want you to look at each face carefully. Say "Yes" if the face is one I asked you to remember earlier or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	Not Correct	328	14.1 %
1	Correct	1657	71.2 %
	Missing Data		
-9	Missing	2	0.1 %
-7	Refused	18	0.8 %
-1	N/A	3	0.1 %
.	-	319	13.7 %
	Total	**2,327**	**100%**

Based upon 1,985 valid cases out of 2,327 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 4021-4022 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACED77: Faces Delayed Item 7

Now I'm going to show you some more pictures of faces. I want you to look at each face carefully. Say "Yes" if the face is one I asked you to remember earlier or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	Not Correct	268	11.5 %
1	Correct	1718	73.8 %
	Missing Data		
-9	Missing	2	0.1 %
-7	Refused	17	0.7 %
-1	N/A	3	0.1 %

Value	Label	Unweighted Frequency	%
.	-	319	13.7 %
	Total	**2,327**	**100%**

Based upon 1,986 valid cases out of 2,327 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 4023-4024 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACED87: Faces Delayed Item 8

Now I'm going to show you some more pictures of faces. I want you to look at each face carefully. Say "Yes" if the face is one I asked you to remember earlier or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	Not Correct	351	15.1 %
1	Correct	1634	70.2 %
	Missing Data		
-9	Missing	2	0.1 %
-7	Refused	18	0.8 %
-1	N/A	3	0.1 %
.	-	319	13.7 %
	Total	**2,327**	**100%**

Based upon 1,985 valid cases out of 2,327 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 4025-4026 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACED97: Faces Delayed Item 9

Now I'm going to show you some more pictures of faces. I want you to look at each face carefully. Say "Yes" if the face is one I asked you to remember earlier or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	Not Correct	98	4.2 %
1	Correct	1888	81.1 %
	Missing Data		
-9	Missing	2	0.1 %
-7	Refused	17	0.7 %
-1	N/A	3	0.1 %

Value	Label	Unweighted Frequency	%
.	-	319	13.7 %
	Total	**2,327**	**100%**

Based upon 1,986 valid cases out of 2,327 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 4027-4028 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACED107: Faces Delayed Item 10

Now I'm going to show you some more pictures of faces. I want you to look at each face carefully. Say "Yes" if the face is one I asked you to remember earlier or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	Not Correct	86	3.7 %
1	Correct	1900	81.7 %
	Missing Data		
-9	Missing	2	0.1 %
-7	Refused	17	0.7 %
-1	N/A	3	0.1 %
.	-	319	13.7 %
	Total	**2,327**	**100%**

Based upon 1,986 valid cases out of 2,327 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 4029-4030 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACED117: Faces Delayed Item 11

Now I'm going to show you some more pictures of faces. I want you to look at each face carefully. Say "Yes" if the face is one I asked you to remember earlier or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	Not Correct	293	12.6 %
1	Correct	1693	72.8 %
	Missing Data		
-9	Missing	2	0.1 %
-7	Refused	17	0.7 %
-1	N/A	3	0.1 %

Value	Label	Unweighted Frequency	%
.	-	319	13.7 %
	Total	**2,327**	**100%**

Based upon 1,986 valid cases out of 2,327 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 4031-4032 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACED127: Faces Delayed Item 12

Now I'm going to show you some more pictures of faces. I want you to look at each face carefully. Say "Yes" if the face is one I asked you to remember earlier or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	Not Correct	215	9.2 %
1	Correct	1771	76.1 %
	Missing Data		
-9	Missing	2	0.1 %
-7	Refused	17	0.7 %
-1	N/A	3	0.1 %
.	-	319	13.7 %
	Total	**2,327**	**100%**

Based upon 1,986 valid cases out of 2,327 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 4033-4034 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACED137: Faces Delayed Item 13

Now I'm going to show you some more pictures of faces. I want you to look at each face carefully. Say "Yes" if the face is one I asked you to remember earlier or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	Not Correct	424	18.2 %
1	Correct	1562	67.1 %
	Missing Data		
-9	Missing	2	0.1 %
-7	Refused	17	0.7 %
-1	N/A	3	0.1 %

Value	Label	Unweighted Frequency	%
.	-	319	13.7 %
	Total	**2,327**	**100%**

Based upon 1,986 valid cases out of 2,327 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 4035-4036 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACED147: Faces Delayed Item 14

Now I'm going to show you some more pictures of faces. I want you to look at each face carefully. Say "Yes" if the face is one I asked you to remember earlier or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	Not Correct	74	3.2 %
1	Correct	1911	82.1 %
	Missing Data		
-9	Missing	2	0.1 %
-7	Refused	18	0.8 %
-1	N/A	3	0.1 %
.	-	319	13.7 %
	Total	**2,327**	**100%**

Based upon 1,985 valid cases out of 2,327 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 4037-4038 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACED157: Faces Delayed Item 15

Now I'm going to show you some more pictures of faces. I want you to look at each face carefully. Say "Yes" if the face is one I asked you to remember earlier or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	Not Correct	154	6.6 %
1	Correct	1832	78.7 %
	Missing Data		
-9	Missing	2	0.1 %
-7	Refused	17	0.7 %
-1	N/A	3	0.1 %

Value	Label	Unweighted Frequency	%
.	-	319	13.7 %
	Total	**2,327**	**100%**

Based upon 1,986 valid cases out of 2,327 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 4039-4040 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACED167: Faces Delayed Item 16

Now I'm going to show you some more pictures of faces. I want you to look at each face carefully. Say "Yes" if the face is one I asked you to remember earlier or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	Not Correct	154	6.6 %
1	Correct	1832	78.7 %
	Missing Data		
-9	Missing	2	0.1 %
-7	Refused	17	0.7 %
-1	N/A	3	0.1 %
.	-	319	13.7 %
	Total	**2,327**	**100%**

Based upon 1,986 valid cases out of 2,327 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 4041-4042 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACED177: Faces Delayed Item 17

Now I'm going to show you some more pictures of faces. I want you to look at each face carefully. Say "Yes" if the face is one I asked you to remember earlier or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	Not Correct	606	26.0 %
1	Correct	1380	59.3 %
	Missing Data		
-9	Missing	2	0.1 %
-7	Refused	17	0.7 %
-1	N/A	3	0.1 %

Value	Label	Unweighted Frequency	%
.	-	319	13.7 %
	Total	**2,327**	**100%**

Based upon 1,986 valid cases out of 2,327 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 4043-4044 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACED187: Faces Delayed Item 18

Now I'm going to show you some more pictures of faces. I want you to look at each face carefully. Say "Yes" if the face is one I asked you to remember earlier or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	Not Correct	252	10.8 %
1	Correct	1734	74.5 %
	Missing Data		
-9	Missing	2	0.1 %
-7	Refused	17	0.7 %
-1	N/A	3	0.1 %
.	-	319	13.7 %
	Total	**2,327**	**100%**

Based upon 1,986 valid cases out of 2,327 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 4045-4046 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACED197: Faces Delayed Item 19

Now I'm going to show you some more pictures of faces. I want you to look at each face carefully. Say "Yes" if the face is one I asked you to remember earlier or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	Not Correct	309	13.3 %
1	Correct	1677	72.1 %
	Missing Data		
-9	Missing	2	0.1 %
-7	Refused	17	0.7 %
-1	N/A	3	0.1 %

Value	Label	Unweighted Frequency	%
.	-	319	13.7 %
	Total	**2,327**	**100%**

Based upon 1,986 valid cases out of 2,327 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 4047-4048 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACED207: Faces Delayed Item 20

Now I'm going to show you some more pictures of faces. I want you to look at each face carefully. Say "Yes" if the face is one I asked you to remember earlier or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	Not Correct	390	16.8 %
1	Correct	1596	68.6 %
	Missing Data		
-9	Missing	2	0.1 %
-7	Refused	17	0.7 %
-1	N/A	3	0.1 %
.	-	319	13.7 %
	Total	**2,327**	**100%**

Based upon 1,986 valid cases out of 2,327 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 4049-4050 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACED217: Faces Delayed Item 21

Now I'm going to show you some more pictures of faces. I want you to look at each face carefully. Say "Yes" if the face is one I asked you to remember earlier or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	Not Correct	297	12.8 %
1	Correct	1689	72.6 %
	Missing Data		
-9	Missing	2	0.1 %
-7	Refused	17	0.7 %
-1	N/A	3	0.1 %

Value	Label	Unweighted Frequency	%
.	-	319	13.7 %
	Total	**2,327**	**100%**

Based upon 1,986 valid cases out of 2,327 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 4051-4052 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACED227: Faces Delayed Item 22

Now I'm going to show you some more pictures of faces. I want you to look at each face carefully. Say "Yes" if the face is one I asked you to remember earlier or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	Not Correct	123	5.3 %
1	Correct	1863	80.1 %
	Missing Data		
-9	Missing	2	0.1 %
-7	Refused	17	0.7 %
-1	N/A	3	0.1 %
.	-	319	13.7 %
	Total	**2,327**	**100%**

Based upon 1,986 valid cases out of 2,327 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 4053-4054 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACED237: Faces Delayed Item 23

Now I'm going to show you some more pictures of faces. I want you to look at each face carefully. Say "Yes" if the face is one I asked you to remember earlier or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	Not Correct	282	12.1 %
1	Correct	1704	73.2 %
	Missing Data		
-9	Missing	2	0.1 %
-7	Refused	17	0.7 %
-1	N/A	3	0.1 %

Value	Label	Unweighted Frequency	%
.	-	319	13.7 %
	Total	**2,327**	**100%**

Based upon 1,986 valid cases out of 2,327 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 4055-4056 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACED247: Faces Delayed Item 24

Now I'm going to show you some more pictures of faces. I want you to look at each face carefully. Say "Yes" if the face is one I asked you to remember earlier or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	Not Correct	84	3.6 %
1	Correct	1902	81.7 %
	Missing Data		
-9	Missing	2	0.1 %
-7	Refused	17	0.7 %
-1	N/A	3	0.1 %
.	-	319	13.7 %
	Total	**2,327**	**100%**

Based upon 1,986 valid cases out of 2,327 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 4057-4058 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACED257: Faces Delayed Item 25

Now I'm going to show you some more pictures of faces. I want you to look at each face carefully. Say "Yes" if the face is one I asked you to remember earlier or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	Not Correct	458	19.7 %
1	Correct	1528	65.7 %
	Missing Data		
-9	Missing	2	0.1 %
-7	Refused	17	0.7 %
-1	N/A	3	0.1 %

Value	Label	Unweighted Frequency	%
.	-	319	13.7 %
	Total	**2,327**	**100%**

Based upon 1,986 valid cases out of 2,327 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 4059-4060 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACED267: Faces Delayed Item 26

Now I'm going to show you some more pictures of faces. I want you to look at each face carefully. Say "Yes" if the face is one I asked you to remember earlier or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	Not Correct	57	2.4 %
1	Correct	1929	82.9 %
	Missing Data		
-9	Missing	2	0.1 %
-7	Refused	17	0.7 %
-1	N/A	3	0.1 %
.	-	319	13.7 %
	Total	**2,327**	**100%**

Based upon 1,986 valid cases out of 2,327 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 4061-4062 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACED277: Faces Delayed Item 27

Now I'm going to show you some more pictures of faces. I want you to look at each face carefully. Say "Yes" if the face is one I asked you to remember earlier or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	Not Correct	593	25.5 %
1	Correct	1393	59.9 %
	Missing Data		
-9	Missing	2	0.1 %
-7	Refused	17	0.7 %
-1	N/A	3	0.1 %

Value	Label	Unweighted Frequency	%
.	-	319	13.7 %
	Total	**2,327**	**100%**

Based upon 1,986 valid cases out of 2,327 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 4063-4064 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACED287: Faces Delayed Item 28

Now I'm going to show you some more pictures of faces. I want you to look at each face carefully. Say "Yes" if the face is one I asked you to remember earlier or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	Not Correct	419	18.0 %
1	Correct	1567	67.3 %
	Missing Data		
-9	Missing	2	0.1 %
-7	Refused	17	0.7 %
-1	N/A	3	0.1 %
.	-	319	13.7 %
	Total	**2,327**	**100%**

Based upon 1,986 valid cases out of 2,327 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 4065-4066 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACED297: Faces Delayed Item 29

Now I'm going to show you some more pictures of faces. I want you to look at each face carefully. Say "Yes" if the face is one I asked you to remember earlier or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	Not Correct	447	19.2 %
1	Correct	1539	66.1 %
	Missing Data		
-9	Missing	2	0.1 %
-7	Refused	17	0.7 %
-1	N/A	3	0.1 %

Value	Label	Unweighted Frequency	%
.	-	319	13.7 %
	Total	**2,327**	**100%**

Based upon 1,986 valid cases out of 2,327 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 4067-4068 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACED307: Faces Delayed Item 30

Now I'm going to show you some more pictures of faces. I want you to look at each face carefully. Say "Yes" if the face is one I asked you to remember earlier or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	Not Correct	131	5.6 %
1	Correct	1855	79.7 %
	Missing Data		
-9	Missing	2	0.1 %
-7	Refused	17	0.7 %
-1	N/A	3	0.1 %
.	-	319	13.7 %
	Total	**2,327**	**100%**

Based upon 1,986 valid cases out of 2,327 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 4069-4070 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACED317: Faces Delayed Item 31

Now I'm going to show you some more pictures of faces. I want you to look at each face carefully. Say "Yes" if the face is one I asked you to remember earlier or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	Not Correct	489	21.0 %
1	Correct	1497	64.3 %
	Missing Data		
-9	Missing	2	0.1 %
-7	Refused	17	0.7 %
-1	N/A	3	0.1 %

Value	Label	Unweighted Frequency	%
.	-	319	13.7 %
	Total	**2,327**	**100%**

Based upon 1,986 valid cases out of 2,327 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 4071-4072 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACED327: Faces Delayed Item 32

Now I'm going to show you some more pictures of faces. I want you to look at each face carefully. Say "Yes" if the face is one I asked you to remember earlier or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	Not Correct	109	4.7 %
1	Correct	1876	80.6 %
	Missing Data		
-9	Missing	2	0.1 %
-7	Refused	18	0.8 %
-1	N/A	3	0.1 %
.	-	319	13.7 %
	Total	**2,327**	**100%**

Based upon 1,985 valid cases out of 2,327 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 4073-4074 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACED337: Faces Delayed Item 33

Now I'm going to show you some more pictures of faces. I want you to look at each face carefully. Say "Yes" if the face is one I asked you to remember earlier or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	Not Correct	443	19.0 %
1	Correct	1543	66.3 %
	Missing Data		
-9	Missing	2	0.1 %
-7	Refused	17	0.7 %
-1	N/A	3	0.1 %

Value	Label	Unweighted Frequency	%
.	-	319	13.7 %
	Total	**2,327**	**100%**

Based upon 1,986 valid cases out of 2,327 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 4075-4076 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACED347: Faces Delayed Item 34

Now I'm going to show you some more pictures of faces. I want you to look at each face carefully. Say "Yes" if the face is one I asked you to remember earlier or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	Not Correct	188	8.1 %
1	Correct	1798	77.3 %
	Missing Data		
-9	Missing	2	0.1 %
-7	Refused	17	0.7 %
-1	N/A	3	0.1 %
.	-	319	13.7 %
	Total	**2,327**	**100%**

Based upon 1,986 valid cases out of 2,327 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 4077-4078 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACED357: Faces Delayed Item 35

Now I'm going to show you some more pictures of faces. I want you to look at each face carefully. Say "Yes" if the face is one I asked you to remember earlier or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	Not Correct	237	10.2 %
1	Correct	1749	75.2 %
	Missing Data		
-9	Missing	2	0.1 %
-7	Refused	17	0.7 %
-1	N/A	3	0.1 %

Value	Label	Unweighted Frequency	%
.	-	319	13.7 %
	Total	**2,327**	**100%**

Based upon 1,986 valid cases out of 2,327 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 4079-4080 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACED367: Faces Delayed Item 36

Now I'm going to show you some more pictures of faces. I want you to look at each face carefully. Say "Yes" if the face is one I asked you to remember earlier or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	Not Correct	987	42.4 %
1	Correct	999	42.9 %
	Missing Data		
-9	Missing	2	0.1 %
-7	Refused	17	0.7 %
-1	N/A	3	0.1 %
.	-	319	13.7 %
	Total	**2,327**	**100%**

Based upon 1,986 valid cases out of 2,327 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 4081-4082 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACED377: Faces Delayed Item 37

Now I'm going to show you some more pictures of faces. I want you to look at each face carefully. Say "Yes" if the face is one I asked you to remember earlier or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	Not Correct	185	8.0 %
1	Correct	1801	77.4 %
	Missing Data		
-9	Missing	2	0.1 %
-7	Refused	17	0.7 %
-1	N/A	3	0.1 %

Value	Label	Unweighted Frequency	%
.	-	319	13.7 %
	Total	**2,327**	**100%**

Based upon 1,986 valid cases out of 2,327 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 4083-4084 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACED387: Faces Delayed Item 38

Now I'm going to show you some more pictures of faces. I want you to look at each face carefully. Say "Yes" if the face is one I asked you to remember earlier or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	Not Correct	467	20.1 %
1	Correct	1518	65.2 %
	Missing Data		
-9	Missing	2	0.1 %
-7	Refused	18	0.8 %
-1	N/A	3	0.1 %
.	-	319	13.7 %
	Total	**2,327**	**100%**

Based upon 1,985 valid cases out of 2,327 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 4085-4086 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACED397: Faces Delayed Item 39

Now I'm going to show you some more pictures of faces. I want you to look at each face carefully. Say "Yes" if the face is one I asked you to remember earlier or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	Not Correct	631	27.1 %
1	Correct	1355	58.2 %
	Missing Data		
-9	Missing	2	0.1 %
-7	Refused	17	0.7 %
-1	N/A	3	0.1 %

Value	Label	Unweighted Frequency	%
.	-	319	13.7 %
	Total	**2,327**	**100%**

Based upon 1,986 valid cases out of 2,327 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 4087-4088 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACED407: Faces Delayed Item 40

Now I'm going to show you some more pictures of faces. I want you to look at each face carefully. Say "Yes" if the face is one I asked you to remember earlier or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	Not Correct	415	17.8 %
1	Correct	1571	67.5 %
	Missing Data		
-9	Missing	2	0.1 %
-7	Refused	17	0.7 %
-1	N/A	3	0.1 %
.	-	319	13.7 %
	Total	**2,327**	**100%**

Based upon 1,986 valid cases out of 2,327 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 4089-4090 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACED417: Faces Delayed Item 41

Now I'm going to show you some more pictures of faces. I want you to look at each face carefully. Say "Yes" if the face is one I asked you to remember earlier or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	Not Correct	88	3.8 %
1	Correct	1898	81.6 %
	Missing Data		
-9	Missing	2	0.1 %
-7	Refused	17	0.7 %
-1	N/A	3	0.1 %

Value	Label	Unweighted Frequency	%
.	-	319	13.7 %
	Total	**2,327**	**100%**

Based upon 1,986 valid cases out of 2,327 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 4091-4092 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACED427: Faces Delayed Item 42

Now I'm going to show you some more pictures of faces. I want you to look at each face carefully. Say "Yes" if the face is one I asked you to remember earlier or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	Not Correct	912	39.2 %
1	Correct	1074	46.2 %
	Missing Data		
-9	Missing	2	0.1 %
-7	Refused	17	0.7 %
-1	N/A	3	0.1 %
.	-	319	13.7 %
	Total	**2,327**	**100%**

Based upon 1,986 valid cases out of 2,327 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 4093-4094 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACED437: Faces Delayed Item 43

Now I'm going to show you some more pictures of faces. I want you to look at each face carefully. Say "Yes" if the face is one I asked you to remember earlier or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	Not Correct	319	13.7 %
1	Correct	1667	71.6 %
	Missing Data		
-9	Missing	2	0.1 %
-7	Refused	17	0.7 %
-1	N/A	3	0.1 %

Value	Label	Unweighted Frequency	%
.	-	319	13.7 %
	Total	**2,327**	**100%**

Based upon 1,986 valid cases out of 2,327 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 4095-4096 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACED447: Faces Delayed Item 44

Now I'm going to show you some more pictures of faces. I want you to look at each face carefully. Say "Yes" if the face is one I asked you to remember earlier or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	Not Correct	159	6.8 %
1	Correct	1827	78.5 %
	Missing Data		
-9	Missing	2	0.1 %
-7	Refused	17	0.7 %
-1	N/A	3	0.1 %
.	-	319	13.7 %
	Total	**2,327**	**100%**

Based upon 1,986 valid cases out of 2,327 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 4097-4098 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACED457: Faces Delayed Item 45

Now I'm going to show you some more pictures of faces. I want you to look at each face carefully. Say "Yes" if the face is one I asked you to remember earlier or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	Not Correct	748	32.1 %
1	Correct	1238	53.2 %
	Missing Data		
-9	Missing	2	0.1 %
-7	Refused	17	0.7 %
-1	N/A	3	0.1 %

Value	Label	Unweighted Frequency	%
.	-	319	13.7 %
	Total	**2,327**	**100%**

Based upon 1,986 valid cases out of 2,327 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 4099-4100 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACED467: Faces Delayed Item 46

Now I'm going to show you some more pictures of faces. I want you to look at each face carefully. Say "Yes" if the face is one I asked you to remember earlier or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	Not Correct	249	10.7 %
1	Correct	1737	74.6 %
	Missing Data		
-9	Missing	2	0.1 %
-7	Refused	17	0.7 %
-1	N/A	3	0.1 %
.	-	319	13.7 %
	Total	**2,327**	**100%**

Based upon 1,986 valid cases out of 2,327 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 4101-4102 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACED477: Faces Delayed Item 47

Now I'm going to show you some more pictures of faces. I want you to look at each face carefully. Say "Yes" if the face is one I asked you to remember earlier or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	Not Correct	219	9.4 %
1	Correct	1767	75.9 %
	Missing Data		
-9	Missing	2	0.1 %
-7	Refused	17	0.7 %
-1	N/A	3	0.1 %

Value	Label	Unweighted Frequency	%
.	-	319	13.7 %
	Total	**2,327**	**100%**

Based upon 1,986 valid cases out of 2,327 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 4103-4104 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACED487: Faces Delayed Item 48

Now I'm going to show you some more pictures of faces. I want you to look at each face carefully. Say "Yes" if the face is one I asked you to remember earlier or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	Not Correct	352	15.1 %
1	Correct	1634	70.2 %
	Missing Data		
-9	Missing	2	0.1 %
-7	Refused	17	0.7 %
-1	N/A	3	0.1 %
.	-	319	13.7 %
	Total	**2,327**	**100%**

Based upon 1,986 valid cases out of 2,327 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 4105-4106 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACEDLY7: Faces Total Score: Delayed

Faces Total Score: Delayed

Value	Label	Unweighted Frequency	%
15	-	2	0.1 %
18	-	1	0.0 %
19	-	1	0.0 %
20	-	1	0.0 %
22	-	1	0.0 %
24	-	3	0.1 %
25	-	3	0.1 %

Value	Label	Unweighted Frequency	%
26	-	5	0.2 %
27	-	6	0.3 %
28	-	9	0.4 %
29	-	21	0.9 %
30	-	12	0.5 %
31	-	20	0.9 %
32	-	34	1.5 %
33	-	60	2.6 %
34	-	66	2.8 %
35	-	91	3.9 %
36	-	85	3.7 %
37	-	135	5.8 %
38	-	168	7.2 %
39	-	166	7.1 %
40	-	192	8.3 %
41	-	188	8.1 %
42	-	190	8.2 %
43	-	166	7.1 %
44	-	165	7.1 %
45	-	101	4.3 %
46	-	56	2.4 %
47	-	29	1.2 %
48	-	8	0.3 %
	Missing Data		
.	-	342	14.7 %
	Total	**2,327**	**100%**

Based upon 1,985 valid cases out of 2,327 total cases.

- Mean: 39.51
- Median: 40.00
- Mode: 40.00
- Minimum: 15.00
- Maximum: 48.00
- Standard Deviation: 4.33

Location: 4107-4108 (width: 2; decimal: 0)
Variable Type: numeric

FLGCOGV7: Collected before V7 began (5/15/2003)

Collected before V7 began (5/15/2003)

Value	Label	Unweighted Frequency	%
0	No	2005	86.2 %

Value	Label	Unweighted Frequency	%
1	Yes	3	0.1 %
	Missing Data		
.	-	319	13.7 %
	Total	**2,327**	**100%**

Based upon 2,008 valid cases out of 2,327 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 4109-4110 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BLDDRAW7: Blood Drawn

Was blood drawn?

Value	Label	Unweighted Frequency	%
1	No	0	0.0 %
2	Yes	2019	86.8 %
	Missing Data		
.	-	308	13.2 %
	Total	**2,327**	**100%**

Based upon 2,019 valid cases out of 2,327 total cases.

- Minimum: 2.00
- Maximum: 2.00

Location: 4111-4112 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SPEDAY7: Blood Specimen Day

Blood Specimen Day

Value	Label	Unweighted Frequency	%
2439	-	1	0.0 %
2447	-	1	0.0 %
2456	-	1	0.0 %
2468	-	1	0.0 %
2480	-	2	0.1 %
2483	-	1	0.0 %
2485	-	3	0.1 %
2488	-	1	0.0 %
2492	-	5	0.2 %

Value	Label	Unweighted Frequency	%
2493	-	1	0.0 %
2494	-	1	0.0 %
2496	-	1	0.0 %
2497	-	1	0.0 %
2498	-	2	0.1 %
2499	-	2	0.1 %
2501	-	5	0.2 %
2504	-	2	0.1 %
2505	-	2	0.1 %
2506	-	5	0.2 %
2507	-	1	0.0 %
2508	-	3	0.1 %
2509	-	3	0.1 %
2510	-	7	0.3 %
2511	-	10	0.4 %
2512	-	17	0.7 %
2513	-	13	0.6 %
2514	-	9	0.4 %
2515	-	4	0.2 %
2516	-	4	0.2 %
2517	-	7	0.3 %
2518	-	9	0.4 %
2519	-	10	0.4 %
2520	-	11	0.5 %
2521	-	6	0.3 %
2522	-	17	0.7 %
2523	-	9	0.4 %
2524	-	5	0.2 %
2525	-	11	0.5 %
2526	-	8	0.3 %
2527	-	11	0.5 %
2528	-	10	0.4 %
2529	-	10	0.4 %
2530	-	11	0.5 %
2531	-	9	0.4 %
2532	-	15	0.6 %
2533	-	17	0.7 %
2534	-	21	0.9 %
2535	-	13	0.6 %
2536	-	7	0.3 %
2537	-	6	0.3 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	306	13.1 %
	Total	**2,327**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,021 valid cases out of 2,327 total cases.

- Mean: 2613.33
- Minimum: 2439.00
- Maximum: 3086.00
- Standard Deviation: 85.88

Location: 4113-4116 (width: 4; decimal: 0)
Variable Type: numeric

PREGNAN7: Currently Pregnant_2

If YES to BLDDRAW7: Are you currently pregnant?

Value	Label	Unweighted Frequency	%
1	No	2018	86.7 %
2	Yes	0	0.0 %
	Missing Data		
-8	Do not know	1	0.0 %
.	-	308	13.2 %
	Total	**2,327**	**100%**

Based upon 2,018 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 4117-4118 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

EATDRIN7: Eat/Drink in last 12 hrs

If YES to BLDDRAW7: Have you had anything to eat or drink, other than water, in the last 12 hours? That is since (time) last night?

Value	Label	Unweighted Frequency	%
1	No	1967	84.5 %
2	Yes	52	2.2 %
	Missing Data		
.	-	308	13.2 %
	Total	**2,327**	**100%**

Based upon 2,019 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 4119-4120 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

STRTPER7: Start Period in Last Week

If YES to BLDDRAW7: Did you start a menstrual period in the last five days?

Value	Label	Unweighted Frequency	%
1	No	1695	72.8 %
2	Yes	324	13.9 %
	Missing Data		
.	-	308	13.2 %
	Total	**2,327**	**100%**

Based upon 2,019 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 4121-4122 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BLEDAY7: Day that you started to bleed

If YES to BLDDRAW7: What is the date that you started to bleed?

Value	Label	Unweighted Frequency	%
2436	-	1	0.0 %
2476	-	1	0.0 %
2481	-	1	0.0 %
2488	-	2	0.1 %
2489	-	3	0.1 %
2493	-	1	0.0 %
2494	-	1	0.0 %
2498	-	1	0.0 %
2500	-	1	0.0 %
2501	-	1	0.0 %
2503	-	1	0.0 %
2504	-	1	0.0 %
2507	-	1	0.0 %
2508	-	1	0.0 %
2509	-	2	0.1 %
2510	-	1	0.0 %

Value	Label	Unweighted Frequency	%
2511	-	1	0.0 %
2514	-	2	0.1 %
2515	-	2	0.1 %
2517	-	2	0.1 %
2520	-	3	0.1 %
2521	-	1	0.0 %
2522	-	2	0.1 %
2523	-	1	0.0 %
2524	-	1	0.0 %
2525	-	1	0.0 %
2526	-	2	0.1 %
2527	-	1	0.0 %
2528	-	2	0.1 %
2529	-	6	0.3 %
2530	-	2	0.1 %
2531	-	2	0.1 %
2532	-	1	0.0 %
2533	-	1	0.0 %
2534	-	1	0.0 %
2535	-	1	0.0 %
2536	-	1	0.0 %
2537	-	2	0.1 %
2538	-	1	0.0 %
2539	-	2	0.1 %
2541	-	4	0.2 %
2542	-	2	0.1 %
2544	-	2	0.1 %
2545	-	1	0.0 %
2546	-	2	0.1 %
2547	-	1	0.0 %
2550	-	4	0.2 %
2551	-	1	0.0 %
2552	-	4	0.2 %
2554	-	1	0.0 %
	Missing Data		
.	-	2003	86.1 %
	Total	**2,327**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 324 valid cases out of 2,327 total cases.

- Mean: 2601.88

- Median: 2586.50
- Mode: 2572.00
- Minimum: 2436.00
- Maximum: 2981.00
- Standard Deviation: 73.32

Location: 4123-4126 (width: 4; decimal: 0)
Variable Type: numeric

BLDRWAT7: Blood Draw Attempted

If YES to BLDDRAW7: Blood draw category:

Value	Label	Unweighted Frequency	%
1	Yes, as per protocol	1573	67.6 %
2	Yes, menses too variable	350	15.0 %
3	Yes, Last attempt	96	4.1 %
4	Yes, Respondent Pregnant	0	0.0 %
5	No, Not fasting and/or not in window	0	0.0 %
	Missing Data		
.	-	308	13.2 %
	Total	**2,327**	**100%**

Based upon 2,019 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 4127-4128 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ALCHL247: Alcohol in Last 24 hrs

If YES to BLDDRAW7: Have you had any alcohol in the last 24 hours?

Value	Label	Unweighted Frequency	%
1	No	1685	72.4 %
2	Yes	333	14.3 %
	Missing Data		
-9	Missing	1	0.0 %
.	-	308	13.2 %
	Total	**2,327**	**100%**

Based upon 2,018 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 4129-4130 (width: 2; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HRMDAY7: Hormone measures Day

Hormone measures Day

Value	Label	Unweighted Frequency	%
2439	-	1	0.0 %
2447	-	1	0.0 %
2456	-	1	0.0 %
2468	-	1	0.0 %
2480	-	2	0.1 %
2483	-	1	0.0 %
2485	-	3	0.1 %
2488	-	1	0.0 %
2492	-	5	0.2 %
2493	-	1	0.0 %
2494	-	1	0.0 %
2496	-	1	0.0 %
2497	-	1	0.0 %
2498	-	2	0.1 %
2499	-	2	0.1 %
2501	-	5	0.2 %
2504	-	2	0.1 %
2505	-	2	0.1 %
2506	-	5	0.2 %
2507	-	1	0.0 %
2508	-	3	0.1 %
2509	-	3	0.1 %
2510	-	7	0.3 %
2511	-	10	0.4 %
2512	-	17	0.7 %
2513	-	13	0.6 %
2514	-	9	0.4 %
2515	-	4	0.2 %
2516	-	4	0.2 %
2517	-	7	0.3 %
2518	-	9	0.4 %
2519	-	10	0.4 %
2520	-	11	0.5 %
2521	-	6	0.3 %
2522	-	17	0.7 %
2523	-	9	0.4 %
2524	-	5	0.2 %

Value	Label	Unweighted Frequency	%
2525	-	11	0.5 %
2526	-	8	0.3 %
2527	-	11	0.5 %
2528	-	10	0.4 %
2529	-	10	0.4 %
2530	-	11	0.5 %
2531	-	9	0.4 %
2532	-	15	0.6 %
2533	-	17	0.7 %
2534	-	21	0.9 %
2535	-	13	0.6 %
2536	-	7	0.3 %
2537	-	6	0.3 %
	Missing Data		
.	-	309	13.3 %
	Total	**2,327**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,018 valid cases out of 2,327 total cases.

- Mean: 2612.89
- Minimum: 2439.00
- Maximum: 3086.00
- Standard Deviation: 85.12

Location: 4131-4134 (width: 4; decimal: 0)
Variable Type: numeric

CYCDAY7: Day of cycle

Day of cycle

Value	Label	Unweighted Frequency	%
2	-	50	2.1 %
3	-	83	3.6 %
4	-	91	3.9 %
5	-	90	3.9 %
	Missing Data		
.	-	2013	86.5 %
	Total	**2,327**	**100%**

Based upon 314 valid cases out of 2,327 total cases.

- Mean: 3.70
- Median: 4.00

- Mode: 4.00
- Minimum: 2.00
- Maximum: 5.00
- Standard Deviation: 1.05

Location: 4135-4135 (width: 1; decimal: 0)
Variable Type: numeric

DHAS7: Dehydroepiandrosterone sulfate (ug/dL)

Dehydroepiandrosterone sulfate (ug/dL)

Value	Label	Unweighted Frequency	%
1.8	-	1	0.0 %
5.6	-	1	0.0 %
6.9	-	1	0.0 %
7.8	-	1	0.0 %
8.0	-	1	0.0 %
8.7	-	1	0.0 %
11.2	-	1	0.0 %
11.4	-	1	0.0 %
11.6	-	1	0.0 %
12.2	-	2	0.1 %
12.5	-	1	0.0 %
13.2	-	1	0.0 %
13.4	-	1	0.0 %
13.5	-	1	0.0 %
13.9	-	1	0.0 %
15.2	-	2	0.1 %
15.8	-	1	0.0 %
16.1	-	1	0.0 %
16.6	-	1	0.0 %
17.7	-	1	0.0 %
18.1	-	1	0.0 %
18.3	-	1	0.0 %
18.5	-	1	0.0 %
18.8	-	1	0.0 %
18.9	-	1	0.0 %
19.6	-	1	0.0 %
19.8	-	1	0.0 %
20.0	-	1	0.0 %
20.1	-	1	0.0 %
20.7	-	1	0.0 %
20.9	-	1	0.0 %
21.0	-	1	0.0 %
21.1	-	1	0.0 %

Value	Label	Unweighted Frequency	%
21.4	-	1	0.0 %
21.5	-	1	0.0 %
21.7	-	3	0.1 %
21.8	-	1	0.0 %
21.9	-	1	0.0 %
22.1	-	1	0.0 %
22.2	-	3	0.1 %
22.3	-	1	0.0 %
22.6	-	1	0.0 %
22.7	-	2	0.1 %
22.9	-	1	0.0 %
23.0	-	1	0.0 %
23.2	-	2	0.1 %
23.3	-	1	0.0 %
23.5	-	1	0.0 %
23.8	-	2	0.1 %
24.0	-	1	0.0 %
	Missing Data		
.	-	310	13.3 %
	Total	**2,327**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,017 valid cases out of 2,327 total cases.

- Mean: 129.75
- Minimum: 1.80
- Maximum: 670.20
- Standard Deviation: 84.22

Location: 4136-4142 (width: 7; decimal: 1)
Variable Type: numeric

E2AVE7: Estradiol (average, pg/mL)

Estradiol (average, pg/mL)

Value	Label	Unweighted Frequency	%
4.25	-	1	0.0 %
4.50	-	1	0.0 %
4.60	-	1	0.0 %
4.65	-	1	0.0 %
4.75	-	1	0.0 %
4.80	-	3	0.1 %
4.85	-	3	0.1 %

Value	Label	Unweighted Frequency	%
4.95	-	1	0.0 %
5.00	-	1	0.0 %
5.05	-	1	0.0 %
5.30	-	1	0.0 %
5.50	-	3	0.1 %
5.55	-	1	0.0 %
5.60	-	1	0.0 %
5.70	-	2	0.1 %
5.80	-	1	0.0 %
5.90	-	1	0.0 %
5.95	-	2	0.1 %
6.00	-	1	0.0 %
6.05	-	3	0.1 %
6.10	-	1	0.0 %
6.15	-	2	0.1 %
6.20	-	1	0.0 %
6.25	-	1	0.0 %
6.35	-	1	0.0 %
6.45	-	1	0.0 %
6.50	-	1	0.0 %
6.55	-	1	0.0 %
6.60	-	1	0.0 %
6.65	-	4	0.2 %
6.70	-	3	0.1 %
6.75	-	2	0.1 %
6.80	-	1	0.0 %
6.85	-	1	0.0 %
6.95	-	2	0.1 %
7.00	-	3	0.1 %
7.05	-	1	0.0 %
7.10	-	1	0.0 %
7.25	-	1	0.0 %
7.35	-	1	0.0 %
7.40	-	1	0.0 %
7.45	-	3	0.1 %
7.50	-	1	0.0 %
7.55	-	2	0.1 %
7.60	-	1	0.0 %
7.65	-	2	0.1 %
7.70	-	1	0.0 %
7.75	-	3	0.1 %
7.80	-	2	0.1 %

Value	Label	Unweighted Frequency	%
7.85	-	1	0.0 %
	Missing Data		
.	-	317	13.6 %
	Total	**2,327**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,010 valid cases out of 2,327 total cases.

- Mean: 45.79
- Minimum: 4.25
- Maximum: 1321.85
- Standard Deviation: 79.68

Location: 4143-4150 (width: 8; decimal: 2)
Variable Type: numeric

FSH7: Follicle-stimulating hormone (mIU/mL)

Follicle-stimulating hormone (mIU/mL)

Value	Label	Unweighted Frequency	%
2.0	-	1	0.0 %
3.0	-	1	0.0 %
3.1	-	1	0.0 %
3.4	-	1	0.0 %
3.5	-	1	0.0 %
3.6	-	1	0.0 %
3.7	-	1	0.0 %
3.9	-	3	0.1 %
4.1	-	2	0.1 %
4.2	-	2	0.1 %
4.3	-	2	0.1 %
4.5	-	1	0.0 %
4.8	-	1	0.0 %
4.9	-	2	0.1 %
5.0	-	2	0.1 %
5.1	-	2	0.1 %
5.2	-	3	0.1 %
5.4	-	1	0.0 %
5.5	-	1	0.0 %
5.8	-	1	0.0 %
5.9	-	1	0.0 %
6.0	-	2	0.1 %

Value	Label	Unweighted Frequency	%
6.1	-	1	0.0 %
6.4	-	1	0.0 %
6.5	-	2	0.1 %
6.6	-	3	0.1 %
6.7	-	2	0.1 %
6.8	-	3	0.1 %
7.0	-	3	0.1 %
7.1	-	1	0.0 %
7.2	-	6	0.3 %
7.3	-	4	0.2 %
7.4	-	1	0.0 %
7.5	-	3	0.1 %
7.6	-	2	0.1 %
7.7	-	1	0.0 %
7.8	-	2	0.1 %
7.9	-	2	0.1 %
8.0	-	2	0.1 %
8.1	-	2	0.1 %
8.2	-	4	0.2 %
8.3	-	1	0.0 %
8.4	-	1	0.0 %
8.6	-	1	0.0 %
8.7	-	3	0.1 %
8.8	-	3	0.1 %
8.9	-	3	0.1 %
9.1	-	2	0.1 %
9.2	-	1	0.0 %
9.5	-	3	0.1 %
	Missing Data		
.	-	310	13.3 %
	Total	**2,327**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,017 valid cases out of 2,327 total cases.

- Mean: 76.24
- Minimum: 2.00
- Maximum: 423.20
- Standard Deviation: 48.62

Location: 4151-4157 (width: 7; decimal: 1)
Variable Type: numeric

SHBG7: Sex hormone-binding globulin (nM)

Sex hormone-binding globulin (nM)

Value	Label	Unweighted Frequency	%
2.6	-	1	0.0 %
3.6	-	1	0.0 %
4.8	-	1	0.0 %
5.6	-	1	0.0 %
5.8	-	1	0.0 %
9.5	-	1	0.0 %
10.0	-	1	0.0 %
10.5	-	1	0.0 %
10.6	-	1	0.0 %
10.7	-	1	0.0 %
10.8	-	2	0.1 %
10.9	-	1	0.0 %
11.0	-	3	0.1 %
11.2	-	2	0.1 %
11.4	-	1	0.0 %
11.8	-	3	0.1 %
11.9	-	1	0.0 %
12.0	-	2	0.1 %
12.1	-	1	0.0 %
12.4	-	1	0.0 %
12.5	-	1	0.0 %
12.8	-	1	0.0 %
12.9	-	3	0.1 %
13.1	-	2	0.1 %
13.4	-	1	0.0 %
13.5	-	1	0.0 %
13.8	-	1	0.0 %
13.9	-	2	0.1 %
14.0	-	1	0.0 %
14.2	-	1	0.0 %
14.3	-	1	0.0 %
14.4	-	1	0.0 %
14.6	-	2	0.1 %
14.7	-	1	0.0 %
14.9	-	3	0.1 %
15.0	-	2	0.1 %
15.3	-	2	0.1 %
15.5	-	1	0.0 %
15.7	-	1	0.0 %

Value	Label	Unweighted Frequency	%
15.8	-	1	0.0 %
15.9	-	3	0.1 %
16.0	-	1	0.0 %
16.1	-	1	0.0 %
16.3	-	4	0.2 %
16.4	-	1	0.0 %
16.5	-	1	0.0 %
16.7	-	1	0.0 %
16.8	-	2	0.1 %
16.9	-	2	0.1 %
17.0	-	2	0.1 %
	Missing Data		
.	-	316	13.6 %
	Total	**2,327**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,011 valid cases out of 2,327 total cases.

- Mean: 55.91
- Minimum: 2.60
- Maximum: 463.50
- Standard Deviation: 34.59

Location: 4158-4164 (width: 7; decimal: 1)
Variable Type: numeric

T7: Testosterone (ng/dL)

Testosterone (ng/dL)

Value	Label	Unweighted Frequency	%
2.7	-	1	0.0 %
3.3	-	1	0.0 %
4.2	-	1	0.0 %
4.9	-	1	0.0 %
5.3	-	1	0.0 %
5.8	-	1	0.0 %
6.4	-	1	0.0 %
7.3	-	2	0.1 %
7.5	-	1	0.0 %
7.8	-	1	0.0 %
7.9	-	1	0.0 %
8.1	-	3	0.1 %
8.2	-	1	0.0 %

Value	Label	Unweighted Frequency	%
8.3	-	1	0.0 %
8.7	-	1	0.0 %
9.0	-	1	0.0 %
9.1	-	1	0.0 %
9.4	-	1	0.0 %
9.5	-	1	0.0 %
9.6	-	2	0.1 %
9.8	-	1	0.0 %
9.9	-	1	0.0 %
10.0	-	1	0.0 %
10.2	-	4	0.2 %
10.3	-	2	0.1 %
10.4	-	1	0.0 %
10.5	-	1	0.0 %
10.6	-	1	0.0 %
10.9	-	3	0.1 %
11.0	-	2	0.1 %
11.1	-	2	0.1 %
11.2	-	1	0.0 %
11.3	-	1	0.0 %
11.4	-	2	0.1 %
11.5	-	1	0.0 %
11.6	-	4	0.2 %
11.9	-	2	0.1 %
12.0	-	2	0.1 %
12.1	-	3	0.1 %
12.4	-	2	0.1 %
12.5	-	2	0.1 %
12.6	-	1	0.0 %
12.7	-	3	0.1 %
12.8	-	2	0.1 %
13.0	-	1	0.0 %
13.1	-	3	0.1 %
13.2	-	4	0.2 %
13.3	-	1	0.0 %
13.4	-	1	0.0 %
13.5	-	3	0.1 %
	Missing Data		
.	-	314	13.5 %
	Total	**2,327**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,013 valid cases out of 2,327 total cases.

- Mean: 39.81
- Minimum: 2.70
- Maximum: 980.60
- Standard Deviation: 28.72

Location: 4165-4171 (width: 7; decimal: 1)
Variable Type: numeric

FLGCV7: Both E2>20 pg/mL & CV>15%

Both E2>20 pg/mL & CV>15%

Value	Label	Unweighted Frequency	%
0	No	2016	86.6 %
1	Yes	2	0.1 %
	Missing Data		
.	-	309	13.3 %
	Total	**2,327**	**100%**

Based upon 2,018 valid cases out of 2,327 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 4172-4173 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FLGDIF7: 1 or both E2<=20 pg/mL & dif>10

1 or both E2<=20 pg/mL & dif>10

Value	Label	Unweighted Frequency	%
0	No	2018	86.7 %
1	Yes	0	0.0 %
	Missing Data		
.	-	309	13.3 %
	Total	**2,327**	**100%**

Based upon 2,018 valid cases out of 2,327 total cases.

- Minimum: 0.00
- Maximum: 0.00

Location: 4174-4175 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CVRDAY7: Cardiovascular measures Day

Cardiovascular measures Day

Value	Label	Unweighted Frequency	%
2439	-	1	0.0 %
2447	-	1	0.0 %
2456	-	1	0.0 %
2468	-	1	0.0 %
2480	-	2	0.1 %
2483	-	1	0.0 %
2485	-	3	0.1 %
2488	-	1	0.0 %
2492	-	5	0.2 %
2493	-	1	0.0 %
2494	-	1	0.0 %
2496	-	1	0.0 %
2497	-	1	0.0 %
2498	-	2	0.1 %
2499	-	2	0.1 %
2501	-	5	0.2 %
2504	-	2	0.1 %
2505	-	2	0.1 %
2506	-	5	0.2 %
2508	-	3	0.1 %
2509	-	3	0.1 %
2510	-	7	0.3 %
2511	-	10	0.4 %
2512	-	17	0.7 %
2513	-	13	0.6 %
2514	-	9	0.4 %
2515	-	4	0.2 %
2516	-	4	0.2 %
2517	-	7	0.3 %
2518	-	9	0.4 %
2519	-	10	0.4 %
2520	-	11	0.5 %
2521	-	6	0.3 %
2522	-	17	0.7 %
2523	-	9	0.4 %
2524	-	5	0.2 %
2525	-	11	0.5 %
2526	-	8	0.3 %
2527	-	11	0.5 %

Value	Label	Unweighted Frequency	%
2528	-	10	0.4 %
2529	-	10	0.4 %
2530	-	10	0.4 %
2531	-	9	0.4 %
2532	-	15	0.6 %
2533	-	17	0.7 %
2534	-	21	0.9 %
2535	-	13	0.6 %
2536	-	7	0.3 %
2537	-	6	0.3 %
2538	-	10	0.4 %
	Missing Data		
.	-	326	14.0 %
	Total	**2,327**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,001 valid cases out of 2,327 total cases.

- Mean: 2613.44
- Minimum: 2439.00
- Maximum: 3086.00
- Standard Deviation: 86.04

Location: 4176-4179 (width: 4; decimal: 0)
Variable Type: numeric

FLAGSER7: Lipids measured on serum not plasma

Lipids measured on serum not plasma

Value	Label	Unweighted Frequency	%
0	No	1982	85.2 %
1	Yes	41	1.8 %
	Missing Data		
.	-	304	13.1 %
	Total	**2,327**	**100%**

Based upon 2,023 valid cases out of 2,327 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 4180-4181 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CHOLRES7: Total cholesterol (mg/dl)

Total cholesterol (mg/dl)

Value	Label	Unweighted Frequency	%
69	-	1	0.0 %
96	-	1	0.0 %
104	-	1	0.0 %
110	-	1	0.0 %
111	-	1	0.0 %
112	-	1	0.0 %
113	-	1	0.0 %
117	-	1	0.0 %
121	-	3	0.1 %
125	-	4	0.2 %
127	-	1	0.0 %
128	-	1	0.0 %
130	-	1	0.0 %
132	-	3	0.1 %
133	-	2	0.1 %
134	-	3	0.1 %
135	-	3	0.1 %
136	-	3	0.1 %
137	-	4	0.2 %
138	-	2	0.1 %
139	-	5	0.2 %
140	-	5	0.2 %
141	-	3	0.1 %
142	-	6	0.3 %
143	-	6	0.3 %
144	-	4	0.2 %
145	-	4	0.2 %
146	-	1	0.0 %
147	-	3	0.1 %
148	-	3	0.1 %
149	-	4	0.2 %
150	-	8	0.3 %
151	-	8	0.3 %
152	-	5	0.2 %
153	-	7	0.3 %
154	-	8	0.3 %
155	-	6	0.3 %
156	-	2	0.1 %
157	-	8	0.3 %

Value	Label	Unweighted Frequency	%
158	-	12	0.5 %
159	-	15	0.6 %
160	-	12	0.5 %
161	-	4	0.2 %
162	-	12	0.5 %
163	-	14	0.6 %
164	-	17	0.7 %
165	-	13	0.6 %
166	-	11	0.5 %
167	-	10	0.4 %
168	-	22	0.9 %
	Missing Data		
.	-	327	14.1 %
	Total	**2,327**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,000 valid cases out of 2,327 total cases.

- Mean: 206.32
- Median: 203.00
- Mode: 209.00
- Minimum: 69.00
- Maximum: 365.00
- Standard Deviation: 37.12

Location: 4182-4184 (width: 3; decimal: 0)
Variable Type: numeric

TRIGRES7: Triglycerides (mg/dl)

Triglycerides (mg/dl)

Value	Label	Unweighted Frequency	%
12	-	1	0.0 %
33	-	1	0.0 %
37	-	1	0.0 %
38	-	2	0.1 %
39	-	1	0.0 %
40	-	3	0.1 %
41	-	7	0.3 %
42	-	1	0.0 %
43	-	4	0.2 %
44	-	3	0.1 %
45	-	4	0.2 %

Value	Label	Unweighted Frequency	%
46	-	5	0.2 %
47	-	9	0.4 %
48	-	8	0.3 %
49	-	10	0.4 %
50	-	7	0.3 %
51	-	8	0.3 %
52	-	10	0.4 %
53	-	16	0.7 %
54	-	12	0.5 %
55	-	8	0.3 %
56	-	9	0.4 %
57	-	16	0.7 %
58	-	14	0.6 %
59	-	9	0.4 %
60	-	16	0.7 %
61	-	12	0.5 %
62	-	19	0.8 %
63	-	19	0.8 %
64	-	18	0.8 %
65	-	21	0.9 %
66	-	21	0.9 %
67	-	13	0.6 %
68	-	23	1.0 %
69	-	15	0.6 %
70	-	19	0.8 %
71	-	15	0.6 %
72	-	27	1.2 %
73	-	17	0.7 %
74	-	18	0.8 %
75	-	22	0.9 %
76	-	21	0.9 %
77	-	24	1.0 %
78	-	28	1.2 %
79	-	23	1.0 %
80	-	19	0.8 %
81	-	25	1.1 %
82	-	21	0.9 %
83	-	19	0.8 %
84	-	17	0.7 %
	Missing Data		
.	-	380	16.3 %

Value	Label	Unweighted Frequency	%
	Total	**2,327**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,947 valid cases out of 2,327 total cases.

- Mean: 123.65
- Minimum: 12.00
- Maximum: 1415.00
- Standard Deviation: 78.30

Location: 4185-4188 (width: 4; decimal: 0)
Variable Type: numeric

LDLRESU7: Estimated LDL (mg/dl)

Estimated LDL (mg/dl)

Value	Label	Unweighted Frequency	%
30	-	1	0.0 %
34	-	1	0.0 %
37	-	1	0.0 %
38	-	1	0.0 %
41	-	1	0.0 %
42	-	1	0.0 %
44	-	1	0.0 %
45	-	1	0.0 %
46	-	2	0.1 %
47	-	2	0.1 %
48	-	1	0.0 %
49	-	1	0.0 %
50	-	2	0.1 %
54	-	2	0.1 %
55	-	3	0.1 %
56	-	4	0.2 %
58	-	2	0.1 %
60	-	6	0.3 %
61	-	3	0.1 %
62	-	4	0.2 %
63	-	1	0.0 %
64	-	3	0.1 %
65	-	5	0.2 %
66	-	1	0.0 %
67	-	4	0.2 %
68	-	7	0.3 %

Value	Label	Unweighted Frequency	%
69	-	4	0.2 %
70	-	7	0.3 %
71	-	7	0.3 %
72	-	9	0.4 %
73	-	9	0.4 %
74	-	6	0.3 %
75	-	11	0.5 %
76	-	7	0.3 %
77	-	9	0.4 %
78	-	11	0.5 %
79	-	8	0.3 %
80	-	16	0.7 %
81	-	16	0.7 %
82	-	10	0.4 %
83	-	6	0.3 %
84	-	10	0.4 %
85	-	15	0.6 %
86	-	14	0.6 %
87	-	17	0.7 %
88	-	15	0.6 %
89	-	22	0.9 %
90	-	19	0.8 %
91	-	18	0.8 %
92	-	22	0.9 %
	Missing Data		
.	-	401	17.2 %
	Total	**2,327**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,926 valid cases out of 2,327 total cases.

- Mean: 122.02
- Median: 119.00
- Mode: 111.00
- Minimum: 30.00
- Maximum: 241.00
- Standard Deviation: 32.84

Location: 4189-4191 (width: 3; decimal: 0)
Variable Type: numeric

HDLRESU7: HDL (mg/dl)

HDL (mg/dl)

Value	Label	Unweighted Frequency	%
26	-	1	0.0 %
27	-	1	0.0 %
28	-	4	0.2 %
29	-	2	0.1 %
30	-	9	0.4 %
31	-	4	0.2 %
32	-	15	0.6 %
33	-	5	0.2 %
34	-	12	0.5 %
35	-	10	0.4 %
36	-	18	0.8 %
37	-	11	0.5 %
38	-	27	1.2 %
39	-	9	0.4 %
40	-	33	1.4 %
41	-	24	1.0 %
42	-	38	1.6 %
43	-	33	1.4 %
44	-	44	1.9 %
45	-	37	1.6 %
46	-	59	2.5 %
47	-	55	2.4 %
48	-	52	2.2 %
49	-	48	2.1 %
50	-	53	2.3 %
51	-	39	1.7 %
52	-	51	2.2 %
53	-	57	2.4 %
54	-	58	2.5 %
55	-	45	1.9 %
56	-	55	2.4 %
57	-	53	2.3 %
58	-	47	2.0 %
59	-	57	2.4 %
60	-	44	1.9 %
61	-	62	2.7 %
62	-	46	2.0 %
63	-	45	1.9 %
64	-	48	2.1 %
65	-	37	1.6 %
66	-	44	1.9 %
67	-	30	1.3 %

Value	Label	Unweighted Frequency	%
68	-	33	1.4 %
69	-	37	1.6 %
70	-	30	1.3 %
71	-	36	1.5 %
72	-	43	1.8 %
73	-	31	1.3 %
74	-	26	1.1 %
75	-	26	1.1 %
	Missing Data		
.	-	328	14.1 %
	Total	**2,327**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,999 valid cases out of 2,327 total cases.

- Mean: 60.00
- Median: 58.00
- Mode: 61.00
- Minimum: 26.00
- Maximum: 143.00
- Standard Deviation: 15.56

Location: 4192-4194 (width: 3; decimal: 0)
Variable Type: numeric

GLUCRES7: Glucose (mg/dl)

Glucose (mg/dl)

Value	Label	Unweighted Frequency	%
51	-	1	0.0 %
52	-	1	0.0 %
53	-	1	0.0 %
59	-	1	0.0 %
63	-	1	0.0 %
64	-	3	0.1 %
65	-	1	0.0 %
66	-	3	0.1 %
67	-	1	0.0 %
68	-	6	0.3 %
69	-	8	0.3 %
70	-	5	0.2 %
71	-	15	0.6 %
72	-	15	0.6 %

Value	Label	Unweighted Frequency	%
73	-	13	0.6 %
74	-	24	1.0 %
75	-	23	1.0 %
76	-	32	1.4 %
77	-	44	1.9 %
78	-	59	2.5 %
79	-	65	2.8 %
80	-	50	2.1 %
81	-	78	3.4 %
82	-	76	3.3 %
83	-	83	3.6 %
84	-	98	4.2 %
85	-	71	3.1 %
86	-	95	4.1 %
87	-	85	3.7 %
88	-	70	3.0 %
89	-	87	3.7 %
90	-	79	3.4 %
91	-	56	2.4 %
92	-	63	2.7 %
93	-	42	1.8 %
94	-	56	2.4 %
95	-	47	2.0 %
96	-	36	1.5 %
97	-	36	1.5 %
98	-	32	1.4 %
99	-	25	1.1 %
100	-	20	0.9 %
101	-	17	0.7 %
102	-	32	1.4 %
103	-	19	0.8 %
104	-	17	0.7 %
105	-	21	0.9 %
106	-	14	0.6 %
107	-	22	0.9 %
108	-	12	0.5 %
	Missing Data		
.	-	358	15.4 %
	Total	**2,327**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,969 valid cases out of 2,327 total cases.

- Mean: 93.68
- Median: 88.00
- Mode: 84.00
- Minimum: 51.00
- Maximum: 486.00
- Standard Deviation: 28.18

Location: 4195-4197 (width: 3; decimal: 0)
Variable Type: numeric

INSURES7: Insulin (uIU/ml)

Insulin (uIU/ml)

Value	Label	Unweighted Frequency	%
4.0	-	2	0.1 %
4.1	-	1	0.0 %
4.2	-	3	0.1 %
4.3	-	1	0.0 %
4.4	-	3	0.1 %
4.5	-	7	0.3 %
4.6	-	10	0.4 %
4.7	-	8	0.3 %
4.9	-	15	0.6 %
5.0	-	15	0.6 %
5.1	-	14	0.6 %
5.2	-	11	0.5 %
5.3	-	17	0.7 %
5.4	-	17	0.7 %
5.5	-	14	0.6 %
5.6	-	11	0.5 %
5.7	-	16	0.7 %
5.8	-	20	0.9 %
5.9	-	18	0.8 %
6.0	-	20	0.9 %
6.1	-	21	0.9 %
6.2	-	18	0.8 %
6.4	-	9	0.4 %
6.5	-	22	0.9 %
6.6	-	21	0.9 %
6.7	-	10	0.4 %
6.8	-	23	1.0 %
6.9	-	15	0.6 %
7.0	-	18	0.8 %

Value	Label	Unweighted Frequency	%
7.1	-	17	0.7 %
7.2	-	17	0.7 %
7.3	-	19	0.8 %
7.4	-	20	0.9 %
7.5	-	18	0.8 %
7.6	-	21	0.9 %
7.7	-	17	0.7 %
7.9	-	16	0.7 %
8.0	-	12	0.5 %
8.1	-	16	0.7 %
8.2	-	23	1.0 %
8.3	-	22	0.9 %
8.4	-	14	0.6 %
8.5	-	24	1.0 %
8.6	-	13	0.6 %
8.7	-	18	0.8 %
8.8	-	14	0.6 %
8.9	-	17	0.7 %
9.0	-	21	0.9 %
9.1	-	22	0.9 %
9.2	-	15	0.6 %
	Missing Data		
.	-	459	19.7 %
	Total	**2,327**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,868 valid cases out of 2,327 total cases.

- Mean: 13.52
- Minimum: 4.00
- Maximum: 313.80
- Standard Deviation: 14.05

Location: 4198-4204 (width: 7; decimal: 1)
Variable Type: numeric

FACRESU7: Factor VII (%)

Factor VII (%)

Value	Label	Unweighted Frequency	%
23	-	1	0.0 %
25	-	1	0.0 %
32	-	1	0.0 %

Value	Label	Unweighted Frequency	%
35	-	1	0.0 %
49	-	1	0.0 %
57	-	2	0.1 %
59	-	1	0.0 %
61	-	1	0.0 %
62	-	1	0.0 %
66	-	2	0.1 %
67	-	2	0.1 %
68	-	2	0.1 %
70	-	1	0.0 %
71	-	2	0.1 %
72	-	3	0.1 %
75	-	5	0.2 %
76	-	2	0.1 %
77	-	1	0.0 %
78	-	2	0.1 %
79	-	3	0.1 %
80	-	4	0.2 %
81	-	2	0.1 %
82	-	1	0.0 %
83	-	5	0.2 %
84	-	1	0.0 %
85	-	3	0.1 %
86	-	5	0.2 %
87	-	10	0.4 %
88	-	8	0.3 %
89	-	8	0.3 %
90	-	4	0.2 %
91	-	8	0.3 %
92	-	8	0.3 %
93	-	3	0.1 %
94	-	14	0.6 %
95	-	7	0.3 %
97	-	4	0.2 %
98	-	17	0.7 %
99	-	6	0.3 %
100	-	6	0.3 %
101	-	10	0.4 %
102	-	1	0.0 %
103	-	13	0.6 %
104	-	13	0.6 %
105	-	8	0.3 %

Value	Label	Unweighted Frequency	%
107	-	11	0.5 %
108	-	19	0.8 %
109	-	20	0.9 %
111	-	16	0.7 %
112	-	16	0.7 %
	Missing Data		
.	-	1419	61.0 %
	Total	**2,327**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 908 valid cases out of 2,327 total cases.

- Mean: 131.92
- Median: 129.00
- Mode: 141.00
- Minimum: 23.00
- Maximum: 772.00
- Standard Deviation: 42.10

Location: 4205-4207 (width: 3; decimal: 0)
Variable Type: numeric

FIBRESU7: Fibrinogen (mg/dl)

Fibrinogen (mg/dl)

Value	Label	Unweighted Frequency	%
128	-	1	0.0 %
148	-	1	0.0 %
151	-	1	0.0 %
152	-	1	0.0 %
159	-	2	0.1 %
163	-	1	0.0 %
168	-	4	0.2 %
171	-	1	0.0 %
173	-	3	0.1 %
175	-	2	0.1 %
177	-	1	0.0 %
181	-	1	0.0 %
183	-	4	0.2 %
185	-	1	0.0 %
188	-	5	0.2 %
190	-	4	0.2 %
193	-	5	0.2 %

Value	Label	Unweighted Frequency	%
195	-	4	0.2 %
198	-	7	0.3 %
200	-	4	0.2 %
203	-	10	0.4 %
206	-	8	0.3 %
209	-	16	0.7 %
212	-	17	0.7 %
215	-	16	0.7 %
219	-	24	1.0 %
222	-	24	1.0 %
226	-	18	0.8 %
230	-	25	1.1 %
234	-	24	1.0 %
238	-	28	1.2 %
242	-	30	1.3 %
247	-	33	1.4 %
251	-	39	1.7 %
256	-	34	1.5 %
262	-	43	1.8 %
266	-	1	0.0 %
267	-	38	1.6 %
273	-	29	1.2 %
279	-	43	1.8 %
286	-	39	1.7 %
292	-	48	2.1 %
294	-	1	0.0 %
300	-	33	1.4 %
308	-	30	1.3 %
316	-	28	1.2 %
325	-	43	1.8 %
334	-	29	1.2 %
345	-	24	1.0 %
356	-	26	1.1 %
	Missing Data		
.	-	1418	60.9 %
	Total	**2,327**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 909 valid cases out of 2,327 total cases.

- Mean: 274.31
- Median: 267.00

- Mode: 292.00
- Minimum: 128.00
- Maximum: 569.00
- Standard Deviation: 57.32

Location: 4208-4210 (width: 3; decimal: 0)
Variable Type: numeric

PAIRESU7: PAI-1 (ng/ml)

PAI-1 (ng/ml)

Value	Label	Unweighted Frequency	%
0.1	-	1	0.0 %
0.3	-	1	0.0 %
0.4	-	1	0.0 %
0.6	-	2	0.1 %
0.8	-	7	0.3 %
1.0	-	1	0.0 %
1.1	-	2	0.1 %
1.2	-	9	0.4 %
1.3	-	7	0.3 %
1.4	-	8	0.3 %
1.5	-	5	0.2 %
1.6	-	15	0.6 %
1.7	-	5	0.2 %
1.8	-	11	0.5 %
2.0	-	12	0.5 %
2.1	-	1	0.0 %
2.2	-	10	0.4 %
2.3	-	6	0.3 %
2.4	-	12	0.5 %
2.5	-	3	0.1 %
2.6	-	14	0.6 %
2.7	-	3	0.1 %
2.8	-	9	0.4 %
2.9	-	2	0.1 %
3.0	-	9	0.4 %
3.1	-	4	0.2 %
3.2	-	13	0.6 %
3.3	-	6	0.3 %
3.4	-	15	0.6 %
3.5	-	5	0.2 %
3.6	-	23	1.0 %
3.7	-	1	0.0 %
3.8	-	10	0.4 %

Value	Label	Unweighted Frequency	%
3.9	-	1	0.0 %
4.0	-	25	1.1 %
4.1	-	4	0.2 %
4.2	-	13	0.6 %
4.3	-	6	0.3 %
4.4	-	25	1.1 %
4.5	-	2	0.1 %
4.6	-	9	0.4 %
4.8	-	23	1.0 %
4.9	-	3	0.1 %
5.0	-	8	0.3 %
5.1	-	2	0.1 %
5.2	-	24	1.0 %
5.3	-	2	0.1 %
5.4	-	14	0.6 %
5.5	-	3	0.1 %
5.6	-	15	0.6 %
	Missing Data		
.	-	443	19.0 %
	Total	**2,327**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,884 valid cases out of 2,327 total cases.

- Mean: 21.44
- Minimum: 0.10
- Maximum: 590.00
- Standard Deviation: 33.43

Location: 4211-4216 (width: 6; decimal: 1)
Variable Type: numeric

TPARESU7: tPA (ng/ml)

tPA (ng/ml)

Value	Label	Unweighted Frequency	%
0.5	-	1	0.0 %
0.7	-	1	0.0 %
0.8	-	2	0.1 %
1.0	-	1	0.0 %
1.1	-	2	0.1 %
1.2	-	4	0.2 %
1.3	-	3	0.1 %

Value	Label	Unweighted Frequency	%
1.4	-	4	0.2 %
1.5	-	5	0.2 %
1.6	-	9	0.4 %
1.7	-	1	0.0 %
1.8	-	4	0.2 %
1.9	-	7	0.3 %
2.0	-	9	0.4 %
2.1	-	13	0.6 %
2.2	-	15	0.6 %
2.3	-	11	0.5 %
2.4	-	14	0.6 %
2.5	-	18	0.8 %
2.6	-	13	0.6 %
2.7	-	14	0.6 %
2.8	-	16	0.7 %
2.9	-	23	1.0 %
3.0	-	16	0.7 %
3.1	-	19	0.8 %
3.2	-	22	0.9 %
3.3	-	15	0.6 %
3.4	-	25	1.1 %
3.5	-	25	1.1 %
3.6	-	19	0.8 %
3.7	-	18	0.8 %
3.8	-	24	1.0 %
3.9	-	27	1.2 %
4.0	-	29	1.2 %
4.1	-	24	1.0 %
4.2	-	32	1.4 %
4.3	-	22	0.9 %
4.4	-	18	0.8 %
4.5	-	25	1.1 %
4.6	-	22	0.9 %
4.7	-	31	1.3 %
4.8	-	16	0.7 %
4.9	-	28	1.2 %
5.0	-	21	0.9 %
5.1	-	24	1.0 %
5.2	-	25	1.1 %
5.3	-	22	0.9 %
5.4	-	31	1.3 %
5.5	-	13	0.6 %

Value	Label	Unweighted Frequency	%
5.6	-	19	0.8 %
	Missing Data		
.	-	425	18.3 %
	Total	**2,327**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,902 valid cases out of 2,327 total cases.

- Mean: 8.65
- Median: 6.20
- Mode: 4.20
- Minimum: 0.50
- Maximum: 528.00
- Standard Deviation: 18.11

Location: 4217-4222 (width: 6; decimal: 1)
Variable Type: numeric

LPARESU7: Lipoprotein Lp(a) (mg/dl)

Lipoprotein Lp(a) (mg/dl)

Value	Label	Unweighted Frequency	%
1	-	35	1.5 %
2	-	65	2.8 %
3	-	85	3.7 %
4	-	77	3.3 %
5	-	63	2.7 %
6	-	85	3.7 %
7	-	86	3.7 %
8	-	66	2.8 %
9	-	61	2.6 %
10	-	58	2.5 %
11	-	31	1.3 %
12	-	39	1.7 %
13	-	39	1.7 %
14	-	32	1.4 %
15	-	38	1.6 %
16	-	27	1.2 %
17	-	32	1.4 %
18	-	34	1.5 %
19	-	23	1.0 %
20	-	17	0.7 %
21	-	25	1.1 %

Value	Label	Unweighted Frequency	%
22	-	11	0.5 %
23	-	29	1.2 %
24	-	11	0.5 %
25	-	17	0.7 %
26	-	14	0.6 %
27	-	21	0.9 %
28	-	16	0.7 %
29	-	14	0.6 %
30	-	21	0.9 %
31	-	18	0.8 %
32	-	13	0.6 %
33	-	19	0.8 %
34	-	12	0.5 %
35	-	19	0.8 %
36	-	16	0.7 %
37	-	16	0.7 %
38	-	18	0.8 %
39	-	15	0.6 %
40	-	7	0.3 %
41	-	13	0.6 %
42	-	12	0.5 %
43	-	16	0.7 %
44	-	5	0.2 %
45	-	11	0.5 %
46	-	11	0.5 %
47	-	10	0.4 %
48	-	12	0.5 %
49	-	7	0.3 %
50	-	4	0.2 %
	Missing Data		
.	-	447	19.2 %
	Total	**2,327**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,880 valid cases out of 2,327 total cases.

- Mean: 35.13
- Median: 18.00
- Mode: 7.00
- Minimum: 1.00
- Maximum: 272.00
- Standard Deviation: 40.09

Location: 4223-4225 (width: 3; decimal: 0)
Variable Type: numeric

LPA1RES7: Lipoprotein A-1 (mg/dl)

Lipoprotein A-1 (mg/dl)

Value	Label	Unweighted Frequency	%
19	-	1	0.0 %
21	-	1	0.0 %
22	-	1	0.0 %
23	-	2	0.1 %
25	-	1	0.0 %
26	-	2	0.1 %
27	-	2	0.1 %
28	-	1	0.0 %
29	-	3	0.1 %
30	-	6	0.3 %
31	-	6	0.3 %
32	-	12	0.5 %
33	-	17	0.7 %
34	-	13	0.6 %
35	-	18	0.8 %
36	-	20	0.9 %
37	-	16	0.7 %
38	-	17	0.7 %
39	-	34	1.5 %
40	-	37	1.6 %
41	-	41	1.8 %
42	-	32	1.4 %
43	-	23	1.0 %
44	-	30	1.3 %
45	-	30	1.3 %
46	-	34	1.5 %
47	-	35	1.5 %
48	-	37	1.6 %
49	-	46	2.0 %
50	-	38	1.6 %
51	-	36	1.5 %
52	-	33	1.4 %
53	-	43	1.8 %
54	-	43	1.8 %
55	-	40	1.7 %
56	-	42	1.8 %
57	-	39	1.7 %

Value	Label	Unweighted Frequency	%
58	-	33	1.4 %
59	-	30	1.3 %
60	-	37	1.6 %
61	-	32	1.4 %
62	-	49	2.1 %
63	-	34	1.5 %
64	-	22	0.9 %
65	-	11	0.5 %
66	-	19	0.8 %
67	-	9	0.4 %
68	-	22	0.9 %
69	-	9	0.4 %
70	-	23	1.0 %
	Missing Data		
.	-	908	39.0 %
	Total	**2,327**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,419 valid cases out of 2,327 total cases.

- Mean: 56.51
- Median: 54.00
- Mode: 62.00
- Minimum: 19.00
- Maximum: 167.00
- Standard Deviation: 16.20

Location: 4226-4228 (width: 3; decimal: 0)
Variable Type: numeric

APOARES7: Apolipoprotein A-1 (mg/dl)

Apolipoprotein A-1 (mg/dl)

Value	Label	Unweighted Frequency	%
68	-	1	0.0 %
92	-	1	0.0 %
94	-	1	0.0 %
105	-	2	0.1 %
106	-	2	0.1 %
107	-	2	0.1 %
108	-	2	0.1 %
110	-	4	0.2 %
111	-	4	0.2 %

Value	Label	Unweighted Frequency	%
112	-	2	0.1 %
113	-	1	0.0 %
114	-	3	0.1 %
115	-	3	0.1 %
116	-	2	0.1 %
117	-	2	0.1 %
118	-	8	0.3 %
119	-	6	0.3 %
120	-	6	0.3 %
121	-	5	0.2 %
122	-	1	0.0 %
123	-	4	0.2 %
124	-	6	0.3 %
125	-	8	0.3 %
126	-	10	0.4 %
127	-	7	0.3 %
128	-	7	0.3 %
129	-	8	0.3 %
130	-	6	0.3 %
131	-	11	0.5 %
132	-	11	0.5 %
133	-	12	0.5 %
134	-	13	0.6 %
135	-	7	0.3 %
136	-	16	0.7 %
137	-	11	0.5 %
138	-	15	0.6 %
139	-	27	1.2 %
140	-	19	0.8 %
141	-	24	1.0 %
142	-	26	1.1 %
143	-	25	1.1 %
144	-	21	0.9 %
145	-	25	1.1 %
146	-	14	0.6 %
147	-	23	1.0 %
148	-	22	0.9 %
149	-	15	0.6 %
150	-	29	1.2 %
151	-	22	0.9 %
152	-	18	0.8 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	329	14.1 %
	Total	**2,327**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,998 valid cases out of 2,327 total cases.

- Mean: 171.59
- Median: 170.00
- Mode: 172.00
- Minimum: 68.00
- Maximum: 336.00
- Standard Deviation: 28.48

Location: 4229-4231 (width: 3; decimal: 0)
Variable Type: numeric

APOBRES7: Apolipoprotein B (mg/dl)

Apolipoprotein B (mg/dl)

Value	Label	Unweighted Frequency	%
31	-	1	0.0 %
39	-	2	0.1 %
40	-	2	0.1 %
43	-	1	0.0 %
44	-	1	0.0 %
45	-	1	0.0 %
46	-	1	0.0 %
48	-	1	0.0 %
50	-	2	0.1 %
51	-	1	0.0 %
52	-	1	0.0 %
54	-	3	0.1 %
55	-	3	0.1 %
56	-	1	0.0 %
57	-	2	0.1 %
58	-	3	0.1 %
59	-	4	0.2 %
60	-	5	0.2 %
61	-	7	0.3 %
62	-	4	0.2 %
63	-	3	0.1 %
64	-	6	0.3 %
65	-	14	0.6 %

Value	Label	Unweighted Frequency	%
66	-	3	0.1 %
67	-	5	0.2 %
68	-	5	0.2 %
69	-	17	0.7 %
70	-	14	0.6 %
71	-	8	0.3 %
72	-	9	0.4 %
73	-	18	0.8 %
74	-	13	0.6 %
75	-	12	0.5 %
76	-	15	0.6 %
77	-	16	0.7 %
78	-	22	0.9 %
79	-	18	0.8 %
80	-	21	0.9 %
81	-	22	0.9 %
82	-	22	0.9 %
83	-	18	0.8 %
84	-	29	1.2 %
85	-	19	0.8 %
86	-	22	0.9 %
87	-	14	0.6 %
88	-	27	1.2 %
89	-	30	1.3 %
90	-	19	0.8 %
91	-	26	1.1 %
92	-	24	1.0 %
	Missing Data		
.	-	330	14.2 %
	Total	**2,327**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,997 valid cases out of 2,327 total cases.

- Mean: 109.98
- Median: 108.00
- Mode: 108.00
- Minimum: 31.00
- Maximum: 229.00
- Standard Deviation: 27.71

Location: 4232-4234 (width: 3; decimal: 0)
Variable Type: numeric

CRPRESU7: C-reactive protein (mg/l)

C-reactive protein (mg/l)

Value	Label	Unweighted Frequency	%
0.042	-	1	0.0 %
0.048	-	1	0.0 %
0.049	-	1	0.0 %
0.052	-	1	0.0 %
0.053	-	1	0.0 %
0.062	-	1	0.0 %
0.067	-	1	0.0 %
0.074	-	1	0.0 %
0.077	-	1	0.0 %
0.079	-	1	0.0 %
0.080	-	1	0.0 %
0.081	-	1	0.0 %
0.083	-	1	0.0 %
0.088	-	2	0.1 %
0.091	-	2	0.1 %
0.093	-	1	0.0 %
0.095	-	2	0.1 %
0.096	-	2	0.1 %
0.097	-	2	0.1 %
0.103	-	2	0.1 %
0.104	-	1	0.0 %
0.106	-	2	0.1 %
0.109	-	2	0.1 %
0.112	-	3	0.1 %
0.114	-	1	0.0 %
0.119	-	2	0.1 %
0.123	-	1	0.0 %
0.125	-	2	0.1 %
0.129	-	2	0.1 %
0.135	-	1	0.0 %
0.136	-	1	0.0 %
0.137	-	2	0.1 %
0.139	-	1	0.0 %
0.140	-	1	0.0 %
0.141	-	1	0.0 %
0.142	-	1	0.0 %
0.145	-	1	0.0 %
0.146	-	1	0.0 %
0.148	-	2	0.1 %

Value	Label	Unweighted Frequency	%
0.152	-	2	0.1 %
0.155	-	1	0.0 %
0.159	-	1	0.0 %
0.161	-	1	0.0 %
0.162	-	1	0.0 %
0.164	-	1	0.0 %
0.165	-	2	0.1 %
0.166	-	2	0.1 %
0.167	-	2	0.1 %
0.168	-	6	0.3 %
0.169	-	1	0.0 %
	Missing Data		
.	-	330	14.2 %
	Total	**2,327**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,997 valid cases out of 2,327 total cases.

- Mean: 3.820
- Minimum: 0.042
- Maximum: 58.700
- Standard Deviation: 6.113

Location: 4235-4241 (width: 7; decimal: 3)
Variable Type: numeric

SPSCDAY7: Spine Scan Day

Spine Scan Day

Value	Label	Unweighted Frequency	%
2439	-	1	0.0 %
2456	-	1	0.0 %
2468	-	1	0.0 %
2480	-	1	0.0 %
2483	-	1	0.0 %
2485	-	1	0.0 %
2492	-	5	0.2 %
2494	-	1	0.0 %
2496	-	1	0.0 %
2498	-	1	0.0 %
2499	-	2	0.1 %
2500	-	1	0.0 %
2501	-	6	0.3 %

Value	Label	Unweighted Frequency	%
2502	-	2	0.1 %
2504	-	2	0.1 %
2505	-	1	0.0 %
2506	-	3	0.1 %
2507	-	1	0.0 %
2508	-	3	0.1 %
2509	-	1	0.0 %
2510	-	6	0.3 %
2511	-	9	0.4 %
2512	-	12	0.5 %
2513	-	17	0.7 %
2514	-	7	0.3 %
2515	-	3	0.1 %
2516	-	6	0.3 %
2517	-	5	0.2 %
2518	-	6	0.3 %
2519	-	11	0.5 %
2520	-	19	0.8 %
2521	-	7	0.3 %
2522	-	18	0.8 %
2523	-	6	0.3 %
2524	-	9	0.4 %
2525	-	8	0.3 %
2526	-	10	0.4 %
2527	-	14	0.6 %
2528	-	9	0.4 %
2529	-	9	0.4 %
2530	-	6	0.3 %
2531	-	9	0.4 %
2532	-	11	0.5 %
2533	-	11	0.5 %
2534	-	21	0.9 %
2535	-	10	0.4 %
2536	-	8	0.3 %
2537	-	5	0.2 %
2538	-	8	0.3 %
2539	-	12	0.5 %
	Missing Data		
.	-	632	27.2 %
	Total	**2,327**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,695 valid cases out of 2,327 total cases.

- Mean: 2605.45
- Minimum: 2439.00
- Maximum: 3086.00
- Standard Deviation: 81.79

Location: 4242-4245 (width: 4; decimal: 0)
Variable Type: numeric

SPSCTIM7: Spine Scan Time

Spine Scan Time

Value	Label	Unweighted Frequency	%
	-	632	27.2 %
10:00:00	-	5	0.2 %
10:00:06	-	1	0.0 %
10:00:20	-	1	0.0 %
10:00:42	-	1	0.0 %
10:00:51	-	1	0.0 %
10:01:00	-	6	0.3 %
10:01:17	-	1	0.0 %
10:01:38	-	1	0.0 %
10:01:45	-	1	0.0 %
10:01:56	-	1	0.0 %
10:02:00	-	3	0.1 %
10:02:04	-	1	0.0 %
10:02:35	-	2	0.1 %
10:03:05	-	1	0.0 %
10:03:47	-	1	0.0 %
10:03:50	-	1	0.0 %
10:04:00	-	5	0.2 %
10:04:20	-	1	0.0 %
10:04:41	-	1	0.0 %
10:05:00	-	6	0.3 %
10:05:40	-	1	0.0 %
10:05:49	-	1	0.0 %
10:06:00	-	3	0.1 %
10:06:13	-	1	0.0 %
10:06:28	-	1	0.0 %
10:06:39	-	1	0.0 %
10:07:00	-	4	0.2 %
10:07:07	-	1	0.0 %

Value	Label	Unweighted Frequency	%
10:07:47	-	1	0.0 %
10:07:53	-	1	0.0 %
10:08:00	-	2	0.1 %
10:08:15	-	1	0.0 %
10:08:22	-	1	0.0 %
10:09:00	-	6	0.3 %
10:09:03	-	1	0.0 %
10:09:13	-	1	0.0 %
10:09:28	-	1	0.0 %
10:09:32	-	1	0.0 %
10:09:36	-	1	0.0 %
10:09:42	-	1	0.0 %
10:10:00	-	5	0.2 %
10:10:10	-	1	0.0 %
10:10:28	-	1	0.0 %
10:10:48	-	1	0.0 %
10:11:00	-	5	0.2 %
10:11:13	-	1	0.0 %
10:11:57	-	1	0.0 %
10:12:00	-	2	0.1 %
10:12:22	-	1	0.0 %
	Total	**2,327**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,327 valid cases out of 2,327 total cases.

Location: 4246-4253 (width: 8; decimal: 0)
Variable Type: character

SPSCMOD7: Spine Scan Mode

Spine Scan Mode

Value	Label	Unweighted Frequency	%
5	2000 machine	613	26.3 %
11	4500 machine	1082	46.5 %
	Missing Data		
.	-	632	27.2 %
	Total	**2,327**	**100%**

Based upon 1,695 valid cases out of 2,327 total cases.

- Minimum: 5.00
- Maximum: 11.00

Location: 4254-4255 (width: 2; decimal: 0)
Variable Type: numeric

HPSCDAY7: Hip Scan Day

Hip Scan Day

Value	Label	Unweighted Frequency	%
2439	-	1	0.0 %
2456	-	1	0.0 %
2468	-	1	0.0 %
2480	-	1	0.0 %
2483	-	1	0.0 %
2485	-	1	0.0 %
2492	-	5	0.2 %
2494	-	1	0.0 %
2496	-	1	0.0 %
2498	-	1	0.0 %
2499	-	2	0.1 %
2500	-	1	0.0 %
2501	-	6	0.3 %
2502	-	2	0.1 %
2504	-	2	0.1 %
2505	-	1	0.0 %
2506	-	3	0.1 %
2507	-	1	0.0 %
2508	-	3	0.1 %
2509	-	1	0.0 %
2510	-	5	0.2 %
2511	-	9	0.4 %
2512	-	11	0.5 %
2513	-	17	0.7 %
2514	-	7	0.3 %
2515	-	3	0.1 %
2516	-	7	0.3 %
2517	-	5	0.2 %
2518	-	6	0.3 %
2519	-	11	0.5 %
2520	-	19	0.8 %
2521	-	7	0.3 %
2522	-	18	0.8 %
2523	-	6	0.3 %
2524	-	9	0.4 %
2525	-	9	0.4 %
2526	-	10	0.4 %

Value	Label	Unweighted Frequency	%
2527	-	14	0.6 %
2528	-	9	0.4 %
2529	-	9	0.4 %
2530	-	6	0.3 %
2531	-	9	0.4 %
2532	-	11	0.5 %
2533	-	10	0.4 %
2534	-	21	0.9 %
2535	-	10	0.4 %
2536	-	8	0.3 %
2537	-	5	0.2 %
2538	-	8	0.3 %
2539	-	12	0.5 %
	Missing Data		
.	-	632	27.2 %
	Total	**2,327**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,695 valid cases out of 2,327 total cases.

- Mean: 2605.58
- Minimum: 2439.00
- Maximum: 3086.00
- Standard Deviation: 81.83

Location: 4256-4259 (width: 4; decimal: 0)
Variable Type: numeric

HPSCTIM7: Hip Scan Time

Hip Scan Time

Value	Label	Unweighted Frequency	%
	-	634	27.2 %
10:00:00	-	7	0.3 %
10:00:13	-	1	0.0 %
10:00:43	-	1	0.0 %
10:00:58	-	1	0.0 %
10:01:00	-	3	0.1 %
10:02:00	-	3	0.1 %
10:02:29	-	1	0.0 %
10:03:00	-	4	0.2 %
10:03:53	-	1	0.0 %
10:03:59	-	1	0.0 %

Value	Label	Unweighted Frequency	%
10:04:00	-	5	0.2 %
10:04:12	-	1	0.0 %
10:04:34	-	1	0.0 %
10:05:00	-	7	0.3 %
10:05:05	-	1	0.0 %
10:05:20	-	1	0.0 %
10:05:40	-	1	0.0 %
10:05:58	-	2	0.1 %
10:06:00	-	3	0.1 %
10:06:02	-	1	0.0 %
10:06:06	-	2	0.1 %
10:06:07	-	1	0.0 %
10:06:09	-	1	0.0 %
10:06:13	-	1	0.0 %
10:06:48	-	1	0.0 %
10:07:00	-	1	0.0 %
10:07:09	-	1	0.0 %
10:07:15	-	1	0.0 %
10:07:26	-	1	0.0 %
10:07:43	-	1	0.0 %
10:07:58	-	1	0.0 %
10:08:15	-	1	0.0 %
10:08:33	-	1	0.0 %
10:08:50	-	2	0.1 %
10:09:00	-	3	0.1 %
10:09:13	-	1	0.0 %
10:09:15	-	1	0.0 %
10:09:32	-	1	0.0 %
10:09:46	-	1	0.0 %
10:10:00	-	7	0.3 %
10:10:12	-	1	0.0 %
10:10:35	-	1	0.0 %
10:10:50	-	1	0.0 %
10:11:00	-	5	0.2 %
10:11:21	-	1	0.0 %
10:11:26	-	1	0.0 %
10:11:35	-	1	0.0 %
10:11:48	-	1	0.0 %
10:11:49	-	1	0.0 %
	Total	**2,327**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,327 valid cases out of 2,327 total cases.

Location: 4260-4267 (width: 8; decimal: 0)
Variable Type: character

HPSCMOD7: Hip Scan Mode

Hip Scan Mode

Value	Label	Unweighted Frequency	%
5	2000 machine	615	26.4 %
11	4500 machine	1077	46.3 %
17	UNDOCUMENTED CODE	1	0.0 %
	Missing Data		
.	-	634	27.2 %
	Total	**2,327**	**100%**

Based upon 1,693 valid cases out of 2,327 total cases.

- Minimum: 5.00
- Maximum: 17.00

Location: 4268-4269 (width: 2; decimal: 0)
Variable Type: numeric

SPBMDT7: Total Spine BMD w/cross-calibration applied

Total Spine BMD w/cross-calibration applied

Value	Label	Unweighted Frequency	%
0.583	-	1	0.0 %
0.595	-	1	0.0 %
0.645	-	1	0.0 %
0.650	-	1	0.0 %
0.656	-	1	0.0 %
0.660	-	1	0.0 %
0.673	-	1	0.0 %
0.685	-	1	0.0 %
0.688	-	2	0.1 %
0.691	-	1	0.0 %
0.693	-	1	0.0 %
0.696	-	1	0.0 %
0.701	-	1	0.0 %
0.709	-	1	0.0 %
0.712	-	1	0.0 %
0.716	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.717	-	1	0.0 %
0.724	-	1	0.0 %
0.725	-	1	0.0 %
0.726	-	1	0.0 %
0.727	-	1	0.0 %
0.728	-	1	0.0 %
0.733	-	1	0.0 %
0.734	-	3	0.1 %
0.736	-	3	0.1 %
0.737	-	1	0.0 %
0.738	-	2	0.1 %
0.745	-	1	0.0 %
0.749	-	1	0.0 %
0.752	-	2	0.1 %
0.753	-	1	0.0 %
0.756	-	1	0.0 %
0.760	-	1	0.0 %
0.763	-	2	0.1 %
0.764	-	1	0.0 %
0.766	-	2	0.1 %
0.767	-	2	0.1 %
0.768	-	2	0.1 %
0.770	-	1	0.0 %
0.771	-	1	0.0 %
0.773	-	2	0.1 %
0.775	-	3	0.1 %
0.777	-	4	0.2 %
0.778	-	4	0.2 %
0.779	-	2	0.1 %
0.780	-	2	0.1 %
0.781	-	2	0.1 %
0.782	-	2	0.1 %
0.783	-	1	0.0 %
0.785	-	2	0.1 %
	Missing Data		
.	-	633	27.2 %
	Total	**2,327**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,694 valid cases out of 2,327 total cases.

- Mean: 1.032

- Minimum: 0.583
- Maximum: 1.659
- Standard Deviation: 0.159

Location: 4270-4276 (width: 7; decimal: 3)
Variable Type: numeric

HPBMDT7: Total Hip BMD w/cross-calibration applied

Total Hip BMD w/cross-calibration applied

Value	Label	Unweighted Frequency	%
0.554	-	1	0.0 %
0.569	-	1	0.0 %
0.572	-	1	0.0 %
0.606	-	1	0.0 %
0.622	-	3	0.1 %
0.627	-	1	0.0 %
0.630	-	1	0.0 %
0.638	-	1	0.0 %
0.646	-	1	0.0 %
0.657	-	1	0.0 %
0.658	-	1	0.0 %
0.660	-	2	0.1 %
0.661	-	1	0.0 %
0.662	-	1	0.0 %
0.663	-	1	0.0 %
0.664	-	1	0.0 %
0.665	-	2	0.1 %
0.668	-	1	0.0 %
0.670	-	1	0.0 %
0.671	-	1	0.0 %
0.672	-	1	0.0 %
0.673	-	1	0.0 %
0.675	-	1	0.0 %
0.676	-	1	0.0 %
0.677	-	1	0.0 %
0.680	-	1	0.0 %
0.681	-	2	0.1 %
0.685	-	1	0.0 %
0.686	-	3	0.1 %
0.688	-	2	0.1 %
0.691	-	2	0.1 %
0.692	-	2	0.1 %
0.695	-	3	0.1 %

Value	Label	Unweighted Frequency	%
0.696	-	1	0.0 %
0.697	-	1	0.0 %
0.698	-	3	0.1 %
0.701	-	1	0.0 %
0.702	-	3	0.1 %
0.703	-	3	0.1 %
0.704	-	1	0.0 %
0.706	-	2	0.1 %
0.707	-	2	0.1 %
0.708	-	3	0.1 %
0.709	-	1	0.0 %
0.711	-	3	0.1 %
0.712	-	3	0.1 %
0.715	-	1	0.0 %
0.716	-	1	0.0 %
0.717	-	1	0.0 %
0.718	-	3	0.1 %
	Missing Data		
.	-	632	27.2 %
	Total	**2,327**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,695 valid cases out of 2,327 total cases.

- Mean: 0.937
- Minimum: 0.554
- Maximum: 1.554
- Standard Deviation: 0.145

Location: 4277-4283 (width: 7; decimal: 3)
Variable Type: numeric

BMDFLG7: PI recommended for spine exclusion

PI recommended for spine exclusion

Value	Label	Unweighted Frequency	%
0	No	1701	73.1 %
1	Yes	2	0.1 %
	Missing Data		
.	-	624	26.8 %
	Total	**2,327**	**100%**

Based upon 1,703 valid cases out of 2,327 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 4284-4285 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BIODAY7: Bioimpedance Day

Date form completed

Value	Label	Unweighted Frequency	%
2439	-	1	0.0 %
2456	-	1	0.0 %
2468	-	1	0.0 %
2480	-	2	0.1 %
2483	-	1	0.0 %
2485	-	1	0.0 %
2492	-	5	0.2 %
2494	-	1	0.0 %
2496	-	1	0.0 %
2498	-	1	0.0 %
2499	-	2	0.1 %
2500	-	1	0.0 %
2501	-	6	0.3 %
2502	-	2	0.1 %
2504	-	2	0.1 %
2505	-	1	0.0 %
2506	-	3	0.1 %
2508	-	3	0.1 %
2509	-	2	0.1 %
2510	-	6	0.3 %
2511	-	9	0.4 %
2512	-	13	0.6 %
2513	-	19	0.8 %
2514	-	10	0.4 %
2515	-	3	0.1 %
2516	-	8	0.3 %
2517	-	6	0.3 %
2518	-	8	0.3 %
2519	-	11	0.5 %
2520	-	21	0.9 %
2521	-	7	0.3 %
2522	-	18	0.8 %
2523	-	8	0.3 %

Value	Label	Unweighted Frequency	%
2524	-	10	0.4 %
2525	-	9	0.4 %
2526	-	14	0.6 %
2527	-	17	0.7 %
2528	-	9	0.4 %
2529	-	9	0.4 %
2530	-	6	0.3 %
2531	-	9	0.4 %
2532	-	12	0.5 %
2533	-	12	0.5 %
2534	-	23	1.0 %
2535	-	11	0.5 %
2536	-	8	0.3 %
2537	-	7	0.3 %
2538	-	9	0.4 %
2539	-	13	0.6 %
2540	-	11	0.5 %
	Missing Data		
.	-	378	16.2 %
	Total	**2,327**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,949 valid cases out of 2,327 total cases.

- Mean: 2607.76
- Minimum: 2439.00
- Maximum: 3086.00
- Standard Deviation: 81.89

Location: 4286-4289 (width: 4; decimal: 0)
Variable Type: numeric

LANGBIO7: Language of Bioimpedance

Interview Language

Value	Label	Unweighted Frequency	%
1	English	1860	79.9 %
2	Spanish	0	0.0 %
3	Cantonese	23	1.0 %
4	Japanese	66	2.8 %
	Missing Data		
.	-	378	16.2 %

Value	Label	Unweighted Frequency	%
	Total	**2,327**	**100%**

Based upon 1,949 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 4290-4291 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

COMPBIA7: Was bioimpedance measurement completed

Was bioimpedance measurement completed?

Value	Label	Unweighted Frequency	%
1	No	0	0.0 %
2	Yes	1949	83.8 %
	Missing Data		
.	-	378	16.2 %
	Total	**2,327**	**100%**

Based upon 1,949 valid cases out of 2,327 total cases.

- Minimum: 2.00
- Maximum: 2.00

Location: 4292-4293 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

AICDPUM7: Insulin pump, pacemaker or card defib

Do you have an insulin pump, pacemaker, or automatic implantable cardiac defibrillator (AICD)?

Value	Label	Unweighted Frequency	%
1	No	1949	83.8 %
2	Yes	0	0.0 %
	Missing Data		
.	-	378	16.2 %
	Total	**2,327**	**100%**

Based upon 1,949 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 4294-4295 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

EXER12H7: Exercise/sauna wi last 12 hrs

Have you exercised intensely for at least half an hour or taken a sauna within the last 12 hours? That is, since (time) a.m. / p.m.?

Value	Label	Unweighted Frequency	%
1	No	1828	78.6 %
2	Yes	120	5.2 %
	Missing Data		
-9	Missing	1	0.0 %
.	-	378	16.2 %
	Total	**2,327**	**100%**

Based upon 1,948 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 4296-4297 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

EAT5HR7: Eat/drink in last 5 hrs

Have you had anything to eat or drink, apart from water, in the last 5 hours? That is, since (time) a.m. / p.m.?

Value	Label	Unweighted Frequency	%
1	No	373	16.0 %
2	Yes	1575	67.7 %
	Missing Data		
-9	Missing	1	0.0 %
.	-	378	16.2 %
	Total	**2,327**	**100%**

Based upon 1,948 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 4298-4299 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ALCO24H7: More than 2 alcoholic drinks last 24 hrs

Have you had more than 2 alcohol drinks in the last 24 hours? That is, since (time) a.m. / p.m.?

Value	Label	Unweighted Frequency	%
1	No	1822	78.3 %
2	Yes	126	5.4 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-9	Missing	1	0.0 %
.	-	378	16.2 %
	Total	**2,327**	**100%**

Based upon 1,948 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 4300-4301 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

EMBDDEV7: Embedded metal devices/pins/plates/staples

Do you have any embedded medical devices, metal pins or plates, clips or beads used to treat cancer, braces, staples from surgery or any other type of embedded metal?

Value	Label	Unweighted Frequency	%
1	No	1773	76.2 %
2	Yes	172	7.4 %
	Missing Data		
-9	Missing	1	0.0 %
-8	Do not know	3	0.1 %
.	-	378	16.2 %
	Total	**2,327**	**100%**

Based upon 1,945 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 4302-4303 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

METJEWL7: Metal jewelry during measurement

Did participant wear any metal jewelry during measurement?

Value	Label	Unweighted Frequency	%
1	No	1688	72.5 %
2	Yes	260	11.2 %
	Missing Data		
-9	Missing	1	0.0 %
.	-	378	16.2 %
	Total	**2,327**	**100%**

Based upon 1,948 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 4304-4305 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ONMEASS7: Metal jewelry on measured side

If yes, were there any rings, bracelets, watches or ankle jewelry on the measured side?

Value	Label	Unweighted Frequency	%
1	No	182	7.8 %
2	Yes	78	3.4 %
	Missing Data		
-1	N/A	1689	72.6 %
.	-	378	16.2 %
	Total	**2,327**	**100%**

Based upon 260 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 4306-4307 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SIDE7: Which side of body electrodes placed

On which side of the body were the electrodes placed?

Value	Label	Unweighted Frequency	%
1	Right	875	37.6 %
2	Left	1073	46.1 %
	Missing Data		
-9	Missing	1	0.0 %
.	-	378	16.2 %
	Total	**2,327**	**100%**

Based upon 1,948 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 4308-4309 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CONDRAW7: Raw conductance/resistance value (ohms)

Record the conductance/resistance value that appears on the impedance meter:

Value	Label	Unweighted Frequency	%
314	-	1	0.0 %
331	-	1	0.0 %
360	-	1	0.0 %
362	-	1	0.0 %
363	-	1	0.0 %
368	-	2	0.1 %
372	-	1	0.0 %
374	-	1	0.0 %
375	-	1	0.0 %
377	-	1	0.0 %
381	-	1	0.0 %
385	-	1	0.0 %
387	-	1	0.0 %
389	-	2	0.1 %
393	-	1	0.0 %
394	-	2	0.1 %
395	-	1	0.0 %
398	-	2	0.1 %
401	-	1	0.0 %
402	-	2	0.1 %
403	-	2	0.1 %
404	-	3	0.1 %
406	-	1	0.0 %
407	-	1	0.0 %
408	-	2	0.1 %
410	-	2	0.1 %
412	-	2	0.1 %
413	-	1	0.0 %
415	-	1	0.0 %
416	-	1	0.0 %
417	-	3	0.1 %
418	-	3	0.1 %
420	-	1	0.0 %
421	-	1	0.0 %
422	-	1	0.0 %
423	-	2	0.1 %
424	-	1	0.0 %
425	-	3	0.1 %
426	-	3	0.1 %
427	-	1	0.0 %

Value	Label	Unweighted Frequency	%
428	-	2	0.1 %
429	-	3	0.1 %
430	-	2	0.1 %
431	-	3	0.1 %
432	-	2	0.1 %
433	-	2	0.1 %
434	-	1	0.0 %
435	-	4	0.2 %
436	-	4	0.2 %
437	-	1	0.0 %
	Missing Data		
.	-	381	16.4 %
	Total	**2,327**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,946 valid cases out of 2,327 total cases.

- Mean: 571.15
- Minimum: 314.00
- Maximum: 889.00
- Standard Deviation: 80.99

Location: 4310-4314 (width: 5; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9999 , -2222 , -1111 , -9 , -8 , -7 , -1 , .

CONDFRZ7: Frozen conductance/resistance value (ohms)

Record the conductance/resistance value that appears on the impedance meter:

Value	Label	Unweighted Frequency	%
314	-	1	0.0 %
331	-	1	0.0 %
360	-	1	0.0 %
362	-	1	0.0 %
363	-	1	0.0 %
368	-	2	0.1 %
372	-	1	0.0 %
374	-	1	0.0 %
375	-	1	0.0 %
377	-	1	0.0 %
381	-	1	0.0 %
385	-	1	0.0 %
387	-	1	0.0 %

Value	Label	Unweighted Frequency	%
389	-	2	0.1 %
393	-	1	0.0 %
394	-	2	0.1 %
395	-	1	0.0 %
398	-	2	0.1 %
401	-	1	0.0 %
402	-	2	0.1 %
403	-	2	0.1 %
404	-	3	0.1 %
406	-	1	0.0 %
407	-	1	0.0 %
408	-	2	0.1 %
410	-	2	0.1 %
412	-	2	0.1 %
413	-	1	0.0 %
415	-	1	0.0 %
416	-	1	0.0 %
417	-	3	0.1 %
418	-	3	0.1 %
420	-	1	0.0 %
421	-	1	0.0 %
422	-	1	0.0 %
423	-	2	0.1 %
424	-	1	0.0 %
425	-	3	0.1 %
426	-	3	0.1 %
427	-	1	0.0 %
428	-	2	0.1 %
429	-	3	0.1 %
430	-	2	0.1 %
431	-	3	0.1 %
432	-	2	0.1 %
433	-	2	0.1 %
434	-	1	0.0 %
435	-	4	0.2 %
436	-	4	0.2 %
437	-	1	0.0 %
	Missing Data		
.	-	383	16.5 %
	Total	**2,327**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,944 valid cases out of 2,327 total cases.

- Mean: 570.83
- Minimum: 314.00
- Maximum: 860.00
- Standard Deviation: 80.41

Location: 4315-4317 (width: 3; decimal: 0)
Variable Type: numeric

IMPERAW7: Raw impedance/reactance value (ohms)

Record the reactance/impedance value that appears on the impedance meter:

Value	Label	Unweighted Frequency	%
26	-	1	0.0 %
30	-	1	0.0 %
31	-	1	0.0 %
34	-	3	0.1 %
36	-	1	0.0 %
37	-	3	0.1 %
38	-	2	0.1 %
39	-	4	0.2 %
40	-	9	0.4 %
41	-	11	0.5 %
42	-	10	0.4 %
43	-	12	0.5 %
44	-	17	0.7 %
45	-	12	0.5 %
46	-	19	0.8 %
47	-	30	1.3 %
48	-	24	1.0 %
49	-	25	1.1 %
50	-	33	1.4 %
51	-	33	1.4 %
52	-	31	1.3 %
53	-	45	1.9 %
54	-	69	3.0 %
55	-	48	2.1 %
56	-	49	2.1 %
57	-	83	3.6 %
58	-	73	3.1 %
59	-	87	3.7 %
60	-	71	3.1 %

Value	Label	Unweighted Frequency	%
61	-	73	3.1 %
62	-	77	3.3 %
63	-	74	3.2 %
64	-	96	4.1 %
65	-	71	3.1 %
66	-	70	3.0 %
67	-	58	2.5 %
68	-	75	3.2 %
69	-	46	2.0 %
70	-	49	2.1 %
71	-	62	2.7 %
72	-	49	2.1 %
73	-	51	2.2 %
74	-	44	1.9 %
75	-	27	1.2 %
76	-	27	1.2 %
77	-	23	1.0 %
78	-	27	1.2 %
79	-	17	0.7 %
80	-	16	0.7 %
81	-	7	0.3 %
	Missing Data		
.	-	381	16.4 %
	Total	**2,327**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,946 valid cases out of 2,327 total cases.

- Mean: 63.40
- Median: 63.00
- Mode: 64.00
- Minimum: 26.00
- Maximum: 172.00
- Standard Deviation: 11.94

Location: 4318-4322 (width: 5; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9999 , -2222 , -1111 , -9 , -8 , -7 , -1 , .

IMPEFRZ7: Frozen impedance/reactance value (ohms)

Record the reactance/impedance value that appears on the impedance meter:

Value	Label	Unweighted Frequency	%
26	-	1	0.0 %
30	-	1	0.0 %
31	-	1	0.0 %
34	-	3	0.1 %
36	-	1	0.0 %
37	-	3	0.1 %
38	-	2	0.1 %
39	-	4	0.2 %
40	-	9	0.4 %
41	-	11	0.5 %
42	-	10	0.4 %
43	-	12	0.5 %
44	-	17	0.7 %
45	-	12	0.5 %
46	-	19	0.8 %
47	-	30	1.3 %
48	-	24	1.0 %
49	-	25	1.1 %
50	-	33	1.4 %
51	-	33	1.4 %
52	-	31	1.3 %
53	-	45	1.9 %
54	-	69	3.0 %
55	-	48	2.1 %
56	-	49	2.1 %
57	-	83	3.6 %
58	-	73	3.1 %
59	-	87	3.7 %
60	-	71	3.1 %
61	-	73	3.1 %
62	-	77	3.3 %
63	-	74	3.2 %
64	-	96	4.1 %
65	-	71	3.1 %
66	-	70	3.0 %
67	-	58	2.5 %
68	-	75	3.2 %
69	-	46	2.0 %
70	-	49	2.1 %
71	-	62	2.7 %
72	-	49	2.1 %
73	-	51	2.2 %

Value	Label	Unweighted Frequency	%
74	-	44	1.9 %
75	-	27	1.2 %
76	-	27	1.2 %
77	-	23	1.0 %
78	-	27	1.2 %
79	-	17	0.7 %
80	-	16	0.7 %
81	-	7	0.3 %
	Missing Data		
.	-	382	16.4 %
	Total	**2,327**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,945 valid cases out of 2,327 total cases.

- Mean: 63.34
- Median: 63.00
- Mode: 64.00
- Minimum: 26.00
- Maximum: 137.00
- Standard Deviation: 11.68

Location: 4323-4325 (width: 3; decimal: 0)
Variable Type: numeric

BIORRUN7: Was measurement re-run

Was the measurement re-run?

Value	Label	Unweighted Frequency	%
1	No	1925	82.7 %
2	Yes	24	1.0 %
	Missing Data		
.	-	378	16.2 %
	Total	**2,327**	**100%**

Based upon 1,949 valid cases out of 2,327 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 4326-4327 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PBFBIA7: % Body Fat (Sowers Eq.)

% Body Fat (Sowers Eq.)

Value	Label	Unweighted Frequency	%
18.438	-	1	0.0 %
18.457	-	1	0.0 %
18.779	-	1	0.0 %
18.901	-	1	0.0 %
18.953	-	1	0.0 %
19.452	-	1	0.0 %
19.906	-	1	0.0 %
20.274	-	1	0.0 %
20.373	-	1	0.0 %
20.402	-	1	0.0 %
20.434	-	1	0.0 %
20.437	-	1	0.0 %
20.760	-	1	0.0 %
20.829	-	1	0.0 %
20.834	-	1	0.0 %
20.896	-	1	0.0 %
21.115	-	1	0.0 %
21.120	-	1	0.0 %
21.202	-	1	0.0 %
21.345	-	1	0.0 %
21.387	-	1	0.0 %
21.452	-	1	0.0 %
21.652	-	1	0.0 %
21.831	-	1	0.0 %
21.905	-	1	0.0 %
21.930	-	1	0.0 %
22.012	-	1	0.0 %
22.117	-	1	0.0 %
22.126	-	1	0.0 %
22.129	-	1	0.0 %
22.148	-	1	0.0 %
22.171	-	1	0.0 %
22.222	-	1	0.0 %
22.249	-	1	0.0 %
22.316	-	1	0.0 %
22.324	-	1	0.0 %
22.415	-	1	0.0 %
22.443	-	1	0.0 %
22.587	-	1	0.0 %
22.595	-	1	0.0 %

Value	Label	Unweighted Frequency	%
22.655	-	1	0.0 %
22.670	-	1	0.0 %
22.729	-	1	0.0 %
22.771	-	1	0.0 %
22.856	-	1	0.0 %
22.993	-	1	0.0 %
23.009	-	1	0.0 %
23.016	-	1	0.0 %
23.034	-	1	0.0 %
23.064	-	1	0.0 %
	Missing Data		
.	-	397	17.1 %
	Total	**2,327**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,930 valid cases out of 2,327 total cases.

- Mean: 36.575
- Minimum: 18.438
- Maximum: 71.669
- Standard Deviation: 8.666

Location: 4328-4334 (width: 7; decimal: 3)
Variable Type: numeric

SKELMM7: Skeletal Muscle Mass (Janssen Eq.)

Skeletal Muscle Mass (Janssen Eq.)

Value	Label	Unweighted Frequency	%
12.824	-	1	0.0 %
12.846	-	1	0.0 %
12.909	-	1	0.0 %
12.986	-	1	0.0 %
13.197	-	1	0.0 %
13.351	-	1	0.0 %
13.454	-	1	0.0 %
13.568	-	1	0.0 %
13.577	-	1	0.0 %
13.745	-	1	0.0 %
13.788	-	1	0.0 %
13.829	-	1	0.0 %
13.865	-	1	0.0 %
13.869	-	1	0.0 %

Value	Label	Unweighted Frequency	%
13.891	-	1	0.0 %
13.957	-	1	0.0 %
13.962	-	1	0.0 %
14.000	-	1	0.0 %
14.021	-	1	0.0 %
14.033	-	1	0.0 %
14.095	-	1	0.0 %
14.098	-	1	0.0 %
14.142	-	1	0.0 %
14.148	-	1	0.0 %
14.151	-	1	0.0 %
14.176	-	1	0.0 %
14.177	-	1	0.0 %
14.181	-	1	0.0 %
14.188	-	1	0.0 %
14.257	-	1	0.0 %
14.258	-	1	0.0 %
14.269	-	1	0.0 %
14.384	-	1	0.0 %
14.423	-	1	0.0 %
14.432	-	1	0.0 %
14.453	-	1	0.0 %
14.615	-	1	0.0 %
14.622	-	1	0.0 %
14.634	-	1	0.0 %
14.666	-	1	0.0 %
14.669	-	1	0.0 %
14.693	-	1	0.0 %
14.755	-	1	0.0 %
14.780	-	1	0.0 %
14.791	-	1	0.0 %
14.804	-	1	0.0 %
14.821	-	2	0.1 %
14.845	-	2	0.1 %
14.908	-	1	0.0 %
14.938	-	1	0.0 %
	Missing Data		
.	-	397	17.1 %
	Total	**2,327**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,930 valid cases out of 2,327 total cases.

- Mean: 20.236
- Minimum: 12.824
- Maximum: 36.460
- Standard Deviation: 3.225

Location: 4335-4341 (width: 7; decimal: 3)
Variable Type: numeric

TBWNHAN7: Total Body Water 1 (NHANES/RJL Eq.)

Total Body Water 1 (NHANES/RJL Eq.)

Value	Label	Unweighted Frequency	%
21.667	-	1	0.0 %
21.669	-	1	0.0 %
21.784	-	1	0.0 %
22.039	-	1	0.0 %
22.166	-	1	0.0 %
22.234	-	1	0.0 %
22.456	-	1	0.0 %
22.501	-	1	0.0 %
22.527	-	1	0.0 %
22.570	-	1	0.0 %
22.720	-	1	0.0 %
22.839	-	1	0.0 %
23.007	-	1	0.0 %
23.115	-	1	0.0 %
23.168	-	1	0.0 %
23.209	-	1	0.0 %
23.263	-	1	0.0 %
23.335	-	1	0.0 %
23.403	-	1	0.0 %
23.461	-	1	0.0 %
23.477	-	1	0.0 %
23.501	-	1	0.0 %
23.628	-	1	0.0 %
23.725	-	1	0.0 %
23.826	-	1	0.0 %
23.833	-	1	0.0 %
23.950	-	1	0.0 %
24.053	-	1	0.0 %
24.068	-	1	0.0 %
24.084	-	1	0.0 %
24.105	-	1	0.0 %

Value	Label	Unweighted Frequency	%
24.135	-	1	0.0 %
24.139	-	1	0.0 %
24.147	-	1	0.0 %
24.149	-	1	0.0 %
24.277	-	1	0.0 %
24.325	-	1	0.0 %
24.388	-	1	0.0 %
24.403	-	1	0.0 %
24.411	-	1	0.0 %
24.444	-	1	0.0 %
24.485	-	1	0.0 %
24.514	-	1	0.0 %
24.562	-	1	0.0 %
24.640	-	1	0.0 %
24.653	-	1	0.0 %
24.658	-	1	0.0 %
24.710	-	1	0.0 %
24.727	-	1	0.0 %
24.732	-	1	0.0 %
	Missing Data		
.	-	397	17.1 %
	Total	**2,327**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,930 valid cases out of 2,327 total cases.

- Mean: 33.510
- Minimum: 21.667
- Maximum: 59.863
- Standard Deviation: 5.539

Location: 4342-4348 (width: 7; decimal: 3)
Variable Type: numeric

FFMNHAN7: Fat Free Mass (NHANES/RJL Eq.)

Fat Free Mass (NHANES/RJL Eq.)

Value	Label	Unweighted Frequency	%
29.628	-	1	0.0 %
29.681	-	1	0.0 %
29.749	-	1	0.0 %
29.993	-	1	0.0 %
30.223	-	1	0.0 %

Value	Label	Unweighted Frequency	%
30.482	-	1	0.0 %
31.065	-	1	0.0 %
31.130	-	1	0.0 %
31.141	-	1	0.0 %
31.252	-	1	0.0 %
31.348	-	1	0.0 %
31.349	-	1	0.0 %
31.424	-	1	0.0 %
31.635	-	1	0.0 %
31.654	-	1	0.0 %
31.669	-	1	0.0 %
31.809	-	1	0.0 %
32.035	-	1	0.0 %
32.051	-	1	0.0 %
32.324	-	1	0.0 %
32.364	-	1	0.0 %
32.378	-	1	0.0 %
32.437	-	1	0.0 %
32.517	-	1	0.0 %
32.591	-	1	0.0 %
32.693	-	1	0.0 %
32.701	-	1	0.0 %
32.775	-	1	0.0 %
32.814	-	1	0.0 %
33.013	-	1	0.0 %
33.025	-	1	0.0 %
33.026	-	1	0.0 %
33.032	-	1	0.0 %
33.056	-	1	0.0 %
33.092	-	1	0.0 %
33.108	-	1	0.0 %
33.163	-	1	0.0 %
33.280	-	1	0.0 %
33.284	-	1	0.0 %
33.319	-	1	0.0 %
33.321	-	1	0.0 %
33.344	-	1	0.0 %
33.353	-	1	0.0 %
33.356	-	1	0.0 %
33.357	-	1	0.0 %
33.387	-	1	0.0 %
33.412	-	1	0.0 %

Value	Label	Unweighted Frequency	%
33.433	-	1	0.0 %
33.444	-	1	0.0 %
33.454	-	1	0.0 %
	Missing Data		
.	-	397	17.1 %
	Total	**2,327**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,930 valid cases out of 2,327 total cases.

- Mean: 45.125
- Minimum: 29.628
- Maximum: 81.551
- Standard Deviation: 7.392

Location: 4349-4355 (width: 7; decimal: 3)
Variable Type: numeric

TBFNHAN7: Total Body Fat (NHANES/RJL Eq.)

Total Body Fat (NHANES/RJL Eq.)

Value	Label	Unweighted Frequency	%
6.788	-	1	0.0 %
7.113	-	1	0.0 %
7.807	-	1	0.0 %
7.977	-	1	0.0 %
8.607	-	1	0.0 %
8.953	-	1	0.0 %
8.965	-	1	0.0 %
9.313	-	1	0.0 %
9.318	-	1	0.0 %
9.679	-	1	0.0 %
9.730	-	1	0.0 %
9.814	-	1	0.0 %
9.884	-	1	0.0 %
9.965	-	1	0.0 %
10.018	-	1	0.0 %
10.126	-	1	0.0 %
10.177	-	1	0.0 %
10.202	-	1	0.0 %
10.288	-	1	0.0 %
10.399	-	1	0.0 %
10.539	-	1	0.0 %

Value	Label	Unweighted Frequency	%
10.725	-	1	0.0 %
10.764	-	1	0.0 %
10.772	-	1	0.0 %
10.875	-	1	0.0 %
10.884	-	1	0.0 %
10.888	-	1	0.0 %
10.922	-	1	0.0 %
10.947	-	1	0.0 %
11.034	-	1	0.0 %
11.182	-	1	0.0 %
11.212	-	1	0.0 %
11.248	-	1	0.0 %
11.270	-	1	0.0 %
11.293	-	1	0.0 %
11.432	-	1	0.0 %
11.471	-	1	0.0 %
11.499	-	1	0.0 %
11.530	-	1	0.0 %
11.570	-	1	0.0 %
11.591	-	1	0.0 %
11.593	-	1	0.0 %
11.619	-	1	0.0 %
11.621	-	1	0.0 %
11.652	-	1	0.0 %
11.765	-	1	0.0 %
11.768	-	1	0.0 %
11.819	-	1	0.0 %
11.841	-	1	0.0 %
11.975	-	1	0.0 %
	Missing Data		
.	-	397	17.1 %
	Total	**2,327**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,930 valid cases out of 2,327 total cases.

- Mean: 30.547
- Minimum: 6.788
- Maximum: 86.087
- Standard Deviation: 13.498

Location: 4356-4362 (width: 7; decimal: 3)
Variable Type: numeric

PBFNHAN7: % Body Fat (NHANES/RJL Eq.)

% Body Fat (NHANES/RJL Eq.)

Value	Label	Unweighted Frequency	%
15.358	-	1	0.0 %
15.489	-	1	0.0 %
17.564	-	1	0.0 %
17.806	-	1	0.0 %
17.844	-	1	0.0 %
17.954	-	1	0.0 %
18.996	-	1	0.0 %
19.154	-	1	0.0 %
19.895	-	1	0.0 %
20.230	-	1	0.0 %
20.255	-	1	0.0 %
20.655	-	1	0.0 %
20.739	-	1	0.0 %
20.839	-	1	0.0 %
21.146	-	1	0.0 %
21.190	-	1	0.0 %
21.340	-	1	0.0 %
21.581	-	1	0.0 %
21.848	-	1	0.0 %
21.893	-	1	0.0 %
21.982	-	1	0.0 %
22.082	-	1	0.0 %
22.179	-	1	0.0 %
22.251	-	1	0.0 %
22.472	-	1	0.0 %
22.567	-	1	0.0 %
22.600	-	1	0.0 %
22.638	-	1	0.0 %
22.846	-	1	0.0 %
22.850	-	1	0.0 %
22.855	-	1	0.0 %
22.907	-	1	0.0 %
23.094	-	1	0.0 %
23.217	-	1	0.0 %
23.225	-	1	0.0 %
23.342	-	1	0.0 %
23.412	-	1	0.0 %
23.466	-	1	0.0 %
23.477	-	1	0.0 %

Value	Label	Unweighted Frequency	%
23.526	-	1	0.0 %
23.570	-	1	0.0 %
23.666	-	1	0.0 %
23.728	-	1	0.0 %
23.734	-	1	0.0 %
23.849	-	1	0.0 %
23.856	-	1	0.0 %
23.875	-	1	0.0 %
23.971	-	1	0.0 %
24.000	-	1	0.0 %
24.203	-	1	0.0 %
	Missing Data		
.	-	397	17.1 %
	Total	**2,327**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,930 valid cases out of 2,327 total cases.

- Mean: 38.705
- Minimum: 15.358
- Maximum: 57.294
- Standard Deviation: 7.519

Location: 4363-4369 (width: 7; decimal: 3)
Variable Type: numeric

MISSCON7: Invalid cond value causes missing bio

Invalid cond value causes missing bio

Value	Label	Unweighted Frequency	%
0	No	1944	83.5 %
1	Yes	5	0.2 %
	Missing Data		
.	-	378	16.2 %
	Total	**2,327**	**100%**

Based upon 1,949 valid cases out of 2,327 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 4370-4371 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MISSPHY7: Missing phys measures causes missing bio

Missing phys measures causes missing bio

Value	Label	Unweighted Frequency	%
0	No	1935	83.2 %
1	Yes	14	0.6 %
	Missing Data		
.	-	378	16.2 %
	Total	**2,327**	**100%**

Based upon 1,949 valid cases out of 2,327 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 4372-4373 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FLAGSRP7: Used self-reported physical measures

Used self-reported physical measures

Value	Label	Unweighted Frequency	%
0	No	1942	83.5 %
1	Yes	7	0.3 %
	Missing Data		
.	-	378	16.2 %
	Total	**2,327**	**100%**

Based upon 1,949 valid cases out of 2,327 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 4374-4375 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .