

ICPSR 30501

**Study of Women's Health Across
the Nation (SWAN), 2001-2003: Visit
05 Dataset**

Codebook

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

Study of Women's Health Across the Nation (SWAN), 2001-2003: Visit 05 Dataset

Kim Sutton-Tyrell

University of Pittsburgh

Faith Selzer

University of Pittsburgh

MaryFran Sowers

University of Michigan

Robert Neer

Massachusetts General Hospital, Boston

Lynda Powell

Rush University. Rush-Presbyterian-St. Luke's Medical Center, Chicago

Ellen Gold

University of California-Davis

Gail Greendale

University of California-Los Angeles

Gerson Weiss

University of Medicine and Dentistry-New Jersey Medical Center

Karen Matthews

University of Pittsburgh

Sonja McKinlay

New England Research Institutes

Terms of Use

The terms of use for this study can be found at:
<http://www.icpsr.umich.edu/icpsrweb/ICPSR/studies/30501/terms>

Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

**NOTICE
WARNING CONCERNING COPYRIGHT RESTRICTIONS**

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

ICPSR PROCESSING NOTES FOR #30501

Study of Women's Health Across the Nation (SWAN), 2001-2003: Visit 05 Dataset

1. **Linking Variable:** Using the variable **SWANID**, this dataset can be linked with the following datasets:

ICPSR #	Dataset Name
ICPSR 4368	SWAN Cross-Sectional Screener
ICPSR 28762	Baseline Data
ICPSR 29221	Visit 1 Data
ICPSR 29401	Visit 2 Data
ICPSR 29701	Visit 3 Data
ICPSR 30142	Visit 4 Data
ICPSR 31181	Visit 6 Data
ICPSR 31901	Visit 7 Data
ICPSR 32122	Visit 8 Data
ICPSR 32721	Visit 9 Data
ICPSR 32961	Visit 10 Data
ICPSR 30181	Family Medical History Data

2. **Stata Limitations:** Due to a system limitation in Stata, the string/character variables within the dataset do not contain value labels. Data users should refer to the documentation for the appropriate labels.
3. **Additional information:** For additional information on the Study of Women's Heath Across the Nation Study, please visit the [SWAN Web site](#).



FOLLOW-UP VISIT 05

CODEBOOK

PAGE INTENTIONALLY BLANK

TABLE OF CONTENTS

Documentation for the SWAN Visit 05 Dataset	4
Interview Questionnaire	7
Self-Administered Questionnaire Part A	32
Self-Administered Questionnaire Part B	51
Physical Measures	58
Food Frequency Questionnaire	61
Additional Measures	76

DOCUMENTATION FOR THE PUBLIC-USE SWAN VISIT 05 DATASET

1. Who is included in the public use dataset:

The dataset contains follow-up visit 5 information for the 3,302 women from the 7 clinical sites participating in the SWAN longitudinal study. The sites include Boston, MA, Pittsburgh, PA, Oakland and Los Angeles, CA, Detroit, MI, Newark, NJ, and Chicago, IL.

2. How this codebook is constructed:

Following this documentation section are copies of each of the questionnaires that were used at visit 5. A list of additional variables is also provided. The questionnaires include the variables available for public use next to the question in bold red uppercase underlined letters. Those variables not available for public use have a # before the variable and are in blue. Any special notes are indicated with footnotes at the bottom of the page.

The assigned participant ID has been replaced with a randomly generated SWANID in order to protect participant privacy. The *baseline* interview date is denoted as day 0 and is used as the basis for all other dates. All other questionnaires or data collected that have a date attached have been converted to the number of days from the baseline interview. For example, if the Visit 5 Self-Administered Questionnaire Part A was collected 5 years after the baseline interview, the day for the Self-Administered Part A would be day 1825 and the Baseline Interview would be day 0.

All variables for visit 5 have a 5 at the end of the variable name.

3. Missing data coding:

The following coding convention is used to indicate different forms of missing data:

- 9 = Missing
- 8 = Do not know
- 7 = Refused
- 1 = Not Applicable

4. Ways this data can be used and additional notes

Interview Questionnaire

In general, any 'Other, specify' text field is not included in the dataset.

- A menopausal status variable STATUS5 was derived for all analyses of the SWAN data for the patient at visit 5.
- Age (AGE5) was calculated from date of birth to when the interview form was completed, and is rounded to the next lowest integer.
- A social support score can be calculated from the questions in C.8.a-d after recoding them from a 1-5 range to a 0-4 range.
- CES-D scores can be created from the questions in C.10.
- A perceived stress score can be created from questions in C.9.
- The flag FORMFLG5 is set with a value of AIN for the seven participants who completed the abbreviated interview instead of the full interview.

Self-Administered Questionnaire Part A

A Self-A Amended Telephone Interview (PATI), comprised of key questions from the core Follow-up Self-Administered Questionnaire Part A, was administered at study visits in cases where the Self-Administered Questionnaire was not completed. Similarly, an Abbreviated Follow-up Interview (AINT), comprised of key questions from the core Annual Follow-up Interview and Self-Administered Questionnaire Part A, was administered for participants who are not willing to come in for a core study visit, but who were willing to give 10 or 15 minutes of their time to answer questions over the telephone. The flag FORMSAA5 delineates those who did the full questionnaire (SAA) from the 43 participants who did the abbreviated questionnaire (AIN), and the 37 that did the phone interview (PAT).

- The income question G.1 was condensed so that the income ranges were more broadly defined.
- Current smoking is defined as anyone who answered 'yes' to question B.9 (SMOKERE5) and an answer greater than 0 for B.9.a (AVGCIGDA5).

- Please note that only 1 subscale of the SF36 was created at visit 05: vitality. The SWAN investigators decided not to ask the questions related to the other 4 subscales at visit 05. The SF-36 Vitality Score is calculated from questions B.10a-d. Questions B.10.a and B.10.b should be reversed so that all items are positively scored; for the resulting index a higher score indicates greater energy (and less fatigue).
- The flag FLGSAAV5 is set for the two participants who completed the interview after the 02/15/2003 cutoff.

Self-Administered Questionnaire Part B

- The flag FLGSABV5 is set for the one participants who completed the interview after the 02/15/2003 cutoff.

Physical Measures

- In addition to the variables on the form, BMI5 was also calculated as weight in kilograms divided by the square of height in meters.
- The flag FORMPHY5 delineates those who did the full physical (PHY) from the 61 participants who did the abbreviated questionnaire (AIN), and the 37 that did the phone interview (PAT).

Food Frequency Questionnaire

The actual answers to each question were never given to the coordinating center. Instead, derived scores were provided. A copy of the form is given in the Food Frequency Questionnaire for reference, and the derived scores are listed afterwards. 112 participants have all of the questions set to missing because they had either too few or too many solid foods/day, more than 10 foods skipped, or a daily caloric intake too low or high.

The variables with a **DTT** prefix contain estimated daily dietary intakes of the particular nutrient, exclusive of supplements. The variables with an **SUP** prefix represent estimated supplement intake (vitamin B12, copper, selenium, and vitamin D have no dietary component). The variables with an **ALL** prefix combine dietary and supplement intake. ALL_B1 and ALL_B2 both contain vitamin B1 supplement, since vitamin B1 and B2 supplements are very similar.

It may be that participants with recent supplement use have unexpected results (have worse health than expected), if they recently began taking supplements because of a health problem. It may therefore make sense to analyze separately women with recent (past year) supplement use, and women with no supplement or long-term supplement use only. Variables with a **YRS** prefix indicate how long the participant has been using supplements (a value of "1" means less than a year).

Variables with **FRQ** suffixes refer to the sum of daily frequencies of all members of the particular food group. The **SRV** suffix refers to the average daily serving of the food, using the Food Guide Pyramid definition of a serving (SRV variables take portion size plus frequency of consumption into account). Since FRQ and SRV for ALCH, FAT, and FRUT (alcohol, fats/sweets, and fruit) are the same (the amount in an "eating event" (frequency) is approximately the same as what is defined as a serving, or there is no sensible serving definition (fats/sweets)), only the SRV version is kept (FATSRV, ALCHSRV, FRUTSRV).

A **WK/MON** suffix refers to the number of different foods in the food group eaten at least once a week/month (weekly/monthly variability index).

A subset of participants were asked questions on an Ethnics Food Page (**EFP**) concerning Spanish, Chinese, or Japanese foods eaten, and are indicated in the variable EFP5. The administration was changed slightly in Visit 5 from the Baseline administration in the following ways:

1. Chinese should also be asked Japanese foods;
2. Japanese should also be asked Chinese foods;
3. A subset of Caucasians should be asked both Chinese and Japanese food

The variables for the EFP are included in this visit because the EFP nutrient estimates are included in the DTT (dietary) nutrients estimates (and where relevant, the ALL nutrient estimates – dietary plus supplements), and investigators may want to subtract those estimates from the DTT and ALL.

Additional Measures

Serum Hormone Measures

The Visit 5 hormone results are included. Of special note is that the estradiol assay was run in duplicate. The average (E2AVE5) is the within-person arithmetic average of the two assays. A flag indicates if the estradiol results differed by > 10 pg/mL where one or both results <= 20 pg/mL. Hormone results below the lower level of detection (LLD- see table in the Additional Measures section) were recoded to an .L value.

Cardiovascular Measures

The flag FLGCVRV5 is set for the three participants who completed the interview after the 02/15/2003 cutoff.

Bone Mineral Density Measures

Five of the seven sites participated in the bone study – Detroit, MI, Boston, MA, Oakland and Los Angeles, CA, and Pittsburgh, PA. Total spine and total hip bone mineral density (BMD) measures are provided.

Study of Women's Health Across the Nation

ANNUAL FOLLOW-UP INTERVIEW

SECTION A. GENERAL INFORMATION

A1. RESPONDENT ID: SWANID[~]
AFFIX ID LABEL HERE

A2. SWAN STUDY VISIT # VISIT

A3. FORM VERSION: 02/15/2001 #FORM_V

A4. DATE FORM COMPLETED: INTDAYS[†]
____ M ____ / ____ D ____ / ____ Y ____ Y ____ Y

A5. INTERVIEWER'S INITIALS: #INITS
____ M ____ D ____ Y

A6. RESPONDENT'S DOB: #DOB
____ M ____ / ____ D ____ / ____ Y ____ 1 ____ 9 ____ Y ____ Y
VERIFY WITH RESPONDENT

A7. INTERVIEW COMPLETED IN: #LOCATI05

RESPONDENT'S HOME	1
CLINIC/OFFICE	2
RESPONDENT'S HOME BY PROXY	3
CLINIC/OFFICE BY PROXY	4
TELEPHONE	5
TELEPHONE BY PROXY	6

A7.1 INTERVIEW LANGUAGE: LANGINT5

ENGLISH	1
SPANISH	2
CANTONESE	3
JAPANESE	4

A8. Are you currently pregnant? PREGNAN5

NO	1
YES	2
DON'T KNOW	-8

A9. WAS BLOOD FOR THIS ANNUAL FOLLOW-UP DRAWN PREVIOUS TO THIS INTERVIEW DATE?

PREVBLO5

NO	1
YES	2

(GO TO

PAGE 3)

[~] A randomly generated ID will be provided that is different from the original ID

[†] This date is given in days since the initial baseline interview, which is day zero.

Variable Excluded from Public Use Data File

Before we draw a blood sample I need to ask you a few questions.

A10. Have you had anything to eat or drink, other than water, in the last 12 hours? That is, since ____ : ____ last night?

EATDRINS

NO 1
YES 2

A11. Did you start a menstrual period in the last 5 days? **STRTPERS**

NO 1 (A13)
YES 2 (A12)

A12. What is the date that you started to bleed? **DAYBLES5[†]**

— M — / — D — / — Y — — Y — — Y — — Y —

A13. BLOOD DRAW ATTEMPTED? **BLDRWAT5**

YES, AS PER PROTOCOL 1 (A14)
YES, MENSES TOO VARIABLE 2 (A14)
YES, LAST ATTEMPT 3 (A14)
YES, RESPONDENT PREGNANT 4 (A14)
NO, NOT FASTING AND/OR NOT IN WINDOW - RESCHEDULE 5 (A13.1)

A13.1 Unfortunately this is not the best time to draw a blood sample. In order to get the best possible information for this study, we need you to fast for 12 hours and to be within 5 days of starting a menstrual period. We need to reschedule a good day to draw your blood.

[INTERVIEWER HAND INSTRUCTION CARD TO RESPONDENT AND EXPLAIN]
GO TO SECTION B ON THE NEXT PAGE

A14. FOLLOW BLOOD DRAW PROTOCOL
RECORD COLLECTION TUBES FILLED ON SPECIMEN COLLECTION FORM

A15. BLOOD DRAWN? **BLDDRAW5**

NO 1
YES 2

[†] This date is given in days since the initial baseline interview

ASK RESPONDENT TO GATHER PRESCRIPTION MEDICATIONS SO THEY ARE WITHIN REACH. REMEMBER, DO NOT READ OUT LOUD ANY SCRIPT IN CAPITAL LETTERS.

I would like to begin the interview by asking you some questions about prescribed and over - the - counter (OTC) medications.

I will start by asking about any pills or medicines, including patches, suppositories, injections, creams and ointments which are prescribed by your doctor or other health care provider, that you have taken since your last study visit.

IF YES TO ANY, RECORD
MEDICATION NAME IN THE SPACES
PROVIDED

PRESCRIPTION DRUGS
IF YES:

Since your last study visit....

	NO	YES	NO	YES	NO	YES
B1. Have you taken any medication, pills or other medicine to thin your blood (anticoagulants)? <u>ANTICO15</u>	1	2	1	2	1	2
		<u>ANTICO25</u>	<u>#ACOAMD15</u>	<u>ACOATW15</u>	<u>#ACOAVR15</u>	
	1	2			1	2
			<u>#ACOAMD25</u>	<u>ACOATW25</u>	<u>#ACOAVR25</u>	
B2. Anything for your heart or heart beat, including pills or patches?	1	2	1	2	1	2
		<u>HEART15</u>	<u>#HARTMD15</u>	<u>HARTTW15</u>	<u>#HARTVR15</u>	
	1	2			1	2
		<u>HEART25</u>	<u>#HARTMD25</u>	<u>HARTTW25</u>	<u>#HARTVR25</u>	
B3. Any medications for cholesterol or fats in your blood?	1	2	1	2	1	2
		<u>CHOLST15</u>	<u>#CHOLMD15</u>	<u>CHOLTW15</u>	<u>#CHOLVR15</u>	
	1	2			1	2
		<u>CHOLST25</u>	<u>#CHOLMD25</u>	<u>CHOLTW25</u>	<u>#CHOLVR25</u>	
B4. Blood pressure pills?	1	2	1	2	1	2
		<u>BP15</u>	<u>#BPMED15</u>	<u>BPTW15</u>	<u>#BPVER15</u>	
	1	2			1	2
		<u>BP25</u>	<u>#BPMED25</u>	<u>BPTW25</u>	<u>#BPVER25</u>	

Since your last study visit, have you taken...
 a. What is the name of the medication?
 b. Have you been taking it at least two times per week for the last month?
 c. INTERVIEWER CHECK: MEDICATION VERIFIED FROM CONTAINER LABEL?

	NO	YES	NO	YES	NO	YES
B5. Diuretics for water retention?	1	2	1	2	1	2
<u>DIURET15</u>	1	2	#DIURMD15	<u>DIURTW15</u>	1	2
<u>DIURET25</u>	1	2	#DIURMD25	<u>DIURTW25</u>	1	2
B6. Thyroid pills?	1	2	#THYRMD15	<u>THYRTW15</u>	1	2
<u>THYROI15</u>	1	2	#THYRMD25	<u>THYRTW25</u>	1	2
<u>THYROI25</u>	1	2	#INSUMD15	<u>INSUTW15</u>	1	2
B7. Insulin or pills for sugar in your blood?	1	2	#INSUMD25	<u>INSUTW25</u>	1	2
<u>INSULN15</u>	1	2	#NERVMD15	<u>NERVTW15</u>	1	2
<u>INSULN25</u>	1	2	#NERVMD25	<u>NERVTW25</u>	1	2
B8. Any medications for a nervous condition such as tranquilizers, sedatives, sleeping pills, or anti-depression medication?	1	2	#STERMD15	<u>STERTW15</u>	1	2
<u>NERVS15, NERVS25</u>	1	2	#STERMD25	<u>STERTW25</u>	1	2
B9. Steroid pills such as Prednisone, or cortisone?	1	2	#FRTLMD15	<u>FRTLTw15</u>	1	2
<u>STEROI15</u>	1	2	#FRTLMD25	<u>FRTLTw25</u>	1	2
<u>STEROI25</u>	1	2				
B10. Fertility medications to help you get pregnant (Pergonal, Clomid)?	1	2				
<u>FERTIL15</u>	1	2				
<u>FERTIL25</u>	1	2				

- a. What is the name of the medication?
 b. Have you been taking it during the past month?
 c. INTERVIEWER CHECK:
 MEDICATION VERIFIED
 FROM
 CONTAINER
 LABEL?

HORMONE QUESTIONS B11-15:

Since your last study visit, have you taken...	<u>NO</u>	<u>YES</u>	<u>NO</u>	<u>YES</u>	<u>NO</u>	<u>YES</u>
B11. Birth Control pills?	1 (B12)	2	<u>#BCPMED15</u>	1	2	1 2
	<u>BCP15</u>			<u>BCPTWI15</u>	1	2
	1	2	<u>#BCPMED25</u>	1	2	<u>BCPTWI25</u>
	<u>BCP25</u>					<u>#BCPVER25</u>

B11.d For your most recent use, what was the primary reason for taking birth control pills? **BCREAS5**

TO PREVENT PREGNANCY	1
TO HELP CONTROL PRE-MENSTRUAL SYMPTOMS.....	2
TO HELP CONTROL MENOPAUSAL SYMPTOMS	3
TO CONTROL OTHER SYMPTOMS	4
TO REGULATE PERIODS.....	5
TO PREVENT OSTEOPOROSIS	6
TO REDUCE BLEEDING.....	7
OTHER	8
(SPECIFY) _____	<u>BCRES S5</u>
DON'T KNOW.....	-8

	<u>NO</u>	<u>YES</u>	<u>NO</u>	<u>YES</u>	<u>NO</u>	<u>YES</u>
B12. Estrogen pills (such as Premarin, Estrace, Ogen, etc)?	1 (B13)	2	<u>#ESTRMD15</u>	1	2	1 2
	<u>ESTROG15, ESTROG25</u>			<u>ESTRTW15</u>	1	2
	1	2	<u>#ESTRMD25</u>	1	2	<u>ESTRTW25</u>
						<u>#ESTRVR15</u>
						<u>#ESTRVR25</u>

B12.d IF YES: Does/Did your prescription have you take estrogen daily or on and off on a monthly cycle?
 [IF MORE THAN ONE MENTIONED, RECORD THE MORE RECENT AT 1.]

<u>ESTRDA15</u>	<u>ESTRDA25</u>
1. EVERY DAY.....1	2. EVERY DAY.....1
OFF AND ON.....2	OFF AND ON.....2
DON'T KNOW.....-8	DON'T KNOW.....-8

Since your last study visit, have you taken...	<u>NO</u>	<u>YES</u>	<u>NO</u>	<u>YES</u>	<u>NO</u>	<u>YES</u>
B13. Estrogen by injection or patch (such as Estraderm)?	1	2	<u>#EINJMD15</u>	1	2	1 2
	1	2	<u>#EINJMD25</u>	1	2	<u>EINJTW15</u>
						<u>#EINJVR15</u>
						<u>#EINJVR25</u>
						<u>ESTRNJ15, ESTRNJ25</u>
B14. Combination estrogen/progestin (such as Premphase or Prempro)?	1	2	<u>#COMBMD15</u>	1	2	1 2
			<u>#COMBMD25</u>			<u>COMBTW15</u>
						<u>#COMBVR15</u>
						<u>#COMBVR25</u>
						<u>COMBIN15, COMBIN25</u>
	1	2		1	2	

Variable Excluded from Public Use Data File

a. What is the name of the medication?	b. Have you been taking it during the past month?	c. INTERVIEWER CHECK: MEDICATION VERIFIED FROM CONTAINER LABEL?
----------------------------------------	---------------------------------------------------	--------------------------------------------------------------------

Since your last study visit, have you taken... NO YES NO YES NO YES

B15. Progestin pills (such as Provera)? 1 (**B16**) 2 #PROGMD15 PROGTW15 #PROGVR15
PROGES15 PROGES25 1 2 #PROGMD25 PROGTW25 #PROG VR25
1 2

B15.d IF YES: Does/Did your prescription have you take progestin daily or on and off on a monthly cycle?
[IF MORE THAN ONE MENTIONED, RECORD THE MORE RECENT AT 1.]

- | | |
|-------------------------------------------------------------|-------------------------------------------------------------|
| <u>PROGDA15</u> | <u>PROGDA25</u> |
| 1. EVERY DAY.....1
OFF AND ON.....2
DON'T KNOW.....-8 | 2. EVERY DAY.....1
OFF AND ON.....2
DON'T KNOW.....-8 |

a. What is the name of the medication?
b. Have you been taking it at least two times per week for the last month?
c. INTERVIEWER CHECK:
MEDICATION VERIFIED FROM CONTAINER LABEL?

NO YES NO YES NO YES

B16. Medications to prevent or treat osteoporosis (brittle or thinning bones such as Fosamax, Didronel, Evista, Miocalcin, Rocaltrol, Actonel)? 1 2 #OSTEMD15 OSTETW15 #OSTEVR15
OSTEPR15 1 2 #OSTEMD25 OSTETW25 #OSTEVR25

OSTEPR25

B17. Prescribed medications for arthritis? 1 2 #ARTHMD15 ARTHTW15 #ARTHVR15
ARTHRT15 1 2 #ARTHMD25 ARTHTW25 #ARTHVR25

	a.	What is the name of the medication?	b.	Have you been taking it at least two times per week for the last month?	c.	INTERVIEWER CHECK: MEDICATION VERIFIED FROM CONTAINER LABEL?
	NO	YES	NO	YES	NO	YES
B18. Are there any other prescription pills or medications that you have taken, that I haven't asked you about? (PLEASE LIST)	1	2	1	2	1	2
	<hr/>		<hr/>		<hr/>	
	1	2	1	2	1	2
<u>OTHMED15-95</u>			#OTHRMD15		OTHRTW15	
	1	2	-	1	2	
	<hr/>		<hr/>		<hr/>	
	1	2	1	2	1	2
<u>OTHME105-155</u>			#OTHRMD95		OTHRTW95	
	1	2	1	2	1	2
	<hr/>		<hr/>		<hr/>	
	1	2	1	2	1	2
<u>OTHME105-155</u>			#OTHRM105		OTHTW105	
	1	2	1	2	1	2
	<hr/>		<hr/>		<hr/>	
	1	2	1	2	1	2
<u>OTHME105-155</u>			#OTHRM155		OTHTW155	
	1	2	1	2	1	2
	<hr/>		<hr/>		<hr/>	
	1	2	1	2	1	2

IF RESPONDENT HAS TAKEN ANY HORMONES (IF YES TO ANY OF B12 -15) ASK B19,
OTHERWISE GO TO PAGE 9.

B19. Were you using any prescription medications containing estrogen or progestin at the time of your last study visit?
ESTLSTV5

PAGE 9)	NO.....	1
	YES.....	2 (GO TO
	DON'T KNOW.....	-8

B20. I am going to read a list of some reasons why women start taking hormones, not including birth control pills. For each one, please tell me if it is a reason why you started taking hormones. (READ LIST a THROUGH i)

		NO	YES
a.	To reduce the risk of heart disease <u>REDUHAR5</u>	1	2
b.	To reduce the risk of osteoporosis (brittle or thinning bones) <u>OSTEOP05</u>	1	2
c.	To relieve menopausal symptoms <u>MENOSYM5</u>	1	2
d.	To stay young-looking <u>YOUNGLK5</u>	1	2
e.	A health care provider advised me to take them <u>HCPADVIS</u>	1	2
f.	A friend or relative advised me to take them <u>FRNADVIS</u>	1	2
g.	To improve my memory <u>IMPRMEM5</u>	1	2
h.	To regulate periods <u>REGPERI5</u> <u>HORMOTH5</u>	1	2
i.	Any other? SPECIFY _____ #HORMSPE5	1	2
<hr/>			
j.	DON'T KNOW/REMEMBER <u>DONTKNO5</u>	1	2

IF RESPONDENT REPORTED TAKING ANY HORMONES SINCE HER LAST STUDY VISIT, BUT IS NOT CURRENTLY TAKING ANY (THAT IS, "YES" TO ANY OF B12-15 **AND** "NO" TO ALL OF B12b - 15b), ASK B21, OTHERWISE GO TO PAGE 10.

B21. Since your last study visit, you were taking some hormones and then stopped.

In what month and year did you last take hormones?

HORMDAY5[¶]

— M — / — Y — Y — Y — Y —

[PROMPT FOR YEAR EVEN IF MONTH IS UNKNOWN. ENTER -8 IF MONTH IS UNKNOWN.]

What were your reasons for stopping? PROBE: Any others? [DO NOT READ THE LIST. CODE 1 (NO) OR 2 (YES) FOR EACH ITEM.]

		NO	YES
a.	PROBLEMS WITH BLEEDING	<u>PRBBLEES5</u>	1 2
b.	DIDN'T LIKE HAVING PERIODS	<u>HAVEPER5</u>	1 2
c.	DIDN'T LIKE HOW I FELT ON THEM	<u>LIKEFEL5</u>	1 2
d.	WORRIED ABOUT POSSIBLE SIDE EFFECTS	<u>SIDEEFF5</u>	1 2
e.	WORRIED ABOUT CANCER	<u>CANCERS5</u>	1 2
f.	MY HEALTH CARE PROVIDER ADVISED ME TO STOP (FOR MEDICAL REASONS)	<u>ADVISTOS5</u>	1 2
g.	TOO EXPENSIVE	<u>EXPENSI5</u>	1 2
h.	DON'T LIKE TO TAKE ANY MEDICATIONS	<u>NOLIKES5</u>	1 2
i.	COULDN'T REMEMBER TO TAKE THEM	<u>NOREMEB5</u>	1 2
j.	DON'T KNOW	<u>DNTKNOW5</u>	1 2
k.	OTHER, SPECIFY:	<u>STOPOTH5</u> <u>#STOPSPES5</u>	1 2
<hr/>			
l.	NO REASON GIVEN	<u>NOREASONS5</u>	1 2

[¶] Day of the month is assumed to be the 15th when calculating days since baseline interview.

Now I would like to ask you about over-the-counter medications, non-prescription, that you have taken regularly at least 2 times per week for a month or more, since your last study visit.

IF YES TO ANY, RECORD MEDICATION
NAME IN THE SPACES PROVIDED

- a. What is the name of the medication?
b. Have you been taking it at least two times per week for the last month?

NO YES

Since your last study visit, have you taken.....

B22 Any over-the-counter medications for pain including headaches and arthritis?

PAIN15

NO YES

1 2 #PAINMD15

PAINTW15

1 2

PAIN25

1 2 #PAINMD25

PAINTW15

1 2

B23 Anything for problems sleeping?

SLEEP15

1 2 #SLEPMDD15

SLEPTW15

1 2

SLEEP25

1 2 #SLEPMDD25

SLEPTW25

1 2

B24 Have you taken any other over-the-counter pills or other medications (including liquids or ointments) that I haven't asked you about?
(PLEASE LIST)

OTC15-45

1 2 #OTCMD15

OTCTW15

1 2

1 2 #OTCMD45

OTCTW25

1 2

1 2 OTCTW35

OTCTW45

1 2

IF BLOOD WAS DRAWN (A15 IS YES), GO TO B25. OTHERWISE GO TO B27.

In order to interpret your blood tests, we need to ask you the following questions.

- B25 We've just talked about your prescription medications, over-the-counter medications, vitamins, and minerals you have taken since your last study visit. What did you take in the last 24 hours?
[REVIEW SHADED COLUMNS AFTER RESPONDENT ANSWERS.
IF CURRENT MEDICATION USE REPORTED (YES TO ANY SHADED COLUMN IN B1b-B21b)
BUT NOT REPORTED HERE, PROBE FOR USE IN LAST 24 HOURS.]

- a. _____ #TAKEMDA5
b. _____ #TAKEMDB5
c. _____ #TAKEMDC5
d. _____ #TAKEMDD5
e. _____ #TAKEMDE5
f. _____ #TAKEMDF5
g. _____ #TAKEMDG5
h. _____ #TAKEMDH5
i. _____ #TAKEMDI5
j. _____ #TAKEMDJ5

- B26. Have you had any alcohol in the last 24 hours?

ALCHL245

NO 1
YES..... 2

B27a. During the past year have you used any supplements containing soy protein or phytoestrogen powders or pills? (IF YES: How many times per week?) **SOYPROT5**

Don't take any	1
1-3 days per week	2
4-6 days per week	3
Every day.....	4
DON'T KNOW	-8

Please look at response card A which we'll be using for the next 3 questions. [HAND RESPONDENT CARD "A" AND READ RESPONSE CATEGORIES.]

B27b. How many bowls of cereal do you eat per week where the label of the cereal box says that it is high in calcium?

CEREAC5

None or fewer than one a week	1
1 per week.....	2
2 per week.....	3
3-4 per week	4
5-6 per week	5
7 or more per week	6
DON'T KNOW	-8

B27c. How many slices of bread do you eat per week when the bread wrapper says the loaf is high in calcium?

BREADCA5

None or fewer than one a week	1
1 per week.....	2
2 per week.....	3
3-4 per week	4
5-6 per week	5
7 or more per week	6
DON'T KNOW	-8

B27d. Some brands of orange juice have extra calcium added. How many glasses of orange juice containing extra calcium do you drink per week?

ORANGCA5

None or fewer than one a week	1
1 per week.....	2
2 per week.....	3
3-4 per week	4
5-6 per week	5
7 or more per week	6
DON'T KNOW	-8

Now, I'm going to ask you some questions about your health and medical conditions.

B28 Since your last study visit, has a doctor, nurse practitioner or other health care provider told you that you had any of the following conditions or treated you for them?

		NO	YES	DON'T KNOW	
a.	Anemia?	<u>ANEMIA5</u>	1	2	-8
b.	Diabetes?	<u>DIABETE5</u>	1	2	-8
c	High blood pressure or hypertension?	<u>HIGHBPS</u>	1	2	-8
d.	High cholesterol?	<u>HBCHOLES5</u>	1	2	-8
e.	Migraines?	<u>MIGRAINS</u>	1	2	-8
f.	Stroke?	<u>STROKE5</u>	1	2	-8
g.	Arthritis or osteoarthritis (degenerative joint disease)?	<u>OSTEOAR5</u>	1	2	-8
h.	Overactive or underactive thyroid?	<u>THYROID5</u>	1	2	-8
i.	Heart attack?	<u>HEARTAT5</u>	1	2	-8
j.	Angina?	<u>ANGINA5</u>	1	2	-8
k.	Osteoporosis (brittle or thinning bones)?	<u>OSTEOPR5</u>	1	2	-8
l.	DELETED				
m.	Cancer, other than skin cancer?	<u>CANCERS5</u>	1 (B29)	2	-8 (B29)

m.1.What is/was the primary site of the cancer? **SITESPES**

SPECIFY: _____

a. IF BREAST CANCER: Have you taken Tamoxifen since your last study visit?

TAMOXIF5

NO	1
YES	2
DON'T KNOW	-8
NOT APPLICABLE	-1

b. Since your last study visit, have you received chemotherapy or radiation treatment for this cancer?

CHEMOTH5

NO	1
YES	2
DON'T KNOW	-8

B29 Since your last study visit, how many times did you break or fracture a bone?
[IF MORE THAN ONE BONE WAS BROKEN DURING THE SAME EVENT COUNT AS ONE TIME.]

_____ # of times broken bones (IF NONE, GO TO B30) **BROKEBOS**

- a. Which bones did you break or fracture?
LIST BELOW. [IF BONE WAS BROKEN
MORE THAN ONCE, RECORD EACH BREAK AND
SPECIFY WHEN "REBROKEN".
BE SPECIFIC IN IDENTIFYING WHICH BONE
WAS BROKEN (I.E. RIGHT TIBIA).]
- b. How did it happen? Was it for any of the following
reasons? [HAND RESPONDENT CARD "B"
AND READ RESPONSE CATEGORIES.]
- after a fall from a height above the ground
greater than six inches,
 - in a motor vehicle accident,
 - while moving fast, like running, bicycling or
skating,
 - while playing sports,
 - or because something heavy fell on you or
struck you.

	NO	YES
1. _____	1 <u>BONES15</u>	2
2. _____	1 <u>BONES25</u>	2
3. _____	1 <u>BONES35</u>	2

Since your last study visit, have you had any of the following surgeries or procedures?		NO	YES	DON'T KNOW
B30	D and C, a scraping of the uterus for any reason, including abortion?	1 (B31)	2	-8 (B31)
	1. Since your last study visit, how many times have DANDC5 you had a D and C?			
	_____ # TIMES NUMDAND5			
B31	Hysterectomy (an operation to remove your uterus or womb)?	1 (B32)	2	-8 (B32)
	HYSTERE5			
	. When was this performed? [PROMPT FOR YEAR EVEN IF MONTH IS UNKNOWN. ENTER -8 IF MONTH IS UNKNOWN.]			
	M — M / Y — Y — Y — HYSTDAYS[†]			
B32	Did you have one or both ovaries removed (an oophorectomy)?	1 (B33)	2	-8 (B33)
	OOPHOREC5			
	1. Was one ovary removed or were both ovaries removed?			
	ONE OVARY REMOVED 1			
	BOTH OVARIES REMOVED 2			
	DON'T KNOW -8			
B33a	Did you have an endometrial ablation (a procedure to reduce or eliminate menstrual periods by partially or completely destroying the lining of the uterus)?	1	2	-8
	ABLATIN5			
B33b	Any <u>other</u> uterine procedures, other than D and C, for example: cesarean section, IUD insertion, fibroid removal or endometrial biopsy?	1	2	-8
	UTERPRO5			
B34	Thyroid gland removed?	1	2	-8
	THYRREM5			

[†] This date is given in days since the initial baseline interview

B35 Since your last study visit, have you had any of the following conditions?		B35.1 IF YES, has it made it difficult to carry out your daily routine (e.g., work, housework, childcare)?			
		NO	YES	NO	YES
a.	endometriosis diagnosed by a physician (abnormal growths in lining of uterus) <u>ENDO5</u>	1	2	1	2
b.	pelvic pain (pain in the lowest part of the abdomen) <u>PELVCPN5</u>	1	2	1	2
c.	pelvic prolapse or relaxation (the uterus, bladder, or rectum drops, sometimes bulging out of vagina) <u>PROLAPS5</u>	1	2	1	2
d.	pelvic cancer (cancer of the vulva, cervix, uterus, or ovaries) <u>PELVCNC5</u>	1	2	1	2
e.	abnormal vaginal bleeding (bleeding from the vagina that is different enough from your normal pattern to be a concern: irregular, heavy, or long in duration) <u>ABBLEED5</u>	1	2	1	2
f.	fibroids (benign growths in the uterus or womb) <u>FIBRUTR5</u>	1	2	1	2

Variable Excluded from Public Use Data File

We are interested in learning more about your health care decisions. All of your responses will be kept strictly confidential.

B36 Do you have a health care provider from whom you primarily get your care for women's health conditions? (If you have an obstetrician or gynecologist (ob/gyn), refer to him or her. If you don't, refer to the person from whom you get care for women's health. We will not contact your provider unless we request your specific written permission.)

PRVIDER5

No	1	(GO TO PAGE 17)
Yes	2	

B37 What is the name of this health care provider?

(FIRST) **#PRVNAME5** (LAST) **#PRVLAST5**

B38 In what city or town and what state do you see this health care provider?

CITY/TOWN #PRVTOWNS5	STATE #PRVSTAT5
--------------------------------	---------------------------

B39 What professional degree does this health care provider have? If you are not sure, please make your best guess: [HAND RESPONDENT CARD "C" AND READ RESPONSE CATEGORIES.] **PROFDEG5**

Medical Doctor (MD).....	1
Doctor of Osteopathy (DO)	2
Chiropractor (DC).....	3
Registered Nurse (RN)	4 (B41)
Nurse Practitioner (NP)	5 (B41)
Physician Assistant (PA)	6 (B41)
Other: Specify SPECIFY5	7
DON'T KNOW	-8 (B41)

B40 Which of the following best describes this provider's specialty?

PROVSPC5

A family practitioner	1
An internist	2
An obstetrician or gynecologist.....	3
A naturopath (one who uses non-medicinal therapy)	4
Other: Specify SPECIAL5	5
No specialty	6
DON'T KNOW	-8

B41 On average, how much time does this health care provider spend with you at each visit?

PROVTIM5

0-5 minutes	1
6-10 minutes	2
11-15 minutes	3
16-20 minutes	4
21-30 minutes	5
more than 30 minutes	6
DON'T KNOW	-8

Now I would like to ask you about your menstrual periods.

C1. Did you have any menstrual bleeding since your last study visit? **BLEEDNG5**
NO 1 (C6)
YES 2

C2. Did you have any menstrual bleeding in the last 3 months? **BLD3MONS**
NO 1
YES 2

C3. What was the date that you started your most recent menstrual bleeding? [PROMPT FOR MONTH AND YEAR, EVEN IF DAY IS UNKNOWN. ENTER -8 FOR DAY FIELD IF UNKNOWN]

____ M ____ / ____ D ____ / ____ Y ____ Y ____ Y
LMPDAY5[†]

For the next few questions I would like to ask you to think about your periods since your last study visit, during times when you were not using birth control pills or other hormone medications.

C4. Which of the following best describes your menstrual periods since your last study visit? Have they:
[HAND RESPONDENT CARD "C"] **DESCPER5**

Become farther apart?	1
Become closer together?	2
Occurred at more variable intervals?	3
Stayed the same?	4
Become more regular?	5
DON'T KNOW	-8
NOT APPLICABLE	-1

C5. A menstrual cycle is the period of time from the beginning of bleeding from one menstrual period to the beginning of bleeding of the next menstrual period. Since your last study visit, what was the usual length of your menstrual cycles? **LENGCYL5**

LESS THAN 24 DAYS	1
24-35 DAYS	2
MORE THAN 35 DAYS	3
TOO VARIABLE OR IRREGULAR TO SAY	4
DON'T KNOW	-8

C6. Since your last study visit, have you been pregnant? Please include live births, stillbirths, abortions, miscarriages, tubal or ectopic pregnancies. **PRGNANTS**

NO 1 (C7)
YES 2

a. IF YES: [HAND RESPONDENT CARD "D"] What was the outcome of the pregnancy?
[READ RESPONSE CATEGORIES. IF RESPONDENT WAS PREGNANT MORE THAN ONCE SINCE LAST VISIT, RECORD OUTCOME OF MOST RECENT PREGNANCY.] **OUTCOMES**

Live birth	1
Still birth	2 (C7)
Miscarriage	3 (C7)
Abortion	4 (C7)
Tubal/ectopic pregnancy	5 (C7)
Still pregnant	6 (C7)


b. FOR LIVE BIRTHS ONLY: Are you currently breastfeeding? **BRSTFEE5**
NO 1
YES 2

[†] This date is given in days since the initial baseline interview

Variable Excluded from Public Use Data File

The next few questions focus on some other personal aspects of your life

- C7. Thinking about your quality of life at the present time, I'd like you to give it a rating where 0 represents the worst possible quality for you and 10 represents the best possible quality for you. [HAND RESPONDENT CARD "F"] Looking at this line, how would you rate your overall quality of life at the present time? Choose a number between 0 and 10.



QLTYLIF5

- C8. People sometimes look to others for companionship, assistance, or other types of support. How often is each of the following kinds of support available to you if you need it?
[HAND RESPONDENT CARD "G" AND READ RESPONSE CATEGORIES]

	None of the time	A little of the time	Some of the time	Most of the time	All of the time
a. Someone you can count on to listen to you when you need to talk? <u>LISTENS</u>	1	2	3	4	5
b. Someone to take you to the doctor if you needed it? <u>TAKETOM5</u>	1	2	3	4	5
c. Someone to confide in or talk to about yourself or your problems? <u>CONFIDE5</u>	1	2	3	4	5
d. Someone to help with daily chores if you were sick? <u>HELPSIC5</u>	1	2	3	4	5

- C9. I would now like to ask you about your feelings over the past two weeks. Tell me how often you have felt or thought this way. [HAND RESPONDENT CARD "H" AND READ RESPONSE CATEGORIES]

*[READ STEM INSTRUCTIONS]	Never	Almost Never	Sometimes	Fairly Often	Very Often
<u>In the past two weeks you have:</u>					
*a. Felt unable to control important things in your life? <u>CONTROL5</u>	1	2	3	4	5
*b. Felt confident about your ability to handle your personal problems? <u>ABILITY5</u>	1	2	3	4	5
c. Felt that things were going your way? <u>YOURWAY5</u>	1	2	3	4	5
d. Felt difficulties were piling so high that you could not overcome them? <u>PILING5</u>	1	2	3	4	5

C10 I am going to read you a list of ways you might have felt or behaved recently. Please tell me how often you have felt or behaved this way during the past week. [HAND RESPONDENT CARD "H" AND READ RESPONSE CATEGORIES]

* [READ STEM INSTRUCTIONS] During the past week:	Rarely or none of the time (less than 1 DAY)	Some or a little of the time (1-2 DAYS)	Occasionally or a moderate amount of the time (3-4 DAYS)	Most or all of the time (5-7 DAYS)
*a. I was bothered by things that usually don't bother me BOTHER5	1	2	3	4
*b. I did not feel like eating; my appetite was poor APPETIT5	1	2	3	4
*c. I felt that I could not shake off the blues even with help from my friends BLUES5	1	2	3	4
d. I felt that I was just as good as other people GOOD5	1	2	3	4
e. I had trouble keeping my mind on what I was doing KEEPMIN5	1	2	3	4
f. I felt depressed DEPRESS5	1	2	3	4
*g. I felt that everything I did was an effort EFFORT5	1	2	3	4
h. I felt hopeful about the future HOPEFUL5	1	2	3	4
i. I thought my life had been a failure FAILURE5	1	2	3	4
j. I felt fearful FEARFUL5	1	2	3	4
*k. My sleep was restless RESTLESS5	1	2	3	4
l. I was happy HAPPY5	1	2	3	4
m. I talked less than usual TALKLESS5	1	2	3	4
n. I felt lonely LONELY5	1	2	3	4
*o. People were unfriendly UNFRNDL5	1	2	3	4
p. I enjoyed life ENJOY5	1	2	3	4
q. I had crying spells CRYING5	1	2	3	4
r. I felt sad SAD5	1	2	3	4
*s. I felt that people disliked me DISLIKE5	1	2	3	4
t. I could not get going GETGOIN5	1	2	3	4

OCCUPATIONAL QUESTIONS

These next few questions concern employment. I'm going to ask you to tell me about any changes in your employment since your last study visit.

- D1. Since your last study visit, has there been a change in any of your jobs, that is: your place of employment, your job title, or your usual job tasks? **CHNGJOBS**

NO	1	(D3)
YES	2	
N/A	-1	(D6)

- D2. During the past 2 weeks, did you work at any time at a job or business, including work for pay performed at home? (Include unpaid work in the family farm or business. If you were on vacation, or scheduled leave or sick leave, please answer as though you were at your usual job.) **JOB5**

NO	1	(D6)
YES	2	

- a. For each paid job you have had in the last two weeks, what was your job title?

#JOBTT15

JOB #1 _____

#JOBTT25

JOB #2 _____

#JOBTT35

JOB #3 _____

- b. Briefly, what are your usual job activities?

[IF MORE THAN ONE JOB WAS MENTIONED, ASK: Please answer for each job.]

#JOBACT15

JOB #1 _____

#JOBACT25

JOB #2 _____

#JOBACT35

JOB #3 _____

- c. What does the company or your part of the company, do or make? (For example, high school education, health care in hospital, automobile manufacturing, state labor department, retail shoe sales.)

[IF MORE THAN ONE JOB WAS MENTIONED, ASK: Please answer this for each job.]

#JBMAKE15

JOB #1 _____

#JBMAKE25

JOB #2 _____

#JBMAKE35

JOB #3 _____

D3. Since your last study visit, has there been a change in your usual hours of work of any of your jobs?

CHANGHRS

NO 1 (**D5**)
YES 2

D4. What are your usual hours of work each day for each job?

STRTIM15

JOB #1: START TIME: _____ : ____ — A.M. 1. P.M. 2. **STRAMP15**

STPTIM15

STOP TIME: _____ : ____ — A.M. 1. P.M. 2. **STPAMP15**

ROTATING/ALTERNATING (ALTERNATING WEEKLY/MONTHLY) **ROTAT15**

NO 1

YES 2

STRTIM25

JOB #2: START TIME: _____ : ____ — A.M. 1. P.M. 2. **STRAMP25**

STPTIM25

STOP TIME: _____ : ____ — A.M. 1. P.M. 2. **STPAMP25**

ROTATING/ALTERNATING (ALTERNATING WEEKLY/MONTHLY) **ROTAT25**

NO 1

YES 2

STRTIM35

JOB #3: START TIME: _____ : ____ — A.M. 1. P.M. 2. **STRAMP35**

STPTIM35

STOP TIME: _____ : ____ — A.M. 1. P.M. 2. **STPAMP35**

ROTATING/ALTERNATING (ALTERNATING WEEKLY/MONTHLY) **ROTAT35**

NO 1

YES 2

D5. On average, how many total hours a week do you work, for pay?

HOURSPA5

≤ 10 1
11-19 2
20-34 3
35-40 4
41-60 5
>60 6

D6. Do you do volunteer work?

VOLUNTE

NO	1	(D7)
YES.....	2	

a. What type of volunteer work do you do? How many hours a week do you spend doing it?

TYPE OF VOLUNTEER WORK

#TYPVOL15

1. _____

HRS/WK

VLNTHR15

#TYPVOL25

2. _____

VLNTHR25

#TYPVOL345

3. _____

VLNTHR35

D7. What is your current marital status? Would you say...

MARITAL5

Single/never married.....	1
Currently married or living as married	2
Separated	3
Widowed.....	4
Divorced	5
DON'T KNOW	-8
REFUSED	-7

We have a few final questions for you concerning your household.

E1. Since your last study visit, has there been any change in who is living in your household? **CHGHLD5**

NO	1	(END)
YES	2	
DON'T KNOW	-8	

E2. Other than yourself, is there anyone else living in your household? **HOUSEHLS**

NO	1	(END)
YES	2	
REFUSED	-7	(END)

E3. Please tell me their relationship to you, their gender, and their age.

a. RELATIONSHIP TO YOURSELF	b. SEX	c. AGE
1. <u>RELAT15</u>	<u>SEX15</u>	<u>AGE15</u>
2. <u>RELAT25</u>	<u>SEX25</u>	<u>AGE25</u>
3. <u>RELAT35</u>	<u>SEX35</u>	<u>AGE35</u>
4. <u>RELAT45</u>	<u>SEX45</u>	<u>AGE45</u>
5. <u>RELAT55</u>	<u>SEX55</u>	<u>AGE55</u>
6. <u>RELAT65</u>	<u>SEX65</u>	<u>AGE65</u>
7. <u>RELAT75</u>	<u>SEX75</u>	<u>AGE75</u>
8. <u>RELAT85</u>	<u>SEX85</u>	<u>AGE85</u>
9. <u>RELAT95</u>	<u>SEX95</u>	<u>AGE95</u>
10. <u>RELAT104</u>	<u>SEX105</u>	<u>AGE105</u>
11. <u>RELAT115</u>	<u>SEX115</u>	<u>AGE115</u>
12. <u>RELAT125</u>	<u>SEX125</u>	<u>AGE125</u>

Thank you. This ends this portion of the interview

**ADDITIONAL QUESTIONS FROM OTHER FORM VERSIONS OF THE
INTERVIEW ADMINISTRATED QUESTIONNAIRE**

FORM VERSION: 02/01/1998

B26. Since your last study visit, has a doctor, nurse practitioner or other health care provider told you that you had any of the following conditions or treated you for them?

	NO	YES	DON'T KNOW
1. Fibroids, benign growths of the uterus or womb? <u>FIBROIDS</u>	1	2	-8

Study of Women's Health Across the Nation

SELF-ADMINISTERED QUESTIONNAIRE PART A

ANNUAL FOLLOW-UP

SECTION A. GENERAL INFORMATION

AFFIX ID LABEL HERE

SWANID

A1. RESPONDENT ID:

A2. SWAN STUDY VISIT #

#VISIT

A3. FORM VERSION:

02/15/2001

#FORM_V

A4. DATE FORM COMPLETED:

M M / D D / Y Y Y Y
SAADAYS[†]

A5. INTERVIEWER'S INITIALS:

#INITS

A6. RESPONDENT'S DOB:

M M / D D / Y Y Y Y
VERIFY WITH RESPONDENT #DOB

A7. COMPLETED IN:

#LOCATIO5

RESPONDENT'S HOME	1
CLINIC / OFFICE	2
RESPONDENT'S HOME W/ PROXY	3
CLINIC/OFFICE W/ PROXY	4
TELEPHONE	5
TELEPHONE BY PROXY	6

A8. INTERVIEW LANGUAGE:

LANGSAA5

ENGLISH	1
SPANISH	2
CANTONESE	3
JAPANESE	4

A9. INTERVIEWER-ADMINISTERED?

#INTADMIS

NO.....	1
YES.....	2

[†] This date is given in days since the initial baseline interview.

Variable Excluded from Public Use Data File

We have some questions that we are asking you to complete on your own. If anything is unclear to you, please feel free to ask questions. Study representatives are available and happy to help you. Please take as much time as you need with each question. It is very important to us that you complete the entire questionnaire. Please find the most appropriate response to each question and circle the number for the answer you choose.

Thank you for your participation in this important study.

We are interested in learning more about women's health during their 40's and 50's. This first set of questions ask about your health and use of health care.

- B1. In general, would you say your health is excellent, very good, good, fair or poor?
(PLEASE CIRCLE ONE RESPONSE.)

OVERHLT5

Excellent	1
Very good	2
Good.....	3
Fair.....	4
Poor.....	5
Don't know	-8

- B2. Since your last study visit, how many different times did you stay in the hospital overnight or longer?

____ # TIMES

HOSPSTA5

- B3. Since your last study visit, about how many times did you see or talk to a doctor, nurse practitioner or other health care provider, regarding your own health? (Do not count hospitalizations or visits for this study.)

____ # TIMES

MDTALK5

- B4. Since your last study visit, about how many times did you see or talk to a health care provider or other professional for problems with emotions, "nerves", or mental health?

____ # TIMES

NERVES5

Since your last study visit, have you had:

(PLEASE CIRCLE 1 FOR NO OR 2 FOR YES FOR EACH QUESTION.)

	NO	YES
B5. A Pap Smear (a routine medical test in which the doctor examines the cervix)?	1	2
B6. A breast physical examination (a doctor or medical assistant feels for lumps in the breast)?	1	2

PAPSMEA5

B7. A mammogram (an x-ray taken only of the breast by a machine that presses the breast against a glass plate)?	1	2
-----------------------------------------------------------------------------------------------------------------	---	---

BRSTEXA5

MAMOGRA5

B8. Since your last study visit, are there any health services that you needed but did not receive?

HLTHSER5

No..... 1 (GO TO B9)
Yes 2 (GO TO B8a)

B8a. People fail to get health care for a variety of reasons. Have any of the following reasons prevented you from getting health care?

(PLEASE CIRCLE ONE NUMBER FOR EACH REASON)

	NO	YES
Insurance or health plan does not cover	1	2 <u>INSURANS5</u>
Cannot afford	1	2 <u>NOTAFFR5</u>
Travel distance / lack of transportation	1	2 <u>NOTRANS5</u>
No health care provider	1	2 <u>NOPROVIS5</u>
Too busy/ didn't have the time	1	2 <u>TOOBUSY5</u>
Don't trust doctors	1	2 <u>NOTRUST5</u>
I'm better off not knowing	1	2 <u>BETTROF5</u>
Other	1	2 <u>FAILOTH5</u>

Please specify _____

#FAILSPE5

B9. Since your last study visit, have you smoked cigarettes regularly (at least one cigarette a day)?

SMOKERE5

No..... 1 (GO TO B10)
Yes 2 (GO TO B9a)

B9a. IF YES: How many cigarettes, on average, do you smoke per day now?
(If NONE, please indicate with a (0) zero and answer B9b.)

_____ CIGARETTES PER DAY **AVCIGDA5**

B9b. IF NONE, (You stopped smoking), What was the last month you smoked?

_____ MONTH **#LASTSMOS5**

B10. These next questions are about how you feel and how things have been with you during the past 4 weeks. For each question, please give the one answer that comes closest to the way you have been feeling.

(CIRCLE ONE NUMBER ON EACH LINE)

During the <u>past 4 weeks</u> , <u>how much time...</u>	All of the time	Most of the time	A good bit of the time	Some of the time	A little of the time	None of the time
a. Did you feel "full of pep"?	1	2	3	4	5	6
<u>PEP5</u>						
b. Did you have a lot of energy?	1	2	3	4	5	6
<u>ENERGY5</u>						
c. Did you feel worn out?	1	2	3	4	5	6
<u>WORNOOUT5</u>						
d. Did you feel tired?	1	2	3	4	5	6
<u>TIRED5</u>						

The next series of questions ask about your regular physical activities outside of your job: that is, other than the activities you do for pay.

We want to know about your activities at home, not including activities you may do for pay at your home or other people's homes. Please circle only one answer to each question.

During the past year (in the last 12 months), how much time did you spend on average....

- C.1. Caring for a child or children 5 years of age or less, a disabled child or an elderly person? Only count time actually spent doing physical activities like feeding, dressing, moving, playing or bathing. (If child turned 6 less than 6 months ago, consider him/her age 5 for the whole year.) (CIRCLE ONE ANSWER)

CARING5

- 1 None or less than one hour per week
- 2 At least 1 hour but less than 20 hours per week
- 3 20 hours or more per week

- C.2. **During the past year** (in the last 12 months), how much time did you spend preparing meals or cleaning up from meals? (CIRCLE ONE ANSWER)

MEALS5

- 1 1 hour or less per day
- 2 Between 1 and 2 hours per day
- 3 More than 2 hours per day

- C.3. **During the past year** (in the last 12 months), how often did you do routine chores requiring light physical effort, such as dusting, laundry, changing linens, grocery shopping or other shopping? (CIRCLE ONE ANSWER)

ROUTNCH5

- 1 Once per week or less
- 2 More than once per week but less than daily
- 3 Daily or more

- C.4. **During the past year** (in the last 12 months), how often did you do chores requiring moderate physical effort, such as vacuuming, washing floors, or gardening /yard work such as mowing the lawn or raking leaves? (CIRCLE ONE ANSWER)

MODERAT5

- 1 Once a month or less
- 2 2-3 times per month
- 3 4 or more times per month

- C.5. **During the past year** (in the last 12 months), how often did you do chores at home requiring vigorous physical effort, such as chopping wood, tilling soil, shoveling snow, shampooing carpets, washing walls or windows, plumbing, tiling or outdoor painting? (CIRCLE ONE ANSWER)

VIGOROUS

- 1 Once a month or less
- 2 2-3 times per month
- 3 4 or more times per month

Now we want to ask about the general level of physical activity involved in your daily routine.

C.6. In comparison with other women of your own age, do you think your recreational physical activity is.

PHYSACT5

- 1 Much less
- 2 Somewhat less
- 3 The same
- 4 Somewhat more
- 5 Much more

During the past year, when you were not working or doing chores around the house...

C.7. Did you watch television...(CIRCLE ONE ANSWER)

WATCHTV5

- 1 Never or less than 1 hour a week
- 2 At least 1 hour/week but less than 1 hour a day
- 3 1-2 hours a day
- 4 2-4 hours a day
- 5 More than 4 hours a day

C.8. Did you walk or bike to and from work, school or errands...(CIRCLE ONE ANSWER)

WALKBIK5

- 1 Never or less than 5 minutes per day
- 2 5-15 minutes per day
- 3 16-30 minutes per day
- 4 31-45 minutes per day
- 5 more than 45 minutes per day

C.9. Did you sweat from exertion...(CIRCLE ONE ANSWER)

SWEATPA5

- 1 Never or less than once a month
- 2 Once a month
- 3 2-3 times a month
- 4 Once a week
- 5 More than once a week

C.10. Did you play sports or exercise... (CIRCLE ONE ANSWER)

SPORTSS

- 1 Never (GO TO QUESTION D1 ON PAGE 10)
- 2 Less than once a month
- 3 Once a month
- 4 2-3 times a month
- 5 Once a week
- 6 More than once a week

The following questions are about your participation in sports and exercise during the past year.

C.11. Which sport or exercise did you do **most frequently during the past year?** (SPECIFY ONLY ONE)

SPOREX15

C.12. When you did this activity, did your heart rate and breathing increase? (CIRCLE ONE ANSWER)

RATEIN15

- 1 No
- 2 Yes, a small increase
- 3 Yes, a moderate increase
- 4 Yes, a large increase

C.13. How many months in this past year did you do this activity? (CIRCLE ONE ANSWER)

MTHSAC15

- 1 Less than 1 month
- 2 1-3 months
- 3 4-6 months
- 4 7-9 months
- 5 More than 9 months

C.14. During these months, on average, how many hours a week did you do this activity? (CIRCLE ONE ANSWER)

HRSACT15

- 1 Less than 1 hour
- 2 At least 1 but less than 2 hours
- 3 At least 2 but less than 3 hours
- 4 At least 3 but less than 4 hours
- 5 More than 4 hours

C.15. Did you do any other exercise or play any other sport in this past year?

OTHSPORS

- 1 NO (GO TO QUESTION D1.)
- 2 YES

C.16. What was the second most frequent sport or exercise you did during the past year?

(SPECIFY ONLY ONE)

SPOREX25

C.17. When you did this activity, did your heart rate and breathing increase? (CIRCLE ONE ANSWER)

RATEIN25

- 1 No
- 2 Yes, a small increase
- 3 Yes, a moderate increase
- 4 Yes, a large increase

C.18. How many months in this past year did you do this activity? (CIRCLE ONE ANSWER)

MTHSAC25

- 1 Less than 1 month
- 2 1-3 months
- 3 4-6 months
- 4 7-9 months
- 5 More than 9 months

C.19. During these months, on average, how many hours a week did you do this activity? (CIRCLE ONE ANSWER)

HRSACT25

- 1 Less than 1 hour
- 2 At least 1 but less than 2 hours
- 3 At least 2 but less than 3 hours
- 4 At least 3 but less than 4 hours
- 5 More than 4 hours

The following questions are about specific health problems you may have had over the past two weeks.

- D1. Below is a list of common problems which affect us from time to time in our daily lives.
Thinking back over the past two weeks, please circle the number corresponding to how often you experienced any of the following.

How often have you had...		Not at all	1-5 days	6-8 days	9-13 days	Every day
a. Stiffness or soreness in joints, neck or shoulder?	<u>STIFF5</u>	1	2	3	4	5
b. Back aches or pains?	<u>ACHESS5</u>	1	2	3	4	5
c. Cold sweats?	<u>COLDSWE5</u>	1	2	3	4	5
d. Night sweats?	<u>NITESWE5</u>	1	2	3	4	5
e. Vaginal dryness?	<u>VAGINDR5</u>	1	2	3	4	5
f. Feeling blue or depressed?	<u>FEELBLU5</u>	1	2	3	4	5
g. Dizzy spells?	<u>DIZZY5</u>	1	2	3	4	5
h. Irritability or grouchiness?	<u>IRRITAB5</u>	1	2	3	4	5
i. Feeling tense or nervous?	<u>NRVOUS5</u>	1	2	3	4	5
j. Forgetfulness?	<u>FORGET5</u>	1	2	3	4	5
k. Frequent mood changes?	<u>MOODCHG5</u>	1	2	3	4	5
l. Heart pounding or racing?	<u>HARTRAC5</u>	1	2	3	4	5
m. Feeling fearful for no reason?	<u>FEARFULA5</u>	1	2	3	4	5
n. Headaches?	<u>HDACHE5</u>	1	2	3	4	5
o. Hot flashes or flushes?	<u>HOTFLAS5</u>	1	2	3	4	5
p. Breast pain/tenderness	<u>BRSTPAI5</u>	1	2	3	4	5

- D2. These questions (a - c) are about your sleep habits over the past two weeks. Please circle one answer for each of the following questions. Pick the answer that best describes how often you experienced the situation in the past 2 weeks.

	No, not in the past 2 weeks	Yes, less than once a week	Yes, 1 or 2 times a week	Yes, 3 or 4 times per week	Yes, 5 or more times a week
In the past two weeks...					
a. Did you have trouble falling asleep? TRBLSLES	1	2	3	4	5
b. Did you wake up several times a night? WAKEUPS	1	2	3	4	5
c. Did you wake up earlier than you had planned to, and were unable to fall asleep again? WAKEARL5	1	2	3	4	5

The following question relates to your usual sleep habits during the past month only. Your answer should give the most accurate description for most of the days and nights in the past month.

- D3. During the past month, how would you rate your sleep quality overall?

SLEEPQL5

Very good	1
Fairly good	2
Fairly bad	3
Very bad.....	4

A common complaint among women is having to urinate a lot or the involuntary loss of urine.

- D4. How often do you usually get up from bed at night to urinate? (CIRCLE ONLY ONE ANSWER)

GETUPUR5

Never.....	1
Rarely (less than once a week).....	2
Once per week	3
A few times per week	4
Once a night, every night.....	5
More than once per night	6

D5. Since your last study visit, have you ever leaked, even a very small amount, of urine involuntarily?

INVOLEAS

No 1 (GO TO D6)
Yes 2

↓

IF YES:

- a. In the last month, about how many days have you lost any urine, even a small amount, beyond your control? (CIRCLE ONLY ONE ANSWER)

DAYSLEAS

Never.....	1
Less than one day per week	2
Several days per week.....	3
Almost daily/daily.....	4

- b. Under what circumstances does it occur?

(CIRCLE 1 FOR NO OR 2 FOR YES FOR EACH QUESTION)

NO YES

1. When you are coughing, laughing,
sneezing, jogging, or picking up an object
from the floor.

1 2

COUGHES

2. When you have an urge to void and can't
get to a toilet fast enough.

1 2

URGEVOIS

3. Other **OTHREAS**
Specify: _____

1 2

#LEAKSPE5

Dietary and behavioral therapies are often used to treat conditions or to maintain good health. Please tell us about any of these therapies you may have used.

D6. In the past 12 months, have you used any of the following for any reason?
(CIRCLE ONLY ONE NUMBER FOR EACH)

	NO	YES
a. Special diets or nutritional remedies, such as macrobiotic or vegetarian diets, or vitamin supplements or therapy?	1	2
	<u>NUTRIRES5</u>	
b. Herbs or herbal remedies, such as homeopathy or Chinese herbs or teas?	1	2
	<u>HERBREM5</u>	
c. Psychological methods, such as meditation, mental imagery, or relaxation techniques?	1	2
	<u>PSYCMET5</u>	
d. Physical methods, such as massage, acupressure, acupuncture, or chiropractic therapy?	1	2
	<u>PHYSMETS5</u>	
e. Folk medicine or traditional Chinese medicine?	1	2
	<u>FOLKMED5</u>	
f. Any others?	<u>OTHRTHES5</u>	1
		2

IF YES, please specify: #SPECOTH5

- E1. These next questions ask about events that we sometimes experience in our lives. **Since your last study visit**, have you experienced any of the following: If you have not, circle 1 (NO). If you have and it was not at all upsetting, circle 2. If you have and it was somewhat upsetting circle 3. If you have and it was very upsetting circle 4 . If you have and it was very upsetting and is still upsetting, circle 5. (PLEASE CIRCLE ONE ANSWER FOR EACH QUESTION.)

	NO	YES Not at all upsetting	YES Somewhat upsetting	YES Very upsetting	YES Very Upsetting and still upsetting
a. Started school, a training program, or new job? STARTNE5	1	2	3	4	5
b. Had trouble with a boss or conditions at work got worse? WORKTRB5	1	2	3	4	5
c. Quit, fired or laid off from a job? QUITJOBS	1	2	3	4	5
d. Took on a greatly increased work load at job? WORKLOAS	1	2	3	4	5
e. Husband/partner became unemployed? PRTUNEMS	1	2	3	4	5
f. Major money problems? MONEYPRS	1	2	3	4	5
g. Relations with husband/partner changed for the worse but without separation or divorce? WOSRELRS	1	2	3	4	5
h. Were separated or divorced or a long-term relationship ended? RELATENS	1	2	3	4	5
i. Had a serious problem with child or family member (other than husband/partner) or with a close friend? SERIPROS	1	2	3	4	5
j. A child moved out of the house or left the area? CHILDMOS	1	2	3	4	5
k. Took on responsibility for the care of another child, grandchild, parent, other family member or friend? RESPCARS	1	2	3	4	5
l. Family member had legal problems or a problem with police? LEGALPRS	1	2	3	4	5

	NO	YES Not at all upsetting	YES Somewhat upsetting	YES Very upsetting	YES Very Upsetting and still upsetting
m. A close relative (husband/partner, child or parent) died?	1	2	3	4	5
		<u>CRELDIES</u>			
n. A close friend or family member <u>other than</u> a husband/partner, child or parent died?	1	2	3	4	5
		<u>CLOSDIES</u>			
o. Major accident, assault, disaster, robbery or other violent event happened to yourself?	1	2	3	4	5
		<u>SELFVIO5</u>			
p. Major accident, assault, disaster, robbery or other violent event happened to a family member?	1	2	3	4	5
		<u>FAMILVIO5</u>			
q. Serious physical illness, injury or drug/alcohol problem in family member, partner or close friend?	1	2	3	4	5
		<u>PHYSILL5</u>			
r. Other major event not included above?	1	2	3	4	5
		<u>MAJEVENS</u>			
Specify: # <u>SPECEVNS</u>					

These next questions concern different aspects (or roles) of your life and how you feel about them.

F1. Are you currently employed for pay? **EMPLYPA5**

No..... 1 (GO TO F2)
Yes 2

a. How rewarding is your job? (CIRCLE ONE NUMBER)

REWRDJO5

Not at all.....	1
A little	2
Somewhat.....	3
Quite a bit.....	4
Extremely.....	5

b. How stressful is your job? (CIRCLE ONE NUMBER)

STRSSJO5

Not at all.....	1
A little	2
Somewhat.....	3
Quite a bit.....	4
Extremely.....	5

F2. Are you currently caring for an older or disabled family member? **CRNTCAR5**

No..... 1 (GO TO F3)
Yes 2

a. How rewarding is your role as caregiver? (CIRCLE ONE NUMBER)

RWRDCAR5

Not at all.....	1
A little	2
Somewhat.....	3
Quite a bit.....	4
Extremely.....	5

b. How stressful is your role as caregiver? (CIRCLE ONE NUMBER)

STRSCAR5

Not at all.....	1
A little	2
Somewhat.....	3
Quite a bit.....	4
Extremely.....	5

F3. Are you currently married or in a committed relationship? **CRNTMARS**

No..... 1 (GO TO F4)
Yes..... 2

a. How rewarding is this relationship? (CIRCLE ONE NUMBER)

RWRDREL5

Not at all.....	1
A little	2
Somewhat.....	3
Quite a bit.....	4
Extremely.....	5

b. How stressful is this relationship? (CIRCLE ONE NUMBER)

STRSREL5

Not at all.....	1
A little	2
Somewhat.....	3
Quite a bit.....	4
Extremely.....	5

F4. Do you have any children or stepchildren? **CHILDRE5**

No..... 1 (GO TO G1)
Yes..... 2

a. How rewarding is your role as a mother? (CIRCLE ONE NUMBER)

REWRDMO5

Not at all.....	1
A little	2
Somewhat.....	3
Quite a bit.....	4
Extremely.....	5

b. How stressful is your role as a mother? (CIRCLE ONE NUMBER)

STRSSMO5

Not at all.....	1
A little	2
Somewhat.....	3
Quite a bit.....	4
Extremely.....	5

We would like to ask you one additional question that will help us to understand your answers better. Please remember that this information will remain confidential.

G1. What is your total family income (before taxes) from all sources within your household in the last year? (Circle the answer that is your best guess.)

INCOMES^s

LESS THAN \$19,999	1
\$20,000 TO \$49,999	2
\$50,000 TO \$99,999	3
\$100,000 OR MORE	4
REFUSED.....	-7
DON'T KNOW.....	-8

**Thank you for your time. This ends this questionnaire.
Please give it to the study personnel.**

^s G.1 Income categories have been condensed from the original questionnaire

**ADDITIONAL QUESTIONS FROM OTHER FORM VERSIONS OF THE
SELF ADMINISTRATED QUESTIONNAIRE, PART A**

Information on two physical activity variables (STRENEX5 and MODEREX5) are only available for the AIN/PAT participants.

- C20. Considering a usual 7-day period (a week) in the past year, how many times on the average did you do the following kinds of exercise or other physical activity for more than 15 minutes, not counting activity you do at work? (WRITE ON EACH LINE THE APPROPRIATE NUMBER)

	TIMES PER WEEK
a. STRENUOUS EXERCISE/PHYSICAL ACTIVITY (HEART RATE AND BREATHING INCREASE A LOT) (i.e., running, jogging, soccer, singles tennis, basketball, cross country skiing, judo, roller skating/blading, vigorous swimming, vigorous long distance bicycling, vigorous aerobic dance)	<hr/>
b. MODERATE EXERCISE/PHYSICAL ACTIVITY (HEART RATE AND BREATHING INCREASE SOMEWHAT) (i.e., fast walking, doubles tennis, easy bicycling, volleyball, badminton, easy swimming, alpine skiing popular and folk dancing, low impact aerobics, weight lifting/training)	<hr/>

Study of Women's Health Across the Nation

SELF-ADMINISTERED QUESTIONNAIRE PART B

ANNUAL FOLLOW-UP

SECTION A. GENERAL INFORMATION

AFFIX ID LABEL HERE

SWANID

A1. RESPONDENT ID:

--

A2. SWAN STUDY VISIT #

#VISIT

A3. FORM VERSION:

02/15/2001

#FORM_V

A4. DATE FORM COMPLETED:

____ M ____ / ____ D ____ / ____ Y ____ Y ____ Y

SABDAY5[†]

A5. INTERVIEWER'S INITIALS:

____ M ____ / ____ D ____ / ____ Y ____ Y

#INITS

A6. RESPONDENT'S DOB:

____ M ____ / ____ D ____ / ____ Y ____ Y ____ Y

#DOB

VERIFY WITH RESPONDENT

A7. COMPLETED IN:

#LOCATIO5

- | | |
|----------------------------------|---|
| RESPONDENT'S HOME | 1 |
| CLINIC/OFFICE | 2 |
| RESPONDENT'S HOME W/ PROXY | 3 |
| CLINIC/ OFFICE W/ PROXY | 4 |
| TELEPHONE | 5 |
| TELEPHONE BY PROXY | 6 |

A8. INTERVIEW LANGUAGE:

LANGSAB5

- | | |
|-----------------|---|
| ENGLISH | 1 |
| SPANISH | 2 |
| CANTONESE | 3 |
| JAPANESE | 4 |

A9. INTERVIEWER-ADMINISTERED?

#ADMIN5

- | | |
|-----------|---|
| NO | 1 |
| YES | 2 |

[†] This date is given in days since the initial baseline interview.

This questionnaire covers material that is sensitive and personal. For some women, sexual activity is an important part of their lives, but for others, it is not. Everyone has different ideas on this subject. To help us understand how these matters affect women's lives and health, we would like you to answer the following questions from your own personal viewpoint. There are no right or wrong answers. Remember, confidentiality is assured. While we hope you are willing to answer all of the questions, if there are questions you would prefer not to answer, you are free to skip them. Please find the most appropriate response to each question, and circle the number for the answer you choose.

- B1. During the past 6 months, how often have you felt a desire to engage in any form of sexual activity, either alone or with a partner? (CIRCLE ONE NUMBER) **DESIRSE5**

1 Not At All	2 Once or Twice/Month	3 About Once/Week	4 More Than Once/Week	5 Daily
-----------------	-----------------------------	-------------------------	-----------------------------	------------

- B2. During the past 6 months, have you engaged in sexual activities with a partner? (CIRCLE ONE NUMBER) **ENGAGSE5**

No 1 (GO TO B2.a) _____
 Yes 2 (GO TO B3) _____

B2.a People do not engage in sexual activities with partners for many reasons.
 Please circle 1 (NO) or 2 (YES) for each reason listed below. Please answer all four questions.

I have not had sex in the last 6 months because:

- | | NO | YES |
|---------------------------------------------------------------------------------------|-----------|------------|
| 1) I do not have a partner at this time. <u>NOPARTNS</u> | 1 | 2 |
| 2) My partner has a physical problem that interferes with sex. <u>PARTPRO5</u> | 1 | 2 |
| 3) I have a physical problem that interferes with sex. <u>PHYSPRO5</u> | 1 | 2 |
| 4) Other: Please Specify <u>NOSEXOTS5</u> _____
#NOSEXSP5 _____ | 1 | 2 |

PLEASE TURN TO PAGE 5, AND ANSWER QUESTION B11.

- B3. In the past 6 months, how emotionally satisfying was your relationship with your partner?

SATISFY5

1 Extremely Satisfying	2 Very Satisfying	3 Moderately Satisfying	4 Slightly Satisfying	5 Not At All Satisfying
------------------------------	-------------------------	-------------------------------	-----------------------------	-------------------------------

- B4. During the past 6 months, how often, on average, have you engaged in each of the following sexual activities? (CIRCLE ONE ANSWER FOR EACH QUESTION. IF AN ACTIVITY DOES NOT APPLY TO YOU, CIRCLE 1 [NOT AT ALL].)

	Not At All	Once or Twice/Month	About Once/Week	More Than Once/Week	Daily
a) Kissing or hugging? KISSING5	1	2	3	4	5
b) Sexual touching or caressing? TOUCHIN5	1	2	3	4	5
c) Oral sex? ORALSEX5	1	2	3	4	5
d) Sexual intercourse? INTCOUR5	1	2	3	4	5

Please answer the following questions, B5 – B8, about sexual activity with your partner(s).

- B5. During the last 6 months, how often did you feel aroused during sexual activity? **AROUSED5**

1 Always	2 Almost Always	3 Sometimes	4 Almost Never	5 Never
-------------	--------------------	----------------	-------------------	------------

- B6. During the past 6 months, have you felt vaginal or pelvic pain during intercourse? **PELVIC5**

1 Always	2 Almost Always	3 Sometimes	4 Almost Never	5 Never	6 No intercourse in last 6 months
-------------	-----------------------	----------------	----------------------	------------	--------------------------------------------

- B7. During the last 6 months, how often have you used lubricants, such as creams or jellies, to make sex more comfortable? **LUBRICNS5**

1 Always	2 Almost Always	3 Sometimes	4 Almost Never	5 Never	6 No intercourse in last 6 months
-------------	-----------------------	----------------	----------------------	------------	--------------------------------------------

- B8. During the past six months, how often were you able to reach climax (come)? **ABLECLMS5**

1 Always	2 Almost Always	3 Sometimes	4 Almost Never	5 Never
-------------	-----------------------	----------------	----------------------	------------

Please answer the following questions, B9 – B10, about sexual activity with your partner(s).

B9. During the past six months, how often did you feel satisfied after sexual activity? **SATISFD5**

1 Always	2 Almost Always	3 Sometimes	4 Almost Never	5 Never
-------------	-----------------------	----------------	----------------------	------------

B10. During the past six months, how often were you satisfied with the frequency of sexual activity?

FREQUEN5

1 Always	2 Almost Always	3 Sometimes	4 Almost Never	5 Never
-------------	-----------------------	----------------	----------------------	------------

B11. On average, in the last 6 months, how often have you engaged in masturbation (self-stimulation)?

MASTURBS

1 Not at all	2 Less than once a Month	3 Once or Twice a Month	4 About once a week	5 More than once a week	6 Daily
--------------------	-----------------------------------	----------------------------------	---------------------------	----------------------------------	------------

We have one final question. We are asking this question to gather information about the risk of acquiring HIV/AIDS and other sexually transmitted diseases. We understand that this question is very personal. There are many women in this study with a wide range of experiences. Please answer only if you have had sex with men in the last six months. Your answers are important in this research study and will be kept confidential.

B12. Over the past 6 months, how many men have you had intercourse with?

MEN6MOSS

Zero	1
One	2
Two.....	3
Three.....	4
Four - ten	5
More than 10.....	6

Thank you for helping us with this important research study.

Please place the completed questionnaire in the envelope provided, seal it, and give it to the study personnel.

Study of Women's Health Across the Nation

PHYSICAL MEASURES

SECTION A. GENERAL INFORMATION

AFFIX ID LABEL HERE

SWANID

A1. RESPONDENT ID:

A2. SWAN STUDY VISIT #

— —

#VISIT

A3. READING:

PRIMARY DATA COLLECTION.....1

#DATACOL1

QC DATA COLLECTION.....2

#FORM_V

A4. FORM VERSION:

$\frac{0}{M} \frac{2}{M} / \frac{0}{D} \frac{1}{D} / \frac{1}{Y} \frac{9}{Y} \frac{9}{Y} \frac{7}{Y}$

PHYDAY5[†]

A5. DATE FORM COMPLETED:

$\frac{M}{M} \frac{M}{M} / \frac{D}{D} \frac{D}{D} / \frac{Y}{Y} \frac{Y}{Y} \frac{Y}{Y} \frac{Y}{Y}$

A6. RESPONDENT'S DOB:

$\frac{M}{M} \frac{M}{M} / \frac{D}{D} \frac{D}{D} / \frac{Y}{Y} \frac{Y}{Y}$

#DOB

VERIFY WITH RESPONDENT

A7. MEASUREMENTS COMPLETED IN:

#LOCATI05

RESPONDENT'S HOME.....1

CLINIC/OFFICE.....2

A8. TECHNICIAN'S INITIALS

- a. BLOOD PRESSURE _____ #INITSA5
- b. HEIGHT/WEIGHT _____ #INITSB5
- c. WAIST/HIP _____ #INITSC5

[†] This date is given in days since the initial baseline interview.

Variable Excluded from Public Use Data File

Section B. Measurements

B.1. ARM LENGTH . cm #ARMLNGT5

B.2. ARM CIRCUMFERENCE . cm #ARMCIRCS

B.3. CUFF SIZE USED (Circle one.)
#CUFFSIZ5 1. Pediatric 3. Large Adult
 2. Adult 4. Thigh

Wait 5 minutes before measurements. Respondent is to sit quietly for 5 minutes with feet flat on the floor (legs uncrossed) and is to refrain from talking during the measurements.

WAIT 2 MINUTES BETWEEN EACH BLOOD PRESSURE READING.

B.4. PULSE beats/30 sec **PULSE5**

B.5. BLOOD PRESSURE #1 (SYS./DIA. 5th Phase)
SYSBP1 5 / DIABP1 5 / mmHg

B.6. BLOOD PRESSURE #2 (SYS./DIA. 5th Phase)
SYSBP2 5 / DIABP2 5 / mmHg

Ask the respondent to remove her shoes before measuring height and weight.

B.7. HEIGHT **HEIGHT5** . cm

B.7.1. Measurement Method **HTMETHO5** 1. Stadiometer 2. Portable

B.8. WEIGHT **WEIGHT5** . kg

B.8.1. Scales **SCALE5** 1. Balance Beam 2. Clinic Digital
 3. Portable

B.9. WAIST CIRCUMFERENCE **WAIST5** . cm

B.9.1. Measurement taken in: **WASTMEAS** 1. Undergarments 2. Light clothing

B.10. HIP CIRCUMFERENCE **HIP5** . cm

B.10.1. Measurement taken in: **HIPMEAS5** 1. Undergarments 2. Light clothing

B.11. Please note if there were any unusual circumstances or deviations from the protocol.

#DEVIAT15 / #DEVIAT25

ADDITIONAL PHYSICAL MEASURES

One additional measure, BMI5, has been made available:

Variable	Meaning	Values
BMI5	Body Mass Index	numeric

BMI0 is calculated as weight in kilograms divided by the square of height in meters.

FOOD FREQUENCY QUESTIONNAIRE

No electronic version of the individual food frequency questionnaire variables exists; just the derived composite variables are available. A version of the form appears below, followed by the composite variables.

The SWAN Diet and Physical Activity Working Group recommended that data be excluded for any of the following reasons:

- Too few or too many solid foods/day (n=104)
- More than 10 foods skipped (n=4)
- Daily caloric intake too low or high (n=14)

Altogether, 112 participants have missing data due to a combination of the above exclusions.

FOOD QUESTIONNAIRE

ID NUMBER									
①	②	③	④	⑤	⑥	⑦	⑧	⑨	⑩
①	②	③	④	⑤	⑥	⑦	⑧	⑨	⑩
①	②	③	④	⑤	⑥	⑦	⑧	⑨	⑩
②	③	④	⑤	⑥	⑦	⑧	⑨	⑩	⑪
③	④	⑤	⑥	⑦	⑧	⑨	⑩	⑪	⑫
④	⑤	⑥	⑦	⑧	⑨	⑩	⑪	⑫	⑬
⑤	⑥	⑦	⑧	⑨	⑩	⑪	⑫	⑬	⑭
⑥	⑦	⑧	⑨	⑩	⑪	⑫	⑬	⑭	⑮
⑦	⑧	⑨	⑩	⑪	⑫	⑬	⑭	⑮	⑯
⑧	⑨	⑩	⑪	⑫	⑬	⑭	⑮	⑯	⑰
⑨	⑩	⑪	⑫	⑬	⑭	⑮	⑯	⑰	⑱

INTERVIEWER

ID #									
①	②	③	④	⑤	⑥	⑦	⑧	⑨	⑩
①	②	③	④	⑤	⑥	⑦	⑧	⑨	⑩
①	②	③	④	⑤	⑥	⑦	⑧	⑨	⑩
②	③	④	⑤	⑥	⑦	⑧	⑨	⑩	⑪
③	④	⑤	⑥	⑦	⑧	⑨	⑩	⑪	⑫
④	⑤	⑥	⑦	⑧	⑨	⑩	⑪	⑫	⑬
⑤	⑥	⑦	⑧	⑨	⑩	⑪	⑫	⑬	⑭
⑥	⑦	⑧	⑨	⑩	⑪	⑫	⑬	⑭	⑮
⑦	⑧	⑨	⑩	⑪	⑫	⑬	⑭	⑮	⑯
⑧	⑨	⑩	⑪	⑫	⑬	⑭	⑮	⑯	⑰
⑨	⑩	⑪	⑫	⑬	⑭	⑮	⑯	⑰	⑱

TODAY'S DATE

MO	DAY	YR
①	②	③
①	②	③
①	②	③
②	③	④
②	③	④
②	③	④
③	④	⑤
③	④	⑤
③	④	⑤
④	⑤	⑥
④	⑤	⑥
④	⑤	⑥
⑤	⑥	⑦
⑤	⑥	⑦
⑤	⑥	⑦
⑥	⑦	⑧
⑥	⑦	⑧
⑥	⑦	⑧
⑦	⑧	⑨
⑦	⑧	⑨
⑦	⑧	⑨
⑧	⑨	⑩
⑧	⑨	⑩
⑧	⑨	⑩

Ethnic group

- Hispanic White, not Hispanic
 African American Chinese
 Japanese Other

SEX

- Male Female

DATE OF BIRTH

MO	DAY	YR
①	②	③
①	②	③
①	②	③
②	③	④
②	③	④
②	③	④
③	④	⑤
③	④	⑤
③	④	⑤
④	⑤	⑥
④	⑤	⑥
④	⑤	⑥
⑤	⑥	⑦
⑤	⑥	⑦
⑤	⑥	⑦
⑥	⑦	⑧
⑥	⑦	⑧
⑥	⑦	⑧
⑦	⑧	⑨
⑦	⑧	⑨
⑦	⑧	⑨

AGE

①	②
①	②
①	②
②	③
②	③
②	③
③	④
③	④
③	④
④	⑤
④	⑤
④	⑤
⑤	⑥
⑤	⑥
⑤	⑥
⑥	⑦
⑥	⑦
⑥	⑦
⑦	⑧
⑦	⑧
⑦	⑧
⑧	⑨
⑧	⑨
⑧	⑨

What language do you usually speak at home or with friends?

- English Something else Both equally

About how many times have you gone on a diet to lose weight?

- Never 6 - 8
 1 - 2 9 - 11
 3 - 5 12 or more

AVERAGE USE IN THE LAST YEAR

First, a few general questions about what you eat.	LESS THAN ONCE PER WEEK	1-2 PER WEEK	3-4 PER WEEK	5-6 PER WEEK	1 PER DAY	1 1/2 PER DAY	2 PER DAY	3 PER DAY	4+ PER DAY
About how many servings of vegetables do you eat, per day or per week, not counting salad or potatoes?	<input type="checkbox"/>								
About how many servings of fruit do you eat, not counting juices?	<input type="checkbox"/>								
About how many servings of cold cereal do you eat?	<input type="checkbox"/>								
About how many glasses of milk (or chocolate milk) do you drink?	<input type="checkbox"/>								
How often do you use fat or oil to fry or stir-fry, or to simmer or season your food?	<input type="checkbox"/>								

IF ONCE PER WEEK OR MORE

What kinds of fat or oil do you usually use to fry or stir-fry, or to simmer or season your food? (Mark only one or two.)

- Don't know or no oil Butter Corn oil, vegetable oil
 Margarine Olive oil or canola oil Low-fat margarine Lard, fatback, bacon fat
 Crisco

When you drink orange juice, how often do you drink a calcium-fortified brand?

Usually Sometimes Rarely Don't know

When you eat the following foods, how often do you eat a low-fat or non-fat version of that food?

Cheese	<input type="radio"/> Always low-fat	<input type="radio"/> Sometimes	<input type="radio"/> Rarely low-fat	<input type="radio"/> N/A
Ice cream or yogurt	<input type="radio"/> Always low-fat	<input type="radio"/> Sometimes	<input type="radio"/> Rarely low-fat	<input type="radio"/> N/A
Salad dressing	<input type="radio"/> Always low-fat	<input type="radio"/> Sometimes	<input type="radio"/> Rarely low-fat	<input type="radio"/> N/A
Cake or cookies	<input type="radio"/> Always low-fat	<input type="radio"/> Sometimes	<input type="radio"/> Rarely low-fat	<input type="radio"/> N/A

How often do you add salt to your food at the table? Seldom Sometimes Often

How often do you eat the skin on chicken? Seldom Sometimes Often N/A

How often do you eat the fat on meat? Seldom Sometimes Often N/A

How do you like your meat cooked? Rare Medium Well done N/A

During the past year have you taken any vitamins or minerals regularly (at least once a week)?

No, not regularly Yes, fairly regularly

(IF YES) WHAT DO YOU TAKE FAIRLY REGULARLY?

VITAMIN TYPE	HOW OFTEN			FOR HOW MANY YEARS?					
	DON'T TAKE	1-3 DAYS PER WEEK	4-6 DAYS PER WEEK	EVERY DAY	LESS THAN 1 YR.	1 YEAR	2 YEARS	3-4 YEARS	5-9 YEARS
First,									
Multiple Vitamins. Do you take...									
Regular Once-A-Day, Centrum, or Thera type	<input type="radio"/>								
Antioxidant combination type	<input type="radio"/>								
Single Vitamins (not part of multiple vitamins)									
Vitamin A (not beta-carotene)	<input type="radio"/>								
Beta-carotene	<input type="radio"/>								
Vitamin C	<input type="radio"/>								
Vitamin E	<input type="radio"/>								
Calcium or Tums	<input type="radio"/>								
Iron	<input type="radio"/>								
Zinc	<input type="radio"/>								
Selenium	<input type="radio"/>								

IF YOU TAKE MULTIPLE VITAMINS, Do you usually take multiple vitamin types that

contain minerals (iron, zinc, etc.) do not contain minerals Don't know

IF YOU TAKE VITAMIN C OR VITAMIN E:

How many milligrams of vitamin C do you usually take, on the days you take it?

100 250 500 750 1000 1500 2000 3000+ Don't know

How many IU's of vitamin E do you usually take, on the days you take it?

100 200 300 400 600 800 1000 2000+ Don't know

The next section is about your usual eating habits over the past year or so. This includes all meals or snacks, at home or in a restaurant or carry-out.

Please tell me how often, on average, you eat each food. For example, twice a week, three times a month, and so forth.

Also, please tell me how much you usually eat of each food. Sometimes I'll ask "how much" as number of pieces, such as 1 egg, 2 eggs or 3 eggs. I'd like you to tell me how many you eat, on the days you eat them.

Sometimes I'll just ask you to tell me whether you usually eat a small, medium or large portion.

TYPE OF FOOD	HOW OFTEN							HOW MUCH EACH TIME				OFFICE USE ONLY	
	NEVER OR LESS THAN ONCE PER MONTH	1 PER MON.	2-3 PER MON.	1 PER WEEK	2 PER WEEK	3-4 PER WEEK	5-6 PER WEEK	EVERY DAY	MEDIUM SERVING	YOUR SERVING SIZE			
								S	M	L			
Please tell me how often you eat each of these foods.													
Bananas	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	1 medium	<input type="checkbox"/> 1/2	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/>	
Apples, applesauce	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	1 medium	<input type="checkbox"/> 1/2	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/>	
Prunes, or prune juice	<input type="checkbox"/>	<input type="checkbox"/> 1/MO.	<input type="checkbox"/>	<input type="checkbox"/> 1/WK.	<input type="checkbox"/>	<input type="checkbox"/> 3-4/WK.	<input type="checkbox"/>	1/2 cup	<input type="checkbox"/> S	<input type="checkbox"/> M	<input type="checkbox"/> L	<input type="checkbox"/>	
Peaches, apricots, canned or dried	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	1 medium or 1/2 cup	<input type="checkbox"/> S	<input type="checkbox"/> M	<input type="checkbox"/> L	<input type="checkbox"/>	
Peaches, apricots, fresh, in season	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	1 medium	<input type="checkbox"/> 1/2	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/>	
Oranges or grapefruit, in season, not including juice	<input type="checkbox"/>	<input type="checkbox"/> 1/MO.	<input type="checkbox"/>	<input type="checkbox"/> 1/WK.	<input type="checkbox"/>	<input type="checkbox"/> 3-4/WK.	<input type="checkbox"/>	1 medium	<input type="checkbox"/> 1/2	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/>	
Cantaloupe, in season	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	1/4 medium	<input type="checkbox"/> 1/8	<input type="checkbox"/> 1/4	<input type="checkbox"/> 1/2	<input type="checkbox"/>	
Mangoes or papayas, fresh, in season	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	1/2 medium	<input type="checkbox"/> S	<input type="checkbox"/> M	<input type="checkbox"/> L	<input type="checkbox"/>	
Watermelon, in season	<input type="checkbox"/>	<input type="checkbox"/> 1/MO.	<input type="checkbox"/>	<input type="checkbox"/> 1/WK.	<input type="checkbox"/>	<input type="checkbox"/> 3-4/WK.	<input type="checkbox"/>	1 slice	<input type="checkbox"/> S	<input type="checkbox"/> M	<input type="checkbox"/> L	<input type="checkbox"/>	
Strawberries, other berries, in season	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	1/2 cup	<input type="checkbox"/> S	<input type="checkbox"/> M	<input type="checkbox"/> L	<input type="checkbox"/>	
	<1/MO.	1/MO.	2-3/MO.	1/WEEK	2/WEEK	3-4/WEEK	5-6/WEEK	EV/DAY					
Fiber cereals like raisin bran, granola or shredded wheat	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	1 medium bowl	<input type="checkbox"/> S	<input type="checkbox"/> M	<input type="checkbox"/> L	<input type="checkbox"/>	
Other cold cereals like corn flakes or cheerios	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	1 medium bowl	<input type="checkbox"/> S	<input type="checkbox"/> M	<input type="checkbox"/> L	<input type="checkbox"/>	
Cooked cereal like oatmeal, oat bran or grits	<input type="checkbox"/>	<input type="checkbox"/> 1/MO.	<input type="checkbox"/>	<input type="checkbox"/> 1/WK.	<input type="checkbox"/>	<input type="checkbox"/> 3-6/WK.	<input type="checkbox"/>	1 medium bowl	<input type="checkbox"/> S	<input type="checkbox"/> M	<input type="checkbox"/> L	<input type="checkbox"/>	
Milk on cereal	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	1/2 cup	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Breakfast bars, granola bars, power bars	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	1 serving	<input type="checkbox"/> S	<input type="checkbox"/> M	<input type="checkbox"/> L	<input type="checkbox"/>	
Instant breakfast milkshakes like Carnation, diet shakes like Sego, or liquid supplements like Ensure	<input type="checkbox"/>	<input type="checkbox"/> 1/MO.	<input type="checkbox"/>	<input type="checkbox"/> 1/WK.	<input type="checkbox"/>	<input type="checkbox"/> 3-4/WK.	<input type="checkbox"/>	1 serving	<input type="checkbox"/> 1/2	<input type="checkbox"/> M	<input type="checkbox"/> L	<input type="checkbox"/>	
Pancakes or waffles	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	2 med.	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/>	
Eggs	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	1 egg=sml. 2 eggs=med.	<input type="checkbox"/> 1 egg	<input type="checkbox"/> 2 eggs	<input type="checkbox"/> 3 eggs	<input type="checkbox"/>	
Egg substitutes, Egg Beaters	<input type="checkbox"/>	<input type="checkbox"/> 1/MO.	<input type="checkbox"/>	<input type="checkbox"/> 1/WK.	<input type="checkbox"/>	<input type="checkbox"/> 3-4/WK.	<input type="checkbox"/>	2 eggs	<input type="checkbox"/> 1 egg	<input type="checkbox"/> 2 eggs	<input type="checkbox"/> 3 eggs	<input type="checkbox"/>	
Sausage or bacon	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	2 patties or pieces	<input type="checkbox"/> 1 piece	<input type="checkbox"/> 2 pieces	<input type="checkbox"/> 3 pieces	<input type="checkbox"/>	
Cottage cheese	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	1/2 cup	<input type="checkbox"/> S	<input type="checkbox"/> M	<input type="checkbox"/> L	<input type="checkbox"/>	
Other cheeses and cheese spreads (regular or lowfat)	<input type="checkbox"/>	<input type="checkbox"/> 1/MO.	<input type="checkbox"/>	<input type="checkbox"/> 1/WK.	<input type="checkbox"/>	<input type="checkbox"/> 3-4/WK.	<input type="checkbox"/>	2 slices or 2 ounces	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/>	
Yogurt, frozen yogurt (regular or lowfat)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	8 oz. container	<input type="checkbox"/> S	<input type="checkbox"/> M	<input type="checkbox"/> L	<input type="checkbox"/>	

Variable Excluded from Public Use Data File

TYPE OF FOOD	HOW OFTEN							HOW MUCH EACH TIME			OFFICE USE ONLY		
	NEVER OR LESS THAN ONCE PER MONTH	1 PER MON.	2-3 PER MON.	1 PER WEEK	2 PER WEEK	3-4 PER WEEK	5-6 PER WEEK	EVERY DAY	MEDIUM SERVING	YOUR SERVING SIZE		S	M
How often do you eat the following vegetables, including fresh, frozen, canned or in stir-fry?													
String beans, green beans	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	1/2 cup	<input type="radio"/> S	<input type="radio"/> M	<input type="radio"/> L	<input type="radio"/>
Peas	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	1/2 cup	<input type="radio"/> S	<input type="radio"/> M	<input type="radio"/> L	<input type="radio"/>
Beans such as baked beans, kidney beans, or in chili or bean burritos, not including soup	<input type="radio"/>	<input type="radio"/> 1/MO.	<input type="radio"/>	<input type="radio"/> 1/WK.	<input type="radio"/>	<input type="radio"/> 3-4/WK.	<input type="radio"/>	<input type="radio"/> EVERDA.	3/4 cup	<input type="radio"/> S	<input type="radio"/> M	<input type="radio"/> L	<input type="radio"/>
Corn	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	1/2 cup	<input type="radio"/> S	<input type="radio"/> M	<input type="radio"/> L	<input type="radio"/>
Alfalfa sprouts, including on sandwiches	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	1/2 cup	<input type="radio"/> S	<input type="radio"/> M	<input type="radio"/> L	<input type="radio"/>
Regular bean sprouts	<input type="radio"/>	<input type="radio"/> 1/MO.	<input type="radio"/>	<input type="radio"/> 1/WK.	<input type="radio"/>	<input type="radio"/> 3-4/WK.	<input type="radio"/>	<input type="radio"/> EVERDA.	1/2 cup	<input type="radio"/> S	<input type="radio"/> M	<input type="radio"/> L	<input type="radio"/>
Tomatoes, tomato juice	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	1 medium or 6 oz. glass	<input type="radio"/> S	<input type="radio"/> M	<input type="radio"/> L	<input type="radio"/>
Salsa, ketchup, taco sauce	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	2 tablesp.	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/>
Broccoli	<input type="radio"/>	<input type="radio"/> 1/MO.	<input type="radio"/>	<input type="radio"/> 1/WK.	<input type="radio"/>	<input type="radio"/> 3-4/WK.	<input type="radio"/>	<input type="radio"/> EVERDA.	1/2 cup	<input type="radio"/> S	<input type="radio"/> M	<input type="radio"/> L	<input type="radio"/>
Cauliflower or brussels sprouts	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	1/2 cup	<input type="radio"/> S	<input type="radio"/> M	<input type="radio"/> L	<input type="radio"/>
Spinach, cooked or raw	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	1/2 cup	<input type="radio"/> S	<input type="radio"/> M	<input type="radio"/> L	<input type="radio"/>
Mustard greens, turnip greens, collards, kale	<input type="radio"/>	<input type="radio"/> 1/MO.	<input type="radio"/>	<input type="radio"/> 1/WK.	<input type="radio"/>	<input type="radio"/> 3-4/WK.	<input type="radio"/>	<input type="radio"/> EVERDA.	1/2 cup	<input type="radio"/> S	<input type="radio"/> M	<input type="radio"/> L	<input type="radio"/>
Cole slaw, cabbage	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	1/2 cup	<input type="radio"/> S	<input type="radio"/> M	<input type="radio"/> L	<input type="radio"/>
Carrots, or mixed vegetables containing carrots	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	1/2 cup	<input type="radio"/> S	<input type="radio"/> M	<input type="radio"/> L	<input type="radio"/>
Green salad	<input type="radio"/>	<input type="radio"/> 1/MO.	<input type="radio"/>	<input type="radio"/> 1/WK.	<input type="radio"/>	<input type="radio"/> 3-4/WK.	<input type="radio"/>	<input type="radio"/> EVERDA.	1 medium bowl	<input type="radio"/> S	<input type="radio"/> M	<input type="radio"/> L	<input type="radio"/>
Salad dressing & mayonnaise, regular or lowfat	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	2 tablesp.	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/>
French fries and fried potatoes	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	3/4 cup	<input type="radio"/> S	<input type="radio"/> M	<input type="radio"/> L	<input type="radio"/>
White potatoes not fried, incl. boiled, baked, mashed & in potato salad	<input type="radio"/>	<input type="radio"/> 1/MO.	<input type="radio"/>	<input type="radio"/> 1/WK.	<input type="radio"/>	<input type="radio"/> 3-4/WK.	<input type="radio"/>	<input type="radio"/> EVERDA.	1 medium or 1/2 cup	<input type="radio"/> S	<input type="radio"/> M	<input type="radio"/> L	<input type="radio"/>
Sweet potatoes, yams	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	1/2 cup	<input type="radio"/> S	<input type="radio"/> M	<input type="radio"/> L	<input type="radio"/>
Tofu, bean curd	<input type="radio"/>	<input type="radio"/> 1/MO.	<input type="radio"/>	<input type="radio"/> 1/WK.	<input type="radio"/>	<input type="radio"/> 3-4/WK.	<input type="radio"/>	<input type="radio"/> EVERDA.	1/2 cup	<input type="radio"/> S	<input type="radio"/> M	<input type="radio"/> L	<input type="radio"/>
Meat substitutes made from soy, like "soy burgers"	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	1 cup or patty	<input type="radio"/> S	<input type="radio"/> M	<input type="radio"/> L	<input type="radio"/>

TYPE OF FOOD	HOW OFTEN							HOW MUCH EACH TIME			OFFICE USE ONLY				
	NEVER OR LESS THAN ONCE PER MONTH	1 PER MON.	2-3 PER MON.	1 PER WEEK	2 PER WEEK	3-4 PER WEEK	5-6 PER WEEK	EVERY DAY	MEDIUM SERVING	YOUR SERVING SIZE		S	M	L	
Do you ever eat chicken, meat or fish?	<input type="radio"/> Yes <input type="radio"/> No (if no, skip to * below)														
Hamburgers, cheeseburgers, beef burritos or tacos, at home or in a restaurant	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	1 medium or 4 oz.	<input type="radio"/>	<input type="radio"/> M	<input type="radio"/>	<input type="radio"/>		
Beef, including roasts, steaks, or in stir-fry or sandwiches	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	4 ounces	<input type="radio"/>	<input type="radio"/> M	<input type="radio"/>	<input type="radio"/>		
Liver, including chicken livers	<input type="radio"/>	<input type="radio"/> 1/MO.	<input type="radio"/>	<input type="radio"/> 1/WK.	<input type="radio"/>	<input type="radio"/> 3-4/WK.	<input type="radio"/>	<input type="radio"/> EVIDA.	4 ounces	<input type="radio"/>	<input type="radio"/> M	<input type="radio"/>	<input type="radio"/>		
Pork, including chops, roasts, or in stir-fry	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	2 chops or 4 ounces	<input type="radio"/>	<input type="radio"/> M	<input type="radio"/>	<input type="radio"/>		
Fried chicken, at home or in a restaurant	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	2 small or 1 large pce.	<input type="radio"/>	<input type="radio"/> M	<input type="radio"/>	<input type="radio"/>		
Chicken or turkey, roasted or broiled, including on sandwiches	<input type="radio"/>	<input type="radio"/> 1/MO.	<input type="radio"/>	<input type="radio"/> 1/WK.	<input type="radio"/>	<input type="radio"/> 3-4/WK.	<input type="radio"/>	<input type="radio"/> EVIDA.	2 small or 1 large pce.	<input type="radio"/>	<input type="radio"/> M	<input type="radio"/>	<input type="radio"/>		
Chicken stew, chicken casserole or stir-fry	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	1 cup	<input type="radio"/> S	<input type="radio"/> M	<input type="radio"/> L	<input type="radio"/>		
Fried fish or fish sandwich, at home or in a restaurant	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	4 ounces or 1 sandwich	<input type="radio"/>	<input type="radio"/> M	<input type="radio"/>	<input type="radio"/>		
Tuna, tuna salad, tuna casserole	<input type="radio"/>	<input type="radio"/> 1/MO.	<input type="radio"/>	<input type="radio"/> 1/WK.	<input type="radio"/>	<input type="radio"/> 3-4/WK.	<input type="radio"/>	<input type="radio"/> EVIDA.	1/2 cup	<input type="radio"/> S	<input type="radio"/> M	<input type="radio"/> L	<input type="radio"/>		
Shellfish such as shrimp, crab, oysters, etc.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	5 pieces, 1/4 cup or 3 oz.	<input type="radio"/> S	<input type="radio"/> M	<input type="radio"/> L	<input type="radio"/>		
Other fish, broiled or baked	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	2 pieces or 4 ounces	<input type="radio"/>	<input type="radio"/> M	<input type="radio"/>	<input type="radio"/>		
* Beef or vegetable stew or pot pie with carrots and other vegetables	<input type="radio"/>	<input type="radio"/> 1/MO.	<input type="radio"/>	<input type="radio"/> 1/WK.	<input type="radio"/>	<input type="radio"/> 3-4/WK.	<input type="radio"/>	<input type="radio"/> EVIDA.	1 cup	<input type="radio"/> S	<input type="radio"/> M	<input type="radio"/> L	<input type="radio"/>		
Spaghetti, lasagna, other pasta with tomato sauce	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	1 1/2 cups	<input type="radio"/> S	<input type="radio"/> M	<input type="radio"/> L	<input type="radio"/>		
Cheese dishes without tomato sauce, like macaroni and cheese	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	1 cup	<input type="radio"/> S	<input type="radio"/> M	<input type="radio"/> L	<input type="radio"/>		
Pasta salad, other pasta without tomato sauce	<input type="radio"/>	<input type="radio"/> 1/MO.	<input type="radio"/> 1/WK.	<input type="radio"/>	<input type="radio"/> 3-4/WK.	<input type="radio"/>	<input type="radio"/> EVIDA.	<input type="radio"/>	3/4 cup	<input type="radio"/> S	<input type="radio"/> M	<input type="radio"/> L	<input type="radio"/>		
Pizza, including carry-out	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	2 slices	<input type="radio"/> ① slice	<input type="radio"/> ② slices	<input type="radio"/> ③ slices	<input type="radio"/>		
Hot dogs	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	2 hot dogs	<input type="radio"/> ① dog	<input type="radio"/> ② dogs	<input type="radio"/> ③ dogs	<input type="radio"/>		
Ham, bologna, other lunch meats, regular or made with turkey	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	2 slices or 2 ounces	<input type="radio"/> ① slice	<input type="radio"/> ② slices	<input type="radio"/> ③ slices	<input type="radio"/>		
Lentil, pea and bean soups	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	1 medium bowl	<input type="radio"/> S	<input type="radio"/> M	<input type="radio"/> L	<input type="radio"/>		
Vegetable soups with carrots or tomatoes, such as vegetable beef or tomato soup	<input type="radio"/>	<input type="radio"/> 1/MO.	<input type="radio"/>	<input type="radio"/> 1/WK.	<input type="radio"/>	<input type="radio"/> 3-4/WK.	<input type="radio"/>	<input type="radio"/> EVIDA.	1 medium bowl	<input type="radio"/> S	<input type="radio"/> M	<input type="radio"/> L	<input type="radio"/>		
Miso soup	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	1 medium bowl	<input type="radio"/> S	<input type="radio"/> M	<input type="radio"/> L	<input type="radio"/>		
Other soups, like chicken noodle, mushroom, cup-a-soup, ramen	<input type="radio"/>	<input type="radio"/> 1/MO.	<input type="radio"/> 1/WK.	<input type="radio"/>	<input type="radio"/> 3-4/WK.	<input type="radio"/>	<input type="radio"/> EVIDA.	<input type="radio"/>	1 medium bowl	<input type="radio"/> S	<input type="radio"/> M	<input type="radio"/> L	<input type="radio"/>		

TYPE OF FOOD	HOW OFTEN								MEDIUM SERVING	HOW MUCH EACH TIME				OFFICE USE ONLY
	NEVER OR LESS THAN ONCE PER MONTH	1 PER MON.	2-3 PER MON.	1 PER WEEK	2 PER WEEK	3-4 PER WEEK	5-6 PER WEEK	EVERY DAY		S	M	L	XL	
Rice, or dishes made with rice	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	3/4 cup	<input type="radio"/> S	<input type="radio"/> M	<input type="radio"/> L	<input type="radio"/> XL	
Soy sauce, in cooking or added at the table	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	2 tsp.	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3		
Biscuits, muffins, including fast food	<input type="radio"/>	<input type="radio"/> 1/MO.	<input type="radio"/>	<input type="radio"/> 1/WK.	<input type="radio"/>	<input type="radio"/> 3-4/WK.	<input type="radio"/>	<input type="radio"/> EVIDA.	1 medium piece	<input type="radio"/> S	<input type="radio"/> M	<input type="radio"/> L		
Bagels, English muffins, hamburger buns	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	# pieces each time	<input type="radio"/> 1/2	<input type="radio"/> 1	<input type="radio"/> 2		
Bread, including white bread, French, whole wheat, etc. Remember sandwiches.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	# slices each time	<input type="radio"/> ① slice	<input type="radio"/> ② slices	<input type="radio"/> ③ slices		
Corn bread, corn muffins, corn tortillas	<input type="radio"/> 1/MO.	<input type="radio"/>	<input type="radio"/> 1/WK.	<input type="radio"/>	<input type="radio"/> 3-4/WK.	<input type="radio"/>	<input type="radio"/> EVIDA.	<input type="radio"/>	# pieces each time	<input type="radio"/> ① piece	<input type="radio"/> ② pieces	<input type="radio"/> ③ pieces		
Snacks like nachos with cheese, potato skins with topping	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	1 medium serving	<input type="radio"/> S	<input type="radio"/> M	<input type="radio"/> L	<input type="radio"/> XL	
Salty snacks, like potato chips, corn chips, popcorn, crackers	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	2 handfuls or 1 cup	<input type="radio"/> S	<input type="radio"/> M	<input type="radio"/> L	<input type="radio"/> XL	
Peanuts, peanut butter	<input type="radio"/> 1/MO.	<input type="radio"/>	<input type="radio"/> 1/WK.	<input type="radio"/>	<input type="radio"/> 3-4/WK.	<input type="radio"/>	<input type="radio"/> EVIDA.	<input type="radio"/>	2 tablesp.	<input type="radio"/> S	<input type="radio"/> M	<input type="radio"/> L	<input type="radio"/> XL	
Margarine on bread or on potatoes, vegetables, etc.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	2 pats	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3		
Butter on bread or on potatoes, vegetables, etc.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	2 pats	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3		
SWEETS	<1/MO.	1/ MON.	2-3/ MON.	1/ WEEK	2/ WEEK	3-4/ WEEK	5-6/ WEEK	EVIDA.	2+ DA.					
Ice cream, regular or lowfat	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	1 scoop or 1/2 cup	<input type="radio"/> S	<input type="radio"/> M	<input type="radio"/> L	<input type="radio"/> XL	
Doughnuts, pastry	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	1 piece	<input type="radio"/> S	<input type="radio"/> M	<input type="radio"/> L	<input type="radio"/> XL	
Cookies or cake, regular or lowfat	<input type="radio"/> 1/MO.	<input type="radio"/>	<input type="radio"/> 1/WK.	<input type="radio"/>	<input type="radio"/> 3-4/WK.	<input type="radio"/>	<input type="radio"/> EVIDA.	<input type="radio"/>	3-5 cookies	<input type="radio"/> S	<input type="radio"/> M	<input type="radio"/> L	<input type="radio"/> XL	
Pumpkin pie, sweet potato pie	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	1 medium slice	<input type="radio"/> S	<input type="radio"/> M	<input type="radio"/> L		
Other pies, including in restaurants	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	1 medium slice	<input type="radio"/> S	<input type="radio"/> M	<input type="radio"/> L		
Chocolate candy, candy bars	<input type="radio"/> 1/MO.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/> 1/WK.	<input type="radio"/>	<input type="radio"/> 3-4/WK.	<input type="radio"/>	<input type="radio"/> EVIDA.	1 small bar or 1 oz.	<input type="radio"/> S	<input type="radio"/> M	<input type="radio"/> L		

TYPE OF FOOD	HOW OFTEN									HOW MUCH EACH TIME			OFFICE USE ONLY	
	NEVER OR LESS THAN ONCE PER MONTH	1-3 PER MON	1 PER WEEK	2-4 PER WEEK	5-6 PER WEEK	1 PER DAY	2-3 PER DAY	4 PER DAY	5+ PER DAY	MEDIUM SERVING	S	M	L	
How many glasses of these beverages do you drink per day or per week?														
Orange juice or grapefruit juice	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	6 oz. glass	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Apple juice, grape juice	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	6 oz. glass	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Whole milk (or chocolate whole milk), not including on cereal	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	8 oz. glass	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
2% milk (or chocolate 2% milk), not including on cereal	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	8 oz. glass	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Skim milk, 1% milk, not including on cereal	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	8 oz. glass	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Soy milk, Vita-Soy, Take Care soy drink	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	8 oz. glass	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Chinese herbs made into or added to a soup or tea	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	1 medium cup	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Kool-Aid, Hi-C, or other drinks with added vitamin C	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	8 oz. glass	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Snapple, Calistoga, sweetened bottled waters or iced teas	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	1 bottle	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Diet cola soft drinks (not ginger-ale type)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	12 oz. can or bottle	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Regular cola soft drinks (not diet, not ginger-ale type)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	12 oz. can or bottle	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Beer	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	12 oz. can or bottle	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Wine or wine coolers	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	1 medium glass	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Liquor or mixed drinks	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	1 shot	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Coffee (not de-caf)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	1 medium cup	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Green tea	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	1 medium cup	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Black tea, English tea, Chinese tea	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	1 medium cup	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Cream, half and half or nondairy creamer in coffee or tea	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	2 tablesp.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Milk in coffee or tea	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	2 tablesp.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Sugar or honey in coffee or tea or on cereal	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	2 teaspoons	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	

Ethnics Food Page

In addition to the English-language questionnaire (intended to be used for non-Hispanic Caucasians and African Americans), there are Food Questionnaires in Spanish, Chinese and Japanese. These contain essentially the same food list as on the English questionnaire, and in addition include some foods important in those ethnic groups. Those foods, which are printed directly on the respective questionnaires, are shown below.

Spanish Food Questionnaire

(Portions are four sizes using woodblocks or bowls to estimate portion size, unless otherwise specified)

Evaporated or condensed milk	Whether sweetened or not.
Pudding, Flan	Any pudding or custard. .
Cooked green peppers, chile rellenos	Any cooked green pepper form.
Avocado, guacamole	Whether as a fruit or as a dip or condiment.
Chile peppers, hot chile sauce	Hot. Portion is in teaspoons.
Sauces such as mole, sofrito	Any Hispanic sauce.
Viandas, plantain, cassava	Starchy Hispanic vegetables.
Corn tortillas	Any size. Ask "How many tortillas each time?"
Flour tortillas	Any size. Ask "How many tortillas each time?"

Chinese Food Questionnaire

(Portions are four sizes using woodblocks or bowls to estimate portion size, unless otherwise specified)

Green leafy vegetables including gai-lan, bok choy, cai xin, etc.	Do not double-count the items reported under mustard greens on the main list. Note that the serving size unit for this food is "rice bowl"; so the portion size would be asked as "how many rice bowls?"
Preserved vegetables (e.g. preserved Chinese mustard, radish)	This refers to specifically Asian preserved or pickled vegetables. Note that the serving size unit is "rice bowl"; portion would be asked as "Is your portion size 1/4, 1/2 or 1 rice bowl?"
Noodles, any style, rice or wheat, including ramen, cup-a-soup, stir-fry	On the Chinese questionnaire, ramen and cup-a-soup were not listed under "Other soups", so that all noodles could be captured here. Do not double-count noodles or pasta reported earlier under Spaghetti, Pasta with Cheese Sauces, or Pasta Salad. Note that the serving size unit is "soup bowl"; portion size would be asked as "how much of a soup bowl, 1/2, 1, 2 or 3?"
Steamed or boiled Chinese dumplings, with meat/vegetable fillings, including wonton	Emphasize steamed or boiled.

Variable Excluded from Public Use Data File

Fried Chinese dumplings with meat / vegetable fillings, including wonton, potstickers	Emphasize fried.
Bean vermicelli	Note that portion size is 'rice bowl'. Portion size would be asked as "how much of a rice bowl, ½, 1, 2 or 3?"
Soybean paste	Portion size is in tablespoons. Ask "How many tablespoons?"
Soybean sprouts	Note that portion size is 'rice bowl'.
Bitter melon, winter melon	Note that portion size is 'rice bowl'.
Duck or squab	Portion refers to pieces. Ask "How many pieces?"
Seaweed	Portion size is a rice bowl.
Fermented bean curd	Portion refer to pieces.

Japanese Food Questionnaire

(Portions are four sizes using woodblocks or bowls to estimate portion size, unless otherwise specified)

Dry spiced tofu	.
Fermented tofu	Portion is in numbers of tablespoons. Ask "How many tablespoons?"
Koritofu	Also known as koyadofu.
Aburage, Atsuage	
Seaweed (dried and in soup)	Portion is in numbers of cups, cooked. Ask "Is it 1/4, 1/2 or 1 cup, cooked?"
Seaweed - agar	
Mushroom (including Shiitake, Enoki, Dried Cloud Ear, Shimeji)	Portion is in numbers of tablespoons. Ask "How many tablespoons?"
Daikon radish, burdock, kabu	
Fish eaten whole (like sardines, canned mackerel, smelt, white bait)	
Noodles (Soomen, Soba, Udon, Ramen, Hiyamugi)	Portion is in numbers of <u>soup bowls</u> . Ask "How many <u>soup bowls</u> ?" or "Would it be 1/2, 1 or 2 soup bowls?"
Soybeans (Fermented or Natto)	
Soybeans (Roasted)	
Soybeans (Fresh green)	
Barley, Hoji, Genmai tea	
Chawan Mushi (egg custard)	
Pickled Plums	

Variable Excluded from Public Use Data File

Food Frequency Questionnaire Composite Variables

<i>Variable</i>	<i>Meaning</i>	<i>Units/Codes</i>
<u>LANGFFQ5</u>	FFQ Language	E = English C =Chinese J = Japanese S= Spanish
<u>LANGSPK5</u>	Lang used at home	1 = English 2 = Other 3 = Both
<u>WLOSSDT5</u>	How many times on diet	1 = Never 2 = 1-2 times 3 = 3-5 times 4 = 6-8 times 5 = 9-11 times 6 = 12 or more
<u>GLOBVEG5</u>	Global vegetable servings, excl salad/potato	1 = < 1/wk 2 = 1-2/wk 3 = 3-4/wk 4 = 5-6/wk 5 = 1/day 6 = 1 1/2 /day 7 = 2/day 8 = 3/day 9 = 4+ /day
<u>GLOBFRT5</u>	Global fruit servings, excl juices	Same as above
<u>GLOBCER5</u>	Global cereal servings	Same as above
<u>GLOBMLKS</u>	Global milk servings by glass	Same as above
<u>OJCALC5</u>	How often drink OJ w/Calcium	1 = Usually 2 = Sometimes 3 = Rarely
<u>LFATCHS5</u>	How often eat lowfat cheese	1 = Always low-fat 2 = Sometimes low-fat 3 = Rarely low-fat
<u>LFATICES5</u>	How often eat lowfat ice cream/yogurt	Same as above
<u>LFATSAL5</u>	How often eat lowfat salad dressing	Same as above
<u>LFATCAK5</u>	How often eat lowfat cake/cookies	Same as above
<u>EATSALT5</u>	How often add table salt	1 = Seldom 2 = Sometimes 3 = Often
<u>EATSKIN5</u>	How often eat chicken skin	Same as above
<u>EATFATM5</u>	How often eat meat fat	Same as above
<u>WELLDNE5</u>	How do you like your meat cooked	1 = Rare 2 = Medium 3 = Well done
<u>TAKEVITS5</u>	Take vitamins/minerals regularly	1 = No, not reg 2 = Yes, fairly reg
<u>YRSONEA5</u>	How many yrs taken multiple vitamin	1 = < yr 2 = 1 yr 3 = 2 yrs 4 = 3-4 yrs

Variable Excluded from Public Use Data File

		5 = 5-9 yrs 6 = 10+ yrs
YRSA05	How many yrs taken antioxidant	Same as above
YRSVITA5	How many yrs taken vitamin A	Same as above
YRSBETA5	How many yrs taken beta-carotene	Same as above
YRSVITC5	How many yrs taken vitamin C	Same as above
YRSVITE5	How many yrs taken vitamin E	Same as above
YRSCA5	How many yrs taken calcium/Tums	Same as above
YRSIRON5	How many yrs taken iron	Same as above
YRSZINC5	How many yrs taken zinc	Same as above
YRSSELE5	How many yrs taken selenium	Same as above

SUPPLEMENTS

SUPVITA5	Supplement Vitamin A, retinol equivalents(RE)	RE
SUPVITC5	Supplement Vitamin_C, mg	mg
SUPVITD5	Supplement Vitamin D, international units (IU)	IU
SUPVITES5	Supplement Vitamin_E, a-TE	a-TE
SUPCA5	Supplement Calcium, mg	mg
SUPBCAR5	Supplement BetaCarotene, mcg	mcg
SUPB15	Supplement B1, mg	mg
SUPB65	Supplement B6, mg	mg
SUPB125	Supplement B12, mcg	mcg
SUPFOL5	Supplement Folate, mcg	mcg
SUPCU5	Supplement Copper, mg	mg
SUPSELE5	Supplement Selenium, mcg	mcg
SUPFE5	Supplement Iron, mg	mg
SUPZINC5	Supplement Zinc, mg	mg

DAILY DIETARY ESTIMATE (DDE)

DTTKCAL5	DDE KCAL - total caloric intake	
DTTPROT5	DDE Protein, gms	g
DTTCARB5	DDE Carb, gms	g
DTTFAT5	DDE Fat, gms	g
DTTCALC5	DDE Calcium, mg	mg
DTTPHOS5	DDE Phos, mg	mg
DTTFe5	DDE Iron, mg	mg
DTTNA5	DDE Sodium, mg	mg
DTTPOTAS5	DDE Potassium, mg	mg
DTTAIU5	DDE A_IU, international units	IU
DTTARE5	DDE retinol equivalents	RE
DTTB15	DDE B1, mg	mg
DTTB65	DDE B6, mg	mg
DTTRIBO5	DDE Riboflavin, mg	mg
DTTNIAC5	DDE Niacin, mg	mg
DTTVITC5	DDE Vitamin C, mg	mg
DTTSFAT5	DDE Saturated Fat, gms	g
DTTOLEC5	DDE Oleic Acid, gms	g
DTTLIN5	DDE Linoleic Acid, gms	g
DTTCHOL5	DDE Cholesterol, mg	mg
DTTDFIB5	DDE Dietary Fiber, gms	g
DTTFOL5	DDE Folate, mcg	mcg
DTTDFE5	DDE Folate DFE, mcg_DFE	mcg_DFE
DTTVITE5	DDE Vitamin E, a-TE	a-TE
DTTZINC5	DDE Zinc, mg	mg
DTTANZN5	DDE Animal Zinc, mg	mg

Variable Excluded from Public Use Data File

DTTMG5	DDE Magnesium, mg	mg
DTTACARS5	DDE Alpha Carotene, mcg	mcg
DTTBCARS5	DDE Beta Carotene, mcg	mcg
DTTRET5	DDE Retinol, mcg	mcg
DTTPROA5	DDE Pro-A Carotenes, mcg	mcg
FIBBEANS5	DDE Fiber from Beans	
FIBVEGF5	DDE Fiber from Veg/Fruit	
FIBGRAI5	DDE Fiber from Grains	
DTTALCH5	DDE KCAL from Alcoholic Bev	kcal
DTTSWETS5	DDE KCAL from Sweets	kcal
GMSOLID5	DDE Grams Solid Food	g
DTTCAFF5	Caffeine, mg	mg
DTTVITD5	Vitamin D, IU	IU
DTTB125	Vitamin B12, mcg	mcg
DTTTRAN5	Trans fats, g	g
DTTOMEG5	Omega-3 fatty acids, g	g
DTTCOPP5	Copper, mg	mg
DTTMANG5	Manganese, mg	mg
DTTPANTS5	Pantothenic acid, mg	mg

DAILY DIETARY ESTIMATE BEFORE ALCOHOL

BATKCAL5	DDE KCAL before alcohol total	kcal
BATPROT5	DDE Protein before alcohol, gms	g
BATTFAT5	DDE Total Fat before alcohol, gms	g
BATCARBS5	DDE Carb before alcohol total, gms	g
BATPHOS5	DDE Phosphorus before alcohol, mg	mg
BATPOTS5	DDE Potassium before alcohol, mg	mg
BATRIBOS5	DDE Riboflavin before alcohol, mg	mg
BATNIAC5	DDE Niacin before alcohol total, mg	mg

PERCENTAGE KCAL

PCTALCH5	% KCAL from Alcoholic Bevs	%
PCTSWETS5	% KCAL from Sweets	%
PCTFAT5	% KCAL from Fat	%
PCTPROT5	% KCAL from Protein	%
PCTCARB5	% KCAL from Carb	%

NUMBER OF SERVINGS AND DAILY FREQUENCY

FRUTSRV5	# servings fruit or fruit juice	
FVFRQ5	Sum daily freq Fruit + Veg	
VEGSRV5	# servings Veg	
VEGFRQ5	Sum daily freq Veg	
GRANSRV5	# servings Grains	
GRANFRQ5	Sum daily freq Grains	
MEATSRV5	# servings Meat	
MEATFRQ5	Sum daily freq meat	
DARYSRV5	# servings Dairy	
DARYFRQ5	Sum daily freq Dairy	
FVSRV5	# servings Fruit + Veg	
FATSRV5	Servings of fats/sweets/snacks	
ALCHSRV5	# servings of Alcoholic Beverages	

WEEKLY AND MONTHLY VARIABILITY

FRUTWK5	Wkly variability Fruit	
FRUTMON5	Monthly variability Fruit	
FATWK5	Wkly variability Fat/Sweet	

FATMON5	Monthly variability Fat/Sweet	
ALCHWK5	Wkly variability Alcohol	
ALCHMON5	Monthly variability Alcohol	
VEGWK5	Wkly variability Veg	
VEGMON5	Monthly variability Veg	
GRANWK5	Wkly variability Grains	
GRANMON5	Monthly variability Grains	
MEATWK5	Wkly variability Meat	
MEATMON5	Monthly variability Meat	
DARYWK5	Wkly variability Dairy	
DARYMON5	Monthly variability Dairy	
FVWK5	Wkly variability Fruit+Veg	
FVMON5	Monthly variability Fruit+Veg	

DIET PLUS SUPPLEMENT

ALLIRON5	Diet + Suppl Iron, mg	mg
ALLZINC5	Diet + Suppl Zinc, mg	mg
ALLFOL5	Diet + Suppl Folic acid, mcg	mcg
ALLVITC5	Diet + Suppl Vitamin C, mg	mg
ALLCALC5	Diet + Suppl Calcium, mg	mg
ALLARE5	Diet + Suppl Vitamin A, RE	RE
ALLBCARS5	Diet + Suppl BetaCarotene, mcg	mcg
ALLB15	Diet + Suppl Vitamin B1, mg	mg
ALLB25	Diet[Ribo] + Suppl[B1 (B1=B2)], mg	mg
ALLB65	Diet + Suppl Vitamin B6, mg	mg
ALLVITES5	Diet + Suppl Vitamin E, a-TE	a-TE
ALLB125	Diet + Suppl Vitamin B12, mcg	Mcg
ALLVITD5	Diet + Suppl Vitamin D, IU	IU

“ETHNIC FOODS PAGES” VARIABLES

EFP5	EFP Food Page Administered	1 = Yes
EFPKCAL5	EFP DDE KCAL- total caloric intake	
EFPPROTS	EFP DDE Protein, gms	g
EFPFATS	EFP DDE Fat, gms	g
EFPCARB5	EFP DDE Carb, gms	g
EFPCALC5	EFP DDE Calcium, mg	mg
EFPPHOSS	EFP DDE Phos, mg	mg
EFPFE5	EFP DDE Iron, mg	mg
EFPNA5	EFP DDE Sodium, mg	mg
EFPPOTA5	EFP DDE Potassium, mg	mg
EFPAIUS5	EFP DDE A_IU, international units	IU
EFPARE5	EFP Daily dietary estimate, A_RE	RE
EFPB15	EFP Daily dietary estimate B1, mg	mg
EFPRIBOS5	EFP DDE Riboflavin, mg	mg
EFPNIAC5	EFP DDE Niacin, mg	mg
EFPVITC5	EFP DDE Vitamin C, mg	mg
EFPSFATS5	EFP DDE Saturated Fat, gms	g
EFPOLECS5	EFP DDE Oleic Acid, gms	g
EFPLINS5	EFP DDE Linoleic Acid, gms	g
EFPCHOLS5	EFP DDE Cholesterol, mg	mg
EFPDFIB5	EFP DDE Dietary Fiber, gms	g
EFPFOL5	EFP DDE Folate, mcg	mcg
EFPVITES5	EFP DDE Vitamin E, a-TE	a-TE
EFPZINC5	EFP DDE Zinc, mg	mg

<u>EFPANZNS</u>	EFP DDE Animal Zinc, mg	mg
<u>EFPB65</u>	EFP Daily dietary estimate B6, mg	mg
<u>EFPMG5</u>	EFP DDE Magnesium, mg	mg
<u>EFPACARS5</u>	EFP DDE AlphaCarotene, mcg	mcg
<u>EFPBCARS5</u>	EFP DDE BetaCarotene, mcg	mcg
<u>EFPCRYP5</u>	EFP DDE Cryptoxanthin, mcg	mcg
<u>EFPLUT5</u>	EFP DDE Lutein, mcg	mcg
<u>EFPLYC5</u>	EFP DDE Lycopene, mcg	mcg
<u>EFPRETS5</u>	EFP DDE Retinol, mcg	mcg
<u>EFPPROA5</u>	EFP DDE Pro-A Carotenes, mcg	mcg
<u>EFPGENI5</u>	EFP DDE Genistein, mcg	mcg
<u>EFPDAID5</u>	EFP DDE Daidzein, mcg	mcg
<u>EFPCOUM5</u>	EFP DDE Coumestrol, mcg	mcg
<u>EFPCAFF5</u>	EFP DDE Caffeine, mg	mg
<u>EFPVITD5</u>	EFP DDE Vitamin D, IU	IU
<u>EFPB125</u>	EFP Daily dietary estimate B12, mcg	mcg
<u>EFPTRANS5</u>	EFP DDE Trans Fatty Acid, gms	g
<u>EFPISOF5</u>	EFP DDE Isoflavones, mg	mg
<u>EFPQUERS5</u>	EFP DDE Quercetin, mg	mg
<u>EFPOMEG5</u>	EFP DDE Omega-3 FA, gms	g
<u>EFPCOPP5</u>	EFP DDE Copper, mg	mg
<u>EFPMANG5</u>	EFP DDE Manganese, mg	mg
<u>EFPPANT5</u>	EFP DDE Pantothenic Acid, mg	mg
<u>EFPDFE5</u>	EFP DDE Folate DFE, mcg_DFE	mcg
<u>EFPBEANS5</u>	EFP DDE Fiber from Beans	
<u>EFPFIBV5</u>	EFP DDE Fiber from Veg/Fruit	
<u>EFPGRAIS5</u>	EFP DDE Fiber from Grains	
<u>EFPFRITS5</u>	EFP N servings fruit or fruit juice	
<u>EFPFATS5</u>	EFP Servings of fats/sweets/snacks	
<u>EFPVEGS5</u>	EFP N servings Veg	
<u>EFPVEGF5</u>	EFP Sum daily freq Veg	
<u>EFPGRNS5</u>	EFP N servings Grains	
<u>EFPGRNF5</u>	EFP Sum daily freq Grains	
<u>EFPMTSV5</u>	EFP N servings Meat	
<u>EFPMTFQ5</u>	EFP Sum daily freq Meat	
<u>EFPDARS5</u>	EFP N servings Dairy	
<u>EFPDARF5</u>	EFP Sum daily freq Dairy	
<u>EFPFVSV5</u>	EFP N servings Fruit + Veg	
<u>EFPFVFQ5</u>	EFP Sum daily freq Fruit + Veg	

ADDITIONAL VARIABLES

<u>EATMEATS</u>	Eat meat/fish/poultry	2 = Yes
<u>ADD1XWK5</u>	Additional foods eaten 1x wk	1 = No 2 = Yes
<u>NUMADDS5</u>	# of Additional Foods	numeric
<u>NSKIPS5</u>	# foods missing or double-marked	
<u>EXCLUDES5</u>	Too many/few foods/calories or > 10 skipped	1 = Yes

ADDITIONAL MEASURES COLLECTED

The following measures that were collected at baseline have been included in the codebook:

SERUM HORMONE MEASURES

1. Variables for assays

Variable	Assay	Units
DHAS5	Dehydroepiandrosterone sulfate	ug/dL
E2AVE5*	Estradiol (see important note below)	pg/mL
FSH5	Follicle-stimulating hormone	mIU/mL
SHBG5	Sex hormone-binding globulin	nM
T5	Testosterone	ng/dL

* IMPORTANT NOTE: There were originally two estradiol result variables because estradiol was run in duplicate. E2AVE5 is the within-person arithmetic average of the two estradiol variables.

2. Flags and other variables

Variable	Meaning	Codes
CYCDAY5	Day of cycle	n/a
FLGCV5	Both Estradiol results are > 20 pg/mL and the within-subject coefficient of variation (CV) is > 15%.	0=no, 1=yes
FLGdif5	One or both Estradiol results ≤ 20 pg/mL and the difference between them is > 10 pg/mL. Note: Differences were found between some of the Estradiol duplicate measurements. The following guidelines were decided upon: 1. If both E2 values > 20 pg/ml, CV must be ≤ 15%. 2. If one or both E2 ≤ 20 pg/ml, the two E2 results must agree within 10 pg/ml. DATA WITH THESE FLAGS SHOULD BE OMITTED FROM DATA ANALYSES, OR USED WITH CAUTION IF INCLUDED IN ANALYSES.	

*1=yes means flagged

3. Changes to the data:

- Lower limit of detection (LLD). Hormone results below the LLD were recoded to a value of '.L'.
- LLDs changed over time. The following LLDs were provided by the lab and apply to all samples through 2009:

<i>Hormone</i>	<i>Time Window on hormone measurement corresponding to LLD</i>	<i>Lower Limit of Detection</i>
DHEAS	~ Sep. 15, 1997	<1.52 ug/dL (Initial value)
	Sep. 16, 1997 ~ Jan. 14, 1999	<0.304 ug/dL
	Jan. 15, 1999 ~	<1.5 ug/dL
E2	~ Feb. 20, 2000	<1.0 pg/mL (Initial value)
	Feb. 21, 2000 ~ Aug. 27, 2001	<2.0 pg/mL
	Aug. 28, 2001 ~ May 03, 2009	<4.0 pg/mL
	May 04, 2009 ~	<7.0 pg/mL
FSH	~ Aug. 05, 1999	<1.05 mIU/mL (Initial value)
	Aug. 06, 1999 ~ Nov. 10, 1999	<1.0 mIU/mL
	Nov. 11, 1999 ~ Jul. 19, 2000	<0.7 mIU/mL
	Jul. 20, 2000 ~ Oct. 29, 2002	<0.6 mIU/mL
	Oct. 30, 2002 ~ Sep. 28, 2003	<0.5 mIU/mL
	Sep. 29, 2003 ~ Feb 20, 2006	<0.4 mIU/mL
	Feb 21, 2006 ~	<0.8 mIU/mL
SHBG	~ Aug. 05, 1999	<1.95 nM (Initial value)
	Aug. 06, 1999 ~ Oct. 31, 1999	<1.9 nM
	Nov. 01, 1999 ~ Mar. 22, 2006	<2.0 nM
	Mar. 23, 2006 ~	<3.2 nM
T	~ Jun. 04, 1998	<2.19 ng/dL (Initial value)
	Jun. 05, 1998 ~ Jun. 17, 1999	<2.2 ng/dL
	Jun. 18, 1999 ~	<2.0 ng/dL

CARDIOVASCULAR MEASURES

1. Variables for assays

Variable	Assay	Units
CHOLRESS5	Total cholesterol	mg/dl
TRIGRESS5	Triglycerides	mg/dl
LDLRESU5	Low-density lipoprotein cholesterol (estimated)	mg/dl
HDLRESU5	High density lipoprotein cholesterol	mg/dl
GLUCRESS	Glucose	mg/dl
INSURESS5	Insulin	uIU/ml
FACRESU5	Factor VII	%
FIBRESU5	Fibrinogen	mg/dl
PAIRESU5	PAI-1	ng/ml
TPARESU5	tPA	ng/ml
LPARESU5	Lipoprotein Lp(a)	mg/dl
LPA1RESS5	Lipoprotein A-1	mg/dl
APOARESS	Apolipoprotein A-1	mg/dl
APOBRESS	Apolipoprotein B	mg/dl
CRPRESU5	C-reactive protein	mg/l

2. Flags and other variables

Variable	Meaning	Codes
FLAGSER5	Flag to indicate that lipids were measured on serum rather than plasma because plasma was not available. Lipids for these subjects were <u>not</u> set to missing.	0=no, 1=yes
FLGCVRV5	Flag to indicate the sample was collected after the cut-off date for Visit 1 (02/15/2003)	0=no, 1=yes

*1=yes means flagged

3. Changes to the data:

- Non-fasting Triglycerides, Insulin, & Glucose** - If women were not fasting, triglycerides, insulin and glucose were set to missing in the frozen data set because these assays are not valid for non-fasting samples.
- Estimated vs. Direct LDL**. LDL is estimated using the Friedewald equation for all women with triglycerides below 400 mg/dl. If triglycerides exceed 400 mg/dl, LDL is set to missing.
- Serum lipids**. A few subjects had their lipids measured from serum rather than plasma. The results were left as is but subjects were flagged (FLAGSER1=1).

BONE MINERAL DENSITY MEASURES

Five of the seven clinical sites did DXA bone scans on the spine and hip. The total bone mineral density scores had to be calibrated in order to apply machine change calibration correction factors.

Variable	Meaning	Codes
<u>SPSCDAY5</u>	Spine Scan Day	
<u>SPSCTIM5</u>	Spine Scan Time	
<u>SPSCMOD5</u>	Spine Scan Mode	5 = 2000 machine 11=4500 machine
<u>HPSCDAY5</u>	Hip Scan Day	
<u>HPSCTIM5</u>	Hip Scan Time	
<u>HPSCMOD5</u>	Hip Scan Mode	5 = 2000 machine 11=4500 machine
<u>SPBMDT5</u>	Total Spine BMD w/cross-calibration applied	
<u>HPBMDT5</u>	Total Hip BMD w/cross-calibration applied	

Visit 5 bibliography

Neer RM. **Bone loss across the menopausal transition.** *Annals of the New York Academy of Sciences.* 2010;1192:66-71.

Primary Question: review published SWAN bone data

- Summary of Findings:**
1. ethnic differences in pre-menopausal bone density and peri-menopausal bone loss are greatly affected by body weight
 2. bone density of pre-menopausal and early peri-menopausal women is inversely correlated with blood levels of FSH, not blood levels of estrogen, when these are measured once-yearly on day 2-5 of the menstrual cycle
 3. rates of bone loss in middle-aged women correlate with once-yearly measurements of blood FSH, not blood estrogen
 4. middle-aged women do not lose significant bone until their menses become less frequent
 5. at that time, bone loss is as rapid as during the years immediately after the final menses

Sowers M, McConnell D, Jannausch ML, Randolph JF Jr, Brook R, Gold EB, Crawford S, Lasley B. **Oestrogen metabolites in relation to isoprostanes as a measure of oxidative stress.** *Clinical Endocrinology.* 2008;68(5):806-813.

Primary Question: Are levels of F2a-isoprostanes, a marker for oxidative stress, associated with lower levels of estradiol, 2-OHE1 and 16 α -OHE1? If so, does this association differ among premenopausal women, women using HT, and postmenopausal women? Are levels of F2a-isoprostanes, a marker for oxidative stress, associated with lower levels of estradiol, 2-OHE1 and 16 α -OHE1? If so, does this association differ among premenopausal women, women using HT, and postmenopausal women?

Summary of Findings: F2a-isoprostane concentrations were doubled in women who smoked compared to nonsmokers, indicating much more oxidative stress in women who smoked. With the exception of postmenopausal nonsmoking women, E2 was poorly correlated with the F2a-isoprostanes, indicating that those with higher measured levels of estradiol were not necessarily likely to have less oxidative stress. Both 2-OHE1 and 16 α -OHE1 were positively correlated with F2a-isoprostanes, with the exception of 2-OHE1 in postmenopausal smokers, suggesting that these estrogen metabolites behave more like markers of oxidative stress rather than antioxidants.

[PMCID:PMC2727613]

Randolph JF Jr, Crawford S, Dennerstein L, Cain K, Harlow SD, Little R, Mitchell ES, Nan B, Taffe J, Yosef M. **The Value of Follicle-Stimulating Hormone Concentration and Clinical Findings as Markers of the Late Menopausal Transition.** *Journal of Clinical Endocrinology and Metabolism.* 2006;91(8):3034-3040.

Primary Question: Does the reproductive hormone follicle-stimulating hormone (FSH) help us predict the final menstrual period, before and after we already have information from menstrual bleeding patterns? Similarly for hot flashes.

Summary of Findings: FSH predicts the final menstrual period, but is not as good a predictor as menstrual bleeding patterns. Hot flashes are not predictive of the final menstrual period once we already have information on bleeding patterns and FSH.

Harlow SD, Cain K, Crawford S, Dennerstein L, Little R, Mitchell ES, Nan B, Randolph J, Taffe J, Yosef M. **Evaluation of Four Proposed Bleeding Criteria for the Onset of Late Menopausal Transition.** *Journal of Clinical Endocrinology and Metabolism.* 2006;91(9):3432-3438.

Primary Question: Does the age at entry into the early or late stage of the menopause transition differ by how we define the stage? Does the age at entry into the stage differ across research studies?

Does the time between onset of transition and menopause differ by factors such as age at late stage entry, ethnicity, body size, and smoking? Is there evidence to recommend selection of one bleeding criteria over another?

Summary of Findings: A skipped segment, a 10-segment running range >42 days and a segment of at least 60 days identify a similar moment in women's reproductive lives, with the latter two identifying the exact same moment in two-thirds of women. All three markers occur in a greater proportion of women than the 90-day marker and are equally predictive of the FMP although they occur one to two years earlier. These findings support the STRAW recommendation that a shorter duration of amenorrhea be used as the bleeding criterion for the late transition.

[PMCID:PMC1950694]

Sowers MR, Randolph J Jr, Jannausch M, Lasley B, Jackson E, McConnell D. **Levels of Sex Steroid and Cardiovascular Disease Measures in Premenopausal and Hormone-Treated Women at Midlife: Implications for the "Timing Hypothesis".** *Archives of Internal Medicine.* 2008;168(19):2146-2153.

Primary Question: Are sex steroid and cardiovascular profiles similar at mid-life in premenopausal and hormone-treated women, supporting the "timing hypothesis" in explaining the controversial findings of the Women's Health Initiative trial. Is the positive impact of HT for cardiovascular events dependent upon being able to extend a favorable estrogenic environment after the final menstrual period without substantial time discontinuity, a concept fundamental to the "timing" hypothesis in interpreting the results of the WHI findings.

Summary of Findings: There were competing CVD risk factor profiles when comparing premenopausal women and the same-aged women using HT. In the HT users, there were more favorable lipid profiles than the same aged premenopausal women but, concurrently, more negative oxidative/thrombotic/inflammatory profiles. These findings do not support assumptions that having only short-term time discontinuity before HT use is likely to replicate the environment in either premenopausal or immediately postmenopausal women.

[PMCID:PMC2727614]

Matthews KA, Schott LL, Bromberger J, Cyranowski J, Everson-Rose SA, Sowers MF. **Associations Between Depressive Symptoms and Inflammatory/Hemostatic Markers in Women During the Menopausal Transition.** *Psychosomatic Medicine.* 2007;69(2):124-130.

Primary Question: Are depressive symptoms related to risk for heart disease due to blood coagulation in women approaching the menopause? Secondarily, does obesity or menopausal status play a role in understanding any observed relationships between depression and these markers?

Summary of Findings: Women with higher levels of depression have higher levels of fibrinogen, a measure of blood coagulation, even after taking into account other health and lifestyle factors. Obesity is strongly related to markers of inflammation and hemostasis. In addition to obesity, markers of hemostasis are also elevated among late perimenopausal and postmenopausal women compared to premenopausal women.

Santoro N. **Women want to know: Predicting the final menses.** *Sexuality, Reproduction & Menopause.* 2007;19(5):6-10.

Primary Question: What signs, symptoms or characteristics of a woman can help her forecast when her menstrual periods will stop?

Summary of Findings: Age, menstrual cycle interval, smoking behavior, and the hormones FSH and estradiol can all help a woman predict when her menstrual periods will cease at the time of the menopause transition.

Santoro N, Brockwell S, Johnston J, Crawford SL, Gold EB, Harlow SD, Matthews KA, Sutton-Tyrrell K. **Helping midlife women predict the onset of the final menses: SWAN, the Study of Women's Health Across the Nation.** *Menopause*. 2007;14(3):415-424.

Primary Question: What easily accessible features of a woman's menstrual cycle, health status or hormones can be used to help predict when she will go through menopause?

Summary of Findings: A woman's age, and her estimate of more variability or lengthening of her menstrual cycles help to predict how much longer she will continue to get her period. Whether or not she smokes or is exposed to smoke, and hormone levels can make this prediction more precisely. Women who exercise may take longer to go through menopause than women who don't. A woman's ethnic group may also be a factor that can help her tell when her periods will end.

Johnston JM, Colvin A, Johnson BD, Santoro N, Harlow SD, Merz CN, Sutton-Tyrrell K. **Comparison of SWAN and WISE Menopausal Status Classification Algorithms.** *Journal of Women's Health*. 2006;15(10):1184-94.

Primary Question: Do the SWAN and WISE menopausal status classifications agree for most women in the SWAN study? In designing a study, how could one choose between the two classification algorithms?

Summary of Findings: Of the 3215 SWAN women with complete information at baseline, 2466 (76.7%) received the same menopausal status classification at baseline and 749 (23.3%) received different classifications. While the two algorithms may classify a given woman differently on a given day, both approaches track progression through the transition over time. Choosing which to use should depend on the study population, including the proportion of women who are not cycling due to health reasons, and on the ability to obtain samples for hormone assays. Further work is needed to more precisely define optimal criteria for staging menopausal aging.

Crawford SL, Avis NE, Gold E, Johnston J, Kelsey J, Santoro N, Sowers M, Sternfeld B. **Sensitivity and Specificity of Recalled Vasomotor Symptoms in a Multiethnic Cohort.** *American Journal of Epidemiology*. 2008;168(12):1452-1459.

Primary Question: How accurate is retrospective reporting of vasomotor symptoms (any vs. none) over a two-week period compared to daily reporting?

Summary of Findings: Both sensitivity and specificity of retrospective reporting for any vs. no vasomotor symptoms were high. Accuracy of retrospective reporting was highest among women with no symptomatic days or many symptomatic days in daily reporting, i.e., at the two extremes of symptom frequency.

[PMCID:PMC2727191]

Bromberger JT, Matthews KA, Schott LL, Brockwell S, Avis NE, Kravitz HM, Everson-Rose SA, Gold EB, Sowers M, Randolph JF Jr. **Depressive symptoms during the menopause transition: The Study of Women's Health Across the Nation (SWAN).** *Journal of Affective Disorders*. 2007;103:267-272.

Primary Question: Do depressive symptoms increase during the menopause transition? Does the initial level of depressive symptoms influence the association between depressive symptoms and the menopause transition after taking into account multiple other health and lifestyle factors?

Summary of Findings: Midlife women are more likely to experience high levels of depressive symptoms when peri- or postmenopausal or using hormone therapy than when premenopausal. Premenopausal women who have low depressive symptom levels at baseline (relative to women with high levels) are at a somewhat greater risk for higher symptoms during the peri- and post menopause. Menopausal status, as well as other health and lifestyle factors, influences depressive symptoms during the menopause transition.

[PMCID:PMC2048765]

Jacobs EA, Karavolos K, Rathouz PJ, Ferris TG, Powell LH. **Limited English Proficiency and Breast and Cervical Cancer Screening in a Multiethnic Population.** *American Journal of Public Health.* 2005;95(8):1410-1416.

Primary Question: Our hypothesis is that women who report not speaking English well or at all will be less likely to report having received breast and cervical cancer screening compared to English speaking women, and that this association will be independent of other factors such as insurance status, race/ethnicity and contact with healthcare that are associated with reduced receipt of preventive care.

Summary of Findings: We have found that women who report not speaking English well or at all are less likely to receive breast and cervical cancer screening than women who speak English and that these differences are not explained by sociodemographic factors and contact with health care.

[PMCID:PMC1449374]

Randolph JF Jr, Sowers M, Bondarenko I, Gold EB, Greendale GA, Bromberger JT, Brockwell SE, Matthews KA. **The Relationship of Longitudinal Change in Reproductive Hormones and Vasomotor Symptoms during the Menopausal Transition.** *The Journal of Clinical Endocrinology and Metabolism.* 2005;90(11):6106-6112.

Primary Question: 1. Do reproductive hormone concentrations and their change over time influence the prevalence of any vasomotor symptoms?

2. Do reproductive hormone concentrations influence the frequency of vasomotor symptoms?

Summary of Findings: We conclude that, when modeled together longitudinally, FSH, but not E2, T, DHEAS, FTI or FEI, is associated with both the prevalence and frequency of vasomotor symptoms in women at midlife.

Lewis TT, Everson-Rose SA, Sternfeld B, Karavolos K, Wesley D, Powell LH. **Race, Education, and Weight Change in a Biracial Sample of Women at Midlife.** *Archives of Internal Medicine.* 2005;165(5):545-551.

Primary Question: How do race and socioeconomic status influence weight and weight gain over time in African-American and Caucasian women? Is the relationship between socioeconomic status and weight gain the same in African-American and Caucasian women?

Summary of Findings: We observed significant racial differences in the effects of socioeconomic status (measured by education) on weight for middle-aged women. At baseline, African-American women at all levels of education were equally heavy, while Caucasian women were thinner with each incremental increase in educational attainment. Over time, women of both races and all educational levels gained equally (about 1.3 pounds each year). Consequently, the absolute level differences observed at baseline persisted over time.

Sowers MR, Jannausch M, Randolph JF, McConnell D, Little R, Lasley B, Pasternak R, Sutton-Tyrrell K, Matthews KA. **Androgens Are Associated with Hemostatic and Inflammatory Factors among Women at the Mid-Life.** *The Journal of Clinical Endocrinology & Metabolism.* 2005;90(11):6064-6071.

Primary Question: Is the change in hormone concentration, particularly SHBG and androgens, during the menopausal transition related to change in the levels of hemostatic (fibrinolytic, clotting, inflammatory) factors in the menopausal transition? Women are relatively protected from death due to heart disease (CHD) in the mid-life, compared to men of the same age and it has been assumed that estrogens contribute to that protection. Recent studies have contradicted that assumption, so this analysis evaluates the potential role of androgens with CVD risk factors.

Summary of Findings: Higher androgen levels were associated with less favorable levels of PAI-1, t(PA), and hsC-RP, three factors associated with greater CHD risk. Lower levels of SHBG, which

impacts the amount of free testosterone androgen in the bloodstream, was associated with significantly less favorable levels of these fibrolytic and inflammatory factors.

Santoro N, Crawford SL, Lasley WL, Luborksy JL, Matthews KA, McConnell D, Randolph JF, Gold EB, Greendale GA, Korenman SG, Powell L, Sowers MF, Weiss G. **Factors Related to Declining Luteal Function in Women during the Menopausal Transition.** *Journal of Clinical Endocrinology and Metabolism.* 2008;93(5):1711-1721.

Primary Question: What factors are associated with change in day to day hormones over time in the SWAN DHS?

Summary of Findings: The per cent of ovulatory cycles declined over a three year observation period (H1-H3). Luteal progesterone decreased over time in ovulatory cycles. Anovulatory cycles that did not end with a menstrual period appeared to be associated with progress through the menopausal transition.

[PMCID:PMC2386686]

Finkelstein JS, Brockwell SE, Mehta V, Greendale GA, Sowers MR, Ettinger B, Lo JC, Johnston JM, Cauley JA, Danielson ME, Neer RM. **Bone Mineral Density Changes during the Menopause Transition in a Multiethnic Cohort of Women.** *Journal of Clinical Endocrinology & Metabolism.* 2008;93(3):861-868.

Primary Question: When does bone loss begin? What are the rates of bone loss in each stage of the menopause transition? How do both body weight and race/ethnicity affect menopausal rates of bone loss?

Summary of Findings: There is little or no bone loss in the pre- and early perimenopause. Rates of both lumbar spine and total hip bone loss accelerate substantially in the late perimenopause and continue at a similar pace in the early postmenopausal years. Body weight is a major determinant of the rate of bone loss during the menopause transition, with women of lower body weight losing bone more rapidly. Observed ethnic differences in rates of menopausal bone loss are largely explained by differences in body weight.

[PMCID:PMC2266953]

Tomey KM, Sowers MR, Li X, McConnell DS, Crawford S, Gold EB, Lasley B, Randolph JF, Jr. **Dietary Fat Subgroups, Zinc, and Vegetable Components Are Related to Urine F2a-Isoprostane Concentration, a Measure of Oxidative Stress, in Midlife Women.** *Journal of Nutrition.* 2007;137(11):2412-2419.

Primary Question: Ascertain if dietary and lifestyle factors are associated with F2a-isoprostanes, a marker of oxidative stress and whether these relationships would differ by cigarette smoking status.

Summary of Findings: There were consistent associations between higher trans fat intake and higher F2a-isoprostanes, and higher lutein and lower F2a-isoprostanes in smokers and non-smokers, cross-sectionally and across time. Among smokers and non-smokers, cross-sectional associations between F2a-isoprostanes and trans fatty acids were observed at the year 05 follow up visit, in analyses adjusted for recruitment site, age, race, body mass index (kg/m²), and physical activity. Regression models with adjustment showed that higher baseline intakes of trans fat and increased intake of trans fat from baseline to Y05 were significantly associated with higher levels of F2a-isoprostanes. In smokers and non-smokers, higher lutein intakes at year 05 were associated with lower F2a-isoprostanes at year 05. Higher baseline intakes of lutein from vegetables were significantly associated with lower levels of F2a-isoprostanes in both smokers and non-smokers.

[PMCID:PMC2730459]

Associated Factors in a Multiethnic Cohort of Midlife Women. Journal of American College of Nutrition. 2009;28(6):636-647.

Primary Question: How does intake of dietary glycemic load and glycemic index differ by ethnicity? Is there any association between glycemic load, glycemic index and other dietary and lifestyle factors?

Summary of Findings: Mean GI and GL were consistently lower in Caucasian women than African American, Japanese or Chinese women. Mean GI and GL values were inversely associated with education, income and sports activity, and positively associated with current smoking and consumption of more than 1 drink of alcohol per day. GI was positively associated with consumption of grains and potatoes and inversely associated with consumption of fruits, dairy foods, and sweets.

ICPSR 30501

Study of Women's Health Across the Nation (SWAN), 2001-2003: Visit 05 Dataset

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

ICPSR has an FAQ on [copyright and survey instruments](#).

SWANID: SWANID

Respondent ID

Value	Label	Unweighted Frequency	%
10046	-	1	0.0 %
10056	-	1	0.0 %
10126	-	1	0.0 %
10153	-	1	0.0 %
10196	-	1	0.0 %
10245	-	1	0.0 %
10464	-	1	0.0 %
10484	-	1	0.0 %
10514	-	1	0.0 %
10522	-	1	0.0 %
10532	-	1	0.0 %
10550	-	1	0.0 %
10604	-	1	0.0 %
10629	-	1	0.0 %
10630	-	1	0.0 %
10747	-	1	0.0 %
10757	-	1	0.0 %
10801	-	1	0.0 %
10879	-	1	0.0 %
10910	-	1	0.0 %
10968	-	1	0.0 %
11007	-	1	0.0 %
11041	-	1	0.0 %
11047	-	1	0.0 %
11079	-	1	0.0 %
11097	-	1	0.0 %
11119	-	1	0.0 %
11133	-	1	0.0 %
11180	-	1	0.0 %
11201	-	1	0.0 %
11208	-	1	0.0 %
11211	-	1	0.0 %
11267	-	1	0.0 %
11284	-	1	0.0 %
11298	-	1	0.0 %
11338	-	1	0.0 %
11347	-	1	0.0 %
11430	-	1	0.0 %
11463	-	1	0.0 %

Value	Label	Unweighted Frequency	%
11478	-	1	0.0 %
11481	-	1	0.0 %
11508	-	1	0.0 %
11519	-	1	0.0 %
11600	-	1	0.0 %
11613	-	1	0.0 %
11630	-	1	0.0 %
11632	-	1	0.0 %
11642	-	1	0.0 %
11740	-	1	0.0 %
11769	-	1	0.0 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,617 valid cases out of 2,617 total cases.

- Mean: 54719.73
- Minimum: 10046.00
- Maximum: 99992.00
- Standard Deviation: 25785.83

Location: 1-5 (width: 5; decimal: 0)

Variable Type: numeric

VISIT: Study Visit

SWAN study visit #

Value	Label	Unweighted Frequency	%
05	-	2617	100.0 %
Total		2,617	100%

Based upon 2,617 valid cases out of 2,617 total cases.

Location: 6-7 (width: 2; decimal: 0)

Variable Type: character

INTDAY5: Interview Day

Date form completed

Value	Label	Unweighted Frequency	%
1691	-	1	0.0 %
1719	-	1	0.0 %
1720	-	1	0.0 %
1732	-	1	0.0 %

Value	Label	Unweighted Frequency	%
1741	-	2	0.1 %
1744	-	1	0.0 %
1746	-	1	0.0 %
1748	-	1	0.0 %
1750	-	1	0.0 %
1751	-	1	0.0 %
1752	-	1	0.0 %
1756	-	1	0.0 %
1757	-	1	0.0 %
1759	-	1	0.0 %
1761	-	2	0.1 %
1762	-	1	0.0 %
1763	-	2	0.1 %
1764	-	3	0.1 %
1767	-	4	0.2 %
1768	-	3	0.1 %
1769	-	1	0.0 %
1770	-	6	0.2 %
1771	-	2	0.1 %
1772	-	3	0.1 %
1774	-	1	0.0 %
1775	-	3	0.1 %
1776	-	4	0.2 %
1777	-	3	0.1 %
1778	-	6	0.2 %
1779	-	3	0.1 %
1780	-	3	0.1 %
1781	-	13	0.5 %
1782	-	18	0.7 %
1783	-	22	0.8 %
1784	-	20	0.8 %
1785	-	21	0.8 %
1786	-	10	0.4 %
1787	-	12	0.5 %
1788	-	8	0.3 %
1789	-	11	0.4 %
1790	-	15	0.6 %
1791	-	20	0.8 %
1792	-	35	1.3 %
1793	-	23	0.9 %
1794	-	20	0.8 %
1795	-	11	0.4 %

Value	Label	Unweighted Frequency	%
1796	-	20	0.8 %
1797	-	21	0.8 %
1798	-	18	0.7 %
1799	-	32	1.2 %
Missing Data			
.	-	15	0.6 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,602 valid cases out of 2,617 total cases.

- Mean: 1862.80
- Minimum: 1691.00
- Maximum: 2443.00
- Standard Deviation: 75.21

Location: 8-11 (*width:* 4; *decimal:* 0)

Variable Type: numeric

AGE5: Visit 5 Age

Calculated from date of birth to when the interview form was completed, and rounded to the next lowest integer

Value	Label	Unweighted Frequency	%
46	-	7	0.3 %
47	-	250	9.6 %
48	-	306	11.7 %
49	-	324	12.4 %
50	-	310	11.8 %
51	-	322	12.3 %
52	-	318	12.2 %
53	-	249	9.5 %
54	-	218	8.3 %
55	-	143	5.5 %
56	-	89	3.4 %
57	-	58	2.2 %
58	-	10	0.4 %
Missing Data			
.	-	13	0.5 %
Total		2,617	100%

Based upon 2,604 valid cases out of 2,617 total cases.

- Mean: 51.00
- Median: 51.00

- Mode: 49.00
- Minimum: 46.00
- Maximum: 58.00
- Standard Deviation: 2.69

Location: 12-13 (width: 2; decimal: 0)

Variable Type: numeric

LANGINT5: Language of Interview

Interview language

Value	Label	Unweighted Frequency	%
1	English	2253	86.1 %
2	Spanish	165	6.3 %
3	Cantonese	77	2.9 %
4	Japanese	109	4.2 %
Missing Data			
.	-	13	0.5 %
Total		2,617	100%

Based upon 2,604 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 14-15 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -8 , -7 , -1 , .

PREGNAN5: Currently Pregnant

Are you currently pregnant?

Value	Label	Unweighted Frequency	%
1	No	2162	82.6 %
2	Yes	0	0.0 %
Missing Data			
-8	Do not know	1	0.0 %
.	-	454	17.3 %
Total		2,617	100%

Based upon 2,162 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 16-17 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -8 , -7 , -1 , .

PREVBLO5: Blood Drawn Previously

Was blood for this annual follow-up drawn previous to this interview date?

Value	Label	Unweighted Frequency	%
1	No	1234	47.2 %
2	Yes	0	0.0 %
	Missing Data		
.	-	1383	52.8 %
	Total	2,617	100%

Based upon 1,234 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 18-19 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

EATDRIN5: Eat/Drink in last 12 hrs

Have you had anything to eat or drink, other than water, in the last 12 hours? That is since (time) last night?

Value	Label	Unweighted Frequency	%
1	No	2120	81.0 %
2	Yes	43	1.6 %
	Missing Data		
.	-	454	17.3 %
	Total	2,617	100%

Based upon 2,163 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 20-21 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

STRTPER5: Start Period in Last Week

Did you start a menstrual period in the last five days?

Value	Label	Unweighted Frequency	%
1	No	1480	56.6 %
2	Yes	683	26.1 %
	Missing Data		
.	-	454	17.3 %

Value	Label	Unweighted Frequency	%
	Total	2,617	100%

Based upon 2,163 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 22-23 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DAYBLE5: Day that you started to bleed

What is the date that you started to bleed?

Value	Label	Unweighted Frequency	%
1716	-	1	0.0 %
1724	-	1	0.0 %
1738	-	2	0.1 %
1744	-	1	0.0 %
1753	-	1	0.0 %
1757	-	1	0.0 %
1758	-	1	0.0 %
1759	-	1	0.0 %
1760	-	1	0.0 %
1763	-	1	0.0 %
1768	-	1	0.0 %
1769	-	1	0.0 %
1770	-	2	0.1 %
1774	-	1	0.0 %
1775	-	1	0.0 %
1776	-	3	0.1 %
1778	-	1	0.0 %
1779	-	1	0.0 %
1780	-	1	0.0 %
1781	-	6	0.2 %
1782	-	7	0.3 %
1783	-	3	0.1 %
1784	-	3	0.1 %
1785	-	1	0.0 %
1786	-	2	0.1 %
1787	-	1	0.0 %
1788	-	3	0.1 %
1789	-	8	0.3 %
1790	-	3	0.1 %

Value	Label	Unweighted Frequency	%
1791	-	1	0.0 %
1792	-	1	0.0 %
1793	-	4	0.2 %
1794	-	5	0.2 %
1795	-	4	0.2 %
1796	-	8	0.3 %
1797	-	4	0.2 %
1798	-	6	0.2 %
1799	-	2	0.1 %
1800	-	3	0.1 %
1801	-	5	0.2 %
1802	-	1	0.0 %
1803	-	6	0.2 %
1804	-	5	0.2 %
1805	-	4	0.2 %
1806	-	2	0.1 %
1807	-	4	0.2 %
1808	-	5	0.2 %
1809	-	3	0.1 %
1810	-	3	0.1 %
1811	-	2	0.1 %
Missing Data			
.	-	1935	73.9 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 682 valid cases out of 2,617 total cases.

- Mean: 1864.72
- Median: 1853.50
- Minimum: 1716.00
- Maximum: 2112.00
- Standard Deviation: 65.02

Location: 24-27 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: .

BLDRWAT5: Blood Draw Attempted

Blood draw attempted?

Value	Label	Unweighted Frequency	%
1	Yes, as per protocol	1717	65.6 %

Value	Label	Unweighted Frequency	%
2	Yes, menses too variable	298	11.4 %
3	Yes, Last attempt	148	5.7 %
4	Yes, Respondent Pregnant	0	0.0 %
5	No, Not fasting and/or not in window	0	0.0 %
Missing Data			
.	-	454	17.3 %
Total		2,617	100%

Based upon 2,163 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 28-29 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

BLDDRAW5: Blood Drawn

Blood drawn?

Value	Label	Unweighted Frequency	%
1	No	0	0.0 %
2	Yes	2163	82.7 %
Missing Data			
.	-	454	17.3 %
Total		2,617	100%

Based upon 2,163 valid cases out of 2,617 total cases.

- Minimum: 2.00
- Maximum: 2.00

Location: 30-31 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

SPEDAY5: Blood Specimen Day

Blood Specimen Day

Value	Label	Unweighted Frequency	%
1719	-	1	0.0 %
1726	-	1	0.0 %
1741	-	2	0.1 %
1744	-	1	0.0 %
1746	-	1	0.0 %
1748	-	1	0.0 %

Value	Label	Unweighted Frequency	%
1750	-	1	0.0 %
1752	-	1	0.0 %
1757	-	2	0.1 %
1759	-	2	0.1 %
1761	-	1	0.0 %
1762	-	1	0.0 %
1763	-	2	0.1 %
1764	-	3	0.1 %
1767	-	2	0.1 %
1768	-	2	0.1 %
1770	-	3	0.1 %
1771	-	1	0.0 %
1772	-	2	0.1 %
1775	-	2	0.1 %
1776	-	3	0.1 %
1777	-	1	0.0 %
1778	-	3	0.1 %
1779	-	3	0.1 %
1780	-	1	0.0 %
1781	-	8	0.3 %
1782	-	16	0.6 %
1783	-	14	0.5 %
1784	-	16	0.6 %
1785	-	18	0.7 %
1786	-	9	0.3 %
1787	-	9	0.3 %
1788	-	6	0.2 %
1789	-	6	0.2 %
1790	-	16	0.6 %
1791	-	16	0.6 %
1792	-	19	0.7 %
1793	-	15	0.6 %
1794	-	11	0.4 %
1795	-	11	0.4 %
1796	-	13	0.5 %
1797	-	13	0.5 %
1798	-	18	0.7 %
1799	-	27	1.0 %
1800	-	7	0.3 %
1801	-	11	0.4 %
1802	-	13	0.5 %
1803	-	9	0.3 %

Value	Label	Unweighted Frequency	%
1804	-	10	0.4 %
1805	-	14	0.5 %
	Missing Data		
.	-	442	16.9 %
	Total	2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,175 valid cases out of 2,617 total cases.

- Mean: 1869.83
- Minimum: 1719.00
- Maximum: 2185.00
- Standard Deviation: 70.90

Location: 32-35 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: .

ANTICO15: Anticoagulant #1

Since your last study visit, have you taken: Any medication, pills or other medicine to thin your blood (anticoagulants)?

Value	Label	Unweighted Frequency	%
1	No	2552	97.5 %
2	Yes	52	2.0 %
	Missing Data		
.	-	13	0.5 %
	Total	2,617	100%

Based upon 2,604 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 36-37 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ACOATW15: Anticoagulant #1 taken 2x/wk for last mo

If YES to ANTICO15: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	12	0.5 %
2	Yes	40	1.5 %
	Missing Data		
-1	N/A	2552	97.5 %

Value	Label	Unweighted Frequency	%
.	-	13	0.5 %
Total		2,617	100%

Based upon 52 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 38-39 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ANTICO25: Anticoagulant #2

Since your last study visit, have you taken: Any medication, pills or other medicine to thin your blood (anticoagulants)?

Value	Label	Unweighted Frequency	%
1	No	44	1.7 %
2	Yes	8	0.3 %
Missing Data			
-1	N/A	2552	97.5 %
.	-	13	0.5 %
Total		2,617	100%

Based upon 52 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 40-41 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ACOATW25: Anticoagulant #2 taken 2x/wk for last mo

If YES to ANTICO25: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	3	0.1 %
2	Yes	5	0.2 %
Missing Data			
-1	N/A	2596	99.2 %
.	-	13	0.5 %
Total		2,617	100%

Based upon 8 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 42-43 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HEART15: Heart med #1

Since your last study visit, have you taken: Anything for your heart or heart beat, including pills or patches?

Value	Label	Unweighted Frequency	%
1	No	2533	96.8 %
2	Yes	71	2.7 %
	Missing Data		
.	-	13	0.5 %
	Total	2,617	100%

Based upon 2,604 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 44-45 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HARTTW15: Heart med #1 taken 2x/wk for last mo

If YES to HEART15: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	10	0.4 %
2	Yes	60	2.3 %
	Missing Data		
-9	Missing	1	0.0 %
-1	N/A	2533	96.8 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 70 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 46-47 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HEART25: Heart med #2

Since your last study visit, have you taken: Anything for your heart or heart beat, including pills or patches?

Value	Label	Unweighted Frequency	%
1	No	53	2.0 %
2	Yes	18	0.7 %
	Missing Data		
-1	N/A	2533	96.8 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 71 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 48-49 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HARTTW25: Heart med #2 taken 2x/wk for last mo

If YES to HEART25: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	1	0.0 %
2	Yes	17	0.6 %
	Missing Data		
-1	N/A	2586	98.8 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 18 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 50-51 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CHOLST15: Cholesterol med #1

Since your last study visit, have you taken: Any medications for cholesterol or fats in your blood?

Value	Label	Unweighted Frequency	%
1	No	2413	92.2 %
2	Yes	190	7.3 %
	Missing Data		
-9	Missing	1	0.0 %
.	-	13	0.5 %

Value	Label	Unweighted Frequency	%
	Total	2,617	100%

Based upon 2,603 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 52-53 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CHOLTW15: Cholesterol med #1 taken 2x/wk for last mo

If YES to CHOLST15: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	20	0.8 %
2	Yes	170	6.5 %
	Missing Data		
-1	N/A	2414	92.2 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 190 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 54-55 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CHOLST25: Cholesterol med #2

Since your last study visit, have you taken: Any medications for cholesterol or fats in your blood?

Value	Label	Unweighted Frequency	%
1	No	181	6.9 %
2	Yes	9	0.3 %
	Missing Data		
-1	N/A	2414	92.2 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 190 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 56-57 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CHOLTW25: Cholesterol med #2 taken 2x/wk for last mo

If YES to CHOLST25: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	3	0.1 %
2	Yes	6	0.2 %
	Missing Data		
-1	N/A	2595	99.2 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 9 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 58-59 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BP15: Blood pressure med #1

Since your last study visit, have you taken: Blood pressure pills?

Value	Label	Unweighted Frequency	%
1	No	2050	78.3 %
2	Yes	554	21.2 %
	Missing Data		
.	-	13	0.5 %
	Total	2,617	100%

Based upon 2,604 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 60-61 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BPTW15: Blood pressure med #1 taken 2x/wk last mo

If YES to BP15: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	22	0.8 %

Value	Label	Unweighted Frequency	%
2	Yes	532	20.3 %
	Missing Data		
-1	N/A	2050	78.3 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 554 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 62-63 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BP25: Blood pressure med #2

Since your last study visit, have you taken: Blood pressure pills?

Value	Label	Unweighted Frequency	%
1	No	371	14.2 %
2	Yes	183	7.0 %
	Missing Data		
-1	N/A	2050	78.3 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 554 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 64-65 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BPTW25: Blood pressure med #2 taken 2x/wk last mo

If YES to BP25: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	9	0.3 %
2	Yes	174	6.6 %
	Missing Data		
-1	N/A	2421	92.5 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 183 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 66-67 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIURET15: Diuretic #1

Since your last study visit, have you taken: Diuretics for water retention?

Value	Label	Unweighted Frequency	%
1	No	2453	93.7 %
2	Yes	151	5.8 %
	Missing Data		
.	-	13	0.5 %
	Total	2,617	100%

Based upon 2,604 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 68-69 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIURTW15: Diuretic #1 taken 2x/wk for last mo

If YES to DIURET15: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	25	1.0 %
2	Yes	126	4.8 %
	Missing Data		
-1	N/A	2453	93.7 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 151 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 70-71 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIURET25: Diuretic #2

Since your last study visit, have you taken: Diuretics for water retention?

Value	Label	Unweighted Frequency	%
1	No	145	5.5 %
2	Yes	6	0.2 %
	Missing Data		
-1	N/A	2453	93.7 %
.	-	13	0.5 %
Total		2,617	100%

Based upon 151 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 72-73 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIURTW25: Diuretic #2 taken 2x/wk for last mo

If YES to DIURET25: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	2	0.1 %
2	Yes	4	0.2 %
	Missing Data		
-1	N/A	2598	99.3 %
.	-	13	0.5 %
Total		2,617	100%

Based upon 6 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 74-75 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

THYROI15: Thyroid med #1

Since your last study visit, have you taken: Thyroid pills?

Value	Label	Unweighted Frequency	%
1	No	2351	89.8 %
2	Yes	253	9.7 %
	Missing Data		
.	-	13	0.5 %

Value	Label	Unweighted Frequency	%
	Total	2,617	100%

Based upon 2,604 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 76-77 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

THYRTW15: Thyroid med #1 taken 2x/wk for last mo

If YES to THYROI15: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	9	0.3 %
2	Yes	243	9.3 %
	Missing Data		
-9	Missing	1	0.0 %
-1	N/A	2351	89.8 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 252 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 78-79 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

THYROI25: Thyroid med #2

Since your last study visit, have you taken: Thyroid pills?

Value	Label	Unweighted Frequency	%
1	No	245	9.4 %
2	Yes	8	0.3 %
	Missing Data		
-1	N/A	2351	89.8 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 253 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 80-81 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

THYRTW25: Thyroid med #2 taken 2x/wk for last mo

If YES to THYROI25: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	2	0.1 %
2	Yes	6	0.2 %
	Missing Data		
-1	N/A	2596	99.2 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 8 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 82-83 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

INSULN15: Insulin med #1

Since your last study visit, have you taken: Insulin or pills for sugar in your blood?

Value	Label	Unweighted Frequency	%
1	No	2463	94.1 %
2	Yes	141	5.4 %
	Missing Data		
.	-	13	0.5 %
	Total	2,617	100%

Based upon 2,604 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 84-85 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

INSUTW15: Insulin med #1 taken 2x/wk for last mo

If YES to INSULN15: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	9	0.3 %

Value	Label	Unweighted Frequency	%
2	Yes	132	5.0 %
	Missing Data		
-1	N/A	2463	94.1 %
.	-	13	0.5 %
Total		2,617	100%

Based upon 141 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 86-87 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

INSULN25: Insulin med #2

Since your last study visit, have you taken: Insulin or pills for sugar in your blood?

Value	Label	Unweighted Frequency	%
1	No	68	2.6 %
2	Yes	73	2.8 %
	Missing Data		
-1	N/A	2463	94.1 %
.	-	13	0.5 %
Total		2,617	100%

Based upon 141 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 88-89 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

INSUTW25: Insulin med #2 taken 2x/wk for last mo

If YES to INSULN25: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	3	0.1 %
2	Yes	70	2.7 %
	Missing Data		
-1	N/A	2531	96.7 %
.	-	13	0.5 %
Total		2,617	100%

Based upon 73 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 90-91 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NERVS15: Nervous cond med #1

Since your last study visit, have you taken: Any medications for a nervous condition such as tranquilizers, sedatives, sleeping pills, or anti-depression medication?

Value	Label	Unweighted Frequency	%
1	No	2210	84.4 %
2	Yes	393	15.0 %
Missing Data			
-9	Missing	1	0.0 %
.	-	13	0.5 %
Total		2,617	100%

Based upon 2,603 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 92-93 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NERVTW15: Nervous cond med #1 taken 2x/wk last mo

If YES to NERVS15: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	97	3.7 %
2	Yes	296	11.3 %
Missing Data			
-1	N/A	2211	84.5 %
.	-	13	0.5 %
Total		2,617	100%

Based upon 393 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 94-95 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NERVS25: Nervous cond med #2

Since your last study visit, have you taken: Any medications for a nervous condition such as tranquilizers, sedatives, sleeping pills, or anti-depression medication?

Value	Label	Unweighted Frequency	%
1	No	268	10.2 %
2	Yes	125	4.8 %
	Missing Data		
-1	N/A	2211	84.5 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 393 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 96-97 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NERVTW25: Nervous cond med #2 taken 2x/wk last mo

If YES to NERVS25: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	38	1.5 %
2	Yes	87	3.3 %
	Missing Data		
-1	N/A	2479	94.7 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 125 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 98-99 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

STEROI15: Steroid #1

Since your last study visit, have you taken: Steroid pills such as Prednisone, or cortisone?

Value	Label	Unweighted Frequency	%
1	No	2506	95.8 %
2	Yes	97	3.7 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-9	Missing	1	0.0 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 2,603 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 100-101 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -8 , -7 , -1 , .

STERTW15: Steroid #1 taken 2x/wk for last mo

If YES to STEROI15: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	59	2.3 %
2	Yes	38	1.5 %
	Missing Data		
-1	N/A	2507	95.8 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 97 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 102-103 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -8 , -7 , -1 , .

STEROI25: Steroid #2

Since your last study visit, have you taken: Steroid pills such as Prednisone, or cortisone?

Value	Label	Unweighted Frequency	%
1	No	90	3.4 %
2	Yes	7	0.3 %
	Missing Data		
-1	N/A	2507	95.8 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 97 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 104-105 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

STERTW25: Steroid #2 taken 2x/wk for last mo

If YES to STEROI25: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	4	0.2 %
2	Yes	3	0.1 %
Missing Data			
-1	N/A	2597	99.2 %
.	-	13	0.5 %
Total		2,617	100%

Based upon 7 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 106-107 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FERTIL15: Fertility med #1

Since your last study visit, have you taken: Fertility medications to help you get pregnant (Pergonal, Clomid)?

Value	Label	Unweighted Frequency	%
1	No	2603	99.5 %
2	Yes	0	0.0 %
Missing Data			
-9	Missing	1	0.0 %
.	-	13	0.5 %
Total		2,617	100%

Based upon 2,603 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 108-109 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FRTLTW15: Fertility med #1 taken 2x/wk last mo

If YES to FERTIL15: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	0	0.0 %
2	Yes	0	0.0 %
	Missing Data		
-1	N/A	2604	99.5 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 0 valid cases out of 2,617 total cases.

Location: 110-111 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FERTIL25: Fertility med #2

Since your last study visit, have you taken: Fertility medications to help you get pregnant (Pergonal, Clomid)?

Value	Label	Unweighted Frequency	%
1	No	0	0.0 %
2	Yes	0	0.0 %
	Missing Data		
-1	N/A	2604	99.5 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 0 valid cases out of 2,617 total cases.

Location: 112-113 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FRTLTW25: Fertility med #2 taken 2x/wk last mo

If YES to FERTIL25: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	0	0.0 %
2	Yes	0	0.0 %
	Missing Data		
-1	N/A	2604	99.5 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 0 valid cases out of 2,617 total cases.

Location: 114-115 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BCP15: Birth Control Pill #1

Since your last study visit, have you taken: Birth control pills?

Value	Label	Unweighted Frequency	%
1	No	2557	97.7 %
2	Yes	47	1.8 %
	Missing Data		
.	-	13	0.5 %
	Total	2,617	100%

Based upon 2,604 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 116-117 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BCPTWI15: Birth Control Pill #1 taken 2x/wk last mo

If YES to BCP15: Have you been taking it during the past month?

Value	Label	Unweighted Frequency	%
1	No	17	0.6 %
2	Yes	30	1.1 %
	Missing Data		
-1	N/A	2557	97.7 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 47 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 118-119 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BCP25: Birth Control Pill #2

Since your last study visit, have you taken: Birth control pills?

Value	Label	Unweighted Frequency	%
1	No	41	1.6 %
2	Yes	6	0.2 %
	Missing Data		
-1	N/A	2557	97.7 %

Value	Label	Unweighted Frequency	%
.	-	13	0.5 %
	Total	2,617	100%

Based upon 47 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 120-121 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BCPTWI25: Birth control pills #2 taken 2x/wk last mo

If YES to BCP25: Have you been taking it during the past month?

Value	Label	Unweighted Frequency	%
1	No	5	0.2 %
2	Yes	1	0.0 %
	Missing Data		
-1	N/A	2598	99.3 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 6 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 122-123 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BCREAS5: Primary reason for taking birth control pills

For your most recent use, what was the primary reason for taking birth control pills?

Value	Label	Unweighted Frequency	%
1	Prevent Pregnancy	9	0.3 %
2	Help Control Pre Menstrual Symptoms	1	0.0 %
3	Help Control Menopausal Symptoms	10	0.4 %
4	Control Other Symptoms	0	0.0 %
5	Regulate Periods	11	0.4 %
6	Prevent Osteoporosis	0	0.0 %
7	Reduce Bleeding	9	0.3 %
8	Other	6	0.2 %
	Missing Data		
-1	N/A	2558	97.7 %

Value	Label	Unweighted Frequency	%
-		13	0.5 %
Total		2,617	100%

Based upon 46 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 8.00

Location: 124-125 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BCRES_S5: Primary reason other specify

For your most recent use, what was the primary reason for taking birth control pills? - (Specify)

Value	Label	Unweighted Frequency	%
-		13	0.5 %
-1: N/A		2598	99.3 %
DISCOMFORT DURING PERIODS		1	0.0 %
FIBROIDS - STOP DEVELOPMENT		1	0.0 %
FOR FIBROIDS TRYING TO SHRINK		1	0.0 %
FOR HOT FLASH		1	0.0 %
TO IMPROVE MEMORY		1	0.0 %
TREAT DEPRESSION		1	0.0 %
Total		2,617	100%

Based upon 2,617 valid cases out of 2,617 total cases.

Location: 126-154 (width: 29; decimal: 0)

Variable Type: character

ESTROG15: Estrogen pills #1

Since your last study visit, have you taken: Estrogen pills (such as Premarin, Estrace, Ogen, etc)?

Value	Label	Unweighted Frequency	%
1	No	2361	90.2 %
2	Yes	243	9.3 %
	Missing Data		
.	-	13	0.5 %
Total		2,617	100%

Based upon 2,604 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 155-156 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ESTRTW15: Estrogen pills #1 taken 2x/wk for last mo

If YES to ESTROG15: Have you been taking it during the past month?

Value	Label	Unweighted Frequency	%
1	No	31	1.2 %
2	Yes	212	8.1 %
	Missing Data		
-1	N/A	2361	90.2 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 243 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 157-158 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ESTROG25: Estrogen pills #2

Since your last study visit, have you taken: Estrogen pills (such as Premarin, Estrace, Ogen, etc)?

Value	Label	Unweighted Frequency	%
1	No	231	8.8 %
2	Yes	12	0.5 %
	Missing Data		
-1	N/A	2361	90.2 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 243 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 159-160 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ESTRTW25: Estrogen pills #2 taken 2x/wk for last mo

If YES to ESTROG25: Have you been taking it during the past month?

Value	Label	Unweighted Frequency	%
1	No	6	0.2 %

Value	Label	Unweighted Frequency	%
2	Yes	6	0.2 %
	Missing Data		
-1	N/A	2592	99.0 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 12 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 161-162 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ESTRDA15: Estr #1 rx daily or off & on

If YES to ESTRTW15: Does/Did your prescription have you take estrogen daily or on and off on a monthly cycle?

Value	Label	Unweighted Frequency	%
1	Every Day	222	8.5 %
2	Off and On	16	0.6 %
	Missing Data		
-9	Missing	3	0.1 %
-8	Do not know	2	0.1 %
-1	N/A	2361	90.2 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 238 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 163-164 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -1 , .

ESTRDA25: Estr #2 rx daily or off & on

If YES to ESTRTW25: Does/Did your prescription have you take estrogen daily or on and off on a monthly cycle?

Value	Label	Unweighted Frequency	%
1	Every Day	10	0.4 %
2	Off and On	2	0.1 %
	Missing Data		
-1	N/A	2592	99.0 %
.	-	13	0.5 %

Value	Label	Unweighted Frequency	%
	Total	2,617	100%

Based upon 12 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 165-166 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -1 , .

ESTRNJ15: Estrogen inj/patch #1

Since your last study visit, have you taken: Estrogen by injection or patch (such as Estraderm)?

Value	Label	Unweighted Frequency	%
1	No	2583	98.7 %
2	Yes	21	0.8 %
	Missing Data		
.	-	13	0.5 %
	Total	2,617	100%

Based upon 2,604 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 167-168 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

EINJTW15: Estrogen inj/patch #1 taken 2x/wk last mo

If YES to ESTRNJ15: Have you been taking it during the past month?

Value	Label	Unweighted Frequency	%
1	No	6	0.2 %
2	Yes	15	0.6 %
	Missing Data		
-1	N/A	2583	98.7 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 21 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 169-170 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ESTRNJ25: Estrogen inj/patch #2

Since your last study visit, have you taken: Estrogen by injection or patch (such as Estraderm)?

Value	Label	Unweighted Frequency	%
1	No	25	1.0 %
2	Yes	0	0.0 %
	Missing Data		
-1	N/A	2579	98.5 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 25 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 171-172 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

EINJTW25: Estrogen inj/patch #2 taken 2x/wk last mo

If YES to ESTRNJ25: Have you been taking it during the past month?

Value	Label	Unweighted Frequency	%
1	No	0	0.0 %
2	Yes	0	0.0 %
	Missing Data		
-1	N/A	2604	99.5 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 0 valid cases out of 2,617 total cases.

Location: 173-174 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

COMBIN15: Comb estrogen/progestin #1

Since your last study visit, have you taken: Combination estrogen/progestin (such as Premphase or Prempro)?

Value	Label	Unweighted Frequency	%
1	No	2415	92.3 %
2	Yes	189	7.2 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	13	0.5 %
Total		2,617	100%

Based upon 2,604 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 175-176 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

COMBTW15: Comb estrogen/progestin #1 taken 2x/wk last mo

If YES to COMBIN15: Have you been taking it during the past month?

Value	Label	Unweighted Frequency	%
1	No	30	1.1 %
2	Yes	159	6.1 %
Missing Data			
-1	N/A	2415	92.3 %
.	-	13	0.5 %
Total		2,617	100%

Based upon 189 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 177-178 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

COMBIN25: Comb estrogen/progestin #2

Since your last study visit, have you taken: Combination estrogen/progestin (such as Premphase or Prempro)?

Value	Label	Unweighted Frequency	%
1	No	180	6.9 %
2	Yes	6	0.2 %
Missing Data			
-1	N/A	2418	92.4 %
.	-	13	0.5 %
Total		2,617	100%

Based upon 186 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 179-180 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

COMBTW25: Comb estrogen/progestin #2 taken 2x/wk last mo

If YES to COMBIN25: Have you been taking it during the past month?

Value	Label	Unweighted Frequency	%
1	No	3	0.1 %
2	Yes	3	0.1 %
	Missing Data		
-1	N/A	2598	99.3 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 6 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 181-182 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PROGES15: Progestin pills #1

Since your last study visit, have you taken: Progestin pills (such as Provera)?

Value	Label	Unweighted Frequency	%
1	No	2424	92.6 %
2	Yes	180	6.9 %
	Missing Data		
.	-	13	0.5 %
	Total	2,617	100%

Based upon 2,604 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 183-184 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PROGTW15: Progestin pills #1 taken 2x/wk last mo

If YES to PROGES15: Have you been taking it during the past month?

Value	Label	Unweighted Frequency	%
1	No	33	1.3 %

Value	Label	Unweighted Frequency	%
2	Yes	147	5.6 %
	Missing Data		
-1	N/A	2424	92.6 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 180 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 185-186 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PROGES25: Progestin pills #2

Since your last study visit, have you taken: Progestin pills (such as Provera)?

Value	Label	Unweighted Frequency	%
1	No	178	6.8 %
2	Yes	2	0.1 %
	Missing Data		
-1	N/A	2424	92.6 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 180 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 187-188 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PROGTW25: Progestin pills #2 taken 2x/wk last mo

If YES to PROGES25: Have you been taking it during the past month?

Value	Label	Unweighted Frequency	%
1	No	1	0.0 %
2	Yes	1	0.0 %
	Missing Data		
-1	N/A	2602	99.4 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 2 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 189-190 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PROGDA15: Prog #1 rx daily or off & on

If YES to PROGTW15: Does/Did your prescription have you take progestin daily or on and off a monthly cycle?

Value	Label	Unweighted Frequency	%
1	Every Day	92	3.5 %
2	Off and On	84	3.2 %
Missing Data			
-9	Missing	2	0.1 %
-8	Do not know	2	0.1 %
-1	N/A	2424	92.6 %
.	-	13	0.5 %
Total		2,617	100%

Based upon 176 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 191-192 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -1 , .

PROGDA25: Prog #2 rx daily or off & on

If YES to PROGTW25: Does/Did your prescription have you take progestin daily or on and off a monthly cycle?

Value	Label	Unweighted Frequency	%
1	Every Day	1	0.0 %
2	Off and On	1	0.0 %
Missing Data			
-1	N/A	2602	99.4 %
.	-	13	0.5 %
Total		2,617	100%

Based upon 2 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 193-194 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -1 , .

OSTEPR15: Osteoporosis med #1

Since your last study visit, have you taken: Medications to prevent or treat osteoporosis (brittle or thinning bones such as Fosamax, Didronel, Evista, Miocalcin, Rocaltrol, Actonel)?

Value	Label	Unweighted Frequency	%
1	No	2561	97.9 %
2	Yes	43	1.6 %
	Missing Data		
.	-	13	0.5 %
	Total	2,617	100%

Based upon 2,604 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 195-196 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OSTETW15: Osteoporosis med #1 taken 2x/wk for last mo

If YES to OSTEPR15: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	11	0.4 %
2	Yes	32	1.2 %
	Missing Data		
-1	N/A	2561	97.9 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 43 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 197-198 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OSTEPR25: Osteoporosis med #2

Since your last study visit, have you taken: Medications to prevent or treat osteoporosis (brittle or thinning bones such as Fosamax, Didronel, Evista, Miocalcin, Rocaltrol, Actonel)?

Value	Label	Unweighted Frequency	%
1	No	43	1.6 %

Value	Label	Unweighted Frequency	%
2	Yes	0	0.0 %
	Missing Data		
-1	N/A	2561	97.9 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 43 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 199-200 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OSTETW25: Osteoporosis med #2 taken 2x/wk for last mo

If YES to OSTEPR25: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	0	0.0 %
2	Yes	0	0.0 %
	Missing Data		
-1	N/A	2604	99.5 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 0 valid cases out of 2,617 total cases.

Location: 201-202 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ARTHRT15: Arthritis med #1

Since your last study visit, have you taken: Prescribed medications for arthritis?

Value	Label	Unweighted Frequency	%
1	No	2349	89.8 %
2	Yes	191	7.3 %
	Missing Data		
-9	Missing	1	0.0 %
-1	N/A	63	2.4 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 2,540 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 203-204 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ARTHTW15: Arthritis med #1 taken 2x/wk last mo

If YES to ARTHRT15: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	53	2.0 %
2	Yes	138	5.3 %
Missing Data			
-1	N/A	2413	92.2 %
.	-	13	0.5 %
Total		2,617	100%

Based upon 191 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 205-206 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ARTHRT25: Arthritis med #2

Since your last study visit, have you taken: Prescribed medications for arthritis?

Value	Label	Unweighted Frequency	%
1	No	161	6.2 %
2	Yes	30	1.1 %
Missing Data			
-1	N/A	2413	92.2 %
.	-	13	0.5 %
Total		2,617	100%

Based upon 191 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 207-208 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ARTHTW25: Arthritis med #2 taken 2x/wk last mo

If YES to ARTHRT15: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	8	0.3 %
2	Yes	22	0.8 %
	Missing Data		
-1	N/A	2574	98.4 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 30 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 209-210 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHMED15: Other rx med #1

Since your last study visit: Are there any other prescription pills or medications that you have taken, that I haven't asked you about? (Please list)

Value	Label	Unweighted Frequency	%
1	No	1477	56.4 %
2	Yes	1127	43.1 %
	Missing Data		
.	-	13	0.5 %
	Total	2,617	100%

Based upon 2,604 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 211-212 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHRTW15: Other rx med #1 taken 2x/wk last mo

If YES to OTHMED15: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	488	18.6 %
2	Yes	639	24.4 %
	Missing Data		
-1	N/A	1477	56.4 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 1,127 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 213-214 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHMED25: Other rx med #2

Since your last study visit: Are there any other prescription pills or medications that you have taken, that I haven't asked you about? (Please list)

Value	Label	Unweighted Frequency	%
1	No	531	20.3 %
2	Yes	595	22.7 %
Missing Data			
-9	Missing	1	0.0 %
-1	N/A	1477	56.4 %
.	-	13	0.5 %
Total		2,617	100%

Based upon 1,126 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 215-216 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHRTW25: Other rx med #2 taken 2x/wk last mo

If YES to OTHMED25: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	265	10.1 %
2	Yes	330	12.6 %
Missing Data			
-1	N/A	2009	76.8 %
.	-	13	0.5 %
Total		2,617	100%

Based upon 595 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 217-218 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHMED35: Other rx med #3

Since your last study visit: Are there any other prescription pills or medications that you have taken, that I haven't asked you about? (Please list)

Value	Label	Unweighted Frequency	%
1	No	255	9.7 %
2	Yes	340	13.0 %
	Missing Data		
-1	N/A	2009	76.8 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 595 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 219-220 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHRTW35: Other rx med #3 taken 2x/wk last mo

If YES to OTHMED35: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	124	4.7 %
2	Yes	215	8.2 %
	Missing Data		
-9	Missing	1	0.0 %
-1	N/A	2264	86.5 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 339 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 221-222 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHMED45: Other rx med #4

Since your last study visit: Are there any other prescription pills or medications that you have taken, that I haven't asked you about? (Please list)

Value	Label	Unweighted Frequency	%
1	No	143	5.5 %
2	Yes	197	7.5 %
	Missing Data		
-1	N/A	2264	86.5 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 340 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 223-224 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHRTW45: Other rx med #4 taken 2x/wk last mo

If YES to OTHMED45: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	84	3.2 %
2	Yes	113	4.3 %
	Missing Data		
-1	N/A	2407	92.0 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 197 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 225-226 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHMED55: Other rx med #5

Since your last study visit: Are there any other prescription pills or medications that you have taken, that I haven't asked you about? (Please list)

Value	Label	Unweighted Frequency	%
1	No	78	3.0 %
2	Yes	119	4.5 %
	Missing Data		
-1	N/A	2407	92.0 %
.	-	13	0.5 %

Value	Label	Unweighted Frequency	%
	Total	2,617	100%

Based upon 197 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 227-228 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHRTW55: Other rx med #5 taken 2x/wk last mo

If YES to OTHMED55: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	53	2.0 %
2	Yes	66	2.5 %
	Missing Data		
-1	N/A	2485	95.0 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 119 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 229-230 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHMED65: Other rx med #6

Since your last study visit: Are there any other prescription pills or medications that you have taken, that I haven't asked you about? (Please list)

Value	Label	Unweighted Frequency	%
1	No	43	1.6 %
2	Yes	76	2.9 %
	Missing Data		
-1	N/A	2485	95.0 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 119 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 231-232 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHRTW65: Other rx med #6 taken 2x/wk last mo

If YES to OTHMED65: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	36	1.4 %
2	Yes	40	1.5 %
	Missing Data		
-1	N/A	2528	96.6 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 76 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 233-234 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHMED75: Other rx med #7

Since your last study visit: Are there any other prescription pills or medications that you have taken, that I haven't asked you about? (Please list)

Value	Label	Unweighted Frequency	%
1	No	37	1.4 %
2	Yes	39	1.5 %
	Missing Data		
-1	N/A	2528	96.6 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 76 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 235-236 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHRTW75: Other rx med #7 taken 2x/wk last mo

If YES to OTHMED75: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	22	0.8 %
2	Yes	17	0.6 %
	Missing Data		
-1	N/A	2565	98.0 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 39 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 237-238 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHMED85: Other rx med #8

Since your last study visit: Are there any other prescription pills or medications that you have taken, that I haven't asked you about? (Please list)

Value	Label	Unweighted Frequency	%
1	No	15	0.6 %
2	Yes	24	0.9 %
	Missing Data		
-1	N/A	2565	98.0 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 39 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 239-240 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHRTW85: Other rx med #8 taken 2x/wk last mo

If YES to OTHMED85: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	14	0.5 %
2	Yes	10	0.4 %
	Missing Data		
-1	N/A	2580	98.6 %
.	-	13	0.5 %

Value	Label	Unweighted Frequency	%
	Total	2,617	100%

Based upon 24 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 241-242 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHMED95: Other rx med #9

Since your last study visit: Are there any other prescription pills or medications that you have taken, that I haven't asked you about?
(Please list)

Value	Label	Unweighted Frequency	%
1	No	8	0.3 %
2	Yes	16	0.6 %
	Missing Data		
-1	N/A	2580	98.6 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 24 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 243-244 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHRTW95: Other rx med #9 taken 2x/wk last mo

If YES to OTHMED95: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	9	0.3 %
2	Yes	7	0.3 %
	Missing Data		
-1	N/A	2588	98.9 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 16 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 245-246 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHME105: Other rx med #10

Since your last study visit: Are there any other prescription pills or medications that you have taken, that I haven't asked you about?
(Please list)

Value	Label	Unweighted Frequency	%
1	No	6	0.2 %
2	Yes	10	0.4 %
	Missing Data		
-1	N/A	2588	98.9 %
.	-	13	0.5 %
Total		2,617	100%

Based upon 16 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 247-248 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHTW105: Other rx med #10 taken 2x/wk last mo

If YES to OTHME105: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	6	0.2 %
2	Yes	4	0.2 %
	Missing Data		
-1	N/A	2594	99.1 %
.	-	13	0.5 %
Total		2,617	100%

Based upon 10 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 249-250 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHME115: Other rx med #11

Since your last study visit: Are there any other prescription pills or medications that you have taken, that I haven't asked you about?
(Please list)

Value	Label	Unweighted Frequency	%
1	No	3	0.1 %
2	Yes	7	0.3 %
	Missing Data		
-1	N/A	2594	99.1 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 10 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 251-252 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHTW115: Other rx med #11 taken 2x/wk last mo

If YES to OTHME115: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	5	0.2 %
2	Yes	2	0.1 %
	Missing Data		
-1	N/A	2597	99.2 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 7 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 253-254 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHME125: Other rx med #12

Since your last study visit: Are there any other prescription pills or medications that you have taken, that I haven't asked you about? (Please list)

Value	Label	Unweighted Frequency	%
1	No	3	0.1 %
2	Yes	4	0.2 %
	Missing Data		
-1	N/A	2597	99.2 %
.	-	13	0.5 %

Value	Label	Unweighted Frequency	%
	Total	2,617	100%

Based upon 7 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 255-256 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHTW125: Other rx med #12 taken 2x/wk last mo

If YES to OTHME125: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	4	0.2 %
2	Yes	0	0.0 %
	Missing Data		
-1	N/A	2600	99.4 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 4 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 257-258 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHME135: Other rx med #13

Since your last study visit: Are there any other prescription pills or medications that you have taken, that I haven't asked you about? (Please list)

Value	Label	Unweighted Frequency	%
1	No	1	0.0 %
2	Yes	3	0.1 %
	Missing Data		
-1	N/A	2600	99.4 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 4 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 259-260 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHTW135: Other rx med #13 taken 2x/wk last mo

If YES to OTHME135: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	1	0.0 %
2	Yes	2	0.1 %
	Missing Data		
-1	N/A	2601	99.4 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 3 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 261-262 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHME145: Other rx med #14

Since your last study visit: Are there any other prescription pills or medications that you have taken, that I haven't asked you about? (Please list)

Value	Label	Unweighted Frequency	%
1	No	1	0.0 %
2	Yes	2	0.1 %
	Missing Data		
-1	N/A	2601	99.4 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 3 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 263-264 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHTW145: Other rx med #14 taken 2x/wk last mo

If YES to OTHME145: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	1	0.0 %
2	Yes	1	0.0 %
	Missing Data		
-1	N/A	2602	99.4 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 2 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 265-266 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHME155: Other rx med #15

Since your last study visit: Are there any other prescription pills or medications that you have taken, that I haven't asked you about? (Please list)

Value	Label	Unweighted Frequency	%
1	No	1	0.0 %
2	Yes	1	0.0 %
	Missing Data		
-1	N/A	2602	99.4 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 2 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 267-268 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHTW155: Other rx med #15 taken 2x/wk last mo

If YES to OTHME155: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	1	0.0 %
2	Yes	0	0.0 %
	Missing Data		
-1	N/A	2603	99.5 %
.	-	13	0.5 %

Value	Label	Unweighted Frequency	%
	Total	2,617	100%

Based upon 1 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 269-270 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ESTLSTV5: Using any estrogen/progestin at time of last study visit

Were you using any prescription medications containing estrogen or progestin at the time of your last study visit?

Value	Label	Unweighted Frequency	%
1	No	147	5.6 %
2	Yes	309	11.8 %
	Missing Data		
-8	Do not know	6	0.2 %
-1	N/A	2142	81.8 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 456 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 271-272 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

REDUHAR5: Reduce risk of heart disease

I am going to read a list of some reasons why women start taking hormones, not including birth control pills. For each one, please tell me if it is a reason why you started taking hormones: To reduce the risk of heart disease

Value	Label	Unweighted Frequency	%
1	No	126	4.8 %
2	Yes	27	1.0 %
	Missing Data		
-1	N/A	2451	93.7 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 153 valid cases out of 2,617 total cases.

- Minimum: 1.00

- Maximum: 2.00

Location: 273-274 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OSTEOP5: Reduce risk of osteoporosis

I am going to read a list of some reasons why women start taking hormones, not including birth control pills. For each one, please tell me if it is a reason why you started taking hormones: To reduce the risk of osteoporosis (brittle or thinning bones)

Value	Label	Unweighted Frequency	%
1	No	100	3.8 %
2	Yes	53	2.0 %
Missing Data			
-1	N/A	2451	93.7 %
.	-	13	0.5 %
Total		2,617	100%

Based upon 153 valid cases out of 2,617 total cases.

- Minimum: 1.00

- Maximum: 2.00

Location: 275-276 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MENOSYM5: Relieve menopausal symptoms

I am going to read a list of some reasons why women start taking hormones, not including birth control pills. For each one, please tell me if it is a reason why you started taking hormones: To relieve menopausal symptoms

Value	Label	Unweighted Frequency	%
1	No	44	1.7 %
2	Yes	109	4.2 %
Missing Data			
-1	N/A	2451	93.7 %
.	-	13	0.5 %
Total		2,617	100%

Based upon 153 valid cases out of 2,617 total cases.

- Minimum: 1.00

- Maximum: 2.00

Location: 277-278 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

YOUNGLK5: Stay young-looking

I am going to read a list of some reasons why women start taking hormones, not including birth control pills. For each one, please tell me if it is a reason why you started taking hormones: To stay young-looking

Value	Label	Unweighted Frequency	%
1	No	135	5.2 %
2	Yes	18	0.7 %
	Missing Data		
-1	N/A	2451	93.7 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 153 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 279-280 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

HCPADV15: Health care provider advised

I am going to read a list of some reasons why women start taking hormones, not including birth control pills. For each one, please tell me if it is a reason why you started taking hormones: A health care provider advised me to take them

Value	Label	Unweighted Frequency	%
1	No	38	1.5 %
2	Yes	115	4.4 %
	Missing Data		
-1	N/A	2451	93.7 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 153 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 281-282 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

FRNADV15: Friend/relative advised

I am going to read a list of some reasons why women start taking hormones, not including birth control pills. For each one, please tell me if it is a reason why you started taking hormones: A friend or relative advised me to take them

Value	Label	Unweighted Frequency	%
1	No	140	5.3 %
2	Yes	13	0.5 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-1	N/A	2451	93.7 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 153 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 283-284 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

IMPRMEM5: Improve memory

I am going to read a list of some reasons why women start taking hormones, not including birth control pills. For each one, please tell me if it is a reason why you started taking hormones: To improve my memory

Value	Label	Unweighted Frequency	%
1	No	139	5.3 %
2	Yes	14	0.5 %
	Missing Data		
-1	N/A	2451	93.7 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 153 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 285-286 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

REGPERI5: Regulate periods

I am going to read a list of some reasons why women start taking hormones, not including birth control pills. For each one, please tell me if it is a reason why you started taking hormones: To regulate periods

Value	Label	Unweighted Frequency	%
1	No	116	4.4 %
2	Yes	37	1.4 %
	Missing Data		
-1	N/A	2451	93.7 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 153 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 287-288 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HORMOTH5: Take hormones for other reasons

I am going to read a list of some reasons why women start taking hormones, not including birth control pills. For each one, please tell me if it is a reason why you started taking hormones: Any other? Specify

Value	Label	Unweighted Frequency	%
1	No	129	4.9 %
2	Yes	24	0.9 %
	Missing Data		
-1	N/A	2451	93.7 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 153 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 289-290 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DONTKNO5: Don't know/rem why take hormones

I am going to read a list of some reasons why women start taking hormones, not including birth control pills. For each one, please tell me if it is a reason why you started taking hormones: Don't Know/Remember

Value	Label	Unweighted Frequency	%
1	No	152	5.8 %
2	Yes	0	0.0 %
	Missing Data		
-9	Missing	1	0.0 %
-1	N/A	2451	93.7 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 152 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 291-292 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HORMDAY5: Last Took Hormones Day

Since your last study visit, you were taking some hormones and then stopped. In what month and year did you last take hormones?

Value	Label	Unweighted Frequency	%
1438	-	1	0.0 %
1476	-	1	0.0 %
1484	-	1	0.0 %
1487	-	1	0.0 %
1511	-	1	0.0 %
1527	-	1	0.0 %
1610	-	1	0.0 %
1615	-	1	0.0 %
1618	-	1	0.0 %
1643	-	1	0.0 %
1655	-	1	0.0 %
1664	-	1	0.0 %
1666	-	1	0.0 %
1669	-	1	0.0 %
1670	-	1	0.0 %
1672	-	1	0.0 %
1676	-	2	0.1 %
1679	-	1	0.0 %
1684	-	2	0.1 %
1685	-	1	0.0 %
1696	-	1	0.0 %
1697	-	1	0.0 %
1710	-	2	0.1 %
1712	-	1	0.0 %
1713	-	1	0.0 %
1716	-	1	0.0 %
1724	-	1	0.0 %
1732	-	1	0.0 %
1734	-	1	0.0 %
1736	-	1	0.0 %
1742	-	1	0.0 %
1752	-	1	0.0 %
1756	-	1	0.0 %
1761	-	1	0.0 %
1762	-	1	0.0 %
1763	-	1	0.0 %
1770	-	1	0.0 %

Value	Label	Unweighted Frequency	%
1779	-	1	0.0 %
1782	-	1	0.0 %
1788	-	1	0.0 %
1789	-	1	0.0 %
1795	-	1	0.0 %
1798	-	1	0.0 %
1799	-	1	0.0 %
1818	-	1	0.0 %
1822	-	2	0.1 %
1823	-	1	0.0 %
1824	-	1	0.0 %
1838	-	1	0.0 %
1842	-	1	0.0 %
Missing Data			
.	-	2559	97.8 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 58 valid cases out of 2,617 total cases.

- Mean: 1718.53
- Median: 1720.00
- Minimum: 1438.00
- Maximum: 1944.00
- Standard Deviation: 109.88

Location: 293-296 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: .

PRBBLEE5: Problems w/bleeding

Since your last study visit, you were taking hormones and then stopped. What were your reasons for stopping? Problems with bleeding

Value	Label	Unweighted Frequency	%
1	No	56	2.1 %
2	Yes	10	0.4 %
Missing Data			
-9	Missing	1	0.0 %
-1	N/A	2537	96.9 %
.	-	13	0.5 %
Total		2,617	100%

Based upon 66 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 297-298 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HAVEPER5: Did not like having periods

Since your last study visit, you were taking hormones and then stopped. What were your reasons for stopping? Didn't like having periods

Value	Label	Unweighted Frequency	%
1	No	65	2.5 %
2	Yes	1	0.0 %
Missing Data			
-9	Missing	1	0.0 %
-1	N/A	2537	96.9 %
.	-	13	0.5 %
Total		2,617	100%

Based upon 66 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 299-300 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

LIKEFEL5: Did not like how felt on them

Since your last study visit, you were taking hormones and then stopped. What were your reasons for stopping? Didn't like how I felt on them

Value	Label	Unweighted Frequency	%
1	No	58	2.2 %
2	Yes	8	0.3 %
Missing Data			
-9	Missing	1	0.0 %
-1	N/A	2537	96.9 %
.	-	13	0.5 %
Total		2,617	100%

Based upon 66 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 301-302 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SIDEEFF5: Worried about poss side effects

Since your last study visit, you were taking hormones and then stopped. What were your reasons for stopping? Worried about possible side effects

Value	Label	Unweighted Frequency	%
1	No	55	2.1 %
2	Yes	11	0.4 %
Missing Data			
-9	Missing	1	0.0 %
-1	N/A	2537	96.9 %
.	-	13	0.5 %
Total		2,617	100%

Based upon 66 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 303-304 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CANCER5: Worried about cancer

Since your last study visit, you were taking hormones and then stopped. What were your reasons for stopping? Worried about cancer

Value	Label	Unweighted Frequency	%
1	No	55	2.1 %
2	Yes	11	0.4 %
Missing Data			
-9	Missing	1	0.0 %
-1	N/A	2537	96.9 %
.	-	13	0.5 %
Total		2,617	100%

Based upon 66 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 305-306 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ADVISTO5: Health care prov advised to stop

Since your last study visit, you were taking hormones and then stopped. What were your reasons for stopping? My health care provider advised me to stop (for medical reasons)

Value	Label	Unweighted Frequency	%
1	No	56	2.1 %
2	Yes	10	0.4 %
Missing Data			
-9	Missing	1	0.0 %
-1	N/A	2537	96.9 %
.	-	13	0.5 %
Total		2,617	100%

Based upon 66 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 307-308 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

EXPENSI5: Too expensive

Since your last study visit, you were taking hormones and then stopped. What were your reasons for stopping? Too expensive

Value	Label	Unweighted Frequency	%
1	No	63	2.4 %
2	Yes	3	0.1 %
Missing Data			
-9	Missing	1	0.0 %
-1	N/A	2537	96.9 %
.	-	13	0.5 %
Total		2,617	100%

Based upon 66 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 309-310 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NOLIKE5: Do not like taking meds

Since your last study visit, you were taking hormones and then stopped. What were your reasons for stopping? Don't like to take any medications

Value	Label	Unweighted Frequency	%
1	No	60	2.3 %
2	Yes	6	0.2 %
Missing Data			

Value	Label	Unweighted Frequency	%
-9	Missing	1	0.0 %
-1	N/A	2537	96.9 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 66 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 311-312 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NOREMEB5: Couldn't remember to take them

Since your last study visit, you were taking hormones and then stopped. What were your reasons for stopping? Couldn't remember to take them

Value	Label	Unweighted Frequency	%
1	No	65	2.5 %
2	Yes	1	0.0 %
	Missing Data		
-9	Missing	1	0.0 %
-1	N/A	2537	96.9 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 66 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 313-314 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DNTKNOW5: Don't know why stopped hormones

Since your last study visit, you were taking hormones and then stopped. What were your reasons for stopping? Don't know

Value	Label	Unweighted Frequency	%
1	No	65	2.5 %
2	Yes	1	0.0 %
	Missing Data		
-9	Missing	1	0.0 %
-1	N/A	2537	96.9 %
.	-	13	0.5 %

Value	Label	Unweighted Frequency	%
	Total	2,617	100%

Based upon 66 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 315-316 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

STOPOTH5: Stopped hormones other reason

Since your last study visit, you were taking hormones and then stopped. What were your reasons for stopping? Other, specify

Value	Label	Unweighted Frequency	%
1	No	30	1.1 %
2	Yes	36	1.4 %
	Missing Data		
-9	Missing	1	0.0 %
-1	N/A	2537	96.9 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 66 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 317-318 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NOREASO5: Stopped hormones no reason given

Since your last study visit, you were taking hormones and then stopped. What were your reasons for stopping? No reason given

Value	Label	Unweighted Frequency	%
1	No	64	2.4 %
2	Yes	1	0.0 %
	Missing Data		
-9	Missing	2	0.1 %
-1	N/A	2537	96.9 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 65 valid cases out of 2,617 total cases.

- Minimum: 1.00

- Maximum: 2.00

Location: 319-320 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PAIN15: OTC Pain med #1

Since your last study visit, have you taken: Any over-the-counter medications for pain including headaches and arthritis?

Value	Label	Unweighted Frequency	%
1	No	1699	64.9 %
2	Yes	842	32.2 %
Missing Data			
-1	N/A	63	2.4 %
.	-	13	0.5 %
Total		2,617	100%

Based upon 2,541 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 321-322 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PAINTW15: OTC Pain med #1 taken 2x/wk last mo

If YES to PAIN15: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	358	13.7 %
2	Yes	484	18.5 %
Missing Data			
-1	N/A	1762	67.3 %
.	-	13	0.5 %
Total		2,617	100%

Based upon 842 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 323-324 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PAIN25: OTC Pain med #2

Since your last study visit, have you taken: Any over-the-counter medications for pain including headaches and arthritis?

Value	Label	Unweighted Frequency	%
1	No	620	23.7 %
2	Yes	222	8.5 %
	Missing Data		
-1	N/A	1762	67.3 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 842 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 325-326 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PAINTW25: OTC Pain med #2 taken 2x/wk last mo

If YES to PAIN25: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	124	4.7 %
2	Yes	98	3.7 %
	Missing Data		
-1	N/A	2382	91.0 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 222 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 327-328 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SLEEP15: OTC Sleep med #1

Since your last study visit, have you taken: Anything for problems sleeping?

Value	Label	Unweighted Frequency	%
1	No	2424	92.6 %
2	Yes	117	4.5 %
	Missing Data		
-1	N/A	63	2.4 %
.	-	13	0.5 %

Value	Label	Unweighted Frequency	%
	Total	2,617	100%

Based upon 2,541 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 329-330 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SLEPTW15: OTC Sleep med #1 taken 2x/wk last mo

If YES to SLEEP15: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	51	1.9 %
2	Yes	66	2.5 %
	Missing Data		
-1	N/A	2487	95.0 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 117 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 331-332 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SLEEP25: OTC Sleep med #2

Since your last study visit, have you taken: Anything for problems sleeping?

Value	Label	Unweighted Frequency	%
1	No	108	4.1 %
2	Yes	9	0.3 %
	Missing Data		
-1	N/A	2487	95.0 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 117 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 333-334 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SLEPTW25: OTC Sleep med #2 taken 2x/wk last mo

If YES to SLEEP25: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	5	0.2 %
2	Yes	4	0.2 %
	Missing Data		
-1	N/A	2595	99.2 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 9 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 335-336 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTC15: Other OTC med #1

Since your last study visit, have you taken: Any other over-the-counter pills or other medications (including liquids or ointments) that I haven't talked to you about?

Value	Label	Unweighted Frequency	%
1	No	1896	72.4 %
2	Yes	645	24.6 %
	Missing Data		
-1	N/A	63	2.4 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 2,541 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 337-338 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTCTW15: Other OTC med #1 taken 2x/wk last mo

If YES to OTC15: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	153	5.8 %
2	Yes	491	18.8 %
	Missing Data		
-9	Missing	1	0.0 %
-1	N/A	1959	74.9 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 644 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 339-340 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTC25: Other OTC med #2

Since your last study visit, have you taken: Any other over-the-counter pills or other medications (including liquids or ointments) that I haven't talked to you about?

Value	Label	Unweighted Frequency	%
1	No	364	13.9 %
2	Yes	281	10.7 %
	Missing Data		
-1	N/A	1959	74.9 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 645 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 341-342 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTCTW25: Other OTC med #2 taken 2x/wk last mo

If YES to OTC25: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	46	1.8 %
2	Yes	235	9.0 %
	Missing Data		
-1	N/A	2323	88.8 %

Value	Label	Unweighted Frequency	%
.	-	13	0.5 %
	Total	2,617	100%

Based upon 281 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 343-344 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTC35: Other OTC med #3

Since your last study visit, have you taken: Any other over-the-counter pills or other medications (including liquids or ointments) that I haven't talked to you about?

Value	Label	Unweighted Frequency	%
1	No	117	4.5 %
2	Yes	164	6.3 %
	Missing Data		
-1	N/A	2323	88.8 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 281 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 345-346 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTCTW35: Other OTC med #3 taken 2x/wk last mo

If YES to OTC35: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	21	0.8 %
2	Yes	143	5.5 %
	Missing Data		
-1	N/A	2440	93.2 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 164 valid cases out of 2,617 total cases.

- Minimum: 1.00

- Maximum: 2.00

Location: 347-348 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTC45: Other OTC med #4

Since your last study visit, have you taken: Any other over-the-counter pills or other medications (including liquids or ointments) that I haven't talked to you about?

Value	Label	Unweighted Frequency	%
1	No	77	2.9 %
2	Yes	87	3.3 %
Missing Data			
-1	N/A	2440	93.2 %
.	-	13	0.5 %
Total		2,617	100%

Based upon 164 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 349-350 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTCTW45: Other OTC med #4 taken 2x/wk last mo

If YES to OTC45: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	13	0.5 %
2	Yes	74	2.8 %
Missing Data			
-1	N/A	2517	96.2 %
.	-	13	0.5 %
Total		2,617	100%

Based upon 87 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 351-352 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ALCHL245: Alcohol in Last 24 hrs

Have you had any alcohol in the last 24 hours?

Value	Label	Unweighted Frequency	%
1	No	1813	69.3 %
2	Yes	341	13.0 %
Missing Data			
-9	Missing	8	0.3 %
-1	N/A	1	0.0 %
.	-	454	17.3 %
Total		2,617	100%

Based upon 2,154 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 353-354 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SOYPROT5: How often take soy protein

During the past year have you used any supplements containing soy protein or phytoestrogen powders or pills?

Value	Label	Unweighted Frequency	%
1	Don't take any	2203	84.2 %
2	1-3 days/week	121	4.6 %
3	4-6 days/week	43	1.6 %
4	Every day	152	5.8 %
Missing Data			
-9	Missing	1	0.0 %
-8	Do not know	21	0.8 %
-1	N/A	63	2.4 %
.	-	13	0.5 %
Total		2,617	100%

Based upon 2,519 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 355-356 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CEREACA5: How many bowls high calcium cereal

How many bowls of cereal do you eat per week where the label of the cereal box says that it is high in calcium?

Value	Label	Unweighted Frequency	%
1	None or <1/week	1706	65.2 %

Value	Label	Unweighted Frequency	%
2	1/week	245	9.4 %
3	2/week	158	6.0 %
4	3-4/week	148	5.7 %
5	5-6/week	65	2.5 %
6	>=7/week	32	1.2 %
Missing Data			
-9	Missing	1	0.0 %
-8	Do not know	186	7.1 %
-1	N/A	63	2.4 %
.	-	13	0.5 %
Total		2,617	100%

Based upon 2,354 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 357-358 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

BREADCA5: How many slices high calcium bread

How many slices of bread do you eat per week when the bread wrapper says the loaf is high in calcium?

Value	Label	Unweighted Frequency	%
1	None or <1/week	1615	61.7 %
2	1/week	158	6.0 %
3	2/week	154	5.9 %
4	3-4/week	157	6.0 %
5	5-6/week	76	2.9 %
6	>=7/week	99	3.8 %
Missing Data			
-9	Missing	1	0.0 %
-8	Do not know	281	10.7 %
-1	N/A	63	2.4 %
.	-	13	0.5 %
Total		2,617	100%

Based upon 2,259 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 359-360 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

ORANGCA5: How many glasses high calcium OJ

Some brands of orange juice have extra calcium added. How many glasses of orange juice containing extra calcium do you drink per week?

Value	Label	Unweighted Frequency	%
1	None or <1/week	1519	58.0 %
2	1/week	246	9.4 %
3	2/week	224	8.6 %
4	3-4/week	223	8.5 %
5	5-6/week	127	4.9 %
6	>=7/week	179	6.8 %
Missing Data			
-9	Missing	1	0.0 %
-8	Do not know	22	0.8 %
-1	N/A	63	2.4 %
.	-	13	0.5 %
Total		2,617	100%

Based upon 2,518 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 361-362 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -8 , -7 , -1 , .

ANEMIA5: Anemia since last visit

Since your last study visit, has a doctor, nurse practitioner or other health care provider told you that you had any of the following conditions or treated you for them? Anemia?

Value	Label	Unweighted Frequency	%
1	No	2357	90.1 %
2	Yes	184	7.0 %
Missing Data			
-1	N/A	63	2.4 %
.	-	13	0.5 %
Total		2,617	100%

Based upon 2,541 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 363-364 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -8 , -7 , -1 , .

DIABETE5: Diabetes since last visit

Since your last study visit, has a doctor, nurse practitioner or other health care provider told you that you had any of the following conditions or treated you for them? Diabetes?

Value	Label	Unweighted Frequency	%
1	No	2457	93.9 %
2	Yes	146	5.6 %
	Missing Data		
-8	Do not know	1	0.0 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 2,603 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 365-366 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HIGHBP5: Hypertension since last visit

Since your last study visit, has a doctor, nurse practitioner or other health care provider told you that you had any of the following conditions or treated you for them? High blood pressure or hypertension?

Value	Label	Unweighted Frequency	%
1	No	2085	79.7 %
2	Yes	519	19.8 %
	Missing Data		
.	-	13	0.5 %
	Total	2,617	100%

Based upon 2,604 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 367-368 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HBCHOLE5: High cholesterol since last visit

Since your last study visit, has a doctor, nurse practitioner or other health care provider told you that you had any of the following conditions or treated you for them? High cholesterol?

Value	Label	Unweighted Frequency	%
1	No	2130	81.4 %

Value	Label	Unweighted Frequency	%
2	Yes	408	15.6 %
	Missing Data		
-8	Do not know	3	0.1 %
-1	N/A	63	2.4 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 2,538 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 369-370 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MIGRAIN5: Migraines since last visit

Since your last study visit, has a doctor, nurse practitioner or other health care provider told you that you had any of the following conditions or treated you for them? Migraines?

Value	Label	Unweighted Frequency	%
1	No	2391	91.4 %
2	Yes	150	5.7 %
	Missing Data		
-1	N/A	63	2.4 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 2,541 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 371-372 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

STROKE5: Stroke since last visit

Since your last study visit, has a doctor, nurse practitioner or other health care provider told you that you had any of the following conditions or treated you for them? Stroke?

Value	Label	Unweighted Frequency	%
1	No	2535	96.9 %
2	Yes	6	0.2 %
	Missing Data		
-1	N/A	63	2.4 %

Value	Label	Unweighted Frequency	%
.	-	13	0.5 %
	Total	2,617	100%

Based upon 2,541 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 373-374 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OSTEOAR5: Arthritis since last visit

Since your last study visit, has a doctor, nurse practitioner or other health care provider told you that you had any of the following conditions or treated you for them? Arthritis or osteoarthritis (degenerative joint disease)?

Value	Label	Unweighted Frequency	%
1	No	2214	84.6 %
2	Yes	386	14.7 %
	Missing Data		
-8	Do not know	4	0.2 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 2,600 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 375-376 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

THYROID5: Over/underactive Thyroid since last visit

Since your last study visit, has a doctor, nurse practitioner or other health care provider told you that you had any of the following conditions or treated you for them? Overactive or underactive thyroid?

Value	Label	Unweighted Frequency	%
1	No	2374	90.7 %
2	Yes	227	8.7 %
	Missing Data		
-8	Do not know	3	0.1 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 2,601 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 377-378 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HEARTAT5: Heart attack since last visit

Since your last study visit, has a doctor, nurse practitioner or other health care provider told you that you had any of the following conditions or treated you for them? Heart attack?

Value	Label	Unweighted Frequency	%
1	No	2597	99.2 %
2	Yes	7	0.3 %
	Missing Data		
.	-	13	0.5 %
	Total	2,617	100%

Based upon 2,604 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 379-380 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ANGINA5: Angina since last visit

Since your last study visit, has a doctor, nurse practitioner or other health care provider told you that you had any of the following conditions or treated you for them? Angina?

Value	Label	Unweighted Frequency	%
1	No	2590	99.0 %
2	Yes	14	0.5 %
	Missing Data		
.	-	13	0.5 %
	Total	2,617	100%

Based upon 2,604 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 381-382 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OSTEOPR5: Osteoporosis since last visit

Since your last study visit, has a doctor, nurse practitioner or other health care provider told you that you had any of the following conditions or treated you for them? Osteoporosis (brittle or thinning bones)?

Value	Label	Unweighted Frequency	%
1	No	2561	97.9 %
2	Yes	42	1.6 %
Missing Data			
-8	Do not know	1	0.0 %
.	-	13	0.5 %
Total		2,617	100%

Based upon 2,603 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 383-384 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CANCERS5: Cancer since last visit

Since your last study visit, has a doctor, nurse practitioner or other health care provider told you that you had any of the following conditions or treated you for them? Cancer, other than skin cancer?

Value	Label	Unweighted Frequency	%
1	No	2575	98.4 %
2	Yes	28	1.1 %
Missing Data			
-9	Missing	1	0.0 %
.	-	13	0.5 %
Total		2,617	100%

Based upon 2,603 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 385-386 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SITESPE5: Primary site of cancer

If YES to CANCERS5: What is the primary site of the cancer? Specify.

Value	Label	Unweighted Frequency	%
-	-	13	0.5 %
-1: N/A	-	2576	98.4 %
BRAIN	-	1	0.0 %

Value	Label	Unweighted Frequency	%
BREAST	-	6	0.2 %
BREAST CANCER	-	6	0.2 %
BREAST CANCER IN BOTH SIDES	-	1	0.0 %
COLON	-	1	0.0 %
LEFT BREAST	-	3	0.1 %
LIVER	-	1	0.0 %
OVARIES	-	1	0.0 %
OVARY	-	1	0.0 %
RIGHT BREAST	-	2	0.1 %
SKIN OF FACE IN SWEAT GLAND	-	1	0.0 %
SPINE	-	1	0.0 %
THROAT	-	1	0.0 %
THROAT CANCER IN VOICE BOX	-	1	0.0 %
THYROID GLAND	-	1	0.0 %
	Total	2,617	100%

Based upon 2,617 valid cases out of 2,617 total cases.

Location: 387-413 (width: 27; decimal: 0)

Variable Type: character

TAMOXIF5: Taken Tamoxifen since last visit

If BREAST CANCER: Have you taken Tamoxifen since your last study visit?

Value	Label	Unweighted Frequency	%
1	No	9	0.3 %
2	Yes	9	0.3 %
	Missing Data		
-1	N/A	2586	98.8 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 18 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 414-415 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CHEMOTH5: Chemotherapy/radiation for cancer

Since your last study visit, have you received chemotherapy or radiation treatment for this cancer?

Value	Label	Unweighted Frequency	%
1	No	14	0.5 %
2	Yes	13	0.5 %
	Missing Data		
-1	N/A	2577	98.5 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 27 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 416-417 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BROKEBO5: # times broke bones since last visit

Since your last study visit, how many times did you break or fracture a bone? # of times broken bones

Value	Label	Unweighted Frequency	%
0	-	2545	97.2 %
1	-	55	2.1 %
2	-	3	0.1 %
	Missing Data		
-9	Missing	1	0.0 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 2,603 valid cases out of 2,617 total cases.

- Mean: 0.02
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.16

Location: 418-419 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BONES15: Bone #1 broken

Which bones did you break or fracture?

Value	Label	Unweighted Frequency	%
-	-	13	0.5 %

Value	Label	Unweighted Frequency	%
-1: N/A	-	2546	97.3 %
1	-	1	0.0 %
2ND TARSUS(?) BONE IN FOOT	-	1	0.0 %
2ND TOE L. FOOT	-	1	0.0 %
2ND TOE ON LEFT FOOT	-	1	0.0 %
3 BONES IN THE LEFT FOOT	-	1	0.0 %
3RD DIGIT	-	1	0.0 %
ANKLE	-	2	0.1 %
ANKLE (DISTOL FIBULA) FELL WHI	-	1	0.0 %
ANKLE BONE FIBULA	-	1	0.0 %
BABY TOE	-	1	0.0 %
BONE IN LEFT FOOT ALTC	-	1	0.0 %
COLLARBONE (RT)	-	1	0.0 %
FIFTH METATARSAL ON RIGHT FOOT	-	1	0.0 %
FOOT 3 FRACTURES (BABY TOE	-	1	0.0 %
FX RIBS	-	1	0.0 %
KNEE	-	1	0.0 %
L ANKLE (2ND TIME)	-	1	0.0 %
LEFT 2ND TOE	-	1	0.0 %
LEFT ANKLE	-	2	0.1 %
LEFT ARM	-	1	0.0 %
LEFT ARM (FOREARM)	-	1	0.0 %
LEFT ELBOW	-	1	0.0 %
LEFT FOOT - METATARSAL	-	1	0.0 %
LEFT FOOT INSTEP	-	1	0.0 %
LEFT FOOT LITTLE TOE	-	1	0.0 %
LEFT FOOT UPPER PART	-	1	0.0 %
LEFT FOOT-BIG + SECOND TOE	-	1	0.0 %
LEFT HUMEROUS	-	1	0.0 %
LEFT RIB	-	1	0.0 %
LEFT SECOND TOE	-	1	0.0 %
LEFT TOE	-	2	0.1 %
LT. TOE (BIG TOE)	-	1	0.0 %
MID-FOOT (2ND METATARCELRT FT	-	1	0.0 %
NOSE	-	1	0.0 %
PELVIS	-	1	0.0 %
PROXIMAL HEAD OF RIGHT RADIUS	-	1	0.0 %
R. MENISCUS (IN KNEE)	-	1	0.0 %
RIB TIBIA	-	1	0.0 %
RIGHT ANKLE	-	2	0.1 %
RIGHT ARM - LONG BONE & SHORT	-	1	0.0 %
RIGHT HAND FIFTH FINGER	-	1	0.0 %

Value	Label	Unweighted Frequency	%
RIGHT KNEE	-	1	0.0 %
RIGHT METATARSAL BONE	-	1	0.0 %
RIGHT WRIST	-	2	0.1 %
RT ELBOW	-	1	0.0 %
SOCKET FLOOR IN EYE (LEFT)	-	1	0.0 %
THUMB	-	1	0.0 %
THUMB - METACARPAL	-	1	0.0 %
	Total	2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,617 valid cases out of 2,617 total cases.

Location: 420-449 (width: 30; decimal: 0)

Variable Type: character

HAPPEN15: How happened #1

How did it happen? Was it for any of the following reasons?: After a fall from a height above the ground greater than six inches; in a motor vehicle accident; while moving fast, like running, bicycling or skating; while playing sports; or because something heavy fell on you or struck you.

Value	Label	Unweighted Frequency	%
1	No	26	1.0 %
2	Yes	32	1.2 %
	Missing Data		
-1	N/A	2546	97.3 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 58 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 450-451 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

BONES25: Bone #2 broken

Which bones did you break or fracture?

Value	Label	Unweighted Frequency	%
	-	13	0.5 %
-1: N/A	-	2601	99.4 %
BABY (PINKY) TOE	-	1	0.0 %

Value	Label	Unweighted Frequency	%
ONE TOE IN THE LEFT FOOT	-	1	0.0 %
RIB (LOWER LEFT RIB)	-	1	0.0 %
	Total	2,617	100%

Based upon 2,617 valid cases out of 2,617 total cases.

Location: 452-475 (width: 24; decimal: 0)

Variable Type: character

HAPPEN25: How happened #2

How did it happen? Was it for any of the following reasons?: After a fall from a height above the ground greater than six inches; in a motor vehicle accident; while moving fast, like running, bicycling or skating; while playing sports; or because something heavy fell on you or struck you.

Value	Label	Unweighted Frequency	%
1	No	0	0.0 %
2	Yes	3	0.1 %
	Missing Data		
-1	N/A	2601	99.4 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 3 valid cases out of 2,617 total cases.

- Minimum: 2.00
- Maximum: 2.00

Location: 476-477 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BONES35: Bone #3 broken

Which bones did you break or fracture?

Value	Label	Unweighted Frequency	%
	-	13	0.5 %
-1: N/A	-	2604	99.5 %
	Total	2,617	100%

Based upon 2,617 valid cases out of 2,617 total cases.

Location: 478-485 (width: 8; decimal: 0)

Variable Type: character

HAPPEN35: How happened #3

How did it happen? Was it for any of the following reasons?: After a fall from a height above the ground greater than six inches; in a motor vehicle accident; while moving fast, like running, bicycling or skating; while playing sports; or because something heavy fell on you or struck you.

Value	Label	Unweighted Frequency	%
1	No	0	0.0 %
2	Yes	0	0.0 %
	Missing Data		
-1	N/A	2604	99.5 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 0 valid cases out of 2,617 total cases.

Location: 486-487 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DANDC5: D & C since last visit

Since your last study visit, have you had any of the following surgeries or procedures? D and C, a scraping of the uterus for any reason, including abortion?

Value	Label	Unweighted Frequency	%
1	No	2504	95.7 %
2	Yes	37	1.4 %
	Missing Data		
-1	N/A	63	2.4 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 2,541 valid cases out of 2,617 total cases.

- Minimum: 1.00

- Maximum: 2.00

Location: 488-489 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NUMDAND5: D & C # of times

Since your last study visit, how many times have you had a D and C? Number of times

Value	Label	Unweighted Frequency	%
1	-	36	1.4 %
2	-	1	0.0 %
	Missing Data		
-1	N/A	2567	98.1 %
.	-	13	0.5 %

Value	Label	Unweighted Frequency	%
	Total	2,617	100%

Based upon 37 valid cases out of 2,617 total cases.

- Mean: 1.03
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.16

Location: 490-491 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HYSTERE5: Hysterectomy since last visit

Since your last study visit, have you had any of the following surgeries or procedures? Hysterectomy (an operation to remove your uterus or womb)?

Value	Label	Unweighted Frequency	%
1	No	2567	98.1 %
2	Yes	37	1.4 %
	Missing Data		
.	-	13	0.5 %
	Total	2,617	100%

Based upon 2,604 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 492-493 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HYSTDAY5: Day of hysterectomy

Since your last study visit, have you had any of the following surgeries or procedures? Hysterectomy (an operation to remove your uterus or womb)? When was this performed?

Value	Label	Unweighted Frequency	%
172	-	1	0.0 %
942	-	1	0.0 %
1279	-	1	0.0 %
1432	-	1	0.0 %
1447	-	1	0.0 %
1492	-	1	0.0 %
1505	-	1	0.0 %

Value	Label	Unweighted Frequency	%
1511	-	1	0.0 %
1521	-	1	0.0 %
1568	-	1	0.0 %
1573	-	1	0.0 %
1593	-	1	0.0 %
1604	-	1	0.0 %
1632	-	1	0.0 %
1685	-	1	0.0 %
1689	-	1	0.0 %
1697	-	1	0.0 %
1701	-	1	0.0 %
1710	-	1	0.0 %
1733	-	1	0.0 %
1735	-	1	0.0 %
1745	-	1	0.0 %
1757	-	1	0.0 %
1767	-	1	0.0 %
1789	-	2	0.1 %
1796	-	1	0.0 %
1805	-	1	0.0 %
1811	-	1	0.0 %
1830	-	1	0.0 %
1897	-	1	0.0 %
1905	-	1	0.0 %
1953	-	1	0.0 %
1960	-	1	0.0 %
1997	-	1	0.0 %
Missing Data			
.	-	2582	98.7 %
Total		2,617	100%

Based upon 35 valid cases out of 2,617 total cases.

- Mean: 1629.20
- Median: 1701.00
- Mode: 1789.00
- Minimum: 172.00
- Maximum: 1997.00
- Standard Deviation: 326.90

Location: 494-497 (*width:* 4; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: .

OOPHORE5: Ovaries removed since last visit

Since your last study visit, have you had any of the following surgeries or procedures? Did you have one or both ovaries removed (an oophorectomy)?

Value	Label	Unweighted Frequency	%
1	No	2572	98.3 %
2	Yes	32	1.2 %
	Missing Data		
.	-	13	0.5 %
	Total	2,617	100%

Based upon 2,604 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 498-499 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ONEOVAR5: One or both ovaries removed

Since your last study visit, have you had any of the following surgeries or procedures? Was one ovary removed or were both ovaries removed?

Value	Label	Unweighted Frequency	%
1	One Ovary Removed	7	0.3 %
2	Both Ovaries Removed	24	0.9 %
	Missing Data		
-8	Do not know	1	0.0 %
-1	N/A	2572	98.3 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 31 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 500-501 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ABLATIN5: Endometrial ablation since last visit

Since your last study visit, have you had any of the following surgeries or procedures? Did you have an endometrial ablation (a procedure to reduce or eliminate menstrual periods by partially or completely destroying the lining of the uterus)?

Value	Label	Unweighted Frequency	%
1	No	2534	96.8 %
2	Yes	7	0.3 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-1	N/A	63	2.4 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 2,541 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 502-503 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

UTERPRO5: Uterine procedure since last visit

Since your last study visit, have you had any of the following surgeries or procedures? Any other uterine procedures, other than D and C, for example: cesarean section, IUD insertion, fibroid removal or endometrial biopsy?

Value	Label	Unweighted Frequency	%
1	No	2432	92.9 %
2	Yes	105	4.0 %
	Missing Data		
-8	Do not know	4	0.2 %
-1	N/A	63	2.4 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 2,537 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 504-505 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

THYRREM5: Thyroid gland removed since last visit

Since your last study visit, have you had any of the following surgeries or procedures? Thyroid gland removed?

Value	Label	Unweighted Frequency	%
1	No	2534	96.8 %
2	Yes	5	0.2 %
	Missing Data		
-9	Missing	2	0.1 %
-1	N/A	63	2.4 %
.	-	13	0.5 %

Value	Label	Unweighted Frequency	%
	Total	2,617	100%

Based upon 2,539 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 506-507 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ENDO5: Endometriosis since last visit

Since your last study visit, have you had any of the following conditions? Endometriosis diagnosed by a physician (abnormal growths in lining of uterus)?

Value	Label	Unweighted Frequency	%
1	No	2523	96.4 %
2	Yes	18	0.7 %
	Missing Data		
-1	N/A	63	2.4 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 2,541 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 508-509 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ENDODIF5: Endometriosis difficult

If YES to ENDO5: Has it made it difficult to carry out your daily routine (e.g., work, housework, childcare)?

Value	Label	Unweighted Frequency	%
1	No	16	0.6 %
2	Yes	2	0.1 %
	Missing Data		
-1	N/A	2586	98.8 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 18 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 510-511 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PELVCPN5: Pelvic pain since last visit

Since your last study visit, have you had any of the following conditions? Pelvic pain (pain in the lowest part of the abdomen)?

Value	Label	Unweighted Frequency	%
1	No	2387	91.2 %
2	Yes	154	5.9 %
	Missing Data		
-1	N/A	63	2.4 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 2,541 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 512-513 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIFPELV5: Pelvic pain difficult

If YES to PELVCPN5: Has it made it difficult to carry out your daily routine (e.g., work, housework, childcare)?

Value	Label	Unweighted Frequency	%
1	No	104	4.0 %
2	Yes	50	1.9 %
	Missing Data		
-1	N/A	2450	93.6 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 154 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 514-515 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PROLAPS5: Pelvic prolapse since last visit

Since your last study visit, have you had any of the following conditions? Pelvic prolapse or relaxation (the uterus, bladder, or rectum drops, sometimes bulging out of vagina)?

Value	Label	Unweighted Frequency	%
1	No	2490	95.1 %
2	Yes	51	1.9 %
	Missing Data		
-1	N/A	63	2.4 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 2,541 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 516-517 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIFPROL5: Pelvic prolapse difficult

If YES to PROLAPS5: Has it made it difficult to carry out your daily routine (e.g., work, housework, childcare)?

Value	Label	Unweighted Frequency	%
1	No	35	1.3 %
2	Yes	16	0.6 %
	Missing Data		
-1	N/A	2553	97.6 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 51 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 518-519 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PELVNC5: Pelvic cancer since last visit

Since your last study visit, have you had any of the following conditions? Pelvic cancer (cancer of the vulva, cervix, uterus, or ovaries)?

Value	Label	Unweighted Frequency	%
1	No	2540	97.1 %
2	Yes	1	0.0 %
	Missing Data		
-1	N/A	63	2.4 %
.	-	13	0.5 %

Value	Label	Unweighted Frequency	%
	Total	2,617	100%

Based upon 2,541 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 520-521 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIFCANC5: Pelvic cancer difficult

If YES to PELVCNC5: Has it made it difficult to carry out your daily routine (e.g., work, housework, childcare)?

Value	Label	Unweighted Frequency	%
1	No	1	0.0 %
2	Yes	0	0.0 %
Missing Data			
-1	N/A	2603	99.5 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 1 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 522-523 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ABBLEED5: Abnormal vaginal bleeding since last visit

Since your last study visit, have you had any of the following conditions? Abnormal vaginal bleeding (bleeding from the vagina that is different enough from your normal pattern to be a concern: irregular, heavy, or long in duration)?

Value	Label	Unweighted Frequency	%
1	No	2380	90.9 %
2	Yes	160	6.1 %
Missing Data			
-9	Missing	1	0.0 %
-1	N/A	63	2.4 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 2,540 valid cases out of 2,617 total cases.

- Minimum: 1.00

- Maximum: 2.00

Location: 524-525 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIFBLED5: Abnormal vaginal bleeding difficult

If YES to ABBLEED5: Has it made it difficult to carry out your daily routine (e.g., work, housework, childcare)?

Value	Label	Unweighted Frequency	%
1	No	89	3.4 %
2	Yes	71	2.7 %
Missing Data			
-1	N/A	2444	93.4 %
.	-	13	0.5 %
Total		2,617	100%

Based upon 160 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 526-527 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FIBRUTR5: Fibroids since last visit_1

Since your last study visit, have you had any of the following conditions? Fibroids (benign growths in the uterus or womb)?

Value	Label	Unweighted Frequency	%
1	No	2269	86.7 %
2	Yes	272	10.4 %
Missing Data			
-1	N/A	63	2.4 %
.	-	13	0.5 %
Total		2,617	100%

Based upon 2,541 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 528-529 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIFFIBR5: Fibroids difficult

If YES to FIBRUTR5: Has it made it difficult to carry out your daily routine (e.g., work, housework, childcare)?

Value	Label	Unweighted Frequency	%
1	No	225	8.6 %
2	Yes	47	1.8 %
	Missing Data		
-1	N/A	2332	89.1 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 272 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 530-531 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PRVIDER5: Health care provider for women's health

Do you have a health care provider from whom you primarily get your care for women's health conditions? (If you have an obstetrician or gynecologist (ob/gyn) refer to him or her. If you don't, refer to the person from whom you get care for women's health).

Value	Label	Unweighted Frequency	%
1	No	380	14.5 %
2	Yes	2161	82.6 %
	Missing Data		
-1	N/A	63	2.4 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 2,541 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 532-533 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PROFDEG5: Professional degree of HCP

What professional degree does this health care provider have? If you are not sure, please make your best guess.

Value	Label	Unweighted Frequency	%
1	Medical Doctor (MD)	1943	74.2 %
2	Dr. of Osteopathy (DO)	23	0.9 %
3	Chiropractor (DC)	0	0.0 %
4	Registered Nurse (RN)	8	0.3 %
5	Nurse Practitioner (NP)	161	6.2 %

Value	Label	Unweighted Frequency	%
6	Physician Assistant (PA)	6	0.2 %
7	Other: Specify	4	0.2 %
Missing Data			
-9	Missing	1	0.0 %
-8	Do not know	15	0.6 %
-1	N/A	443	16.9 %
.	-	13	0.5 %
Total		2,617	100%

Based upon 2,145 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 534-535 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SPECIFY5: Professional degree - other specify

What professional degree does this health care provider have? If you are not sure, please make your best guess - Specify

Value	Label	Unweighted Frequency	%
-	-	13	0.5 %
-1: N/A	-	2600	99.4 %
ACUPUNCTURIST R	-	1	0.0 %
HERBALIST	-	1	0.0 %
HOMEOPATHIC DOCTOR	-	1	0.0 %
RESIDENT 2YR ROTATION	-	1	0.0 %
Total		2,617	100%

Based upon 2,617 valid cases out of 2,617 total cases.

Location: 536-556 (width: 21; decimal: 0)

Variable Type: character

PROVSPC5: Provider's specialty

Which of the following best describes this provider's specialty?

Value	Label	Unweighted Frequency	%
1	Family Practitioner	582	22.2 %
2	Internist	323	12.3 %
3	Gynecologist	1002	38.3 %
4	Naturopath	7	0.3 %
5	Other	20	0.8 %
6	No specialty	1	0.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-8	Do not know	35	1.3 %
-1	N/A	634	24.2 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 1,935 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 557-558 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SPECIAL5: HCP specialty - other specify

Which of the following best describes this provider's specialty? - Specify

Value	Label	Unweighted Frequency	%
-	-	13	0.5 %
-1: N/A	-	2584	98.7 %
ADULT MEDICINE	-	1	0.0 %
ALTERNATIVE	-	1	0.0 %
DIABETES SPECIALIST	-	1	0.0 %
ENDOCRINOLOGIST	-	1	0.0 %
ENDOCRINOLOGY	-	1	0.0 %
FERTILITY AND	-	1	0.0 %
GEN MEDICINE	-	1	0.0 %
GEN'L PRACTONR	-	1	0.0 %
GEN. PRACTICE	-	1	0.0 %
GERIATRIC INTERNIST	-	1	0.0 %
GERIATRICS	-	1	0.0 %
HEMATOLOGIST	-	1	0.0 %
HERBALIST	-	1	0.0 %
HORMONE CONSULTANT	-	1	0.0 %
INTERNIST OB\GY	-	1	0.0 %
NEUROLOGIST	-	1	0.0 %
RN & ACUPUNCTUR	-	1	0.0 %
SURGEN	-	1	0.0 %
WMN'S HEALTH	-	1	0.0 %
WOMEN'S ALTC	-	1	0.0 %
	Total	2,617	100%

Based upon 2,617 valid cases out of 2,617 total cases.

Location: 559-577 (width: 19; decimal: 0)

Variable Type: character

PROVTIM5: Time spent by HCP on avg

On average, how much time does this health care provider spend with you at each visit?

Value	Label	Unweighted Frequency	%
1	0-5 minutes	47	1.8 %
2	6-10 minutes	254	9.7 %
3	11-15 minutes	489	18.7 %
4	16-20 minutes	514	19.6 %
5	21-30 minutes	531	20.3 %
6	> 30 minutes	309	11.8 %
Missing Data			
-8	Do not know	17	0.6 %
-1	N/A	443	16.9 %
.	-	13	0.5 %
Total		2,617	100%

Based upon 2,144 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 578-579 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BLEEDNG5: Menstrual bleeding since last visit

Did you have any menstrual bleeding since your last study visit?

Value	Label	Unweighted Frequency	%
1	No	912	34.8 %
2	Yes	1692	64.7 %
Missing Data			
.	-	13	0.5 %
Total		2,617	100%

Based upon 2,604 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 580-581 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BLD3MON5: Menstrual bleeding in last 3 mos

Did you have any menstrual bleeding in the last 3 months?

Value	Label	Unweighted Frequency	%
1	No	300	11.5 %
2	Yes	1392	53.2 %
	Missing Data		
-1	N/A	912	34.8 %
.	-	13	0.5 %
Total		2,617	100%

Based upon 1,692 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 582-583 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

LMPDAY5: Last Menstrual Period Day

What was the date that you started your most recent menstrual bleeding?

Value	Label	Unweighted Frequency	%
1247	-	1	0.0 %
1394	-	1	0.0 %
1415	-	1	0.0 %
1424	-	1	0.0 %
1427	-	1	0.0 %
1440	-	1	0.0 %
1441	-	1	0.0 %
1467	-	1	0.0 %
1468	-	1	0.0 %
1469	-	1	0.0 %
1472	-	1	0.0 %
1479	-	1	0.0 %
1493	-	1	0.0 %
1495	-	1	0.0 %
1497	-	1	0.0 %
1505	-	1	0.0 %
1506	-	1	0.0 %
1508	-	1	0.0 %
1509	-	1	0.0 %
1510	-	1	0.0 %
1518	-	2	0.1 %
1519	-	1	0.0 %

Value	Label	Unweighted Frequency	%
1520	-	1	0.0 %
1523	-	2	0.1 %
1527	-	1	0.0 %
1530	-	2	0.1 %
1535	-	1	0.0 %
1540	-	2	0.1 %
1541	-	2	0.1 %
1542	-	1	0.0 %
1545	-	2	0.1 %
1548	-	3	0.1 %
1553	-	1	0.0 %
1556	-	2	0.1 %
1561	-	1	0.0 %
1562	-	1	0.0 %
1563	-	1	0.0 %
1564	-	1	0.0 %
1573	-	2	0.1 %
1576	-	2	0.1 %
1577	-	1	0.0 %
1578	-	1	0.0 %
1584	-	1	0.0 %
1585	-	1	0.0 %
1588	-	2	0.1 %
1591	-	1	0.0 %
1594	-	1	0.0 %
1596	-	1	0.0 %
1599	-	1	0.0 %
1600	-	1	0.0 %
Missing Data			
.	-	953	36.4 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,664 valid cases out of 2,617 total cases.

- Mean: 1810.74
- Minimum: 1247.00
- Maximum: 2413.00
- Standard Deviation: 102.26

Location: 584-587 (*width:* 4; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: .

DESCPER5: Describe your menstrual periods

For the next few questions I would like to ask you to think about your periods since your last study visit, during times when you were not using birth control medications: Which of the following best describes your menstrual periods since your last study visit? Have they:

Value	Label	Unweighted Frequency	%
1	Become Farther Apart	426	16.3 %
2	Become Closer Together	161	6.2 %
3	Occurred At More Variable Intervals	490	18.7 %
4	Stayed The Same	425	16.2 %
5	Become More Regular	47	1.8 %
Missing Data			
-8	Do not know	7	0.3 %
-1	N/A	1048	40.0 %
.	-	13	0.5 %
Total		2,617	100%

Based upon 1,549 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 588-589 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -8 , -7 , -1 , .

LENGCYL5: Length of menstrual cycle

For the next few questions I would like to ask you to think about your periods since your last study visit, during times when you were not using birth control medications: A menstrual cycle is the period of time from the beginning of bleeding from one menstrual period to the beginning of bleeding of the next menstrual period. Since your last study visit, what was the usual length of your menstrual cycles?

Value	Label	Unweighted Frequency	%
1	< 24 days	149	5.7 %
2	24-35 days	762	29.1 %
3	> 35 days	129	4.9 %
4	Too variable to say	468	17.9 %
Missing Data			
-8	Do not know	9	0.3 %
-1	N/A	1087	41.5 %
.	-	13	0.5 %
Total		2,617	100%

Based upon 1,508 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 590-591 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PRGNANT5: Pregnant since last visit

Since your last study visit, have you been pregnant? Please include live births, stillbirths, abortions, miscarriages, tubal or ectopic pregnancies.

Value	Label	Unweighted Frequency	%
1	No	2539	97.0 %
2	Yes	2	0.1 %
	Missing Data		
-1	N/A	63	2.4 %
.	-	13	0.5 %
Total		2,617	100%

Based upon 2,541 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 592-593 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OUTCOME5: Outcome of pregnancy

If YES to PRGNANT5: What was the outcome of the pregnancy?

Value	Label	Unweighted Frequency	%
1	Live Birth	0	0.0 %
2	Still Birth	0	0.0 %
3	Miscarriage	1	0.0 %
4	Abortion	0	0.0 %
5	Tubal (Ectopic) Pregnancy	0	0.0 %
6	Still Pregnant	1	0.0 %
	Missing Data		
-1	N/A	2602	99.4 %
.	-	13	0.5 %
Total		2,617	100%

Based upon 2 valid cases out of 2,617 total cases.

- Minimum: 3.00
- Maximum: 6.00

Location: 594-595 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BRSTFEE5: Currently breastfeeding

FOR LIVE BIRTHS ONLY: Are you currently breastfeeding?

Value	Label	Unweighted Frequency	%
1	No	0	0.0 %
2	Yes	0	0.0 %
	Missing Data		
-1	N/A	2604	99.5 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 0 valid cases out of 2,617 total cases.

Location: 596-597 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

QLTYLIF5: Quality of life

Thinking about your quality of life at the present time, I'd like you to give it a rating where 0 represents the worst possible quality for you and 10 represents the best possible quality for you. Looking at this line, how would you rate your overall quality of life at the present time? Choose a number between 0 and 10.

Value	Label	Unweighted Frequency	%
0	-	9	0.3 %
1	-	8	0.3 %
2	-	8	0.3 %
3	-	39	1.5 %
4	-	54	2.1 %
5	-	159	6.1 %
6	-	196	7.5 %
7	-	508	19.4 %
8	-	909	34.7 %
9	-	493	18.8 %
10	-	221	8.4 %
	Missing Data		
.	-	13	0.5 %
	Total	2,617	100%

Based upon 2,604 valid cases out of 2,617 total cases.

- Mean: 7.60
- Median: 8.00
- Mode: 8.00
- Minimum: 0.00
- Maximum: 10.00
- Standard Deviation: 1.61

Location: 598-599 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: .

LISSEN5: Support - someone to listen

People sometimes look to others for companionship, assistance, or other types of support. How often is each of the following kinds of support available to you if you need it? Someone you can count on to listen to you when you need to talk?

Value	Label	Unweighted Frequency	%
1	None Of The Time	17	0.6 %
2	A Little Of The Time	67	2.6 %
3	Some Of The Time	267	10.2 %
4	Most Of The Time	921	35.2 %
5	All Of The Time	1269	48.5 %
Missing Data			
-1	N/A	63	2.4 %
.	-	13	0.5 %
Total		2,617	100%

Based upon 2,541 valid cases out of 2,617 total cases.

- Minimum: 1.00

- Maximum: 5.00

Location: 600-601 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

TAKETOM5: Support - take to doctor

People sometimes look to others for companionship, assistance, or other types of support. How often is each of the following kinds of support available to you if you need it? Someone to take you to the doctor if you needed it?

Value	Label	Unweighted Frequency	%
1	None Of The Time	49	1.9 %
2	A Little Of The Time	102	3.9 %
3	Some Of The Time	238	9.1 %
4	Most Of The Time	735	28.1 %
5	All Of The Time	1416	54.1 %
Missing Data			
-9	Missing	1	0.0 %
-1	N/A	63	2.4 %
.	-	13	0.5 %
Total		2,617	100%

Based upon 2,540 valid cases out of 2,617 total cases.

- Minimum: 1.00

- Maximum: 5.00

Location: 602-603 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CONFIDE5: Support - confide in

People sometimes look to others for companionship, assistance, or other types of support. How often is each of the following kinds of support available to you if you need it? Someone to confide in or talk to about yourself or your problems?

Value	Label	Unweighted Frequency	%
1	None Of The Time	23	0.9 %
2	A Little Of The Time	81	3.1 %
3	Some Of The Time	286	10.9 %
4	Most Of The Time	931	35.6 %
5	All Of The Time	1220	46.6 %
Missing Data			
-1	N/A	63	2.4 %
.	-	13	0.5 %
Total		2,617	100%

Based upon 2,541 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 604-605 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HELPSIC5: Support - help w/chores when sick

People sometimes look to others for companionship, assistance, or other types of support. How often is each of the following kinds of support available to you if you need it? Someone to help with daily chores if you were sick?

Value	Label	Unweighted Frequency	%
1	None Of The Time	132	5.0 %
2	A Little Of The Time	211	8.1 %
3	Some Of The Time	452	17.3 %
4	Most Of The Time	767	29.3 %
5	All Of The Time	979	37.4 %
Missing Data			
-1	N/A	63	2.4 %
.	-	13	0.5 %
Total		2,617	100%

Based upon 2,541 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 606-607 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CONTROL5: Unable to control imp things in your life

In the past two weeks you have: Felt unable to control important things in your life?

Value	Label	Unweighted Frequency	%
1	Never	999	38.2 %
2	Almost Never	835	31.9 %
3	Sometimes	602	23.0 %
4	Fairly Often	113	4.3 %
5	Very Often	55	2.1 %
Missing Data			
.	-	13	0.5 %
Total		2,617	100%

Based upon 2,604 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 608-609 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ABILITY5: Confident in ability to handle problems

In the past two weeks you have: Felt confident about your ability to handle your personal problems?

Value	Label	Unweighted Frequency	%
1	Never	23	0.9 %
2	Almost Never	74	2.8 %
3	Sometimes	445	17.0 %
4	Fairly Often	984	37.6 %
5	Very Often	1078	41.2 %
Missing Data			
.	-	13	0.5 %
Total		2,617	100%

Based upon 2,604 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 610-611 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

YOURWAY5: Things were going your way

In the past two weeks you have: Felt that things were going your way?

Value	Label	Unweighted Frequency	%
1	Never	33	1.3 %
2	Almost Never	122	4.7 %
3	Sometimes	719	27.5 %
4	Fairly Often	1130	43.2 %
5	Very Often	600	22.9 %
	Missing Data		
.	-	13	0.5 %
	Total	2,617	100%

Based upon 2,604 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 612-613 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

PILING5: Difficulties piling up

In the past two weeks you have: Felt difficulties were piling so high that you could not overcome them?

Value	Label	Unweighted Frequency	%
1	Never	1090	41.7 %
2	Almost Never	888	33.9 %
3	Sometimes	477	18.2 %
4	Fairly Often	105	4.0 %
5	Very Often	44	1.7 %
	Missing Data		
.	-	13	0.5 %
	Total	2,617	100%

Based upon 2,604 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 614-615 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

BOTHER5: Bothered past week

During the past week: I was bothered by things that usually don't bother me.

Value	Label	Unweighted Frequency	%
1	Rarely/None Of The Time (< 1 Day)	1466	56.0 %
2	Some/A Little Of The Time (1-2 Days)	715	27.3 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	297	11.3 %
4	Most/All Of The Time (5-7 Days)	63	2.4 %
Missing Data			
-1	N/A	63	2.4 %
.	-	13	0.5 %
Total		2,617	100%

Based upon 2,541 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 616-617 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

APPETIT5: Lost appetite past week

During the past week: I did not feel like eating; my appetite was poor

Value	Label	Unweighted Frequency	%
1	Rarely/None Of The Time (< 1 Day)	2028	77.5 %
2	Some/A Little Of The Time (1-2 Days)	327	12.5 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	137	5.2 %
4	Most/All Of The Time (5-7 Days)	49	1.9 %
Missing Data			
-1	N/A	63	2.4 %
.	-	13	0.5 %
Total		2,617	100%

Based upon 2,541 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 618-619 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

BLUES5: Had blues past week

During the past week: I felt that I could not shake off the blues even with help from my friends

Value	Label	Unweighted Frequency	%
1	Rarely/None Of The Time (< 1 Day)	1845	70.5 %
2	Some/A Little Of The Time (1-2 Days)	479	18.3 %

Value	Label	Unweighted Frequency	%
3	Occasionally/Mod Amt Of The Time (3-4 Days)	158	6.0 %
4	Most/All Of The Time (5-7 Days)	59	2.3 %
	Missing Data		
-1	N/A	63	2.4 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 2,541 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 620-621 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GOOD5: As good as others past week

During the past week: I felt that I was just as good as other people

Value	Label	Unweighted Frequency	%
1	Rarely/None Of The Time (< 1 Day)	164	6.3 %
2	Some/A Little Of The Time (1-2 Days)	127	4.9 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	335	12.8 %
4	Most/All Of The Time (5-7 Days)	1913	73.1 %
	Missing Data		
-9	Missing	1	0.0 %
-8	Do not know	1	0.0 %
-1	N/A	63	2.4 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 2,539 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 622-623 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

KEEPMIN5: Mind on what doing past week

During the past week: I had trouble keeping my mind on what I was doing

Value	Label	Unweighted Frequency	%
1	Rarely/None Of The Time (< 1 Day)	1103	42.1 %
2	Some/A Little Of The Time (1-2 Days)	867	33.1 %

Value	Label	Unweighted Frequency	%
3	Occasionally/Mod Amt Of The Time (3-4 Days)	459	17.5 %
4	Most/All Of The Time (5-7 Days)	112	4.3 %
Missing Data			
-1	N/A	63	2.4 %
.	-	13	0.5 %
Total		2,617	100%

Based upon 2,541 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 624-625 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DEPRESS5: Felt depressed past week

During the past week: I felt depressed

Value	Label	Unweighted Frequency	%
1	Rarely/None Of The Time (< 1 Day)	1581	60.4 %
2	Some/A Little Of The Time (1-2 Days)	674	25.8 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	199	7.6 %
4	Most/All Of The Time (5-7 Days)	87	3.3 %
Missing Data			
-1	N/A	63	2.4 %
.	-	13	0.5 %
Total		2,617	100%

Based upon 2,541 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 626-627 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

EFFORT5: Everything an effort past week

During the past week: I felt that everything I did was an effort

Value	Label	Unweighted Frequency	%
1	Rarely/None Of The Time (< 1 Day)	1542	58.9 %
2	Some/A Little Of The Time (1-2 Days)	647	24.7 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	228	8.7 %
4	Most/All Of The Time (5-7 Days)	122	4.7 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-9	Missing	2	0.1 %
-1	N/A	63	2.4 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 2,539 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 628-629 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HOPEFUL5: Hopeful about future past week

During the past week: I felt hopeful about the future

Value	Label	Unweighted Frequency	%
1	Rarely/None Of The Time (< 1 Day)	89	3.4 %
2	Some/A Little Of The Time (1-2 Days)	247	9.4 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	578	22.1 %
4	Most/All Of The Time (5-7 Days)	1625	62.1 %
	Missing Data		
-9	Missing	2	0.1 %
-1	N/A	63	2.4 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 2,539 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 630-631 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FAILURE5: Life has been failure past week

During the past week: I thought my life had been a failure

Value	Label	Unweighted Frequency	%
1	Rarely/None Of The Time (< 1 Day)	2209	84.4 %
2	Some/A Little Of The Time (1-2 Days)	242	9.2 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	60	2.3 %
4	Most/All Of The Time (5-7 Days)	27	1.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-9	Missing	2	0.1 %
-8	Do not know	1	0.0 %
-1	N/A	63	2.4 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 2,538 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 632-633 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FEARFUL5: Felt fearful past week

During the past week: I felt fearful

Value	Label	Unweighted Frequency	%
1	Rarely/None Of The Time (< 1 Day)	1938	74.1 %
2	Some/A Little Of The Time (1-2 Days)	452	17.3 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	115	4.4 %
4	Most/All Of The Time (5-7 Days)	35	1.3 %
	Missing Data		
-9	Missing	1	0.0 %
-1	N/A	63	2.4 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 2,540 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 634-635 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RESTLES5: Sleep was restless past week

During the past week: My sleep was restless

Value	Label	Unweighted Frequency	%
1	Rarely/None Of The Time (< 1 Day)	1219	46.6 %
2	Some/A Little Of The Time (1-2 Days)	730	27.9 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	337	12.9 %

Value	Label	Unweighted Frequency	%
4	Most/All Of The Time (5-7 Days)	255	9.7 %
	Missing Data		
-1	N/A	63	2.4 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 2,541 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 636-637 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HAPPY5: Happy past week

During the past week: I was happy

Value	Label	Unweighted Frequency	%
1	Rarely/None Of The Time (< 1 Day)	166	6.3 %
2	Some/A Little Of The Time (1-2 Days)	335	12.8 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	687	26.3 %
4	Most/All Of The Time (5-7 Days)	1352	51.7 %
	Missing Data		
-9	Missing	1	0.0 %
-1	N/A	63	2.4 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 2,540 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 638-639 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

TALKLES5: Talked less than usual past week

During the past week: I talked less than usual

Value	Label	Unweighted Frequency	%
1	Rarely/None Of The Time (< 1 Day)	1808	69.1 %
2	Some/A Little Of The Time (1-2 Days)	497	19.0 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	184	7.0 %
4	Most/All Of The Time (5-7 Days)	49	1.9 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-9	Missing	3	0.1 %
-1	N/A	63	2.4 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 2,538 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 640-641 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

LONELY5: Felt lonely past week

During the past week: I felt lonely

Value	Label	Unweighted Frequency	%
1	Rarely/None Of The Time (< 1 Day)	1829	69.9 %
2	Some/A Little Of The Time (1-2 Days)	503	19.2 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	162	6.2 %
4	Most/All Of The Time (5-7 Days)	46	1.8 %
	Missing Data		
-9	Missing	1	0.0 %
-1	N/A	63	2.4 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 2,540 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 642-643 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

UNFRNDL5: People unfriendly past week

During the past week: People were unfriendly

Value	Label	Unweighted Frequency	%
1	Rarely/None Of The Time (< 1 Day)	2221	84.9 %
2	Some/A Little Of The Time (1-2 Days)	260	9.9 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	42	1.6 %
4	Most/All Of The Time (5-7 Days)	17	0.6 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-8	Do not know	1	0.0 %
-1	N/A	63	2.4 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 2,540 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 644-645 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ENJOY5: Enjoyed life past week

During the past week: I enjoyed life

Value	Label	Unweighted Frequency	%
1	Rarely/None Of The Time (< 1 Day)	114	4.4 %
2	Some/A Little Of The Time (1-2 Days)	315	12.0 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	528	20.2 %
4	Most/All Of The Time (5-7 Days)	1584	60.5 %
	Missing Data		
-1	N/A	63	2.4 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 2,541 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 646-647 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CRYING5: Crying spells past week

During the past week: I had crying spells

Value	Label	Unweighted Frequency	%
1	Rarely/None Of The Time (< 1 Day)	2030	77.6 %
2	Some/A Little Of The Time (1-2 Days)	355	13.6 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	110	4.2 %
4	Most/All Of The Time (5-7 Days)	46	1.8 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-1	N/A	63	2.4 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 2,541 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 648-649 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SAD5: Felt sad past week

During the past week: I felt sad

Value	Label	Unweighted Frequency	%
1	Rarely/None Of The Time (< 1 Day)	1545	59.0 %
2	Some/A Little Of The Time (1-2 Days)	769	29.4 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	169	6.5 %
4	Most/All Of The Time (5-7 Days)	57	2.2 %
	Missing Data		
-9	Missing	1	0.0 %
-1	N/A	63	2.4 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 2,540 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 650-651 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DISLIKE5: People disliked me past week

During the past week: I felt that people disliked me

Value	Label	Unweighted Frequency	%
1	Rarely/None Of The Time (< 1 Day)	2258	86.3 %
2	Some/A Little Of The Time (1-2 Days)	227	8.7 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	38	1.5 %
4	Most/All Of The Time (5-7 Days)	17	0.6 %
	Missing Data		
-9	Missing	1	0.0 %

Value	Label	Unweighted Frequency	%
-1	N/A	63	2.4 %
.	-	13	0.5 %
Total		2,617	100%

Based upon 2,540 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 652-653 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GETGOIN5: Could not get going past week

During the past week: I could not get going

Value	Label	Unweighted Frequency	%
1	Rarely/None Of The Time (< 1 Day)	1637	62.6 %
2	Some/A Little Of The Time (1-2 Days)	658	25.1 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	175	6.7 %
4	Most/All Of The Time (5-7 Days)	71	2.7 %
Missing Data			
-1	N/A	63	2.4 %
.	-	13	0.5 %
Total		2,617	100%

Based upon 2,541 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 654-655 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CHNGJOB5: Change in job since last visit

Since your last study visit, has there been a change in any of your jobs, that is: your place of employment, your job title, or your usual job tasks?

Value	Label	Unweighted Frequency	%
1	No	1583	60.5 %
2	Yes	706	27.0 %
Missing Data			
-9	Missing	1	0.0 %
-1	N/A	314	12.0 %
.	-	13	0.5 %

Value	Label	Unweighted Frequency	%
	Total	2,617	100%

Based upon 2,289 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 656-657 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

JOB5: Work for pay past 2 wks

During the past 2 weeks, did you work at any time at a job or business, including work for pay performed at home? (Include unpaid work in the family farm or business. If you were on vacation, or scheduled leave or sick leave, please answer as though you were at your usual job.)

Value	Label	Unweighted Frequency	%
1	No	101	3.9 %
2	Yes	605	23.1 %
	Missing Data		
-1	N/A	1898	72.5 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 706 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 658-659 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CHANGHR5: Change in usual hrs of work

Since your last study visit, has there been a change in your usual hours of work of any of your jobs?

Value	Label	Unweighted Frequency	%
1	No	1648	63.0 %
2	Yes	540	20.6 %
	Missing Data		
-1	N/A	416	15.9 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 2,188 valid cases out of 2,617 total cases.

- Minimum: 1.00

- Maximum: 2.00

Location: 660-661 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

STRTIM15: Work start time

Work start time

Value	Label	Unweighted Frequency	%
-		13	0.5 %
-1	N/A	2151	82.2 %
-7	Refused	0	0.0 %
-8	Do not know	0	0.0 %
-9	Missing	1	0.0 %
10:00	-	31	1.2 %
10:15	-	1	0.0 %
10:30	-	3	0.1 %
10:45	-	1	0.0 %
11:00	-	5	0.2 %
11:30	-	4	0.2 %
12:00	-	7	0.3 %
12:30	-	3	0.1 %
1:00	-	2	0.1 %
2:00	-	5	0.2 %
2:30	-	1	0.0 %
3:00	-	6	0.2 %
3:30	-	1	0.0 %
4:00	-	5	0.2 %
4:30	-	3	0.1 %
4:50	-	1	0.0 %
5:00	-	5	0.2 %
5:30	-	2	0.1 %
6:00	-	14	0.5 %
6:15	-	1	0.0 %
6:30	-	13	0.5 %
6:45	-	3	0.1 %
7:00	-	55	2.1 %
7:15	-	5	0.2 %
7:30	-	37	1.4 %
7:45	-	4	0.2 %
8:00	-	90	3.4 %
8:15	-	6	0.2 %
8:20	-	1	0.0 %

Value	Label	Unweighted Frequency	%
8:30	-	45	1.7 %
8:45	-	3	0.1 %
9:00	-	73	2.8 %
9:15	-	2	0.1 %
9:30	-	13	0.5 %
9:50	-	1	0.0 %
Total		2,617	100%

Based upon 2,617 valid cases out of 2,617 total cases.

Location: 662-666 (width: 5; decimal: 0)

Variable Type: character

STRAMP15: Work start AM/PM

Work start AM/PM

Value	Label	Unweighted Frequency	%
1	A.M.	402	15.4 %
2	P.M.	50	1.9 %
Missing Data			
-9	Missing	1	0.0 %
-1	N/A	2151	82.2 %
.	-	13	0.5 %
Total		2,617	100%

Based upon 452 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 667-668 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

STPTIM15: Work stop time

Work stop time

Value	Label	Unweighted Frequency	%
-	-	13	0.5 %
-1	N/A	2151	82.2 %
-7	Refused	0	0.0 %
-8	Do not know	0	0.0 %
-9	Missing	1	0.0 %
10:00	-	4	0.2 %
11:00	-	12	0.5 %

Value	Label	Unweighted Frequency	%
11:30	-	2	0.1 %
12:00	-	11	0.4 %
12:15	-	2	0.1 %
12:30	-	4	0.2 %
12:45	-	1	0.0 %
1:00	-	9	0.3 %
1:15	-	1	0.0 %
1:30	-	6	0.2 %
2:00	-	14	0.5 %
2:30	-	7	0.3 %
2:35	-	1	0.0 %
2:45	-	2	0.1 %
3:00	-	28	1.1 %
3:15	-	3	0.1 %
3:20	-	2	0.1 %
3:30	-	29	1.1 %
3:42	-	1	0.0 %
3:45	-	3	0.1 %
4:00	-	34	1.3 %
4:12	-	1	0.0 %
4:15	-	1	0.0 %
4:30	-	23	0.9 %
4:45	-	2	0.1 %
5:00	-	73	2.8 %
5:30	-	36	1.4 %
5:35	-	1	0.0 %
6:00	-	57	2.2 %
6:30	-	9	0.3 %
6:45	-	1	0.0 %
7:00	-	28	1.1 %
7:15	-	1	0.0 %
7:30	-	7	0.3 %
7:45	-	1	0.0 %
8:00	-	18	0.7 %
8:30	-	4	0.2 %
9:00	-	9	0.3 %
9:15	-	1	0.0 %
9:30	-	3	0.1 %
Total		2,617	100%

Based upon 2,617 valid cases out of 2,617 total cases.

Location: 669-673 (width: 5; decimal: 0)

Variable Type: character

STPAMP15: Work stop AM/PM

Work stop AM/PM

Value	Label	Unweighted Frequency	%
1	A.M.	32	1.2 %
2	P.M.	420	16.0 %
Missing Data			
-9	Missing	1	0.0 %
-1	N/A	2151	82.2 %
.	-	13	0.5 %
Total		2,617	100%

Based upon 452 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 674-675 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ROTAT15: Work rotating/alternating

What are your usual hours of work each day for each job? Rotating/Alternating (Alternating weekly/monthly?)

Value	Label	Unweighted Frequency	%
1	No	451	17.2 %
2	Yes	86	3.3 %
Missing Data			
-9	Missing	1	0.0 %
-1	N/A	2066	78.9 %
.	-	13	0.5 %
Total		2,617	100%

Based upon 537 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 676-677 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

STRTIM25: Work start time (2)

Work start time (2)

Value	Label	Unweighted Frequency	%
-		13	0.5 %
-1	N/A	2545	97.2 %
-7	Refused	0	0.0 %
-8	Do not know	0	0.0 %
-9	Missing	2	0.1 %
10:00	-	6	0.2 %
11:00	-	2	0.1 %
12:00	-	1	0.0 %
1:30	-	1	0.0 %
2:30	-	1	0.0 %
3:00	-	4	0.2 %
4:00	-	4	0.2 %
4:15	-	1	0.0 %
4:30	-	3	0.1 %
5:00	-	2	0.1 %
5:30	-	2	0.1 %
6:00	-	2	0.1 %
6:30	-	1	0.0 %
7:00	-	4	0.2 %
7:30	-	2	0.1 %
8:00	-	11	0.4 %
8:30	-	6	0.2 %
9:00	-	3	0.1 %
9:30	-	1	0.0 %
Total		2,617	100%

Based upon 2,617 valid cases out of 2,617 total cases.

Location: 678-682 (width: 5; decimal: 0)

Variable Type: character

STRAMP25: Work start AM/PM (2)

Work start AM/PM (2)

Value	Label	Unweighted Frequency	%
1	A.M.	33	1.3 %
2	P.M.	24	0.9 %
Missing Data			
-9	Missing	2	0.1 %
-1	N/A	2545	97.2 %
.	-	13	0.5 %
Total		2,617	100%

Based upon 57 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 683-684 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

STPTIM25: Work stop time (2)

Work stop time (2)

Value	Label	Unweighted Frequency	%
-	-	13	0.5 %
-1	N/A	2545	97.2 %
-7	Refused	0	0.0 %
-8	Do not know	0	0.0 %
-9	Missing	2	0.1 %
10:00	-	7	0.3 %
11:00	-	2	0.1 %
11:30	-	1	0.0 %
12:00	-	6	0.2 %
1:00	-	3	0.1 %
2:30	-	2	0.1 %
3:00	-	4	0.2 %
3:30	-	2	0.1 %
4:00	-	7	0.3 %
4:30	-	2	0.1 %
5:00	-	1	0.0 %
5:30	-	2	0.1 %
6:00	-	3	0.1 %
6:45	-	1	0.0 %
7:00	-	3	0.1 %
7:15	-	1	0.0 %
7:30	-	1	0.0 %
7:50	-	1	0.0 %
8:00	-	2	0.1 %
8:30	-	1	0.0 %
9:00	-	3	0.1 %
9:30	-	1	0.0 %
9:50	-	1	0.0 %
Total		2,617	100%

Based upon 2,617 valid cases out of 2,617 total cases.

Location: 685-689 (width: 5; decimal: 0)

Variable Type: character

STPAMP25: Work stop AM/PM (2)

Work stop AM/PM (2)

Value	Label	Unweighted Frequency	%
1	A.M.	6	0.2 %
2	P.M.	51	1.9 %
Missing Data			
-9	Missing	2	0.1 %
-1	N/A	2545	97.2 %
.	-	13	0.5 %
Total		2,617	100%

Based upon 57 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 690-691 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ROTAT25: Work rotating/alternating (2)

What are your usual hours of work each day for each job? Rotating/Alternating (Alternating weekly/monthly?)

Value	Label	Unweighted Frequency	%
1	No	57	2.2 %
2	Yes	38	1.5 %
Missing Data			
-9	Missing	2	0.1 %
-1	N/A	2507	95.8 %
.	-	13	0.5 %
Total		2,617	100%

Based upon 95 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 692-693 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

STRTIM35: Work start time (3)

Work start time (3)

Value	Label	Unweighted Frequency	%
-		13	0.5 %
-1	N/A	2592	99.0 %
-7	Refused	0	0.0 %
-8	Do not know	0	0.0 %
-9	Missing	1	0.0 %
10:00	-	2	0.1 %
2:00	-	1	0.0 %
4:00	-	1	0.0 %
8:00	-	4	0.2 %
8:30	-	2	0.1 %
9:00	-	1	0.0 %
Total		2,617	100%

Based upon 2,617 valid cases out of 2,617 total cases.

Location: 694-698 (width: 5; decimal: 0)

Variable Type: character

STRAMP35: Work start AM/PM (3)

Work start AM/PM (3)

Value	Label	Unweighted Frequency	%
1	A.M.	9	0.3 %
2	P.M.	2	0.1 %
Missing Data			
-9	Missing	1	0.0 %
-1	N/A	2592	99.0 %
.	-	13	0.5 %
Total		2,617	100%

Based upon 11 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 699-700 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

STPTIM35: Work stop time (3)

Work stop time (3)

Value	Label	Unweighted Frequency	%
-		13	0.5 %
-1	N/A	2592	99.0 %

Value	Label	Unweighted Frequency	%
-7	Refused	0	0.0 %
-8	Do not know	0	0.0 %
-9	Missing	1	0.0 %
11:00	-	2	0.1 %
12:00	-	3	0.1 %
3:00	-	1	0.0 %
4:00	-	2	0.1 %
5:00	-	1	0.0 %
8:00	-	1	0.0 %
9:00	-	1	0.0 %
Total		2,617	100%

Based upon 2,617 valid cases out of 2,617 total cases.

Location: 701-705 (width: 5; decimal: 0)

Variable Type: character

STPAMP35: Work stop AM/PM (3)

Work stop AM/PM (3)

Value	Label	Unweighted Frequency	%
1	A.M.	1	0.0 %
2	P.M.	10	0.4 %
Missing Data			
-9	Missing	1	0.0 %
-1	N/A	2592	99.0 %
.	-	13	0.5 %
Total		2,617	100%

Based upon 11 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 706-707 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ROTAT35: Work rotating/alternating (3)

What are your usual hours of work each day for each job? Rotating/Alternating (Alternating weekly/monthly?)

Value	Label	Unweighted Frequency	%
1	No	11	0.4 %
2	Yes	6	0.2 %
Missing Data			

Value	Label	Unweighted Frequency	%
-9	Missing	2	0.1 %
-1	N/A	2585	98.8 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 17 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 708-709 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HOURSPA5: How many hrs/wk work for pay

On average, how many total hours a week do you work, for pay?

Value	Label	Unweighted Frequency	%
1	<= 10 hrs	201	7.7 %
2	11-19 hrs	92	3.5 %
3	20-34 hrs	369	14.1 %
4	35-40 hrs	977	37.3 %
5	41-60 hrs	498	19.0 %
6	>60 hrs	47	1.8 %
	Missing Data		
-9	Missing	3	0.1 %
-8	Do not know	1	0.0 %
-1	N/A	416	15.9 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 2,184 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 710-711 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

VOLUNTE5: Do volunteer work

Do you do volunteer work?

Value	Label	Unweighted Frequency	%
1	No	1608	61.4 %
2	Yes	933	35.7 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-1	N/A	63	2.4 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 2,541 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 712-713 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -8 , -7 , -1 , .

VLNTHR15: Volunteer (1) hrs/wk

What type of volunteer work do you do? How many hours a week do you spend doing it?

Value	Label	Unweighted Frequency	%
0.04	-	1	0.0 %
0.08	-	1	0.0 %
0.10	-	2	0.1 %
0.15	-	2	0.1 %
0.20	-	1	0.0 %
0.25	-	11	0.4 %
0.30	-	1	0.0 %
0.31	-	1	0.0 %
0.50	-	54	2.1 %
0.73	-	1	0.0 %
0.75	-	8	0.3 %
0.77	-	1	0.0 %
1.00	-	199	7.6 %
1.20	-	2	0.1 %
1.25	-	3	0.1 %
1.30	-	1	0.0 %
1.50	-	27	1.0 %
1.92	-	1	0.0 %
2.00	-	204	7.8 %
2.50	-	22	0.8 %
2.73	-	1	0.0 %
3.00	-	83	3.2 %
3.50	-	5	0.2 %
3.80	-	1	0.0 %
4.00	-	77	2.9 %
4.50	-	1	0.0 %

Value	Label	Unweighted Frequency	%
5.00	-	42	1.6 %
5.50	-	1	0.0 %
6.00	-	40	1.5 %
7.00	-	10	0.4 %
8.00	-	13	0.5 %
9.00	-	3	0.1 %
10.00	-	31	1.2 %
11.00	-	2	0.1 %
12.00	-	10	0.4 %
14.00	-	1	0.0 %
15.00	-	19	0.7 %
16.00	-	2	0.1 %
18.00	-	2	0.1 %
19.00	-	1	0.0 %
20.00	-	20	0.8 %
21.00	-	1	0.0 %
22.00	-	1	0.0 %
24.00	-	4	0.2 %
25.00	-	3	0.1 %
30.00	-	3	0.1 %
35.00	-	2	0.1 %
40.00	-	3	0.1 %
48.00	-	1	0.0 %
50.00	-	1	0.0 %
Missing Data			
-9.00	Missing	5	0.2 %
-8.00	Do not know	1	0.0 %
-1.00	N/A	1671	63.9 %
.	-	13	0.5 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 927 valid cases out of 2,617 total cases.

- Mean: 4.12
- Median: 2.00
- Mode: 2.00
- Minimum: 0.04
- Maximum: 50.00
- Standard Deviation: 5.72

Location: 714-719 (*width:* 6; *decimal:* 2)

Variable Type: numeric

(Range of) Missing Values: -9.00 , -8.00 , -7.00 , -1.00 , .

VLNTHR25: Volunteer (2) hrs/wk

What type of volunteer work do you do? How many hours a week do you spend doing it?

Value	Label	Unweighted Frequency	%
0.10	-	2	0.1 %
0.13	-	1	0.0 %
0.17	-	1	0.0 %
0.19	-	1	0.0 %
0.20	-	2	0.1 %
0.25	-	4	0.2 %
0.46	-	1	0.0 %
0.50	-	32	1.2 %
0.58	-	1	0.0 %
0.75	-	6	0.2 %
1.00	-	95	3.6 %
1.15	-	1	0.0 %
1.30	-	1	0.0 %
1.50	-	11	0.4 %
2.00	-	67	2.6 %
2.50	-	5	0.2 %
3.00	-	15	0.6 %
3.50	-	3	0.1 %
3.80	-	1	0.0 %
4.00	-	20	0.8 %
4.50	-	1	0.0 %
5.00	-	15	0.6 %
6.00	-	6	0.2 %
7.00	-	4	0.2 %
8.00	-	4	0.2 %
10.00	-	6	0.2 %
15.00	-	1	0.0 %
28.00	-	1	0.0 %
Missing Data			
-9.00	Missing	5	0.2 %
-1.00	N/A	2291	87.5 %
.	-	13	0.5 %
Total		2,617	100%

Based upon 308 valid cases out of 2,617 total cases.

- Mean: 2.28
- Median: 1.50
- Mode: 1.00

- Minimum: 0.10
- Maximum: 28.00
- Standard Deviation: 2.56

Location: 720-725 (width: 6; decimal: 2)

Variable Type: numeric

(Range of Missing Values: -9.00 , -8.00 , -7.00 , -1.00 , .

VLNTHR35: Volunteer (3) hrs/wk

What type of volunteer work do you do? How many hours a week do you spend doing it?

Value	Label	Unweighted Frequency	%
0.10	-	1	0.0 %
0.15	-	1	0.0 %
0.25	-	1	0.0 %
0.50	-	6	0.2 %
0.75	-	3	0.1 %
1.00	-	36	1.4 %
1.25	-	1	0.0 %
1.50	-	5	0.2 %
2.00	-	21	0.8 %
3.00	-	9	0.3 %
4.00	-	4	0.2 %
5.00	-	3	0.1 %
6.00	-	1	0.0 %
10.00	-	1	0.0 %
14.00	-	1	0.0 %
15.00	-	1	0.0 %
Missing Data			
-1.00	N/A	2509	95.9 %
.	-	13	0.5 %
Total		2,617	100%

Based upon 95 valid cases out of 2,617 total cases.

- Mean: 2.06
- Median: 1.00
- Mode: 1.00
- Minimum: 0.10
- Maximum: 15.00
- Standard Deviation: 2.33

Location: 726-731 (width: 6; decimal: 2)

Variable Type: numeric

(Range of Missing Values: -9.00 , -8.00 , -7.00 , -1.00 , .

MARITAL5: Marital status

What is your current marital status? Would you say ...

Value	Label	Unweighted Frequency	%
1	Single/Never Married	339	13.0 %
2	Currently Married/Living as Married	1701	65.0 %
3	Separated	93	3.6 %
4	Widowed	87	3.3 %
5	Divorced	384	14.7 %
Missing Data			
.	-	13	0.5 %
Total		2,617	100%

Based upon 2,604 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 732-733 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

CHGHLD5: Change in anyone living in house

Since your last study visit, has there been any change in who is living in your household?

Value	Label	Unweighted Frequency	%
1	No	1942	74.2 %
2	Yes	599	22.9 %
Missing Data			
-1	N/A	63	2.4 %
.	-	13	0.5 %
Total		2,617	100%

Based upon 2,541 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 734-735 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

HOUSEHL5: Anyone living in your household

Other than yourself, is there anyone living in your household?

Value	Label	Unweighted Frequency	%
1	No	52	2.0 %
2	Yes	547	20.9 %
Missing Data			
-1	N/A	2005	76.6 %

Value	Label	Unweighted Frequency	%
-		13	0.5 %
Total		2,617	100%

Based upon 599 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 736-737 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RELAT15: Relationship to yourself (1)

Please tell me their relationship to you

Value	Label	Unweighted Frequency	%
-		13	0.5 %
-1: N/A		2057	78.6 %
A BORDER		1	0.0 %
BORDER		1	0.0 %
BOYFRIEND		6	0.2 %
BROTHER		5	0.2 %
CHILD		1	0.0 %
COUSIN		2	0.1 %
COUSIN'S SON		1	0.0 %
DAUGHTER		79	3.0 %
DOMESTIC PARTNER		1	0.0 %
EX-HUSBAND		1	0.0 %
FATHE IN LAW		1	0.0 %
FATHER		2	0.1 %
FIANCE		1	0.0 %
FOSTER CHILD		1	0.0 %
FOSTER DAUGHTER		2	0.1 %
FRIEND		8	0.3 %
FRIEND/ROOM MATE		1	0.0 %
GODSON		1	0.0 %
GOODFRIEND		1	0.0 %
GRAND DAUGHTER		3	0.1 %
GRANDAUGHTER		3	0.1 %
GRANDDAUGHTER		1	0.0 %
GRANDDAUGHTRE		1	0.0 %
GRANDSN		1	0.0 %
GRANDSON		4	0.2 %
GREAT AUNT		1	0.0 %

Value	Label	Unweighted Frequency	%
HOST PARENT (OUT OF TOWN)	-	1	0.0 %
HOUSE MATE	-	1	0.0 %
HOUSEMATE	-	2	0.1 %
HUSBAND	-	286	10.9 %
LIVE IN SPOUSE	-	1	0.0 %
MATE	-	1	0.0 %
MOM	-	1	0.0 %
MOTHER	-	17	0.6 %
NEPHEW	-	2	0.1 %
NIECE	-	9	0.3 %
PARTNER	-	1	0.0 %
RELIGIOUS SISTER	-	1	0.0 %
RENTER	-	1	0.0 %
ROOM MATE	-	2	0.1 %
ROOMMATE	-	4	0.2 %
ROOMMATE-FRIEND	-	1	0.0 %
SIGNIFICANT OTHER	-	2	0.1 %
SISTER	-	5	0.2 %
SON	-	64	2.4 %
SON FIANCE	-	1	0.0 %
SON IN LAW	-	1	0.0 %
SON PART-TIME WHEN I'M NOT	-	1	0.0 %
	Total	2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,617 valid cases out of 2,617 total cases.

Location: 738-763 (width: 26; decimal: 0)

Variable Type: character

SEX15: Gender (1)

Please tell me their gender

Value	Label	Unweighted Frequency	%
	-	13	0.5 %
-1: N/A	-	2057	78.6 %
F	-	142	5.4 %
M	-	405	15.5 %
	Total	2,617	100%

Based upon 2,617 valid cases out of 2,617 total cases.

Location: 764-778 (width: 15; decimal: 0)

Variable Type: character

AGE15: Age (1)

Please tell me their age

Value	Label	Unweighted Frequency	%
1	-	4	0.2 %
3	-	1	0.0 %
4	-	1	0.0 %
6	-	2	0.1 %
7	-	3	0.1 %
8	-	2	0.1 %
9	-	2	0.1 %
10	-	2	0.1 %
11	-	3	0.1 %
12	-	5	0.2 %
13	-	6	0.2 %
14	-	5	0.2 %
15	-	12	0.5 %
16	-	11	0.4 %
17	-	8	0.3 %
18	-	8	0.3 %
19	-	9	0.3 %
20	-	7	0.3 %
21	-	7	0.3 %
22	-	11	0.4 %
23	-	13	0.5 %
24	-	6	0.2 %
25	-	10	0.4 %
26	-	6	0.2 %
27	-	6	0.2 %
28	-	6	0.2 %
29	-	8	0.3 %
30	-	12	0.5 %
31	-	3	0.1 %
32	-	2	0.1 %
33	-	1	0.0 %
34	-	5	0.2 %
35	-	5	0.2 %
36	-	3	0.1 %
37	-	2	0.1 %
38	-	3	0.1 %
39	-	1	0.0 %

Value	Label	Unweighted Frequency	%
40	-	1	0.0 %
42	-	1	0.0 %
43	-	4	0.2 %
44	-	6	0.2 %
45	-	4	0.2 %
46	-	6	0.2 %
47	-	10	0.4 %
48	-	20	0.8 %
49	-	20	0.8 %
50	-	23	0.9 %
51	-	25	1.0 %
52	-	36	1.4 %
53	-	28	1.1 %
Missing Data			
-1	N/A	2057	78.6 %
.	-	13	0.5 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 547 valid cases out of 2,617 total cases.

- Mean: 42.45
- Median: 50.00
- Mode: 52.00
- Minimum: 1.00
- Maximum: 90.00
- Standard Deviation: 17.91

Location: 779-780 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RELAT25: Relationship to yourself (2)

Please tell me their relationship to you

Value	Label	Unweighted Frequency	%
-	-	13	0.5 %
-1: N/A	-	2223	84.9 %
-8: Do not know	-	1	0.0 %
BOARDER	-	1	0.0 %
BOY	-	1	0.0 %
BOYFRIEND	-	1	0.0 %
BROTHER	-	3	0.1 %

Value	Label	Unweighted Frequency	%
CHILD	-	1	0.0 %
COMPANION	-	1	0.0 %
DAD	-	1	0.0 %
DAUGHTER	-	121	4.6 %
DAUGHTER (3RD)	-	1	0.0 %
DAUGHTER'S BOYFRIEND	-	1	0.0 %
DTR	-	1	0.0 %
EX-HUSBAND	-	1	0.0 %
FATHER	-	2	0.1 %
FIANCE	-	1	0.0 %
FOSTER CHILD	-	1	0.0 %
FOSTER DAUGHTER	-	2	0.1 %
FOSTER SON	-	2	0.1 %
FRIEND	-	7	0.3 %
GODDAUGHTER	-	1	0.0 %
GRAND SON	-	1	0.0 %
GRAND-DAUGHTER	-	1	0.0 %
GRANDDAUGHTER	-	2	0.1 %
GRANDCHILD	-	1	0.0 %
GRANDDAUGHTER	-	7	0.3 %
GRANDSON	-	17	0.6 %
GREAT NIECE	-	1	0.0 %
HOUSEMATE	-	3	0.1 %
HUSBAND	-	18	0.7 %
MOTHER	-	5	0.2 %
MOTHER IN LAW	-	2	0.1 %
MOTHER-IN-LAW	-	2	0.1 %
NEPHEW	-	4	0.2 %
NEPHEW OF FORMER BOYFRIEND	-	1	0.0 %
NIECE	-	3	0.1 %
NIECE'S BOYFRIEND	-	2	0.1 %
NIECE'S SON	-	1	0.0 %
OLDER SON	-	1	0.0 %
RELIGIOUS SISTER	-	1	0.0 %
RENTER	-	1	0.0 %
ROOMMATE	-	1	0.0 %
SIGNIFICANT OTHER	-	2	0.1 %
SISTER	-	4	0.2 %
SISTER IN LAW	-	1	0.0 %
SOM	-	1	0.0 %
SON	-	138	5.3 %
SON (PART TIME BASIS)	-	1	0.0 %

Value	Label	Unweighted Frequency	%
SON IN LAW	-	1	0.0 %
	Total	2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,617 valid cases out of 2,617 total cases.

Location: 781-806 (width: 26; decimal: 0)

Variable Type: character

SEX25: Gender (2)

Please tell me their gender

Value	Label	Unweighted Frequency	%
	-	13	0.5 %
-1: N/A	-	2223	84.9 %
F	-	167	6.4 %
M	-	214	8.2 %
	Total	2,617	100%

Based upon 2,617 valid cases out of 2,617 total cases.

Location: 807-821 (width: 15; decimal: 0)

Variable Type: character

AGE25: Age (2)

Please tell me their age

Value	Label	Unweighted Frequency	%
1	-	8	0.3 %
2	-	3	0.1 %
3	-	3	0.1 %
4	-	1	0.0 %
5	-	2	0.1 %
6	-	1	0.0 %
7	-	5	0.2 %
8	-	4	0.2 %
9	-	3	0.1 %
10	-	8	0.3 %
11	-	6	0.2 %
12	-	7	0.3 %
13	-	13	0.5 %
14	-	16	0.6 %
15	-	17	0.6 %

Value	Label	Unweighted Frequency	%
16	-	14	0.5 %
17	-	22	0.8 %
18	-	20	0.8 %
19	-	18	0.7 %
20	-	12	0.5 %
21	-	17	0.6 %
22	-	30	1.1 %
23	-	25	1.0 %
24	-	18	0.7 %
25	-	8	0.3 %
26	-	14	0.5 %
27	-	3	0.1 %
28	-	8	0.3 %
29	-	8	0.3 %
30	-	5	0.2 %
31	-	2	0.1 %
32	-	1	0.0 %
33	-	1	0.0 %
34	-	1	0.0 %
35	-	2	0.1 %
36	-	2	0.1 %
37	-	1	0.0 %
39	-	1	0.0 %
44	-	2	0.1 %
46	-	1	0.0 %
47	-	1	0.0 %
48	-	2	0.1 %
49	-	4	0.2 %
50	-	2	0.1 %
51	-	2	0.1 %
52	-	7	0.3 %
53	-	1	0.0 %
54	-	3	0.1 %
55	-	4	0.2 %
56	-	1	0.0 %
Missing Data			
-9	Missing	1	0.0 %
-1	N/A	2223	84.9 %
.	-	13	0.5 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 380 valid cases out of 2,617 total cases.

- Mean: 24.33
- Median: 21.00
- Mode: 22.00
- Minimum: 1.00
- Maximum: 93.00
- Standard Deviation: 16.46

Location: 822-823 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RELAT35: Relationship to yourself (3)

Please tell me their relationship to you

Value	Label	Unweighted Frequency	%
-	-	13	0.5 %
-1: N/A	-	2393	91.4 %
ADOPTED DAUGHTER	-	1	0.0 %
AUNT	-	1	0.0 %
BOYFRIEND	-	1	0.0 %
BROTHER	-	2	0.1 %
BROTHER-IN-LAW	-	1	0.0 %
CARE GIVER	-	1	0.0 %
DAUGHTER	-	48	1.8 %
DAUGHTER (IN COLLEGE)	-	1	0.0 %
DAUGHTER IN LAW	-	1	0.0 %
FOSTER CHILD	-	1	0.0 %
FOSTER SON	-	2	0.1 %
FRIEND	-	4	0.2 %
FRIEND'S SON	-	1	0.0 %
GIRL	-	1	0.0 %
GODCHILD	-	1	0.0 %
GODSON	-	1	0.0 %
GRAND DAUGHTER	-	3	0.1 %
GRAND SON	-	1	0.0 %
GRAND-DAUGHTER	-	1	0.0 %
GRANDAUGHTER	-	4	0.2 %
GRANDCHILD	-	2	0.1 %
GRANDDAUGHTER	-	3	0.1 %
GRANDSON	-	16	0.6 %
GRANSON	-	1	0.0 %
GREAT AUNT	-	1	0.0 %

Value	Label	Unweighted Frequency	%
GREAT NEPHEW	-	1	0.0 %
HOUSEMATE	-	1	0.0 %
HUSBAND	-	10	0.4 %
MOTHER	-	2	0.1 %
MOTHER-IN-LAW	-	1	0.0 %
NEPHEW	-	2	0.1 %
NIECE	-	2	0.1 %
NIECE'S SON	-	1	0.0 %
RENTER	-	1	0.0 %
SISTER	-	2	0.1 %
SON	-	83	3.2 %
SON'S GIRLFRIEND	-	1	0.0 %
STEP DAUGHTER	-	1	0.0 %
STEP SON	-	1	0.0 %
UNCLE	-	1	0.0 %
WIFE (SON'S)	-	1	0.0 %
	Total	2,617	100%

Based upon 2,617 valid cases out of 2,617 total cases.

Location: 824-844 (width: 21; decimal: 0)

Variable Type: character

SEX35: Gender (3)

Please tell me their gender

Value	Label	Unweighted Frequency	%
	-	13	0.5 %
-1: N/A	-	2393	91.4 %
F	-	77	2.9 %
M	-	134	5.1 %
	Total	2,617	100%

Based upon 2,617 valid cases out of 2,617 total cases.

Location: 845-859 (width: 15; decimal: 0)

Variable Type: character

AGE35: Age (3)

Please tell me their age

Value	Label	Unweighted Frequency	%
1	-	8	0.3 %
2	-	3	0.1 %

Value	Label	Unweighted Frequency	%
3	-	4	0.2 %
4	-	1	0.0 %
5	-	2	0.1 %
6	-	2	0.1 %
7	-	4	0.2 %
8	-	2	0.1 %
9	-	7	0.3 %
10	-	7	0.3 %
11	-	9	0.3 %
12	-	6	0.2 %
13	-	10	0.4 %
14	-	11	0.4 %
15	-	7	0.3 %
16	-	4	0.2 %
17	-	9	0.3 %
18	-	6	0.2 %
19	-	9	0.3 %
20	-	17	0.6 %
21	-	14	0.5 %
22	-	11	0.4 %
23	-	4	0.2 %
24	-	7	0.3 %
25	-	8	0.3 %
26	-	1	0.0 %
28	-	2	0.1 %
29	-	1	0.0 %
30	-	3	0.1 %
32	-	1	0.0 %
33	-	1	0.0 %
34	-	1	0.0 %
36	-	1	0.0 %
38	-	2	0.1 %
40	-	1	0.0 %
44	-	1	0.0 %
45	-	1	0.0 %
48	-	1	0.0 %
49	-	1	0.0 %
50	-	2	0.1 %
51	-	2	0.1 %
52	-	1	0.0 %
53	-	1	0.0 %
54	-	1	0.0 %

Value	Label	Unweighted Frequency	%
55	-	2	0.1 %
58	-	2	0.1 %
59	-	1	0.0 %
62	-	2	0.1 %
65	-	2	0.1 %
77	-	1	0.0 %
Missing Data			
-1	N/A	2393	91.4 %
.	-	13	0.5 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 211 valid cases out of 2,617 total cases.

- Mean: 21.64
- Median: 19.00
- Mode: 20.00
- Minimum: 1.00
- Maximum: 84.00
- Standard Deviation: 16.39

Location: 860-861 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

RELAT45: Relationship to yourself (4)

Please tell me their relationship to you

Value	Label	Unweighted Frequency	%
-	-	13	0.5 %
-1: N/A	-	2494	95.3 %
BROTHER	-	1	0.0 %
BROTHER-IN-LAW	-	1	0.0 %
DAUGHTER	-	17	0.6 %
DAUGHTER-IN-LAW	-	2	0.1 %
ELDER SISTER	-	1	0.0 %
FATHER	-	1	0.0 %
FOSTER DAUGHTER	-	1	0.0 %
FRIEND	-	3	0.1 %
FRIEND'S DAUGHTER	-	1	0.0 %
FRIEND'S WIFE	-	1	0.0 %
GRAND DAUGHTER	-	1	0.0 %
GRAND-DAUGHTER	-	1	0.0 %

Value	Label	Unweighted Frequency	%
GRAND-SON	-	1	0.0 %
GRANDDAUGHTER	-	4	0.2 %
GRANDDAUGHTER'S BROTHER	-	1	0.0 %
GRANDCHILD	-	1	0.0 %
GRANDDAUGHTER	-	5	0.2 %
GRANDSON	-	7	0.3 %
GREAT NIECE	-	1	0.0 %
GREAT-NEPHEW	-	1	0.0 %
HOUSEMATE	-	1	0.0 %
HUSBAND	-	6	0.2 %
MOM	-	1	0.0 %
MOTHER	-	2	0.1 %
MOTHER-IN-LAW	-	1	0.0 %
NEPHEW	-	3	0.1 %
NIECE	-	3	0.1 %
SIGNIFICANT OTHER	-	1	0.0 %
SISTER-IN-LAW	-	1	0.0 %
SON	-	27	1.0 %
SON (FOSTER)	-	1	0.0 %
SON OLD ROOM MATE	-	1	0.0 %
SON'S FRIEND	-	1	0.0 %
SON'S GIRLFRIEND	-	3	0.1 %
SON-IN-LAW	-	2	0.1 %
STEP SON	-	1	0.0 %
STEPSON	-	1	0.0 %
UNCLE'S CAREGIVER	-	1	0.0 %
WEEKEND ASSISTANT	-	1	0.0 %
	Total	2,617	100%

Based upon 2,617 valid cases out of 2,617 total cases.

Location: 862-883 (*width:* 22; *decimal:* 0)

Variable Type: character

SEX45: Gender (4)

Please tell me their gender

Value	Label	Unweighted Frequency	%
	-	13	0.5 %
-1: N/A	-	2494	95.3 %
F	-	49	1.9 %
M	-	61	2.3 %
	Total	2,617	100%

Based upon 2,617 valid cases out of 2,617 total cases.

Location: 884-898 (width: 15; decimal: 0)

Variable Type: character

AGE45: Age (4)

Please tell me their age

Value	Label	Unweighted Frequency	%
1	-	8	0.3 %
2	-	1	0.0 %
3	-	1	0.0 %
4	-	1	0.0 %
5	-	3	0.1 %
6	-	4	0.2 %
7	-	3	0.1 %
8	-	4	0.2 %
9	-	4	0.2 %
10	-	6	0.2 %
11	-	2	0.1 %
12	-	4	0.2 %
13	-	2	0.1 %
14	-	3	0.1 %
15	-	5	0.2 %
16	-	4	0.2 %
17	-	4	0.2 %
18	-	6	0.2 %
19	-	2	0.1 %
20	-	5	0.2 %
21	-	2	0.1 %
22	-	4	0.2 %
23	-	3	0.1 %
24	-	1	0.0 %
25	-	3	0.1 %
29	-	2	0.1 %
30	-	1	0.0 %
35	-	3	0.1 %
41	-	1	0.0 %
46	-	2	0.1 %
48	-	1	0.0 %
49	-	1	0.0 %
50	-	2	0.1 %
52	-	4	0.2 %
53	-	1	0.0 %

Value	Label	Unweighted Frequency	%
57	-	1	0.0 %
59	-	1	0.0 %
73	-	1	0.0 %
74	-	1	0.0 %
86	-	3	0.1 %
Missing Data			
-1	N/A	2494	95.3 %
.	-	13	0.5 %
Total		2,617	100%

Based upon 110 valid cases out of 2,617 total cases.

- Mean: 21.81
- Median: 16.50
- Mode: 1.00
- Minimum: 1.00
- Maximum: 86.00
- Standard Deviation: 19.41

Location: 899-900 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RELAT55: Relationship to yourself (5)

Please tell me their relationship to you

Value	Label	Unweighted Frequency	%
-	-	13	0.5 %
-1: N/A	-	2551	97.5 %
BROTHER	-	1	0.0 %
DAUGHTER	-	6	0.2 %
DAUGHTER'S FRIEND	-	1	0.0 %
FATHER	-	1	0.0 %
FOSTER CHILD	-	1	0.0 %
FRIEND	-	1	0.0 %
FRIEND'S DAUGHTER	-	1	0.0 %
FRIENDS' SON	-	1	0.0 %
GRANCHILD	-	1	0.0 %
GRAND DAUGHTER	-	4	0.2 %
GRANDAUGHTER	-	1	0.0 %
GRANDDAUGHTER	-	2	0.1 %
GRANDMOTHER	-	1	0.0 %
GRANDSON	-	5	0.2 %
HOUSEKEEPER	-	1	0.0 %

Value	Label	Unweighted Frequency	%
HUSBAND	-	4	0.2 %
MOTHER	-	1	0.0 %
MOTHER IN LAW	-	1	0.0 %
NEICE	-	1	0.0 %
NEPHEW	-	3	0.1 %
NIECE'S SON	-	1	0.0 %
ROOM MATE	-	1	0.0 %
SIGNIFICANT OTHER	-	1	0.0 %
SISTER IN LAW NIECE	-	1	0.0 %
SON	-	9	0.3 %
SON'S FREIND	-	1	0.0 %
SON'S GIRLFRIEND	-	1	0.0 %
	Total	2,617	100%

Based upon 2,617 valid cases out of 2,617 total cases.

Location: 901-919 (width: 19; decimal: 0)

Variable Type: character

SEX55: Gender (5)

Please tell me their gender

Value	Label	Unweighted Frequency	%
	-	13	0.5 %
-1: N/A	-	2551	97.5 %
F	-	24	0.9 %
M	-	29	1.1 %
	Total	2,617	100%

Based upon 2,617 valid cases out of 2,617 total cases.

Location: 920-934 (width: 15; decimal: 0)

Variable Type: character

AGE55: Age (5)

Please tell me their age

Value	Label	Unweighted Frequency	%
1	-	3	0.1 %
2	-	2	0.1 %
3	-	2	0.1 %
4	-	1	0.0 %
6	-	2	0.1 %
7	-	2	0.1 %

Value	Label	Unweighted Frequency	%
8	-	1	0.0 %
9	-	1	0.0 %
10	-	1	0.0 %
11	-	2	0.1 %
12	-	3	0.1 %
13	-	2	0.1 %
16	-	2	0.1 %
17	-	4	0.2 %
18	-	1	0.0 %
19	-	2	0.1 %
20	-	2	0.1 %
21	-	2	0.1 %
22	-	2	0.1 %
25	-	1	0.0 %
27	-	1	0.0 %
28	-	1	0.0 %
30	-	1	0.0 %
38	-	1	0.0 %
43	-	1	0.0 %
45	-	2	0.1 %
50	-	1	0.0 %
51	-	1	0.0 %
52	-	2	0.1 %
76	-	2	0.1 %
81	-	1	0.0 %
87	-	1	0.0 %
Missing Data			
-1	N/A	2551	97.5 %
.	-	13	0.5 %
Total		2,617	100%

Based upon 53 valid cases out of 2,617 total cases.

- Mean: 23.43
- Median: 17.00
- Mode: 17.00
- Minimum: 1.00
- Maximum: 87.00
- Standard Deviation: 21.62

Location: 935-936 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RELAT65: Relationship to yourself (6)

Please tell me their relationship to you

Value	Label	Unweighted Frequency	%
-	-	13	0.5 %
-1: N/A	-	2585	98.8 %
DAUGHTER	-	1	0.0 %
FIANCEE OF SON	-	1	0.0 %
FOSTER CHILD	-	1	0.0 %
FRIENDS' SON	-	1	0.0 %
GRANDCHILD	-	1	0.0 %
GRANDDAUGHTER	-	1	0.0 %
GRANDSON	-	4	0.2 %
HISBAND	-	1	0.0 %
HUSBAND	-	1	0.0 %
NEPHEW	-	2	0.1 %
SISTER	-	1	0.0 %
SON	-	1	0.0 %
SON FRIEND	-	1	0.0 %
SON'S FRIEND	-	2	0.1 %
	Total	2,617	100%

Based upon 2,617 valid cases out of 2,617 total cases.

Location: 937-951 (width: 15; decimal: 0)

Variable Type: character

SEX65: Gender (6)

Please tell me their gender

Value	Label	Unweighted Frequency	%
-	-	13	0.5 %
-1: N/A	-	2585	98.8 %
F	-	5	0.2 %
M	-	14	0.5 %
	Total	2,617	100%

Based upon 2,617 valid cases out of 2,617 total cases.

Location: 952-966 (width: 15; decimal: 0)

Variable Type: character

AGE65: Age (6)

Please tell me their age

Value	Label	Unweighted Frequency	%
1	-	1	0.0 %

Value	Label	Unweighted Frequency	%
2	-	1	0.0 %
3	-	1	0.0 %
5	-	1	0.0 %
6	-	1	0.0 %
7	-	1	0.0 %
8	-	1	0.0 %
10	-	1	0.0 %
11	-	1	0.0 %
12	-	1	0.0 %
17	-	1	0.0 %
19	-	2	0.1 %
23	-	1	0.0 %
24	-	1	0.0 %
26	-	1	0.0 %
37	-	1	0.0 %
54	-	1	0.0 %
59	-	1	0.0 %
Missing Data			
-1	N/A	2585	98.8 %
.	-	13	0.5 %
Total		2,617	100%

Based upon 19 valid cases out of 2,617 total cases.

- Mean: 18.05
- Median: 12.00
- Mode: 19.00
- Minimum: 1.00
- Maximum: 59.00
- Standard Deviation: 16.53

Location: 967-968 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RELAT75: Relationship to yourself (7)

Please tell me their relationship to you

Value	Label	Unweighted Frequency	%
	-	13	0.5 %
-1: N/A	-	2595	99.2 %
BROTHER	-	1	0.0 %
BROTHER MOTHER IN LAW	-	1	0.0 %
DAUGHTER	-	1	0.0 %

Value	Label	Unweighted Frequency	%
FATHER	-	1	0.0 %
GRANDCHILD	-	1	0.0 %
GRANDSON	-	2	0.1 %
HUSBAND	-	1	0.0 %
SON	-	1	0.0 %
	Total	2,617	100%

Based upon 2,617 valid cases out of 2,617 total cases.

Location: 969-989 (width: 21; decimal: 0)

Variable Type: character

SEX75: Gender (7)

Please tell me their gender

Value	Label	Unweighted Frequency	%
	-	13	0.5 %
-1: N/A	-	2595	99.2 %
F	-	2	0.1 %
M	-	7	0.3 %
	Total	2,617	100%

Based upon 2,617 valid cases out of 2,617 total cases.

Location: 990-1004 (width: 15; decimal: 0)

Variable Type: character

AGE75: Age (7)

Please tell me their age

Value	Label	Unweighted Frequency	%
1	-	1	0.0 %
4	-	1	0.0 %
8	-	1	0.0 %
9	-	1	0.0 %
25	-	1	0.0 %
43	-	1	0.0 %
55	-	1	0.0 %
77	-	1	0.0 %
81	-	1	0.0 %
	Missing Data		
-1	N/A	2595	99.2 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 9 valid cases out of 2,617 total cases.

- Mean: 33.67
- Median: 25.00
- Minimum: 1.00
- Maximum: 81.00
- Standard Deviation: 31.52

Location: 1005-1006 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RELAT85: Relationship to yourself (8)

Please tell me their relationship to you

Value	Label	Unweighted Frequency	%
-	-	13	0.5 %
-1: N/A	-	2600	99.4 %
DAUGHTER	-	1	0.0 %
DAUGHTER-IN-LAW	-	1	0.0 %
GRANDCHILD	-	1	0.0 %
SON	-	1	0.0 %
	Total	2,617	100%

Based upon 2,617 valid cases out of 2,617 total cases.

Location: 1007-1021 (width: 15; decimal: 0)

Variable Type: character

SEX85: Gender (8)

Please tell me their gender

Value	Label	Unweighted Frequency	%
-	-	13	0.5 %
-1: N/A	-	2600	99.4 %
F	-	2	0.1 %
M	-	2	0.1 %
	Total	2,617	100%

Based upon 2,617 valid cases out of 2,617 total cases.

Location: 1022-1036 (width: 15; decimal: 0)

Variable Type: character

AGE85: Age (8)

Please tell me their age

Value	Label	Unweighted Frequency	%
7	-	1	0.0 %
13	-	1	0.0 %
17	-	1	0.0 %
22	-	1	0.0 %
	Missing Data		
-1	N/A	2600	99.4 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 4 valid cases out of 2,617 total cases.

- Mean: 14.75
- Median: 15.00
- Minimum: 7.00
- Maximum: 22.00
- Standard Deviation: 6.34

Location: 1037-1038 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RELAT95: Relationship to yourself (9)

Please tell me their relationship to you

Value	Label	Unweighted Frequency	%
	-	13	0.5 %
-1: N/A	-	2602	99.4 %
GRANDCHILD	-	1	0.0 %
GRANDDAUGHTER	-	1	0.0 %
	Total	2,617	100%

Based upon 2,617 valid cases out of 2,617 total cases.

Location: 1039-1053 (width: 15; decimal: 0)

Variable Type: character

SEX95: Gender (9)

Please tell me their gender

Value	Label	Unweighted Frequency	%
	-	13	0.5 %
-1: N/A	-	2602	99.4 %
F	-	2	0.1 %
	Total	2,617	100%

Based upon 2,617 valid cases out of 2,617 total cases.

Location: 1054-1068 (width: 15; decimal: 0)

Variable Type: character

AGE95: Age (9)

Please tell me their age

Value	Label	Unweighted Frequency	%
1	-	1	0.0 %
2	-	1	0.0 %
	Missing Data		
-1	N/A	2602	99.4 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 2 valid cases out of 2,617 total cases.

- Mean: 1.50
- Median: 1.50
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.71

Location: 1069-1070 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

RELAT105: Relationship to yourself (10)

Please tell me their relationship to you

Value	Label	Unweighted Frequency	%
	-	13	0.5 %
-1: N/A	-	2604	99.5 %
	Total	2,617	100%

Based upon 2,617 valid cases out of 2,617 total cases.

Location: 1071-1085 (width: 15; decimal: 0)

Variable Type: character

SEX105: Gender (10)

Please tell me their gender

Value	Label	Unweighted Frequency	%
	-	13	0.5 %
-1: N/A	-	2604	99.5 %
	Total	2,617	100%

Based upon 2,617 valid cases out of 2,617 total cases.

Location: 1086-1100 (width: 15; decimal: 0)

Variable Type: character

AGE105: Age (10)

Please tell me their age

Value	Label	Unweighted Frequency	%
	Missing Data		
-1	N/A	2604	99.5 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 0 valid cases out of 2,617 total cases.

Location: 1101-1102 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RELAT115: Relationship to yourself (11)

Please tell me their relationship to you

Value	Label	Unweighted Frequency	%
	-	13	0.5 %
-1: N/A	-	2604	99.5 %
	Total	2,617	100%

Based upon 2,617 valid cases out of 2,617 total cases.

Location: 1103-1117 (width: 15; decimal: 0)

Variable Type: character

SEX115: Gender (11)

Please tell me their gender

Value	Label	Unweighted Frequency	%
	-	13	0.5 %
-1: N/A	-	2604	99.5 %
	Total	2,617	100%

Based upon 2,617 valid cases out of 2,617 total cases.

Location: 1118-1132 (width: 15; decimal: 0)

Variable Type: character

AGE115: Age (11)

Please tell me their age

Value	Label	Unweighted Frequency	%
	Missing Data		
-1	N/A	2604	99.5 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 0 valid cases out of 2,617 total cases.

Location: 1133-1134 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RELAT125: Relationship to yourself (12)

Please tell me their relationship to you

Value	Label	Unweighted Frequency	%
	-	13	0.5 %
-1: N/A	-	2604	99.5 %
	Total	2,617	100%

Based upon 2,617 valid cases out of 2,617 total cases.

Location: 1135-1149 (width: 15; decimal: 0)

Variable Type: character

SEX125: Gender (12)

Please tell me their gender

Value	Label	Unweighted Frequency	%
	-	13	0.5 %
-1: N/A	-	2604	99.5 %
	Total	2,617	100%

Based upon 2,617 valid cases out of 2,617 total cases.

Location: 1150-1164 (width: 15; decimal: 0)

Variable Type: character

AGE125: Age (12)

Please tell me their age

Value	Label	Unweighted Frequency	%
	Missing Data		
-1	N/A	2604	99.5 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 0 valid cases out of 2,617 total cases.

Location: 1165-1166 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FIBROID5: Fibroids since last visit_2

Since your last study visit, has a doctor, nurse practitioner or other health care provider told you that you had any of the following conditions or treated you for them? Fibroids, benign growths of the uterus or womb?

Value	Label	Unweighted Frequency	%
1	No	60	2.3 %
2	Yes	3	0.1 %
	Missing Data		
-1	N/A	2541	97.1 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 63 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1167-1168 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FORMFLG5: Abbreviated (AIN) or regular (INT) interview

Abbreviated (AIN) or regular (INT) interview

Value	Label	Unweighted Frequency	%
-	-	13	0.5 %
AIN	-	63	2.4 %
INT	-	2541	97.1 %
	Total	2,617	100%

Based upon 2,617 valid cases out of 2,617 total cases.

Location: 1169-1171 (width: 3; decimal: 0)

Variable Type: character

STATUS5: Menopausal Status

Menopausal Status

Value	Label	Unweighted Frequency	%
1	Hysterectomy/both ovaries removed	146	5.6 %
2	Post-menopausal	820	31.3 %
3	Late Peri	282	10.8 %

Value	Label	Unweighted Frequency	%
4	Early Peri	996	38.1 %
5	Pre-menopausal	120	4.6 %
6	Pregnant/breastfeeding	1	0.0 %
7	Unknown due to HT use	238	9.1 %
	Missing Data		
.	-	14	0.5 %
	Total	2,617	100%

Based upon 2,603 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 1172-1172 (width: 1; decimal: 0)

Variable Type: numeric

SAADAY5: Self-administered-Part A Day

Self-administered-Part A Day

Value	Label	Unweighted Frequency	%
1428	-	1	0.0 %
1568	-	1	0.0 %
1655	-	1	0.0 %
1691	-	1	0.0 %
1720	-	1	0.0 %
1721	-	1	0.0 %
1740	-	1	0.0 %
1741	-	1	0.0 %
1744	-	1	0.0 %
1745	-	1	0.0 %
1746	-	1	0.0 %
1749	-	1	0.0 %
1751	-	1	0.0 %
1752	-	1	0.0 %
1755	-	2	0.1 %
1757	-	1	0.0 %
1760	-	1	0.0 %
1761	-	2	0.1 %
1762	-	1	0.0 %
1763	-	1	0.0 %
1764	-	4	0.2 %
1765	-	1	0.0 %
1766	-	2	0.1 %

Value	Label	Unweighted Frequency	%
1767	-	1	0.0 %
1768	-	2	0.1 %
1769	-	3	0.1 %
1770	-	6	0.2 %
1771	-	2	0.1 %
1772	-	1	0.0 %
1773	-	1	0.0 %
1774	-	7	0.3 %
1775	-	4	0.2 %
1776	-	6	0.2 %
1777	-	8	0.3 %
1778	-	5	0.2 %
1779	-	4	0.2 %
1780	-	7	0.3 %
1781	-	14	0.5 %
1782	-	18	0.7 %
1783	-	21	0.8 %
1784	-	13	0.5 %
1785	-	17	0.6 %
1786	-	9	0.3 %
1787	-	10	0.4 %
1788	-	9	0.3 %
1789	-	15	0.6 %
1790	-	14	0.5 %
1791	-	17	0.6 %
1792	-	36	1.4 %
1793	-	17	0.6 %
Missing Data			
.	-	123	4.7 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,494 valid cases out of 2,617 total cases.

- Mean: 1860.28
- Minimum: 1428.00
- Maximum: 2443.00
- Standard Deviation: 73.80

Location: 1173-1176 (width: 4; decimal: 0)

Variable Type: numeric

FORMSAA5: Full form (SAA), Abbreviated (AIN) or Phone Interview (PAT)

Full form (SAA), Abbreviated (AIN) or Phone Interview (PAT)

Value	Label	Unweighted Frequency	%
-		121	4.6 %
AIN	-	43	1.6 %
PAT	-	37	1.4 %
SAA	-	2416	92.3 %
Total		2,617	100%

Based upon 2,617 valid cases out of 2,617 total cases.

Location: 1177-1179 (width: 3; decimal: 0)

Variable Type: character

LANGSAA5: Language of Self-A

Language of Self-A

Value	Label	Unweighted Frequency	%
1	English	2152	82.2 %
2	Spanish	155	5.9 %
3	Cantonese	84	3.2 %
4	Japanese	104	4.0 %
Missing Data			
-9	Missing	1	0.0 %
.	-	121	4.6 %
Total		2,617	100%

Based upon 2,495 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1180-1181 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OVERHLT5: Overall health

In general, would you say your health is excellent, very good, good, fair or poor?

Value	Label	Unweighted Frequency	%
1	Excellent	365	13.9 %
2	Very good	930	35.5 %
3	Good	805	30.8 %
4	Fair	320	12.2 %
5	Poor	47	1.8 %
Missing Data			
-9	Missing	8	0.3 %

Value	Label	Unweighted Frequency	%
-8	Do not know	4	0.2 %
-7	Refused	17	0.6 %
.	-	121	4.6 %
	Total	2,617	100%

Based upon 2,467 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1182-1183 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HOSPSTA5: Hospital stays since last visit

Since your last study visit, how many different times did you stay in the hospital overnight or longer?

Value	Label	Unweighted Frequency	%
0	-	2212	84.5 %
1	-	138	5.3 %
2	-	37	1.4 %
3	-	12	0.5 %
4	-	6	0.2 %
5	-	2	0.1 %
6	-	2	0.1 %
10	-	1	0.0 %
16	-	1	0.0 %
	Missing Data		
-9	Missing	82	3.1 %
-7	Refused	3	0.1 %
.	-	121	4.6 %
	Total	2,617	100%

Based upon 2,411 valid cases out of 2,617 total cases.

- Mean: 0.13
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 16.00
- Standard Deviation: 0.62

Location: 1184-1185 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MDTALK5: # times talk to health professional

Since your last study visit, about how many times did you see or talk to a doctor, nurse practitioner or other health care provider, regarding your own health? (Do not count hospitalizations or visits for this study).

Value	Label	Unweighted Frequency	%
0	-	243	9.3 %
1	-	372	14.2 %
2	-	473	18.1 %
3	-	330	12.6 %
4	-	292	11.2 %
5	-	170	6.5 %
6	-	150	5.7 %
7	-	46	1.8 %
8	-	68	2.6 %
9	-	15	0.6 %
10	-	85	3.2 %
11	-	5	0.2 %
12	-	59	2.3 %
13	-	2	0.1 %
14	-	3	0.1 %
15	-	20	0.8 %
16	-	4	0.2 %
18	-	3	0.1 %
19	-	1	0.0 %
20	-	30	1.1 %
22	-	2	0.1 %
23	-	2	0.1 %
24	-	3	0.1 %
25	-	4	0.2 %
26	-	2	0.1 %
30	-	8	0.3 %
32	-	1	0.0 %
33	-	1	0.0 %
35	-	3	0.1 %
40	-	6	0.2 %
48	-	1	0.0 %
50	>=50 times	9	0.3 %
Missing Data			
-9	Missing	80	3.1 %
-7	Refused	3	0.1 %
.	-	121	4.6 %
Total		2,617	100%

Based upon 2,413 valid cases out of 2,617 total cases.

- Mean: 4.31

- Median: 3.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 50.00
- Standard Deviation: 5.57

Location: 1186-1187 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NERVES5: Talk to professional for nerves

Since your last study visit, about how many times did you see or talk to a health care provider or other professional for problems with emotions, "nerves", or mental health?

Value	Label	Unweighted Frequency	%
0	-	1953	74.6 %
1	-	133	5.1 %
2	-	75	2.9 %
3	-	29	1.1 %
4	-	31	1.2 %
5	-	15	0.6 %
6	-	31	1.2 %
7	-	6	0.2 %
8	-	17	0.6 %
9	-	1	0.0 %
10	-	23	0.9 %
11	-	1	0.0 %
12	-	23	0.9 %
13	-	1	0.0 %
14	-	1	0.0 %
15	-	8	0.3 %
18	-	3	0.1 %
20	-	11	0.4 %
21	-	1	0.0 %
22	-	1	0.0 %
24	-	2	0.1 %
25	-	6	0.2 %
30	-	4	0.2 %
35	-	2	0.1 %
36	-	5	0.2 %
40	-	9	0.3 %
42	-	1	0.0 %
45	-	3	0.1 %
49	-	1	0.0 %
50	-	3	0.1 %

Value	Label	Unweighted Frequency	%
52	-	4	0.2 %
60	>=60 times	4	0.2 %
Missing Data			
-9	Missing	82	3.1 %
-7	Refused	6	0.2 %
.	-	121	4.6 %
Total		2,617	100%

Based upon 2,408 valid cases out of 2,617 total cases.

- Mean: 1.53
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 60.00
- Standard Deviation: 6.03

Location: 1188-1189 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PAPSMEA5: Pap smear since last visit

Since your last study visit, have you had: A Pap Smear (a routine medical test in which the doctor examines the cervix)?

Value	Label	Unweighted Frequency	%
1	No	670	25.6 %
2	Yes	1744	66.6 %
Missing Data			
-9	Missing	81	3.1 %
-7	Refused	1	0.0 %
.	-	121	4.6 %
Total		2,617	100%

Based upon 2,414 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1190-1191 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BRSTEXA5: Breast exam since last visit

Since your last study visit, have you had: A breast physical examination (a doctor or medical assistant feels for lumps in the breast)?

Value	Label	Unweighted Frequency	%
1	No	586	22.4 %
2	Yes	1829	69.9 %
	Missing Data		
-9	Missing	81	3.1 %
.	-	121	4.6 %
	Total	2,617	100%

Based upon 2,415 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1192-1193 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MAMOGRA5: Mammogram since last visit

Since your last study visit, have you had: A mammogram (an x-ray taken only of the breast by a machine that presses the breast against a glass plate)?

Value	Label	Unweighted Frequency	%
1	No	784	30.0 %
2	Yes	1631	62.3 %
	Missing Data		
-9	Missing	81	3.1 %
.	-	121	4.6 %
	Total	2,617	100%

Based upon 2,415 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1194-1195 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HLTHSER5: Health services did not receive

Since your last study visit, are there any health services that you needed but did not receive?

Value	Label	Unweighted Frequency	%
1	No	2083	79.6 %
2	Yes	302	11.5 %
	Missing Data		
-9	Missing	106	4.1 %
-7	Refused	5	0.2 %

Value	Label	Unweighted Frequency	%
.	-	121	4.6 %
	Total	2,617	100%

Based upon 2,385 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1196-1197 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

INSURAN5: Insurance doesn't cover

People fail to get health care for a variety of reasons. Have any of the following reasons prevented you from getting health care? - Insurance or health plan does not cover

Value	Label	Unweighted Frequency	%
1	No	188	7.2 %
2	Yes	80	3.1 %
	Missing Data		
-9	Missing	106	4.1 %
-7	Refused	34	1.3 %
-1	N/A	2088	79.8 %
.	-	121	4.6 %
	Total	2,617	100%

Based upon 268 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1198-1199 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NOTAFFR5: Cannot afford

People fail to get health care for a variety of reasons. Have any of the following reasons prevented you from getting health care? - Cannot afford

Value	Label	Unweighted Frequency	%
1	No	182	7.0 %
2	Yes	85	3.2 %
	Missing Data		
-9	Missing	106	4.1 %
-7	Refused	35	1.3 %
-1	N/A	2088	79.8 %

Value	Label	Unweighted Frequency	%
.	-	121	4.6 %
	Total	2,617	100%

Based upon 267 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1200-1201 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NOTRANS5: Travel distance/no transportation

People fail to get health care for a variety of reasons. Have any of the following reasons prevented you from getting health care? - Travel distance / lack of transportation

Value	Label	Unweighted Frequency	%
1	No	239	9.1 %
2	Yes	26	1.0 %
	Missing Data		
-9	Missing	106	4.1 %
-7	Refused	37	1.4 %
-1	N/A	2088	79.8 %
.	-	121	4.6 %
	Total	2,617	100%

Based upon 265 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1202-1203 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NOPROVI5: No health care provider

People fail to get health care for a variety of reasons. Have any of the following reasons prevented you from getting health care? - No health care provider

Value	Label	Unweighted Frequency	%
1	No	222	8.5 %
2	Yes	44	1.7 %
	Missing Data		
-9	Missing	106	4.1 %
-7	Refused	36	1.4 %
-1	N/A	2088	79.8 %

Value	Label	Unweighted Frequency	%
.	-	121	4.6 %
	Total	2,617	100%

Based upon 266 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1204-1205 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

TOOBUSY5: Too busy

People fail to get health care for a variety of reasons. Have any of the following reasons prevented you from getting health care? - Too busy / didn't have the time

Value	Label	Unweighted Frequency	%
1	No	137	5.2 %
2	Yes	143	5.5 %
	Missing Data		
-9	Missing	106	4.1 %
-7	Refused	22	0.8 %
-1	N/A	2088	79.8 %
.	-	121	4.6 %
	Total	2,617	100%

Based upon 280 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1206-1207 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NOTRUST5: Don't trust drs

People fail to get health care for a variety of reasons. Have any of the following reasons prevented you from getting health care? - Don't trust doctors

Value	Label	Unweighted Frequency	%
1	No	234	8.9 %
2	Yes	30	1.1 %
	Missing Data		
-9	Missing	106	4.1 %
-7	Refused	38	1.5 %
-1	N/A	2088	79.8 %

Value	Label	Unweighted Frequency	%
.	-	121	4.6 %
	Total	2,617	100%

Based upon 264 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1208-1209 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BETTROF5: Better off not knowing

People fail to get health care for a variety of reasons. Have any of the following reasons prevented you from getting health care? - I'm better off not knowing

Value	Label	Unweighted Frequency	%
1	No	251	9.6 %
2	Yes	14	0.5 %
	Missing Data		
-9	Missing	106	4.1 %
-7	Refused	37	1.4 %
-1	N/A	2088	79.8 %
.	-	121	4.6 %
	Total	2,617	100%

Based upon 265 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1210-1211 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FAILOTH5: No health care - other reason

People fail to get health care for a variety of reasons. Have any of the following reasons prevented you from getting health care? - Other

Value	Label	Unweighted Frequency	%
1	No	164	6.3 %
2	Yes	102	3.9 %
	Missing Data		
-9	Missing	107	4.1 %
-7	Refused	35	1.3 %
-1	N/A	2088	79.8 %

Value	Label	Unweighted Frequency	%
.	-	121	4.6 %
	Total	2,617	100%

Based upon 266 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1212-1213 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SMOKERE5: Smoked regularly since last visit

Since your last study visit, have you smoked cigarettes regularly (at least one cigarette a day)?

Value	Label	Unweighted Frequency	%
1	No	2155	82.3 %
2	Yes	339	13.0 %
	Missing Data		
-7	Refused	2	0.1 %
.	-	121	4.6 %
	Total	2,617	100%

Based upon 2,494 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1214-1215 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

AVCIGDA5: Avg cigarettes/day since last visit

If YES to SMOKERE5: How many cigarettes, on average, do you smoke per day now?

Value	Label	Unweighted Frequency	%
0	-	21	0.8 %
1	-	6	0.2 %
2	-	15	0.6 %
3	-	13	0.5 %
4	-	17	0.6 %
5	-	24	0.9 %
6	-	20	0.8 %
7	-	6	0.2 %
8	-	11	0.4 %
9	-	1	0.0 %

Value	Label	Unweighted Frequency	%
10	-	58	2.2 %
11	-	1	0.0 %
12	-	11	0.4 %
13	-	1	0.0 %
14	-	1	0.0 %
15	-	27	1.0 %
16	-	3	0.1 %
18	-	1	0.0 %
20	-	72	2.8 %
25	-	3	0.1 %
26	-	1	0.0 %
30	-	13	0.5 %
35	-	5	0.2 %
40	-	8	0.3 %
Missing Data			
-1	N/A	2157	82.4 %
.	-	121	4.6 %
Total		2,617	100%

Based upon 339 valid cases out of 2,617 total cases.

- Mean: 12.30
- Median: 10.00
- Mode: 20.00
- Minimum: 0.00
- Maximum: 40.00
- Standard Deviation: 9.20

Location: 1216-1217 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PEP5: Full of pep last mo

During the past 4 weeks, how much time: Did you feel full of pep?

Value	Label	Unweighted Frequency	%
1	All Of The Time	37	1.4 %
2	Most Of The Time	492	18.8 %
3	A Good Bit Of The Time	584	22.3 %
4	Some Of The Time	748	28.6 %
5	A Little Of The Time	404	15.4 %
6	None Of The Time	144	5.5 %
Missing Data			
-9	Missing	82	3.1 %

Value	Label	Unweighted Frequency	%
-7	Refused	5	0.2 %
.	-	121	4.6 %
Total		2,617	100%

Based upon 2,409 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 1218-1219 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ENERGY5: Lots energy last mo

During the past 4 weeks, how much time: Did you have a lot of energy?

Value	Label	Unweighted Frequency	%
1	All Of The Time	43	1.6 %
2	Most Of The Time	486	18.6 %
3	A Good Bit Of The Time	575	22.0 %
4	Some Of The Time	746	28.5 %
5	A Little Of The Time	425	16.2 %
6	None Of The Time	137	5.2 %
Missing Data			
-9	Missing	81	3.1 %
-7	Refused	3	0.1 %
.	-	121	4.6 %
Total		2,617	100%

Based upon 2,412 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 1220-1221 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WORNOOT5: Felt worn out last mo

During the past 4 weeks, how much time: Did you feel worn out?

Value	Label	Unweighted Frequency	%
1	All Of The Time	48	1.8 %
2	Most Of The Time	191	7.3 %
3	A Good Bit Of The Time	337	12.9 %
4	Some Of The Time	790	30.2 %

Value	Label	Unweighted Frequency	%
5	A Little Of The Time	822	31.4 %
6	None Of The Time	222	8.5 %
Missing Data			
-9	Missing	82	3.1 %
-7	Refused	4	0.2 %
.	-	121	4.6 %
Total		2,617	100%

Based upon 2,410 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 1222-1223 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

TIRED5: Felt tired last mo

During the past 4 weeks, how much time: Did you feel tired?

Value	Label	Unweighted Frequency	%
1	All Of The Time	65	2.5 %
2	Most Of The Time	216	8.3 %
3	A Good Bit Of The Time	369	14.1 %
4	Some Of The Time	902	34.5 %
5	A Little Of The Time	798	30.5 %
6	None Of The Time	62	2.4 %
Missing Data			
-9	Missing	81	3.1 %
-7	Refused	3	0.1 %
.	-	121	4.6 %
Total		2,617	100%

Based upon 2,412 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 1224-1225 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CARING5: Time spent past yr caring for child

During the past year (in the last 12 months), how much time did you spend on average: Caring for a child or children 5 years of age or less, a disabled child or an elderly person? Only count time actually spent doing physical activities like feeding, dressing, moving, playing or bathing. (If child turned 6 less than 6 months ago, consider him/her age 5 for the whole year.)

Value	Label	Unweighted Frequency	%
1	None Or Less Than 1 Hr/Wk	1873	71.6 %
2	At Least 1 hr But < 20 Hrs/Wk	339	13.0 %
3	20 Hrs Or More/Wk	178	6.8 %
Missing Data			
-9	Missing	81	3.1 %
-7	Refused	7	0.3 %
-1	N/A	18	0.7 %
.	-	121	4.6 %
Total		2,617	100%

Based upon 2,390 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 1226-1227 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MEALS5: Time spent past yr preparing meals

During the past year (in the last 12 months), how much time did you spend preparing meals or cleaning up from meals?

Value	Label	Unweighted Frequency	%
1	1 Hour Or Less Per Day	860	32.9 %
2	Between 1 And 2 Hrs/Day	1132	43.3 %
3	More Than 2 Hrs/Day	403	15.4 %
Missing Data			
-9	Missing	80	3.1 %
-7	Refused	3	0.1 %
-1	N/A	18	0.7 %
.	-	121	4.6 %
Total		2,617	100%

Based upon 2,395 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 1228-1229 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ROUTNCH5: Time spent past yr light chores

During the past year (in the last 12 months), how often did you do routine chores requiring light physical effort, such as dusting, laundry, changing linens, grocery shopping or other shopping?

Value	Label	Unweighted Frequency	%
1	Once/Wk Or Less	477	18.2 %
2	More Than Once/Wk But < Daily	1168	44.6 %
3	Daily Or More	750	28.7 %
Missing Data			
-9	Missing	80	3.1 %
-7	Refused	3	0.1 %
-1	N/A	18	0.7 %
.	-	121	4.6 %
Total		2,617	100%

Based upon 2,395 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 1230-1231 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MODERAT5: Time spent past yr moderate chores

During the past year (in the last 12 months), how often did you do chores requiring moderate physical effort, such as vacuuming, washing floors, or gardening/yard work such as mowing the lawn or raking leaves?

Value	Label	Unweighted Frequency	%
1	Once A Month Or Less	567	21.7 %
2	2-3 Times/Month	739	28.2 %
3	4 Or More Times/Month	1088	41.6 %
Missing Data			
-9	Missing	81	3.1 %
-7	Refused	3	0.1 %
-1	N/A	18	0.7 %
.	-	121	4.6 %
Total		2,617	100%

Based upon 2,394 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 1232-1233 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

VIGOROU5: Time spent past yr vigorous chores

During the past year (in the last 12 months), how often did you do chores at home requiring vigorous physical effort, such as chopping wood, tilling soil, shoveling snow, shampooing carpets, washing walls or windows, plumbing, tiling or outdoor painting?

Value	Label	Unweighted Frequency	%
1	Once A Month Or Less	2050	78.3 %
2	2-3 Times/Month	249	9.5 %
3	4 Or More Times/Month	96	3.7 %
Missing Data			
-9	Missing	80	3.1 %
-7	Refused	3	0.1 %
-1	N/A	18	0.7 %
.	-	121	4.6 %
Total		2,617	100%

Based upon 2,395 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 1234-1235 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PHYSACT5: Recreational activity compared to other women same age

In comparison with other women of your own age, do you think your recreational physical activity is...

Value	Label	Unweighted Frequency	%
1	Much Less	304	11.6 %
2	Somewhat Less	630	24.1 %
3	The Same	796	30.4 %
4	Somewhat More	517	19.8 %
5	Much More	145	5.5 %
Missing Data			
-9	Missing	81	3.1 %
-7	Refused	5	0.2 %
-1	N/A	18	0.7 %
.	-	121	4.6 %
Total		2,617	100%

Based upon 2,392 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1236-1237 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WATCHTV5: Time spent past yr watching TV

During the past year, when you were not working or doing chores around the house: Did you watch television...

Value	Label	Unweighted Frequency	%
1	Never Or Less Than 1 Hr/Wk	153	5.8 %
2	At Least 1 Hr/Wk But < 1 Hr/Day	482	18.4 %
3	1-2 Hrs/Day	919	35.1 %
4	2-4 Hrs/Day	606	23.2 %
5	More Than 4 Hrs/Day	251	9.6 %
Missing Data			
-9	Missing	80	3.1 %
-7	Refused	5	0.2 %
.	-	121	4.6 %
Total		2,617	100%

Based upon 2,411 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1238-1239 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

WALKBIK5: Time spent walk/bike

During the past year, when you were not working or doing chores around the house: Did you walk or bike to and from work, school or errands...

Value	Label	Unweighted Frequency	%
1	Never/ < 5 Minutes Per Day	1266	48.4 %
2	5-15 Minutes/Day	527	20.1 %
3	16-30 Minutes/Day	376	14.4 %
4	31-45 Minutes/Day	133	5.1 %
5	More Than 45 Minutes/Day	90	3.4 %
Missing Data			
-9	Missing	80	3.1 %
-7	Refused	6	0.2 %
-1	N/A	18	0.7 %
.	-	121	4.6 %
Total		2,617	100%

Based upon 2,392 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1240-1241 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

SWEATPA5: Time spent sweat from exertion

During the past year, when you were not working or doing chores around the house: Did you sweat from exertion...

Value	Label	Unweighted Frequency	%
1	Never/Less Than Once A Month	765	29.2 %
2	Once A Month	316	12.1 %
3	2-3 Times A Month	384	14.7 %
4	Once/Wk	275	10.5 %
5	More Than Once/Wk	670	25.6 %
Missing Data			
-9	Missing	80	3.1 %
-7	Refused	6	0.2 %
.	-	121	4.6 %
Total		2,617	100%

Based upon 2,410 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1242-1243 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SPORTS5: Time spent sport/exercise

During the past year, when you were not working or doing chores around the house: Did you play sports or exercise...

Value	Label	Unweighted Frequency	%
1	Never	691	26.4 %
2	LT Once/Month	240	9.2 %
3	Once/Month	106	4.1 %
4	2-3 Times/Month	227	8.7 %
5	Once/Wk	237	9.1 %
6	More Than Once/Wk	848	32.4 %
Missing Data			
-9	Missing	109	4.2 %
-7	Refused	6	0.2 %
-1	N/A	32	1.2 %
.	-	121	4.6 %
Total		2,617	100%

Based upon 2,349 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 1244-1245 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SPOREX15: Sport done most freq past yr

Which sport or exercise did you do most frequently during the past year?

Value	Label	Unweighted Frequency	%
-	-	121	4.6 %
-1: N/A	-	729	27.9 %
-7: Refused	-	22	0.8 %
-9: Missing	-	88	3.4 %
AB MACHINE	-	2	0.1 %
AB TRANING	-	1	0.0 %
AB-DOER/STATIONARY	-	1	0.0 %
ABDOER	-	1	0.0 %
AEROBIC	-	6	0.2 %
AEROBIC (STATIONARY BIKE), WALKING, MUSCLE TONING	-	1	0.0 %
AEROBIC + WEIGHT	-	1	0.0 %
AEROBIC DANCE	-	3	0.1 %
AEROBIC DANCING	-	1	0.0 %
AEROBIC ELLIPTICAL T	-	1	0.0 %
AEROBIC EXERCISE	-	5	0.2 %
AEROBIC EXERCISE ON	-	1	0.0 %
AEROBIC KICK BOXING	-	1	0.0 %
AEROBIC RIDER HEALTH	-	1	0.0 %
AEROBIC STEP, TREADMILL	-	1	0.0 %
AEROBIC TYPE VIDEO	-	1	0.0 %
AEROBIC W/WEIGHTS	-	1	0.0 %
AEROBIC, WALKING	-	1	0.0 %
AEROBICS	-	44	1.7 %
AEROBICS - DANCE	-	1	0.0 %
AEROBICS - ELIPTICAL TRAINING	-	1	0.0 %
AEROBICS CARDIOBOX	-	1	0.0 %
AEROBICS CLASS	-	4	0.2 %
AEROBICS CLASSES	-	1	0.0 %
AEROBICS DANCE	-	1	0.0 %
AEROBICS GLIDER	-	1	0.0 %
AEROBICS W/WEIGHTS	-	1	0.0 %
AEROBICS(IN WATER)	-	1	0.0 %
AEROBICS, LIFT WEIGHTS, WALK	-	1	0.0 %
AEROBICS/ DANCE	-	1	0.0 %
AEROBICS/SWIMMING	-	1	0.0 %
AEROBICS/TONING	-	1	0.0 %

Value	Label	Unweighted Frequency	%
AIKIDO WEIGHT TRAINI	-	1	0.0 %
AQUA AEROBICS	-	3	0.1 %
AQUATIC AEROBIC	-	1	0.0 %
AROBEC	-	1	0.0 %
AROBICS	-	1	0.0 %
BADMITTON	-	1	0.0 %
BALLET	-	2	0.1 %
BALLROOM DANCE	-	1	0.0 %
BALLROOMLATIN DANCE	-	1	0.0 %
BASKETBALL	-	6	0.2 %
BASKETBALL-H20 AEROBICS	-	1	0.0 %
BICYCLE	-	4	0.2 %
BICYCLING	-	8	0.3 %
BIKE	-	8	0.3 %
	Total	2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,617 valid cases out of 2,617 total cases.

Location: 1246-1305 (width: 60; decimal: 0)

Variable Type: character

RATEIN15: Incr heart rate sport 1

When you did this activity, did your heart rate and breathing increase?

Value	Label	Unweighted Frequency	%
1	No	97	3.7 %
2	Yes, A Small Increase	573	21.9 %
3	Yes, A Moderate Increase	782	29.9 %
4	Yes, A Large Increase	232	8.9 %
	Missing Data		
-9	Missing	80	3.1 %
-7	Refused	3	0.1 %
-1	N/A	729	27.9 %
.	-	121	4.6 %
	Total	2,617	100%

Based upon 1,684 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1306-1307 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MTHSAC15: Sport 1 # months

How many months in this past year did you do this activity?

Value	Label	Unweighted Frequency	%
1	Less Than 1 Month	114	4.4 %
2	1-3 Months	258	9.9 %
3	4-6 Months	296	11.3 %
4	7-9 Months	234	8.9 %
5	More Than 9 Months	781	29.8 %
Missing Data			
-9	Missing	81	3.1 %
-7	Refused	3	0.1 %
-1	N/A	729	27.9 %
.	-	121	4.6 %
Total		2,617	100%

Based upon 1,683 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1308-1309 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HRSACT15: Sport 1 hrs/wk

During these months, on average, how many hours a week did you do this activity?

Value	Label	Unweighted Frequency	%
1	Less Than 1 Hour	295	11.3 %
2	At Least 1 But < 2 Hrs	447	17.1 %
3	At Least 2 But < 3 Hrs	372	14.2 %
4	At Least 3 But < 4 Hrs	287	11.0 %
5	More Than 4 Hours	282	10.8 %
Missing Data			
-9	Missing	82	3.1 %
-7	Refused	2	0.1 %
-1	N/A	729	27.9 %
.	-	121	4.6 %
Total		2,617	100%

Based upon 1,683 valid cases out of 2,617 total cases.

- Minimum: 1.00

- Maximum: 5.00

Location: 1310-1311 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHSPOR5: Other sports done past yr

Did you do any other exercise or play any other sport in this past year?

Value	Label	Unweighted Frequency	%
1	No	882	33.7 %
2	Yes	802	30.6 %
Missing Data			
-9	Missing	82	3.1 %
-7	Refused	1	0.0 %
-1	N/A	729	27.9 %
.	-	121	4.6 %
Total		2,617	100%

Based upon 1,684 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1312-1313 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SPOREX25: Sport second most freq past yr

What was the second most frequent sport or exercise you did during the past year?

Value	Label	Unweighted Frequency	%
-	-	121	4.6 %
-1: N/A	-	1613	61.6 %
-7: Refused	-	6	0.2 %
-9: Missing	-	83	3.2 %
AB SLIDE(EXERISER)	-	1	0.0 %
AB-ROLLER	-	1	0.0 %
ABDOMINALS	-	1	0.0 %
AEROBIC	-	1	0.0 %
AEROBIC (SEE MORE)	-	1	0.0 %
AEROBIC + BACK	-	1	0.0 %
AEROBIC DANCE	-	1	0.0 %
AEROBIC DANCING	-	1	0.0 %
AEROBIC SKI-MACHINE	-	1	0.0 %
AEROBICS	-	12	0.5 %

Value	Label	Unweighted Frequency	%
AEROBICS (STATIONARY)	-	1	0.0 %
AEROBICS CLASS	-	1	0.0 %
AEROBICS, STEPS AEROBICS	-	1	0.0 %
AEROBICS/VIDEO TAPE	-	1	0.0 %
AEROBICS/WEIGHTS	-	1	0.0 %
AREOBIC EXERCISE	-	1	0.0 %
AROBICS	-	3	0.1 %
BACKPACKING/HIKING	-	1	0.0 %
BALL DANCING	-	1	0.0 %
BALLET	-	2	0.1 %
BALLET EXERCISE TAI	-	1	0.0 %
BALLROOM DANCING	-	1	0.0 %
BASEBALL BASKETBALL	-	1	0.0 %
BASEBALL I PITCH TO	-	1	0.0 %
BASKETBALL	-	2	0.1 %
BICYCLE	-	5	0.2 %
BICYCLE RIDING	-	1	0.0 %
BICYCLE-STATIONARY	-	1	0.0 %
BICYCLING	-	15	0.6 %
BICYLING	-	1	0.0 %
BIKE	-	6	0.2 %
BIKE MACHINE	-	1	0.0 %
BIKE RIDING	-	10	0.4 %
BIKE RIDING (STATIONARY BIKE)	-	1	0.0 %
BIKING	-	26	1.0 %
BILLIARDS	-	1	0.0 %
BIWEEKLY CRUNCH CLAS	-	1	0.0 %
BOCCE BALL	-	1	0.0 %
BODY BUILDING W/MACH	-	1	0.0 %
BODY STRETCHING	-	1	0.0 %
BODYWORK, TONING CLASS	-	1	0.0 %
BOWEL	-	1	0.0 %
BOWILING	-	1	0.0 %
BOWLING	-	8	0.3 %
BOXING	-	1	0.0 %
BRISK WALK FOR 30 M3	-	1	0.0 %
	Total	2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,617 valid cases out of 2,617 total cases.

Location: 1314-1365 (*width:* 52; *decimal:* 0)

Variable Type: character

RATEIN25: Incr heart rate sport 2

When you did this activity, did your heart rate and breathing increase?

Value	Label	Unweighted Frequency	%
1	No	50	1.9 %
2	Yes, A Small Increase	307	11.7 %
3	Yes, A Moderate Increase	332	12.7 %
4	Yes, A Large Increase	111	4.2 %
Missing Data			
-9	Missing	80	3.1 %
-7	Refused	3	0.1 %
-1	N/A	1613	61.6 %
.	-	121	4.6 %
Total		2,617	100%

Based upon 800 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1366-1367 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MTHSAC25: Sport 2 # months

How many months in this past year did you do this activity?

Value	Label	Unweighted Frequency	%
1	Less Than 1 Month	72	2.8 %
2	1-3 Months	216	8.3 %
3	4-6 Months	157	6.0 %
4	7-9 Months	83	3.2 %
5	More Than 9 Months	273	10.4 %
Missing Data			
-9	Missing	80	3.1 %
-7	Refused	2	0.1 %
-1	N/A	1613	61.6 %
.	-	121	4.6 %
Total		2,617	100%

Based upon 801 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1368-1369 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9, -8, -7, -1, .

HRSACT25: Sport 2 hrs/wk

During these months, on average, how many hours a week did you do this activity?

Value	Label	Unweighted Frequency	%
1	Less Than 1 Hour	198	7.6 %
2	At Least 1 But < 2 Hrs	270	10.3 %
3	At Least 2 But < 3 Hrs	160	6.1 %
4	At Least 3 But < 4 Hrs	86	3.3 %
5	More Than 4 Hours	86	3.3 %
Missing Data			
-9	Missing	81	3.1 %
-7	Refused	2	0.1 %
-1	N/A	1613	61.6 %
.	-	121	4.6 %
Total		2,617	100%

Based upon 800 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1370-1371 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

STRENEX5: Strenuous exercise x/wk

Considering a usual 7-day period (a week) in the past year, how many times on the average did you do the following kinds of exercise or physical activity for more than 15 minutes, not counting activity you do at work? - Strenuous exercise/physical activity (heart rate and breathing increase a lot) (i.e., running, jogging, soccer, singles tennis, basketball, cross country skiing, judo, roller skating/blading, vigorous long distance bicycling, vigorous aerobic dance)

Value	Label	Unweighted Frequency	%
0	-	53	2.0 %
1	-	10	0.4 %
2	-	6	0.2 %
3	-	8	0.3 %
4	-	3	0.1 %
Missing Data			
-9	Missing	2416	92.3 %
.	-	121	4.6 %
Total		2,617	100%

Based upon 80 valid cases out of 2,617 total cases.

- Mean: 0.72
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 4.00
- Standard Deviation: 1.19

Location: 1372-1373 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MODEREX5: Moderate exercise x/wk

Considering a usual 7-day period (a week) in the past year, how many times on the average did you do the following kinds of exercise or physical activity for more than 15 minutes, not counting activity you do at work? - Moderate exercise/physical activity (heart rate and breathing increase somewhat) (i.e., fast walking, doubles tennis, easy bicycling, volleyball, badminton, easy swimming, alpine skiing, popular and folk dancing, low impact aerobics, weight lifting/training)

Value	Label	Unweighted Frequency	%
0.0	-	21	0.8 %
1.0	-	8	0.3 %
1.5	-	1	0.0 %
2.0	-	11	0.4 %
2.5	-	1	0.0 %
3.0	-	11	0.4 %
4.0	-	10	0.4 %
5.0	-	7	0.3 %
6.0	-	6	0.2 %
7.0	-	4	0.2 %
Missing Data			
-9.0	Missing	2416	92.3 %
.	-	121	4.6 %
Total		2,617	100%

Based upon 80 valid cases out of 2,617 total cases.

- Mean: 2.58
- Median: 2.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 7.00
- Standard Deviation: 2.18

Location: 1374-1378 (width: 5; decimal: 1)

Variable Type: numeric

(Range of) Missing Values: -9.0 , -8.0 , -7.0 , -1.0 , .

STIFF5: Stiffness/soreness past 2 wks

Thinking back over the past two weeks, how often have you had: Stiffness or soreness in joints, neck or shoulders?

Value	Label	Unweighted Frequency	%
1	Not At All	585	22.4 %
2	1-5 Days	1037	39.6 %
3	6-8 Days	208	7.9 %
4	9-13 Days	153	5.8 %
5	Every Day	508	19.4 %
Missing Data			
-9	Missing	2	0.1 %
-7	Refused	3	0.1 %
.	-	121	4.6 %
Total		2,617	100%

Based upon 2,491 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1379-1380 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

ACHE5: Back aches/pains past 2 wks

Thinking back over the past two weeks, how often have you had: Back aches or pains?

Value	Label	Unweighted Frequency	%
1	Not At All	897	34.3 %
2	1-5 Days	915	35.0 %
3	6-8 Days	196	7.5 %
4	9-13 Days	129	4.9 %
5	Every Day	276	10.5 %
Missing Data			
-9	Missing	82	3.1 %
-7	Refused	1	0.0 %
.	-	121	4.6 %
Total		2,617	100%

Based upon 2,413 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1381-1382 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

COLDSWE5: Cold sweats past 2 wks

Thinking back over the past two weeks, how often have you had: Cold sweats?

Value	Label	Unweighted Frequency	%
1	Not At All	2076	79.3 %
2	1-5 Days	240	9.2 %
3	6-8 Days	43	1.6 %
4	9-13 Days	13	0.5 %
5	Every Day	35	1.3 %
Missing Data			
-9	Missing	84	3.2 %
-7	Refused	5	0.2 %
.	-	121	4.6 %
Total		2,617	100%

Based upon 2,407 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1383-1384 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

NITESWE5: Night sweats past 2 wks

Thinking back over the past two weeks, how often have you had: Night sweats?

Value	Label	Unweighted Frequency	%
1	Not At All	1538	58.8 %
2	1-5 Days	656	25.1 %
3	6-8 Days	126	4.8 %
4	9-13 Days	70	2.7 %
5	Every Day	98	3.7 %
Missing Data			
-9	Missing	3	0.1 %
-7	Refused	5	0.2 %
.	-	121	4.6 %
Total		2,617	100%

Based upon 2,488 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1385-1386 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

VAGINDR5: Vaginal dryness past 2 wks

Thinking back over the past two weeks, how often have you had: Vaginal dryness?

Value	Label	Unweighted Frequency	%
1	Not At All	1716	65.6 %
2	1-5 Days	492	18.8 %
3	6-8 Days	100	3.8 %
4	9-13 Days	58	2.2 %
5	Every Day	116	4.4 %
Missing Data			
-9	Missing	5	0.2 %
-7	Refused	9	0.3 %
.	-	121	4.6 %
Total		2,617	100%

Based upon 2,482 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1387-1388 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

FEELBLU5: Feeling blue past 2 wks

Thinking back over the past two weeks, how often have you had: Feeling blue or depressed?

Value	Label	Unweighted Frequency	%
1	Not At All	1084	41.4 %
2	1-5 Days	1048	40.0 %
3	6-8 Days	188	7.2 %
4	9-13 Days	99	3.8 %
5	Every Day	70	2.7 %
Missing Data			
-9	Missing	1	0.0 %
-7	Refused	6	0.2 %
.	-	121	4.6 %
Total		2,617	100%

Based upon 2,489 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1389-1390 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

DIZZY5: Dizzy spells past 2 wks

Thinking back over the past two weeks, how often have you had: Dizzy spells?

Value	Label	Unweighted Frequency	%
1	Not At All	1934	73.9 %
2	1-5 Days	417	15.9 %
3	6-8 Days	38	1.5 %
4	9-13 Days	14	0.5 %
5	Every Day	11	0.4 %
Missing Data			
-9	Missing	80	3.1 %
-7	Refused	2	0.1 %
.	-	121	4.6 %
Total		2,617	100%

Based upon 2,414 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1391-1392 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

IRRITAB5: Irritability past 2 wks

Thinking back over the past two weeks, how often have you had: Irritability or grouchiness?

Value	Label	Unweighted Frequency	%
1	Not At All	868	33.2 %
2	1-5 Days	1322	50.5 %
3	6-8 Days	185	7.1 %
4	9-13 Days	76	2.9 %
5	Every Day	42	1.6 %
Missing Data			
-7	Refused	3	0.1 %
.	-	121	4.6 %
Total		2,617	100%

Based upon 2,493 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1393-1394 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

NRVOUS5: Tense/nervous past 2 wks

Thinking back over the past two weeks, how often have you had: Feeling tense or nervous?

Value	Label	Unweighted Frequency	%
1	Not At All	907	34.7 %
2	1-5 Days	1115	42.6 %
3	6-8 Days	216	8.3 %
4	9-13 Days	112	4.3 %
5	Every Day	64	2.4 %
Missing Data			
-9	Missing	80	3.1 %
-7	Refused	2	0.1 %
.	-	121	4.6 %
Total		2,617	100%

Based upon 2,414 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1395-1396 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FORGET5: Forgetfulness past 2 wks

Thinking back over the past two weeks, how often have you had: Forgetfulness?

Value	Label	Unweighted Frequency	%
1	Not At All	728	27.8 %
2	1-5 Days	1111	42.5 %
3	6-8 Days	241	9.2 %
4	9-13 Days	157	6.0 %
5	Every Day	175	6.7 %
Missing Data			
-9	Missing	82	3.1 %
-7	Refused	2	0.1 %
.	-	121	4.6 %
Total		2,617	100%

Based upon 2,412 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1397-1398 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MOODCHG5: Freq mood changes past 2 wks

Thinking back over the past two weeks, how often have you had: Frequent mood changes?

Value	Label	Unweighted Frequency	%
1	Not At All	1450	55.4 %
2	1-5 Days	806	30.8 %
3	6-8 Days	135	5.2 %
4	9-13 Days	63	2.4 %
5	Every Day	40	1.5 %
Missing Data			
-9	Missing	1	0.0 %
-7	Refused	1	0.0 %
.	-	121	4.6 %
Total		2,617	100%

Based upon 2,494 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1399-1400 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

HARTRAC5: Heart pounding/racing past 2 wks

Thinking back over the past two weeks, how often have you had: Heart pounding or racing?

Value	Label	Unweighted Frequency	%
1	Not At All	1766	67.5 %
2	1-5 Days	511	19.5 %
3	6-8 Days	80	3.1 %
4	9-13 Days	37	1.4 %
5	Every Day	20	0.8 %
Missing Data			
-7	Refused	2	0.1 %
.	-	201	7.7 %
Total		2,617	100%

Based upon 2,414 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1401-1402 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

FEARFULA5: Feeling fearful past 2 wks

Thinking back over the past two weeks, how often have you had: Feeling fearful for no reason?

Value	Label	Unweighted Frequency	%
1	Not At All	1995	76.2 %
2	1-5 Days	313	12.0 %
3	6-8 Days	60	2.3 %
4	9-13 Days	23	0.9 %
5	Every Day	22	0.8 %
Missing Data			
-9	Missing	82	3.1 %
-7	Refused	1	0.0 %
.	-	121	4.6 %
Total		2,617	100%

Based upon 2,413 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1403-1404 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

HDACHE5: Headaches past 2 wks

Thinking back over the past two weeks, how often have you had: Headaches?

Value	Label	Unweighted Frequency	%
1	Not At All	956	36.5 %
2	1-5 Days	1156	44.2 %
3	6-8 Days	176	6.7 %
4	9-13 Days	80	3.1 %
5	Every Day	40	1.5 %
Missing Data			
-9	Missing	87	3.3 %
-7	Refused	1	0.0 %
.	-	121	4.6 %
Total		2,617	100%

Based upon 2,408 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1405-1406 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

HOTFLAS5: Hot flashes past 2 wks

Thinking back over the past two weeks, how often have you had: Hot flashes or flushes?

Value	Label	Unweighted Frequency	%
1	Not At All	1354	51.7 %
2	1-5 Days	675	25.8 %
3	6-8 Days	179	6.8 %
4	9-13 Days	101	3.9 %
5	Every Day	182	7.0 %
Missing Data			
-9	Missing	1	0.0 %
-7	Refused	4	0.2 %
.	-	121	4.6 %
Total		2,617	100%

Based upon 2,491 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1407-1408 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

BRSTPAI5: Breast pain/tenderness past 2 wks

Thinking back over the past two weeks, how often have you had: Breast pain/tenderness?

Value	Label	Unweighted Frequency	%
1	Not At All	1667	63.7 %
2	1-5 Days	593	22.7 %
3	6-8 Days	80	3.1 %
4	9-13 Days	30	1.1 %
5	Every Day	23	0.9 %
Missing Data			
-9	Missing	81	3.1 %
-7	Refused	4	0.2 %
-1	N/A	18	0.7 %
.	-	121	4.6 %
Total		2,617	100%

Based upon 2,393 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1409-1410 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

TRBLSLE5: Trouble falling asleep past 2 wks

In the past two weeks: Did you have trouble falling asleep?

Value	Label	Unweighted Frequency	%
1	No, Not In The Past 2 Wks	1337	51.1 %
2	Yes, < Once A Wk	436	16.7 %
3	Yes, 1-2 Times/Wk	344	13.1 %
4	Yes, 3-4 Times/Wk	160	6.1 %
5	Yes, 5 or More Times/Wk	137	5.2 %
Missing Data			
-9	Missing	80	3.1 %
-7	Refused	2	0.1 %
.	-	121	4.6 %
Total		2,617	100%

Based upon 2,414 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1411-1412 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WAKEUP5: Wake up several times/night past 2 wks

In the past two weeks: Did you wake up several times a night?

Value	Label	Unweighted Frequency	%
1	No, Not In The Past 2 Wks	700	26.7 %
2	Yes, < Once A Wk	433	16.5 %
3	Yes, 1-2 Times/Wk	494	18.9 %
4	Yes, 3-4 Times/Wk	349	13.3 %
5	Yes, 5 or More Times/Wk	438	16.7 %
Missing Data			
-9	Missing	80	3.1 %
-7	Refused	2	0.1 %
.	-	121	4.6 %
Total		2,617	100%

Based upon 2,414 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1413-1414 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WAKEARL5: Wake up early past 2 wks

In the past two weeks: Did you wake up earlier than you had planned to, and were unable to fall asleep again?

Value	Label	Unweighted Frequency	%
1	No, Not In The Past 2 Wks	1127	43.1 %
2	Yes, < Once A Wk	522	19.9 %
3	Yes, 1-2 Times/Wk	408	15.6 %
4	Yes, 3-4 Times/Wk	191	7.3 %
5	Yes, 5 or More Times/Wk	165	6.3 %
Missing Data			
-9	Missing	80	3.1 %
-7	Refused	3	0.1 %
.	-	121	4.6 %
Total		2,617	100%

Based upon 2,413 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1415-1416 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SLEEPQL5: Overall sleep quality past mo

During the past month, how would you rate your sleep quality overall?

Value	Label	Unweighted Frequency	%
1	Very good	595	22.7 %
2	Fairly good	1308	50.0 %
3	Fairly bad	429	16.4 %
4	Very bad	80	3.1 %
Missing Data			
-9	Missing	82	3.1 %
-7	Refused	2	0.1 %
.	-	121	4.6 %
Total		2,617	100%

Based upon 2,412 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1417-1418 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GETUPUR5: How often get up to urinate

How often do you usually get up from bed at night to urinate?

Value	Label	Unweighted Frequency	%
1	Never	292	11.2 %
2	Rarely (< Once A Wk)	574	21.9 %
3	Once/Wk	181	6.9 %
4	A Few Times/Wk	461	17.6 %
5	Once A Night, Every Night	602	23.0 %
6	More Than Once Per Night	302	11.5 %
Missing Data			
-9	Missing	81	3.1 %
-7	Refused	3	0.1 %
.	-	121	4.6 %
Total		2,617	100%

Based upon 2,412 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 1419-1420 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

INVOLEA5: Involuntary leakage since last visit

Since your last study visit, have you ever leaked, even a very small amount, of urine involuntarily?

Value	Label	Unweighted Frequency	%
1	No	926	35.4 %
2	Yes	1565	59.8 %
Missing Data			
-9	Missing	2	0.1 %
-7	Refused	3	0.1 %
.	-	121	4.6 %
Total		2,617	100%

Based upon 2,491 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1421-1422 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DAYSLEA5: Leakage days past mo

If YES to INVOLEA5: In the last month, about how many days have you lost any urine, even a small amount, beyond your own control?

Value	Label	Unweighted Frequency	%
1	Never	181	6.9 %
2	Less Than 1 Day/Week	892	34.1 %
3	Several Days/Week	315	12.0 %
4	Almost Daily/Daily	168	6.4 %
Missing Data			
-8	Do not know	2	0.1 %
-7	Refused	7	0.3 %
-1	N/A	931	35.6 %
.	-	121	4.6 %
Total		2,617	100%

Based upon 1,556 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1423-1424 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

COUGHLE5: Leak bec cough,sneeze,laugh,jog,pick up

If YES to INVOLEA5: Under what circumstances does it occur? - When you are coughing, laughing, sneezing, jogging, or picking up an object from the floor.

Value	Label	Unweighted Frequency	%
1	No	364	13.9 %
2	Yes	1117	42.7 %
Missing Data			
-9	Missing	50	1.9 %
-7	Refused	25	1.0 %
-1	N/A	940	35.9 %
.	-	121	4.6 %
Total		2,617	100%

Based upon 1,481 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1425-1426 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

URGEVOI5: Urge to void caused leakage

If YES to INVOLEA5: Under what circumstances does it occur? - When you have an urge to void and can't get to a toilet fast enough.

Value	Label	Unweighted Frequency	%
1	No	702	26.8 %
2	Yes	775	29.6 %
	Missing Data		
-9	Missing	48	1.8 %
-7	Refused	40	1.5 %
-1	N/A	931	35.6 %
.	-	121	4.6 %
	Total	2,617	100%

Based upon 1,477 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1427-1428 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHRLEA5: Other causes of leakage

If YES to INVOLEA5: Under what circumstances does it occur? - Other

Value	Label	Unweighted Frequency	%
1	No	1127	43.1 %
2	Yes	165	6.3 %
	Missing Data		
-9	Missing	46	1.8 %
-7	Refused	227	8.7 %
-1	N/A	931	35.6 %
.	-	121	4.6 %
	Total	2,617	100%

Based upon 1,292 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1429-1430 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NUTRIRE5: Nutritional remedies past yr

In the past 12 months, have you used any of the following for any reason? Special diets or nutritional remedies, such as macrobiotic or vegetarian diets, or vitamin supplements or therapy?

Value	Label	Unweighted Frequency	%
1	No	1592	60.8 %

Value	Label	Unweighted Frequency	%
2	Yes	902	34.5 %
	Missing Data		
-9	Missing	1	0.0 %
-7	Refused	1	0.0 %
.	-	121	4.6 %
	Total	2,617	100%

Based upon 2,494 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1431-1432 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HERBREM5: Herbal remedies past yr

In the past 12 months, have you used any of the following for any reason? Herbs or herbal remedies, such as homeopathy or Chinese herbs or teas?

Value	Label	Unweighted Frequency	%
1	No	2022	77.3 %
2	Yes	471	18.0 %
	Missing Data		
-9	Missing	1	0.0 %
-7	Refused	2	0.1 %
.	-	121	4.6 %
	Total	2,617	100%

Based upon 2,493 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1433-1434 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PSYCMET5: Psychological methods past yr

In the past 12 months, have you used any of the following for any reason? Psychological methods, such as meditation, mental imagery, or relaxation techniques?

Value	Label	Unweighted Frequency	%
1	No	1980	75.7 %
2	Yes	513	19.6 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-9	Missing	1	0.0 %
-7	Refused	2	0.1 %
.	-	121	4.6 %
	Total	2,617	100%

Based upon 2,493 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1435-1436 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -8 , -7 , -1 , .

PHYSMET5: Physical methods past yr

In the past 12 months, have you used any of the following for any reason? Physical methods, such as massage, acupressure, acupuncture, or chiropractic therapy?

Value	Label	Unweighted Frequency	%
1	No	1902	72.7 %
2	Yes	592	22.6 %
	Missing Data		
-9	Missing	1	0.0 %
-7	Refused	1	0.0 %
.	-	121	4.6 %
	Total	2,617	100%

Based upon 2,494 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1437-1438 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -8 , -7 , -1 , .

FOLKMED5: Folk medicine past yr

In the past 12 months, have you used any of the following for any reason? Folk medicine or traditional Chinese medicine?

Value	Label	Unweighted Frequency	%
1	No	2398	91.6 %
2	Yes	95	3.6 %
	Missing Data		
-9	Missing	1	0.0 %
-7	Refused	2	0.1 %
.	-	121	4.6 %

Value	Label	Unweighted Frequency	%
	Total	2,617	100%

Based upon 2,493 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1439-1440 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHRTHE5: Other diet/behav therapies past yr

In the past 12 months, have you used and of the following for any reason? Any others?

Value	Label	Unweighted Frequency	%
1	No	2138	81.7 %
2	Yes	226	8.6 %
	Missing Data		
-9	Missing	2	0.1 %
-7	Refused	130	5.0 %
.	-	121	4.6 %
	Total	2,617	100%

Based upon 2,364 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1441-1442 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SPECOTH5: Other diet/behav therapies-specify

In the past 12 months, have you used and of the following for any reason? Any others? - Specify

Value	Label	Unweighted Frequency	%
	-	121	4.6 %
"MORE FREE" GLUCOSAMINE/C	-	1	0.0 %
(QI GONG)	-	1	0.0 %
-1: N/A	-	2269	86.7 %
-9: Missing	-	5	0.2 %
ACUPPRESSURE FOR STRESS A	-	1	0.0 %
ADIPEX (DIET PILL) STOP T	-	1	0.0 %
ADKINS DIET	-	1	0.0 %
AROMA THERAPY (INFUSER)	-	1	0.0 %
AROMATHERAPY	-	1	0.0 %

Value	Label	Unweighted Frequency	%
ASIAN SOUP-PROTEIN SHAKES	-	1	0.0 %
BARLEY GREEN SUPPLEMENT	-	1	0.0 %
BEEN ON WEIGHT WATCHERS S	-	1	0.0 %
BELONG TO A SMALL CHURCH	-	1	0.0 %
BODY SOLUTIONS	-	1	0.0 %
BODY SOLUTIONS (3 MONTHS)	-	1	0.0 %
BUDDHIST PRATICE, VARIOUS	-	1	0.0 %
CALCIUM (TUMS) GREEN TEA	-	1	0.0 %
CALCIUM, MULTI VITAMINS &	-	1	0.0 %
CALCIUM-FORTIFIED ORANGE	-	1	0.0 %
CALCIUM-IN MY DIET ON WEE	-	1	0.0 %
CALORIE MONITORING, HERBA	-	1	0.0 %
CANDLE THERAPY MUSIC	-	1	0.0 %
CELEXA DAILY	-	1	0.0 %
CHI GONG	-	1	0.0 %
CHI GUNG OSTEPOATHY ROSEN	-	1	0.0 %
CHI KING, TAICHI, KARATE,	-	1	0.0 %
CHI KUNG	-	1	0.0 %
CHINESE HERBS & TEA; RELA	-	1	0.0 %
CHINESE HERBS TEA ONCE A	-	1	0.0 %
CHIROPRACTIC	-	2	0.1 %
CO-COUNSELING (NOT A THER	-	1	0.0 %
COLON CLEANSE	-	1	0.0 %
CUPPING; MOXIBUSTION	-	1	0.0 %
CUTTING DOWN ON AMOUNT OF	-	1	0.0 %
DAILY; FOLLOWING A MODERA	-	1	0.0 %
DIABETIC DIET 1200	-	1	0.0 %
DIET SODAS TO FILL ME UP	-	1	0.0 %
DISTANCE HEALING CIRCLES	-	1	0.0 %
DRINK ENSURE BOOST,3-PROP	-	1	0.0 %
DRINK HERB TEAS, ACUPRESS	-	1	0.0 %
DUE TO DEPRESSION I WAS P	-	1	0.0 %
ECHINACEA TAKEN WHEN I ST	-	1	0.0 %
EMERGENCY WORK-HANDS ON H	-	1	0.0 %
EXERCISE	-	2	0.1 %
EXERCISE TAPE APPLE CIDER	-	1	0.0 %
EXERCISE, HIP JOINTS, ETC	-	1	0.0 %
FIBER TABLETS	-	1	0.0 %
FOR NERVOUSNESS	-	1	0.0 %
GINGER POWDER W/LEMON TO	-	1	0.0 %
	Total	2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,617 valid cases out of 2,617 total cases.

Location: 1443-1467 (width: 25; decimal: 0)

Variable Type: character

STARTNE5: Started new job/school upsetting since last visit

Since your last study visit, have you experienced any of the following: Started school, a training program, or new job?

Value	Label	Unweighted Frequency	%
1	No	1918	73.3 %
2	Yes, Not At All Upsetting	266	10.2 %
3	Yes, Somewhat Upsetting	188	7.2 %
4	Yes, Very Upsetting	22	0.8 %
5	Yes, Very Upsetting & Still Upsetting	21	0.8 %
Missing Data			
-9	Missing	80	3.1 %
-7	Refused	1	0.0 %
.	-	121	4.6 %
Total		2,617	100%

Based upon 2,415 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1468-1469 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -8 , -7 , -1 , .

WORKTRB5: Work problems upsetting since last visit

Since your last study visit, have you experienced any of the following: Had trouble with a boss or conditions at work got worse?

Value	Label	Unweighted Frequency	%
1	No	1715	65.5 %
2	Yes, Not At All Upsetting	100	3.8 %
3	Yes, Somewhat Upsetting	432	16.5 %
4	Yes, Very Upsetting	155	5.9 %
5	Yes, Very Upsetting & Still Upsetting	93	3.6 %
Missing Data			
-7	Refused	1	0.0 %
.	-	121	4.6 %
Total		2,617	100%

Based upon 2,495 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1470-1471 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

QUITJOB5: Quit job upsetting since last visit

Since your last study visit, have you experienced any of the following: Quit, fired or laid off from a job?

Value	Label	Unweighted Frequency	%
1	No	2217	84.7 %
2	Yes, Not At All Upsetting	61	2.3 %
3	Yes, Somewhat Upsetting	66	2.5 %
4	Yes, Very Upsetting	38	1.5 %
5	Yes, Very Upsetting & Still Upsetting	28	1.1 %
Missing Data			
-9	Missing	84	3.2 %
-7	Refused	2	0.1 %
.	-	121	4.6 %
Total		2,617	100%

Based upon 2,410 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1472-1473 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WORKLOAD5: Increase work load upsetting since last visit

Since your last study visit, have you experienced any of the following: Took on a greatly increased workload at job?

Value	Label	Unweighted Frequency	%
1	No	1716	65.6 %
2	Yes, Not At All Upsetting	257	9.8 %
3	Yes, Somewhat Upsetting	347	13.3 %
4	Yes, Very Upsetting	65	2.5 %
5	Yes, Very Upsetting & Still Upsetting	29	1.1 %
Missing Data			
-9	Missing	81	3.1 %
-7	Refused	1	0.0 %
.	-	121	4.6 %
Total		2,617	100%

Based upon 2,414 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1474-1475 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PRTUNEM5: Partner unemployed upsetting since last visit

Since your last study visit, have you experienced any of the following: Husband/partner became unemployed?

Value	Label	Unweighted Frequency	%
1	No	2253	86.1 %
2	Yes, Not At All Upsetting	32	1.2 %
3	Yes, Somewhat Upsetting	75	2.9 %
4	Yes, Very Upsetting	28	1.1 %
5	Yes, Very Upsetting & Still Upsetting	22	0.8 %
Missing Data			
-9	Missing	84	3.2 %
-7	Refused	2	0.1 %
.	-	121	4.6 %
Total		2,617	100%

Based upon 2,410 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1476-1477 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MONEYPR5: Money problems upsetting since last visit

Since your last study visit, have you experienced any of the following: Major money problems?

Value	Label	Unweighted Frequency	%
1	No	1870	71.5 %
2	Yes, Not At All Upsetting	87	3.3 %
3	Yes, Somewhat Upsetting	324	12.4 %
4	Yes, Very Upsetting	119	4.5 %
5	Yes, Very Upsetting & Still Upsetting	95	3.6 %
Missing Data			
-7	Refused	1	0.0 %
.	-	121	4.6 %
Total		2,617	100%

Based upon 2,495 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1478-1479 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WORSREL5: Worsening relationship upsetting since last visit

Since your last study visit, have you experienced any of the following: Relations with husband/partner changed for the worse but without separation or divorce?

Value	Label	Unweighted Frequency	%
1	No	2154	82.3 %
2	Yes, Not At All Upsetting	30	1.1 %
3	Yes, Somewhat Upsetting	134	5.1 %
4	Yes, Very Upsetting	48	1.8 %
5	Yes, Very Upsetting & Still Upsetting	45	1.7 %
Missing Data			
-9	Missing	84	3.2 %
-7	Refused	1	0.0 %
.	-	121	4.6 %
Total		2,617	100%

Based upon 2,411 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1480-1481 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RELATEN5: Ended relationship upsetting since last visit

Since your last study visit, have you experienced any of the following: Were separated or divorced or a long-term relationship ended?

Value	Label	Unweighted Frequency	%
1	No	2284	87.3 %
2	Yes, Not At All Upsetting	24	0.9 %
3	Yes, Somewhat Upsetting	52	2.0 %
4	Yes, Very Upsetting	29	1.1 %
5	Yes, Very Upsetting & Still Upsetting	23	0.9 %
Missing Data			
-9	Missing	83	3.2 %
-7	Refused	1	0.0 %
.	-	121	4.6 %
Total		2,617	100%

Based upon 2,412 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1482-1483 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SERIPRO5: Serious family problem upsetting since last visit

Since your last study visit, have you experienced any of the following: Had a serious problem with child or family member (other than husband/partner) or with a close friend?

Value	Label	Unweighted Frequency	%
1	No	1784	68.2 %
2	Yes, Not At All Upsetting	68	2.6 %
3	Yes, Somewhat Upsetting	296	11.3 %
4	Yes, Very Upsetting	187	7.1 %
5	Yes, Very Upsetting & Still Upsetting	160	6.1 %
Missing Data			
-7	Refused	1	0.0 %
.	-	121	4.6 %
Total		2,617	100%

Based upon 2,495 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1484-1485 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CHILDMO5: Child moved upsetting since last visit

Since your last study visit, have you experienced any of the following: A child moved out of the house or left the area?

Value	Label	Unweighted Frequency	%
1	No	2007	76.7 %
2	Yes, Not At All Upsetting	194	7.4 %
3	Yes, Somewhat Upsetting	151	5.8 %
4	Yes, Very Upsetting	31	1.2 %
5	Yes, Very Upsetting & Still Upsetting	33	1.3 %
Missing Data			
-9	Missing	80	3.1 %
.	-	121	4.6 %
Total		2,617	100%

Based upon 2,416 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1486-1487 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RESPCAR5: Responsibility for care upsetting since last visit

Since your last study visit, have you experienced any of the following: Took on responsibility for the care of another child, grandchild, parent, other family member or friend?

Value	Label	Unweighted Frequency	%
1	No	2058	78.6 %
2	Yes, Not At All Upsetting	149	5.7 %
3	Yes, Somewhat Upsetting	148	5.7 %
4	Yes, Very Upsetting	33	1.3 %
5	Yes, Very Upsetting & Still Upsetting	28	1.1 %
Missing Data			
-9	Missing	80	3.1 %
.	-	121	4.6 %
Total		2,617	100%

Based upon 2,416 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1488-1489 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

LEGALPR5: Legal problems upsetting since last visit

Since your last study visit, have you experienced any of the following: Family member had legal problems or a problem with the police?

Value	Label	Unweighted Frequency	%
1	No	2160	82.5 %
2	Yes, Not At All Upsetting	29	1.1 %
3	Yes, Somewhat Upsetting	125	4.8 %
4	Yes, Very Upsetting	58	2.2 %
5	Yes, Very Upsetting & Still Upsetting	43	1.6 %
Missing Data			
-9	Missing	81	3.1 %
.	-	121	4.6 %
Total		2,617	100%

Based upon 2,415 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1490-1491 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CRELDIE5: Close relative died upsetting since last visit

Since your last study visit, have you experienced any of the following: A close relative (husband/partner, child or parent) died?

Value	Label	Unweighted Frequency	%
1	No	2202	84.1 %
2	Yes, Not At All Upsetting	21	0.8 %
3	Yes, Somewhat Upsetting	94	3.6 %
4	Yes, Very Upsetting	99	3.8 %
5	Yes, Very Upsetting & Still Upsetting	77	2.9 %
Missing Data			
-9	Missing	2	0.1 %
-7	Refused	1	0.0 %
.	-	121	4.6 %
Total		2,617	100%

Based upon 2,493 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1492-1493 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CLOSDIE5: Other close friend/relative died upsetting since last visit

Since your last study visit, have you experienced any of the following: A close friend or family member other than a husband/partner, child or parent died?

Value	Label	Unweighted Frequency	%
1	No	1901	72.6 %
2	Yes, Not At All Upsetting	73	2.8 %
3	Yes, Somewhat Upsetting	294	11.2 %
4	Yes, Very Upsetting	148	5.7 %
5	Yes, Very Upsetting & Still Upsetting	78	3.0 %
Missing Data			
-9	Missing	2	0.1 %
.	-	121	4.6 %
Total		2,617	100%

Based upon 2,494 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1494-1495 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SELFVIO5: Violent event to self upsetting since last visit

Since your last study visit, have you experienced any of the following: Major accident, assault, disaster, robbery or other violent event happened to yourself?

Value	Label	Unweighted Frequency	%
1	No	2305	88.1 %
2	Yes, Not At All Upsetting	6	0.2 %
3	Yes, Somewhat Upsetting	44	1.7 %
4	Yes, Very Upsetting	32	1.2 %
5	Yes, Very Upsetting & Still Upsetting	27	1.0 %
Missing Data			
-9	Missing	82	3.1 %
.	-	121	4.6 %
Total		2,617	100%

Based upon 2,414 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1496-1497 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FAMILVIO5: Violent event to other fam mem upsetting since last visit

Since your last study visit, have you experienced any of the following: Major accident, assault, disaster, robbery or other violent event happened to a family member?

Value	Label	Unweighted Frequency	%
1	No	2241	85.6 %
2	Yes, Not At All Upsetting	13	0.5 %
3	Yes, Somewhat Upsetting	77	2.9 %
4	Yes, Very Upsetting	50	1.9 %
5	Yes, Very Upsetting & Still Upsetting	34	1.3 %
Missing Data			
-9	Missing	80	3.1 %
-7	Refused	1	0.0 %
.	-	121	4.6 %
Total		2,617	100%

Based upon 2,415 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1498-1499 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PHYSILL5: Serious illness family upsetting since last visit

Since your last study visit, have you experienced any of the following: Serious physical illness, injury or drug/alcohol problem in family member, partner or close friend?

Value	Label	Unweighted Frequency	%
1	No	1828	69.9 %
2	Yes, Not At All Upsetting	31	1.2 %
3	Yes, Somewhat Upsetting	260	9.9 %
4	Yes, Very Upsetting	177	6.8 %
5	Yes, Very Upsetting & Still Upsetting	119	4.5 %
Missing Data			
-9	Missing	80	3.1 %
-7	Refused	1	0.0 %
.	-	121	4.6 %
Total		2,617	100%

Based upon 2,415 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1500-1501 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MAJEVEN5: Other major event upsetting since last visit

Since your last study visit, have you experienced any of the following: Other major event not included above?

Value	Label	Unweighted Frequency	%
1	No	2130	81.4 %
2	Yes, Not At All Upsetting	20	0.8 %
3	Yes, Somewhat Upsetting	108	4.1 %
4	Yes, Very Upsetting	92	3.5 %
5	Yes, Very Upsetting & Still Upsetting	107	4.1 %
Missing Data			
-9	Missing	3	0.1 %
-7	Refused	36	1.4 %
.	-	121	4.6 %
Total		2,617	100%

Based upon 2,457 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1502-1503 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

EMPLYPA5: Employed for pay

Are you currently employed for pay?

Value	Label	Unweighted Frequency	%
1	No	520	19.9 %
2	Yes	1886	72.1 %
Missing Data			
-9	Missing	89	3.4 %
-7	Refused	1	0.0 %
.	-	121	4.6 %
Total		2,617	100%

Based upon 2,406 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1504-1505 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

REWRDJO5: How rewarding is job

If YES to EMPLYPA5: How rewarding is your job?

Value	Label	Unweighted Frequency	%
1	Not At All	50	1.9 %
2	A Little	137	5.2 %
3	Somewhat	620	23.7 %
4	Quite A Bit	750	28.7 %
5	Extremely	300	11.5 %
Missing Data			
-9	Missing	91	3.5 %
-7	Refused	18	0.7 %
-1	N/A	530	20.3 %
.	-	121	4.6 %
Total		2,617	100%

Based upon 1,857 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1506-1507 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

STRSSJO5: How stressful is job

If YES to EMPLYPA5: How stressful is your job?

Value	Label	Unweighted Frequency	%
1	Not At All	139	5.3 %
2	A Little	353	13.5 %
3	Somewhat	673	25.7 %
4	Quite A Bit	488	18.6 %
5	Extremely	205	7.8 %
Missing Data			
-9	Missing	92	3.5 %
-7	Refused	16	0.6 %
-1	N/A	530	20.3 %
.	-	121	4.6 %
Total		2,617	100%

Based upon 1,858 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1508-1509 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CRNTCAR5: Caring for older/disabled fam mem

Are you currently caring for an older or disabled family member?

Value	Label	Unweighted Frequency	%
1	No	2083	79.6 %
2	Yes	317	12.1 %
Missing Data			
-9	Missing	93	3.6 %
-7	Refused	3	0.1 %
.	-	121	4.6 %
Total		2,617	100%

Based upon 2,400 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1510-1511 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

RWRDCAR5: How rewarding caregiver role

If YES to CRNTCAR5: How rewarding is your role as caregiver?

Value	Label	Unweighted Frequency	%
1	Not At All	42	1.6 %
2	A Little	46	1.8 %
3	Somewhat	112	4.3 %
4	Quite A Bit	75	2.9 %
5	Extremely	39	1.5 %
Missing Data			
-9	Missing	81	3.1 %
-7	Refused	2	0.1 %
-1	N/A	2099	80.2 %
.	-	121	4.6 %
Total		2,617	100%

Based upon 314 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1512-1513 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

STRSCAR5: How stressful caregiver role

If YES to CRNTCAR5: How stressful is your role as caregiver?

Value	Label	Unweighted Frequency	%
1	Not At All	16	0.6 %
2	A Little	61	2.3 %
3	Somewhat	114	4.4 %
4	Quite A Bit	84	3.2 %
5	Extremely	38	1.5 %
Missing Data			
-9	Missing	82	3.1 %
-7	Refused	2	0.1 %
-1	N/A	2099	80.2 %
.	-	121	4.6 %
Total		2,617	100%

Based upon 313 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1514-1515 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CRNTMAR5: Currently married/committed rel

Are you currently married or in a committed relationship?

Value	Label	Unweighted Frequency	%
1	No	630	24.1 %
2	Yes	1776	67.9 %
Missing Data			
-9	Missing	87	3.3 %
-7	Refused	3	0.1 %
.	-	121	4.6 %
Total		2,617	100%

Based upon 2,406 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1516-1517 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RWRDREL5: How rewarding is relationship

If YES to CRNTMAR5: How rewarding is this relationship?

Value	Label	Unweighted Frequency	%
1	Not At All	48	1.8 %
2	A Little	91	3.5 %
3	Somewhat	396	15.1 %
4	Quite A Bit	659	25.2 %
5	Extremely	571	21.8 %
Missing Data			
-9	Missing	87	3.3 %
-7	Refused	4	0.2 %
-1	N/A	640	24.5 %
.	-	121	4.6 %
Total		2,617	100%

Based upon 1,765 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1518-1519 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9, -8, -7, -1, .

STRSREL5: How stressful is relationship

If YES to CRNTMAR5: How stressful is this relationship?

Value	Label	Unweighted Frequency	%
1	Not At All	414	15.8 %
2	A Little	668	25.5 %
3	Somewhat	455	17.4 %
4	Quite A Bit	175	6.7 %
5	Extremely	53	2.0 %
Missing Data			
-9	Missing	88	3.4 %
-7	Refused	3	0.1 %
-1	N/A	640	24.5 %
.	-	121	4.6 %
Total		2,617	100%

Based upon 1,765 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1520-1521 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9, -8, -7, -1, .

CHILDRE5: Have children/stepchildren

Do you have any children or stepchildren?

Value	Label	Unweighted Frequency	%
1	No	412	15.7 %
2	Yes	1999	76.4 %
Missing Data			
-9	Missing	84	3.2 %
-7	Refused	1	0.0 %
.	-	121	4.6 %
Total		2,617	100%

Based upon 2,411 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1522-1523 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

REWRDMO5: How rewarding is role as mother

If YES to CHILDRE5: How rewarding is your role as a mother?

Value	Label	Unweighted Frequency	%
1	Not At All	25	1.0 %
2	A Little	75	2.9 %
3	Somewhat	254	9.7 %
4	Quite A Bit	712	27.2 %
5	Extremely	915	35.0 %
Missing Data			
-9	Missing	86	3.3 %
-7	Refused	12	0.5 %
-1	N/A	417	15.9 %
.	-	121	4.6 %
Total		2,617	100%

Based upon 1,981 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1524-1525 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

STRSSMO5: How stressful is role as mother

If YES to CHILDRE5: How stressful is your role as a mother?

Value	Label	Unweighted Frequency	%
1	Not At All	289	11.0 %
2	A Little	598	22.9 %
3	Somewhat	635	24.3 %
4	Quite A Bit	320	12.2 %
5	Extremely	138	5.3 %
Missing Data			
-9	Missing	86	3.3 %
-7	Refused	13	0.5 %
-1	N/A	417	15.9 %
.	-	121	4.6 %
Total		2,617	100%

Based upon 1,980 valid cases out of 2,617 total cases.

- Minimum: 1.00

- Maximum: 5.00

Location: 1526-1527 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

INCOME5: Total family income

What is your total family income (before taxes) from all sources within your household in the last year?

Value	Label	Unweighted Frequency	%
1	Less Than \$19,999	245	9.4 %
2	\$20,000 to \$49,999	614	23.5 %
3	\$50,000 to \$99,999	869	33.2 %
4	\$100,000 or More	569	21.7 %
Missing Data			
-9	Missing	81	3.1 %
-8	Do not know	33	1.3 %
-7	Refused	85	3.2 %
.	-	121	4.6 %
Total		2,617	100%

Based upon 2,297 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1528-1529 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FLGSAV5: Completed after V5 cutoff (02/15/2003)_1

Completed after V5 cutoff (02/15/2003)

Value	Label	Unweighted Frequency	%
0	No	2490	95.1 %
1	Yes	2	0.1 %
Missing Data			
-1	N/A	4	0.2 %
.	-	121	4.6 %
Total		2,617	100%

Based upon 2,492 valid cases out of 2,617 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1530-1531 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SABDAY5: Self-administered-Part B Day

Self-administered-Part B Day

Value	Label	Unweighted Frequency	%
1489	-	1	0.0 %
1652	-	1	0.0 %
1719	-	1	0.0 %
1720	-	1	0.0 %
1741	-	1	0.0 %
1744	-	1	0.0 %
1748	-	1	0.0 %
1750	-	1	0.0 %
1752	-	1	0.0 %
1756	-	1	0.0 %
1757	-	1	0.0 %
1759	-	1	0.0 %
1761	-	2	0.1 %
1762	-	1	0.0 %
1763	-	2	0.1 %
1764	-	3	0.1 %
1766	-	1	0.0 %
1767	-	3	0.1 %
1768	-	2	0.1 %
1769	-	2	0.1 %
1770	-	5	0.2 %
1771	-	1	0.0 %
1772	-	3	0.1 %
1773	-	1	0.0 %
1774	-	3	0.1 %
1775	-	2	0.1 %
1776	-	4	0.2 %
1777	-	4	0.2 %
1778	-	4	0.2 %
1779	-	2	0.1 %
1780	-	4	0.2 %
1781	-	14	0.5 %
1782	-	17	0.6 %
1783	-	24	0.9 %
1784	-	17	0.6 %
1785	-	19	0.7 %
1786	-	9	0.3 %

Value	Label	Unweighted Frequency	%
1787	-	12	0.5 %
1788	-	8	0.3 %
1789	-	11	0.4 %
1790	-	17	0.6 %
1791	-	19	0.7 %
1792	-	33	1.3 %
1793	-	16	0.6 %
1794	-	19	0.7 %
1795	-	12	0.5 %
1796	-	20	0.8 %
1797	-	20	0.8 %
1798	-	15	0.6 %
1799	-	35	1.3 %
Missing Data			
.	-	226	8.6 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,391 valid cases out of 2,617 total cases.

- Mean: 1859.25
- Minimum: 1489.00
- Maximum: 2443.00
- Standard Deviation: 71.54

Location: 1532-1535 (*width:* 4; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: .

LANGSAB5: Language of Self-B

Language of Self-B

Value	Label	Unweighted Frequency	%
1	English	2060	78.7 %
2	Spanish	152	5.8 %
3	Cantonese	80	3.1 %
4	Japanese	101	3.9 %
Missing Data			
.	-	224	8.6 %
Total		2,617	100%

Based upon 2,393 valid cases out of 2,617 total cases.

- Minimum: 1.00

- Maximum: 4.00

Location: 1536-1537 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DESIRSE5: Desire to Engage in Sex past 6 mos

During the past 6 months, how often have you felt a desire to engage in any form of sexual activity, either alone or with a partner?

Value	Label	Unweighted Frequency	%
1	Not At All	325	12.4 %
2	Once or Twice/Mon	908	34.7 %
3	About Once/Wk	596	22.8 %
4	More than Once/Wk	447	17.1 %
5	Daily	50	1.9 %
Missing Data			
-9	Missing	24	0.9 %
-7	Refused	43	1.6 %
.	-	224	8.6 %
Total		2,617	100%

Based upon 2,326 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1538-1539 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ENGAGSE5: Engaged in Sexual Activity past 6 mos

During the past 6 months, have you engaged in sexual activities with a partner?

Value	Label	Unweighted Frequency	%
1	No	701	26.8 %
2	Yes	1662	63.5 %
Missing Data			
-9	Missing	7	0.3 %
-7	Refused	23	0.9 %
.	-	224	8.6 %
Total		2,617	100%

Based upon 2,363 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1540-1541 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NOPARTN5: No Sex Past 6 Mos: No Partner

If NO to ENGAGSE5: I have not had sex in the last 6 months because: I do not have a partner at this time.

Value	Label	Unweighted Frequency	%
1	No	238	9.1 %
2	Yes	382	14.6 %
Missing Data			
-9	Missing	25	1.0 %
-7	Refused	61	2.3 %
-1	N/A	1687	64.5 %
.	-	224	8.6 %
Total		2,617	100%

Based upon 620 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1542-1543 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PARTPRO5: No Sex Past 6 Mos: Partner Phys Prob

If NO to ENGAGSE5: I have not had sex in the last 6 months because: My partner has a physical problem that interferes with sex.

Value	Label	Unweighted Frequency	%
1	No	415	15.9 %
2	Yes	92	3.5 %
Missing Data			
-9	Missing	40	1.5 %
-8	Do not know	1	0.0 %
-7	Refused	158	6.0 %
-1	N/A	1687	64.5 %
.	-	224	8.6 %
Total		2,617	100%

Based upon 507 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1544-1545 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PHYSR05: No Sex Past 6 Mos: Phys Prob

If NO to ENGAGSE5: I have not had sex in the last 6 months because: I have a physical problem that interferes with sex.

Value	Label	Unweighted Frequency	%
1	No	458	17.5 %
2	Yes	32	1.2 %
	Missing Data		
-9	Missing	42	1.6 %
-8	Do not know	1	0.0 %
-7	Refused	172	6.6 %
-1	N/A	1688	64.5 %
.	-	224	8.6 %
	Total	2,617	100%

Based upon 490 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1546-1547 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NOSEXOT5: No Sex Past 6 Mos: Other Reason

If NO to ENGAGSE5: I have not had sex in the last 6 months because: Other - Please Specify

Value	Label	Unweighted Frequency	%
1	No	238	9.1 %
2	Yes	155	5.9 %
	Missing Data		
-9	Missing	47	1.8 %
-8	Do not know	5	0.2 %
-7	Refused	261	10.0 %
-1	N/A	1687	64.5 %
.	-	224	8.6 %
	Total	2,617	100%

Based upon 393 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1548-1549 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SATISFY5: Emotionally Satisfying past 6 mos

If YES to ENGAGSE5: In the past 6 months, how emotionally satisfying was your relationship with your main partner?

Value	Label	Unweighted Frequency	%
1	Extremely Satisfying	249	9.5 %
2	Very Satisfying	674	25.8 %
3	Moderately Satisfying	537	20.5 %
4	Slightly Satisfying	156	6.0 %
5	Not At All Satisfying	42	1.6 %
Missing Data			
-9	Missing	8	0.3 %
-7	Refused	2	0.1 %
-1	N/A	725	27.7 %
.	-	224	8.6 %
Total		2,617	100%

Based upon 1,658 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1550-1551 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

KISSING5: Freq of Sexual Activity: Kissing

During the past 6 months, how often, on average, have you engaged in each of the following sexual activities? - Kissing or hugging?

Value	Label	Unweighted Frequency	%
1	Not At All	61	2.3 %
2	Once or Twice/Mon	245	9.4 %
3	About Once/Wk	217	8.3 %
4	More than Once/Wk	378	14.4 %
5	Daily	746	28.5 %
Missing Data			
-9	Missing	17	0.6 %
-7	Refused	4	0.2 %
-1	N/A	725	27.7 %
.	-	224	8.6 %
Total		2,617	100%

Based upon 1,647 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1552-1553 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

TOUCHIN5: Freq of Sexual Activity: Touching

During the past 6 months, how often, on average, have you engaged in each of the following sexual activities? - Sexual touching or caressing?

Value	Label	Unweighted Frequency	%
1	Not At All	53	2.0 %
2	Once or Twice/Mon	452	17.3 %
3	About Once/Wk	382	14.6 %
4	More than Once/Wk	556	21.2 %
5	Daily	185	7.1 %
Missing Data			
-9	Missing	30	1.1 %
-7	Refused	10	0.4 %
-1	N/A	725	27.7 %
.	-	224	8.6 %
Total		2,617	100%

Based upon 1,628 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1554-1555 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ORALSEX5: Freq of Sexual Activity: Oral Sex

During the past 6 months, how often, on average, have you engaged in each of the following sexual activities? - Oral sex?

Value	Label	Unweighted Frequency	%
1	Not At All	770	29.4 %
2	Once or Twice/Mon	538	20.6 %
3	About Once/Wk	190	7.3 %
4	More than Once/Wk	114	4.4 %
5	Daily	2	0.1 %
Missing Data			
-9	Missing	41	1.6 %
-7	Refused	13	0.5 %
-1	N/A	725	27.7 %
.	-	224	8.6 %
Total		2,617	100%

Based upon 1,614 valid cases out of 2,617 total cases.

- Minimum: 1.00

- Maximum: 5.00

Location: 1556-1557 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

INTCOUR5: Freq of Sexual Activity: Intercourse

During the past 6 months, how often, on average, have you engaged in each of the following sexual activities? - Sexual intercourse?

Value	Label	Unweighted Frequency	%
1	Not At All	66	2.5 %
2	Once or Twice/Mon	677	25.9 %
3	About Once/Wk	511	19.5 %
4	More than Once/Wk	369	14.1 %
5	Daily	16	0.6 %
Missing Data			
-9	Missing	23	0.9 %
-7	Refused	6	0.2 %
-1	N/A	725	27.7 %
.	-	224	8.6 %
Total		2,617	100%

Based upon 1,639 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1558-1559 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

AROUSED5: Arousal during sexual activity past 6 mos

During the last 6 months, how often did you feel aroused during sexual activity?

Value	Label	Unweighted Frequency	%
1	Always	450	17.2 %
2	Almost Always	607	23.2 %
3	Sometimes	492	18.8 %
4	Almost Never	78	3.0 %
5	Never	26	1.0 %
6	No Intercourse In Last 6 Mons	0	0.0 %
Missing Data			
-9	Missing	12	0.5 %
-7	Refused	3	0.1 %
-1	N/A	725	27.7 %
.	-	224	8.6 %

Value	Label	Unweighted Frequency	%
	Total	2,617	100%

Based upon 1,653 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1560-1561 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PELVIC5: Vaginal or Pelvic Pain past 6 mos

During the past 6 months, have you felt vaginal or pelvic pain during intercourse?

Value	Label	Unweighted Frequency	%
1	Always	21	0.8 %
2	Almost Always	54	2.1 %
3	Sometimes	352	13.5 %
4	Almost Never	338	12.9 %
5	Never	826	31.6 %
6	No Intercourse In Last 6 Mons	66	2.5 %
	Missing Data		
-9	Missing	10	0.4 %
-7	Refused	1	0.0 %
-1	N/A	725	27.7 %
.	-	224	8.6 %
	Total	2,617	100%

Based upon 1,657 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 1562-1563 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

LUBRICN5: Use of Lubricants past 6 mos

During the last 6 months, how often have you used lubricants, such as creams or jellies, to make sex more comfortable?

Value	Label	Unweighted Frequency	%
1	Always	140	5.3 %
2	Almost Always	121	4.6 %
3	Sometimes	210	8.0 %
4	Almost Never	127	4.9 %
5	Never	1011	38.6 %

Value	Label	Unweighted Frequency	%
6	No Intercourse In Last 6 Mons	49	1.9 %
	Missing Data		
-9	Missing	9	0.3 %
-7	Refused	1	0.0 %
-1	N/A	725	27.7 %
.	-	224	8.6 %
	Total	2,617	100%

Based upon 1,658 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 1564-1565 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ABLECLM5: Able to reach climax past 6 mos

During the past 6 months, how often were you able to reach climax (come)?

Value	Label	Unweighted Frequency	%
1	Always	307	11.7 %
2	Almost Always	608	23.2 %
3	Sometimes	543	20.7 %
4	Almost Never	115	4.4 %
5	Never	78	3.0 %
6	No Intercourse In Last 6 Mons	0	0.0 %
	Missing Data		
-9	Missing	14	0.5 %
-7	Refused	3	0.1 %
-1	N/A	725	27.7 %
.	-	224	8.6 %
	Total	2,617	100%

Based upon 1,651 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1566-1567 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SATISFD5: Satisfied after sexual activity past 6 mos

During the past 6 months, how often did you feel satisfied after sexual activity?

Value	Label	Unweighted Frequency	%
1	Always	353	13.5 %
2	Almost Always	707	27.0 %
3	Sometimes	471	18.0 %
4	Almost Never	83	3.2 %
5	Never	38	1.5 %
6	No Intercourse In Last 6 Mons	0	0.0 %
Missing Data			
-9	Missing	13	0.5 %
-7	Refused	3	0.1 %
-1	N/A	725	27.7 %
.	-	224	8.6 %
Total		2,617	100%

Based upon 1,652 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1568-1569 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FREQUEN5: Satisfied w/freq sex activity past 6 mos

During the past 6 months, how often were you satisfied with the frequency of sexual activity?

Value	Label	Unweighted Frequency	%
1	Always	269	10.3 %
2	Almost Always	650	24.8 %
3	Sometimes	553	21.1 %
4	Almost Never	127	4.9 %
5	Never	52	2.0 %
6	No Intercourse In Last 6 Mons	0	0.0 %
Missing Data			
-9	Missing	15	0.6 %
-7	Refused	2	0.1 %
-1	N/A	725	27.7 %
.	-	224	8.6 %
Total		2,617	100%

Based upon 1,651 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1570-1571 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MASTURB5: Freq of Masturbation past 6 mos

On average, in the last 6 months, how often have you engaged in masturbation (self-stimulation)?

Value	Label	Unweighted Frequency	%
1	Not At All	1160	44.3 %
2	Less Than Once/Mon	511	19.5 %
3	Once or Twice/Mon	432	16.5 %
4	About Once/Wk	157	6.0 %
5	More than Once/Wk	58	2.2 %
6	Daily	11	0.4 %
Missing Data			
-9	Missing	21	0.8 %
-7	Refused	43	1.6 %
.	-	224	8.6 %
Total		2,617	100%

Based upon 2,329 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 1572-1573 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MEN6MOS5: # men had intercourse w/in past 6 mos

Over the past 6 months, how many men have you had intercourse with?

Value	Label	Unweighted Frequency	%
1	Zero	147	5.6 %
2	One	1311	50.1 %
3	Two	40	1.5 %
4	Three	3	0.1 %
5	Four - Ten	4	0.2 %
6	More than 10	0	0.0 %
Missing Data			
-9	Missing	11	0.4 %
-7	Refused	20	0.8 %
-1	N/A	857	32.7 %
.	-	224	8.6 %
Total		2,617	100%

Based upon 1,505 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1574-1575 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FLGSABV5: Completed after V5 cutoff (02/15/2003)_2

Completed after V5 cutoff (02/15/2003)

Value	Label	Unweighted Frequency	%
0	No	2392	91.4 %
1	Yes	1	0.0 %
	Missing Data		
.	-	224	8.6 %
	Total	2,617	100%

Based upon 2,393 valid cases out of 2,617 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1576-1577 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PHYDAY5: Physical measures Day

Physical measures Day

Value	Label	Unweighted Frequency	%
1485	-	1	0.0 %
1677	-	1	0.0 %
1691	-	1	0.0 %
1719	-	1	0.0 %
1720	-	1	0.0 %
1732	-	1	0.0 %
1741	-	2	0.1 %
1744	-	1	0.0 %
1746	-	1	0.0 %
1748	-	1	0.0 %
1750	-	1	0.0 %
1751	-	1	0.0 %
1752	-	1	0.0 %
1757	-	1	0.0 %
1759	-	1	0.0 %
1761	-	2	0.1 %

Value	Label	Unweighted Frequency	%
1762	-	1	0.0 %
1763	-	2	0.1 %
1764	-	3	0.1 %
1767	-	2	0.1 %
1768	-	3	0.1 %
1769	-	1	0.0 %
1770	-	6	0.2 %
1771	-	2	0.1 %
1772	-	3	0.1 %
1775	-	2	0.1 %
1776	-	4	0.2 %
1777	-	3	0.1 %
1778	-	5	0.2 %
1779	-	2	0.1 %
1780	-	3	0.1 %
1781	-	13	0.5 %
1782	-	17	0.6 %
1783	-	22	0.8 %
1784	-	19	0.7 %
1785	-	20	0.8 %
1786	-	10	0.4 %
1787	-	12	0.5 %
1788	-	9	0.3 %
1789	-	11	0.4 %
1790	-	15	0.6 %
1791	-	17	0.6 %
1792	-	33	1.3 %
1793	-	22	0.8 %
1794	-	19	0.7 %
1795	-	12	0.5 %
1796	-	19	0.7 %
1797	-	19	0.7 %
1798	-	17	0.6 %
1799	-	32	1.2 %
Missing Data			
.	-	215	8.2 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,402 valid cases out of 2,617 total cases.

- Mean: 1855.55

- Minimum: 1485.00
- Maximum: 2185.00
- Standard Deviation: 65.72

Location: 1578-1581 (*width:* 4; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: .

PULSE5: Pulse, beats/30 seconds

Pulse, beats/30 seconds

Value	Label	Unweighted Frequency	%
19	-	1	0.0 %
21	-	1	0.0 %
22	-	1	0.0 %
23	-	1	0.0 %
24	-	18	0.7 %
25	-	15	0.6 %
26	-	33	1.3 %
27	-	51	1.9 %
28	-	123	4.7 %
29	-	107	4.1 %
30	-	182	7.0 %
31	-	155	5.9 %
32	-	210	8.0 %
33	-	168	6.4 %
34	-	232	8.9 %
35	-	162	6.2 %
36	-	178	6.8 %
37	-	106	4.1 %
38	-	128	4.9 %
39	-	66	2.5 %
40	-	114	4.4 %
41	-	46	1.8 %
42	-	75	2.9 %
43	-	27	1.0 %
44	-	26	1.0 %
45	-	22	0.8 %
46	-	14	0.5 %
47	-	11	0.4 %
48	-	13	0.5 %
49	-	3	0.1 %
50	-	3	0.1 %
51	-	3	0.1 %
52	-	3	0.1 %

Value	Label	Unweighted Frequency	%
53	-	1	0.0 %
54	-	3	0.1 %
55	-	2	0.1 %
70	-	1	0.0 %
Missing Data			
.	-	312	11.9 %
Total		2,617	100%

Based upon 2,305 valid cases out of 2,617 total cases.

- Mean: 34.36
- Median: 34.00
- Mode: 34.00
- Minimum: 19.00
- Maximum: 70.00
- Standard Deviation: 5.02

Location: 1582-1583 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: .

SYSBP15: Systolic BP #1

Systolic BP #1

Value	Label	Unweighted Frequency	%
80	-	3	0.1 %
84	-	5	0.2 %
86	-	2	0.1 %
88	-	14	0.5 %
90	-	24	0.9 %
92	-	31	1.2 %
94	-	38	1.5 %
95	-	1	0.0 %
96	-	50	1.9 %
98	-	77	2.9 %
100	-	84	3.2 %
102	-	103	3.9 %
104	-	78	3.0 %
106	-	92	3.5 %
108	-	123	4.7 %
110	-	175	6.7 %
112	-	119	4.5 %
114	-	79	3.0 %
115	-	1	0.0 %

Value	Label	Unweighted Frequency	%
116	-	87	3.3 %
117	-	1	0.0 %
118	-	118	4.5 %
120	-	143	5.5 %
122	-	87	3.3 %
123	-	1	0.0 %
124	-	71	2.7 %
125	-	1	0.0 %
126	-	58	2.2 %
128	-	96	3.7 %
130	-	101	3.9 %
132	-	47	1.8 %
134	-	40	1.5 %
136	-	36	1.4 %
138	-	52	2.0 %
140	-	63	2.4 %
142	-	35	1.3 %
144	-	22	0.8 %
146	-	18	0.7 %
148	-	26	1.0 %
150	-	23	0.9 %
152	-	8	0.3 %
154	-	1	0.0 %
156	-	7	0.3 %
158	-	9	0.3 %
160	-	11	0.4 %
162	-	7	0.3 %
164	-	3	0.1 %
166	-	1	0.0 %
168	-	4	0.2 %
170	-	5	0.2 %
Missing Data			
.	-	313	12.0 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,304 valid cases out of 2,617 total cases.

- Mean: 118.14
- Median: 116.00
- Mode: 110.00
- Minimum: 80.00

- Maximum: 218.00
- Standard Deviation: 16.95

Location: 1584-1586 (*width:* 3; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: .

DIABP15: Diastolic BP #1

Diastolic BP #1

Value	Label	Unweighted Frequency	%
40	-	2	0.1 %
45	-	1	0.0 %
46	-	1	0.0 %
48	-	1	0.0 %
50	-	14	0.5 %
52	-	6	0.2 %
54	-	10	0.4 %
56	-	15	0.6 %
58	-	57	2.2 %
60	-	89	3.4 %
62	-	77	2.9 %
64	-	104	4.0 %
66	-	101	3.9 %
68	-	205	7.8 %
70	-	233	8.9 %
72	-	166	6.3 %
74	-	145	5.5 %
75	-	2	0.1 %
76	-	122	4.7 %
77	-	1	0.0 %
78	-	188	7.2 %
80	-	183	7.0 %
82	-	113	4.3 %
84	-	90	3.4 %
85	-	2	0.1 %
86	-	70	2.7 %
88	-	99	3.8 %
90	-	84	3.2 %
92	-	27	1.0 %
93	-	1	0.0 %
94	-	14	0.5 %
96	-	13	0.5 %
98	-	21	0.8 %

Value	Label	Unweighted Frequency	%
99	-	1	0.0 %
100	-	26	1.0 %
102	-	7	0.3 %
104	-	5	0.2 %
106	-	2	0.1 %
108	-	1	0.0 %
110	-	1	0.0 %
114	-	1	0.0 %
118	-	1	0.0 %
122	-	1	0.0 %
128	-	1	0.0 %
Missing Data			
.	-	313	12.0 %
Total		2,617	100%

Based upon 2,304 valid cases out of 2,617 total cases.

- Mean: 74.84
- Median: 74.00
- Mode: 70.00
- Minimum: 40.00
- Maximum: 128.00
- Standard Deviation: 10.35

Location: 1587-1589 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: .

SYSBP25: Systolic BP #2

Systolic BP #2

Value	Label	Unweighted Frequency	%
78	-	1	0.0 %
84	-	8	0.3 %
86	-	8	0.3 %
88	-	11	0.4 %
90	-	22	0.8 %
92	-	29	1.1 %
94	-	39	1.5 %
95	-	1	0.0 %
96	-	56	2.1 %
98	-	73	2.8 %
100	-	97	3.7 %
102	-	82	3.1 %

Value	Label	Unweighted Frequency	%
104	-	104	4.0 %
106	-	96	3.7 %
107	-	1	0.0 %
108	-	139	5.3 %
110	-	144	5.5 %
112	-	124	4.7 %
114	-	88	3.4 %
116	-	94	3.6 %
117	-	1	0.0 %
118	-	118	4.5 %
120	-	123	4.7 %
122	-	79	3.0 %
124	-	72	2.8 %
126	-	69	2.6 %
128	-	112	4.3 %
130	-	73	2.8 %
132	-	51	1.9 %
134	-	43	1.6 %
136	-	43	1.6 %
138	-	58	2.2 %
140	-	58	2.2 %
142	-	28	1.1 %
144	-	15	0.6 %
146	-	19	0.7 %
148	-	24	0.9 %
150	-	20	0.8 %
152	-	8	0.3 %
154	-	3	0.1 %
156	-	7	0.3 %
158	-	8	0.3 %
160	-	9	0.3 %
162	-	3	0.1 %
164	-	3	0.1 %
166	-	2	0.1 %
168	-	8	0.3 %
170	-	8	0.3 %
172	-	2	0.1 %
174	-	2	0.1 %
Missing Data			
.	-	315	12.0 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,302 valid cases out of 2,617 total cases.

- Mean: 117.79
- Median: 116.00
- Mode: 110.00
- Minimum: 78.00
- Maximum: 220.00
- Standard Deviation: 16.94

Location: 1590-1592 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: .

DIABP25: Diastolic BP #2

Diastolic BP #2

Value	Label	Unweighted Frequency	%
40	-	1	0.0 %
46	-	1	0.0 %
48	-	2	0.1 %
50	-	9	0.3 %
52	-	6	0.2 %
54	-	11	0.4 %
56	-	14	0.5 %
58	-	45	1.7 %
60	-	99	3.8 %
62	-	83	3.2 %
64	-	111	4.2 %
65	-	1	0.0 %
66	-	104	4.0 %
68	-	200	7.6 %
70	-	240	9.2 %
72	-	155	5.9 %
74	-	155	5.9 %
76	-	153	5.8 %
78	-	167	6.4 %
80	-	207	7.9 %
82	-	100	3.8 %
84	-	94	3.6 %
85	-	1	0.0 %
86	-	66	2.5 %
88	-	90	3.4 %
90	-	74	2.8 %
92	-	19	0.7 %

Value	Label	Unweighted Frequency	%
93	-	1	0.0 %
94	-	9	0.3 %
96	-	17	0.6 %
98	-	28	1.1 %
100	-	16	0.6 %
102	-	7	0.3 %
104	-	6	0.2 %
106	-	5	0.2 %
110	-	1	0.0 %
112	-	1	0.0 %
118	-	1	0.0 %
120	-	1	0.0 %
130	-	1	0.0 %
Missing Data			
.	-	315	12.0 %
Total		2,617	100%

Based upon 2,302 valid cases out of 2,617 total cases.

- Mean: 74.65
- Median: 74.00
- Mode: 70.00
- Minimum: 40.00
- Maximum: 130.00
- Standard Deviation: 10.12

Location: 1593-1595 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: .

HEIGHT5: Height (in cm)

Height (in cm)

Value	Label	Unweighted Frequency	%
141.90	-	1	0.0 %
143.10	-	1	0.0 %
143.70	-	1	0.0 %
143.80	-	1	0.0 %
144.00	-	1	0.0 %
144.20	-	1	0.0 %
144.40	-	1	0.0 %
144.90	-	1	0.0 %
145.00	-	1	0.0 %
145.30	-	1	0.0 %

Value	Label	Unweighted Frequency	%
145.70	-	3	0.1 %
145.80	-	1	0.0 %
146.20	-	1	0.0 %
146.30	-	1	0.0 %
146.50	-	1	0.0 %
146.80	-	1	0.0 %
146.90	-	1	0.0 %
147.00	-	2	0.1 %
147.10	-	2	0.1 %
147.20	-	1	0.0 %
147.30	-	1	0.0 %
147.40	-	1	0.0 %
147.60	-	2	0.1 %
147.90	-	1	0.0 %
148.00	-	3	0.1 %
148.10	-	3	0.1 %
148.20	-	1	0.0 %
148.30	-	1	0.0 %
148.40	-	1	0.0 %
148.50	-	3	0.1 %
148.60	-	3	0.1 %
148.80	-	1	0.0 %
148.90	-	2	0.1 %
149.00	-	2	0.1 %
149.40	-	1	0.0 %
149.50	-	7	0.3 %
149.60	-	4	0.2 %
149.80	-	1	0.0 %
149.90	-	1	0.0 %
150.00	-	7	0.3 %
150.10	-	1	0.0 %
150.11	-	1	0.0 %
150.20	-	1	0.0 %
150.30	-	1	0.0 %
150.40	-	7	0.3 %
150.50	-	5	0.2 %
150.60	-	1	0.0 %
150.70	-	3	0.1 %
150.80	-	1	0.0 %
151.00	-	6	0.2 %
Missing Data			
.	-	325	12.4 %

Value	Label	Unweighted Frequency	%
	Total	2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,292 valid cases out of 2,617 total cases.

- Mean: 162.10
- Minimum: 141.90
- Maximum: 185.90
- Standard Deviation: 6.65

Location: 1596-1603 (width: 8; decimal: 2)

Variable Type: numeric

(Range of) Missing Values: .

HTMETHO5: Height Measurement Method

Height Measurement Method

Value	Label	Unweighted Frequency	%
1	Stadiometer	2025	77.4 %
2	Portable	267	10.2 %
3	Self-Reported	1	0.0 %
Missing Data			
.	-	324	12.4 %
	Total	2,617	100%

Based upon 2,293 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 1604-1605 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

WEIGHT5: Weight (in kg)

Weight (in kg)

Value	Label	Unweighted Frequency	%
37.0	-	1	0.0 %
38.4	-	1	0.0 %
40.5	-	1	0.0 %
41.4	-	1	0.0 %
41.5	-	1	0.0 %
41.6	-	1	0.0 %
41.9	-	1	0.0 %

Value	Label	Unweighted Frequency	%
42.2	-	1	0.0 %
42.3	-	1	0.0 %
42.6	-	2	0.1 %
42.7	-	1	0.0 %
43.0	-	1	0.0 %
43.8	-	1	0.0 %
44.0	-	1	0.0 %
44.2	-	1	0.0 %
44.3	-	1	0.0 %
44.5	-	1	0.0 %
44.6	-	2	0.1 %
44.8	-	2	0.1 %
45.0	-	2	0.1 %
45.3	-	1	0.0 %
45.5	-	1	0.0 %
45.6	-	2	0.1 %
45.7	-	2	0.1 %
45.8	-	1	0.0 %
46.0	-	2	0.1 %
46.1	-	2	0.1 %
46.2	-	2	0.1 %
46.3	-	2	0.1 %
46.5	-	1	0.0 %
46.6	-	2	0.1 %
46.7	-	1	0.0 %
46.8	-	2	0.1 %
46.9	-	1	0.0 %
47.0	-	1	0.0 %
47.2	-	1	0.0 %
47.4	-	2	0.1 %
47.5	-	3	0.1 %
47.6	-	3	0.1 %
47.7	-	1	0.0 %
47.8	-	6	0.2 %
47.9	-	1	0.0 %
48.0	-	3	0.1 %
48.1	-	2	0.1 %
48.2	-	1	0.0 %
48.3	-	1	0.0 %
48.4	-	4	0.2 %
48.5	-	1	0.0 %
48.6	-	4	0.2 %

Value	Label	Unweighted Frequency	%
48.7	-	1	0.0 %
	Missing Data		
.	-	318	12.2 %
	Total	2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,299 valid cases out of 2,617 total cases.

- Mean: 76.208
- Minimum: 37.000
- Maximum: 184.000
- Standard Deviation: 20.504

Location: 1606-1613 (width: 8; decimal: 3)

Variable Type: numeric

(Range of) Missing Values: .

SCALE5: Weight Scale Type

Weight Scale Type

Value	Label	Unweighted Frequency	%
1	Balance Beam	1260	48.1 %
2	Clinic Digital	354	13.5 %
3	Portable	686	26.2 %
4	Self-Reported	4	0.2 %
	Missing Data		
.	-	313	12.0 %
	Total	2,617	100%

Based upon 2,304 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1614-1615 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WAIST5: Waist Circumference

Waist Circumference

Value	Label	Unweighted Frequency	%
56.5	-	1	0.0 %
60.1	-	1	0.0 %
60.8	-	2	0.1 %

Value	Label	Unweighted Frequency	%
61.0	-	2	0.1 %
61.1	-	1	0.0 %
61.4	-	1	0.0 %
61.5	-	3	0.1 %
61.8	-	1	0.0 %
61.9	-	1	0.0 %
62.1	-	1	0.0 %
62.3	-	1	0.0 %
62.4	-	1	0.0 %
62.5	-	1	0.0 %
62.6	-	1	0.0 %
62.7	-	1	0.0 %
62.8	-	1	0.0 %
63.0	-	1	0.0 %
63.1	-	1	0.0 %
63.2	-	1	0.0 %
63.3	-	1	0.0 %
63.4	-	3	0.1 %
63.5	-	3	0.1 %
63.6	-	2	0.1 %
63.8	-	2	0.1 %
64.0	-	2	0.1 %
64.1	-	1	0.0 %
64.2	-	4	0.2 %
64.4	-	1	0.0 %
64.5	-	1	0.0 %
64.6	-	1	0.0 %
64.7	-	2	0.1 %
64.8	-	2	0.1 %
64.9	-	1	0.0 %
65.0	-	1	0.0 %
65.1	-	4	0.2 %
65.2	-	1	0.0 %
65.3	-	2	0.1 %
65.4	-	3	0.1 %
65.5	-	2	0.1 %
65.6	-	5	0.2 %
65.7	-	3	0.1 %
65.8	-	5	0.2 %
65.9	-	3	0.1 %
66.0	-	6	0.2 %
66.1	-	3	0.1 %

Value	Label	Unweighted Frequency	%
66.2	-	3	0.1 %
66.3	-	3	0.1 %
66.4	-	5	0.2 %
66.5	-	2	0.1 %
66.6	-	4	0.2 %
Missing Data			
.	-	313	12.0 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,304 valid cases out of 2,617 total cases.

- Mean: 88.76
- Minimum: 56.50
- Maximum: 183.00
- Standard Deviation: 16.81

Location: 1616-1622 (width: 7; decimal: 1)

Variable Type: numeric

(Range of) Missing Values: .

WASTMEA5: Waist measurement taken in:

Waist measurement taken in:

Value	Label	Unweighted Frequency	%
1	Undergarments	1977	75.5 %
2	Light Clothing	327	12.5 %
Missing Data			
.	-	313	12.0 %
Total		2,617	100%

Based upon 2,304 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1623-1624 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HIP5: Hip Circumference

Hip Circumference

Value	Label	Unweighted Frequency	%
74.3	-	1	0.0 %

Value	Label	Unweighted Frequency	%
76.0	-	1	0.0 %
78.4	-	1	0.0 %
79.8	-	1	0.0 %
80.0	-	1	0.0 %
81.0	-	1	0.0 %
81.2	-	1	0.0 %
82.1	-	1	0.0 %
82.7	-	1	0.0 %
83.0	-	2	0.1 %
83.1	-	2	0.1 %
83.3	-	1	0.0 %
84.0	-	2	0.1 %
84.3	-	1	0.0 %
84.5	-	1	0.0 %
84.6	-	1	0.0 %
84.8	-	2	0.1 %
84.9	-	2	0.1 %
85.0	-	3	0.1 %
85.1	-	2	0.1 %
85.2	-	1	0.0 %
85.3	-	1	0.0 %
85.4	-	1	0.0 %
85.5	-	2	0.1 %
85.6	-	2	0.1 %
85.7	-	1	0.0 %
85.8	-	2	0.1 %
86.0	-	6	0.2 %
86.3	-	1	0.0 %
86.4	-	2	0.1 %
86.5	-	2	0.1 %
86.6	-	2	0.1 %
86.7	-	2	0.1 %
86.8	-	2	0.1 %
87.0	-	7	0.3 %
87.1	-	1	0.0 %
87.3	-	2	0.1 %
87.5	-	2	0.1 %
87.6	-	1	0.0 %
87.7	-	2	0.1 %
87.8	-	3	0.1 %
87.9	-	1	0.0 %
88.0	-	7	0.3 %

Value	Label	Unweighted Frequency	%
88.1	-	2	0.1 %
88.2	-	6	0.2 %
88.3	-	4	0.2 %
88.4	-	2	0.1 %
88.5	-	1	0.0 %
88.6	-	10	0.4 %
88.7	-	3	0.1 %
Missing Data			
.	-	314	12.0 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,303 valid cases out of 2,617 total cases.

- Mean: 107.68
- Minimum: 74.30
- Maximum: 188.00
- Standard Deviation: 15.21

Location: 1625-1631 (width: 7; decimal: 1)

Variable Type: numeric

(Range of) Missing Values: .

HIPMEAS5: Hip Measurement taken in:

Hip Measurement taken in:

Value	Label	Unweighted Frequency	%
1	Undergarments	1756	67.1 %
2	Light Clothing	548	20.9 %
Missing Data			
.	-	313	12.0 %
Total		2,617	100%

Based upon 2,304 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1632-1633 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FLGPHYV5: Abbreviated or Full Physical Measures

Abbreviated or Full Physical Measures

Value	Label	Unweighted Frequency	%
-		213	8.1 %
AIN	-	61	2.3 %
PAT	-	37	1.4 %
PHY	-	2306	88.1 %
Total		2,617	100%

Based upon 2,617 valid cases out of 2,617 total cases.

Location: 1634-1636 (width: 3; decimal: 0)

Variable Type: character

BMI5: Body Mass Index

BMI is calculated as weight in kilograms divided by the square of height in meters

Value	Label	Unweighted Frequency	%
15.759	-	1	0.0 %
16.561	-	1	0.0 %
16.711	-	1	0.0 %
16.884	-	1	0.0 %
17.033	-	1	0.0 %
17.181	-	1	0.0 %
17.247	-	1	0.0 %
17.387	-	1	0.0 %
17.453	-	1	0.0 %
17.530	-	1	0.0 %
17.680	-	1	0.0 %
17.736	-	1	0.0 %
17.741	-	1	0.0 %
17.754	-	1	0.0 %
17.785	-	1	0.0 %
17.828	-	1	0.0 %
17.904	-	1	0.0 %
17.946	-	1	0.0 %
18.106	-	1	0.0 %
18.121	-	1	0.0 %
18.212	-	1	0.0 %
18.214	-	1	0.0 %
18.228	-	1	0.0 %
18.298	-	1	0.0 %
18.413	-	1	0.0 %
18.435	-	1	0.0 %
18.446	-	1	0.0 %
18.449	-	1	0.0 %

Value	Label	Unweighted Frequency	%
18.547	-	1	0.0 %
18.553	-	1	0.0 %
18.561	-	1	0.0 %
18.631	-	1	0.0 %
18.695	-	1	0.0 %
18.710	-	1	0.0 %
18.728	-	1	0.0 %
18.781	-	1	0.0 %
18.794	-	2	0.1 %
18.815	-	1	0.0 %
18.847	-	1	0.0 %
18.866	-	1	0.0 %
18.868	-	1	0.0 %
18.907	-	1	0.0 %
18.910	-	1	0.0 %
18.953	-	1	0.0 %
18.971	-	1	0.0 %
18.980	-	1	0.0 %
18.981	-	1	0.0 %
18.983	-	1	0.0 %
18.986	-	1	0.0 %
18.992	-	1	0.0 %
Missing Data			
.	-	331	12.6 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,286 valid cases out of 2,617 total cases.

- Mean: 28.932
- Minimum: 15.759
- Maximum: 65.426
- Standard Deviation: 7.304

Location: 1637-1643 (*width:* 7; *decimal:* 3)

Variable Type: numeric

FFQDAY5: Food Frequency Day

Food Frequency Day

Value	Label	Unweighted Frequency	%
1126	-	1	0.0 %
1427	-	1	0.0 %

Value	Label	Unweighted Frequency	%
1463	-	1	0.0 %
1470	-	1	0.0 %
1530	-	1	0.0 %
1576	-	1	0.0 %
1719	-	1	0.0 %
1720	-	1	0.0 %
1732	-	1	0.0 %
1741	-	2	0.1 %
1744	-	1	0.0 %
1746	-	1	0.0 %
1748	-	1	0.0 %
1750	-	1	0.0 %
1752	-	1	0.0 %
1756	-	1	0.0 %
1757	-	1	0.0 %
1759	-	1	0.0 %
1761	-	2	0.1 %
1762	-	1	0.0 %
1763	-	2	0.1 %
1764	-	2	0.1 %
1767	-	3	0.1 %
1768	-	2	0.1 %
1769	-	1	0.0 %
1770	-	5	0.2 %
1771	-	1	0.0 %
1772	-	3	0.1 %
1773	-	1	0.0 %
1775	-	4	0.2 %
1776	-	4	0.2 %
1777	-	3	0.1 %
1778	-	5	0.2 %
1779	-	2	0.1 %
1780	-	1	0.0 %
1781	-	13	0.5 %
1782	-	15	0.6 %
1783	-	21	0.8 %
1784	-	18	0.7 %
1785	-	19	0.7 %
1786	-	10	0.4 %
1787	-	13	0.5 %
1788	-	8	0.3 %
1789	-	11	0.4 %

Value	Label	Unweighted Frequency	%
1790	-	13	0.5 %
1791	-	19	0.7 %
1792	-	32	1.2 %
1793	-	19	0.7 %
1794	-	17	0.6 %
1795	-	11	0.4 %
Missing Data			
.	-	382	14.6 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,235 valid cases out of 2,617 total cases.

- Mean: 1852.72
- Minimum: 1126.00
- Maximum: 2185.00
- Standard Deviation: 67.47

Location: 1644-1647 (width: 4; decimal: 0)

Variable Type: numeric

LANGFFQ5: FFQ Language

FFQ Language

Value	Label	Unweighted Frequency	%
-		492	18.8 %
C	Chinese	208	7.9 %
E	English	1574	60.1 %
J	Japanese	227	8.7 %
S	Spanish	116	4.4 %
Total		2,617	100%

Based upon 2,617 valid cases out of 2,617 total cases.

Location: 1648-1648 (width: 1; decimal: 0)

Variable Type: character

LANGSPK5: Lang used at home

What language do you usually speak at home or with friends?

Value	Label	Unweighted Frequency	%
-		501	19.1 %
1	English	1776	67.9 %
2	Other	284	10.9 %

Value	Label	Unweighted Frequency	%
3	Both	56	2.1 %
	Total	2,617	100%

Based upon 2,617 valid cases out of 2,617 total cases.

Location: 1649-1649 (width: 1; decimal: 0)

Variable Type: character

WLOSSDT5: How many times on diet

About how many times have you gone on a diet to lose weight?

Value	Label	Unweighted Frequency	%
	-	501	19.1 %
1	Never	633	24.2 %
2	1-2 times	297	11.3 %
3	3-5 times	365	13.9 %
4	6-8 times	159	6.1 %
5	9-11 times	163	6.2 %
6	12 or more	499	19.1 %
	Total	2,617	100%

Based upon 2,617 valid cases out of 2,617 total cases.

Location: 1650-1650 (width: 1; decimal: 0)

Variable Type: character

GLOBVEG5: Global vegetable servings, excl salad/potato

Global vegetable servings, excl salad/potato

Value	Label	Unweighted Frequency	%
	-	492	18.8 %
1	< 1/wk	53	2.0 %
2	1-2/wk	178	6.8 %
3	3-4/wk	356	13.6 %
4	5-6/wk	286	10.9 %
5	1/day	505	19.3 %
6	1 1/2 /day	163	6.2 %
7	2/day	397	15.2 %
8	3/day	128	4.9 %
9	4+ /day	59	2.3 %
	Total	2,617	100%

Based upon 2,617 valid cases out of 2,617 total cases.

Location: 1651-1651 (width: 1; decimal: 0)

Variable Type: character

GLOBFRT5: Global fruit servings, excl juices

Global fruit servings, excl juices

Value	Label	Unweighted Frequency	%
-		493	18.8 %
1	< 1/wk	132	5.0 %
2	1-2/wk	313	12.0 %
3	3-4/wk	354	13.5 %
4	5-6/wk	167	6.4 %
5	1/day	446	17.0 %
6	1 1/2 /day	119	4.5 %
7	2/day	390	14.9 %
8	3/day	160	6.1 %
9	4+ /day	43	1.6 %
Total		2,617	100%

Based upon 2,617 valid cases out of 2,617 total cases.

Location: 1652-1652 (width: 1; decimal: 0)

Variable Type: character

GLOBCER5: Global cereal servings

Global cereal servings

Value	Label	Unweighted Frequency	%
-		503	19.2 %
1	< 1/wk	1037	39.6 %
2	1-2/wk	445	17.0 %
3	3-4/wk	270	10.3 %
4	5-6/wk	100	3.8 %
5	1/day	244	9.3 %
6	1 1/2 /day	7	0.3 %
7	2/day	9	0.3 %
8	3/day	1	0.0 %
9	4+ /day	1	0.0 %
Total		2,617	100%

Based upon 2,617 valid cases out of 2,617 total cases.

Location: 1653-1653 (width: 1; decimal: 0)

Variable Type: character

GLOBMLK5: Global milk servings by glass

Global milk servings by glass

Value	Label	Unweighted Frequency	%
-		498	19.0 %
1	< 1/wk	1038	39.7 %
2	1-2/wk	288	11.0 %
3	3-4/wk	175	6.7 %
4	5-6/wk	91	3.5 %
5	1/day	329	12.6 %
6	1 1/2 /day	47	1.8 %
7	2/day	113	4.3 %
8	3/day	29	1.1 %
9	4+ /day	9	0.3 %
Total		2,617	100%

Based upon 2,617 valid cases out of 2,617 total cases.

Location: 1654-1654 (width: 1; decimal: 0)

Variable Type: character

OJCALC5: How often drink OJ w/Calcium

How often drink OJ w/Calcium

Value	Label	Unweighted Frequency	%
-		642	24.5 %
1	Usually	679	25.9 %
2	Sometimes	373	14.3 %
3	Rarely	923	35.3 %
Total		2,617	100%

Based upon 2,617 valid cases out of 2,617 total cases.

Location: 1655-1655 (width: 1; decimal: 0)

Variable Type: character

LFATCHS5: How often eat lowfat cheese

How often eat lowfat cheese

Value	Label	Unweighted Frequency	%
-		647	24.7 %
1	Always low-fat	240	9.2 %
2	Sometimes low-fat	646	24.7 %
3	Rarely low-fat	1084	41.4 %
Total		2,617	100%

Based upon 2,617 valid cases out of 2,617 total cases.

Location: 1656-1656 (width: 1; decimal: 0)

Variable Type: character

LFATICE5: How often eat lowfat ice cream/yogurt

How often eat lowfat ice cream/yogurt

Value	Label	Unweighted Frequency	%
-		644	24.6 %
1	Always low-fat	469	17.9 %
2	Sometimes low-fat	658	25.1 %
3	Rarely low-fat	846	32.3 %
	Total	2,617	100%

Based upon 2,617 valid cases out of 2,617 total cases.

Location: 1657-1657 (width: 1; decimal: 0)

Variable Type: character

LFATSAL5: How often eat lowfat salad dressing

How often eat lowfat salad dressing

Value	Label	Unweighted Frequency	%
-		622	23.8 %
1	Always low-fat	472	18.0 %
2	Sometimes low-fat	720	27.5 %
3	Rarely low-fat	803	30.7 %
	Total	2,617	100%

Based upon 2,617 valid cases out of 2,617 total cases.

Location: 1658-1658 (width: 1; decimal: 0)

Variable Type: character

LFATCAK5: How often eat lowfat cake/cookies

How often eat lowfat cake/cookies

Value	Label	Unweighted Frequency	%
-		648	24.8 %
1	Always low-fat	83	3.2 %
2	Sometimes low-fat	469	17.9 %
3	Rarely low-fat	1417	54.1 %
	Total	2,617	100%

Based upon 2,617 valid cases out of 2,617 total cases.

Location: 1659-1659 (width: 1; decimal: 0)

Variable Type: character

EATSALT5: How often add table salt

How often add table salt

Value	Label	Unweighted Frequency	%
-		501	19.1 %
1	Seldom	1474	56.3 %
2	Sometimes	346	13.2 %
3	Often	296	11.3 %
	Total	2,617	100%

Based upon 2,617 valid cases out of 2,617 total cases.

Location: 1660-1660 (width: 1; decimal: 0)

Variable Type: character

EATSKIN5: How often eat chicken skin

How often eat chicken skin

Value	Label	Unweighted Frequency	%
-		622	23.8 %
1	Seldom	1131	43.2 %
2	Sometimes	466	17.8 %
3	Often	398	15.2 %
	Total	2,617	100%

Based upon 2,617 valid cases out of 2,617 total cases.

Location: 1661-1661 (width: 1; decimal: 0)

Variable Type: character

EATFATM5: How often eat meat fat

How often eat meat fat

Value	Label	Unweighted Frequency	%
-		669	25.6 %
1	Seldom	1502	57.4 %
2	Sometimes	355	13.6 %
3	Often	91	3.5 %
	Total	2,617	100%

Based upon 2,617 valid cases out of 2,617 total cases.

Location: 1662-1662 (width: 1; decimal: 0)

Variable Type: character

WELLDNE5: How do you like your meat cooked

How do you like your meat cooked

Value	Label	Unweighted Frequency	%
-		591	22.6 %
1	Rare	215	8.2 %
2	Medium	900	34.4 %
3	Well done	911	34.8 %
	Total	2,617	100%

Based upon 2,617 valid cases out of 2,617 total cases.

Location: 1663-1663 (width: 1; decimal: 0)

Variable Type: character

TAKEVIT5: Take vitamins/minerals regularly

Take vitamins/minerals regularly

Value	Label	Unweighted Frequency	%
-		541	20.7 %
1	No, not reg	676	25.8 %
2	Yes, fairly reg	1400	53.5 %
	Total	2,617	100%

Based upon 2,617 valid cases out of 2,617 total cases.

Location: 1664-1664 (width: 1; decimal: 0)

Variable Type: character

YRSONEA5: How many yrs taken multiple vitamin

How many yrs taken multiple vitamin

Value	Label	Unweighted Frequency	%
-		1518	58.0 %
1	< yr	144	5.5 %
2	1 yr	138	5.3 %
3	2 yrs	137	5.2 %
4	3-4 yrs	202	7.7 %
5	5-9 yrs	198	7.6 %
6	10+ yrs	280	10.7 %
	Total	2,617	100%

Based upon 2,617 valid cases out of 2,617 total cases.

Location: 1665-1665 (width: 1; decimal: 0)

Variable Type: character

YRSAO5: How many yrs taken antioxidant

How many yrs taken antioxidant

Value	Label	Unweighted Frequency	%
-		2483	94.9 %
1	< yr	16	0.6 %
2	1 yr	12	0.5 %
3	2 yrs	19	0.7 %
4	3-4 yrs	26	1.0 %
5	5-9 yrs	33	1.3 %
6	10+ yrs	28	1.1 %
Total		2,617	100%

Based upon 2,617 valid cases out of 2,617 total cases.

Location: 1666-1666 (width: 1; decimal: 0)

Variable Type: character

YRSVITA5: How many yrs taken vitamin A

How many yrs taken vitamin A

Value	Label	Unweighted Frequency	%
-		2568	98.1 %
1	< yr	9	0.3 %
2	1 yr	10	0.4 %
3	2 yrs	11	0.4 %
4	3-4 yrs	5	0.2 %
5	5-9 yrs	7	0.3 %
6	10+ yrs	7	0.3 %
Total		2,617	100%

Based upon 2,617 valid cases out of 2,617 total cases.

Location: 1667-1667 (width: 1; decimal: 0)

Variable Type: character

YRSBETA5: How many yrs taken beta-carotene

How many yrs taken beta-carotene

Value	Label	Unweighted Frequency	%
-		2551	97.5 %
1	< yr	11	0.4 %
2	1 yr	4	0.2 %
3	2 yrs	6	0.2 %
4	3-4 yrs	12	0.5 %
5	5-9 yrs	15	0.6 %
6	10+ yrs	18	0.7 %
Total		2,617	100%

Based upon 2,617 valid cases out of 2,617 total cases.

Location: 1668-1668 (width: 1; decimal: 0)

Variable Type: character

YRSVITC5: How many yrs taken vitamin C

How many yrs taken vitamin C

Value	Label	Unweighted Frequency	%
-		2143	81.9 %
1	< yr	57	2.2 %
2	1 yr	33	1.3 %
3	2 yrs	62	2.4 %
4	3-4 yrs	76	2.9 %
5	5-9 yrs	92	3.5 %
6	10+ yrs	154	5.9 %
Total		2,617	100%

Based upon 2,617 valid cases out of 2,617 total cases.

Location: 1669-1669 (width: 1; decimal: 0)

Variable Type: character

YRSVITE5: How many yrs taken vitamin E

How many yrs taken vitamin E

Value	Label	Unweighted Frequency	%
-		2056	78.6 %
1	< yr	63	2.4 %
2	1 yr	68	2.6 %
3	2 yrs	83	3.2 %
4	3-4 yrs	120	4.6 %
5	5-9 yrs	111	4.2 %
6	10+ yrs	116	4.4 %
Total		2,617	100%

Based upon 2,617 valid cases out of 2,617 total cases.

Location: 1670-1670 (width: 1; decimal: 0)

Variable Type: character

YRSCA5: How many yrs taken calcium/Tums

How many yrs taken calcium/Tums

Value	Label	Unweighted Frequency	%
-		1798	68.7 %
1	< yr	137	5.2 %

Value	Label	Unweighted Frequency	%
2	1 yr	99	3.8 %
3	2 yrs	156	6.0 %
4	3-4 yrs	173	6.6 %
5	5-9 yrs	145	5.5 %
6	10+ yrs	109	4.2 %
Total		2,617	100%

Based upon 2,617 valid cases out of 2,617 total cases.

Location: 1671-1671 (width: 1; decimal: 0)

Variable Type: character

YRSIRON5: How many yrs taken iron

How many yrs taken iron

Value	Label	Unweighted Frequency	%
-		2487	95.0 %
1	< yr	33	1.3 %
2	1 yr	24	0.9 %
3	2 yrs	18	0.7 %
4	3-4 yrs	24	0.9 %
5	5-9 yrs	16	0.6 %
6	10+ yrs	15	0.6 %
Total		2,617	100%

Based upon 2,617 valid cases out of 2,617 total cases.

Location: 1672-1672 (width: 1; decimal: 0)

Variable Type: character

YRSZINC5: How many yrs taken zinc

How many yrs taken zinc

Value	Label	Unweighted Frequency	%
-		2478	94.7 %
1	< yr	23	0.9 %
2	1 yr	13	0.5 %
3	2 yrs	26	1.0 %
4	3-4 yrs	35	1.3 %
5	5-9 yrs	19	0.7 %
6	10+ yrs	23	0.9 %
Total		2,617	100%

Based upon 2,617 valid cases out of 2,617 total cases.

Location: 1673-1673 (width: 1; decimal: 0)

Variable Type: character

YRSSELE5: How many yrs taken selenium

How many yrs taken selenium

Value	Label	Unweighted Frequency	%
-		2557	97.7 %
1	< yr	12	0.5 %
2	1 yr	6	0.2 %
3	2 yrs	8	0.3 %
4	3-4 yrs	8	0.3 %
5	5-9 yrs	11	0.4 %
6	10+ yrs	15	0.6 %
Total		2,617	100%

Based upon 2,617 valid cases out of 2,617 total cases.

Location: 1674-1674 (width: 1; decimal: 0)

Variable Type: character

SUPVITA5: Supplement Vitamin A, RE

Supplement Vitamin A, RE

Value	Label	Unweighted Frequency	%
0.0	-	1002	38.3 %
1429.0	-	164	6.3 %
2858.0	-	6	0.2 %
3572.5	-	171	6.5 %
4287.0	-	1	0.0 %
5000.0	-	741	28.3 %
6430.5	-	2	0.1 %
7145.0	-	2	0.1 %
7858.0	-	4	0.2 %
10000.0	-	15	0.6 %
10717.5	-	3	0.1 %
12145.0	-	1	0.0 %
15000.0	-	13	0.5 %
Missing Data			
.	-	492	18.8 %
Total		2,617	100%

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 2362.15

- Median: 1429.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 15000.00
- Standard Deviation: 2621.94

Location: 1675-1683 (*width:* 9; *decimal:* 1)

Variable Type: numeric

SUPVITC5: Supplement Vitamin_C, mg

Supplement Vitamin_C, mg

Value	Label	Unweighted Frequency	%
0.0	-	871	33.3 %
17.1	-	126	4.8 %
42.9	-	108	4.1 %
45.7	-	1	0.0 %
60.0	-	532	20.3 %
71.5	-	9	0.3 %
88.6	-	13	0.5 %
100.0	-	5	0.2 %
114.3	-	3	0.1 %
131.5	-	10	0.4 %
142.9	-	23	0.9 %
160.0	-	15	0.6 %
178.6	-	3	0.1 %
185.8	-	11	0.4 %
195.8	-	1	0.0 %
202.9	-	20	0.8 %
221.5	-	6	0.2 %
231.5	-	2	0.1 %
238.6	-	3	0.1 %
250.0	-	10	0.4 %
285.8	-	6	0.2 %
302.9	-	4	0.2 %
310.0	-	31	1.2 %
328.7	-	5	0.2 %
345.8	-	5	0.2 %
357.2	-	11	0.4 %
374.4	-	2	0.1 %
400.1	-	15	0.6 %
417.2	-	10	0.4 %
445.8	-	1	0.0 %
488.7	-	1	0.0 %
500.0	-	47	1.8 %

Value	Label	Unweighted Frequency	%
517.1	-	4	0.2 %
542.9	-	5	0.2 %
560.0	-	64	2.4 %
578.7	-	2	0.1 %
714.5	-	3	0.1 %
750.0	-	1	0.0 %
757.4	-	17	0.6 %
774.5	-	2	0.1 %
810.0	-	4	0.2 %
857.4	-	1	0.0 %
917.4	-	1	0.0 %
1000.0	-	28	1.1 %
1042.9	-	1	0.0 %
1060.0	-	57	2.2 %
1071.8	-	1	0.0 %
1471.9	-	2	0.1 %
1500.0	-	2	0.1 %
1560.0	-	4	0.2 %
Missing Data			
.	-	492	18.8 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 150.17
- Median: 42.90
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3060.00
- Standard Deviation: 323.45

Location: 1684-1691 (*width:* 8; *decimal:* 1)

Variable Type: numeric

SUPVITD5: Supplement Vitamin D, IU

Supplement Vitamin D, IU

Value	Label	Unweighted Frequency	%
0.0	-	1025	39.2 %
114.3	-	165	6.3 %
285.8	-	176	6.7 %
400.0	-	759	29.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	492	18.8 %
	Total	2,617	100%

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 175.42
- Median: 114.30
- Mode: 0.00
- Minimum: 0.00
- Maximum: 400.00
- Standard Deviation: 184.86

Location: 1692-1698 (width: 7; decimal: 1)

Variable Type: numeric

SUPVITE5: Supplement Vitamin_E, a-TE

Supplement Vitamin_E, a-TE

Value	Label	Unweighted Frequency	%
0.0	-	860	32.9 %
5.7	-	130	5.0 %
14.4	-	102	3.9 %
19.1	-	13	0.5 %
20.1	-	458	17.5 %
24.9	-	11	0.4 %
33.5	-	4	0.2 %
38.3	-	2	0.1 %
39.2	-	9	0.3 %
44.0	-	4	0.2 %
47.9	-	3	0.1 %
52.7	-	4	0.2 %
57.4	-	1	0.0 %
58.4	-	1	0.0 %
62.2	-	10	0.4 %
67.0	-	7	0.3 %
68.0	-	1	0.0 %
71.8	-	1	0.0 %
76.6	-	14	0.5 %
77.5	-	1	0.0 %
81.4	-	3	0.1 %
82.3	-	9	0.3 %
87.1	-	32	1.2 %
91.0	-	3	0.1 %

Value	Label	Unweighted Frequency	%
95.7	-	2	0.1 %
96.7	-	20	0.8 %
110.1	-	1	0.0 %
115.8	-	2	0.1 %
134.0	-	5	0.2 %
143.6	-	1	0.0 %
153.2	-	3	0.1 %
154.1	-	17	0.6 %
158.0	-	1	0.0 %
158.9	-	2	0.1 %
163.7	-	1	0.0 %
173.3	-	1	0.0 %
191.5	-	13	0.5 %
197.2	-	6	0.2 %
201.0	-	1	0.0 %
205.8	-	28	1.1 %
211.6	-	12	0.5 %
221.1	-	3	0.1 %
268.0	-	75	2.9 %
273.7	-	2	0.1 %
282.4	-	6	0.2 %
288.1	-	148	5.7 %
301.6	-	1	0.0 %
397.3	-	4	0.2 %
402.0	-	2	0.1 %
422.1	-	8	0.3 %
Missing Data			
.	-	492	18.8 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 74.51
- Median: 14.40
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1360.10
- Standard Deviation: 144.11

Location: 1699-1706 (*width:* 8; *decimal:* 1)

Variable Type: numeric

SUPCA5: Supplement Calcium, mg

Supplement Calcium, mg

Value	Label	Unweighted Frequency	%
0.0	-	1025	39.2 %
37.2	-	165	6.3 %
92.9	-	176	6.7 %
130.0	-	759	29.0 %
	Missing Data		
.	-	492	18.8 %
	Total	2,617	100%

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 57.02
- Median: 37.20
- Mode: 0.00
- Minimum: 0.00
- Maximum: 130.00
- Standard Deviation: 60.08

Location: 1707-1712 (*width:* 6; *decimal:* 1)

Variable Type: numeric

SUPBCAR5: Supplement BetaCarotene, mcg

Supplement BetaCarotene, mcg

Value	Label	Unweighted Frequency	%
0.0	-	1001	38.2 %
343.0	-	163	6.2 %
857.4	-	167	6.4 %
1200.0	-	735	28.1 %
7145.0	-	10	0.4 %
7488.0	-	1	0.0 %
8002.4	-	4	0.2 %
8345.0	-	7	0.3 %
17862.5	-	3	0.1 %
18719.9	-	5	0.2 %
19062.5	-	1	0.0 %
25000.0	-	11	0.4 %
25343.0	-	1	0.0 %
26200.0	-	16	0.6 %
	Missing Data		
.	-	492	18.8 %
	Total	2,617	100%

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 1005.29
- Median: 343.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 26200.00
- Standard Deviation: 3213.68

Location: 1713-1721 (width: 9; decimal: 1)

Variable Type: numeric

SUPB15: Supplement B1, mg

Supplement B1, mg

Value	Label	Unweighted Frequency	%
0.0	-	1025	39.2 %
0.4	-	165	6.3 %
1.1	-	176	6.7 %
1.5	-	759	29.0 %
Missing Data			
.	-	492	18.8 %
Total		2,617	100%

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 0.66
- Median: 0.40
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.50
- Standard Deviation: 0.70

Location: 1722-1726 (width: 5; decimal: 1)

Variable Type: numeric

SUPB65: Supplement B6, mg

Supplement B6, mg

Value	Label	Unweighted Frequency	%
0.0	-	1025	39.2 %
0.6	-	165	6.3 %
1.4	-	176	6.7 %
2.0	-	759	29.0 %
Missing Data			
.	-	492	18.8 %
Total		2,617	100%

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 0.88
- Median: 0.60
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.92

Location: 1727-1731 (width: 5; decimal: 1)

Variable Type: numeric

SUPB125: Supplement B12, mcg

Supplement B12, mcg

Value	Label	Unweighted Frequency	%
0.0	-	1025	39.2 %
1.7	-	165	6.3 %
4.3	-	176	6.7 %
6.0	-	759	29.0 %
Missing Data			
.	-	492	18.8 %
Total		2,617	100%

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 2.63
- Median: 1.70
- Mode: 0.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 2.77

Location: 1732-1736 (width: 5; decimal: 1)

Variable Type: numeric

SUPFOL5: Supplement Folate, mcg

Supplement Folate, mcg

Value	Label	Unweighted Frequency	%
0.0	-	1025	39.2 %
114.3	-	165	6.3 %
285.8	-	176	6.7 %
400.0	-	759	29.0 %
Missing Data			
.	-	492	18.8 %
Total		2,617	100%

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 175.42
- Median: 114.30
- Mode: 0.00
- Minimum: 0.00
- Maximum: 400.00
- Standard Deviation: 184.86

Location: 1737-1743 (width: 7; decimal: 1)

Variable Type: numeric

SUPCU5: Supplement Copper, mg

Supplement Copper, mg

Value	Label	Unweighted Frequency	%
0.0	-	1025	39.2 %
0.6	-	165	6.3 %
1.4	-	176	6.7 %
2.0	-	759	29.0 %
Missing Data			
.	-	492	18.8 %
Total		2,617	100%

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 0.88
- Median: 0.60
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.92

Location: 1744-1748 (width: 5; decimal: 1)

Variable Type: numeric

SUPSELE5: Supplement Selenium, mcg

Supplement Selenium, mcg

Value	Label	Unweighted Frequency	%
0.0	-	1367	52.2 %
14.3	-	14	0.5 %
35.7	-	8	0.3 %
50.0	-	38	1.5 %
Missing Data			
.	-	1190	45.5 %
Total		2,617	100%

Based upon 1,427 valid cases out of 2,617 total cases.

- Mean: 1.67
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 50.00
- Standard Deviation: 8.54

Location: 1749-1754 (width: 6; decimal: 1)

Variable Type: numeric

SUPFE5: Supplement Iron, mg

Supplement Iron, mg

Value	Label	Unweighted Frequency	%
0.0	-	971	37.1 %
5.1	-	155	5.9 %
12.9	-	158	6.0 %
14.3	-	18	0.7 %
18.0	-	706	27.0 %
19.4	-	5	0.2 %
27.2	-	11	0.4 %
32.3	-	10	0.4 %
35.7	-	5	0.2 %
40.8	-	2	0.1 %
48.6	-	6	0.2 %
50.0	-	31	1.2 %
55.1	-	3	0.1 %
62.9	-	1	0.0 %
68.0	-	43	1.6 %
Missing Data			
.	-	492	18.8 %
Total		2,617	100%

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 10.243
- Median: 5.100
- Mode: 0.000
- Minimum: 0.000
- Maximum: 68.000
- Standard Deviation: 13.261

Location: 1755-1761 (width: 7; decimal: 3)

Variable Type: numeric

SUPZINC5: Supplement Zinc, mg

Supplement Zinc, mg

Value	Label	Unweighted Frequency	%
0.0	-	973	37.2 %
4.3	-	156	6.0 %
10.7	-	166	6.3 %
14.3	-	15	0.6 %
15.0	-	692	26.4 %
18.6	-	8	0.3 %
25.0	-	7	0.3 %
29.3	-	16	0.6 %
35.7	-	4	0.2 %
46.4	-	2	0.1 %
50.0	-	33	1.3 %
50.7	-	2	0.1 %
54.3	-	1	0.0 %
60.7	-	1	0.0 %
65.0	-	49	1.9 %
Missing Data			
.	-	492	18.8 %
Total		2,617	100%

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 8.998
- Median: 4.300
- Mode: 0.000
- Minimum: 0.000
- Maximum: 65.000
- Standard Deviation: 12.656

Location: 1762-1768 (width: 7; decimal: 3)

Variable Type: numeric

DTTKCAL5: DDE KCAL - total caloric intake

DDE KCAL - total caloric intake

Value	Label	Unweighted Frequency	%
502.41	-	1	0.0 %
509.09	-	1	0.0 %
532.80	-	1	0.0 %
540.61	-	1	0.0 %
558.04	-	1	0.0 %
579.92	-	1	0.0 %
586.35	-	1	0.0 %
592.39	-	1	0.0 %
596.67	-	1	0.0 %

Value	Label	Unweighted Frequency	%
610.87	-	1	0.0 %
619.57	-	1	0.0 %
621.97	-	1	0.0 %
628.25	-	1	0.0 %
648.35	-	1	0.0 %
650.06	-	1	0.0 %
659.36	-	1	0.0 %
664.24	-	1	0.0 %
668.21	-	1	0.0 %
676.36	-	1	0.0 %
684.85	-	1	0.0 %
687.64	-	1	0.0 %
690.67	-	1	0.0 %
694.20	-	1	0.0 %
698.89	-	1	0.0 %
709.67	-	1	0.0 %
710.87	-	1	0.0 %
739.26	-	1	0.0 %
742.05	-	1	0.0 %
743.61	-	1	0.0 %
744.32	-	1	0.0 %
745.54	-	1	0.0 %
756.41	-	1	0.0 %
757.82	-	1	0.0 %
760.80	-	1	0.0 %
763.57	-	1	0.0 %
765.74	-	1	0.0 %
769.14	-	1	0.0 %
774.97	-	1	0.0 %
776.37	-	1	0.0 %
780.51	-	1	0.0 %
781.68	-	1	0.0 %
784.99	-	1	0.0 %
788.18	-	1	0.0 %
788.60	-	1	0.0 %
789.97	-	1	0.0 %
793.35	-	1	0.0 %
794.38	-	1	0.0 %
796.96	-	1	0.0 %
800.52	-	1	0.0 %
801.06	-	1	0.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	492	18.8 %
	Total	2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 1761.110
- Minimum: 502.410
- Maximum: 4995.020
- Standard Deviation: 657.482

Location: 1769-1777 (width: 9; decimal: 3)

Variable Type: numeric

DTTPROT5: DDE Protein, gms

DDE Protein, gms

Value	Label	Unweighted Frequency	%
12.11	-	1	0.0 %
20.68	-	1	0.0 %
20.77	-	1	0.0 %
21.51	-	1	0.0 %
21.79	-	1	0.0 %
22.46	-	1	0.0 %
22.52	-	1	0.0 %
23.22	-	1	0.0 %
23.77	-	1	0.0 %
24.19	-	1	0.0 %
24.31	-	1	0.0 %
24.72	-	1	0.0 %
25.39	-	1	0.0 %
25.47	-	1	0.0 %
25.51	-	1	0.0 %
25.98	-	1	0.0 %
26.18	-	1	0.0 %
26.37	-	1	0.0 %
26.49	-	1	0.0 %
27.05	-	1	0.0 %
27.25	-	1	0.0 %
28.51	-	1	0.0 %
29.77	-	1	0.0 %

Value	Label	Unweighted Frequency	%
30.55	-	2	0.1 %
30.59	-	1	0.0 %
30.78	-	1	0.0 %
30.86	-	1	0.0 %
30.91	-	1	0.0 %
30.99	-	1	0.0 %
31.10	-	1	0.0 %
31.22	-	1	0.0 %
31.33	-	1	0.0 %
31.34	-	1	0.0 %
31.38	-	1	0.0 %
31.63	-	1	0.0 %
31.69	-	2	0.1 %
31.73	-	1	0.0 %
31.84	-	1	0.0 %
31.87	-	1	0.0 %
31.99	-	1	0.0 %
32.18	-	1	0.0 %
32.40	-	1	0.0 %
32.50	-	1	0.0 %
32.54	-	2	0.1 %
32.60	-	1	0.0 %
32.65	-	1	0.0 %
32.87	-	1	0.0 %
33.09	-	1	0.0 %
33.26	-	1	0.0 %
33.27	-	1	0.0 %
Missing Data			
.	-	492	18.8 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 71.771
- Minimum: 12.110
- Maximum: 220.490
- Standard Deviation: 26.658

Location: 1778-1785 (*width:* 8; *decimal:* 3)

Variable Type: numeric

DTTCARB5: DDE Carb, gms

DDE Carb, gms

Value	Label	Unweighted Frequency	%
21.59	-	1	0.0 %
25.51	-	1	0.0 %
36.26	-	1	0.0 %
37.61	-	1	0.0 %
44.97	-	1	0.0 %
49.07	-	1	0.0 %
49.09	-	1	0.0 %
51.11	-	1	0.0 %
51.76	-	1	0.0 %
52.86	-	1	0.0 %
55.60	-	1	0.0 %
56.70	-	1	0.0 %
58.48	-	1	0.0 %
59.16	-	1	0.0 %
60.66	-	1	0.0 %
63.09	-	1	0.0 %
63.32	-	1	0.0 %
66.45	-	1	0.0 %
67.01	-	1	0.0 %
67.56	-	1	0.0 %
67.62	-	1	0.0 %
69.29	-	1	0.0 %
69.55	-	1	0.0 %
69.97	-	1	0.0 %
70.24	-	1	0.0 %
70.50	-	1	0.0 %
70.64	-	1	0.0 %
71.44	-	1	0.0 %
72.64	-	1	0.0 %
73.27	-	1	0.0 %
73.32	-	1	0.0 %
73.59	-	1	0.0 %
74.91	-	1	0.0 %
75.38	-	1	0.0 %
76.42	-	1	0.0 %
76.67	-	1	0.0 %
77.11	-	1	0.0 %
77.31	-	1	0.0 %
77.39	-	1	0.0 %
78.02	-	1	0.0 %

Value	Label	Unweighted Frequency	%
78.30	-	1	0.0 %
78.37	-	1	0.0 %
78.52	-	1	0.0 %
79.02	-	1	0.0 %
79.31	-	1	0.0 %
80.68	-	1	0.0 %
80.85	-	1	0.0 %
80.88	-	1	0.0 %
80.93	-	1	0.0 %
81.42	-	1	0.0 %
Missing Data			
-		492	18.8 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 213.751
- Minimum: 21.590
- Maximum: 773.000
- Standard Deviation: 90.497

Location: 1786-1793 (width: 8; decimal: 3)

Variable Type: numeric

DTTFAT5: DDE Fat, gms

DDE Fat, gms

Value	Label	Unweighted Frequency	%
4.66	-	1	0.0 %
10.82	-	1	0.0 %
12.02	-	1	0.0 %
13.29	-	1	0.0 %
13.37	-	1	0.0 %
13.38	-	1	0.0 %
13.90	-	1	0.0 %
14.49	-	1	0.0 %
14.80	-	1	0.0 %
14.90	-	1	0.0 %
15.09	-	1	0.0 %
15.23	-	1	0.0 %
15.41	-	1	0.0 %
15.78	-	1	0.0 %

Value	Label	Unweighted Frequency	%
16.82	-	1	0.0 %
17.23	-	1	0.0 %
17.26	-	1	0.0 %
17.66	-	1	0.0 %
17.78	-	1	0.0 %
17.89	-	1	0.0 %
17.90	-	1	0.0 %
17.91	-	1	0.0 %
18.74	-	1	0.0 %
18.79	-	1	0.0 %
19.18	-	1	0.0 %
19.20	-	1	0.0 %
19.32	-	1	0.0 %
19.42	-	1	0.0 %
19.73	-	1	0.0 %
19.90	-	1	0.0 %
19.91	-	1	0.0 %
20.32	-	1	0.0 %
20.71	-	1	0.0 %
21.58	-	1	0.0 %
21.62	-	1	0.0 %
21.65	-	1	0.0 %
22.04	-	1	0.0 %
22.13	-	1	0.0 %
22.20	-	1	0.0 %
22.41	-	2	0.1 %
22.44	-	1	0.0 %
22.59	-	1	0.0 %
22.61	-	1	0.0 %
22.65	-	1	0.0 %
22.74	-	1	0.0 %
22.84	-	1	0.0 %
23.06	-	1	0.0 %
23.07	-	1	0.0 %
23.27	-	1	0.0 %
23.47	-	1	0.0 %
Missing Data			
.	-	492	18.8 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 67.625
- Minimum: 4.660
- Maximum: 232.300
- Standard Deviation: 30.744

Location: 1794-1801 (width: 8; decimal: 3)

Variable Type: numeric

DTTCALC5: DDE Calcium, mg

DDE Calcium, mg

Value	Label	Unweighted Frequency	%
113.55	-	1	0.0 %
128.54	-	1	0.0 %
132.65	-	1	0.0 %
136.93	-	1	0.0 %
139.03	-	1	0.0 %
142.06	-	1	0.0 %
147.72	-	1	0.0 %
148.46	-	1	0.0 %
152.46	-	1	0.0 %
152.79	-	1	0.0 %
153.77	-	1	0.0 %
154.71	-	1	0.0 %
171.88	-	1	0.0 %
173.48	-	1	0.0 %
173.99	-	1	0.0 %
174.46	-	1	0.0 %
180.61	-	1	0.0 %
184.98	-	1	0.0 %
186.72	-	1	0.0 %
188.08	-	1	0.0 %
191.32	-	1	0.0 %
191.87	-	1	0.0 %
193.54	-	1	0.0 %
194.53	-	1	0.0 %
196.77	-	1	0.0 %
197.19	-	1	0.0 %
199.48	-	1	0.0 %
199.71	-	1	0.0 %
203.00	-	1	0.0 %
207.49	-	1	0.0 %
210.09	-	1	0.0 %

Value	Label	Unweighted Frequency	%
214.72	-	1	0.0 %
214.74	-	1	0.0 %
215.36	-	1	0.0 %
218.76	-	1	0.0 %
219.04	-	1	0.0 %
219.12	-	1	0.0 %
219.21	-	1	0.0 %
219.29	-	1	0.0 %
220.76	-	1	0.0 %
220.89	-	1	0.0 %
221.15	-	1	0.0 %
222.00	-	1	0.0 %
222.46	-	1	0.0 %
223.52	-	1	0.0 %
224.31	-	1	0.0 %
226.45	-	1	0.0 %
227.21	-	1	0.0 %
228.22	-	1	0.0 %
230.54	-	1	0.0 %
Missing Data			
.	-	492	18.8 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 794.783
- Minimum: 113.550
- Maximum: 4703.110
- Standard Deviation: 450.367

Location: 1802-1810 (*width:* 9; *decimal:* 3)

Variable Type: numeric

DTTPHOS5: DDE Phos, mg

DDE Phos, mg

Value	Label	Unweighted Frequency	%
281.45	-	1	0.0 %
347.51	-	1	0.0 %
350.13	-	1	0.0 %
369.34	-	1	0.0 %

Value	Label	Unweighted Frequency	%
385.50	-	1	0.0 %
387.69	-	1	0.0 %
389.53	-	1	0.0 %
397.93	-	1	0.0 %
401.21	-	1	0.0 %
404.60	-	1	0.0 %
408.65	-	1	0.0 %
415.59	-	1	0.0 %
419.88	-	1	0.0 %
421.39	-	1	0.0 %
424.78	-	1	0.0 %
428.27	-	1	0.0 %
433.95	-	1	0.0 %
435.09	-	1	0.0 %
435.37	-	1	0.0 %
440.66	-	1	0.0 %
440.83	-	1	0.0 %
443.33	-	1	0.0 %
443.49	-	1	0.0 %
448.33	-	1	0.0 %
450.01	-	1	0.0 %
453.60	-	1	0.0 %
456.13	-	1	0.0 %
456.73	-	1	0.0 %
458.69	-	1	0.0 %
460.34	-	1	0.0 %
463.60	-	1	0.0 %
465.87	-	1	0.0 %
466.67	-	1	0.0 %
469.20	-	1	0.0 %
470.66	-	1	0.0 %
471.04	-	1	0.0 %
472.66	-	1	0.0 %
473.39	-	1	0.0 %
476.29	-	1	0.0 %
477.66	-	1	0.0 %
478.72	-	1	0.0 %
479.20	-	1	0.0 %
479.78	-	1	0.0 %
487.58	-	1	0.0 %
488.78	-	1	0.0 %
489.49	-	1	0.0 %

Value	Label	Unweighted Frequency	%
492.74	-	1	0.0 %
494.67	-	1	0.0 %
495.94	-	1	0.0 %
497.87	-	1	0.0 %
	Missing Data		
.	-	492	18.8 %
	Total	2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 1150.453
- Minimum: 281.450
- Maximum: 4347.400
- Standard Deviation: 468.350

Location: 1811-1819 (width: 9; decimal: 3)

Variable Type: numeric

DTTFe5: DDE Iron, mg

DDE Iron, mg

Value	Label	Unweighted Frequency	%
3.01	-	1	0.0 %
3.47	-	1	0.0 %
3.78	-	1	0.0 %
3.83	-	1	0.0 %
3.84	-	1	0.0 %
3.90	-	1	0.0 %
4.05	-	1	0.0 %
4.15	-	1	0.0 %
4.17	-	1	0.0 %
4.27	-	1	0.0 %
4.28	-	1	0.0 %
4.36	-	1	0.0 %
4.42	-	1	0.0 %
4.44	-	1	0.0 %
4.47	-	1	0.0 %
4.51	-	1	0.0 %
4.52	-	1	0.0 %
4.55	-	2	0.1 %
4.57	-	1	0.0 %

Value	Label	Unweighted Frequency	%
4.60	-	1	0.0 %
4.68	-	1	0.0 %
4.69	-	1	0.0 %
4.75	-	1	0.0 %
4.80	-	3	0.1 %
4.84	-	1	0.0 %
4.87	-	2	0.1 %
4.90	-	2	0.1 %
4.91	-	1	0.0 %
4.99	-	1	0.0 %
5.00	-	1	0.0 %
5.01	-	1	0.0 %
5.04	-	1	0.0 %
5.08	-	1	0.0 %
5.09	-	2	0.1 %
5.14	-	1	0.0 %
5.15	-	2	0.1 %
5.17	-	2	0.1 %
5.20	-	1	0.0 %
5.21	-	1	0.0 %
5.25	-	1	0.0 %
5.26	-	1	0.0 %
5.27	-	1	0.0 %
5.28	-	1	0.0 %
5.30	-	1	0.0 %
5.31	-	1	0.0 %
5.32	-	1	0.0 %
5.34	-	1	0.0 %
5.37	-	1	0.0 %
5.38	-	1	0.0 %
5.39	-	2	0.1 %
Missing Data			
.	-	492	18.8 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 12.402
- Minimum: 3.010
- Maximum: 46.530
- Standard Deviation: 4.736

Location: 1820-1826 (width: 7; decimal: 3)

Variable Type: numeric

DTTNA5: DDE Sodium, mg

DDE Sodium, mg

Value	Label	Unweighted Frequency	%
101.93	-	1	0.0 %
480.55	-	1	0.0 %
487.82	-	1	0.0 %
553.41	-	1	0.0 %
556.37	-	1	0.0 %
563.33	-	1	0.0 %
569.10	-	1	0.0 %
583.97	-	1	0.0 %
592.90	-	1	0.0 %
618.77	-	1	0.0 %
624.99	-	1	0.0 %
626.22	-	1	0.0 %
645.42	-	1	0.0 %
679.02	-	1	0.0 %
683.10	-	1	0.0 %
683.48	-	1	0.0 %
683.69	-	1	0.0 %
685.62	-	1	0.0 %
691.26	-	1	0.0 %
692.73	-	1	0.0 %
709.49	-	1	0.0 %
724.55	-	1	0.0 %
731.74	-	1	0.0 %
735.07	-	1	0.0 %
740.83	-	1	0.0 %
748.17	-	1	0.0 %
750.53	-	1	0.0 %
763.57	-	1	0.0 %
764.01	-	1	0.0 %
769.89	-	1	0.0 %
778.92	-	1	0.0 %
784.80	-	1	0.0 %
792.60	-	1	0.0 %
793.47	-	1	0.0 %
799.46	-	1	0.0 %
805.04	-	1	0.0 %
806.40	-	1	0.0 %

Value	Label	Unweighted Frequency	%
807.97	-	1	0.0 %
812.57	-	1	0.0 %
831.34	-	1	0.0 %
836.36	-	1	0.0 %
836.92	-	1	0.0 %
837.84	-	1	0.0 %
840.66	-	1	0.0 %
852.24	-	1	0.0 %
859.02	-	1	0.0 %
860.27	-	1	0.0 %
862.01	-	1	0.0 %
865.28	-	1	0.0 %
870.74	-	1	0.0 %
Missing Data			
.	-	492	18.8 %
	Total	2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 2243.849
- Minimum: 101.930
- Maximum: 7182.280
- Standard Deviation: 959.653

Location: 1827-1835 (width: 9; decimal: 3)

Variable Type: numeric

DTTPOTA5: DDE Potassium, mg

DDE Potassium, mg

Value	Label	Unweighted Frequency	%
717.47	-	1	0.0 %
799.24	-	1	0.0 %
878.50	-	1	0.0 %
923.51	-	1	0.0 %
945.82	-	1	0.0 %
947.26	-	1	0.0 %
956.39	-	1	0.0 %
959.08	-	1	0.0 %
966.21	-	1	0.0 %
969.67	-	1	0.0 %

Value	Label	Unweighted Frequency	%
972.06	-	1	0.0 %
988.32	-	1	0.0 %
999.92	-	1	0.0 %
1011.78	-	1	0.0 %
1015.43	-	1	0.0 %
1016.72	-	1	0.0 %
1027.27	-	1	0.0 %
1038.05	-	1	0.0 %
1040.63	-	1	0.0 %
1047.05	-	1	0.0 %
1059.70	-	1	0.0 %
1065.59	-	1	0.0 %
1074.77	-	1	0.0 %
1079.37	-	1	0.0 %
1091.21	-	1	0.0 %
1098.86	-	1	0.0 %
1110.12	-	1	0.0 %
1110.24	-	1	0.0 %
1116.75	-	1	0.0 %
1119.37	-	1	0.0 %
1120.49	-	1	0.0 %
1132.97	-	1	0.0 %
1136.28	-	1	0.0 %
1139.60	-	1	0.0 %
1149.36	-	1	0.0 %
1167.98	-	1	0.0 %
1169.85	-	1	0.0 %
1169.95	-	1	0.0 %
1171.62	-	1	0.0 %
1172.70	-	1	0.0 %
1178.84	-	1	0.0 %
1180.14	-	1	0.0 %
1182.41	-	1	0.0 %
1187.09	-	1	0.0 %
1192.36	-	1	0.0 %
1194.60	-	1	0.0 %
1199.08	-	1	0.0 %
1207.94	-	1	0.0 %
1213.25	-	1	0.0 %
1231.26	-	1	0.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-		492	18.8 %
	Total	2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 2731.861
- Minimum: 717.470
- Maximum: 9465.520
- Standard Deviation: 1026.294

Location: 1836-1844 (width: 9; decimal: 3)

Variable Type: numeric

DTTAIU5: DDE A_IU, international units

DDE A_IU, international units

Value	Label	Unweighted Frequency	%
705.90	-	1	0.0 %
833.04	-	1	0.0 %
969.96	-	1	0.0 %
1034.97	-	1	0.0 %
1037.96	-	1	0.0 %
1087.67	-	1	0.0 %
1137.18	-	1	0.0 %
1141.33	-	1	0.0 %
1145.57	-	1	0.0 %
1148.40	-	1	0.0 %
1232.42	-	1	0.0 %
1263.23	-	1	0.0 %
1309.16	-	1	0.0 %
1376.46	-	1	0.0 %
1392.21	-	1	0.0 %
1419.25	-	1	0.0 %
1436.12	-	1	0.0 %
1467.14	-	1	0.0 %
1473.56	-	1	0.0 %
1504.15	-	1	0.0 %
1504.48	-	1	0.0 %
1509.46	-	1	0.0 %
1512.98	-	1	0.0 %
1517.47	-	1	0.0 %
1523.51	-	1	0.0 %

Value	Label	Unweighted Frequency	%
1537.90	-	1	0.0 %
1548.67	-	1	0.0 %
1563.67	-	1	0.0 %
1567.17	-	1	0.0 %
1570.76	-	1	0.0 %
1595.82	-	1	0.0 %
1606.08	-	1	0.0 %
1606.14	-	1	0.0 %
1617.81	-	1	0.0 %
1628.24	-	1	0.0 %
1631.86	-	1	0.0 %
1652.50	-	1	0.0 %
1663.10	-	1	0.0 %
1677.77	-	1	0.0 %
1681.16	-	1	0.0 %
1686.18	-	1	0.0 %
1688.11	-	1	0.0 %
1689.14	-	1	0.0 %
1692.68	-	1	0.0 %
1695.62	-	1	0.0 %
1709.31	-	1	0.0 %
1723.88	-	1	0.0 %
1727.70	-	1	0.0 %
1731.13	-	1	0.0 %
1738.81	-	1	0.0 %
	Missing Data		
.	-	492	18.8 %
	Total	2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 6890.284
- Minimum: 705.900
- Maximum: 44346.670
- Standard Deviation: 4622.942

Location: 1845-1854 (*width:* 10; *decimal:* 3)

Variable Type: numeric

DTTARE5: DDE retinol equivalents

DDE retinol equivalents

Value	Label	Unweighted Frequency	%
117.67	-	1	0.0 %
146.95	-	1	0.0 %
147.09	-	1	0.0 %
168.19	-	1	0.0 %
172.56	-	1	0.0 %
177.89	-	1	0.0 %
195.25	-	1	0.0 %
195.27	-	1	0.0 %
198.11	-	1	0.0 %
198.13	-	1	0.0 %
202.06	-	1	0.0 %
205.35	-	1	0.0 %
208.11	-	1	0.0 %
213.18	-	1	0.0 %
220.48	-	1	0.0 %
221.01	-	1	0.0 %
224.60	-	1	0.0 %
229.39	-	1	0.0 %
229.53	-	1	0.0 %
232.71	-	1	0.0 %
234.92	-	1	0.0 %
236.00	-	1	0.0 %
239.26	-	1	0.0 %
241.99	-	1	0.0 %
243.57	-	1	0.0 %
244.39	-	1	0.0 %
247.43	-	1	0.0 %
250.13	-	1	0.0 %
252.27	-	1	0.0 %
253.94	-	1	0.0 %
254.51	-	1	0.0 %
256.04	-	1	0.0 %
256.30	-	1	0.0 %
257.08	-	1	0.0 %
262.41	-	1	0.0 %
265.28	-	1	0.0 %
266.93	-	1	0.0 %
266.99	-	1	0.0 %
267.14	-	1	0.0 %
268.68	-	1	0.0 %
269.97	-	1	0.0 %
272.54	-	1	0.0 %

Value	Label	Unweighted Frequency	%
274.10	-	1	0.0 %
279.95	-	1	0.0 %
280.63	-	1	0.0 %
280.93	-	1	0.0 %
281.95	-	1	0.0 %
286.02	-	1	0.0 %
286.07	-	1	0.0 %
287.07	-	1	0.0 %
	Missing Data		
.	-	492	18.8 %
	Total	2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 993.160
- Minimum: 117.670
- Maximum: 6724.830
- Standard Deviation: 606.709

Location: 1855-1863 (*width:* 9; *decimal:* 3)

Variable Type: numeric

DTTB15: DDE B1, mg

DDE B1, mg

Value	Label	Unweighted Frequency	%
0.29	-	1	0.0 %
0.31	-	1	0.0 %
0.32	-	3	0.1 %
0.39	-	3	0.1 %
0.40	-	3	0.1 %
0.42	-	1	0.0 %
0.44	-	1	0.0 %
0.45	-	3	0.1 %
0.46	-	5	0.2 %
0.47	-	1	0.0 %
0.48	-	5	0.2 %
0.49	-	6	0.2 %
0.50	-	4	0.2 %
0.51	-	4	0.2 %
0.52	-	7	0.3 %

Value	Label	Unweighted Frequency	%
0.53	-	5	0.2 %
0.54	-	9	0.3 %
0.55	-	6	0.2 %
0.56	-	6	0.2 %
0.57	-	10	0.4 %
0.58	-	4	0.2 %
0.59	-	7	0.3 %
0.60	-	14	0.5 %
0.61	-	8	0.3 %
0.62	-	7	0.3 %
0.63	-	11	0.4 %
0.64	-	11	0.4 %
0.65	-	12	0.5 %
0.66	-	11	0.4 %
0.67	-	13	0.5 %
0.68	-	18	0.7 %
0.69	-	12	0.5 %
0.70	-	12	0.5 %
0.71	-	9	0.3 %
0.72	-	11	0.4 %
0.73	-	9	0.3 %
0.74	-	15	0.6 %
0.75	-	8	0.3 %
0.76	-	10	0.4 %
0.77	-	12	0.5 %
0.78	-	14	0.5 %
0.79	-	17	0.6 %
0.80	-	17	0.6 %
0.81	-	10	0.4 %
0.82	-	24	0.9 %
0.83	-	14	0.5 %
0.84	-	16	0.6 %
0.85	-	8	0.3 %
0.86	-	13	0.5 %
0.87	-	20	0.8 %
Missing Data			
.	-	492	18.8 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 1.283
- Median: 1.220
- Mode: 1.030
- Minimum: 0.290
- Maximum: 3.820
- Standard Deviation: 0.502

Location: 1864-1869 (*width:* 6; *decimal:* 3)

Variable Type: numeric

DTTB65: DDE B6, mg

DDE B6, mg

Value	Label	Unweighted Frequency	%
0.31	-	1	0.0 %
0.43	-	1	0.0 %
0.46	-	2	0.1 %
0.47	-	1	0.0 %
0.48	-	2	0.1 %
0.49	-	1	0.0 %
0.51	-	3	0.1 %
0.54	-	2	0.1 %
0.55	-	3	0.1 %
0.56	-	2	0.1 %
0.57	-	2	0.1 %
0.58	-	2	0.1 %
0.59	-	4	0.2 %
0.60	-	4	0.2 %
0.61	-	7	0.3 %
0.62	-	5	0.2 %
0.63	-	5	0.2 %
0.64	-	6	0.2 %
0.65	-	7	0.3 %
0.66	-	10	0.4 %
0.67	-	7	0.3 %
0.68	-	5	0.2 %
0.69	-	4	0.2 %
0.70	-	6	0.2 %
0.71	-	7	0.3 %
0.72	-	11	0.4 %
0.73	-	5	0.2 %
0.74	-	7	0.3 %
0.75	-	15	0.6 %
0.76	-	4	0.2 %
0.77	-	7	0.3 %

Value	Label	Unweighted Frequency	%
0.78	-	10	0.4 %
0.79	-	13	0.5 %
0.80	-	12	0.5 %
0.81	-	14	0.5 %
0.82	-	14	0.5 %
0.83	-	10	0.4 %
0.84	-	6	0.2 %
0.85	-	16	0.6 %
0.86	-	6	0.2 %
0.87	-	10	0.4 %
0.88	-	6	0.2 %
0.89	-	12	0.5 %
0.90	-	11	0.4 %
0.91	-	17	0.6 %
0.92	-	14	0.5 %
0.93	-	11	0.4 %
0.94	-	19	0.7 %
0.95	-	11	0.4 %
0.96	-	14	0.5 %
Missing Data			
.	-	492	18.8 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 1.484
- Minimum: 0.310
- Maximum: 4.860
- Standard Deviation: 0.560

Location: 1870-1875 (width: 6; decimal: 3)

Variable Type: numeric

DTTRIBO5: DDE Riboflavin, mg

DDE Riboflavin, mg

Value	Label	Unweighted Frequency	%
0.38	-	1	0.0 %
0.40	-	1	0.0 %
0.41	-	1	0.0 %
0.45	-	1	0.0 %
0.46	-	2	0.1 %

Value	Label	Unweighted Frequency	%
0.47	-	1	0.0 %
0.49	-	2	0.1 %
0.50	-	1	0.0 %
0.51	-	3	0.1 %
0.52	-	1	0.0 %
0.53	-	3	0.1 %
0.54	-	2	0.1 %
0.55	-	3	0.1 %
0.56	-	4	0.2 %
0.57	-	3	0.1 %
0.58	-	2	0.1 %
0.59	-	4	0.2 %
0.60	-	3	0.1 %
0.61	-	3	0.1 %
0.62	-	2	0.1 %
0.63	-	8	0.3 %
0.64	-	5	0.2 %
0.65	-	6	0.2 %
0.66	-	11	0.4 %
0.67	-	6	0.2 %
0.68	-	9	0.3 %
0.69	-	6	0.2 %
0.70	-	2	0.1 %
0.71	-	7	0.3 %
0.72	-	7	0.3 %
0.73	-	7	0.3 %
0.74	-	8	0.3 %
0.75	-	15	0.6 %
0.76	-	6	0.2 %
0.77	-	7	0.3 %
0.78	-	5	0.2 %
0.79	-	13	0.5 %
0.80	-	10	0.4 %
0.81	-	5	0.2 %
0.82	-	17	0.6 %
0.83	-	5	0.2 %
0.84	-	13	0.5 %
0.85	-	10	0.4 %
0.86	-	7	0.3 %
0.87	-	8	0.3 %
0.88	-	16	0.6 %
0.89	-	10	0.4 %

Value	Label	Unweighted Frequency	%
0.90	-	7	0.3 %
0.91	-	13	0.5 %
0.92	-	7	0.3 %
	Missing Data		
.	-	492	18.8 %
	Total	2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 1.625
- Minimum: 0.380
- Maximum: 7.490
- Standard Deviation: 0.739

Location: 1876-1881 (width: 6; decimal: 3)

Variable Type: numeric

DTTNIAC5: DDE Niacin, mg

DDE Niacin, mg

Value	Label	Unweighted Frequency	%
4.04	-	1	0.0 %
4.61	-	1	0.0 %
4.69	-	1	0.0 %
4.98	-	1	0.0 %
5.18	-	1	0.0 %
5.24	-	1	0.0 %
5.43	-	1	0.0 %
5.57	-	1	0.0 %
5.94	-	1	0.0 %
6.18	-	2	0.1 %
6.33	-	1	0.0 %
6.36	-	1	0.0 %
6.50	-	2	0.1 %
6.51	-	1	0.0 %
6.54	-	1	0.0 %
6.57	-	2	0.1 %
6.58	-	1	0.0 %
6.60	-	1	0.0 %
6.69	-	1	0.0 %
6.74	-	1	0.0 %
6.81	-	1	0.0 %

Value	Label	Unweighted Frequency	%
6.84	-	1	0.0 %
6.89	-	1	0.0 %
6.90	-	1	0.0 %
6.91	-	1	0.0 %
6.92	-	1	0.0 %
7.04	-	2	0.1 %
7.05	-	2	0.1 %
7.11	-	1	0.0 %
7.18	-	1	0.0 %
7.19	-	1	0.0 %
7.37	-	1	0.0 %
7.44	-	1	0.0 %
7.45	-	1	0.0 %
7.47	-	1	0.0 %
7.49	-	1	0.0 %
7.56	-	1	0.0 %
7.58	-	1	0.0 %
7.62	-	1	0.0 %
7.63	-	1	0.0 %
7.64	-	1	0.0 %
7.66	-	1	0.0 %
7.68	-	1	0.0 %
7.69	-	1	0.0 %
7.71	-	1	0.0 %
7.73	-	1	0.0 %
7.75	-	1	0.0 %
7.78	-	2	0.1 %
7.88	-	1	0.0 %
7.89	-	1	0.0 %
Missing Data			
.	-	492	18.8 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 17.619
- Minimum: 4.040
- Maximum: 52.780
- Standard Deviation: 6.433

Location: 1882-1888 (*width:* 7; *decimal:* 3)

Variable Type: numeric

DTTVITC5: DDE Vitamin C, mg

DDE Vitamin C, mg

Value	Label	Unweighted Frequency	%
10.56	-	1	0.0 %
10.84	-	1	0.0 %
11.10	-	1	0.0 %
11.85	-	1	0.0 %
11.95	-	1	0.0 %
14.40	-	1	0.0 %
15.44	-	1	0.0 %
15.69	-	1	0.0 %
15.90	-	1	0.0 %
16.89	-	1	0.0 %
17.13	-	1	0.0 %
17.35	-	1	0.0 %
17.52	-	1	0.0 %
17.58	-	1	0.0 %
17.83	-	1	0.0 %
17.86	-	1	0.0 %
18.23	-	1	0.0 %
18.45	-	1	0.0 %
18.51	-	1	0.0 %
19.05	-	1	0.0 %
19.18	-	1	0.0 %
19.44	-	1	0.0 %
20.57	-	1	0.0 %
20.70	-	1	0.0 %
21.00	-	1	0.0 %
21.02	-	1	0.0 %
21.06	-	1	0.0 %
21.24	-	1	0.0 %
21.33	-	1	0.0 %
21.35	-	1	0.0 %
21.54	-	1	0.0 %
21.74	-	1	0.0 %
21.81	-	1	0.0 %
21.86	-	1	0.0 %
21.96	-	1	0.0 %
22.35	-	1	0.0 %
22.37	-	1	0.0 %
22.65	-	1	0.0 %
22.76	-	1	0.0 %

Value	Label	Unweighted Frequency	%
23.15	-	1	0.0 %
23.19	-	1	0.0 %
23.53	-	1	0.0 %
23.58	-	1	0.0 %
23.71	-	1	0.0 %
23.85	-	1	0.0 %
23.88	-	1	0.0 %
23.96	-	1	0.0 %
24.38	-	1	0.0 %
24.44	-	1	0.0 %
24.59	-	1	0.0 %
Missing Data			
.	-	492	18.8 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 121.220
- Minimum: 10.560
- Maximum: 729.600
- Standard Deviation: 80.278

Location: 1889-1896 (width: 8; decimal: 3)

Variable Type: numeric

DTTSFAT5: DDE Saturated Fat, gms

DDE Saturated Fat, gms

Value	Label	Unweighted Frequency	%
0.80	-	1	0.0 %
2.50	-	1	0.0 %
3.06	-	1	0.0 %
3.30	-	1	0.0 %
3.39	-	1	0.0 %
3.50	-	1	0.0 %
3.79	-	1	0.0 %
3.98	-	1	0.0 %
4.34	-	1	0.0 %
4.37	-	1	0.0 %
4.47	-	2	0.1 %
4.67	-	1	0.0 %
4.81	-	1	0.0 %

Value	Label	Unweighted Frequency	%
4.83	-	2	0.1 %
4.95	-	1	0.0 %
5.13	-	2	0.1 %
5.14	-	1	0.0 %
5.16	-	1	0.0 %
5.32	-	1	0.0 %
5.33	-	1	0.0 %
5.36	-	1	0.0 %
5.38	-	1	0.0 %
5.44	-	1	0.0 %
5.45	-	1	0.0 %
5.54	-	1	0.0 %
5.60	-	1	0.0 %
5.71	-	1	0.0 %
5.75	-	1	0.0 %
5.77	-	1	0.0 %
5.80	-	1	0.0 %
6.00	-	1	0.0 %
6.01	-	1	0.0 %
6.07	-	1	0.0 %
6.08	-	1	0.0 %
6.15	-	1	0.0 %
6.23	-	1	0.0 %
6.26	-	2	0.1 %
6.27	-	2	0.1 %
6.29	-	1	0.0 %
6.30	-	1	0.0 %
6.34	-	1	0.0 %
6.39	-	1	0.0 %
6.44	-	2	0.1 %
6.47	-	1	0.0 %
6.54	-	1	0.0 %
6.58	-	1	0.0 %
6.59	-	1	0.0 %
6.61	-	1	0.0 %
6.63	-	1	0.0 %
6.68	-	1	0.0 %
Missing Data			
.	-	492	18.8 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 20.915
- Minimum: 0.800
- Maximum: 83.800
- Standard Deviation: 10.643

Location: 1897-1903 (width: 7; decimal: 3)

Variable Type: numeric

DTTOLEC5: DDE Oleic Acid, gms

DDE Oleic Acid, gms

Value	Label	Unweighted Frequency	%
0.76	-	1	0.0 %
4.67	-	1	0.0 %
4.74	-	1	0.0 %
4.84	-	1	0.0 %
4.91	-	1	0.0 %
5.06	-	1	0.0 %
5.14	-	1	0.0 %
5.15	-	1	0.0 %
5.25	-	1	0.0 %
5.31	-	1	0.0 %
5.69	-	1	0.0 %
5.85	-	1	0.0 %
6.00	-	1	0.0 %
6.05	-	2	0.1 %
6.09	-	1	0.0 %
6.20	-	1	0.0 %
6.41	-	1	0.0 %
6.49	-	1	0.0 %
6.56	-	2	0.1 %
6.68	-	1	0.0 %
6.70	-	2	0.1 %
6.73	-	1	0.0 %
6.79	-	1	0.0 %
6.82	-	1	0.0 %
6.98	-	1	0.0 %
7.01	-	1	0.0 %
7.03	-	1	0.0 %
7.06	-	1	0.0 %
7.12	-	1	0.0 %

Value	Label	Unweighted Frequency	%
7.14	-	1	0.0 %
7.30	-	1	0.0 %
7.34	-	1	0.0 %
7.46	-	1	0.0 %
7.71	-	1	0.0 %
7.74	-	1	0.0 %
7.80	-	1	0.0 %
7.81	-	1	0.0 %
7.86	-	1	0.0 %
7.87	-	1	0.0 %
7.89	-	1	0.0 %
7.94	-	1	0.0 %
7.96	-	2	0.1 %
8.03	-	1	0.0 %
8.19	-	1	0.0 %
8.21	-	1	0.0 %
8.24	-	1	0.0 %
8.28	-	1	0.0 %
8.30	-	1	0.0 %
8.44	-	1	0.0 %
8.52	-	1	0.0 %
Missing Data			
.	-	492	18.8 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 26.400
- Minimum: 0.760
- Maximum: 103.820
- Standard Deviation: 12.658

Location: 1904-1911 (width: 8; decimal: 3)

Variable Type: numeric

DTTLIN5: DDE Linoleic Acid, gms

DDE Linoleic Acid, gms

Value	Label	Unweighted Frequency	%
1.00	-	1	0.0 %
1.31	-	1	0.0 %
1.63	-	1	0.0 %

Value	Label	Unweighted Frequency	%
1.75	-	1	0.0 %
1.85	-	1	0.0 %
1.95	-	1	0.0 %
2.16	-	1	0.0 %
2.32	-	1	0.0 %
2.33	-	1	0.0 %
2.34	-	1	0.0 %
2.35	-	1	0.0 %
2.41	-	1	0.0 %
2.48	-	1	0.0 %
2.51	-	1	0.0 %
2.61	-	1	0.0 %
2.63	-	1	0.0 %
2.65	-	1	0.0 %
2.71	-	1	0.0 %
2.75	-	1	0.0 %
2.80	-	1	0.0 %
2.83	-	2	0.1 %
2.86	-	1	0.0 %
2.87	-	2	0.1 %
2.91	-	1	0.0 %
3.02	-	1	0.0 %
3.07	-	1	0.0 %
3.13	-	2	0.1 %
3.16	-	1	0.0 %
3.18	-	2	0.1 %
3.23	-	1	0.0 %
3.24	-	1	0.0 %
3.25	-	1	0.0 %
3.30	-	1	0.0 %
3.32	-	1	0.0 %
3.35	-	2	0.1 %
3.38	-	2	0.1 %
3.39	-	1	0.0 %
3.42	-	1	0.0 %
3.46	-	1	0.0 %
3.50	-	1	0.0 %
3.51	-	2	0.1 %
3.53	-	1	0.0 %
3.56	-	1	0.0 %
3.61	-	1	0.0 %
3.67	-	1	0.0 %

Value	Label	Unweighted Frequency	%
3.73	-	1	0.0 %
3.75	-	1	0.0 %
3.76	-	1	0.0 %
3.78	-	1	0.0 %
3.80	-	1	0.0 %
Missing Data			
.	-	492	18.8 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 13.245
- Minimum: 1.000
- Maximum: 53.060
- Standard Deviation: 6.690

Location: 1912-1918 (*width:* 7; *decimal:* 3)

Variable Type: numeric

DTTCHOL5: DDE Cholesterol, mg

DDE Cholesterol, mg

Value	Label	Unweighted Frequency	%
0.00	-	1	0.0 %
4.41	-	1	0.0 %
6.80	-	1	0.0 %
14.55	-	1	0.0 %
19.05	-	1	0.0 %
19.30	-	1	0.0 %
22.43	-	1	0.0 %
23.60	-	1	0.0 %
27.27	-	1	0.0 %
30.93	-	1	0.0 %
32.63	-	1	0.0 %
33.95	-	1	0.0 %
37.55	-	1	0.0 %
38.75	-	1	0.0 %
41.56	-	1	0.0 %
42.11	-	1	0.0 %
47.40	-	1	0.0 %
48.00	-	1	0.0 %
48.78	-	1	0.0 %

Value	Label	Unweighted Frequency	%
49.58	-	1	0.0 %
50.80	-	1	0.0 %
52.19	-	1	0.0 %
52.58	-	1	0.0 %
52.67	-	1	0.0 %
54.86	-	1	0.0 %
56.12	-	1	0.0 %
56.35	-	1	0.0 %
57.26	-	1	0.0 %
57.36	-	1	0.0 %
57.54	-	1	0.0 %
60.34	-	1	0.0 %
61.70	-	1	0.0 %
62.58	-	1	0.0 %
63.26	-	1	0.0 %
63.63	-	1	0.0 %
63.70	-	1	0.0 %
64.09	-	1	0.0 %
64.31	-	1	0.0 %
64.55	-	1	0.0 %
64.74	-	1	0.0 %
64.87	-	1	0.0 %
65.52	-	1	0.0 %
65.81	-	1	0.0 %
66.35	-	1	0.0 %
66.81	-	1	0.0 %
67.11	-	1	0.0 %
67.34	-	1	0.0 %
67.41	-	1	0.0 %
67.70	-	1	0.0 %
68.44	-	1	0.0 %
Missing Data			
.	-	492	18.8 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 228.949
- Minimum: 0.000
- Maximum: 927.980
- Standard Deviation: 121.064

Location: 1919-1926 (width: 8; decimal: 3)

Variable Type: numeric

DTTDFIB5: DDE Dietary Fiber, gms

DDE Dietary Fiber, gms

Value	Label	Unweighted Frequency	%
2.46	-	1	0.0 %
2.47	-	1	0.0 %
2.50	-	1	0.0 %
2.57	-	1	0.0 %
2.75	-	1	0.0 %
2.85	-	1	0.0 %
3.03	-	1	0.0 %
3.31	-	1	0.0 %
3.41	-	1	0.0 %
3.55	-	1	0.0 %
3.66	-	1	0.0 %
3.69	-	1	0.0 %
3.72	-	1	0.0 %
3.73	-	1	0.0 %
3.80	-	1	0.0 %
3.82	-	1	0.0 %
3.86	-	1	0.0 %
3.88	-	1	0.0 %
3.89	-	1	0.0 %
3.91	-	1	0.0 %
3.95	-	1	0.0 %
3.99	-	1	0.0 %
4.05	-	1	0.0 %
4.07	-	2	0.1 %
4.08	-	1	0.0 %
4.11	-	1	0.0 %
4.14	-	1	0.0 %
4.18	-	1	0.0 %
4.20	-	1	0.0 %
4.23	-	1	0.0 %
4.28	-	2	0.1 %
4.29	-	2	0.1 %
4.32	-	1	0.0 %
4.33	-	2	0.1 %
4.34	-	1	0.0 %
4.35	-	1	0.0 %
4.38	-	1	0.0 %

Value	Label	Unweighted Frequency	%
4.43	-	1	0.0 %
4.44	-	1	0.0 %
4.49	-	1	0.0 %
4.50	-	2	0.1 %
4.52	-	3	0.1 %
4.56	-	1	0.0 %
4.57	-	1	0.0 %
4.60	-	1	0.0 %
4.62	-	2	0.1 %
4.64	-	1	0.0 %
4.65	-	1	0.0 %
4.66	-	1	0.0 %
4.67	-	1	0.0 %
Missing Data			
.	-	492	18.8 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 13.076
- Minimum: 2.460
- Maximum: 46.340
- Standard Deviation: 6.211

Location: 1927-1933 (width: 7; decimal: 3)

Variable Type: numeric

DTTFOL5: DDE Folate, mcg

DDE Folate, mcg

Value	Label	Unweighted Frequency	%
71.89	-	1	0.0 %
75.57	-	1	0.0 %
84.12	-	1	0.0 %
94.71	-	1	0.0 %
99.02	-	1	0.0 %
99.80	-	1	0.0 %
103.15	-	1	0.0 %
105.40	-	1	0.0 %
105.66	-	1	0.0 %
105.67	-	1	0.0 %
105.82	-	1	0.0 %

Value	Label	Unweighted Frequency	%
110.12	-	1	0.0 %
111.50	-	1	0.0 %
111.62	-	1	0.0 %
112.83	-	1	0.0 %
117.74	-	1	0.0 %
118.14	-	1	0.0 %
118.69	-	1	0.0 %
118.72	-	1	0.0 %
120.44	-	1	0.0 %
120.96	-	1	0.0 %
122.23	-	1	0.0 %
122.68	-	1	0.0 %
123.70	-	1	0.0 %
124.25	-	1	0.0 %
124.40	-	1	0.0 %
124.58	-	1	0.0 %
124.93	-	1	0.0 %
125.14	-	1	0.0 %
126.66	-	1	0.0 %
127.18	-	1	0.0 %
127.42	-	1	0.0 %
127.45	-	1	0.0 %
128.72	-	1	0.0 %
129.43	-	1	0.0 %
129.66	-	1	0.0 %
130.33	-	1	0.0 %
130.71	-	1	0.0 %
134.56	-	1	0.0 %
135.30	-	1	0.0 %
135.81	-	1	0.0 %
136.32	-	1	0.0 %
136.35	-	1	0.0 %
137.71	-	1	0.0 %
138.40	-	1	0.0 %
138.65	-	1	0.0 %
140.17	-	1	0.0 %
141.18	-	1	0.0 %
141.25	-	1	0.0 %
141.30	-	1	0.0 %
	Missing Data		
.	-	492	18.8 %

Value	Label	Unweighted Frequency	%
	Total	2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 341.760
- Minimum: 71.890
- Maximum: 1140.000
- Standard Deviation: 137.244

Location: 1934-1942 (width: 9; decimal: 3)

Variable Type: numeric

DTTDFE5: DDE Folate DFE, mcg_DFE

DDE Folate DFE, mcg_DFE

Value	Label	Unweighted Frequency	%
80.29	-	1	0.0 %
93.08	-	1	0.0 %
96.46	-	1	0.0 %
100.46	-	1	0.0 %
100.55	-	1	0.0 %
105.13	-	1	0.0 %
109.64	-	1	0.0 %
110.56	-	1	0.0 %
114.36	-	1	0.0 %
120.81	-	1	0.0 %
127.79	-	1	0.0 %
132.03	-	1	0.0 %
133.30	-	1	0.0 %
137.23	-	1	0.0 %
138.31	-	1	0.0 %
142.56	-	1	0.0 %
143.10	-	1	0.0 %
144.00	-	1	0.0 %
147.18	-	1	0.0 %
148.10	-	1	0.0 %
149.12	-	1	0.0 %
149.27	-	1	0.0 %
149.32	-	1	0.0 %
149.81	-	1	0.0 %
154.31	-	1	0.0 %
155.45	-	1	0.0 %

Value	Label	Unweighted Frequency	%
158.53	-	1	0.0 %
160.79	-	1	0.0 %
161.02	-	1	0.0 %
162.21	-	1	0.0 %
164.42	-	1	0.0 %
166.02	-	1	0.0 %
166.08	-	1	0.0 %
166.29	-	1	0.0 %
166.65	-	1	0.0 %
167.11	-	1	0.0 %
167.46	-	1	0.0 %
169.03	-	1	0.0 %
170.88	-	1	0.0 %
172.06	-	1	0.0 %
172.67	-	1	0.0 %
173.43	-	1	0.0 %
173.91	-	1	0.0 %
174.27	-	1	0.0 %
175.52	-	1	0.0 %
175.54	-	1	0.0 %
177.22	-	1	0.0 %
177.28	-	1	0.0 %
177.29	-	1	0.0 %
178.29	-	1	0.0 %
Missing Data			
.	-	492	18.8 %
	Total	2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 491.946
- Minimum: 80.290
- Maximum: 2028.940
- Standard Deviation: 218.265

Location: 1943-1951 (*width:* 9; *decimal:* 3)

Variable Type: numeric

DTTVITE5: DDE Vitamin E, a-TE

DDE Vitamin E, a-TE

Value	Label	Unweighted Frequency	%
0.81	-	1	0.0 %
1.16	-	1	0.0 %
1.46	-	1	0.0 %
1.78	-	1	0.0 %
2.06	-	1	0.0 %
2.17	-	2	0.1 %
2.27	-	1	0.0 %
2.33	-	1	0.0 %
2.56	-	1	0.0 %
2.61	-	1	0.0 %
2.62	-	2	0.1 %
2.74	-	2	0.1 %
2.81	-	1	0.0 %
2.86	-	1	0.0 %
2.87	-	1	0.0 %
2.88	-	1	0.0 %
2.89	-	2	0.1 %
2.91	-	1	0.0 %
3.05	-	1	0.0 %
3.06	-	2	0.1 %
3.07	-	2	0.1 %
3.09	-	1	0.0 %
3.10	-	1	0.0 %
3.13	-	1	0.0 %
3.16	-	2	0.1 %
3.18	-	1	0.0 %
3.19	-	1	0.0 %
3.21	-	1	0.0 %
3.25	-	1	0.0 %
3.27	-	1	0.0 %
3.29	-	2	0.1 %
3.31	-	1	0.0 %
3.32	-	2	0.1 %
3.33	-	1	0.0 %
3.35	-	2	0.1 %
3.36	-	1	0.0 %
3.37	-	2	0.1 %
3.38	-	1	0.0 %
3.39	-	1	0.0 %
3.40	-	1	0.0 %
3.43	-	2	0.1 %
3.44	-	1	0.0 %

Value	Label	Unweighted Frequency	%
3.45	-	1	0.0 %
3.47	-	1	0.0 %
3.50	-	1	0.0 %
3.52	-	1	0.0 %
3.56	-	1	0.0 %
3.59	-	1	0.0 %
3.61	-	2	0.1 %
3.62	-	1	0.0 %
Missing Data			
.	-	492	18.8 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 9.641
- Minimum: 0.810
- Maximum: 43.340
- Standard Deviation: 4.500

Location: 1952-1958 (width: 7; decimal: 3)

Variable Type: numeric

DTTZINC5: DDE Zinc, mg

DDE Zinc, mg

Value	Label	Unweighted Frequency	%
1.76	-	1	0.0 %
2.15	-	1	0.0 %
2.30	-	1	0.0 %
2.50	-	1	0.0 %
2.69	-	1	0.0 %
2.79	-	1	0.0 %
2.88	-	1	0.0 %
2.92	-	1	0.0 %
3.03	-	2	0.1 %
3.13	-	1	0.0 %
3.15	-	1	0.0 %
3.18	-	1	0.0 %
3.19	-	1	0.0 %
3.20	-	1	0.0 %
3.25	-	1	0.0 %
3.31	-	1	0.0 %

Value	Label	Unweighted Frequency	%
3.36	-	2	0.1 %
3.37	-	2	0.1 %
3.40	-	2	0.1 %
3.44	-	1	0.0 %
3.48	-	1	0.0 %
3.49	-	1	0.0 %
3.50	-	1	0.0 %
3.51	-	1	0.0 %
3.53	-	1	0.0 %
3.57	-	1	0.0 %
3.58	-	2	0.1 %
3.59	-	1	0.0 %
3.60	-	1	0.0 %
3.61	-	1	0.0 %
3.63	-	1	0.0 %
3.64	-	1	0.0 %
3.69	-	1	0.0 %
3.71	-	2	0.1 %
3.72	-	1	0.0 %
3.74	-	1	0.0 %
3.75	-	1	0.0 %
3.76	-	1	0.0 %
3.79	-	1	0.0 %
3.85	-	1	0.0 %
3.86	-	1	0.0 %
3.87	-	1	0.0 %
3.88	-	1	0.0 %
3.89	-	1	0.0 %
3.90	-	3	0.1 %
3.94	-	2	0.1 %
3.95	-	2	0.1 %
3.96	-	2	0.1 %
3.99	-	1	0.0 %
4.01	-	1	0.0 %
Missing Data			
.	-	492	18.8 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 8.933

- Minimum: 1.760
- Maximum: 22.710
- Standard Deviation: 3.377

Location: 1959-1965 (width: 7; decimal: 3)

Variable Type: numeric

DTTANZ5: DDE Animal Zinc, mg

DDE Animal Zinc, mg

Value	Label	Unweighted Frequency	%
0.00	-	2	0.1 %
0.15	-	1	0.0 %
0.18	-	1	0.0 %
0.19	-	1	0.0 %
0.23	-	1	0.0 %
0.31	-	1	0.0 %
0.45	-	1	0.0 %
0.46	-	1	0.0 %
0.49	-	1	0.0 %
0.58	-	3	0.1 %
0.77	-	1	0.0 %
0.81	-	2	0.1 %
0.82	-	1	0.0 %
0.87	-	1	0.0 %
0.88	-	1	0.0 %
0.89	-	1	0.0 %
0.91	-	1	0.0 %
0.92	-	1	0.0 %
0.97	-	1	0.0 %
1.03	-	1	0.0 %
1.06	-	1	0.0 %
1.08	-	1	0.0 %
1.10	-	1	0.0 %
1.12	-	1	0.0 %
1.15	-	1	0.0 %
1.21	-	2	0.1 %
1.22	-	1	0.0 %
1.24	-	1	0.0 %
1.25	-	2	0.1 %
1.27	-	3	0.1 %
1.28	-	2	0.1 %
1.29	-	1	0.0 %
1.30	-	2	0.1 %

Value	Label	Unweighted Frequency	%
1.31	-	1	0.0 %
1.32	-	1	0.0 %
1.34	-	1	0.0 %
1.35	-	1	0.0 %
1.37	-	1	0.0 %
1.39	-	1	0.0 %
1.40	-	2	0.1 %
1.41	-	2	0.1 %
1.43	-	1	0.0 %
1.45	-	2	0.1 %
1.46	-	1	0.0 %
1.47	-	2	0.1 %
1.48	-	1	0.0 %
1.50	-	1	0.0 %
1.52	-	1	0.0 %
1.53	-	1	0.0 %
1.54	-	2	0.1 %
Missing Data			
.	-	492	18.8 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 5.038
- Minimum: 0.000
- Maximum: 19.130
- Standard Deviation: 2.492

Location: 1966-1972 (*width:* 7; *decimal:* 3)

Variable Type: numeric

DTTMG5: DDE Magnesium, mg

DDE Magnesium, mg

Value	Label	Unweighted Frequency	%
67.41	-	1	0.0 %
79.50	-	1	0.0 %
86.44	-	1	0.0 %
86.85	-	1	0.0 %
88.05	-	1	0.0 %
90.29	-	1	0.0 %
91.76	-	1	0.0 %

Value	Label	Unweighted Frequency	%
91.81	-	1	0.0 %
92.22	-	1	0.0 %
95.05	-	1	0.0 %
96.84	-	1	0.0 %
98.50	-	1	0.0 %
99.13	-	1	0.0 %
99.56	-	1	0.0 %
100.03	-	1	0.0 %
103.39	-	1	0.0 %
104.65	-	1	0.0 %
105.80	-	1	0.0 %
106.13	-	1	0.0 %
106.54	-	1	0.0 %
106.92	-	1	0.0 %
107.79	-	1	0.0 %
108.06	-	1	0.0 %
108.54	-	2	0.1 %
109.15	-	1	0.0 %
109.22	-	1	0.0 %
109.50	-	1	0.0 %
109.67	-	1	0.0 %
110.14	-	1	0.0 %
110.29	-	1	0.0 %
111.08	-	1	0.0 %
111.27	-	1	0.0 %
111.44	-	1	0.0 %
111.50	-	1	0.0 %
112.26	-	1	0.0 %
112.37	-	1	0.0 %
112.39	-	1	0.0 %
112.75	-	1	0.0 %
112.96	-	1	0.0 %
113.31	-	1	0.0 %
114.66	-	1	0.0 %
115.05	-	1	0.0 %
115.21	-	1	0.0 %
115.59	-	1	0.0 %
115.97	-	1	0.0 %
116.85	-	1	0.0 %
117.08	-	1	0.0 %
117.35	-	1	0.0 %
117.98	-	1	0.0 %

Value	Label	Unweighted Frequency	%
118.10	-	1	0.0 %
	Missing Data		
.	-	492	18.8 %
	Total	2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 275.228
- Minimum: 67.410
- Maximum: 912.110
- Standard Deviation: 106.646

Location: 1973-1980 (*width:* 8; *decimal:* 3)

Variable Type: numeric

DTTACAR5: DDE Alpha Carotene, mcg

DDE Alpha Carotene, mcg

Value	Label	Unweighted Frequency	%
1.06	-	1	0.0 %
1.19	-	1	0.0 %
1.46	-	1	0.0 %
1.60	-	1	0.0 %
2.12	-	1	0.0 %
2.59	-	1	0.0 %
2.87	-	1	0.0 %
4.40	-	1	0.0 %
5.03	-	1	0.0 %
5.26	-	1	0.0 %
5.46	-	1	0.0 %
5.59	-	1	0.0 %
5.80	-	1	0.0 %
6.18	-	1	0.0 %
7.13	-	1	0.0 %
7.79	-	1	0.0 %
7.94	-	1	0.0 %
7.96	-	1	0.0 %
7.98	-	1	0.0 %
8.20	-	1	0.0 %
8.66	-	1	0.0 %
8.69	-	1	0.0 %
8.81	-	1	0.0 %

Value	Label	Unweighted Frequency	%
9.23	-	1	0.0 %
9.91	-	1	0.0 %
10.14	-	1	0.0 %
10.27	-	1	0.0 %
10.37	-	1	0.0 %
10.54	-	1	0.0 %
11.05	-	1	0.0 %
11.11	-	1	0.0 %
11.64	-	1	0.0 %
11.71	-	1	0.0 %
11.81	-	1	0.0 %
12.86	-	1	0.0 %
12.89	-	1	0.0 %
13.02	-	1	0.0 %
13.05	-	1	0.0 %
13.13	-	1	0.0 %
13.35	-	1	0.0 %
13.53	-	1	0.0 %
13.90	-	1	0.0 %
14.09	-	1	0.0 %
15.00	-	1	0.0 %
15.32	-	1	0.0 %
15.67	-	1	0.0 %
15.75	-	1	0.0 %
16.14	-	2	0.1 %
16.65	-	1	0.0 %
17.11	-	1	0.0 %
	Missing Data		
.	-	492	18.8 %
	Total	2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 263.325
- Minimum: 1.060
- Maximum: 3861.800
- Standard Deviation: 268.894

Location: 1981-1989 (*width:* 9; *decimal:* 3)

Variable Type: numeric

DTTBCAR5: DDE Beta Carotene, mcg

DDE Beta Carotene, mcg

Value	Label	Unweighted Frequency	%
169.97	-	1	0.0 %
190.50	-	1	0.0 %
233.45	-	1	0.0 %
259.54	-	1	0.0 %
271.90	-	1	0.0 %
327.26	-	1	0.0 %
328.67	-	1	0.0 %
340.82	-	1	0.0 %
346.29	-	1	0.0 %
348.03	-	1	0.0 %
356.19	-	1	0.0 %
364.10	-	1	0.0 %
376.05	-	1	0.0 %
376.89	-	1	0.0 %
389.84	-	1	0.0 %
395.12	-	1	0.0 %
399.93	-	1	0.0 %
406.49	-	1	0.0 %
406.56	-	1	0.0 %
411.28	-	1	0.0 %
416.32	-	1	0.0 %
417.85	-	1	0.0 %
420.88	-	1	0.0 %
426.70	-	1	0.0 %
434.35	-	1	0.0 %
435.59	-	1	0.0 %
440.89	-	1	0.0 %
443.85	-	1	0.0 %
448.99	-	1	0.0 %
458.39	-	1	0.0 %
460.80	-	1	0.0 %
461.19	-	1	0.0 %
463.38	-	1	0.0 %
465.42	-	1	0.0 %
466.91	-	1	0.0 %
469.30	-	1	0.0 %
470.29	-	1	0.0 %
471.29	-	1	0.0 %
473.18	-	1	0.0 %

Value	Label	Unweighted Frequency	%
473.52	-	1	0.0 %
476.36	-	1	0.0 %
477.58	-	1	0.0 %
483.32	-	1	0.0 %
489.83	-	1	0.0 %
508.48	-	1	0.0 %
510.96	-	1	0.0 %
516.94	-	1	0.0 %
516.95	-	1	0.0 %
518.12	-	1	0.0 %
519.30	-	1	0.0 %
	Missing Data		
.	-	492	18.8 %
	Total	2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 3243.967
- Minimum: 169.970
- Maximum: 32574.920
- Standard Deviation: 3031.896

Location: 1990-1999 (width: 10; decimal: 3)

Variable Type: numeric

DTTRET5: DDE Retinol, mcg

DDE Retinol, mcg

Value	Label	Unweighted Frequency	%
0.00	-	1	0.0 %
2.52	-	1	0.0 %
12.08	-	1	0.0 %
22.41	-	1	0.0 %
25.33	-	1	0.0 %
26.46	-	1	0.0 %
27.76	-	1	0.0 %
27.92	-	1	0.0 %
28.35	-	1	0.0 %
31.60	-	1	0.0 %
39.08	-	1	0.0 %
39.36	-	1	0.0 %

Value	Label	Unweighted Frequency	%
41.65	-	1	0.0 %
41.89	-	1	0.0 %
42.30	-	1	0.0 %
42.67	-	1	0.0 %
43.84	-	1	0.0 %
44.91	-	1	0.0 %
47.12	-	1	0.0 %
49.19	-	1	0.0 %
49.68	-	1	0.0 %
49.70	-	1	0.0 %
51.62	-	1	0.0 %
51.72	-	1	0.0 %
53.22	-	1	0.0 %
53.52	-	1	0.0 %
53.90	-	1	0.0 %
55.44	-	1	0.0 %
56.80	-	1	0.0 %
56.95	-	1	0.0 %
60.22	-	1	0.0 %
61.60	-	1	0.0 %
63.99	-	1	0.0 %
64.13	-	1	0.0 %
64.56	-	1	0.0 %
66.00	-	1	0.0 %
66.43	-	1	0.0 %
66.88	-	1	0.0 %
68.01	-	1	0.0 %
68.10	-	1	0.0 %
68.28	-	1	0.0 %
68.43	-	1	0.0 %
69.32	-	1	0.0 %
71.06	-	1	0.0 %
71.32	-	1	0.0 %
71.94	-	1	0.0 %
72.44	-	1	0.0 %
72.53	-	1	0.0 %
72.97	-	1	0.0 %
73.08	-	1	0.0 %
	Missing Data		
.	-	492	18.8 %
	Total	2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 453.569
- Minimum: 0.000
- Maximum: 4676.410
- Standard Deviation: 384.027

Location: 2000-2008 (width: 9; decimal: 3)

Variable Type: numeric

DTTPROA5: DDE Pro-A Carotenes, mcg

DDE Pro-A Carotenes, mcg

Value	Label	Unweighted Frequency	%
236.43	-	1	0.0 %
237.12	-	1	0.0 %
263.20	-	1	0.0 %
272.55	-	1	0.0 %
277.04	-	1	0.0 %
355.88	-	1	0.0 %
370.89	-	1	0.0 %
372.23	-	1	0.0 %
374.94	-	1	0.0 %
386.11	-	1	0.0 %
389.61	-	1	0.0 %
393.93	-	1	0.0 %
394.13	-	1	0.0 %
395.30	-	1	0.0 %
402.23	-	1	0.0 %
407.55	-	1	0.0 %
409.53	-	1	0.0 %
420.20	-	1	0.0 %
429.88	-	1	0.0 %
432.96	-	1	0.0 %
436.02	-	1	0.0 %
436.35	-	1	0.0 %
454.17	-	1	0.0 %
460.71	-	1	0.0 %
467.76	-	1	0.0 %
480.47	-	1	0.0 %
482.58	-	1	0.0 %
483.92	-	1	0.0 %
490.80	-	1	0.0 %

Value	Label	Unweighted Frequency	%
493.19	-	1	0.0 %
505.39	-	1	0.0 %
513.98	-	1	0.0 %
516.13	-	1	0.0 %
519.01	-	1	0.0 %
519.76	-	1	0.0 %
528.32	-	1	0.0 %
531.35	-	1	0.0 %
531.50	-	1	0.0 %
533.04	-	1	0.0 %
554.44	-	1	0.0 %
555.96	-	1	0.0 %
556.82	-	1	0.0 %
559.16	-	1	0.0 %
568.28	-	1	0.0 %
570.35	-	1	0.0 %
570.90	-	1	0.0 %
571.04	-	1	0.0 %
574.01	-	1	0.0 %
588.52	-	1	0.0 %
593.16	-	1	0.0 %
Missing Data			
.	-	492	18.8 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 3235.500
- Minimum: 236.430
- Maximum: 24643.820
- Standard Deviation: 2602.839

Location: 2009-2018 (width: 10; decimal: 3)

Variable Type: numeric

FIBBEAN5: DDE Fiber from Beans

DDE Fiber from Beans

Value	Label	Unweighted Frequency	%
0.00	-	42	1.6 %
0.01	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.05	-	1	0.0 %
0.06	-	5	0.2 %
0.07	-	5	0.2 %
0.08	-	3	0.1 %
0.09	-	10	0.4 %
0.11	-	4	0.2 %
0.12	-	5	0.2 %
0.14	-	8	0.3 %
0.15	-	3	0.1 %
0.16	-	2	0.1 %
0.17	-	2	0.1 %
0.18	-	3	0.1 %
0.19	-	4	0.2 %
0.21	-	14	0.5 %
0.22	-	11	0.4 %
0.23	-	5	0.2 %
0.24	-	8	0.3 %
0.25	-	2	0.1 %
0.26	-	4	0.2 %
0.27	-	5	0.2 %
0.28	-	2	0.1 %
0.29	-	7	0.3 %
0.30	-	16	0.6 %
0.31	-	8	0.3 %
0.32	-	1	0.0 %
0.33	-	4	0.2 %
0.34	-	7	0.3 %
0.35	-	6	0.2 %
0.36	-	12	0.5 %
0.37	-	2	0.1 %
0.38	-	2	0.1 %
0.39	-	7	0.3 %
0.40	-	3	0.1 %
0.41	-	4	0.2 %
0.42	-	6	0.2 %
0.43	-	7	0.3 %
0.44	-	7	0.3 %
0.45	-	6	0.2 %
0.46	-	1	0.0 %
0.47	-	2	0.1 %
0.48	-	15	0.6 %
0.49	-	8	0.3 %

Value	Label	Unweighted Frequency	%
0.50	-	3	0.1 %
0.51	-	5	0.2 %
0.52	-	7	0.3 %
0.53	-	8	0.3 %
0.54	-	5	0.2 %
0.55	-	10	0.4 %
Missing Data			
.	-	492	18.8 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 2.841
- Minimum: 0.000
- Maximum: 25.300
- Standard Deviation: 3.353

Location: 2019-2025 (width: 7; decimal: 3)

Variable Type: numeric

FIBVEGF5: DDE Fiber from Veg/Fruit

DDE Fiber from Veg/Fruit

Value	Label	Unweighted Frequency	%
0.52	-	1	0.0 %
0.56	-	1	0.0 %
0.61	-	1	0.0 %
0.65	-	1	0.0 %
0.73	-	1	0.0 %
0.76	-	1	0.0 %
0.79	-	1	0.0 %
0.81	-	1	0.0 %
0.83	-	1	0.0 %
0.85	-	1	0.0 %
0.87	-	2	0.1 %
0.99	-	1	0.0 %
1.00	-	1	0.0 %
1.03	-	1	0.0 %
1.06	-	1	0.0 %
1.09	-	1	0.0 %
1.12	-	1	0.0 %
1.13	-	1	0.0 %

Value	Label	Unweighted Frequency	%
1.19	-	1	0.0 %
1.26	-	1	0.0 %
1.31	-	1	0.0 %
1.32	-	1	0.0 %
1.34	-	1	0.0 %
1.38	-	1	0.0 %
1.44	-	1	0.0 %
1.45	-	1	0.0 %
1.48	-	2	0.1 %
1.49	-	1	0.0 %
1.52	-	1	0.0 %
1.54	-	4	0.2 %
1.55	-	1	0.0 %
1.56	-	1	0.0 %
1.57	-	1	0.0 %
1.58	-	1	0.0 %
1.62	-	1	0.0 %
1.65	-	2	0.1 %
1.69	-	2	0.1 %
1.70	-	1	0.0 %
1.71	-	3	0.1 %
1.73	-	2	0.1 %
1.74	-	2	0.1 %
1.75	-	1	0.0 %
1.77	-	2	0.1 %
1.78	-	3	0.1 %
1.79	-	1	0.0 %
1.81	-	1	0.0 %
1.84	-	2	0.1 %
1.86	-	1	0.0 %
1.87	-	1	0.0 %
1.89	-	3	0.1 %
Missing Data			
.	-	492	18.8 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 6.440
- Minimum: 0.520
- Maximum: 31.310

- Standard Deviation: 3.606

Location: 2026-2032 (width: 7; decimal: 3)

Variable Type: numeric

FIBGRA15: DDE Fiber from Grains

DDE Fiber from Grains

Value	Label	Unweighted Frequency	%
0.00	-	3	0.1 %
0.05	-	1	0.0 %
0.06	-	1	0.0 %
0.11	-	1	0.0 %
0.14	-	1	0.0 %
0.15	-	1	0.0 %
0.20	-	1	0.0 %
0.26	-	1	0.0 %
0.27	-	1	0.0 %
0.28	-	1	0.0 %
0.31	-	1	0.0 %
0.34	-	1	0.0 %
0.35	-	1	0.0 %
0.37	-	1	0.0 %
0.39	-	1	0.0 %
0.41	-	1	0.0 %
0.43	-	2	0.1 %
0.44	-	3	0.1 %
0.45	-	1	0.0 %
0.47	-	1	0.0 %
0.48	-	1	0.0 %
0.50	-	1	0.0 %
0.51	-	1	0.0 %
0.52	-	1	0.0 %
0.59	-	2	0.1 %
0.60	-	1	0.0 %
0.61	-	1	0.0 %
0.62	-	2	0.1 %
0.66	-	1	0.0 %
0.69	-	2	0.1 %
0.72	-	3	0.1 %
0.73	-	1	0.0 %
0.74	-	2	0.1 %
0.75	-	3	0.1 %
0.77	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.78	-	3	0.1 %
0.79	-	1	0.0 %
0.80	-	1	0.0 %
0.82	-	2	0.1 %
0.83	-	1	0.0 %
0.84	-	2	0.1 %
0.85	-	3	0.1 %
0.87	-	2	0.1 %
0.92	-	1	0.0 %
0.93	-	2	0.1 %
0.97	-	1	0.0 %
0.98	-	1	0.0 %
0.99	-	1	0.0 %
1.00	-	2	0.1 %
1.01	-	1	0.0 %
Missing Data			
.	-	492	18.8 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 3.800
- Minimum: 0.000
- Maximum: 13.730
- Standard Deviation: 1.979

Location: 2033-2039 (width: 7; decimal: 3)

Variable Type: numeric

DTTALCH5: DDE KCAL from Alcoholic Bev

DDE KCAL from Alcoholic Bev

Value	Label	Unweighted Frequency	%
0.000	-	1068	40.8 %
4.097	-	1	0.0 %
6.448	-	1	0.0 %
6.479	-	1	0.0 %
6.499	-	1	0.0 %
6.530	-	1	0.0 %
6.548	-	1	0.0 %
6.563	-	1	0.0 %
6.573	-	1	0.0 %

Value	Label	Unweighted Frequency	%
6.574	-	1	0.0 %
6.579	-	1	0.0 %
6.587	-	1	0.0 %
6.589	-	1	0.0 %
6.591	-	1	0.0 %
6.594	-	1	0.0 %
6.595	-	1	0.0 %
6.598	-	1	0.0 %
6.603	-	1	0.0 %
6.617	-	1	0.0 %
6.619	-	1	0.0 %
6.620	-	1	0.0 %
6.622	-	1	0.0 %
6.625	-	1	0.0 %
6.626	-	1	0.0 %
6.632	-	1	0.0 %
6.637	-	1	0.0 %
6.640	-	1	0.0 %
6.641	-	1	0.0 %
6.664	-	1	0.0 %
6.716	-	1	0.0 %
8.107	-	1	0.0 %
8.188	-	1	0.0 %
8.220	-	1	0.0 %
8.228	-	1	0.0 %
8.249	-	1	0.0 %
8.264	-	1	0.0 %
8.271	-	1	0.0 %
8.281	-	1	0.0 %
8.291	-	1	0.0 %
8.297	-	1	0.0 %
8.340	-	1	0.0 %
8.367	-	1	0.0 %
8.983	-	1	0.0 %
9.755	-	1	0.0 %
12.359	-	1	0.0 %
13.118	-	1	0.0 %
13.120	-	1	0.0 %
13.127	-	1	0.0 %
13.128	-	1	0.0 %
13.129	-	1	0.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	492	18.8 %
	Total	2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 45.879
- Minimum: 0.000
- Maximum: 1179.477
- Standard Deviation: 93.057

Location: 2040-2048 (width: 9; decimal: 3)

Variable Type: numeric

DTTSWET5: DDE KCAL fm Sweets, kcal

DDE KCAL fm Sweets, kcal

Value	Label	Unweighted Frequency	%
0.000	-	56	2.1 %
1.992	-	1	0.0 %
2.202	-	1	0.0 %
2.998	-	1	0.0 %
3.041	-	1	0.0 %
4.340	-	1	0.0 %
4.364	-	1	0.0 %
4.375	-	1	0.0 %
5.516	-	1	0.0 %
5.556	-	1	0.0 %
5.604	-	1	0.0 %
6.098	-	1	0.0 %
7.221	-	1	0.0 %
7.295	-	1	0.0 %
7.321	-	1	0.0 %
7.615	-	1	0.0 %
7.818	-	1	0.0 %
9.377	-	1	0.0 %
9.445	-	1	0.0 %
9.786	-	1	0.0 %
10.016	-	1	0.0 %
10.100	-	1	0.0 %
10.164	-	1	0.0 %

Value	Label	Unweighted Frequency	%
10.182	-	1	0.0 %
10.647	-	1	0.0 %
10.684	-	1	0.0 %
10.690	-	1	0.0 %
10.699	-	1	0.0 %
11.021	-	1	0.0 %
11.606	-	1	0.0 %
11.946	-	1	0.0 %
12.275	-	1	0.0 %
12.471	-	1	0.0 %
12.890	-	1	0.0 %
12.922	-	1	0.0 %
12.926	-	1	0.0 %
12.930	-	1	0.0 %
13.137	-	1	0.0 %
13.990	-	1	0.0 %
15.086	-	1	0.0 %
15.174	-	1	0.0 %
15.237	-	1	0.0 %
15.238	-	1	0.0 %
15.267	-	1	0.0 %
15.277	-	1	0.0 %
15.334	-	1	0.0 %
15.351	-	1	0.0 %
15.362	-	1	0.0 %
15.400	-	1	0.0 %
15.402	-	1	0.0 %
	Missing Data		
.	-	492	18.8 %
	Total	2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 286.346
- Minimum: 0.000
- Maximum: 2771.245
- Standard Deviation: 299.933

Location: 2049-2057 (width: 9; decimal: 3)

Variable Type: numeric

GMSOLID5: DDE Grams Solid Food

DDE Grams Solid Food

Value	Label	Unweighted Frequency	%
1666.13	-	1	0.0 %
1778.06	-	1	0.0 %
1787.32	-	1	0.0 %
1802.46	-	1	0.0 %
1823.42	-	1	0.0 %
1916.91	-	1	0.0 %
1983.13	-	1	0.0 %
2053.63	-	1	0.0 %
2066.10	-	1	0.0 %
2099.38	-	1	0.0 %
2107.33	-	1	0.0 %
2164.45	-	1	0.0 %
2180.09	-	1	0.0 %
2207.86	-	1	0.0 %
2216.02	-	1	0.0 %
2237.11	-	1	0.0 %
2260.70	-	1	0.0 %
2262.52	-	1	0.0 %
2263.20	-	1	0.0 %
2302.70	-	1	0.0 %
2331.38	-	1	0.0 %
2363.20	-	1	0.0 %
2386.23	-	1	0.0 %
2386.35	-	1	0.0 %
2408.80	-	1	0.0 %
2409.60	-	1	0.0 %
2421.82	-	1	0.0 %
2423.60	-	1	0.0 %
2424.43	-	1	0.0 %
2429.16	-	1	0.0 %
2437.72	-	1	0.0 %
2457.77	-	1	0.0 %
2475.83	-	1	0.0 %
2476.57	-	1	0.0 %
2511.13	-	1	0.0 %
2517.11	-	1	0.0 %
2524.07	-	1	0.0 %
2531.86	-	1	0.0 %
2536.85	-	1	0.0 %

Value	Label	Unweighted Frequency	%
2540.18	-	1	0.0 %
2541.56	-	1	0.0 %
2568.53	-	1	0.0 %
2612.97	-	1	0.0 %
2621.51	-	1	0.0 %
2622.13	-	1	0.0 %
2627.14	-	1	0.0 %
2629.20	-	1	0.0 %
2637.18	-	1	0.0 %
2644.60	-	1	0.0 %
2653.67	-	1	0.0 %
	Missing Data		
.	-	492	18.8 %
	Total	2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 5846.44
- Minimum: 1666.13
- Maximum: 16591.34
- Standard Deviation: 2205.78

Location: 2058-2067 (width: 10; decimal: 2)

Variable Type: numeric

DTTCAFF5: Caffeine, mg

Caffeine, mg

Value	Label	Unweighted Frequency	%
0.00	-	43	1.6 %
0.67	-	8	0.3 %
0.77	-	1	0.0 %
1.43	-	11	0.4 %
1.54	-	8	0.3 %
2.10	-	2	0.1 %
2.65	-	1	0.0 %
2.70	-	1	0.0 %
2.86	-	6	0.2 %
3.08	-	1	0.0 %
3.12	-	4	0.2 %
3.57	-	1	0.0 %

Value	Label	Unweighted Frequency	%
3.64	-	5	0.2 %
3.72	-	6	0.2 %
3.79	-	2	0.1 %
3.92	-	1	0.0 %
4.33	-	1	0.0 %
4.38	-	2	0.1 %
4.55	-	1	0.0 %
4.89	-	1	0.0 %
4.96	-	1	0.0 %
5.25	-	1	0.0 %
5.55	-	1	0.0 %
5.61	-	1	0.0 %
5.71	-	2	0.1 %
5.75	-	1	0.0 %
5.81	-	1	0.0 %
5.89	-	2	0.1 %
5.98	-	1	0.0 %
5.99	-	1	0.0 %
6.41	-	1	0.0 %
6.43	-	1	0.0 %
6.76	-	1	0.0 %
6.83	-	1	0.0 %
6.84	-	2	0.1 %
6.99	-	1	0.0 %
7.33	-	1	0.0 %
7.40	-	1	0.0 %
7.43	-	1	0.0 %
7.50	-	3	0.1 %
7.81	-	1	0.0 %
7.85	-	1	0.0 %
7.92	-	1	0.0 %
8.03	-	1	0.0 %
8.05	-	3	0.1 %
8.15	-	1	0.0 %
8.30	-	1	0.0 %
8.37	-	3	0.1 %
8.38	-	1	0.0 %
8.91	-	1	0.0 %
	Missing Data		
.	-	492	18.8 %
	Total	2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 232.96
- Minimum: 0.00
- Maximum: 2083.17
- Standard Deviation: 225.12

Location: 2068-2076 (width: 9; decimal: 2)

Variable Type: numeric

DTTVITD5: Vitamin D, IU

Vitamin D, IU

Value	Label	Unweighted Frequency	%
1.94	-	1	0.0 %
2.14	-	2	0.1 %
2.60	-	1	0.0 %
4.06	-	1	0.0 %
6.01	-	1	0.0 %
6.29	-	1	0.0 %
6.68	-	1	0.0 %
7.30	-	1	0.0 %
7.58	-	1	0.0 %
8.02	-	1	0.0 %
8.59	-	1	0.0 %
8.64	-	1	0.0 %
8.66	-	1	0.0 %
10.32	-	1	0.0 %
10.52	-	1	0.0 %
11.63	-	1	0.0 %
12.21	-	1	0.0 %
12.25	-	1	0.0 %
13.34	-	1	0.0 %
13.36	-	1	0.0 %
13.48	-	1	0.0 %
13.67	-	1	0.0 %
13.86	-	1	0.0 %
14.65	-	1	0.0 %
15.16	-	1	0.0 %
16.12	-	1	0.0 %
16.13	-	1	0.0 %
17.34	-	1	0.0 %
17.63	-	1	0.0 %

Value	Label	Unweighted Frequency	%
17.75	-	1	0.0 %
17.97	-	1	0.0 %
18.21	-	1	0.0 %
18.41	-	1	0.0 %
19.81	-	1	0.0 %
19.96	-	1	0.0 %
19.98	-	1	0.0 %
20.22	-	1	0.0 %
20.68	-	1	0.0 %
20.71	-	1	0.0 %
20.95	-	1	0.0 %
21.21	-	1	0.0 %
21.37	-	1	0.0 %
21.51	-	1	0.0 %
21.61	-	2	0.1 %
21.85	-	1	0.0 %
21.89	-	1	0.0 %
21.95	-	1	0.0 %
22.05	-	2	0.1 %
22.06	-	1	0.0 %
22.27	-	1	0.0 %
Missing Data			
.	-	492	18.8 %
	Total	2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 148.600
- Minimum: 1.940
- Maximum: 1375.240
- Standard Deviation: 118.093

Location: 2077-2085 (width: 9; decimal: 3)

Variable Type: numeric

DTTB125: Vitamin B12, mcg

Vitamin B12, mcg

Value	Label	Unweighted Frequency	%
0.01	-	1	0.0 %
0.08	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.16	-	1	0.0 %
0.23	-	1	0.0 %
0.27	-	1	0.0 %
0.31	-	1	0.0 %
0.36	-	1	0.0 %
0.37	-	1	0.0 %
0.38	-	1	0.0 %
0.40	-	1	0.0 %
0.43	-	2	0.1 %
0.45	-	2	0.1 %
0.49	-	3	0.1 %
0.50	-	1	0.0 %
0.51	-	1	0.0 %
0.53	-	1	0.0 %
0.54	-	4	0.2 %
0.55	-	2	0.1 %
0.56	-	1	0.0 %
0.57	-	2	0.1 %
0.59	-	1	0.0 %
0.60	-	2	0.1 %
0.61	-	1	0.0 %
0.63	-	1	0.0 %
0.64	-	1	0.0 %
0.65	-	2	0.1 %
0.66	-	3	0.1 %
0.67	-	1	0.0 %
0.68	-	2	0.1 %
0.69	-	2	0.1 %
0.70	-	5	0.2 %
0.71	-	4	0.2 %
0.72	-	1	0.0 %
0.73	-	4	0.2 %
0.74	-	1	0.0 %
0.75	-	1	0.0 %
0.77	-	1	0.0 %
0.78	-	3	0.1 %
0.79	-	5	0.2 %
0.80	-	2	0.1 %
0.81	-	2	0.1 %
0.83	-	4	0.2 %
0.84	-	3	0.1 %
0.85	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.86	-	2	0.1 %
0.87	-	2	0.1 %
0.88	-	4	0.2 %
0.89	-	4	0.2 %
0.90	-	3	0.1 %
0.91	-	1	0.0 %
Missing Data			
.	-	492	18.8 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 2.877
- Minimum: 0.010
- Maximum: 14.700
- Standard Deviation: 1.579

Location: 2086-2092 (width: 7; decimal: 3)

Variable Type: numeric

DTTTRAN5: Trans fats, g

Trans fats, g

Value	Label	Unweighted Frequency	%
0.00	-	1	0.0 %
0.14	-	1	0.0 %
0.15	-	1	0.0 %
0.24	-	2	0.1 %
0.29	-	1	0.0 %
0.30	-	2	0.1 %
0.31	-	1	0.0 %
0.32	-	1	0.0 %
0.35	-	1	0.0 %
0.43	-	2	0.1 %
0.51	-	2	0.1 %
0.52	-	1	0.0 %
0.56	-	1	0.0 %
0.59	-	1	0.0 %
0.60	-	3	0.1 %
0.61	-	1	0.0 %
0.62	-	1	0.0 %
0.63	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.64	-	1	0.0 %
0.65	-	2	0.1 %
0.67	-	1	0.0 %
0.68	-	2	0.1 %
0.69	-	1	0.0 %
0.70	-	2	0.1 %
0.71	-	1	0.0 %
0.72	-	1	0.0 %
0.75	-	2	0.1 %
0.77	-	2	0.1 %
0.79	-	1	0.0 %
0.80	-	2	0.1 %
0.82	-	2	0.1 %
0.83	-	2	0.1 %
0.84	-	2	0.1 %
0.85	-	1	0.0 %
0.86	-	2	0.1 %
0.87	-	1	0.0 %
0.89	-	2	0.1 %
0.90	-	2	0.1 %
0.92	-	2	0.1 %
0.93	-	1	0.0 %
0.94	-	1	0.0 %
0.95	-	1	0.0 %
0.96	-	2	0.1 %
0.97	-	2	0.1 %
0.98	-	3	0.1 %
1.00	-	1	0.0 %
1.01	-	2	0.1 %
1.02	-	4	0.2 %
1.03	-	1	0.0 %
1.04	-	3	0.1 %
Missing Data			
.	-	492	18.8 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 5.487
- Minimum: 0.000
- Maximum: 35.750

- Standard Deviation: 3.956

Location: 2093-2099 (*width:* 7; *decimal:* 3)

Variable Type: numeric

DTTOMEG5: Omega-3 fatty acids, g

Omega-3 fatty acids, g

Value	Label	Unweighted Frequency	%
0.08	-	1	0.0 %
0.14	-	1	0.0 %
0.18	-	1	0.0 %
0.26	-	1	0.0 %
0.29	-	1	0.0 %
0.30	-	1	0.0 %
0.34	-	2	0.1 %
0.36	-	3	0.1 %
0.37	-	6	0.2 %
0.38	-	7	0.3 %
0.39	-	2	0.1 %
0.40	-	3	0.1 %
0.41	-	1	0.0 %
0.42	-	7	0.3 %
0.43	-	4	0.2 %
0.44	-	2	0.1 %
0.45	-	4	0.2 %
0.46	-	8	0.3 %
0.47	-	4	0.2 %
0.48	-	4	0.2 %
0.49	-	1	0.0 %
0.50	-	4	0.2 %
0.51	-	9	0.3 %
0.52	-	7	0.3 %
0.53	-	7	0.3 %
0.54	-	13	0.5 %
0.55	-	7	0.3 %
0.56	-	12	0.5 %
0.57	-	5	0.2 %
0.58	-	9	0.3 %
0.59	-	7	0.3 %
0.60	-	9	0.3 %
0.61	-	7	0.3 %
0.62	-	7	0.3 %
0.63	-	12	0.5 %

Value	Label	Unweighted Frequency	%
0.64	-	14	0.5 %
0.65	-	12	0.5 %
0.66	-	7	0.3 %
0.67	-	8	0.3 %
0.68	-	17	0.6 %
0.69	-	9	0.3 %
0.70	-	10	0.4 %
0.71	-	14	0.5 %
0.72	-	15	0.6 %
0.73	-	17	0.6 %
0.74	-	13	0.5 %
0.75	-	16	0.6 %
0.76	-	19	0.7 %
0.77	-	12	0.5 %
0.78	-	13	0.5 %
Missing Data			
.	-	492	18.8 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 1.367
- Minimum: 0.080
- Maximum: 5.020
- Standard Deviation: 0.668

Location: 2100-2105 (width: 6; decimal: 3)

Variable Type: numeric

DTTCOPP5: Copper, mg

Copper, mg

Value	Label	Unweighted Frequency	%
0.24	-	1	0.0 %
0.28	-	1	0.0 %
0.34	-	1	0.0 %
0.35	-	2	0.1 %
0.36	-	5	0.2 %
0.37	-	3	0.1 %
0.39	-	1	0.0 %
0.40	-	2	0.1 %
0.41	-	5	0.2 %

Value	Label	Unweighted Frequency	%
0.42	-	8	0.3 %
0.43	-	7	0.3 %
0.44	-	4	0.2 %
0.45	-	2	0.1 %
0.46	-	7	0.3 %
0.47	-	5	0.2 %
0.48	-	4	0.2 %
0.49	-	7	0.3 %
0.50	-	10	0.4 %
0.51	-	13	0.5 %
0.52	-	10	0.4 %
0.53	-	10	0.4 %
0.54	-	9	0.3 %
0.55	-	10	0.4 %
0.56	-	8	0.3 %
0.57	-	13	0.5 %
0.58	-	16	0.6 %
0.59	-	15	0.6 %
0.60	-	18	0.7 %
0.61	-	17	0.6 %
0.62	-	8	0.3 %
0.63	-	27	1.0 %
0.64	-	14	0.5 %
0.65	-	25	1.0 %
0.66	-	13	0.5 %
0.67	-	25	1.0 %
0.68	-	30	1.1 %
0.69	-	21	0.8 %
0.70	-	23	0.9 %
0.71	-	23	0.9 %
0.72	-	14	0.5 %
0.73	-	16	0.6 %
0.74	-	25	1.0 %
0.75	-	31	1.2 %
0.76	-	18	0.7 %
0.77	-	26	1.0 %
0.78	-	17	0.6 %
0.79	-	16	0.6 %
0.80	-	15	0.6 %
0.81	-	20	0.8 %
0.82	-	18	0.7 %
Missing Data			

Value	Label	Unweighted Frequency	%
-	-	492	18.8 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 1.111
- Median: 1.030
- Mode: 0.980
- Minimum: 0.240
- Maximum: 3.410
- Standard Deviation: 0.462

Location: 2106-2111 (width: 6; decimal: 3)

Variable Type: numeric

DTTMANG5: Manganese, mg

Manganese, mg

Value	Label	Unweighted Frequency	%
0.45	-	1	0.0 %
0.63	-	1	0.0 %
0.68	-	1	0.0 %
0.70	-	1	0.0 %
0.71	-	1	0.0 %
0.72	-	1	0.0 %
0.73	-	1	0.0 %
0.74	-	1	0.0 %
0.75	-	2	0.1 %
0.77	-	1	0.0 %
0.78	-	1	0.0 %
0.79	-	1	0.0 %
0.80	-	2	0.1 %
0.84	-	2	0.1 %
0.85	-	1	0.0 %
0.88	-	1	0.0 %
0.89	-	2	0.1 %
0.90	-	1	0.0 %
0.91	-	1	0.0 %
0.93	-	1	0.0 %
0.94	-	1	0.0 %
0.95	-	2	0.1 %
0.97	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.98	-	1	0.0 %
1.01	-	2	0.1 %
1.02	-	1	0.0 %
1.03	-	2	0.1 %
1.04	-	2	0.1 %
1.05	-	3	0.1 %
1.06	-	2	0.1 %
1.07	-	2	0.1 %
1.08	-	2	0.1 %
1.09	-	2	0.1 %
1.10	-	5	0.2 %
1.11	-	3	0.1 %
1.12	-	5	0.2 %
1.13	-	1	0.0 %
1.14	-	2	0.1 %
1.15	-	3	0.1 %
1.16	-	4	0.2 %
1.17	-	3	0.1 %
1.18	-	4	0.2 %
1.19	-	5	0.2 %
1.20	-	2	0.1 %
1.21	-	2	0.1 %
1.22	-	4	0.2 %
1.23	-	2	0.1 %
1.24	-	3	0.1 %
1.25	-	5	0.2 %
1.27	-	4	0.2 %
Missing Data			
.	-	492	18.8 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 3.219
- Minimum: 0.450
- Maximum: 16.320
- Standard Deviation: 1.530

Location: 2112-2118 (*width:* 7; *decimal:* 3)

Variable Type: numeric

DTTPANT5: Pantothenic acid, mg

Pantothenic acid, mg

Value	Label	Unweighted Frequency	%
1.07	-	1	0.0 %
1.14	-	1	0.0 %
1.27	-	1	0.0 %
1.28	-	1	0.0 %
1.29	-	1	0.0 %
1.30	-	1	0.0 %
1.32	-	1	0.0 %
1.33	-	1	0.0 %
1.34	-	2	0.1 %
1.35	-	1	0.0 %
1.37	-	1	0.0 %
1.41	-	1	0.0 %
1.42	-	1	0.0 %
1.43	-	1	0.0 %
1.44	-	2	0.1 %
1.47	-	1	0.0 %
1.49	-	1	0.0 %
1.50	-	3	0.1 %
1.51	-	1	0.0 %
1.52	-	1	0.0 %
1.53	-	1	0.0 %
1.54	-	1	0.0 %
1.55	-	2	0.1 %
1.56	-	1	0.0 %
1.58	-	1	0.0 %
1.59	-	1	0.0 %
1.60	-	3	0.1 %
1.62	-	2	0.1 %
1.63	-	3	0.1 %
1.65	-	2	0.1 %
1.66	-	3	0.1 %
1.67	-	2	0.1 %
1.69	-	1	0.0 %
1.70	-	1	0.0 %
1.71	-	1	0.0 %
1.72	-	2	0.1 %
1.73	-	2	0.1 %
1.74	-	3	0.1 %
1.75	-	2	0.1 %
1.76	-	1	0.0 %

Value	Label	Unweighted Frequency	%
1.77	-	2	0.1 %
1.79	-	3	0.1 %
1.80	-	1	0.0 %
1.81	-	3	0.1 %
1.82	-	1	0.0 %
1.83	-	3	0.1 %
1.84	-	5	0.2 %
1.85	-	1	0.0 %
1.86	-	3	0.1 %
1.87	-	2	0.1 %
Missing Data			
-		492	18.8 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 4.550
- Minimum: 1.070
- Maximum: 19.280
- Standard Deviation: 2.394

Location: 2119-2125 (width: 7; decimal: 3)

Variable Type: numeric

BATKCAL5: DDE KCAL before alcohol total

DDE KCAL before alcohol total

Value	Label	Unweighted Frequency	%
490.03	-	1	0.0 %
491.24	-	1	0.0 %
502.29	-	1	0.0 %
507.90	-	1	0.0 %
509.09	-	1	0.0 %
540.61	-	1	0.0 %
559.20	-	1	0.0 %
561.87	-	1	0.0 %
579.92	-	1	0.0 %
586.35	-	1	0.0 %
589.15	-	1	0.0 %
602.79	-	1	0.0 %
609.23	-	1	0.0 %
610.87	-	1	0.0 %

Value	Label	Unweighted Frequency	%
613.88	-	1	0.0 %
614.11	-	1	0.0 %
619.57	-	1	0.0 %
624.72	-	1	0.0 %
628.25	-	1	0.0 %
631.83	-	1	0.0 %
636.83	-	1	0.0 %
645.76	-	1	0.0 %
648.35	-	1	0.0 %
659.36	-	1	0.0 %
667.61	-	1	0.0 %
668.21	-	1	0.0 %
669.00	-	1	0.0 %
673.94	-	1	0.0 %
680.35	-	1	0.0 %
683.89	-	1	0.0 %
691.76	-	1	0.0 %
694.20	-	1	0.0 %
727.03	-	1	0.0 %
731.69	-	1	0.0 %
733.23	-	1	0.0 %
742.05	-	1	0.0 %
742.89	-	1	0.0 %
743.61	-	1	0.0 %
745.54	-	1	0.0 %
752.51	-	1	0.0 %
757.82	-	1	0.0 %
761.87	-	1	0.0 %
763.41	-	1	0.0 %
764.25	-	1	0.0 %
773.08	-	1	0.0 %
773.44	-	1	0.0 %
773.71	-	1	0.0 %
774.97	-	1	0.0 %
776.54	-	1	0.0 %
777.23	-	1	0.0 %
	Missing Data		
.	-	492	18.8 %
	Total	2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 1702.26
- Minimum: 490.03
- Maximum: 4872.06
- Standard Deviation: 650.00

Location: 2126-2134 (width: 9; decimal: 2)

Variable Type: numeric

BATPROT5: DDE Protein before alcohol, gms

DDE Protein before alcohol, gms

Value	Label	Unweighted Frequency	%
12.11	-	1	0.0 %
19.32	-	1	0.0 %
19.70	-	1	0.0 %
20.63	-	1	0.0 %
21.51	-	1	0.0 %
21.71	-	1	0.0 %
22.46	-	1	0.0 %
22.51	-	1	0.0 %
23.16	-	1	0.0 %
23.71	-	1	0.0 %
24.17	-	1	0.0 %
24.31	-	1	0.0 %
24.58	-	1	0.0 %
24.72	-	1	0.0 %
25.22	-	1	0.0 %
25.45	-	1	0.0 %
25.51	-	1	0.0 %
25.98	-	1	0.0 %
26.04	-	1	0.0 %
26.37	-	1	0.0 %
26.49	-	1	0.0 %
27.15	-	1	0.0 %
27.44	-	1	0.0 %
28.84	-	1	0.0 %
29.51	-	1	0.0 %
29.70	-	1	0.0 %
29.75	-	1	0.0 %
30.19	-	1	0.0 %
30.55	-	3	0.1 %
30.78	-	1	0.0 %
30.80	-	1	0.0 %

Value	Label	Unweighted Frequency	%
30.84	-	1	0.0 %
30.99	-	1	0.0 %
31.05	-	1	0.0 %
31.33	-	1	0.0 %
31.34	-	1	0.0 %
31.40	-	1	0.0 %
31.45	-	1	0.0 %
31.67	-	1	0.0 %
31.69	-	1	0.0 %
31.73	-	2	0.1 %
31.78	-	1	0.0 %
31.87	-	1	0.0 %
31.99	-	1	0.0 %
32.01	-	1	0.0 %
32.18	-	1	0.0 %
32.19	-	1	0.0 %
32.40	-	1	0.0 %
32.50	-	1	0.0 %
32.52	-	1	0.0 %
Missing Data			
.	-	492	18.8 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 70.80
- Minimum: 12.11
- Maximum: 219.36
- Standard Deviation: 26.28

Location: 2135-2142 (width: 8; decimal: 2)

Variable Type: numeric

BATTFAT5: DDE Total Fat before alcohol, gms

DDE Total Fat before alcohol, gms

Value	Label	Unweighted Frequency	%
4.66	-	1	0.0 %
10.82	-	1	0.0 %
12.02	-	1	0.0 %
13.29	-	1	0.0 %
13.37	-	1	0.0 %

Value	Label	Unweighted Frequency	%
13.38	-	1	0.0 %
13.90	-	1	0.0 %
14.49	-	1	0.0 %
14.71	-	1	0.0 %
14.80	-	1	0.0 %
14.89	-	1	0.0 %
15.23	-	1	0.0 %
15.41	-	1	0.0 %
15.78	-	1	0.0 %
16.82	-	1	0.0 %
17.23	-	1	0.0 %
17.26	-	1	0.0 %
17.52	-	1	0.0 %
17.66	-	1	0.0 %
17.67	-	1	0.0 %
17.72	-	2	0.1 %
17.78	-	1	0.0 %
17.90	-	1	0.0 %
19.18	-	1	0.0 %
19.20	-	1	0.0 %
19.32	-	2	0.1 %
19.42	-	1	0.0 %
19.73	-	1	0.0 %
19.75	-	1	0.0 %
20.32	-	1	0.0 %
20.71	-	1	0.0 %
21.07	-	1	0.0 %
21.46	-	1	0.0 %
21.58	-	1	0.0 %
21.62	-	1	0.0 %
21.69	-	1	0.0 %
21.98	-	1	0.0 %
22.02	-	1	0.0 %
22.04	-	1	0.0 %
22.13	-	1	0.0 %
22.41	-	2	0.1 %
22.43	-	1	0.0 %
22.44	-	1	0.0 %
22.61	-	1	0.0 %
22.63	-	1	0.0 %
22.65	-	1	0.0 %
22.73	-	1	0.0 %

Value	Label	Unweighted Frequency	%
22.84	-	1	0.0 %
22.94	-	1	0.0 %
23.04	-	1	0.0 %
	Missing Data		
.	-	492	18.8 %
	Total	2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 67.07
- Minimum: 4.66
- Maximum: 232.30
- Standard Deviation: 30.70

Location: 2143-2150 (width: 8; decimal: 2)

Variable Type: numeric

BATCARB5: DDE Carb before alcohol total, gms

DDE Carb before alcohol total, gms

Value	Label	Unweighted Frequency	%
21.59	-	1	0.0 %
25.51	-	1	0.0 %
26.53	-	1	0.0 %
32.38	-	1	0.0 %
36.42	-	1	0.0 %
45.16	-	1	0.0 %
48.20	-	1	0.0 %
49.07	-	1	0.0 %
50.71	-	1	0.0 %
51.76	-	1	0.0 %
51.81	-	1	0.0 %
51.96	-	1	0.0 %
52.21	-	1	0.0 %
55.18	-	1	0.0 %
55.60	-	1	0.0 %
56.70	-	1	0.0 %
57.70	-	1	0.0 %
57.74	-	1	0.0 %
59.16	-	1	0.0 %
60.66	-	1	0.0 %
63.09	-	1	0.0 %

Value	Label	Unweighted Frequency	%
63.32	-	1	0.0 %
63.81	-	1	0.0 %
63.97	-	1	0.0 %
64.34	-	1	0.0 %
64.47	-	1	0.0 %
66.42	-	1	0.0 %
66.73	-	1	0.0 %
67.01	-	1	0.0 %
67.48	-	1	0.0 %
67.56	-	1	0.0 %
67.97	-	1	0.0 %
68.02	-	1	0.0 %
69.55	-	1	0.0 %
69.98	-	1	0.0 %
70.96	-	1	0.0 %
71.19	-	1	0.0 %
71.44	-	1	0.0 %
71.70	-	1	0.0 %
72.32	-	1	0.0 %
72.44	-	1	0.0 %
73.14	-	1	0.0 %
73.27	-	1	0.0 %
73.98	-	1	0.0 %
74.25	-	1	0.0 %
74.50	-	1	0.0 %
76.02	-	1	0.0 %
76.19	-	1	0.0 %
76.67	-	1	0.0 %
77.31	-	1	0.0 %
Missing Data			
.	-	492	18.8 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 208.55
- Minimum: 21.59
- Maximum: 773.00
- Standard Deviation: 90.24

Location: 2151-2158 (*width:* 8; *decimal:* 2)

Variable Type: numeric

BATPHOS5: DDE Phosphorus before alcohol, mg

DDE Phosphorus before alcohol, mg

Value	Label	Unweighted Frequency	%
281.45	-	1	0.0 %
321.80	-	1	0.0 %
341.41	-	1	0.0 %
346.10	-	1	0.0 %
347.92	-	1	0.0 %
363.44	-	1	0.0 %
372.12	-	1	0.0 %
373.65	-	1	0.0 %
375.75	-	1	0.0 %
387.69	-	1	0.0 %
387.97	-	1	0.0 %
397.93	-	1	0.0 %
402.40	-	1	0.0 %
407.95	-	1	0.0 %
408.65	-	1	0.0 %
415.59	-	1	0.0 %
418.45	-	1	0.0 %
419.88	-	1	0.0 %
421.39	-	1	0.0 %
423.00	-	1	0.0 %
424.35	-	1	0.0 %
428.27	-	1	0.0 %
432.83	-	1	0.0 %
433.95	-	1	0.0 %
440.66	-	1	0.0 %
443.49	-	1	0.0 %
444.37	-	1	0.0 %
445.48	-	1	0.0 %
450.01	-	1	0.0 %
451.78	-	1	0.0 %
452.05	-	1	0.0 %
452.30	-	1	0.0 %
456.13	-	1	0.0 %
456.73	-	1	0.0 %
459.08	-	1	0.0 %
460.34	-	1	0.0 %
460.97	-	1	0.0 %
465.87	-	1	0.0 %
466.49	-	1	0.0 %

Value	Label	Unweighted Frequency	%
470.04	-	1	0.0 %
471.04	-	1	0.0 %
472.01	-	1	0.0 %
472.06	-	1	0.0 %
472.96	-	1	0.0 %
478.72	-	1	0.0 %
480.84	-	1	0.0 %
483.59	-	1	0.0 %
484.49	-	1	0.0 %
487.58	-	1	0.0 %
488.14	-	1	0.0 %
Missing Data			
.	-	492	18.8 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 1128.62
- Minimum: 281.45
- Maximum: 4336.09
- Standard Deviation: 462.83

Location: 2159-2167 (*width:* 9; *decimal:* 2)

Variable Type: numeric

BATPOTS5: DDE Potassium before alcohol, mg

DDE Potassium before alcohol, mg

Value	Label	Unweighted Frequency	%
703.16	-	1	0.0 %
799.24	-	1	0.0 %
878.50	-	1	0.0 %
922.43	-	1	0.0 %
923.51	-	1	0.0 %
939.22	-	1	0.0 %
947.98	-	1	0.0 %
948.95	-	1	0.0 %
955.59	-	1	0.0 %
956.39	-	1	0.0 %
959.08	-	1	0.0 %
961.99	-	1	0.0 %

Value	Label	Unweighted Frequency	%
969.67	-	1	0.0 %
970.94	-	1	0.0 %
972.33	-	1	0.0 %
998.24	-	1	0.0 %
1006.24	-	1	0.0 %
1007.91	-	1	0.0 %
1011.78	-	1	0.0 %
1015.43	-	1	0.0 %
1047.05	-	1	0.0 %
1058.26	-	1	0.0 %
1059.70	-	1	0.0 %
1061.18	-	1	0.0 %
1065.59	-	1	0.0 %
1071.33	-	1	0.0 %
1074.77	-	1	0.0 %
1091.21	-	1	0.0 %
1097.73	-	1	0.0 %
1098.86	-	1	0.0 %
1107.85	-	1	0.0 %
1110.12	-	1	0.0 %
1116.75	-	1	0.0 %
1119.37	-	1	0.0 %
1127.09	-	1	0.0 %
1128.36	-	1	0.0 %
1129.81	-	1	0.0 %
1132.97	-	1	0.0 %
1139.60	-	1	0.0 %
1140.43	-	1	0.0 %
1147.55	-	1	0.0 %
1167.70	-	1	0.0 %
1167.98	-	1	0.0 %
1168.10	-	1	0.0 %
1169.95	-	1	0.0 %
1171.62	-	1	0.0 %
1172.70	-	1	0.0 %
1174.13	-	1	0.0 %
1178.84	-	1	0.0 %
1180.14	-	1	0.0 %
	Missing Data		
.	-	492	18.8 %
	Total	2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 2652.42
- Minimum: 703.16
- Maximum: 8478.79
- Standard Deviation: 1000.03

Location: 2168-2176 (width: 9; decimal: 2)

Variable Type: numeric

BATRIBO5: DDE Riboflavin before alcohol, mg

DDE Riboflavin before alcohol, mg

Value	Label	Unweighted Frequency	%
0.38	-	2	0.1 %
0.40	-	1	0.0 %
0.41	-	1	0.0 %
0.42	-	1	0.0 %
0.44	-	1	0.0 %
0.45	-	1	0.0 %
0.46	-	1	0.0 %
0.48	-	2	0.1 %
0.49	-	1	0.0 %
0.50	-	1	0.0 %
0.51	-	2	0.1 %
0.52	-	4	0.2 %
0.53	-	4	0.2 %
0.54	-	5	0.2 %
0.55	-	1	0.0 %
0.56	-	3	0.1 %
0.57	-	2	0.1 %
0.58	-	3	0.1 %
0.59	-	3	0.1 %
0.60	-	3	0.1 %
0.61	-	5	0.2 %
0.62	-	1	0.0 %
0.63	-	10	0.4 %
0.64	-	8	0.3 %
0.65	-	4	0.2 %
0.66	-	10	0.4 %
0.67	-	5	0.2 %
0.68	-	8	0.3 %
0.69	-	5	0.2 %

Value	Label	Unweighted Frequency	%
0.70	-	4	0.2 %
0.71	-	10	0.4 %
0.72	-	11	0.4 %
0.73	-	7	0.3 %
0.74	-	7	0.3 %
0.75	-	17	0.6 %
0.76	-	7	0.3 %
0.77	-	10	0.4 %
0.78	-	8	0.3 %
0.79	-	12	0.5 %
0.80	-	10	0.4 %
0.81	-	10	0.4 %
0.82	-	12	0.5 %
0.83	-	9	0.3 %
0.84	-	12	0.5 %
0.85	-	5	0.2 %
0.86	-	6	0.2 %
0.87	-	9	0.3 %
0.88	-	12	0.5 %
0.89	-	12	0.5 %
0.90	-	8	0.3 %
Missing Data			
.	-	492	18.8 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 1.60
- Minimum: 0.38
- Maximum: 7.48
- Standard Deviation: 0.73

Location: 2177-2182 (width: 6; decimal: 2)

Variable Type: numeric

BATNIAC5: DDE Niacin before alcohol total, mg

DDE Niacin before alcohol total, mg

Value	Label	Unweighted Frequency	%
4.04	-	1	0.0 %
4.55	-	1	0.0 %
4.62	-	1	0.0 %

Value	Label	Unweighted Frequency	%
4.98	-	1	0.0 %
5.04	-	1	0.0 %
5.15	-	1	0.0 %
5.22	-	1	0.0 %
5.40	-	1	0.0 %
5.55	-	1	0.0 %
5.88	-	1	0.0 %
5.95	-	1	0.0 %
6.05	-	1	0.0 %
6.18	-	2	0.1 %
6.28	-	1	0.0 %
6.32	-	2	0.1 %
6.36	-	1	0.0 %
6.39	-	1	0.0 %
6.50	-	2	0.1 %
6.51	-	1	0.0 %
6.54	-	1	0.0 %
6.56	-	4	0.2 %
6.57	-	1	0.0 %
6.62	-	1	0.0 %
6.66	-	1	0.0 %
6.67	-	1	0.0 %
6.73	-	1	0.0 %
6.79	-	1	0.0 %
6.84	-	1	0.0 %
6.86	-	1	0.0 %
6.89	-	1	0.0 %
6.90	-	2	0.1 %
7.05	-	1	0.0 %
7.11	-	1	0.0 %
7.13	-	1	0.0 %
7.19	-	1	0.0 %
7.33	-	1	0.0 %
7.35	-	1	0.0 %
7.45	-	1	0.0 %
7.47	-	1	0.0 %
7.59	-	1	0.0 %
7.60	-	1	0.0 %
7.62	-	1	0.0 %
7.63	-	1	0.0 %
7.64	-	1	0.0 %
7.65	-	1	0.0 %

Value	Label	Unweighted Frequency	%
7.68	-	1	0.0 %
7.73	-	1	0.0 %
7.74	-	1	0.0 %
7.75	-	1	0.0 %
7.77	-	2	0.1 %
Missing Data			
.	-	492	18.8 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 17.30
- Minimum: 4.04
- Maximum: 52.78
- Standard Deviation: 6.33

Location: 2183-2189 (width: 7; decimal: 2)

Variable Type: numeric

PCTALCH5: % KCAL fm Alcoholic Bevs

% KCAL fm Alcoholic Bevs

Value	Label	Unweighted Frequency	%
0.00	-	1068	40.8 %
0.20	-	1	0.0 %
0.21	-	1	0.0 %
0.23	-	1	0.0 %
0.24	-	2	0.1 %
0.25	-	1	0.0 %
0.27	-	1	0.0 %
0.31	-	2	0.1 %
0.33	-	2	0.1 %
0.34	-	1	0.0 %
0.35	-	3	0.1 %
0.36	-	1	0.0 %
0.39	-	2	0.1 %
0.40	-	1	0.0 %
0.42	-	1	0.0 %
0.43	-	2	0.1 %
0.44	-	1	0.0 %
0.45	-	3	0.1 %
0.46	-	2	0.1 %

Value	Label	Unweighted Frequency	%
0.47	-	2	0.1 %
0.48	-	5	0.2 %
0.49	-	3	0.1 %
0.50	-	2	0.1 %
0.52	-	3	0.1 %
0.53	-	1	0.0 %
0.54	-	1	0.0 %
0.55	-	2	0.1 %
0.56	-	2	0.1 %
0.57	-	3	0.1 %
0.58	-	3	0.1 %
0.59	-	7	0.3 %
0.60	-	2	0.1 %
0.61	-	3	0.1 %
0.62	-	3	0.1 %
0.63	-	3	0.1 %
0.64	-	3	0.1 %
0.65	-	4	0.2 %
0.66	-	5	0.2 %
0.67	-	3	0.1 %
0.68	-	2	0.1 %
0.69	-	4	0.2 %
0.70	-	2	0.1 %
0.71	-	3	0.1 %
0.72	-	4	0.2 %
0.73	-	3	0.1 %
0.74	-	9	0.3 %
0.75	-	4	0.2 %
0.76	-	3	0.1 %
0.77	-	4	0.2 %
0.78	-	1	0.0 %
Missing Data			
.	-	492	18.8 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 2.67
- Minimum: 0.00
- Maximum: 54.54
- Standard Deviation: 5.12

Location: 2190-2196 (width: 7; decimal: 2)

Variable Type: numeric

PCTSWET5: % KCAL from Sweets

% KCAL from Sweets

Value	Label	Unweighted Frequency	%
0.00	-	56	2.1 %
0.12	-	1	0.0 %
0.16	-	1	0.0 %
0.22	-	1	0.0 %
0.24	-	1	0.0 %
0.27	-	2	0.1 %
0.31	-	1	0.0 %
0.32	-	1	0.0 %
0.34	-	1	0.0 %
0.37	-	1	0.0 %
0.38	-	1	0.0 %
0.47	-	2	0.1 %
0.50	-	1	0.0 %
0.60	-	1	0.0 %
0.61	-	1	0.0 %
0.66	-	1	0.0 %
0.67	-	1	0.0 %
0.69	-	1	0.0 %
0.74	-	1	0.0 %
0.80	-	2	0.1 %
0.85	-	1	0.0 %
0.86	-	2	0.1 %
0.89	-	3	0.1 %
0.90	-	1	0.0 %
0.91	-	1	0.0 %
0.92	-	1	0.0 %
0.96	-	1	0.0 %
0.97	-	1	0.0 %
0.98	-	1	0.0 %
1.01	-	1	0.0 %
1.02	-	2	0.1 %
1.03	-	1	0.0 %
1.05	-	1	0.0 %
1.06	-	1	0.0 %
1.12	-	1	0.0 %
1.14	-	3	0.1 %
1.15	-	1	0.0 %

Value	Label	Unweighted Frequency	%
1.17	-	2	0.1 %
1.18	-	4	0.2 %
1.22	-	1	0.0 %
1.24	-	1	0.0 %
1.28	-	1	0.0 %
1.34	-	1	0.0 %
1.37	-	1	0.0 %
1.39	-	4	0.2 %
1.46	-	1	0.0 %
1.47	-	1	0.0 %
1.48	-	1	0.0 %
1.50	-	1	0.0 %
1.51	-	1	0.0 %
Missing Data			
.	-	492	18.8 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 14.91
- Minimum: 0.00
- Maximum: 76.35
- Standard Deviation: 11.68

Location: 2197-2203 (width: 7; decimal: 2)

Variable Type: numeric

PCTFAT5: % KCAL from Fat

% KCAL from Fat

Value	Label	Unweighted Frequency	%
6.68	-	1	0.0 %
9.49	-	1	0.0 %
10.02	-	1	0.0 %
11.19	-	1	0.0 %
11.88	-	1	0.0 %
12.15	-	1	0.0 %
12.66	-	1	0.0 %
13.02	-	1	0.0 %
13.15	-	1	0.0 %
13.42	-	1	0.0 %
13.63	-	1	0.0 %

Value	Label	Unweighted Frequency	%
13.99	-	1	0.0 %
14.13	-	1	0.0 %
14.46	-	1	0.0 %
14.50	-	1	0.0 %
14.77	-	1	0.0 %
14.92	-	1	0.0 %
15.35	-	1	0.0 %
15.43	-	1	0.0 %
15.66	-	1	0.0 %
16.07	-	1	0.0 %
16.77	-	1	0.0 %
16.92	-	1	0.0 %
17.02	-	1	0.0 %
17.09	-	1	0.0 %
17.14	-	1	0.0 %
17.27	-	1	0.0 %
17.49	-	1	0.0 %
17.62	-	1	0.0 %
17.73	-	1	0.0 %
17.75	-	1	0.0 %
17.80	-	1	0.0 %
17.86	-	1	0.0 %
17.97	-	1	0.0 %
18.01	-	1	0.0 %
18.16	-	1	0.0 %
18.33	-	1	0.0 %
18.47	-	2	0.1 %
18.61	-	1	0.0 %
18.76	-	1	0.0 %
18.82	-	1	0.0 %
18.90	-	1	0.0 %
18.92	-	1	0.0 %
18.97	-	1	0.0 %
18.99	-	3	0.1 %
19.01	-	1	0.0 %
19.02	-	1	0.0 %
19.08	-	1	0.0 %
19.13	-	1	0.0 %
19.31	-	1	0.0 %
Missing Data			
-	-	492	18.8 %

Value	Label	Unweighted Frequency	%
	Total	2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 34.24
- Minimum: 6.68
- Maximum: 65.67
- Standard Deviation: 7.52

Location: 2204-2210 (width: 7; decimal: 2)

Variable Type: numeric

PCTPROT5: % KCAL from Protein

% KCAL from Protein

Value	Label	Unweighted Frequency	%
6.34	-	1	0.0 %
6.55	-	1	0.0 %
6.98	-	1	0.0 %
7.68	-	1	0.0 %
7.71	-	1	0.0 %
7.73	-	1	0.0 %
7.83	-	1	0.0 %
7.86	-	1	0.0 %
7.92	-	1	0.0 %
7.99	-	1	0.0 %
8.00	-	1	0.0 %
8.39	-	1	0.0 %
8.63	-	1	0.0 %
8.66	-	1	0.0 %
8.67	-	1	0.0 %
8.80	-	1	0.0 %
8.95	-	1	0.0 %
9.00	-	1	0.0 %
9.08	-	1	0.0 %
9.15	-	1	0.0 %
9.17	-	1	0.0 %
9.27	-	1	0.0 %
9.28	-	1	0.0 %
9.30	-	1	0.0 %
9.31	-	1	0.0 %
9.39	-	1	0.0 %

Value	Label	Unweighted Frequency	%
9.44	-	1	0.0 %
9.49	-	2	0.1 %
9.57	-	1	0.0 %
9.59	-	1	0.0 %
9.60	-	1	0.0 %
9.63	-	2	0.1 %
9.70	-	1	0.0 %
9.75	-	1	0.0 %
9.80	-	1	0.0 %
9.82	-	1	0.0 %
9.90	-	1	0.0 %
9.91	-	1	0.0 %
9.92	-	1	0.0 %
9.93	-	1	0.0 %
9.94	-	1	0.0 %
9.96	-	1	0.0 %
9.97	-	1	0.0 %
10.10	-	1	0.0 %
10.12	-	1	0.0 %
10.16	-	1	0.0 %
10.20	-	1	0.0 %
10.22	-	1	0.0 %
10.24	-	2	0.1 %
10.26	-	1	0.0 %
Missing Data			
.	-	492	18.8 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 16.64
- Minimum: 6.34
- Maximum: 40.55
- Standard Deviation: 3.74

Location: 2211-2217 (width: 7; decimal: 2)

Variable Type: numeric

PCTCARB5: % KCAL from Carb

% KCAL from Carb

Value	Label	Unweighted Frequency	%
8.10	-	1	0.0 %
8.47	-	1	0.0 %
10.59	-	1	0.0 %
11.67	-	1	0.0 %
12.31	-	1	0.0 %
13.08	-	1	0.0 %
16.98	-	1	0.0 %
17.71	-	1	0.0 %
17.80	-	1	0.0 %
20.20	-	1	0.0 %
20.64	-	1	0.0 %
20.89	-	1	0.0 %
21.81	-	1	0.0 %
23.09	-	1	0.0 %
23.10	-	1	0.0 %
23.37	-	1	0.0 %
25.22	-	1	0.0 %
25.33	-	1	0.0 %
25.37	-	1	0.0 %
25.81	-	1	0.0 %
26.33	-	1	0.0 %
26.45	-	1	0.0 %
26.60	-	1	0.0 %
26.73	-	1	0.0 %
26.84	-	1	0.0 %
27.31	-	1	0.0 %
27.39	-	1	0.0 %
27.41	-	1	0.0 %
27.56	-	1	0.0 %
27.63	-	1	0.0 %
27.72	-	1	0.0 %
27.89	-	1	0.0 %
28.31	-	1	0.0 %
28.42	-	1	0.0 %
28.90	-	1	0.0 %
29.04	-	1	0.0 %
29.10	-	1	0.0 %
29.22	-	1	0.0 %
29.37	-	1	0.0 %
29.40	-	1	0.0 %
29.61	-	1	0.0 %
29.75	-	1	0.0 %

Value	Label	Unweighted Frequency	%
30.21	-	1	0.0 %
30.26	-	1	0.0 %
30.47	-	1	0.0 %
30.51	-	1	0.0 %
30.53	-	1	0.0 %
30.72	-	1	0.0 %
30.83	-	1	0.0 %
31.09	-	1	0.0 %
Missing Data			
.	-	492	18.8 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 48.45
- Minimum: 8.10
- Maximum: 93.67
- Standard Deviation: 8.69

Location: 2218-2224 (width: 7; decimal: 2)

Variable Type: numeric

FRUTSRV5: N servings fruit or fruit juice

N servings fruit or fruit juice

Value	Label	Unweighted Frequency	%
0.0	-	27	1.0 %
0.1	-	35	1.3 %
0.2	-	92	3.5 %
0.3	-	102	3.9 %
0.4	-	77	2.9 %
0.5	-	93	3.6 %
0.6	-	132	5.0 %
0.7	-	87	3.3 %
0.8	-	108	4.1 %
0.9	-	94	3.6 %
1.0	-	133	5.1 %
1.1	-	96	3.7 %
1.2	-	124	4.7 %
1.3	-	106	4.1 %
1.4	-	84	3.2 %
1.5	-	111	4.2 %

Value	Label	Unweighted Frequency	%
1.6	-	76	2.9 %
1.7	-	52	2.0 %
1.8	-	61	2.3 %
1.9	-	51	1.9 %
2.0	-	52	2.0 %
2.1	-	48	1.8 %
2.2	-	30	1.1 %
2.3	-	40	1.5 %
2.4	-	25	1.0 %
2.5	-	36	1.4 %
2.6	-	25	1.0 %
2.7	-	17	0.6 %
2.8	-	16	0.6 %
2.9	-	6	0.2 %
3.0	-	17	0.6 %
3.1	-	10	0.4 %
3.2	-	11	0.4 %
3.3	-	8	0.3 %
3.4	-	6	0.2 %
3.5	-	4	0.2 %
3.6	-	5	0.2 %
3.7	-	1	0.0 %
3.8	-	7	0.3 %
3.9	-	2	0.1 %
4.0	-	1	0.0 %
4.1	-	2	0.1 %
4.3	-	1	0.0 %
4.4	-	3	0.1 %
4.6	-	1	0.0 %
4.9	-	2	0.1 %
5.0	-	1	0.0 %
5.4	-	1	0.0 %
5.7	-	2	0.1 %
5.8	-	1	0.0 %
Missing Data			
.	-	492	18.8 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 1.26

- Median: 1.10
- Mode: 1.00
- Minimum: 0.00
- Maximum: 6.40
- Standard Deviation: 0.84

Location: 2225-2229 (*width:* 5; *decimal:* 1)

Variable Type: numeric

FVFRQ5: Sum daily freq Fruit + Veg

Sum daily freq Fruit + Veg

Value	Label	Unweighted Frequency	%
0.1	-	3	0.1 %
0.2	-	1	0.0 %
0.3	-	1	0.0 %
0.4	-	6	0.2 %
0.5	-	4	0.2 %
0.6	-	7	0.3 %
0.7	-	14	0.5 %
0.8	-	16	0.6 %
0.9	-	27	1.0 %
1.0	-	29	1.1 %
1.1	-	23	0.9 %
1.2	-	26	1.0 %
1.3	-	45	1.7 %
1.4	-	53	2.0 %
1.5	-	57	2.2 %
1.6	-	67	2.6 %
1.7	-	58	2.2 %
1.8	-	68	2.6 %
1.9	-	62	2.4 %
2.0	-	64	2.4 %
2.1	-	65	2.5 %
2.2	-	83	3.2 %
2.3	-	64	2.4 %
2.4	-	72	2.8 %
2.5	-	74	2.8 %
2.6	-	63	2.4 %
2.7	-	55	2.1 %
2.8	-	62	2.4 %
2.9	-	55	2.1 %
3.0	-	61	2.3 %
3.1	-	59	2.3 %
3.2	-	53	2.0 %

Value	Label	Unweighted Frequency	%
3.3	-	56	2.1 %
3.4	-	61	2.3 %
3.5	-	63	2.4 %
3.6	-	38	1.5 %
3.7	-	48	1.8 %
3.8	-	36	1.4 %
3.9	-	35	1.3 %
4.0	-	41	1.6 %
4.1	-	27	1.0 %
4.2	-	35	1.3 %
4.3	-	29	1.1 %
4.4	-	27	1.0 %
4.5	-	28	1.1 %
4.6	-	20	0.8 %
4.7	-	17	0.6 %
4.8	-	12	0.5 %
4.9	-	13	0.5 %
5.0	-	13	0.5 %
Missing Data			
.	-	492	18.8 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 2.854
- Median: 2.700
- Mode: 2.200
- Minimum: 0.100
- Maximum: 12.500
- Standard Deviation: 1.316

Location: 2230-2236 (width: 7; decimal: 3)

Variable Type: numeric

VEGSRV5: N servings Veg

N servings Veg

Value	Label	Unweighted Frequency	%
0.000	-	2	0.1 %
0.046	-	1	0.0 %
0.056	-	1	0.0 %
0.108	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.123	-	1	0.0 %
0.124	-	1	0.0 %
0.127	-	1	0.0 %
0.137	-	1	0.0 %
0.144	-	2	0.1 %
0.161	-	1	0.0 %
0.171	-	1	0.0 %
0.177	-	1	0.0 %
0.190	-	1	0.0 %
0.191	-	1	0.0 %
0.197	-	1	0.0 %
0.201	-	1	0.0 %
0.203	-	1	0.0 %
0.210	-	1	0.0 %
0.214	-	1	0.0 %
0.220	-	1	0.0 %
0.231	-	1	0.0 %
0.257	-	1	0.0 %
0.258	-	1	0.0 %
0.261	-	2	0.1 %
0.262	-	1	0.0 %
0.263	-	1	0.0 %
0.273	-	1	0.0 %
0.280	-	1	0.0 %
0.295	-	1	0.0 %
0.298	-	1	0.0 %
0.308	-	1	0.0 %
0.311	-	1	0.0 %
0.314	-	1	0.0 %
0.317	-	2	0.1 %
0.319	-	1	0.0 %
0.324	-	2	0.1 %
0.327	-	1	0.0 %
0.331	-	1	0.0 %
0.333	-	1	0.0 %
0.335	-	1	0.0 %
0.341	-	2	0.1 %
0.344	-	1	0.0 %
0.345	-	1	0.0 %
0.350	-	2	0.1 %
0.351	-	1	0.0 %
0.354	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.358	-	1	0.0 %
0.359	-	1	0.0 %
0.371	-	1	0.0 %
0.373	-	1	0.0 %
	Missing Data		
.	-	492	18.8 %
	Total	2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 2.076
- Minimum: 0.000
- Maximum: 12.823
- Standard Deviation: 1.461

Location: 2237-2243 (width: 7; decimal: 3)

Variable Type: numeric

VEGFRQ5: Sum daily freq Veg

Sum daily freq Veg

Value	Label	Unweighted Frequency	%
0.0	-	2	0.1 %
0.1	-	5	0.2 %
0.2	-	8	0.3 %
0.3	-	13	0.5 %
0.4	-	31	1.2 %
0.5	-	55	2.1 %
0.6	-	61	2.3 %
0.7	-	79	3.0 %
0.8	-	94	3.6 %
0.9	-	104	4.0 %
1.0	-	117	4.5 %
1.1	-	128	4.9 %
1.2	-	111	4.2 %
1.3	-	105	4.0 %
1.4	-	128	4.9 %
1.5	-	124	4.7 %
1.6	-	99	3.8 %
1.7	-	97	3.7 %
1.8	-	95	3.6 %
1.9	-	96	3.7 %

Value	Label	Unweighted Frequency	%
2.0	-	61	2.3 %
2.1	-	66	2.5 %
2.2	-	61	2.3 %
2.3	-	50	1.9 %
2.4	-	48	1.8 %
2.5	-	47	1.8 %
2.6	-	39	1.5 %
2.7	-	28	1.1 %
2.8	-	28	1.1 %
2.9	-	24	0.9 %
3.0	-	14	0.5 %
3.1	-	16	0.6 %
3.2	-	12	0.5 %
3.3	-	11	0.4 %
3.4	-	14	0.5 %
3.5	-	10	0.4 %
3.6	-	6	0.2 %
3.7	-	5	0.2 %
3.8	-	3	0.1 %
3.9	-	1	0.0 %
4.0	-	4	0.2 %
4.1	-	1	0.0 %
4.2	-	4	0.2 %
4.3	-	3	0.1 %
4.4	-	1	0.0 %
4.6	-	3	0.1 %
4.9	-	2	0.1 %
5.0	-	1	0.0 %
5.1	-	1	0.0 %
5.4	-	4	0.2 %
Missing Data			
.	-	492	18.8 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 1.594
- Median: 1.500
- Minimum: 0.000
- Maximum: 6.600
- Standard Deviation: 0.814

Location: 2244-2249 (width: 6; decimal: 3)

Variable Type: numeric

GRANSRV5: N servings Grains

N servings Grains

Value	Label	Unweighted Frequency	%
0.000	-	1	0.0 %
0.036	-	1	0.0 %
0.160	-	1	0.0 %
0.174	-	1	0.0 %
0.177	-	1	0.0 %
0.206	-	1	0.0 %
0.215	-	1	0.0 %
0.253	-	1	0.0 %
0.259	-	1	0.0 %
0.261	-	1	0.0 %
0.265	-	1	0.0 %
0.269	-	1	0.0 %
0.291	-	1	0.0 %
0.313	-	1	0.0 %
0.332	-	1	0.0 %
0.359	-	1	0.0 %
0.371	-	1	0.0 %
0.404	-	1	0.0 %
0.418	-	1	0.0 %
0.472	-	1	0.0 %
0.489	-	1	0.0 %
0.540	-	1	0.0 %
0.547	-	1	0.0 %
0.564	-	1	0.0 %
0.599	-	1	0.0 %
0.601	-	1	0.0 %
0.637	-	1	0.0 %
0.651	-	1	0.0 %
0.666	-	1	0.0 %
0.683	-	1	0.0 %
0.701	-	1	0.0 %
0.705	-	1	0.0 %
0.707	-	1	0.0 %
0.711	-	1	0.0 %
0.735	-	1	0.0 %
0.754	-	1	0.0 %
0.810	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.826	-	1	0.0 %
0.883	-	1	0.0 %
0.899	-	1	0.0 %
0.901	-	1	0.0 %
0.906	-	2	0.1 %
0.918	-	1	0.0 %
0.920	-	1	0.0 %
0.921	-	1	0.0 %
0.926	-	1	0.0 %
0.940	-	1	0.0 %
0.941	-	1	0.0 %
0.952	-	1	0.0 %
0.961	-	1	0.0 %
Missing Data			
.	-	492	18.8 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 4.452
- Minimum: 0.000
- Maximum: 17.354
- Standard Deviation: 2.204

Location: 2250-2256 (width: 7; decimal: 3)

Variable Type: numeric

GRANFRQ5: Sum daily freq Grains

Sum daily freq Grains

Value	Label	Unweighted Frequency	%
0.0	-	4	0.2 %
0.1	-	4	0.2 %
0.2	-	6	0.2 %
0.3	-	1	0.0 %
0.4	-	12	0.5 %
0.5	-	11	0.4 %
0.6	-	17	0.6 %
0.7	-	28	1.1 %
0.8	-	23	0.9 %
0.9	-	35	1.3 %
1.0	-	25	1.0 %

Value	Label	Unweighted Frequency	%
1.1	-	40	1.5 %
1.2	-	59	2.3 %
1.3	-	62	2.4 %
1.4	-	82	3.1 %
1.5	-	70	2.7 %
1.6	-	93	3.6 %
1.7	-	100	3.8 %
1.8	-	100	3.8 %
1.9	-	86	3.3 %
2.0	-	106	4.1 %
2.1	-	111	4.2 %
2.2	-	98	3.7 %
2.3	-	100	3.8 %
2.4	-	98	3.7 %
2.5	-	92	3.5 %
2.6	-	56	2.1 %
2.7	-	80	3.1 %
2.8	-	67	2.6 %
2.9	-	51	1.9 %
3.0	-	53	2.0 %
3.1	-	46	1.8 %
3.2	-	39	1.5 %
3.3	-	41	1.6 %
3.4	-	34	1.3 %
3.5	-	30	1.1 %
3.6	-	35	1.3 %
3.7	-	26	1.0 %
3.8	-	13	0.5 %
3.9	-	15	0.6 %
4.0	-	15	0.6 %
4.1	-	6	0.2 %
4.2	-	11	0.4 %
4.3	-	7	0.3 %
4.4	-	4	0.2 %
4.5	-	5	0.2 %
4.6	-	5	0.2 %
4.7	-	6	0.2 %
4.8	-	4	0.2 %
4.9	-	3	0.1 %
Missing Data			
.	-	492	18.8 %

Value	Label	Unweighted Frequency	%
	Total	2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 2.213
- Median: 2.100
- Mode: 2.100
- Minimum: 0.000
- Maximum: 6.600
- Standard Deviation: 0.894

Location: 2257-2262 (*width:* 6; *decimal:* 3)

Variable Type: numeric

MEATSRV5: N servings Meat

N servings Meat

Value	Label	Unweighted Frequency	%
0.065	-	1	0.0 %
0.198	-	1	0.0 %
0.267	-	1	0.0 %
0.289	-	2	0.1 %
0.325	-	1	0.0 %
0.337	-	1	0.0 %
0.346	-	1	0.0 %
0.374	-	1	0.0 %
0.391	-	1	0.0 %
0.409	-	1	0.0 %
0.416	-	1	0.0 %
0.421	-	1	0.0 %
0.422	-	1	0.0 %
0.428	-	1	0.0 %
0.432	-	1	0.0 %
0.433	-	1	0.0 %
0.444	-	1	0.0 %
0.460	-	1	0.0 %
0.470	-	1	0.0 %
0.499	-	2	0.1 %
0.506	-	1	0.0 %
0.518	-	1	0.0 %
0.520	-	1	0.0 %
0.521	-	2	0.1 %

Value	Label	Unweighted Frequency	%
0.523	-	1	0.0 %
0.528	-	1	0.0 %
0.533	-	1	0.0 %
0.543	-	1	0.0 %
0.547	-	1	0.0 %
0.549	-	1	0.0 %
0.553	-	1	0.0 %
0.563	-	1	0.0 %
0.565	-	2	0.1 %
0.570	-	1	0.0 %
0.571	-	1	0.0 %
0.575	-	1	0.0 %
0.593	-	1	0.0 %
0.604	-	1	0.0 %
0.610	-	1	0.0 %
0.612	-	2	0.1 %
0.614	-	2	0.1 %
0.615	-	2	0.1 %
0.619	-	1	0.0 %
0.621	-	1	0.0 %
0.625	-	1	0.0 %
0.634	-	2	0.1 %
0.637	-	1	0.0 %
0.643	-	1	0.0 %
0.645	-	1	0.0 %
0.647	-	1	0.0 %
Missing Data			
.	-	492	18.8 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 1.976
- Minimum: 0.065
- Maximum: 7.824
- Standard Deviation: 0.999

Location: 2263-2268 (*width:* 6; *decimal:* 3)

Variable Type: numeric

MEATFRQ5: Sum daily freq Meat

Sum daily freq Meat

Value	Label	Unweighted Frequency	%
0.1	-	1	0.0 %
0.2	-	1	0.0 %
0.4	-	3	0.1 %
0.5	-	6	0.2 %
0.6	-	15	0.6 %
0.7	-	19	0.7 %
0.8	-	33	1.3 %
0.9	-	44	1.7 %
1.0	-	51	1.9 %
1.1	-	65	2.5 %
1.2	-	86	3.3 %
1.3	-	70	2.7 %
1.4	-	100	3.8 %
1.5	-	131	5.0 %
1.6	-	93	3.6 %
1.7	-	100	3.8 %
1.8	-	112	4.3 %
1.9	-	107	4.1 %
2.0	-	105	4.0 %
2.1	-	106	4.1 %
2.2	-	77	2.9 %
2.3	-	83	3.2 %
2.4	-	81	3.1 %
2.5	-	77	2.9 %
2.6	-	57	2.2 %
2.7	-	51	1.9 %
2.8	-	42	1.6 %
2.9	-	48	1.8 %
3.0	-	35	1.3 %
3.1	-	37	1.4 %
3.2	-	29	1.1 %
3.3	-	26	1.0 %
3.4	-	23	0.9 %
3.5	-	26	1.0 %
3.6	-	21	0.8 %
3.7	-	21	0.8 %
3.8	-	17	0.6 %
3.9	-	8	0.3 %
4.0	-	13	0.5 %
4.1	-	11	0.4 %
4.2	-	10	0.4 %
4.3	-	9	0.3 %

Value	Label	Unweighted Frequency	%
4.4	-	15	0.6 %
4.5	-	3	0.1 %
4.6	-	10	0.4 %
4.7	-	5	0.2 %
4.8	-	5	0.2 %
4.9	-	6	0.2 %
5.0	-	4	0.2 %
5.1	-	2	0.1 %
Missing Data			
.	-	492	18.8 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 2.148
- Median: 2.000
- Mode: 1.500
- Minimum: 0.100
- Maximum: 6.700
- Standard Deviation: 0.963

Location: 2269-2274 (width: 6; decimal: 3)

Variable Type: numeric

DARYSRV5: N servings DAIRY

N servings DAIRY

Value	Label	Unweighted Frequency	%
0.000	-	25	1.0 %
0.009	-	2	0.1 %
0.016	-	2	0.1 %
0.017	-	1	0.0 %
0.018	-	9	0.3 %
0.033	-	1	0.0 %
0.036	-	1	0.0 %
0.039	-	1	0.0 %
0.042	-	5	0.2 %
0.048	-	1	0.0 %
0.050	-	1	0.0 %
0.054	-	3	0.1 %
0.058	-	1	0.0 %
0.061	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.062	-	1	0.0 %
0.063	-	4	0.2 %
0.066	-	1	0.0 %
0.067	-	1	0.0 %
0.071	-	1	0.0 %
0.072	-	1	0.0 %
0.075	-	2	0.1 %
0.078	-	2	0.1 %
0.079	-	1	0.0 %
0.080	-	4	0.2 %
0.081	-	1	0.0 %
0.083	-	1	0.0 %
0.085	-	3	0.1 %
0.087	-	1	0.0 %
0.089	-	1	0.0 %
0.090	-	1	0.0 %
0.091	-	2	0.1 %
0.093	-	1	0.0 %
0.095	-	2	0.1 %
0.097	-	1	0.0 %
0.099	-	2	0.1 %
0.102	-	4	0.2 %
0.104	-	2	0.1 %
0.109	-	1	0.0 %
0.111	-	2	0.1 %
0.113	-	1	0.0 %
0.114	-	1	0.0 %
0.116	-	1	0.0 %
0.117	-	1	0.0 %
0.118	-	1	0.0 %
0.120	-	6	0.2 %
0.123	-	1	0.0 %
0.125	-	3	0.1 %
0.126	-	1	0.0 %
0.127	-	3	0.1 %
0.130	-	2	0.1 %
Missing Data			
.	-	492	18.8 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 1.498
- Minimum: 0.000
- Maximum: 14.195
- Standard Deviation: 1.383

Location: 2275-2281 (width: 7; decimal: 3)

Variable Type: numeric

DARYFRQ5: Sum daily freq Dairy

Sum daily freq Dairy

Value	Label	Unweighted Frequency	%
0.0	-	40	1.5 %
0.1	-	52	2.0 %
0.2	-	38	1.5 %
0.3	-	42	1.6 %
0.4	-	56	2.1 %
0.5	-	54	2.1 %
0.6	-	46	1.8 %
0.7	-	51	1.9 %
0.8	-	54	2.1 %
0.9	-	47	1.8 %
1.0	-	63	2.4 %
1.1	-	77	2.9 %
1.2	-	64	2.4 %
1.3	-	57	2.2 %
1.4	-	70	2.7 %
1.5	-	65	2.5 %
1.6	-	71	2.7 %
1.7	-	57	2.2 %
1.8	-	39	1.5 %
1.9	-	48	1.8 %
2.0	-	49	1.9 %
2.1	-	54	2.1 %
2.2	-	46	1.8 %
2.3	-	55	2.1 %
2.4	-	51	1.9 %
2.5	-	43	1.6 %
2.6	-	49	1.9 %
2.7	-	44	1.7 %
2.8	-	37	1.4 %
2.9	-	35	1.3 %
3.0	-	39	1.5 %

Value	Label	Unweighted Frequency	%
3.1	-	34	1.3 %
3.2	-	45	1.7 %
3.3	-	21	0.8 %
3.4	-	26	1.0 %
3.5	-	36	1.4 %
3.6	-	22	0.8 %
3.7	-	23	0.9 %
3.8	-	27	1.0 %
3.9	-	17	0.6 %
4.0	-	16	0.6 %
4.1	-	15	0.6 %
4.2	-	19	0.7 %
4.3	-	12	0.5 %
4.4	-	13	0.5 %
4.5	-	9	0.3 %
4.6	-	12	0.5 %
4.7	-	14	0.5 %
4.8	-	7	0.3 %
4.9	-	14	0.5 %
Missing Data			
.	-	492	18.8 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 2.215
- Median: 1.900
- Mode: 1.100
- Minimum: 0.000
- Maximum: 10.800
- Standard Deviation: 1.635

Location: 2282-2288 (*width:* 7; *decimal:* 3)

Variable Type: numeric

FVSRV5: N servings Fruit + Veg

N servings Fruit + Veg

Value	Label	Unweighted Frequency	%
0.046	-	1	0.0 %
0.056	-	1	0.0 %
0.100	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.208	-	1	0.0 %
0.327	-	1	0.0 %
0.341	-	1	0.0 %
0.361	-	1	0.0 %
0.386	-	1	0.0 %
0.391	-	1	0.0 %
0.403	-	1	0.0 %
0.423	-	1	0.0 %
0.430	-	1	0.0 %
0.435	-	1	0.0 %
0.461	-	1	0.0 %
0.473	-	1	0.0 %
0.501	-	1	0.0 %
0.511	-	1	0.0 %
0.522	-	1	0.0 %
0.554	-	1	0.0 %
0.563	-	1	0.0 %
0.576	-	1	0.0 %
0.590	-	1	0.0 %
0.595	-	1	0.0 %
0.600	-	1	0.0 %
0.614	-	2	0.1 %
0.624	-	1	0.0 %
0.634	-	1	0.0 %
0.661	-	1	0.0 %
0.666	-	1	0.0 %
0.667	-	1	0.0 %
0.671	-	1	0.0 %
0.681	-	1	0.0 %
0.689	-	1	0.0 %
0.700	-	1	0.0 %
0.727	-	1	0.0 %
0.737	-	1	0.0 %
0.750	-	1	0.0 %
0.754	-	1	0.0 %
0.757	-	1	0.0 %
0.760	-	1	0.0 %
0.768	-	1	0.0 %
0.771	-	1	0.0 %
0.780	-	1	0.0 %
0.787	-	1	0.0 %
0.790	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.794	-	1	0.0 %
0.797	-	1	0.0 %
0.803	-	1	0.0 %
0.811	-	1	0.0 %
0.814	-	1	0.0 %
Missing Data			
.	-	492	18.8 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 3.335
- Minimum: 0.046
- Maximum: 17.209
- Standard Deviation: 1.825

Location: 2289-2295 (*width:* 7; *decimal:* 3)

Variable Type: numeric

FATSRV5: Servings of fats/sweets/snacks

Servings of fats/sweets/snacks

Value	Label	Unweighted Frequency	%
0.0	-	5	0.2 %
0.1	-	4	0.2 %
0.2	-	11	0.4 %
0.3	-	12	0.5 %
0.4	-	20	0.8 %
0.5	-	17	0.6 %
0.6	-	12	0.5 %
0.7	-	20	0.8 %
0.8	-	21	0.8 %
0.9	-	34	1.3 %
1.0	-	44	1.7 %
1.1	-	41	1.6 %
1.2	-	32	1.2 %
1.3	-	55	2.1 %
1.4	-	59	2.3 %
1.5	-	47	1.8 %
1.6	-	46	1.8 %
1.7	-	55	2.1 %
1.8	-	44	1.7 %

Value	Label	Unweighted Frequency	%
1.9	-	68	2.6 %
2.0	-	61	2.3 %
2.1	-	60	2.3 %
2.2	-	59	2.3 %
2.3	-	48	1.8 %
2.4	-	64	2.4 %
2.5	-	63	2.4 %
2.6	-	52	2.0 %
2.7	-	48	1.8 %
2.8	-	52	2.0 %
2.9	-	53	2.0 %
3.0	-	40	1.5 %
3.1	-	56	2.1 %
3.2	-	40	1.5 %
3.3	-	31	1.2 %
3.4	-	43	1.6 %
3.5	-	37	1.4 %
3.6	-	40	1.5 %
3.7	-	42	1.6 %
3.8	-	35	1.3 %
3.9	-	32	1.2 %
4.0	-	31	1.2 %
4.1	-	38	1.5 %
4.2	-	23	0.9 %
4.3	-	22	0.8 %
4.4	-	26	1.0 %
4.5	-	30	1.1 %
4.6	-	18	0.7 %
4.7	-	15	0.6 %
4.8	-	19	0.7 %
4.9	-	17	0.6 %
Missing Data			
.	-	492	18.8 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 3.01
- Median: 2.70
- Mode: 1.90
- Minimum: 0.00

- Maximum: 13.40
- Standard Deviation: 1.79

Location: 2296-2301 (width: 6; decimal: 1)

Variable Type: numeric

ALCHSRV5: N servings of Alcoholic Beverages

N servings of Alcoholic Beverages

Value	Label	Unweighted Frequency	%
0.0	-	1068	40.8 %
0.1	-	440	16.8 %
0.2	-	76	2.9 %
0.3	-	31	1.2 %
0.4	-	91	3.5 %
0.5	-	120	4.6 %
0.6	-	14	0.5 %
0.7	-	5	0.2 %
0.8	-	80	3.1 %
0.9	-	33	1.3 %
1.0	-	30	1.1 %
1.1	-	36	1.4 %
1.2	-	13	0.5 %
1.3	-	4	0.2 %
1.4	-	9	0.3 %
1.5	-	8	0.3 %
1.6	-	3	0.1 %
1.8	-	6	0.2 %
1.9	-	1	0.0 %
2.0	-	24	0.9 %
2.1	-	12	0.5 %
2.2	-	5	0.2 %
2.3	-	1	0.0 %
2.4	-	5	0.2 %
2.5	-	2	0.1 %
2.6	-	1	0.0 %
3.0	-	2	0.1 %
3.4	-	1	0.0 %
4.1	-	1	0.0 %
5.0	-	2	0.1 %
5.8	-	1	0.0 %
Missing Data			
.	-	492	18.8 %
Total		2,617	100%

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 0.25
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 5.80
- Standard Deviation: 0.50

Location: 2302-2306 (width: 5; decimal: 1)

Variable Type: numeric

FRUTWK5: Wkly variability Fruit

Wkly variability Fruit

Value	Label	Unweighted Frequency	%
0	-	211	8.1 %
1	-	438	16.7 %
2	-	531	20.3 %
3	-	492	18.8 %
4	-	276	10.5 %
5	-	99	3.8 %
6	-	47	1.8 %
7	-	19	0.7 %
8	-	6	0.2 %
9	-	5	0.2 %
10	-	1	0.0 %
Missing Data			
.	-	492	18.8 %
Total		2,617	100%

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 2.40
- Median: 2.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 10.00
- Standard Deviation: 1.56

Location: 2307-2308 (width: 2; decimal: 0)

Variable Type: numeric

FRUTMON5: Monthly variability Fruit

Monthly variability Fruit

Value	Label	Unweighted Frequency	%
0	-	23	0.9 %

Value	Label	Unweighted Frequency	%
1	-	52	2.0 %
2	-	165	6.3 %
3	-	258	9.9 %
4	-	356	13.6 %
5	-	330	12.6 %
6	-	290	11.1 %
7	-	268	10.2 %
8	-	191	7.3 %
9	-	111	4.2 %
10	-	59	2.3 %
11	-	17	0.6 %
12	-	5	0.2 %
Missing Data			
.	-	492	18.8 %
Total		2,617	100%

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 5.28
- Median: 5.00
- Mode: 4.00
- Minimum: 0.00
- Maximum: 12.00
- Standard Deviation: 2.31

Location: 2309-2310 (width: 2; decimal: 0)

Variable Type: numeric

FATWK5: Wkly variability Fat/Sweet

Wkly variability Fat/Sweet

Value	Label	Unweighted Frequency	%
0	-	21	0.8 %
1	-	80	3.1 %
2	-	188	7.2 %
3	-	233	8.9 %
4	-	351	13.4 %
5	-	345	13.2 %
6	-	334	12.8 %
7	-	215	8.2 %
8	-	145	5.5 %
9	-	117	4.5 %
10	-	61	2.3 %
11	-	24	0.9 %

Value	Label	Unweighted Frequency	%
12	-	7	0.3 %
13	-	3	0.1 %
14	-	1	0.0 %
	Missing Data		
.	-	492	18.8 %
	Total	2,617	100%

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 5.18
- Median: 5.00
- Mode: 4.00
- Minimum: 0.00
- Maximum: 14.00
- Standard Deviation: 2.39

Location: 2311-2312 (width: 2; decimal: 0)

Variable Type: numeric

FATMON5: Monthly variability Fat/Sweet

Monthly variability Fat/Sweet

Value	Label	Unweighted Frequency	%
0	-	5	0.2 %
1	-	15	0.6 %
2	-	37	1.4 %
3	-	65	2.5 %
4	-	100	3.8 %
5	-	146	5.6 %
6	-	198	7.6 %
7	-	228	8.7 %
8	-	250	9.6 %
9	-	285	10.9 %
10	-	293	11.2 %
11	-	184	7.0 %
12	-	146	5.6 %
13	-	100	3.8 %
14	-	54	2.1 %
15	-	16	0.6 %
16	-	3	0.1 %
	Missing Data		
.	-	492	18.8 %
	Total	2,617	100%

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 8.38
- Median: 9.00
- Mode: 10.00
- Minimum: 0.00
- Maximum: 16.00
- Standard Deviation: 2.95

Location: 2313-2314 (width: 2; decimal: 0)

Variable Type: numeric

ALCHWK5: Wkly variability Alcohol

Wkly variability Alcohol

Value	Label	Unweighted Frequency	%
0	-	1465	56.0 %
1	-	444	17.0 %
2	-	185	7.1 %
3	-	31	1.2 %
Missing Data			
.	-	492	18.8 %
Total		2,617	100%

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 0.43
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.71

Location: 2315-2315 (width: 1; decimal: 0)

Variable Type: numeric

ALCHMON5: Monthly variability Alcohol

Monthly variability Alcohol

Value	Label	Unweighted Frequency	%
0	-	1068	40.8 %
1	-	492	18.8 %
2	-	401	15.3 %
3	-	164	6.3 %
Missing Data			
.	-	492	18.8 %
Total		2,617	100%

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 0.84
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.99

Location: 2316-2316 (width: 1; decimal: 0)

Variable Type: numeric

VEGWK5: Wkly variability Veg

Wkly variability Veg

Value	Label	Unweighted Frequency	%
0	-	68	2.6 %
1	-	305	11.7 %
2	-	383	14.6 %
3	-	355	13.6 %
4	-	323	12.3 %
5	-	258	9.9 %
6	-	162	6.2 %
7	-	114	4.4 %
8	-	74	2.8 %
9	-	41	1.6 %
10	-	20	0.8 %
11	-	11	0.4 %
12	-	7	0.3 %
13	-	3	0.1 %
14	-	1	0.0 %
Missing Data			
.	-	492	18.8 %
Total		2,617	100%

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 3.72
- Median: 3.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 14.00
- Standard Deviation: 2.35

Location: 2317-2318 (width: 2; decimal: 0)

Variable Type: numeric

VEGMON5: Monthly variability Veg

Monthly variability Veg

Value	Label	Unweighted Frequency	%
0	-	2	0.1 %
1	-	4	0.2 %
2	-	17	0.6 %
3	-	36	1.4 %
4	-	77	2.9 %
5	-	106	4.1 %
6	-	137	5.2 %
7	-	205	7.8 %
8	-	222	8.5 %
9	-	256	9.8 %
10	-	232	8.9 %
11	-	239	9.1 %
12	-	203	7.8 %
13	-	151	5.8 %
14	-	100	3.8 %
15	-	61	2.3 %
16	-	40	1.5 %
17	-	14	0.5 %
18	-	13	0.5 %
19	-	7	0.3 %
20	-	2	0.1 %
21	-	1	0.0 %
Missing Data			
.	-	492	18.8 %
Total		2,617	100%

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 9.55
- Median: 10.00
- Mode: 9.00
- Minimum: 0.00
- Maximum: 21.00
- Standard Deviation: 3.29

Location: 2319-2320 (width: 2; decimal: 0)

Variable Type: numeric

GRANWK5: Wkly variability Grains

Wkly variability Grains

Value	Label	Unweighted Frequency	%
0	-	18	0.7 %
1	-	77	2.9 %

Value	Label	Unweighted Frequency	%
2	-	184	7.0 %
3	-	263	10.0 %
4	-	374	14.3 %
5	-	368	14.1 %
6	-	263	10.0 %
7	-	226	8.6 %
8	-	144	5.5 %
9	-	108	4.1 %
10	-	48	1.8 %
11	-	30	1.1 %
12	-	15	0.6 %
13	-	4	0.2 %
14	-	1	0.0 %
15	-	2	0.1 %
Missing Data			
.	-	492	18.8 %
Total		2,617	100%

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 5.15
- Median: 5.00
- Mode: 4.00
- Minimum: 0.00
- Maximum: 15.00
- Standard Deviation: 2.42

Location: 2321-2322 (width: 2; decimal: 0)

Variable Type: numeric

GRANMON5: Monthly variability Grains

Monthly variability Grains

Value	Label	Unweighted Frequency	%
0	-	1	0.0 %
1	-	4	0.2 %
2	-	16	0.6 %
3	-	20	0.8 %
4	-	44	1.7 %
5	-	60	2.3 %
6	-	91	3.5 %
7	-	138	5.3 %
8	-	150	5.7 %
9	-	195	7.5 %

Value	Label	Unweighted Frequency	%
10	-	274	10.5 %
11	-	293	11.2 %
12	-	298	11.4 %
13	-	243	9.3 %
14	-	188	7.2 %
15	-	96	3.7 %
16	-	9	0.3 %
17	-	4	0.2 %
18	-	1	0.0 %
Missing Data			
.	-	492	18.8 %
Total		2,617	100%

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 10.37
- Median: 11.00
- Mode: 12.00
- Minimum: 0.00
- Maximum: 18.00
- Standard Deviation: 2.94

Location: 2323-2324 (width: 2; decimal: 0)

Variable Type: numeric

MEATWK5: Wkly variability Meat

Wkly variability Meat

Value	Label	Unweighted Frequency	%
0	-	12	0.5 %
1	-	62	2.4 %
2	-	138	5.3 %
3	-	203	7.8 %
4	-	258	9.9 %
5	-	290	11.1 %
6	-	265	10.1 %
7	-	233	8.9 %
8	-	188	7.2 %
9	-	157	6.0 %
10	-	106	4.1 %
11	-	81	3.1 %
12	-	63	2.4 %
13	-	28	1.1 %
14	-	18	0.7 %

Value	Label	Unweighted Frequency	%
15	-	11	0.4 %
16	-	5	0.2 %
17	-	3	0.1 %
18	-	2	0.1 %
20	-	1	0.0 %
23	-	1	0.0 %
Missing Data			
.	-	492	18.8 %
Total		2,617	100%

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 6.24
- Median: 6.00
- Mode: 5.00
- Minimum: 0.00
- Maximum: 23.00
- Standard Deviation: 3.12

Location: 2325-2326 (width: 2; decimal: 0)

Variable Type: numeric

MEATMON5: Monthly variability Meat

Monthly variability Meat

Value	Label	Unweighted Frequency	%
1	-	1	0.0 %
2	-	1	0.0 %
3	-	2	0.1 %
4	-	13	0.5 %
5	-	14	0.5 %
6	-	24	0.9 %
7	-	42	1.6 %
8	-	58	2.2 %
9	-	74	2.8 %
10	-	129	4.9 %
11	-	145	5.5 %
12	-	213	8.1 %
13	-	205	7.8 %
14	-	195	7.5 %
15	-	211	8.1 %
16	-	226	8.6 %
17	-	159	6.1 %
18	-	117	4.5 %

Value	Label	Unweighted Frequency	%
19	-	125	4.8 %
20	-	58	2.2 %
21	-	46	1.8 %
22	-	22	0.8 %
23	-	20	0.8 %
24	-	11	0.4 %
25	-	9	0.3 %
26	-	4	0.2 %
27	-	1	0.0 %
Missing Data			
.	-	492	18.8 %
Total		2,617	100%

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 14.21
- Median: 14.00
- Mode: 16.00
- Minimum: 1.00
- Maximum: 27.00
- Standard Deviation: 3.92

Location: 2327-2328 (width: 2; decimal: 0)

Variable Type: numeric

DARYWK5: Wkly variability Dairy

Wkly variability Dairy

Value	Label	Unweighted Frequency	%
0	-	115	4.4 %
1	-	346	13.2 %
2	-	514	19.6 %
3	-	525	20.1 %
4	-	394	15.1 %
5	-	163	6.2 %
6	-	52	2.0 %
7	-	13	0.5 %
8	-	3	0.1 %
Missing Data			
.	-	492	18.8 %
Total		2,617	100%

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 2.71

- Median: 3.00
- Mode: 3.00
- Minimum: 0.00
- Maximum: 8.00
- Standard Deviation: 1.46

Location: 2329-2329 (width: 1; decimal: 0)

Variable Type: numeric

DARYMON5: Monthly variability Dairy

Monthly variability Dairy

Value	Label	Unweighted Frequency	%
0	-	26	1.0 %
1	-	78	3.0 %
2	-	157	6.0 %
3	-	279	10.7 %
4	-	430	16.4 %
5	-	481	18.4 %
6	-	411	15.7 %
7	-	199	7.6 %
8	-	51	1.9 %
9	-	13	0.5 %
Missing Data			
.	-	492	18.8 %
Total		2,617	100%

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 4.58
- Median: 5.00
- Mode: 5.00
- Minimum: 0.00
- Maximum: 9.00
- Standard Deviation: 1.73

Location: 2330-2330 (width: 1; decimal: 0)

Variable Type: numeric

FVWK5: Wkly variability Fruit+Veg

Wkly variability Fruit+Veg

Value	Label	Unweighted Frequency	%
0	-	19	0.7 %
1	-	67	2.6 %
2	-	138	5.3 %
3	-	225	8.6 %

Value	Label	Unweighted Frequency	%
4	-	268	10.2 %
5	-	276	10.5 %
6	-	253	9.7 %
7	-	242	9.2 %
8	-	202	7.7 %
9	-	142	5.4 %
10	-	99	3.8 %
11	-	76	2.9 %
12	-	45	1.7 %
13	-	27	1.0 %
14	-	15	0.6 %
15	-	15	0.6 %
16	-	6	0.2 %
17	-	6	0.2 %
18	-	3	0.1 %
20	-	1	0.0 %
Missing Data			
.	-	492	18.8 %
Total		2,617	100%

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 6.12
- Median: 6.00
- Mode: 5.00
- Minimum: 0.00
- Maximum: 20.00
- Standard Deviation: 3.13

Location: 2331-2332 (width: 2; decimal: 0)

Variable Type: numeric

FVMON5: Monthly variability Fruit+Veg

Monthly variability Fruit+Veg

Value	Label	Unweighted Frequency	%
1	-	2	0.1 %
2	-	1	0.0 %
3	-	6	0.2 %
4	-	6	0.2 %
5	-	19	0.7 %
6	-	23	0.9 %
7	-	46	1.8 %
8	-	74	2.8 %

Value	Label	Unweighted Frequency	%
9	-	81	3.1 %
10	-	104	4.0 %
11	-	135	5.2 %
12	-	166	6.3 %
13	-	176	6.7 %
14	-	205	7.8 %
15	-	155	5.9 %
16	-	165	6.3 %
17	-	157	6.0 %
18	-	161	6.2 %
19	-	121	4.6 %
20	-	92	3.5 %
21	-	77	2.9 %
22	-	48	1.8 %
23	-	41	1.6 %
24	-	24	0.9 %
25	-	21	0.8 %
26	-	8	0.3 %
27	-	5	0.2 %
28	-	4	0.2 %
30	-	2	0.1 %
Missing Data			
.	-	492	18.8 %
Total		2,617	100%

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 14.82
- Median: 15.00
- Mode: 14.00
- Minimum: 1.00
- Maximum: 30.00
- Standard Deviation: 4.53

Location: 2333-2334 (width: 2; decimal: 0)

Variable Type: numeric

ALLIRON5: Diet+Suppl Iron, mg

Diet+Suppl Iron, mg

Value	Label	Unweighted Frequency	%
3.47	-	1	0.0 %
3.78	-	1	0.0 %
3.84	-	1	0.0 %

Value	Label	Unweighted Frequency	%
4.15	-	1	0.0 %
4.17	-	1	0.0 %
4.27	-	1	0.0 %
4.28	-	1	0.0 %
4.44	-	1	0.0 %
4.47	-	1	0.0 %
4.51	-	1	0.0 %
4.52	-	1	0.0 %
4.55	-	1	0.0 %
4.68	-	1	0.0 %
4.69	-	1	0.0 %
4.84	-	1	0.0 %
4.90	-	2	0.1 %
4.91	-	1	0.0 %
4.99	-	1	0.0 %
5.00	-	1	0.0 %
5.04	-	1	0.0 %
5.08	-	1	0.0 %
5.15	-	2	0.1 %
5.17	-	1	0.0 %
5.25	-	1	0.0 %
5.26	-	1	0.0 %
5.27	-	1	0.0 %
5.30	-	1	0.0 %
5.34	-	1	0.0 %
5.37	-	1	0.0 %
5.40	-	1	0.0 %
5.46	-	1	0.0 %
5.50	-	1	0.0 %
5.56	-	1	0.0 %
5.59	-	1	0.0 %
5.62	-	1	0.0 %
5.63	-	1	0.0 %
5.65	-	1	0.0 %
5.66	-	1	0.0 %
5.67	-	1	0.0 %
5.78	-	1	0.0 %
5.83	-	2	0.1 %
5.91	-	1	0.0 %
5.92	-	1	0.0 %
5.96	-	1	0.0 %
5.98	-	1	0.0 %

Value	Label	Unweighted Frequency	%
5.99	-	1	0.0 %
6.00	-	1	0.0 %
6.01	-	1	0.0 %
6.03	-	1	0.0 %
6.10	-	1	0.0 %
Missing Data			
.	-	492	18.8 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 22.645
- Minimum: 3.470
- Maximum: 101.160
- Standard Deviation: 14.135

Location: 2335-2342 (width: 8; decimal: 3)

Variable Type: numeric

ALLZINC5: Diet+Suppl Zinc, mg

Diet+Suppl Zinc, mg

Value	Label	Unweighted Frequency	%
2.15	-	1	0.0 %
2.30	-	1	0.0 %
2.50	-	1	0.0 %
2.69	-	1	0.0 %
2.79	-	1	0.0 %
3.03	-	1	0.0 %
3.13	-	1	0.0 %
3.18	-	1	0.0 %
3.19	-	1	0.0 %
3.25	-	1	0.0 %
3.31	-	1	0.0 %
3.36	-	2	0.1 %
3.37	-	1	0.0 %
3.40	-	1	0.0 %
3.48	-	1	0.0 %
3.53	-	1	0.0 %
3.58	-	1	0.0 %
3.59	-	1	0.0 %
3.64	-	1	0.0 %

Value	Label	Unweighted Frequency	%
3.69	-	1	0.0 %
3.71	-	2	0.1 %
3.72	-	1	0.0 %
3.74	-	1	0.0 %
3.76	-	1	0.0 %
3.88	-	1	0.0 %
3.90	-	1	0.0 %
3.94	-	1	0.0 %
3.95	-	1	0.0 %
3.96	-	1	0.0 %
4.03	-	2	0.1 %
4.04	-	1	0.0 %
4.05	-	1	0.0 %
4.09	-	1	0.0 %
4.13	-	1	0.0 %
4.14	-	1	0.0 %
4.19	-	1	0.0 %
4.20	-	1	0.0 %
4.23	-	1	0.0 %
4.26	-	2	0.1 %
4.27	-	3	0.1 %
4.29	-	1	0.0 %
4.32	-	3	0.1 %
4.35	-	1	0.0 %
4.36	-	1	0.0 %
4.37	-	1	0.0 %
4.41	-	1	0.0 %
4.46	-	2	0.1 %
4.47	-	1	0.0 %
4.52	-	1	0.0 %
4.54	-	1	0.0 %
Missing Data			
.	-	492	18.8 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 17.931
- Minimum: 2.150
- Maximum: 82.170
- Standard Deviation: 13.176

Location: 2343-2349 (width: 7; decimal: 3)

Variable Type: numeric

ALLFOL5: Diet+Suppl Folic acid, mcg

Diet+Suppl Folic acid, mcg

Value	Label	Unweighted Frequency	%
99.80	-	1	0.0 %
103.15	-	1	0.0 %
105.82	-	1	0.0 %
110.12	-	1	0.0 %
111.50	-	1	0.0 %
111.62	-	1	0.0 %
118.14	-	1	0.0 %
118.69	-	1	0.0 %
118.72	-	1	0.0 %
120.44	-	1	0.0 %
122.23	-	1	0.0 %
122.68	-	1	0.0 %
123.70	-	1	0.0 %
124.93	-	1	0.0 %
125.14	-	1	0.0 %
126.66	-	1	0.0 %
127.18	-	1	0.0 %
127.45	-	1	0.0 %
128.72	-	1	0.0 %
129.43	-	1	0.0 %
129.66	-	1	0.0 %
130.71	-	1	0.0 %
134.56	-	1	0.0 %
137.71	-	1	0.0 %
138.40	-	1	0.0 %
141.30	-	1	0.0 %
141.33	-	1	0.0 %
141.42	-	1	0.0 %
141.85	-	1	0.0 %
141.97	-	1	0.0 %
143.05	-	1	0.0 %
143.64	-	1	0.0 %
143.76	-	1	0.0 %
145.46	-	1	0.0 %
145.78	-	1	0.0 %
145.91	-	1	0.0 %
147.20	-	1	0.0 %

Value	Label	Unweighted Frequency	%
147.42	-	1	0.0 %
147.51	-	1	0.0 %
148.18	-	2	0.1 %
148.44	-	1	0.0 %
148.58	-	1	0.0 %
149.23	-	1	0.0 %
149.37	-	1	0.0 %
152.12	-	1	0.0 %
152.68	-	1	0.0 %
153.12	-	1	0.0 %
153.22	-	1	0.0 %
153.76	-	1	0.0 %
153.93	-	1	0.0 %
	Missing Data		
.	-	492	18.8 %
	Total	2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 517.177
- Minimum: 99.800
- Maximum: 1540.000
- Standard Deviation: 233.168

Location: 2350-2358 (width: 9; decimal: 3)

Variable Type: numeric

ALLVITC5: Diet+Suppl Vitamin C, mg

Diet+Suppl Vitamin C, mg

Value	Label	Unweighted Frequency	%
10.56	-	1	0.0 %
10.84	-	1	0.0 %
11.10	-	1	0.0 %
11.85	-	1	0.0 %
11.95	-	1	0.0 %
14.40	-	1	0.0 %
17.13	-	1	0.0 %
17.35	-	1	0.0 %
17.52	-	1	0.0 %
17.58	-	1	0.0 %

Value	Label	Unweighted Frequency	%
18.23	-	1	0.0 %
18.51	-	1	0.0 %
19.44	-	1	0.0 %
20.70	-	1	0.0 %
21.00	-	1	0.0 %
21.02	-	1	0.0 %
21.06	-	1	0.0 %
21.24	-	1	0.0 %
21.54	-	1	0.0 %
21.74	-	1	0.0 %
21.86	-	1	0.0 %
22.35	-	1	0.0 %
22.37	-	1	0.0 %
22.76	-	1	0.0 %
23.15	-	1	0.0 %
23.19	-	1	0.0 %
23.53	-	1	0.0 %
23.71	-	1	0.0 %
23.85	-	1	0.0 %
24.38	-	1	0.0 %
24.44	-	1	0.0 %
25.19	-	1	0.0 %
25.65	-	1	0.0 %
25.68	-	1	0.0 %
25.78	-	1	0.0 %
26.19	-	1	0.0 %
26.50	-	1	0.0 %
27.09	-	1	0.0 %
27.25	-	1	0.0 %
27.35	-	1	0.0 %
27.87	-	1	0.0 %
27.95	-	1	0.0 %
28.09	-	1	0.0 %
28.29	-	1	0.0 %
28.42	-	1	0.0 %
28.84	-	1	0.0 %
29.07	-	1	0.0 %
29.08	-	1	0.0 %
29.20	-	1	0.0 %
29.26	-	1	0.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-		492	18.8 %
	Total	2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 271.388
- Minimum: 10.560
- Maximum: 3196.910
- Standard Deviation: 337.199

Location: 2359-2367 (width: 9; decimal: 3)

Variable Type: numeric

ALLCALC5: Diet+Suppl Calcium, mg

Diet+Suppl Calcium, mg

Value	Label	Unweighted Frequency	%
113.55	-	1	0.0 %
132.65	-	1	0.0 %
139.03	-	1	0.0 %
142.06	-	1	0.0 %
165.74	-	1	0.0 %
173.48	-	1	0.0 %
174.46	-	1	0.0 %
186.72	-	1	0.0 %
188.08	-	1	0.0 %
191.32	-	1	0.0 %
193.54	-	1	0.0 %
194.53	-	1	0.0 %
196.77	-	1	0.0 %
199.48	-	1	0.0 %
199.71	-	1	0.0 %
203.00	-	1	0.0 %
207.49	-	1	0.0 %
214.72	-	1	0.0 %
215.36	-	1	0.0 %
217.81	-	1	0.0 %
218.76	-	1	0.0 %
219.12	-	1	0.0 %
220.89	-	1	0.0 %
221.15	-	1	0.0 %
222.00	-	1	0.0 %

Value	Label	Unweighted Frequency	%
222.18	-	1	0.0 %
222.46	-	1	0.0 %
223.52	-	1	0.0 %
227.21	-	1	0.0 %
230.78	-	1	0.0 %
232.10	-	1	0.0 %
233.42	-	1	0.0 %
233.88	-	1	0.0 %
234.39	-	1	0.0 %
235.56	-	1	0.0 %
237.30	-	1	0.0 %
238.11	-	1	0.0 %
240.93	-	1	0.0 %
242.89	-	1	0.0 %
243.55	-	1	0.0 %
246.48	-	1	0.0 %
246.98	-	1	0.0 %
250.94	-	1	0.0 %
254.70	-	1	0.0 %
255.71	-	1	0.0 %
257.28	-	1	0.0 %
258.93	-	1	0.0 %
264.22	-	1	0.0 %
264.43	-	1	0.0 %
265.12	-	1	0.0 %
	Missing Data		
.	-	492	18.8 %
	Total	2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 851.799
- Minimum: 113.550
- Maximum: 4833.110
- Standard Deviation: 457.435

Location: 2368-2376 (width: 9; decimal: 3)

Variable Type: numeric

ALLARE5: Diet+Suppl Vitamin A, retinol equiv.

Diet+Suppl Vitamin A, retinol equiv.

Value	Label	Unweighted Frequency	%
705.90	-	1	0.0 %
833.04	-	1	0.0 %
1021.30	-	1	0.0 %
1087.67	-	1	0.0 %
1106.33	-	1	0.0 %
1141.33	-	1	0.0 %
1145.57	-	1	0.0 %
1232.42	-	1	0.0 %
1263.23	-	1	0.0 %
1281.55	-	1	0.0 %
1392.21	-	1	0.0 %
1419.25	-	1	0.0 %
1436.12	-	1	0.0 %
1467.14	-	1	0.0 %
1504.15	-	1	0.0 %
1512.98	-	1	0.0 %
1523.51	-	1	0.0 %
1537.90	-	1	0.0 %
1548.67	-	1	0.0 %
1563.67	-	1	0.0 %
1570.76	-	1	0.0 %
1595.82	-	1	0.0 %
1606.09	-	1	0.0 %
1631.86	-	1	0.0 %
1635.21	-	1	0.0 %
1652.50	-	1	0.0 %
1667.90	-	1	0.0 %
1681.16	-	1	0.0 %
1686.18	-	1	0.0 %
1689.14	-	1	0.0 %
1730.12	-	1	0.0 %
1731.13	-	1	0.0 %
1740.46	-	1	0.0 %
1742.25	-	1	0.0 %
1769.53	-	1	0.0 %
1778.22	-	1	0.0 %
1778.90	-	1	0.0 %
1788.41	-	1	0.0 %
1817.48	-	1	0.0 %
1822.56	-	1	0.0 %
1855.78	-	1	0.0 %
1869.25	-	1	0.0 %

Value	Label	Unweighted Frequency	%
1883.71	-	1	0.0 %
1893.15	-	1	0.0 %
1923.88	-	1	0.0 %
1939.76	-	1	0.0 %
1971.06	-	1	0.0 %
2020.18	-	1	0.0 %
2033.89	-	1	0.0 %
2037.32	-	1	0.0 %
	Missing Data		
.	-	492	18.8 %
	Total	2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 9164.292
- Minimum: 705.900
- Maximum: 47919.170
- Standard Deviation: 5331.519

Location: 2377-2386 (*width:* 10; *decimal:* 3)

Variable Type: numeric

ALLBCAR5: Diet+Suppl BetaCarotene, mcg

Diet+Suppl BetaCarotene, mcg

Value	Label	Unweighted Frequency	%
169.97	-	1	0.0 %
190.50	-	1	0.0 %
233.45	-	1	0.0 %
271.90	-	1	0.0 %
327.26	-	1	0.0 %
328.67	-	1	0.0 %
346.29	-	1	0.0 %
364.10	-	1	0.0 %
389.84	-	1	0.0 %
406.56	-	1	0.0 %
416.32	-	1	0.0 %
417.85	-	1	0.0 %
434.35	-	1	0.0 %
435.59	-	1	0.0 %
440.89	-	1	0.0 %

Value	Label	Unweighted Frequency	%
448.99	-	1	0.0 %
458.39	-	1	0.0 %
460.80	-	1	0.0 %
461.19	-	1	0.0 %
463.38	-	1	0.0 %
465.42	-	1	0.0 %
466.91	-	1	0.0 %
469.30	-	1	0.0 %
470.29	-	1	0.0 %
471.29	-	1	0.0 %
476.36	-	1	0.0 %
477.58	-	1	0.0 %
483.32	-	1	0.0 %
489.83	-	1	0.0 %
508.48	-	1	0.0 %
516.94	-	1	0.0 %
516.95	-	1	0.0 %
532.84	-	1	0.0 %
533.91	-	1	0.0 %
541.18	-	1	0.0 %
543.36	-	1	0.0 %
547.64	-	1	0.0 %
563.91	-	1	0.0 %
564.94	-	1	0.0 %
565.75	-	1	0.0 %
568.10	-	1	0.0 %
568.70	-	1	0.0 %
570.99	-	1	0.0 %
579.43	-	1	0.0 %
586.52	-	1	0.0 %
595.59	-	1	0.0 %
602.54	-	1	0.0 %
602.94	-	1	0.0 %
617.62	-	1	0.0 %
624.51	-	1	0.0 %
	Missing Data		
.	-	492	18.8 %
	Total	2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 4249.261
- Minimum: 169.970
- Maximum: 39224.900
- Standard Deviation: 4434.631

Location: 2387-2396 (width: 10; decimal: 3)

Variable Type: numeric

ALLB15: Diet+Suppl Vitamin B1, mg

Diet+Suppl Vitamin B1, mg

Value	Label	Unweighted Frequency	%
0.32	-	2	0.1 %
0.39	-	2	0.1 %
0.40	-	2	0.1 %
0.42	-	1	0.0 %
0.45	-	1	0.0 %
0.46	-	4	0.2 %
0.48	-	2	0.1 %
0.49	-	5	0.2 %
0.50	-	2	0.1 %
0.51	-	2	0.1 %
0.52	-	4	0.2 %
0.53	-	2	0.1 %
0.54	-	4	0.2 %
0.55	-	4	0.2 %
0.56	-	3	0.1 %
0.57	-	3	0.1 %
0.58	-	2	0.1 %
0.59	-	3	0.1 %
0.60	-	9	0.3 %
0.61	-	5	0.2 %
0.62	-	4	0.2 %
0.63	-	6	0.2 %
0.64	-	9	0.3 %
0.65	-	4	0.2 %
0.66	-	6	0.2 %
0.67	-	6	0.2 %
0.68	-	11	0.4 %
0.69	-	7	0.3 %
0.70	-	5	0.2 %
0.71	-	7	0.3 %
0.72	-	6	0.2 %

Value	Label	Unweighted Frequency	%
0.73	-	5	0.2 %
0.74	-	6	0.2 %
0.75	-	3	0.1 %
0.76	-	1	0.0 %
0.77	-	7	0.3 %
0.78	-	6	0.2 %
0.79	-	10	0.4 %
0.80	-	8	0.3 %
0.81	-	1	0.0 %
0.82	-	13	0.5 %
0.83	-	6	0.2 %
0.84	-	9	0.3 %
0.85	-	3	0.1 %
0.86	-	7	0.3 %
0.87	-	11	0.4 %
0.88	-	15	0.6 %
0.89	-	15	0.6 %
0.90	-	8	0.3 %
0.91	-	9	0.3 %
Missing Data			
.	-	492	18.8 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 1.941
- Minimum: 0.320
- Maximum: 5.320
- Standard Deviation: 0.874

Location: 2397-2402 (width: 6; decimal: 3)

Variable Type: numeric

ALLB25: Diet[Ribo]+ Suppl[B1 (B1=B2)], mg

Diet[Ribo]+ Suppl[B1 (B1=B2)], mg

Value	Label	Unweighted Frequency	%
0.40	-	1	0.0 %
0.46	-	1	0.0 %
0.47	-	1	0.0 %
0.49	-	2	0.1 %
0.50	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.52	-	1	0.0 %
0.54	-	2	0.1 %
0.56	-	3	0.1 %
0.57	-	1	0.0 %
0.58	-	1	0.0 %
0.59	-	2	0.1 %
0.60	-	1	0.0 %
0.61	-	2	0.1 %
0.62	-	1	0.0 %
0.63	-	3	0.1 %
0.64	-	1	0.0 %
0.65	-	3	0.1 %
0.66	-	4	0.2 %
0.67	-	3	0.1 %
0.68	-	4	0.2 %
0.69	-	4	0.2 %
0.70	-	1	0.0 %
0.71	-	5	0.2 %
0.72	-	6	0.2 %
0.73	-	3	0.1 %
0.74	-	5	0.2 %
0.75	-	9	0.3 %
0.76	-	3	0.1 %
0.77	-	4	0.2 %
0.78	-	4	0.2 %
0.79	-	6	0.2 %
0.80	-	7	0.3 %
0.81	-	5	0.2 %
0.82	-	5	0.2 %
0.83	-	3	0.1 %
0.84	-	5	0.2 %
0.85	-	5	0.2 %
0.86	-	1	0.0 %
0.87	-	4	0.2 %
0.88	-	11	0.4 %
0.89	-	4	0.2 %
0.90	-	4	0.2 %
0.91	-	9	0.3 %
0.92	-	4	0.2 %
0.93	-	7	0.3 %
0.94	-	4	0.2 %
0.95	-	4	0.2 %

Value	Label	Unweighted Frequency	%
0.96	-	9	0.3 %
0.97	-	5	0.2 %
0.98	-	6	0.2 %
	Missing Data		
.	-	492	18.8 %
	Total	2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 2.283
- Minimum: 0.400
- Maximum: 8.900
- Standard Deviation: 1.044

Location: 2403-2408 (width: 6; decimal: 3)

Variable Type: numeric

ALLB65: Diet+Suppl Vitamin B6, mg

Diet+Suppl Vitamin B6, mg

Value	Label	Unweighted Frequency	%
0.31	-	1	0.0 %
0.46	-	1	0.0 %
0.48	-	2	0.1 %
0.51	-	1	0.0 %
0.54	-	1	0.0 %
0.55	-	1	0.0 %
0.56	-	2	0.1 %
0.57	-	2	0.1 %
0.58	-	2	0.1 %
0.59	-	1	0.0 %
0.60	-	3	0.1 %
0.61	-	5	0.2 %
0.62	-	1	0.0 %
0.63	-	4	0.2 %
0.64	-	4	0.2 %
0.65	-	2	0.1 %
0.66	-	6	0.2 %
0.67	-	4	0.2 %
0.68	-	2	0.1 %
0.69	-	4	0.2 %
0.70	-	3	0.1 %

Value	Label	Unweighted Frequency	%
0.71	-	3	0.1 %
0.72	-	2	0.1 %
0.73	-	3	0.1 %
0.74	-	3	0.1 %
0.75	-	6	0.2 %
0.76	-	3	0.1 %
0.77	-	1	0.0 %
0.78	-	3	0.1 %
0.79	-	4	0.2 %
0.80	-	10	0.4 %
0.81	-	8	0.3 %
0.82	-	8	0.3 %
0.83	-	4	0.2 %
0.84	-	4	0.2 %
0.85	-	10	0.4 %
0.86	-	4	0.2 %
0.87	-	6	0.2 %
0.88	-	4	0.2 %
0.89	-	7	0.3 %
0.90	-	3	0.1 %
0.91	-	6	0.2 %
0.92	-	8	0.3 %
0.93	-	6	0.2 %
0.94	-	9	0.3 %
0.95	-	8	0.3 %
0.96	-	5	0.2 %
0.97	-	3	0.1 %
0.98	-	9	0.3 %
0.99	-	7	0.3 %
Missing Data			
.	-	492	18.8 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 2.360
- Minimum: 0.310
- Maximum: 6.130
- Standard Deviation: 1.102

Location: 2409-2414 (*width:* 6; *decimal:* 3)

Variable Type: numeric

ALLVITE5: Diet+Suppl Vitamin E, a-TE

Diet+Suppl Vitamin E, a-TE

Value	Label	Unweighted Frequency	%
1.78	-	1	0.0 %
2.06	-	1	0.0 %
2.17	-	2	0.1 %
2.27	-	1	0.0 %
2.33	-	1	0.0 %
2.56	-	1	0.0 %
2.61	-	1	0.0 %
2.62	-	2	0.1 %
2.74	-	1	0.0 %
2.86	-	1	0.0 %
2.89	-	1	0.0 %
3.05	-	1	0.0 %
3.06	-	1	0.0 %
3.07	-	2	0.1 %
3.19	-	1	0.0 %
3.32	-	2	0.1 %
3.35	-	2	0.1 %
3.37	-	2	0.1 %
3.39	-	1	0.0 %
3.40	-	1	0.0 %
3.44	-	1	0.0 %
3.45	-	1	0.0 %
3.47	-	1	0.0 %
3.50	-	1	0.0 %
3.56	-	1	0.0 %
3.59	-	1	0.0 %
3.61	-	2	0.1 %
3.62	-	1	0.0 %
3.66	-	1	0.0 %
3.69	-	2	0.1 %
3.72	-	2	0.1 %
3.74	-	1	0.0 %
3.75	-	1	0.0 %
3.79	-	1	0.0 %
3.83	-	2	0.1 %
3.85	-	1	0.0 %
3.87	-	2	0.1 %
3.89	-	3	0.1 %
3.91	-	1	0.0 %

Value	Label	Unweighted Frequency	%
3.94	-	2	0.1 %
3.99	-	1	0.0 %
4.02	-	1	0.0 %
4.04	-	1	0.0 %
4.09	-	1	0.0 %
4.12	-	1	0.0 %
4.13	-	2	0.1 %
4.16	-	2	0.1 %
4.20	-	1	0.0 %
4.21	-	1	0.0 %
4.23	-	2	0.1 %
Missing Data			
.	-	492	18.8 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 84.151
- Minimum: 1.780
- Maximum: 1372.340
- Standard Deviation: 144.423

Location: 2415-2423 (*width:* 9; *decimal:* 3)

Variable Type: numeric

ALLB125: Diet+suppl Vitamin B12, mcg

Diet+suppl Vitamin B12, mcg

Value	Label	Unweighted Frequency	%
0.08	-	1	0.0 %
0.16	-	1	0.0 %
0.23	-	1	0.0 %
0.31	-	1	0.0 %
0.36	-	1	0.0 %
0.37	-	1	0.0 %
0.38	-	1	0.0 %
0.40	-	1	0.0 %
0.43	-	2	0.1 %
0.45	-	1	0.0 %
0.50	-	1	0.0 %
0.51	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.54	-	3	0.1 %
0.55	-	2	0.1 %
0.56	-	1	0.0 %
0.57	-	1	0.0 %
0.63	-	1	0.0 %
0.67	-	1	0.0 %
0.68	-	1	0.0 %
0.69	-	1	0.0 %
0.70	-	3	0.1 %
0.71	-	3	0.1 %
0.75	-	1	0.0 %
0.78	-	1	0.0 %
0.79	-	2	0.1 %
0.81	-	2	0.1 %
0.83	-	2	0.1 %
0.84	-	2	0.1 %
0.85	-	1	0.0 %
0.88	-	1	0.0 %
0.89	-	3	0.1 %
0.90	-	2	0.1 %
0.92	-	1	0.0 %
0.93	-	1	0.0 %
0.94	-	2	0.1 %
0.96	-	1	0.0 %
0.97	-	4	0.2 %
0.98	-	1	0.0 %
0.99	-	3	0.1 %
1.00	-	3	0.1 %
1.01	-	1	0.0 %
1.02	-	1	0.0 %
1.03	-	1	0.0 %
1.04	-	2	0.1 %
1.05	-	4	0.2 %
1.06	-	3	0.1 %
1.07	-	2	0.1 %
1.09	-	1	0.0 %
1.10	-	3	0.1 %
1.12	-	1	0.0 %
Missing Data			
.	-	492	18.8 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 5.508
- Minimum: 0.080
- Maximum: 20.700
- Standard Deviation: 3.232

Location: 2424-2430 (width: 7; decimal: 3)

Variable Type: numeric

ALLVITD5: Diet+Suppl Vitamin D, IU

Diet+Suppl Vitamin D, IU

Value	Label	Unweighted Frequency	%
1.94	-	1	0.0 %
2.14	-	1	0.0 %
2.60	-	1	0.0 %
4.06	-	1	0.0 %
6.68	-	1	0.0 %
7.58	-	1	0.0 %
8.59	-	1	0.0 %
8.64	-	1	0.0 %
8.66	-	1	0.0 %
10.32	-	1	0.0 %
10.52	-	1	0.0 %
11.63	-	1	0.0 %
12.21	-	1	0.0 %
13.86	-	1	0.0 %
16.13	-	1	0.0 %
17.63	-	1	0.0 %
17.75	-	1	0.0 %
17.97	-	1	0.0 %
18.41	-	1	0.0 %
19.96	-	1	0.0 %
20.22	-	1	0.0 %
20.71	-	1	0.0 %
20.95	-	1	0.0 %
21.37	-	1	0.0 %
21.61	-	2	0.1 %
21.85	-	1	0.0 %
21.95	-	1	0.0 %
22.46	-	1	0.0 %
22.70	-	1	0.0 %

Value	Label	Unweighted Frequency	%
23.43	-	1	0.0 %
24.12	-	1	0.0 %
24.76	-	1	0.0 %
24.86	-	1	0.0 %
25.26	-	1	0.0 %
25.55	-	1	0.0 %
25.76	-	1	0.0 %
26.79	-	1	0.0 %
26.86	-	1	0.0 %
26.88	-	1	0.0 %
27.18	-	1	0.0 %
28.29	-	1	0.0 %
28.45	-	1	0.0 %
28.53	-	2	0.1 %
28.65	-	1	0.0 %
29.05	-	1	0.0 %
29.33	-	1	0.0 %
29.62	-	1	0.0 %
29.63	-	1	0.0 %
30.19	-	1	0.0 %
30.27	-	1	0.0 %
Missing Data			
.	-	492	18.8 %
	Total	2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 324.016
- Minimum: 1.940
- Maximum: 1775.240
- Standard Deviation: 226.718

Location: 2431-2439 (width: 9; decimal: 3)

Variable Type: numeric

EFP5: EFP Food page administered

EFP Food page administered

Value	Label	Unweighted Frequency	%
0	No	0	0.0 %
1	Yes	779	29.8 %

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	1838	70.2 %
	Total	2,617	100%

Based upon 779 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 2440-2441 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

LANGEFP5: Lang of EFP

Lang of EFP

Value	Label	Unweighted Frequency	%
	-	1838	70.2 %
C	Chinese	207	7.9 %
E	English	345	13.2 %
J	Japanese	227	8.7 %
S	Spanish	0	0.0 %
	Total	2,617	100%

Based upon 2,617 valid cases out of 2,617 total cases.

Location: 2442-2442 (width: 1; decimal: 0)

Variable Type: character

EFPKCAL5: EFP DDE KCAL - total caloric intake

EFP DDE KCAL - total caloric intake

Value	Label	Unweighted Frequency	%
0.00	-	96	3.7 %
0.33	-	17	0.6 %
0.42	-	1	0.0 %
0.48	-	9	0.3 %
0.71	-	1	0.0 %
0.75	-	1	0.0 %
0.77	-	12	0.5 %
0.81	-	4	0.2 %
1.04	-	1	0.0 %
1.11	-	3	0.1 %
1.13	-	1	0.0 %
1.17	-	1	0.0 %

Value	Label	Unweighted Frequency	%
1.19	-	2	0.1 %
1.25	-	1	0.0 %
1.30	-	1	0.0 %
1.42	-	3	0.1 %
1.73	-	1	0.0 %
1.80	-	1	0.0 %
1.81	-	2	0.1 %
1.96	-	1	0.0 %
2.03	-	1	0.0 %
2.06	-	1	0.0 %
2.10	-	2	0.1 %
2.14	-	4	0.2 %
2.16	-	1	0.0 %
2.19	-	1	0.0 %
2.46	-	1	0.0 %
2.48	-	1	0.0 %
2.51	-	1	0.0 %
2.64	-	1	0.0 %
2.69	-	1	0.0 %
2.85	-	2	0.1 %
2.88	-	2	0.1 %
3.21	-	4	0.2 %
3.27	-	1	0.0 %
3.31	-	1	0.0 %
3.49	-	1	0.0 %
3.50	-	1	0.0 %
3.53	-	1	0.0 %
3.65	-	1	0.0 %
3.69	-	1	0.0 %
3.75	-	3	0.1 %
3.77	-	2	0.1 %
4.11	-	3	0.1 %
4.27	-	2	0.1 %
4.32	-	1	0.0 %
4.45	-	1	0.0 %
4.49	-	1	0.0 %
4.73	-	2	0.1 %
4.93	-	1	0.0 %
Missing Data			
.	-	1838	70.2 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 779 valid cases out of 2,617 total cases.

- Mean: 35.38
- Minimum: 0.00
- Maximum: 518.28
- Standard Deviation: 63.59

Location: 2443-2450 (width: 8; decimal: 2)

Variable Type: numeric

EFPPROT5: EFP DDE Protein, gms

EFP DDE Protein, gms

Value	Label	Unweighted Frequency	%
0.00	-	96	3.7 %
0.01	-	17	0.6 %
0.02	-	17	0.6 %
0.03	-	2	0.1 %
0.04	-	8	0.3 %
0.05	-	1	0.0 %
0.06	-	16	0.6 %
0.07	-	5	0.2 %
0.08	-	3	0.1 %
0.09	-	4	0.2 %
0.10	-	1	0.0 %
0.11	-	1	0.0 %
0.12	-	4	0.2 %
0.13	-	4	0.2 %
0.14	-	6	0.2 %
0.16	-	1	0.0 %
0.17	-	2	0.1 %
0.18	-	8	0.3 %
0.19	-	3	0.1 %
0.20	-	8	0.3 %
0.22	-	5	0.2 %
0.23	-	2	0.1 %
0.25	-	1	0.0 %
0.26	-	9	0.3 %
0.27	-	4	0.2 %
0.28	-	3	0.1 %
0.29	-	1	0.0 %
0.31	-	3	0.1 %
0.32	-	2	0.1 %

Value	Label	Unweighted Frequency	%
0.33	-	5	0.2 %
0.34	-	7	0.3 %
0.35	-	2	0.1 %
0.36	-	1	0.0 %
0.37	-	1	0.0 %
0.38	-	4	0.2 %
0.39	-	9	0.3 %
0.40	-	1	0.0 %
0.41	-	2	0.1 %
0.42	-	1	0.0 %
0.45	-	5	0.2 %
0.46	-	3	0.1 %
0.47	-	9	0.3 %
0.48	-	3	0.1 %
0.49	-	1	0.0 %
0.50	-	1	0.0 %
0.51	-	3	0.1 %
0.52	-	4	0.2 %
0.53	-	3	0.1 %
0.54	-	3	0.1 %
0.55	-	1	0.0 %
Missing Data			
.	-	1838	70.2 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 779 valid cases out of 2,617 total cases.

- Mean: 2.32
- Minimum: 0.00
- Maximum: 40.53
- Standard Deviation: 4.76

Location: 2451-2457 (width: 7; decimal: 2)

Variable Type: numeric

EFPFAT5: EFP DDE Fat, gms

EFP DDE Fat, gms

Value	Label	Unweighted Frequency	%
0.00	-	131	5.0 %
0.01	-	46	1.8 %
0.02	-	10	0.4 %

Value	Label	Unweighted Frequency	%
0.03	-	13	0.5 %
0.04	-	9	0.3 %
0.05	-	7	0.3 %
0.06	-	5	0.2 %
0.07	-	6	0.2 %
0.08	-	8	0.3 %
0.09	-	5	0.2 %
0.10	-	20	0.8 %
0.11	-	17	0.6 %
0.12	-	10	0.4 %
0.13	-	6	0.2 %
0.14	-	7	0.3 %
0.15	-	4	0.2 %
0.16	-	9	0.3 %
0.17	-	3	0.1 %
0.18	-	8	0.3 %
0.19	-	1	0.0 %
0.20	-	3	0.1 %
0.22	-	5	0.2 %
0.23	-	6	0.2 %
0.24	-	4	0.2 %
0.25	-	2	0.1 %
0.26	-	1	0.0 %
0.27	-	2	0.1 %
0.28	-	4	0.2 %
0.29	-	6	0.2 %
0.30	-	3	0.1 %
0.31	-	2	0.1 %
0.32	-	1	0.0 %
0.33	-	1	0.0 %
0.34	-	2	0.1 %
0.36	-	3	0.1 %
0.37	-	7	0.3 %
0.38	-	3	0.1 %
0.39	-	3	0.1 %
0.40	-	2	0.1 %
0.41	-	1	0.0 %
0.42	-	6	0.2 %
0.43	-	7	0.3 %
0.44	-	2	0.1 %
0.45	-	1	0.0 %
0.47	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.48	-	1	0.0 %
0.49	-	2	0.1 %
0.50	-	1	0.0 %
0.51	-	1	0.0 %
0.52	-	16	0.6 %
Missing Data			
.	-	1838	70.2 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 779 valid cases out of 2,617 total cases.

- Mean: 1.23
- Median: 0.42
- Mode: 0.00
- Minimum: 0.00
- Maximum: 23.83
- Standard Deviation: 2.77

Location: 2458-2464 (width: 7; decimal: 2)

Variable Type: numeric

EFPCARB5: EFP DDE Carb, gms

EFP DDE Carb, gms

Value	Label	Unweighted Frequency	%
0.00	-	98	3.7 %
0.07	-	9	0.3 %
0.08	-	1	0.0 %
0.09	-	18	0.7 %
0.13	-	1	0.0 %
0.16	-	7	0.3 %
0.17	-	1	0.0 %
0.19	-	2	0.1 %
0.20	-	14	0.5 %
0.21	-	2	0.1 %
0.22	-	2	0.1 %
0.23	-	1	0.0 %
0.27	-	3	0.1 %
0.28	-	5	0.2 %
0.29	-	3	0.1 %
0.31	-	4	0.2 %
0.36	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.37	-	5	0.2 %
0.38	-	1	0.0 %
0.39	-	1	0.0 %
0.41	-	1	0.0 %
0.42	-	4	0.2 %
0.43	-	1	0.0 %
0.44	-	2	0.1 %
0.45	-	2	0.1 %
0.46	-	3	0.1 %
0.47	-	4	0.2 %
0.50	-	1	0.0 %
0.51	-	1	0.0 %
0.53	-	1	0.0 %
0.54	-	1	0.0 %
0.55	-	5	0.2 %
0.59	-	2	0.1 %
0.61	-	3	0.1 %
0.63	-	1	0.0 %
0.64	-	1	0.0 %
0.65	-	2	0.1 %
0.66	-	3	0.1 %
0.68	-	3	0.1 %
0.69	-	1	0.0 %
0.70	-	2	0.1 %
0.71	-	1	0.0 %
0.74	-	2	0.1 %
0.76	-	1	0.0 %
0.79	-	1	0.0 %
0.81	-	3	0.1 %
0.82	-	4	0.2 %
0.83	-	5	0.2 %
0.85	-	6	0.2 %
0.86	-	2	0.1 %
Missing Data			
.	-	1838	70.2 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 779 valid cases out of 2,617 total cases.

- Mean: 4.12
- Minimum: 0.00

- Maximum: 103.02
- Standard Deviation: 7.19

Location: 2465-2472 (width: 8; decimal: 2)

Variable Type: numeric

EFPCALC5: EFP DDE Calcium, mg

EFP DDE Calcium, mg

Value	Label	Unweighted Frequency	%
0.00	-	96	3.7 %
0.02	-	17	0.6 %
0.04	-	15	0.6 %
0.08	-	3	0.1 %
0.12	-	5	0.2 %
0.16	-	2	0.1 %
0.17	-	4	0.2 %
0.23	-	1	0.0 %
0.24	-	3	0.1 %
0.25	-	2	0.1 %
0.28	-	1	0.0 %
0.31	-	1	0.0 %
0.34	-	4	0.2 %
0.35	-	5	0.2 %
0.36	-	1	0.0 %
0.38	-	1	0.0 %
0.42	-	1	0.0 %
0.44	-	2	0.1 %
0.46	-	2	0.1 %
0.53	-	3	0.1 %
0.57	-	1	0.0 %
0.58	-	4	0.2 %
0.63	-	1	0.0 %
0.68	-	1	0.0 %
0.71	-	1	0.0 %
0.72	-	1	0.0 %
0.73	-	1	0.0 %
0.79	-	4	0.2 %
0.81	-	1	0.0 %
0.86	-	1	0.0 %
0.87	-	1	0.0 %
0.97	-	1	0.0 %
0.99	-	2	0.1 %
1.01	-	3	0.1 %

Value	Label	Unweighted Frequency	%
1.03	-	1	0.0 %
1.11	-	1	0.0 %
1.19	-	2	0.1 %
1.30	-	1	0.0 %
1.33	-	1	0.0 %
1.35	-	1	0.0 %
1.36	-	1	0.0 %
1.40	-	1	0.0 %
1.46	-	1	0.0 %
1.52	-	1	0.0 %
1.57	-	1	0.0 %
1.64	-	1	0.0 %
1.66	-	1	0.0 %
1.67	-	1	0.0 %
1.70	-	1	0.0 %
1.78	-	1	0.0 %
Missing Data			
.	-	1838	70.2 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 779 valid cases out of 2,617 total cases.

- Mean: 33.65
- Minimum: 0.00
- Maximum: 801.01
- Standard Deviation: 71.45

Location: 2473-2480 (width: 8; decimal: 2)

Variable Type: numeric

EFPPHOS5: EFP DDE Phos, mg

EFP DDE Phos, mg

Value	Label	Unweighted Frequency	%
0.00	-	96	3.7 %
0.18	-	17	0.6 %
0.20	-	1	0.0 %
0.38	-	1	0.0 %
0.40	-	12	0.5 %
0.59	-	1	0.0 %
0.60	-	2	0.1 %
0.75	-	3	0.1 %

Value	Label	Unweighted Frequency	%
0.77	-	1	0.0 %
0.84	-	1	0.0 %
0.95	-	1	0.0 %
1.00	-	2	0.1 %
1.03	-	1	0.0 %
1.13	-	4	0.2 %
1.16	-	11	0.4 %
1.33	-	2	0.1 %
1.34	-	4	0.2 %
1.42	-	1	0.0 %
1.47	-	1	0.0 %
1.50	-	2	0.1 %
1.52	-	3	0.1 %
1.54	-	1	0.0 %
1.56	-	2	0.1 %
1.67	-	4	0.2 %
1.69	-	4	0.2 %
1.77	-	1	0.0 %
1.82	-	1	0.0 %
1.83	-	1	0.0 %
1.85	-	1	0.0 %
1.91	-	1	0.0 %
2.01	-	1	0.0 %
2.08	-	1	0.0 %
2.09	-	1	0.0 %
2.13	-	1	0.0 %
2.25	-	1	0.0 %
2.28	-	1	0.0 %
2.29	-	1	0.0 %
2.32	-	1	0.0 %
2.33	-	1	0.0 %
2.54	-	1	0.0 %
2.68	-	3	0.1 %
2.72	-	1	0.0 %
2.83	-	12	0.5 %
2.90	-	1	0.0 %
3.01	-	2	0.1 %
3.13	-	1	0.0 %
3.14	-	1	0.0 %
3.24	-	2	0.1 %
3.29	-	1	0.0 %
3.35	-	1	0.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	1838	70.2 %
	Total	2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 779 valid cases out of 2,617 total cases.

- Mean: 31.37
- Minimum: 0.00
- Maximum: 592.45
- Standard Deviation: 65.27

Location: 2481-2488 (width: 8; decimal: 2)

Variable Type: numeric

EFPFE5: EFP DDE Iron, mg

EFP DDE Iron, mg

Value	Label	Unweighted Frequency	%
0.00	-	115	4.4 %
0.01	-	23	0.9 %
0.02	-	9	0.3 %
0.03	-	16	0.6 %
0.04	-	21	0.8 %
0.05	-	13	0.5 %
0.06	-	2	0.1 %
0.07	-	9	0.3 %
0.08	-	16	0.6 %
0.09	-	13	0.5 %
0.10	-	12	0.5 %
0.11	-	16	0.6 %
0.12	-	3	0.1 %
0.13	-	6	0.2 %
0.14	-	15	0.6 %
0.15	-	7	0.3 %
0.16	-	10	0.4 %
0.17	-	16	0.6 %
0.18	-	7	0.3 %
0.19	-	6	0.2 %
0.20	-	9	0.3 %
0.21	-	8	0.3 %
0.22	-	9	0.3 %
0.23	-	10	0.4 %

Value	Label	Unweighted Frequency	%
0.24	-	3	0.1 %
0.25	-	9	0.3 %
0.26	-	6	0.2 %
0.27	-	9	0.3 %
0.28	-	6	0.2 %
0.29	-	5	0.2 %
0.30	-	12	0.5 %
0.31	-	10	0.4 %
0.32	-	5	0.2 %
0.33	-	6	0.2 %
0.34	-	11	0.4 %
0.35	-	6	0.2 %
0.36	-	8	0.3 %
0.37	-	9	0.3 %
0.38	-	5	0.2 %
0.39	-	3	0.1 %
0.40	-	7	0.3 %
0.41	-	6	0.2 %
0.42	-	8	0.3 %
0.43	-	3	0.1 %
0.44	-	3	0.1 %
0.45	-	3	0.1 %
0.46	-	5	0.2 %
0.47	-	6	0.2 %
0.48	-	8	0.3 %
0.49	-	4	0.2 %
Missing Data			
.	-	1838	70.2 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 779 valid cases out of 2,617 total cases.

- Mean: 0.62
- Median: 0.27
- Mode: 0.00
- Minimum: 0.00
- Maximum: 11.51
- Standard Deviation: 1.23

Location: 2489-2495 (*width:* 7; *decimal:* 2)

Variable Type: numeric

EFPNA5: EFP DDE Sodium, mg

EFP DDE Sodium, mg

Value	Label	Unweighted Frequency	%
0.00	-	96	3.7 %
0.02	-	17	0.6 %
0.05	-	1	0.0 %
0.06	-	14	0.5 %
0.10	-	3	0.1 %
0.16	-	5	0.2 %
0.17	-	1	0.0 %
0.21	-	3	0.1 %
0.23	-	5	0.2 %
0.24	-	2	0.1 %
0.28	-	1	0.0 %
0.29	-	1	0.0 %
0.30	-	1	0.0 %
0.31	-	2	0.1 %
0.32	-	2	0.1 %
0.34	-	2	0.1 %
0.36	-	1	0.0 %
0.38	-	3	0.1 %
0.42	-	2	0.1 %
0.46	-	1	0.0 %
0.47	-	5	0.2 %
0.49	-	1	0.0 %
0.50	-	1	0.0 %
0.52	-	2	0.1 %
0.53	-	1	0.0 %
0.58	-	1	0.0 %
0.71	-	4	0.2 %
0.76	-	1	0.0 %
0.80	-	1	0.0 %
1.00	-	1	0.0 %
1.03	-	1	0.0 %
1.17	-	1	0.0 %
1.27	-	5	0.2 %
1.29	-	3	0.1 %
1.32	-	3	0.1 %
1.36	-	9	0.3 %
1.37	-	1	0.0 %
1.38	-	4	0.2 %
1.42	-	2	0.1 %
1.58	-	1	0.0 %

Value	Label	Unweighted Frequency	%
1.65	-	1	0.0 %
1.68	-	1	0.0 %
1.73	-	1	0.0 %
1.79	-	1	0.0 %
1.89	-	1	0.0 %
1.90	-	1	0.0 %
1.97	-	1	0.0 %
2.17	-	1	0.0 %
2.26	-	1	0.0 %
2.32	-	1	0.0 %
	Missing Data		
.	-	1838	70.2 %
	Total	2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 779 valid cases out of 2,617 total cases.

- Mean: 53.39
- Minimum: 0.00
- Maximum: 1575.94
- Standard Deviation: 119.00

Location: 2496-2504 (width: 9; decimal: 2)

Variable Type: numeric

EFPPOTA5: EFP DDE Potassium, mg

EFP DDE Potassium, mg

Value	Label	Unweighted Frequency	%
0.00	-	96	3.7 %
0.71	-	18	0.7 %
1.52	-	1	0.0 %
1.63	-	12	0.5 %
1.68	-	2	0.1 %
2.39	-	2	0.1 %
2.43	-	4	0.2 %
2.92	-	1	0.0 %
3.03	-	3	0.1 %
3.12	-	1	0.0 %
3.14	-	1	0.0 %
3.32	-	1	0.0 %
3.65	-	1	0.0 %

Value	Label	Unweighted Frequency	%
3.67	-	1	0.0 %
4.06	-	1	0.0 %
4.09	-	1	0.0 %
4.12	-	4	0.2 %
4.30	-	2	0.1 %
4.38	-	1	0.0 %
4.55	-	4	0.2 %
4.71	-	1	0.0 %
5.62	-	4	0.2 %
5.81	-	1	0.0 %
6.06	-	2	0.1 %
6.11	-	2	0.1 %
6.32	-	1	0.0 %
6.38	-	1	0.0 %
6.82	-	4	0.2 %
7.02	-	1	0.0 %
7.03	-	1	0.0 %
7.34	-	1	0.0 %
7.43	-	1	0.0 %
7.74	-	2	0.1 %
7.79	-	1	0.0 %
8.34	-	1	0.0 %
8.48	-	1	0.0 %
8.66	-	2	0.1 %
9.04	-	1	0.0 %
9.09	-	1	0.0 %
9.12	-	1	0.0 %
9.19	-	1	0.0 %
9.29	-	1	0.0 %
9.50	-	1	0.0 %
9.56	-	1	0.0 %
9.87	-	2	0.1 %
9.93	-	1	0.0 %
10.06	-	1	0.0 %
10.11	-	1	0.0 %
10.18	-	1	0.0 %
10.49	-	1	0.0 %
	Missing Data		
.	-	1838	70.2 %
	Total	2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 779 valid cases out of 2,617 total cases.

- Mean: 113.18
- Minimum: 0.00
- Maximum: 1903.04
- Standard Deviation: 218.81

Location: 2505-2513 (width: 9; decimal: 2)

Variable Type: numeric

EFPUI5: EFP DDE A_IU, international units

EFP DDE A_IU, international units

Value	Label	Unweighted Frequency	%
0.00	-	184	7.0 %
0.03	-	1	0.0 %
0.06	-	1	0.0 %
0.07	-	1	0.0 %
0.20	-	10	0.4 %
0.46	-	4	0.2 %
0.67	-	1	0.0 %
0.69	-	2	0.1 %
0.85	-	1	0.0 %
1.07	-	1	0.0 %
1.54	-	1	0.0 %
1.69	-	1	0.0 %
1.81	-	1	0.0 %
1.82	-	7	0.3 %
1.88	-	1	0.0 %
1.94	-	1	0.0 %
2.07	-	1	0.0 %
2.48	-	1	0.0 %
2.54	-	2	0.1 %
2.63	-	10	0.4 %
3.00	-	1	0.0 %
3.29	-	2	0.1 %
4.19	-	1	0.0 %
4.45	-	5	0.2 %
4.47	-	1	0.0 %
4.71	-	1	0.0 %
5.10	-	1	0.0 %
5.87	-	3	0.1 %
5.95	-	1	0.0 %

Value	Label	Unweighted Frequency	%
5.98	-	1	0.0 %
6.05	-	3	0.1 %
6.07	-	7	0.3 %
6.49	-	1	0.0 %
7.09	-	11	0.4 %
7.16	-	1	0.0 %
7.26	-	1	0.0 %
7.29	-	4	0.2 %
7.30	-	1	0.0 %
7.55	-	3	0.1 %
8.55	-	1	0.0 %
8.67	-	1	0.0 %
9.72	-	1	0.0 %
9.79	-	1	0.0 %
9.92	-	1	0.0 %
10.26	-	2	0.1 %
10.48	-	1	0.0 %
10.75	-	1	0.0 %
11.18	-	3	0.1 %
11.38	-	1	0.0 %
11.54	-	2	0.1 %
Missing Data			
.	-	1838	70.2 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 779 valid cases out of 2,617 total cases.

- Mean: 268.10
- Minimum: 0.00
- Maximum: 6779.22
- Standard Deviation: 672.84

Location: 2514-2522 (*width:* 9; *decimal:* 2)

Variable Type: numeric

EFPARE5: EFP Daily dietary estimate, A_RE

EFP Daily dietary estimate, A_RE

Value	Label	Unweighted Frequency	%
0.00	-	185	7.1 %
0.01	-	2	0.1 %

Value	Label	Unweighted Frequency	%
0.02	-	10	0.4 %
0.05	-	4	0.2 %
0.07	-	3	0.1 %
0.08	-	1	0.0 %
0.11	-	1	0.0 %
0.15	-	1	0.0 %
0.17	-	1	0.0 %
0.18	-	8	0.3 %
0.19	-	2	0.1 %
0.21	-	1	0.0 %
0.25	-	3	0.1 %
0.26	-	10	0.4 %
0.30	-	1	0.0 %
0.33	-	2	0.1 %
0.42	-	1	0.0 %
0.44	-	5	0.2 %
0.45	-	1	0.0 %
0.47	-	1	0.0 %
0.58	-	3	0.1 %
0.60	-	4	0.2 %
0.61	-	7	0.3 %
0.65	-	1	0.0 %
0.73	-	2	0.1 %
0.85	-	1	0.0 %
0.87	-	1	0.0 %
0.98	-	1	0.0 %
1.03	-	2	0.1 %
1.07	-	1	0.0 %
1.12	-	3	0.1 %
1.14	-	1	0.0 %
1.15	-	1	0.0 %
1.32	-	1	0.0 %
1.33	-	1	0.0 %
1.40	-	3	0.1 %
1.52	-	19	0.7 %
1.54	-	3	0.1 %
1.56	-	1	0.0 %
1.59	-	1	0.0 %
1.70	-	1	0.0 %
1.77	-	1	0.0 %
1.78	-	2	0.1 %
1.88	-	1	0.0 %

Value	Label	Unweighted Frequency	%
2.12	-	13	0.5 %
2.13	-	1	0.0 %
2.14	-	5	0.2 %
2.17	-	3	0.1 %
2.31	-	1	0.0 %
2.38	-	1	0.0 %
Missing Data			
.	-	1838	70.2 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 779 valid cases out of 2,617 total cases.

- Mean: 27.66
- Minimum: 0.00
- Maximum: 677.92
- Standard Deviation: 67.57

Location: 2523-2530 (width: 8; decimal: 2)

Variable Type: numeric

EFPB15: EFP Daily dietary estimate B1, mg

EFP Daily dietary estimate B1, mg

Value	Label	Unweighted Frequency	%
0.00	-	225	8.6 %
0.01	-	146	5.6 %
0.02	-	100	3.8 %
0.03	-	58	2.2 %
0.04	-	70	2.7 %
0.05	-	29	1.1 %
0.06	-	25	1.0 %
0.07	-	12	0.5 %
0.08	-	23	0.9 %
0.09	-	17	0.6 %
0.10	-	12	0.5 %
0.11	-	7	0.3 %
0.12	-	3	0.1 %
0.13	-	4	0.2 %
0.14	-	4	0.2 %
0.15	-	2	0.1 %
0.16	-	3	0.1 %
0.17	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.18	-	2	0.1 %
0.19	-	1	0.0 %
0.20	-	1	0.0 %
0.22	-	1	0.0 %
0.23	-	1	0.0 %
0.24	-	2	0.1 %
0.25	-	2	0.1 %
0.26	-	1	0.0 %
0.27	-	1	0.0 %
0.28	-	2	0.1 %
0.29	-	1	0.0 %
0.30	-	1	0.0 %
0.31	-	1	0.0 %
0.33	-	1	0.0 %
0.43	-	2	0.1 %
0.44	-	1	0.0 %
0.45	-	2	0.1 %
0.46	-	2	0.1 %
0.47	-	2	0.1 %
0.50	-	1	0.0 %
0.51	-	1	0.0 %
0.56	-	1	0.0 %
0.72	-	1	0.0 %
0.74	-	1	0.0 %
0.76	-	1	0.0 %
0.86	-	1	0.0 %
0.87	-	1	0.0 %
1.00	-	1	0.0 %
1.08	-	1	0.0 %
1.35	-	1	0.0 %
Missing Data			
.	-	1838	70.2 %
Total		2,617	100%

Based upon 779 valid cases out of 2,617 total cases.

- Mean: 0.05
- Median: 0.02
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.35
- Standard Deviation: 0.12

Location: 2531-2536 (width: 6; decimal: 2)

Variable Type: numeric

EFPRIBO5: EFP DDE Riboflavin, mg

EFP DDE Riboflavin, mg

Value	Label	Unweighted Frequency	%
0.00	-	182	7.0 %
0.01	-	151	5.8 %
0.02	-	125	4.8 %
0.03	-	80	3.1 %
0.04	-	43	1.6 %
0.05	-	42	1.6 %
0.06	-	24	0.9 %
0.07	-	32	1.2 %
0.08	-	9	0.3 %
0.09	-	10	0.4 %
0.10	-	11	0.4 %
0.11	-	5	0.2 %
0.12	-	6	0.2 %
0.13	-	3	0.1 %
0.14	-	8	0.3 %
0.15	-	4	0.2 %
0.16	-	4	0.2 %
0.17	-	3	0.1 %
0.18	-	5	0.2 %
0.19	-	3	0.1 %
0.20	-	2	0.1 %
0.21	-	1	0.0 %
0.22	-	5	0.2 %
0.23	-	1	0.0 %
0.25	-	1	0.0 %
0.26	-	2	0.1 %
0.27	-	1	0.0 %
0.30	-	2	0.1 %
0.31	-	2	0.1 %
0.33	-	1	0.0 %
0.34	-	1	0.0 %
0.35	-	1	0.0 %
0.37	-	2	0.1 %
0.38	-	1	0.0 %
0.39	-	1	0.0 %
0.45	-	1	0.0 %
0.58	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.60	-	1	0.0 %
0.62	-	1	0.0 %
0.70	-	1	0.0 %
	Missing Data		
.	-	1838	70.2 %
	Total	2,617	100%

Based upon 779 valid cases out of 2,617 total cases.

- Mean: 0.04
- Median: 0.02
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.70
- Standard Deviation: 0.07

Location: 2537-2542 (width: 6; decimal: 2)

Variable Type: numeric

EFPNIAC5: EFP DDE Niacin, mg

EFP DDE Niacin, mg

Value	Label	Unweighted Frequency	%
0.00	-	102	3.9 %
0.01	-	20	0.8 %
0.02	-	35	1.3 %
0.03	-	11	0.4 %
0.04	-	17	0.6 %
0.05	-	5	0.2 %
0.06	-	13	0.5 %
0.07	-	9	0.3 %
0.08	-	10	0.4 %
0.09	-	18	0.7 %
0.10	-	8	0.3 %
0.11	-	9	0.3 %
0.12	-	15	0.6 %
0.13	-	9	0.3 %
0.14	-	19	0.7 %
0.15	-	9	0.3 %
0.16	-	16	0.6 %
0.17	-	16	0.6 %
0.18	-	12	0.5 %
0.19	-	14	0.5 %
0.20	-	11	0.4 %

Value	Label	Unweighted Frequency	%
0.21	-	13	0.5 %
0.22	-	6	0.2 %
0.23	-	14	0.5 %
0.24	-	7	0.3 %
0.25	-	10	0.4 %
0.26	-	10	0.4 %
0.27	-	15	0.6 %
0.28	-	2	0.1 %
0.29	-	7	0.3 %
0.30	-	13	0.5 %
0.31	-	9	0.3 %
0.32	-	9	0.3 %
0.33	-	13	0.5 %
0.34	-	4	0.2 %
0.35	-	6	0.2 %
0.36	-	6	0.2 %
0.37	-	9	0.3 %
0.38	-	10	0.4 %
0.39	-	12	0.5 %
0.40	-	6	0.2 %
0.41	-	7	0.3 %
0.42	-	4	0.2 %
0.43	-	6	0.2 %
0.44	-	2	0.1 %
0.45	-	3	0.1 %
0.46	-	2	0.1 %
0.47	-	4	0.2 %
0.48	-	4	0.2 %
0.49	-	4	0.2 %
Missing Data			
.	-	1838	70.2 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 779 valid cases out of 2,617 total cases.

- Mean: 0.40
- Median: 0.21
- Mode: 0.00
- Minimum: 0.00
- Maximum: 5.91
- Standard Deviation: 0.65

Location: 2543-2548 (width: 6; decimal: 2)

Variable Type: numeric

EFPVITC5: EFP DDE Vitamin C, mg

EFP DDE Vitamin C, mg

Value	Label	Unweighted Frequency	%
0.00	-	158	6.0 %
0.01	-	19	0.7 %
0.02	-	15	0.6 %
0.03	-	7	0.3 %
0.04	-	2	0.1 %
0.05	-	3	0.1 %
0.06	-	11	0.4 %
0.08	-	9	0.3 %
0.09	-	2	0.1 %
0.12	-	2	0.1 %
0.13	-	6	0.2 %
0.14	-	8	0.3 %
0.15	-	2	0.1 %
0.16	-	1	0.0 %
0.17	-	1	0.0 %
0.18	-	1	0.0 %
0.19	-	6	0.2 %
0.20	-	1	0.0 %
0.21	-	1	0.0 %
0.22	-	1	0.0 %
0.27	-	1	0.0 %
0.32	-	1	0.0 %
0.33	-	1	0.0 %
0.36	-	1	0.0 %
0.37	-	4	0.2 %
0.38	-	11	0.4 %
0.39	-	1	0.0 %
0.44	-	1	0.0 %
0.46	-	1	0.0 %
0.48	-	1	0.0 %
0.50	-	1	0.0 %
0.63	-	1	0.0 %
0.64	-	1	0.0 %
0.68	-	1	0.0 %
0.69	-	1	0.0 %
0.70	-	2	0.1 %
0.71	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.72	-	1	0.0 %
0.73	-	1	0.0 %
0.76	-	2	0.1 %
0.82	-	1	0.0 %
0.86	-	3	0.1 %
0.87	-	2	0.1 %
0.88	-	3	0.1 %
0.89	-	1	0.0 %
0.91	-	1	0.0 %
0.99	-	1	0.0 %
1.00	-	1	0.0 %
1.01	-	1	0.0 %
1.04	-	17	0.6 %
Missing Data			
.	-	1838	70.2 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 779 valid cases out of 2,617 total cases.

- Mean: 5.05
- Minimum: 0.00
- Maximum: 88.68
- Standard Deviation: 10.27

Location: 2549-2555 (width: 7; decimal: 2)

Variable Type: numeric

EFPSFAT5: EFP DDE Saturated Fat, gms

EFP DDE Saturated Fat, gms

Value	Label	Unweighted Frequency	%
0.00	-	195	7.5 %
0.01	-	35	1.3 %
0.02	-	11	0.4 %
0.03	-	12	0.5 %
0.04	-	27	1.0 %
0.05	-	59	2.3 %
0.06	-	13	0.5 %
0.07	-	23	0.9 %
0.08	-	7	0.3 %
0.09	-	2	0.1 %
0.10	-	20	0.8 %

Value	Label	Unweighted Frequency	%
0.11	-	15	0.6 %
0.12	-	7	0.3 %
0.13	-	2	0.1 %
0.14	-	12	0.5 %
0.15	-	7	0.3 %
0.16	-	6	0.2 %
0.17	-	11	0.4 %
0.18	-	7	0.3 %
0.19	-	12	0.5 %
0.20	-	4	0.2 %
0.21	-	9	0.3 %
0.22	-	42	1.6 %
0.23	-	5	0.2 %
0.24	-	5	0.2 %
0.25	-	4	0.2 %
0.26	-	5	0.2 %
0.27	-	5	0.2 %
0.28	-	12	0.5 %
0.29	-	9	0.3 %
0.30	-	6	0.2 %
0.31	-	1	0.0 %
0.32	-	5	0.2 %
0.33	-	4	0.2 %
0.34	-	1	0.0 %
0.35	-	4	0.2 %
0.36	-	3	0.1 %
0.37	-	8	0.3 %
0.38	-	3	0.1 %
0.39	-	4	0.2 %
0.40	-	9	0.3 %
0.41	-	2	0.1 %
0.42	-	2	0.1 %
0.43	-	2	0.1 %
0.44	-	5	0.2 %
0.45	-	5	0.2 %
0.46	-	5	0.2 %
0.47	-	1	0.0 %
0.48	-	3	0.1 %
0.49	-	4	0.2 %
Missing Data			
.	-	1838	70.2 %

Value	Label	Unweighted Frequency	%
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 779 valid cases out of 2,617 total cases.

- Mean: 0.27
- Median: 0.10
- Mode: 0.00
- Minimum: 0.00
- Maximum: 5.16
- Standard Deviation: 0.55

Location: 2556-2561 (*width:* 6; *decimal:* 2)

Variable Type: numeric

EFPOLEC5: EFP DDE Oleic Acid, gms

EFP DDE Oleic Acid, gms

Value	Label	Unweighted Frequency	%
0.00	-	231	8.8 %
0.01	-	28	1.1 %
0.02	-	52	2.0 %
0.03	-	31	1.2 %
0.04	-	10	0.4 %
0.05	-	17	0.6 %
0.06	-	4	0.2 %
0.07	-	23	0.9 %
0.08	-	4	0.2 %
0.09	-	20	0.8 %
0.10	-	5	0.2 %
0.11	-	74	2.8 %
0.12	-	9	0.3 %
0.13	-	8	0.3 %
0.14	-	13	0.5 %
0.15	-	4	0.2 %
0.16	-	5	0.2 %
0.17	-	1	0.0 %
0.18	-	12	0.5 %
0.19	-	2	0.1 %
0.20	-	9	0.3 %
0.21	-	1	0.0 %
0.22	-	12	0.5 %
0.23	-	10	0.4 %

Value	Label	Unweighted Frequency	%
0.24	-	11	0.4 %
0.25	-	14	0.5 %
0.26	-	9	0.3 %
0.27	-	4	0.2 %
0.28	-	4	0.2 %
0.29	-	5	0.2 %
0.30	-	6	0.2 %
0.31	-	4	0.2 %
0.33	-	1	0.0 %
0.34	-	4	0.2 %
0.35	-	5	0.2 %
0.36	-	4	0.2 %
0.37	-	1	0.0 %
0.38	-	5	0.2 %
0.40	-	3	0.1 %
0.41	-	1	0.0 %
0.42	-	1	0.0 %
0.44	-	8	0.3 %
0.45	-	1	0.0 %
0.46	-	2	0.1 %
0.47	-	7	0.3 %
0.48	-	1	0.0 %
0.49	-	4	0.2 %
0.50	-	2	0.1 %
0.51	-	2	0.1 %
0.52	-	2	0.1 %
Missing Data			
.	-	1838	70.2 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 779 valid cases out of 2,617 total cases.

- Mean: 0.25
- Median: 0.07
- Mode: 0.00
- Minimum: 0.00
- Maximum: 9.64
- Standard Deviation: 0.66

Location: 2562-2567 (*width:* 6; *decimal:* 2)

Variable Type: numeric

EFP DDE Linoleic Acid, gms

Value	Label	Unweighted Frequency	%
0.00	-	195	7.5 %
0.01	-	28	1.1 %
0.02	-	14	0.5 %
0.03	-	39	1.5 %
0.04	-	33	1.3 %
0.05	-	12	0.5 %
0.06	-	11	0.4 %
0.07	-	11	0.4 %
0.08	-	12	0.5 %
0.09	-	4	0.2 %
0.10	-	12	0.5 %
0.11	-	16	0.6 %
0.12	-	10	0.4 %
0.13	-	2	0.1 %
0.14	-	3	0.1 %
0.15	-	4	0.2 %
0.16	-	14	0.5 %
0.17	-	7	0.3 %
0.18	-	5	0.2 %
0.19	-	20	0.8 %
0.20	-	18	0.7 %
0.21	-	14	0.5 %
0.22	-	6	0.2 %
0.23	-	7	0.3 %
0.24	-	4	0.2 %
0.25	-	5	0.2 %
0.26	-	5	0.2 %
0.27	-	25	1.0 %
0.28	-	6	0.2 %
0.29	-	3	0.1 %
0.30	-	6	0.2 %
0.31	-	5	0.2 %
0.32	-	2	0.1 %
0.33	-	1	0.0 %
0.34	-	4	0.2 %
0.35	-	3	0.1 %
0.36	-	2	0.1 %
0.37	-	4	0.2 %
0.38	-	8	0.3 %
0.39	-	3	0.1 %

Value	Label	Unweighted Frequency	%
0.40	-	3	0.1 %
0.41	-	3	0.1 %
0.42	-	1	0.0 %
0.43	-	5	0.2 %
0.44	-	6	0.2 %
0.45	-	7	0.3 %
0.46	-	1	0.0 %
0.47	-	2	0.1 %
0.48	-	6	0.2 %
0.49	-	7	0.3 %
Missing Data			
-		1838	70.2 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 779 valid cases out of 2,617 total cases.

- Mean: 0.47
- Median: 0.12
- Mode: 0.00
- Minimum: 0.00
- Maximum: 11.41
- Standard Deviation: 1.16

Location: 2568-2574 (width: 7; decimal: 2)

Variable Type: numeric

EFPCHOL5: EFP DDE Cholesterol, mg

EFP DDE Cholesterol, mg

Value	Label	Unweighted Frequency	%
0.00	-	594	22.7 %
0.15	-	18	0.7 %
0.33	-	3	0.1 %
0.35	-	5	0.2 %
0.53	-	1	0.0 %
0.65	-	3	0.1 %
1.31	-	1	0.0 %
2.38	-	23	0.9 %
3.85	-	1	0.0 %
3.92	-	1	0.0 %
4.50	-	46	1.8 %
4.65	-	11	0.4 %

Value	Label	Unweighted Frequency	%
4.85	-	6	0.2 %
5.15	-	2	0.1 %
5.49	-	2	0.1 %
5.80	-	1	0.0 %
6.72	-	1	0.0 %
6.88	-	1	0.0 %
7.11	-	1	0.0 %
8.47	-	1	0.0 %
10.38	-	9	0.3 %
10.46	-	1	0.0 %
10.53	-	1	0.0 %
10.73	-	1	0.0 %
10.94	-	1	0.0 %
11.03	-	1	0.0 %
12.76	-	1	0.0 %
15.45	-	10	0.4 %
15.61	-	1	0.0 %
17.70	-	1	0.0 %
17.83	-	1	0.0 %
18.07	-	1	0.0 %
19.27	-	6	0.2 %
19.95	-	1	0.0 %
20.10	-	2	0.1 %
20.28	-	1	0.0 %
21.91	-	1	0.0 %
22.50	-	1	0.0 %
25.09	-	1	0.0 %
25.83	-	3	0.1 %
28.21	-	1	0.0 %
33.48	-	1	0.0 %
38.54	-	3	0.1 %
38.70	-	1	0.0 %
44.21	-	1	0.0 %
58.45	-	1	0.0 %
93.74	-	1	0.0 %
98.89	-	1	0.0 %
179.66	-	1	0.0 %
264.91	-	1	0.0 %
Missing Data			
.	-	1838	70.2 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 779 valid cases out of 2,617 total cases.

- Mean: 2.69
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 264.91
- Standard Deviation: 13.57

Location: 2575-2582 (width: 8; decimal: 2)

Variable Type: numeric

EFPDFIB5: EFP DDE Dietary Fiber, gms

EFP DDE Dietary Fiber, gms

Value	Label	Unweighted Frequency	%
0.00	-	100	3.8 %
0.01	-	28	1.1 %
0.02	-	15	0.6 %
0.03	-	20	0.8 %
0.04	-	8	0.3 %
0.05	-	13	0.5 %
0.06	-	19	0.7 %
0.07	-	21	0.8 %
0.08	-	22	0.8 %
0.09	-	10	0.4 %
0.10	-	15	0.6 %
0.11	-	15	0.6 %
0.12	-	5	0.2 %
0.13	-	11	0.4 %
0.14	-	13	0.5 %
0.15	-	20	0.8 %
0.16	-	9	0.3 %
0.17	-	8	0.3 %
0.18	-	7	0.3 %
0.19	-	4	0.2 %
0.20	-	7	0.3 %
0.21	-	2	0.1 %
0.22	-	5	0.2 %
0.23	-	12	0.5 %
0.24	-	11	0.4 %
0.25	-	5	0.2 %
0.26	-	7	0.3 %

Value	Label	Unweighted Frequency	%
0.27	-	12	0.5 %
0.28	-	9	0.3 %
0.29	-	3	0.1 %
0.30	-	5	0.2 %
0.31	-	2	0.1 %
0.32	-	5	0.2 %
0.33	-	4	0.2 %
0.34	-	4	0.2 %
0.35	-	13	0.5 %
0.36	-	4	0.2 %
0.37	-	11	0.4 %
0.38	-	6	0.2 %
0.39	-	3	0.1 %
0.40	-	6	0.2 %
0.41	-	5	0.2 %
0.42	-	11	0.4 %
0.43	-	6	0.2 %
0.44	-	2	0.1 %
0.45	-	3	0.1 %
0.46	-	6	0.2 %
0.47	-	4	0.2 %
0.48	-	7	0.3 %
0.49	-	11	0.4 %
Missing Data			
.	-	1838	70.2 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 779 valid cases out of 2,617 total cases.

- Mean: 0.62
- Median: 0.24
- Mode: 0.00
- Minimum: 0.00
- Maximum: 12.85
- Standard Deviation: 1.27

Location: 2583-2589 (*width:* 7; *decimal:* 2)

Variable Type: numeric

EFPFOL5: EFP DDE Folate, mcg

EFP DDE Folate, mcg

Value	Label	Unweighted Frequency	%
0.00	-	96	3.7 %
0.13	-	17	0.6 %
0.18	-	1	0.0 %
0.19	-	1	0.0 %
0.27	-	1	0.0 %
0.29	-	12	0.5 %
0.33	-	6	0.2 %
0.37	-	1	0.0 %
0.43	-	1	0.0 %
0.46	-	3	0.1 %
0.54	-	3	0.1 %
0.56	-	1	0.0 %
0.59	-	1	0.0 %
0.63	-	2	0.1 %
0.66	-	1	0.0 %
0.67	-	5	0.2 %
0.70	-	1	0.0 %
0.72	-	2	0.1 %
0.77	-	4	0.2 %
0.80	-	2	0.1 %
0.81	-	13	0.5 %
0.86	-	1	0.0 %
0.87	-	1	0.0 %
0.88	-	1	0.0 %
0.89	-	1	0.0 %
0.90	-	1	0.0 %
0.91	-	1	0.0 %
0.94	-	4	0.2 %
0.97	-	1	0.0 %
1.00	-	1	0.0 %
1.01	-	1	0.0 %
1.04	-	1	0.0 %
1.07	-	2	0.1 %
1.08	-	2	0.1 %
1.10	-	1	0.0 %
1.12	-	1	0.0 %
1.15	-	9	0.3 %
1.17	-	1	0.0 %
1.22	-	6	0.2 %
1.27	-	2	0.1 %
1.28	-	1	0.0 %
1.34	-	1	0.0 %

Value	Label	Unweighted Frequency	%
1.36	-	1	0.0 %
1.43	-	2	0.1 %
1.44	-	1	0.0 %
1.47	-	1	0.0 %
1.48	-	9	0.3 %
1.51	-	2	0.1 %
1.54	-	2	0.1 %
1.58	-	3	0.1 %
Missing Data			
.	-	1838	70.2 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 779 valid cases out of 2,617 total cases.

- Mean: 16.05
- Minimum: 0.00
- Maximum: 339.92
- Standard Deviation: 35.41

Location: 2590-2597 (width: 8; decimal: 2)

Variable Type: numeric

EFPVITE5: EFP DDE Vitamin E, a-TE

EFP DDE Vitamin E, a-TE

Value	Label	Unweighted Frequency	%
0.00	-	170	6.5 %
0.01	-	43	1.6 %
0.02	-	26	1.0 %
0.03	-	41	1.6 %
0.04	-	16	0.6 %
0.05	-	34	1.3 %
0.06	-	37	1.4 %
0.07	-	19	0.7 %
0.08	-	24	0.9 %
0.09	-	8	0.3 %
0.10	-	9	0.3 %
0.11	-	16	0.6 %
0.12	-	22	0.8 %
0.13	-	18	0.7 %
0.14	-	29	1.1 %
0.15	-	13	0.5 %

Value	Label	Unweighted Frequency	%
0.16	-	13	0.5 %
0.17	-	13	0.5 %
0.18	-	7	0.3 %
0.19	-	7	0.3 %
0.20	-	6	0.2 %
0.21	-	5	0.2 %
0.22	-	5	0.2 %
0.23	-	6	0.2 %
0.24	-	10	0.4 %
0.25	-	2	0.1 %
0.26	-	5	0.2 %
0.27	-	7	0.3 %
0.28	-	4	0.2 %
0.29	-	8	0.3 %
0.30	-	5	0.2 %
0.31	-	1	0.0 %
0.32	-	7	0.3 %
0.33	-	2	0.1 %
0.34	-	1	0.0 %
0.35	-	4	0.2 %
0.36	-	4	0.2 %
0.37	-	4	0.2 %
0.38	-	3	0.1 %
0.39	-	1	0.0 %
0.40	-	1	0.0 %
0.41	-	7	0.3 %
0.42	-	4	0.2 %
0.43	-	5	0.2 %
0.44	-	9	0.3 %
0.45	-	8	0.3 %
0.46	-	5	0.2 %
0.47	-	3	0.1 %
0.48	-	1	0.0 %
0.49	-	1	0.0 %
Missing Data			
.	-	1838	70.2 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 779 valid cases out of 2,617 total cases.

- Mean: 0.22

- Median: 0.08
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.69
- Standard Deviation: 0.42

Location: 2598-2603 (*width:* 6; *decimal:* 2)

Variable Type: numeric

EFPZINC5: EFP DDE Zinc, mg

EFP DDE Zinc, mg

Value	Label	Unweighted Frequency	%
0.00	-	103	3.9 %
0.01	-	89	3.4 %
0.02	-	54	2.1 %
0.03	-	40	1.5 %
0.04	-	23	0.9 %
0.05	-	42	1.6 %
0.06	-	20	0.8 %
0.07	-	22	0.8 %
0.08	-	29	1.1 %
0.09	-	24	0.9 %
0.10	-	24	0.9 %
0.11	-	21	0.8 %
0.12	-	10	0.4 %
0.13	-	8	0.3 %
0.14	-	15	0.6 %
0.15	-	13	0.5 %
0.16	-	9	0.3 %
0.17	-	14	0.5 %
0.18	-	17	0.6 %
0.19	-	15	0.6 %
0.20	-	7	0.3 %
0.21	-	3	0.1 %
0.22	-	4	0.2 %
0.23	-	4	0.2 %
0.24	-	14	0.5 %
0.25	-	6	0.2 %
0.26	-	6	0.2 %
0.27	-	9	0.3 %
0.28	-	5	0.2 %
0.29	-	2	0.1 %
0.30	-	4	0.2 %
0.31	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.32	-	4	0.2 %
0.33	-	2	0.1 %
0.34	-	2	0.1 %
0.35	-	2	0.1 %
0.36	-	4	0.2 %
0.37	-	4	0.2 %
0.38	-	3	0.1 %
0.39	-	3	0.1 %
0.40	-	5	0.2 %
0.41	-	3	0.1 %
0.42	-	4	0.2 %
0.43	-	2	0.1 %
0.44	-	6	0.2 %
0.47	-	1	0.0 %
0.48	-	2	0.1 %
0.49	-	1	0.0 %
0.50	-	8	0.3 %
0.51	-	2	0.1 %
Missing Data			
.	-	1838	70.2 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 779 valid cases out of 2,617 total cases.

- Mean: 0.20
- Median: 0.07
- Mode: 0.00
- Minimum: 0.00
- Maximum: 4.03
- Standard Deviation: 0.41

Location: 2604-2609 (width: 6; decimal: 2)

Variable Type: numeric

EFPANZ5: EFP DDE Animal Zinc, mg

EFP DDE Animal Zinc, mg

Value	Label	Unweighted Frequency	%
0.00	-	625	23.9 %
0.01	-	1	0.0 %
0.03	-	1	0.0 %
0.04	-	67	2.6 %

Value	Label	Unweighted Frequency	%
0.05	-	23	0.9 %
0.09	-	14	0.5 %
0.10	-	12	0.5 %
0.11	-	1	0.0 %
0.12	-	2	0.1 %
0.13	-	5	0.2 %
0.14	-	1	0.0 %
0.15	-	2	0.1 %
0.18	-	7	0.3 %
0.19	-	4	0.2 %
0.20	-	1	0.0 %
0.21	-	1	0.0 %
0.24	-	1	0.0 %
0.29	-	1	0.0 %
0.36	-	4	0.2 %
0.44	-	1	0.0 %
0.54	-	2	0.1 %
0.58	-	1	0.0 %
1.04	-	1	0.0 %
1.80	-	1	0.0 %
Missing Data			
.	-	1838	70.2 %
Total		2,617	100%

Based upon 779 valid cases out of 2,617 total cases.

- Mean: 0.02
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.80
- Standard Deviation: 0.09

Location: 2610-2615 (width: 6; decimal: 2)

Variable Type: numeric

EFPB65: EFP Daily dietary estimate B6, mg

EFP Daily dietary estimate B6, mg

Value	Label	Unweighted Frequency	%
0.00	-	237	9.1 %
0.01	-	215	8.2 %
0.02	-	111	4.2 %
0.03	-	68	2.6 %

Value	Label	Unweighted Frequency	%
0.04	-	41	1.6 %
0.05	-	18	0.7 %
0.06	-	18	0.7 %
0.07	-	25	1.0 %
0.08	-	5	0.2 %
0.09	-	6	0.2 %
0.10	-	2	0.1 %
0.11	-	2	0.1 %
0.12	-	7	0.3 %
0.13	-	4	0.2 %
0.14	-	2	0.1 %
0.15	-	1	0.0 %
0.16	-	4	0.2 %
0.17	-	1	0.0 %
0.18	-	1	0.0 %
0.20	-	2	0.1 %
0.21	-	1	0.0 %
0.22	-	1	0.0 %
0.23	-	1	0.0 %
0.26	-	3	0.1 %
0.30	-	1	0.0 %
0.36	-	1	0.0 %
0.47	-	1	0.0 %
Missing Data			
.	-	1838	70.2 %
Total		2,617	100%

Based upon 779 valid cases out of 2,617 total cases.

- Mean: 0.02
- Median: 0.01
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.47
- Standard Deviation: 0.04

Location: 2616-2621 (width: 6; decimal: 2)

Variable Type: numeric

EFPMG5: EFP DDE Magnesium, mg

EFP DDE Magnesium, mg

Value	Label	Unweighted Frequency	%
0.00	-	96	3.7 %

Value	Label	Unweighted Frequency	%
0.08	-	17	0.6 %
0.15	-	1	0.0 %
0.18	-	1	0.0 %
0.20	-	12	0.5 %
0.22	-	1	0.0 %
0.25	-	1	0.0 %
0.31	-	1	0.0 %
0.34	-	1	0.0 %
0.36	-	3	0.1 %
0.42	-	2	0.1 %
0.44	-	9	0.3 %
0.50	-	7	0.3 %
0.52	-	4	0.2 %
0.53	-	1	0.0 %
0.54	-	4	0.2 %
0.55	-	1	0.0 %
0.58	-	4	0.2 %
0.60	-	1	0.0 %
0.64	-	1	0.0 %
0.69	-	4	0.2 %
0.70	-	1	0.0 %
0.71	-	2	0.1 %
0.73	-	2	0.1 %
0.75	-	1	0.0 %
0.78	-	1	0.0 %
0.82	-	4	0.2 %
0.86	-	1	0.0 %
0.88	-	3	0.1 %
0.90	-	1	0.0 %
0.94	-	10	0.4 %
0.95	-	3	0.1 %
0.98	-	1	0.0 %
1.00	-	4	0.2 %
1.02	-	5	0.2 %
1.04	-	1	0.0 %
1.05	-	1	0.0 %
1.06	-	1	0.0 %
1.07	-	1	0.0 %
1.08	-	1	0.0 %
1.09	-	2	0.1 %
1.10	-	1	0.0 %
1.13	-	2	0.1 %

Value	Label	Unweighted Frequency	%
1.15	-	5	0.2 %
1.16	-	1	0.0 %
1.18	-	1	0.0 %
1.20	-	3	0.1 %
1.23	-	2	0.1 %
1.26	-	1	0.0 %
1.28	-	1	0.0 %
Missing Data			
.	-	1838	70.2 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 779 valid cases out of 2,617 total cases.

- Mean: 9.84
- Minimum: 0.00
- Maximum: 199.59
- Standard Deviation: 21.53

Location: 2622-2629 (width: 8; decimal: 2)

Variable Type: numeric

EFPACAR5: EFP DDE AlphaCarotene, mcg

EFP DDE AlphaCarotene, mcg

Value	Label	Unweighted Frequency	%
0.00	-	676	25.8 %
0.04	-	65	2.5 %
0.09	-	31	1.2 %
0.17	-	4	0.2 %
0.26	-	1	0.0 %
0.34	-	2	0.1 %
Missing Data			
.	-	1838	70.2 %
Total		2,617	100%

Based upon 779 valid cases out of 2,617 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.34
- Standard Deviation: 0.03

Location: 2630-2635 (width: 6; decimal: 2)

Variable Type: numeric

EFPBCAR5: EFP DDE BetaCarotene, mcg

EFP DDE BetaCarotene, mcg

Value	Label	Unweighted Frequency	%
0.00	-	207	7.9 %
0.12	-	16	0.6 %
0.27	-	7	0.3 %
0.36	-	3	0.1 %
0.51	-	2	0.1 %
0.64	-	1	0.0 %
0.83	-	1	0.0 %
0.88	-	2	0.1 %
1.00	-	1	0.0 %
1.01	-	1	0.0 %
1.09	-	10	0.4 %
1.15	-	1	0.0 %
1.24	-	1	0.0 %
1.45	-	1	0.0 %
1.52	-	2	0.1 %
1.58	-	12	0.5 %
1.70	-	1	0.0 %
1.90	-	1	0.0 %
1.94	-	3	0.1 %
1.96	-	1	0.0 %
2.02	-	1	0.0 %
2.03	-	1	0.0 %
2.12	-	1	0.0 %
2.45	-	1	0.0 %
2.52	-	2	0.1 %
2.67	-	8	0.3 %
2.79	-	1	0.0 %
3.50	-	2	0.1 %
3.60	-	3	0.1 %
3.63	-	4	0.2 %
3.64	-	7	0.3 %
4.21	-	1	0.0 %
4.36	-	1	0.0 %
4.51	-	1	0.0 %
5.09	-	1	0.0 %
5.20	-	2	0.1 %
5.56	-	1	0.0 %

Value	Label	Unweighted Frequency	%
5.59	-	1	0.0 %
6.16	-	3	0.1 %
6.71	-	4	0.2 %
6.83	-	2	0.1 %
7.59	-	1	0.0 %
7.70	-	1	0.0 %
8.30	-	2	0.1 %
8.37	-	3	0.1 %
8.59	-	1	0.0 %
9.11	-	26	1.0 %
9.20	-	1	0.0 %
9.23	-	6	0.2 %
9.39	-	1	0.0 %
	Missing Data		
.	-	1838	70.2 %
	Total	2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 779 valid cases out of 2,617 total cases.

- Mean: 157.44
- Minimum: 0.00
- Maximum: 4067.49
- Standard Deviation: 402.94

Location: 2636-2644 (width: 9; decimal: 2)

Variable Type: numeric

EFPCRYP5: EFP DDE Cryptoxanthin, mcg

EFP DDE Cryptoxanthin, mcg

Value	Label	Unweighted Frequency	%
0.00	-	425	16.2 %
0.10	-	10	0.4 %
0.23	-	4	0.2 %
0.43	-	1	0.0 %
1.14	-	99	3.8 %
1.19	-	1	0.0 %
1.24	-	11	0.4 %
1.35	-	1	0.0 %
1.37	-	2	0.1 %
1.57	-	1	0.0 %

Value	Label	Unweighted Frequency	%
1.70	-	2	0.1 %
1.80	-	1	0.0 %
2.00	-	1	0.0 %
2.44	-	2	0.1 %
2.54	-	1	0.0 %
2.63	-	75	2.9 %
2.73	-	21	0.8 %
2.86	-	10	0.4 %
3.19	-	4	0.2 %
3.29	-	1	0.0 %
3.49	-	1	0.0 %
4.89	-	19	0.7 %
4.99	-	5	0.2 %
7.27	-	1	0.0 %
7.51	-	1	0.0 %
7.64	-	1	0.0 %
9.77	-	23	0.9 %
9.87	-	8	0.3 %
10.00	-	6	0.2 %
10.20	-	1	0.0 %
10.33	-	1	0.0 %
10.42	-	1	0.0 %
11.05	-	1	0.0 %
12.54	-	1	0.0 %
14.53	-	1	0.0 %
14.66	-	2	0.1 %
14.76	-	2	0.1 %
14.82	-	2	0.1 %
14.89	-	1	0.0 %
19.54	-	4	0.2 %
19.76	-	1	0.0 %
24.53	-	1	0.0 %
25.31	-	1	0.0 %
29.31	-	3	0.1 %
29.41	-	1	0.0 %
29.55	-	2	0.1 %
29.64	-	7	0.3 %
29.74	-	1	0.0 %
34.20	-	1	0.0 %
44.45	-	1	0.0 %
Missing Data			
.	-	1838	70.2 %

Value	Label	Unweighted Frequency	%
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 779 valid cases out of 2,617 total cases.

- Mean: 2.66
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 75.33
- Standard Deviation: 7.14

Location: 2645-2651 (*width:* 7; *decimal:* 2)

Variable Type: numeric

EFPLUT5: EFP DDE Lutein, mcg

EFP DDE Lutein, mcg

Value	Label	Unweighted Frequency	%
0.00	-	498	19.0 %
0.10	-	75	2.9 %
0.22	-	1	0.0 %
0.23	-	21	0.8 %
0.43	-	3	0.1 %
0.56	-	29	1.1 %
0.66	-	20	0.8 %
0.78	-	1	0.0 %
0.79	-	4	0.2 %
0.85	-	3	0.1 %
0.94	-	3	0.1 %
1.29	-	12	0.5 %
1.30	-	2	0.1 %
1.39	-	7	0.3 %
1.41	-	1	0.0 %
1.52	-	3	0.1 %
1.71	-	1	0.0 %
2.02	-	1	0.0 %
2.18	-	1	0.0 %
2.40	-	3	0.1 %
2.50	-	1	0.0 %
2.56	-	1	0.0 %
3.64	-	1	0.0 %
4.80	-	1	0.0 %

Value	Label	Unweighted Frequency	%
5.03	-	1	0.0 %
50.22	-	24	0.9 %
50.32	-	5	0.2 %
50.45	-	1	0.0 %
50.78	-	2	0.1 %
51.01	-	1	0.0 %
51.17	-	1	0.0 %
51.73	-	1	0.0 %
57.96	-	1	0.0 %
59.48	-	1	0.0 %
107.64	-	4	0.2 %
107.87	-	1	0.0 %
108.20	-	1	0.0 %
108.30	-	1	0.0 %
108.43	-	1	0.0 %
109.03	-	1	0.0 %
115.72	-	1	0.0 %
115.92	-	13	0.5 %
116.02	-	6	0.2 %
116.15	-	1	0.0 %
116.48	-	1	0.0 %
116.58	-	1	0.0 %
116.86	-	3	0.1 %
117.21	-	2	0.1 %
117.25	-	1	0.0 %
215.28	-	3	0.1 %
Missing Data			
.	-	1838	70.2 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 779 valid cases out of 2,617 total cases.

- Mean: 11.63
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 556.61
- Standard Deviation: 41.45

Location: 2652-2659 (*width:* 8; *decimal:* 2)

Variable Type: numeric

EFP DDE Lycopene, mcg

Value	Label	Unweighted Frequency	%
0.00	-	440	16.8 %
2.00	-	1	0.0 %
58.02	-	115	4.4 %
58.96	-	3	0.1 %
124.35	-	3	0.1 %
133.92	-	107	4.1 %
134.85	-	5	0.2 %
248.71	-	24	0.9 %
252.70	-	1	0.0 %
377.15	-	2	0.1 %
497.42	-	39	1.5 %
498.35	-	1	0.0 %
499.57	-	1	0.0 %
505.40	-	1	0.0 %
638.26	-	1	0.0 %
746.13	-	5	0.2 %
754.31	-	2	0.1 %
994.83	-	5	0.2 %
1002.82	-	1	0.0 %
1276.52	-	1	0.0 %
1492.25	-	6	0.2 %
1508.62	-	8	0.3 %
1740.96	-	1	0.0 %
2262.92	-	1	0.0 %
2553.04	-	3	0.1 %
3829.57	-	2	0.1 %
Missing Data			
.	-	1838	70.2 %
	Total	2,617	100%

Based upon 779 valid cases out of 2,617 total cases.

- Mean: 132.97
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3829.57
- Standard Deviation: 361.08

Location: 2660-2668 (width: 9; decimal: 2)

Variable Type: numeric

EFP DDE Retinol, mcg

Value	Label	Unweighted Frequency	%
0.00	-	625	23.9 %
0.93	-	1	0.0 %
1.78	-	23	0.9 %
2.12	-	67	2.6 %
2.15	-	1	0.0 %
3.91	-	1	0.0 %
4.12	-	2	0.1 %
4.55	-	1	0.0 %
4.90	-	12	0.5 %
5.04	-	1	0.0 %
6.68	-	1	0.0 %
6.82	-	12	0.5 %
7.88	-	1	0.0 %
8.60	-	1	0.0 %
8.94	-	5	0.2 %
9.09	-	6	0.2 %
11.36	-	1	0.0 %
11.71	-	3	0.1 %
13.50	-	1	0.0 %
13.89	-	1	0.0 %
14.77	-	1	0.0 %
15.11	-	1	0.0 %
15.62	-	1	0.0 %
18.19	-	4	0.2 %
19.67	-	1	0.0 %
27.58	-	1	0.0 %
41.35	-	1	0.0 %
43.47	-	1	0.0 %
79.26	-	1	0.0 %
119.07	-	1	0.0 %
Missing Data			
.	-	1838	70.2 %
Total		2,617	100%

Based upon 779 valid cases out of 2,617 total cases.

- Mean: 1.28
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 119.07
- Standard Deviation: 6.13

Location: 2669-2676 (width: 8; decimal: 2)

Variable Type: numeric

EFPPROA5: EFP DDE Pro-A Carotenes, mcg

EFP DDE Pro-A Carotenes, mcg

Value	Label	Unweighted Frequency	%
0.00	-	207	7.9 %
0.12	-	16	0.6 %
0.27	-	7	0.3 %
0.40	-	3	0.1 %
0.51	-	2	0.1 %
0.64	-	1	0.0 %
0.88	-	2	0.1 %
0.92	-	1	0.0 %
1.00	-	1	0.0 %
1.01	-	1	0.0 %
1.09	-	10	0.4 %
1.15	-	1	0.0 %
1.24	-	1	0.0 %
1.49	-	1	0.0 %
1.52	-	2	0.1 %
1.58	-	12	0.5 %
1.70	-	1	0.0 %
1.90	-	1	0.0 %
1.96	-	1	0.0 %
1.98	-	3	0.1 %
2.02	-	1	0.0 %
2.03	-	1	0.0 %
2.12	-	1	0.0 %
2.45	-	1	0.0 %
2.52	-	2	0.1 %
2.67	-	8	0.3 %
2.79	-	1	0.0 %
3.59	-	2	0.1 %
3.60	-	3	0.1 %
3.63	-	4	0.2 %
3.64	-	7	0.3 %
4.36	-	1	0.0 %
4.38	-	1	0.0 %
4.51	-	1	0.0 %
5.13	-	1	0.0 %
5.20	-	2	0.1 %
5.59	-	1	0.0 %

Value	Label	Unweighted Frequency	%
5.60	-	1	0.0 %
6.16	-	3	0.1 %
6.71	-	4	0.2 %
6.83	-	2	0.1 %
7.59	-	1	0.0 %
7.70	-	1	0.0 %
8.30	-	2	0.1 %
8.37	-	3	0.1 %
8.59	-	1	0.0 %
9.11	-	26	1.0 %
9.23	-	6	0.2 %
9.30	-	1	0.0 %
9.39	-	1	0.0 %
Missing Data			
.	-	1838	70.2 %
	Total	2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 779 valid cases out of 2,617 total cases.

- Mean: 157.44
- Minimum: 0.00
- Maximum: 4067.53
- Standard Deviation: 402.95

Location: 2677-2685 (width: 9; decimal: 2)

Variable Type: numeric

EFPGENI5: EFP DDE Genistein, mcg

EFP DDE Genistein, mcg

Value	Label	Unweighted Frequency	%
0.00	-	455	17.4 %
29.33	-	2	0.1 %
98.31	-	3	0.1 %
210.82	-	1	0.0 %
253.83	-	1	0.0 %
364.81	-	10	0.4 %
585.85	-	1	0.0 %
766.56	-	53	2.0 %
812.42	-	6	0.2 %
842.00	-	2	0.1 %

Value	Label	Unweighted Frequency	%
1177.23	-	1	0.0 %
1427.85	-	1	0.0 %
1642.86	-	2	0.1 %
1741.14	-	2	0.1 %
1767.95	-	12	0.5 %
1769.23	-	25	1.0 %
2563.83	-	1	0.0 %
2658.46	-	44	1.7 %
2756.77	-	1	0.0 %
2885.37	-	1	0.0 %
3023.28	-	3	0.1 %
3285.71	-	4	0.2 %
3422.36	-	1	0.0 %
3425.02	-	2	0.1 %
3470.88	-	1	0.0 %
3500.46	-	2	0.1 %
3523.33	-	1	0.0 %
3754.29	-	1	0.0 %
3789.00	-	2	0.1 %
3835.69	-	1	0.0 %
3896.85	-	1	0.0 %
3917.14	-	1	0.0 %
3943.95	-	1	0.0 %
4080.46	-	4	0.2 %
4308.76	-	1	0.0 %
4426.41	-	5	0.2 %
4445.28	-	1	0.0 %
4699.11	-	1	0.0 %
4791.22	-	1	0.0 %
4922.46	-	1	0.0 %
4982.62	-	1	0.0 %
5238.83	-	1	0.0 %
5596.62	-	8	0.3 %
5760.00	-	20	0.8 %
5987.42	-	1	0.0 %
6526.56	-	2	0.1 %
6571.43	-	2	0.1 %
7103.74	-	1	0.0 %
7160.33	-	1	0.0 %
7364.56	-	2	0.1 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-		1838	70.2 %
	Total	2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 779 valid cases out of 2,617 total cases.

- Mean: 3445.91
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 95720.16
- Standard Deviation: 10438.79

Location: 2686-2695 (width: 10; decimal: 2)

Variable Type: numeric

EFPDAID5: EFP DDE Daidzein, mcg

EFP DDE Daidzein, mcg

Value	Label	Unweighted Frequency	%
0.00	-	455	17.4 %
26.40	-	2	0.1 %
91.41	-	3	0.1 %
162.04	-	1	0.0 %
196.02	-	1	0.0 %
219.24	-	10	0.4 %
374.00	-	1	0.0 %
459.93	-	53	2.0 %
506.00	-	2	0.1 %
791.89	-	6	0.2 %
880.00	-	1	0.0 %
985.71	-	2	0.1 %
1011.12	-	1	0.0 %
1061.54	-	25	1.0 %
1062.45	-	12	0.5 %
1548.78	-	1	0.0 %
1697.14	-	2	0.1 %
1971.43	-	4	0.2 %
2277.00	-	2	0.1 %
2360.34	-	1	0.0 %
2379.96	-	44	1.7 %
2451.59	-	1	0.0 %
2452.15	-	4	0.2 %

Value	Label	Unweighted Frequency	%
2471.37	-	1	0.0 %
2590.94	-	1	0.0 %
2599.19	-	3	0.1 %
2670.83	-	1	0.0 %
2671.39	-	1	0.0 %
2833.43	-	1	0.0 %
2839.89	-	2	0.1 %
2885.96	-	2	0.1 %
2931.30	-	1	0.0 %
2958.15	-	1	0.0 %
2989.57	-	1	0.0 %
3048.00	-	1	0.0 %
3052.18	-	1	0.0 %
3086.29	-	1	0.0 %
3171.84	-	1	0.0 %
3391.08	-	1	0.0 %
3442.40	-	5	0.2 %
3661.64	-	1	0.0 %
3922.17	-	1	0.0 %
3942.86	-	2	0.1 %
4003.25	-	8	0.3 %
4234.29	-	1	0.0 %
4554.00	-	2	0.1 %
4942.97	-	1	0.0 %
5051.35	-	1	0.0 %
5060.00	-	1	0.0 %
5065.70	-	2	0.1 %
	Missing Data		
.	-	1838	70.2 %
	Total	2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 779 valid cases out of 2,617 total cases.

- Mean: 2755.19
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 84531.32
- Standard Deviation: 8519.82

Location: 2696-2705 (width: 10; decimal: 2)

Variable Type: numeric

EFPCOU5: EFP DDE Coumestrol, mcg

EFP DDE Coumestrol, mcg

Value	Label	Unweighted Frequency	%
0	-	779	29.8 %
.	Missing Data	1838	70.2 %
	Total	2,617	100%

Based upon 779 valid cases out of 2,617 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

Location: 2706-2706 (width: 1; decimal: 0)

Variable Type: numeric

EFPCAFF5: EFP DDE Caffeine, mg

EFP DDE Caffeine, mg

Value	Label	Unweighted Frequency	%
0	-	779	29.8 %
.	Missing Data	1838	70.2 %
	Total	2,617	100%

Based upon 779 valid cases out of 2,617 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

Location: 2707-2707 (width: 1; decimal: 0)

Variable Type: numeric

EFPVITD5: EFP DDE Vitamin D, IU

EFP DDE Vitamin D, IU

Value	Label	Unweighted Frequency	%
0.00	-	667	25.5 %
1.77	-	1	0.0 %
4.09	-	1	0.0 %
4.27	-	1	0.0 %
8.55	-	75	2.9 %
18.32	-	2	0.1 %
19.73	-	18	0.7 %
20.97	-	1	0.0 %
23.29	-	1	0.0 %
36.64	-	6	0.2 %
73.29	-	4	0.2 %
111.13	-	1	0.0 %
146.57	-	1	0.0 %
Missing Data			
.	-	1838	70.2 %
Total		2,617	100%

Based upon 779 valid cases out of 2,617 total cases.

- Mean: 2.39
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 146.57
- Standard Deviation: 9.69

Location: 2708-2715 (width: 8; decimal: 2)

Variable Type: numeric

EFPB125: EFP Daily dietary estimate B12, mcg

EFP Daily dietary estimate B12, mcg

Value	Label	Unweighted Frequency	%
0.00	-	548	20.9 %
0.01	-	65	2.5 %
0.02	-	5	0.2 %
0.03	-	35	1.3 %
0.04	-	1	0.0 %
0.05	-	11	0.4 %
0.09	-	1	0.0 %
0.10	-	3	0.1 %
0.11	-	1	0.0 %
0.15	-	1	0.0 %
0.17	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.28	-	57	2.2 %
0.29	-	9	0.3 %
0.31	-	7	0.3 %
0.38	-	1	0.0 %
0.58	-	1	0.0 %
0.61	-	2	0.1 %
0.65	-	11	0.4 %
0.66	-	6	0.2 %
0.68	-	1	0.0 %
1.21	-	5	0.2 %
1.26	-	1	0.0 %
2.43	-	4	0.2 %
3.71	-	1	0.0 %
4.85	-	1	0.0 %
Missing Data			
.	-	1838	70.2 %
Total		2,617	100%

Based upon 779 valid cases out of 2,617 total cases.

- Mean: 0.08
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 4.85
- Standard Deviation: 0.32

Location: 2716-2721 (*width:* 6; *decimal:* 2)

Variable Type: numeric

EFPTRAN5: EFP DDE Trans Fatty Acid, gms

EFP DDE Trans Fatty Acid, gms

Value	Label	Unweighted Frequency	%
0.00	-	744	28.4 %
0.01	-	1	0.0 %
0.02	-	28	1.1 %
0.03	-	2	0.1 %
0.04	-	2	0.1 %
0.05	-	1	0.0 %
0.13	-	1	0.0 %
Missing Data			
.	-	1838	70.2 %
Total		2,617	100%

Based upon 779 valid cases out of 2,617 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.13
- Standard Deviation: 0.01

Location: 2722-2727 (width: 6; decimal: 2)

Variable Type: numeric

EFPISOF5: EFP DDE Isoflavones, mg

EFP DDE Isoflavones, mg

Value	Label	Unweighted Frequency	%
0.00	-	455	17.4 %
0.15	-	53	2.0 %
0.18	-	3	0.1 %
0.29	-	2	0.1 %
0.33	-	2	0.1 %
0.35	-	25	1.0 %
0.39	-	1	0.0 %
0.42	-	10	0.4 %
0.66	-	4	0.2 %
0.76	-	1	0.0 %
0.97	-	2	0.1 %
0.99	-	1	0.0 %
1.31	-	2	0.1 %
1.73	-	6	0.2 %
1.77	-	1	0.0 %
2.15	-	1	0.0 %
2.73	-	1	0.0 %
2.83	-	12	0.5 %
3.27	-	1	0.0 %
3.70	-	2	0.1 %
4.61	-	44	1.7 %
4.77	-	2	0.1 %
4.79	-	1	0.0 %
4.95	-	1	0.0 %
5.03	-	4	0.2 %
5.53	-	1	0.0 %
5.58	-	2	0.1 %
6.07	-	2	0.1 %
6.34	-	2	0.1 %

Value	Label	Unweighted Frequency	%
6.54	-	4	0.2 %
6.76	-	1	0.0 %
6.96	-	1	0.0 %
7.28	-	8	0.3 %
7.45	-	5	0.2 %
7.51	-	1	0.0 %
7.59	-	1	0.0 %
7.73	-	1	0.0 %
7.87	-	1	0.0 %
9.07	-	1	0.0 %
9.18	-	1	0.0 %
9.39	-	1	0.0 %
9.81	-	1	0.0 %
9.99	-	20	0.8 %
10.11	-	2	0.1 %
10.15	-	2	0.1 %
10.26	-	1	0.0 %
10.41	-	1	0.0 %
11.57	-	1	0.0 %
11.89	-	1	0.0 %
12.04	-	1	0.0 %
Missing Data			
.	-	1838	70.2 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 779 valid cases out of 2,617 total cases.

- Mean: 5.36
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 163.88
- Standard Deviation: 16.86

Location: 2728-2735 (*width:* 8; *decimal:* 2)

Variable Type: numeric

EFPQUER5: EFP DDE Quercetin, mg

EFP DDE Quercetin, mg

Value	Label	Unweighted Frequency	%
0.00	-	439	16.8 %

Value	Label	Unweighted Frequency	%
0.01	-	118	4.5 %
0.03	-	116	4.4 %
0.04	-	1	0.0 %
0.05	-	25	1.0 %
0.08	-	2	0.1 %
0.10	-	42	1.6 %
0.13	-	1	0.0 %
0.15	-	5	0.2 %
0.16	-	2	0.1 %
0.21	-	6	0.2 %
0.26	-	1	0.0 %
0.31	-	14	0.5 %
0.36	-	1	0.0 %
0.47	-	1	0.0 %
0.53	-	3	0.1 %
0.79	-	2	0.1 %
Missing Data			
.	-	1838	70.2 %
Total		2,617	100%

Based upon 779 valid cases out of 2,617 total cases.

- Mean: 0.03
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.79
- Standard Deviation: 0.07

Location: 2736-2741 (width: 6; decimal: 2)

Variable Type: numeric

EFPOMEG5: EFP DDE OMega-3 FA, gms

EFP DDE OMega-3 FA, gms

Value	Label	Unweighted Frequency	%
0.00	-	280	10.7 %
0.01	-	80	3.1 %
0.02	-	57	2.2 %
0.03	-	57	2.2 %
0.04	-	24	0.9 %
0.05	-	36	1.4 %
0.06	-	21	0.8 %
0.07	-	26	1.0 %

Value	Label	Unweighted Frequency	%
0.08	-	18	0.7 %
0.09	-	11	0.4 %
0.10	-	13	0.5 %
0.11	-	7	0.3 %
0.12	-	10	0.4 %
0.13	-	5	0.2 %
0.14	-	12	0.5 %
0.15	-	6	0.2 %
0.16	-	4	0.2 %
0.17	-	4	0.2 %
0.18	-	7	0.3 %
0.19	-	6	0.2 %
0.20	-	3	0.1 %
0.21	-	5	0.2 %
0.22	-	6	0.2 %
0.23	-	4	0.2 %
0.24	-	4	0.2 %
0.25	-	10	0.4 %
0.26	-	1	0.0 %
0.27	-	2	0.1 %
0.28	-	4	0.2 %
0.29	-	2	0.1 %
0.32	-	1	0.0 %
0.33	-	2	0.1 %
0.34	-	4	0.2 %
0.35	-	2	0.1 %
0.36	-	5	0.2 %
0.37	-	2	0.1 %
0.38	-	1	0.0 %
0.39	-	1	0.0 %
0.40	-	1	0.0 %
0.42	-	1	0.0 %
0.43	-	2	0.1 %
0.44	-	2	0.1 %
0.45	-	1	0.0 %
0.47	-	1	0.0 %
0.48	-	2	0.1 %
0.52	-	1	0.0 %
0.53	-	1	0.0 %
0.54	-	2	0.1 %
0.67	-	2	0.1 %
0.69	-	2	0.1 %

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	1838	70.2 %
	Total	2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 779 valid cases out of 2,617 total cases.

- Mean: 0.09
- Median: 0.02
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.77
- Standard Deviation: 0.22

Location: 2742-2747 (width: 6; decimal: 2)

Variable Type: numeric

EFPCOPP5: EFP DDE Copper, mg

EFP DDE Copper, mg

Value	Label	Unweighted Frequency	%
0.00	-	145	5.5 %
0.01	-	151	5.8 %
0.02	-	83	3.2 %
0.03	-	60	2.3 %
0.04	-	42	1.6 %
0.05	-	37	1.4 %
0.06	-	36	1.4 %
0.07	-	25	1.0 %
0.08	-	26	1.0 %
0.09	-	15	0.6 %
0.10	-	15	0.6 %
0.11	-	9	0.3 %
0.12	-	15	0.6 %
0.13	-	12	0.5 %
0.14	-	10	0.4 %
0.15	-	5	0.2 %
0.16	-	7	0.3 %
0.17	-	14	0.5 %
0.18	-	4	0.2 %
0.19	-	12	0.5 %
0.20	-	3	0.1 %
0.21	-	5	0.2 %

Value	Label	Unweighted Frequency	%
0.22	-	3	0.1 %
0.23	-	2	0.1 %
0.24	-	2	0.1 %
0.25	-	5	0.2 %
0.26	-	2	0.1 %
0.28	-	1	0.0 %
0.29	-	1	0.0 %
0.30	-	1	0.0 %
0.31	-	2	0.1 %
0.33	-	2	0.1 %
0.34	-	3	0.1 %
0.36	-	2	0.1 %
0.39	-	1	0.0 %
0.42	-	1	0.0 %
0.43	-	1	0.0 %
0.44	-	3	0.1 %
0.46	-	2	0.1 %
0.50	-	3	0.1 %
0.57	-	1	0.0 %
0.63	-	1	0.0 %
0.70	-	1	0.0 %
0.75	-	1	0.0 %
0.79	-	1	0.0 %
0.88	-	1	0.0 %
0.91	-	1	0.0 %
0.98	-	1	0.0 %
1.00	-	1	0.0 %
1.14	-	1	0.0 %
Missing Data			
.	-	1838	70.2 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 779 valid cases out of 2,617 total cases.

- Mean: 0.07
- Median: 0.03
- Mode: 0.01
- Minimum: 0.00
- Maximum: 1.51
- Standard Deviation: 0.13

Location: 2748-2753 (width: 6; decimal: 2)

Variable Type: numeric

EFPMANG5: EFP DDE Manganese, mg

EFP DDE Manganese, mg

Value	Label	Unweighted Frequency	%
0.00	-	179	6.8 %
0.01	-	28	1.1 %
0.02	-	86	3.3 %
0.03	-	9	0.3 %
0.04	-	66	2.5 %
0.05	-	28	1.1 %
0.06	-	26	1.0 %
0.07	-	23	0.9 %
0.08	-	24	0.9 %
0.09	-	13	0.5 %
0.10	-	18	0.7 %
0.11	-	9	0.3 %
0.12	-	12	0.5 %
0.13	-	16	0.6 %
0.14	-	19	0.7 %
0.15	-	9	0.3 %
0.16	-	12	0.5 %
0.17	-	6	0.2 %
0.18	-	12	0.5 %
0.19	-	8	0.3 %
0.20	-	7	0.3 %
0.21	-	3	0.1 %
0.22	-	10	0.4 %
0.23	-	8	0.3 %
0.24	-	3	0.1 %
0.25	-	6	0.2 %
0.26	-	3	0.1 %
0.27	-	3	0.1 %
0.28	-	4	0.2 %
0.29	-	8	0.3 %
0.30	-	4	0.2 %
0.31	-	2	0.1 %
0.33	-	3	0.1 %
0.34	-	3	0.1 %
0.36	-	2	0.1 %
0.37	-	8	0.3 %
0.38	-	4	0.2 %

Value	Label	Unweighted Frequency	%
0.39	-	4	0.2 %
0.40	-	3	0.1 %
0.41	-	1	0.0 %
0.42	-	2	0.1 %
0.43	-	7	0.3 %
0.44	-	7	0.3 %
0.45	-	2	0.1 %
0.46	-	2	0.1 %
0.47	-	1	0.0 %
0.48	-	3	0.1 %
0.49	-	4	0.2 %
0.51	-	5	0.2 %
0.52	-	3	0.1 %
Missing Data			
.	-	1838	70.2 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 779 valid cases out of 2,617 total cases.

- Mean: 0.17
- Median: 0.05
- Mode: 0.00
- Minimum: 0.00
- Maximum: 4.86
- Standard Deviation: 0.36

Location: 2754-2759 (width: 6; decimal: 2)

Variable Type: numeric

EFPPANT5: EFP DDE Pantothenic Acid, mg

EFP DDE Pantothenic Acid, mg

Value	Label	Unweighted Frequency	%
0.00	-	190	7.3 %
0.01	-	62	2.4 %
0.02	-	41	1.6 %
0.03	-	42	1.6 %
0.04	-	51	1.9 %
0.05	-	34	1.3 %
0.06	-	38	1.5 %
0.07	-	23	0.9 %
0.08	-	26	1.0 %

Value	Label	Unweighted Frequency	%
0.09	-	29	1.1 %
0.10	-	21	0.8 %
0.11	-	10	0.4 %
0.12	-	22	0.8 %
0.13	-	17	0.6 %
0.14	-	11	0.4 %
0.15	-	21	0.8 %
0.16	-	9	0.3 %
0.17	-	9	0.3 %
0.18	-	3	0.1 %
0.19	-	12	0.5 %
0.20	-	4	0.2 %
0.21	-	5	0.2 %
0.22	-	7	0.3 %
0.23	-	1	0.0 %
0.24	-	5	0.2 %
0.25	-	3	0.1 %
0.26	-	5	0.2 %
0.27	-	3	0.1 %
0.28	-	3	0.1 %
0.29	-	4	0.2 %
0.30	-	5	0.2 %
0.31	-	5	0.2 %
0.32	-	2	0.1 %
0.33	-	3	0.1 %
0.34	-	1	0.0 %
0.35	-	5	0.2 %
0.36	-	2	0.1 %
0.37	-	2	0.1 %
0.38	-	1	0.0 %
0.40	-	4	0.2 %
0.41	-	2	0.1 %
0.43	-	1	0.0 %
0.44	-	2	0.1 %
0.45	-	1	0.0 %
0.46	-	3	0.1 %
0.47	-	1	0.0 %
0.48	-	2	0.1 %
0.49	-	2	0.1 %
0.51	-	2	0.1 %
0.52	-	1	0.0 %
Missing Data			

Value	Label	Unweighted Frequency	%
-	-	1838	70.2 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 779 valid cases out of 2,617 total cases.

- Mean: 0.10
- Median: 0.05
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.10
- Standard Deviation: 0.18

Location: 2760-2765 (width: 6; decimal: 2)

Variable Type: numeric

EFPDFE5: EFP DDE Folate DFE, mcg_DFE

EFP DDE Folate DFE, mcg_DFE

Value	Label	Unweighted Frequency	%
0.00	-	118	4.5 %
0.06	-	1	0.0 %
0.15	-	22	0.8 %
0.17	-	1	0.0 %
0.18	-	1	0.0 %
0.21	-	1	0.0 %
0.23	-	1	0.0 %
0.32	-	1	0.0 %
0.35	-	16	0.6 %
0.38	-	2	0.1 %
0.45	-	1	0.0 %
0.52	-	40	1.5 %
0.53	-	2	0.1 %
0.54	-	1	0.0 %
0.57	-	1	0.0 %
0.58	-	3	0.1 %
0.65	-	4	0.2 %
0.67	-	7	0.3 %
0.69	-	1	0.0 %
0.72	-	2	0.1 %
0.73	-	2	0.1 %
0.75	-	1	0.0 %
0.77	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.83	-	1	0.0 %
0.87	-	3	0.1 %
0.88	-	3	0.1 %
0.92	-	2	0.1 %
0.97	-	5	0.2 %
1.03	-	1	0.0 %
1.06	-	1	0.0 %
1.11	-	1	0.0 %
1.13	-	1	0.0 %
1.15	-	2	0.1 %
1.17	-	1	0.0 %
1.20	-	25	1.0 %
1.21	-	1	0.0 %
1.25	-	1	0.0 %
1.26	-	8	0.3 %
1.27	-	1	0.0 %
1.28	-	1	0.0 %
1.29	-	3	0.1 %
1.32	-	1	0.0 %
1.35	-	2	0.1 %
1.37	-	2	0.1 %
1.39	-	1	0.0 %
1.46	-	6	0.2 %
1.53	-	1	0.0 %
1.54	-	1	0.0 %
1.58	-	1	0.0 %
1.59	-	1	0.0 %
Missing Data			
.	-	1838	70.2 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 779 valid cases out of 2,617 total cases.

- Mean: 15.09
- Minimum: 0.00
- Maximum: 347.30
- Standard Deviation: 34.21

Location: 2766-2773 (*width:* 8; *decimal:* 2)

Variable Type: numeric

EFPBEAN5: EFP DDE Fiber from Beans

EFP DDE Fiber from Beans

Value	Label	Unweighted Frequency	%
0.00	-	443	16.9 %
0.01	-	14	0.5 %
0.02	-	29	1.1 %
0.03	-	2	0.1 %
0.04	-	11	0.4 %
0.05	-	1	0.0 %
0.09	-	45	1.7 %
0.10	-	7	0.3 %
0.12	-	2	0.1 %
0.13	-	2	0.1 %
0.19	-	2	0.1 %
0.20	-	17	0.6 %
0.21	-	6	0.2 %
0.22	-	8	0.3 %
0.24	-	2	0.1 %
0.25	-	11	0.4 %
0.28	-	1	0.0 %
0.35	-	51	1.9 %
0.36	-	5	0.2 %
0.37	-	7	0.3 %
0.38	-	1	0.0 %
0.39	-	1	0.0 %
0.44	-	1	0.0 %
0.45	-	2	0.1 %
0.46	-	1	0.0 %
0.47	-	1	0.0 %
0.48	-	1	0.0 %
0.49	-	1	0.0 %
0.52	-	1	0.0 %
0.54	-	4	0.2 %
0.56	-	3	0.1 %
0.57	-	2	0.1 %
0.60	-	2	0.1 %
0.62	-	1	0.0 %
0.63	-	1	0.0 %
0.69	-	1	0.0 %
0.74	-	1	0.0 %
0.75	-	1	0.0 %
0.76	-	1	0.0 %
0.77	-	22	0.8 %

Value	Label	Unweighted Frequency	%
0.78	-	2	0.1 %
0.79	-	1	0.0 %
0.80	-	2	0.1 %
0.81	-	1	0.0 %
0.84	-	1	0.0 %
0.85	-	1	0.0 %
0.87	-	1	0.0 %
0.89	-	1	0.0 %
1.02	-	5	0.2 %
1.05	-	1	0.0 %
Missing Data			
-		1838	70.2 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 779 valid cases out of 2,617 total cases.

- Mean: 0.34
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 12.45
- Standard Deviation: 1.09

Location: 2774-2780 (width: 7; decimal: 2)

Variable Type: numeric

EFPFIBV5: EFP DDE Fiber from Veg/Fruit

EFP DDE Fiber from Veg/Fruit

Value	Label	Unweighted Frequency	%
0.00	-	158	6.0 %
0.01	-	45	1.7 %
0.02	-	1	0.0 %
0.03	-	40	1.5 %
0.04	-	13	0.5 %
0.05	-	34	1.3 %
0.06	-	65	2.5 %
0.07	-	25	1.0 %
0.08	-	16	0.6 %
0.09	-	11	0.4 %
0.10	-	22	0.8 %
0.11	-	15	0.6 %

Value	Label	Unweighted Frequency	%
0.12	-	6	0.2 %
0.13	-	46	1.8 %
0.14	-	14	0.5 %
0.15	-	12	0.5 %
0.16	-	8	0.3 %
0.17	-	14	0.5 %
0.18	-	8	0.3 %
0.19	-	6	0.2 %
0.20	-	4	0.2 %
0.21	-	10	0.4 %
0.22	-	10	0.4 %
0.23	-	16	0.6 %
0.24	-	16	0.6 %
0.25	-	2	0.1 %
0.26	-	2	0.1 %
0.27	-	3	0.1 %
0.28	-	5	0.2 %
0.29	-	6	0.2 %
0.30	-	2	0.1 %
0.32	-	4	0.2 %
0.33	-	4	0.2 %
0.34	-	1	0.0 %
0.35	-	6	0.2 %
0.36	-	6	0.2 %
0.37	-	1	0.0 %
0.38	-	3	0.1 %
0.39	-	1	0.0 %
0.41	-	1	0.0 %
0.42	-	3	0.1 %
0.43	-	4	0.2 %
0.45	-	2	0.1 %
0.47	-	2	0.1 %
0.48	-	21	0.8 %
0.49	-	2	0.1 %
0.50	-	3	0.1 %
0.52	-	3	0.1 %
0.53	-	2	0.1 %
0.56	-	2	0.1 %
Missing Data			
.	-	1838	70.2 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 779 valid cases out of 2,617 total cases.

- Mean: 0.22
- Median: 0.08
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.70
- Standard Deviation: 0.40

Location: 2781-2786 (width: 6; decimal: 2)

Variable Type: numeric

EFPGRAI5: EFP DDE Fiber from Grains

EFP DDE Fiber from Grains

Value	Label	Unweighted Frequency	%
0.00	-	381	14.6 %
0.01	-	91	3.5 %
0.02	-	84	3.2 %
0.04	-	19	0.7 %
0.05	-	19	0.7 %
0.06	-	1	0.0 %
0.07	-	2	0.1 %
0.09	-	6	0.2 %
0.10	-	34	1.3 %
0.11	-	40	1.5 %
0.12	-	11	0.4 %
0.13	-	4	0.2 %
0.14	-	2	0.1 %
0.15	-	2	0.1 %
0.16	-	1	0.0 %
0.20	-	1	0.0 %
0.21	-	1	0.0 %
0.22	-	2	0.1 %
0.23	-	19	0.7 %
0.24	-	9	0.3 %
0.26	-	16	0.6 %
0.27	-	1	0.0 %
0.28	-	8	0.3 %
0.31	-	1	0.0 %
0.35	-	1	0.0 %
0.39	-	1	0.0 %
0.43	-	6	0.2 %

Value	Label	Unweighted Frequency	%
0.45	-	1	0.0 %
0.46	-	5	0.2 %
0.64	-	2	0.1 %
0.87	-	2	0.1 %
0.89	-	1	0.0 %
0.92	-	1	0.0 %
1.22	-	1	0.0 %
1.28	-	1	0.0 %
1.32	-	1	0.0 %
2.63	-	1	0.0 %
Missing Data			
.	-	1838	70.2 %
Total		2,617	100%

Based upon 779 valid cases out of 2,617 total cases.

- Mean: 0.06
- Median: 0.01
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.63
- Standard Deviation: 0.16

Location: 2787-2792 (width: 6; decimal: 2)

Variable Type: numeric

EFPFRTS5: EFP N servings fruit or fruit juice

EFP N servings fruit or fruit juice

Value	Label	Unweighted Frequency	%
0	-	779	29.8 %
Missing Data			
.	-	1838	70.2 %
Total		2,617	100%

Based upon 779 valid cases out of 2,617 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

Location: 2793-2793 (width: 1; decimal: 0)

Variable Type: numeric

EFPFATS5: EFP Servings of fats/sweets/snacks

EFP Servings of fats/sweets/snacks

Value	Label	Unweighted Frequency	%
0.0	-	777	29.7 %
0.1	-	2	0.1 %
	Missing Data		
.	-	1838	70.2 %
	Total	2,617	100%

Based upon 779 valid cases out of 2,617 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.10
- Standard Deviation: 0.01

Location: 2794-2798 (width: 5; decimal: 1)

Variable Type: numeric

EFPVEGS5: EFP N servings Veg

EFP N servings Veg

Value	Label	Unweighted Frequency	%
0.000	-	150	5.7 %
0.009	-	51	1.9 %
0.010	-	1	0.0 %
0.017	-	2	0.1 %
0.019	-	7	0.3 %
0.020	-	36	1.4 %
0.027	-	1	0.0 %
0.029	-	3	0.1 %
0.033	-	1	0.0 %
0.034	-	1	0.0 %
0.036	-	1	0.0 %
0.037	-	16	0.6 %
0.039	-	1	0.0 %
0.040	-	2	0.1 %
0.044	-	10	0.4 %
0.047	-	5	0.2 %
0.051	-	1	0.0 %
0.054	-	4	0.2 %
0.056	-	21	0.8 %

Value	Label	Unweighted Frequency	%
0.057	-	43	1.6 %
0.059	-	1	0.0 %
0.060	-	1	0.0 %
0.066	-	21	0.8 %
0.073	-	1	0.0 %
0.074	-	5	0.2 %
0.076	-	1	0.0 %
0.077	-	14	0.5 %
0.081	-	1	0.0 %
0.083	-	8	0.3 %
0.087	-	2	0.1 %
0.089	-	2	0.1 %
0.090	-	1	0.0 %
0.093	-	3	0.1 %
0.094	-	2	0.1 %
0.096	-	1	0.0 %
0.097	-	5	0.2 %
0.101	-	4	0.2 %
0.104	-	6	0.2 %
0.106	-	1	0.0 %
0.109	-	3	0.1 %
0.110	-	2	0.1 %
0.111	-	4	0.2 %
0.113	-	6	0.2 %
0.114	-	1	0.0 %
0.116	-	1	0.0 %
0.119	-	5	0.2 %
0.123	-	1	0.0 %
0.124	-	1	0.0 %
0.129	-	1	0.0 %
0.131	-	41	1.6 %
Missing Data			
.	-	1838	70.2 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 779 valid cases out of 2,617 total cases.

- Mean: 0.210
- Median: 0.077
- Mode: 0.000
- Minimum: 0.000

- Maximum: 3.819
- Standard Deviation: 0.399

Location: 2799-2804 (width: 6; decimal: 3)

Variable Type: numeric

EFPVEGF5: EFP Sum daily freq Veg

EFP Sum daily freq Veg

Value	Label	Unweighted Frequency	%
0.0	-	253	9.7 %
0.1	-	257	9.8 %
0.2	-	91	3.5 %
0.3	-	65	2.5 %
0.4	-	51	1.9 %
0.5	-	19	0.7 %
0.6	-	9	0.3 %
0.7	-	8	0.3 %
0.8	-	10	0.4 %
0.9	-	4	0.2 %
1.0	-	2	0.1 %
1.1	-	4	0.2 %
1.2	-	2	0.1 %
1.4	-	1	0.0 %
1.5	-	1	0.0 %
1.8	-	1	0.0 %
2.2	-	1	0.0 %
Missing Data			
.	-	1838	70.2 %
Total		2,617	100%

Based upon 779 valid cases out of 2,617 total cases.

- Mean: 0.17
- Median: 0.10
- Mode: 0.10
- Minimum: 0.00
- Maximum: 2.20
- Standard Deviation: 0.23

Location: 2805-2809 (width: 5; decimal: 1)

Variable Type: numeric

EFPGRNS5: EFP N servings Grains

EFP N servings Grains

Value	Label	Unweighted Frequency	%
0.000	-	403	15.4 %
0.026	-	92	3.5 %
0.051	-	58	2.2 %
0.055	-	1	0.0 %
0.059	-	25	1.0 %
0.079	-	1	0.0 %
0.085	-	19	0.7 %
0.109	-	2	0.1 %
0.111	-	1	0.0 %
0.114	-	1	0.0 %
0.118	-	15	0.6 %
0.135	-	1	0.0 %
0.149	-	34	1.3 %
0.168	-	2	0.1 %
0.174	-	24	0.9 %
0.200	-	11	0.4 %
0.208	-	6	0.2 %
0.219	-	6	0.2 %
0.233	-	2	0.1 %
0.244	-	1	0.0 %
0.267	-	2	0.1 %
0.284	-	1	0.0 %
0.319	-	1	0.0 %
0.344	-	12	0.5 %
0.345	-	2	0.1 %
0.369	-	9	0.3 %
0.375	-	1	0.0 %
0.395	-	8	0.3 %
0.402	-	7	0.3 %
0.428	-	2	0.1 %
0.453	-	1	0.0 %
0.461	-	5	0.2 %
0.462	-	1	0.0 %
0.538	-	1	0.0 %
0.639	-	6	0.2 %
0.655	-	3	0.1 %
0.665	-	1	0.0 %
0.689	-	2	0.1 %
0.698	-	3	0.1 %
1.278	-	2	0.1 %
1.328	-	1	0.0 %
1.395	-	1	0.0 %

Value	Label	Unweighted Frequency	%
1.936	-	1	0.0 %
3.891	-	1	0.0 %
Missing Data			
.	-	1838	70.2 %
Total		2,617	100%

Based upon 779 valid cases out of 2,617 total cases.

- Mean: 0.086
- Median: 0.000
- Mode: 0.000
- Minimum: 0.000
- Maximum: 3.891
- Standard Deviation: 0.221

Location: 2810-2815 (width: 6; decimal: 3)

Variable Type: numeric

EFPGRNF5: EFP Sum daily freq Grains

EFP Sum daily freq Grains

Value	Label	Unweighted Frequency	%
0.0	-	530	20.3 %
0.1	-	188	7.2 %
0.2	-	45	1.7 %
0.3	-	11	0.4 %
0.4	-	4	0.2 %
0.6	-	1	0.0 %
Missing Data			
.	-	1838	70.2 %
Total		2,617	100%

Based upon 779 valid cases out of 2,617 total cases.

- Mean: 0.04
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.60
- Standard Deviation: 0.07

Location: 2816-2820 (width: 5; decimal: 1)

Variable Type: numeric

EFPMTSV5: EFP N servings Meat

EFP N servings Meat

Value	Label	Unweighted Frequency	%
0.000	-	253	9.7 %
0.007	-	82	3.1 %
0.008	-	1	0.0 %
0.011	-	15	0.6 %
0.013	-	1	0.0 %
0.014	-	43	1.6 %
0.016	-	2	0.1 %
0.017	-	25	1.0 %
0.018	-	8	0.3 %
0.024	-	13	0.5 %
0.025	-	7	0.3 %
0.026	-	1	0.0 %
0.027	-	2	0.1 %
0.031	-	2	0.1 %
0.032	-	6	0.2 %
0.033	-	17	0.6 %
0.034	-	7	0.3 %
0.038	-	15	0.6 %
0.039	-	3	0.1 %
0.040	-	2	0.1 %
0.042	-	1	0.0 %
0.044	-	2	0.1 %
0.045	-	4	0.2 %
0.047	-	6	0.2 %
0.048	-	5	0.2 %
0.049	-	8	0.3 %
0.050	-	2	0.1 %
0.052	-	3	0.1 %
0.054	-	2	0.1 %
0.057	-	2	0.1 %
0.058	-	3	0.1 %
0.062	-	5	0.2 %
0.065	-	1	0.0 %
0.066	-	1	0.0 %
0.067	-	2	0.1 %
0.068	-	1	0.0 %
0.069	-	1	0.0 %
0.072	-	1	0.0 %
0.074	-	5	0.2 %
0.078	-	1	0.0 %
0.080	-	1	0.0 %
0.086	-	2	0.1 %

Value	Label	Unweighted Frequency	%
0.087	-	3	0.1 %
0.089	-	1	0.0 %
0.090	-	1	0.0 %
0.091	-	1	0.0 %
0.099	-	28	1.1 %
0.100	-	3	0.1 %
0.104	-	3	0.1 %
0.106	-	7	0.3 %
Missing Data			
.	-	1838	70.2 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 779 valid cases out of 2,617 total cases.

- Mean: 0.119
- Median: 0.014
- Mode: 0.000
- Minimum: 0.000
- Maximum: 3.520
- Standard Deviation: 0.335

Location: 2821-2826 (width: 6; decimal: 3)

Variable Type: numeric

EFPMTFQ5: EFP Sum daily freq Meat

EFP Sum daily freq Meat

Value	Label	Unweighted Frequency	%
0.0	-	392	15.0 %
0.1	-	233	8.9 %
0.2	-	70	2.7 %
0.3	-	29	1.1 %
0.4	-	20	0.8 %
0.5	-	8	0.3 %
0.6	-	6	0.2 %
0.7	-	3	0.1 %
0.8	-	11	0.4 %
0.9	-	3	0.1 %
1.0	-	2	0.1 %
2.1	-	1	0.0 %
2.3	-	1	0.0 %
Missing Data			

Value	Label	Unweighted Frequency	%
-		1838	70.2 %
Total		2,617	100%

Based upon 779 valid cases out of 2,617 total cases.

- Mean: 0.105
- Median: 0.000
- Mode: 0.000
- Minimum: 0.000
- Maximum: 2.300
- Standard Deviation: 0.194

Location: 2827-2832 (width: 6; decimal: 3)

Variable Type: numeric

EFPDARS5: EFP N servings Dairy

EFP N servings Dairy

Value	Label	Unweighted Frequency	%
0.000	-	745	28.5 %
0.018	-	1	0.0 %
0.043	-	1	0.0 %
0.073	-	24	0.9 %
0.118	-	1	0.0 %
0.143	-	1	0.0 %
0.158	-	2	0.1 %
0.443	-	2	0.1 %
0.850	-	1	0.0 %
0.887	-	1	0.0 %
Missing Data			
-		1838	70.2 %
Total		2,617	100%

Based upon 779 valid cases out of 2,617 total cases.

- Mean: 0.006
- Median: 0.000
- Mode: 0.000
- Minimum: 0.000
- Maximum: 0.887
- Standard Deviation: 0.052

Location: 2833-2838 (width: 6; decimal: 3)

Variable Type: numeric

EFPDARF5: EFP Sum daily freq Dairy

EFP Sum daily freq Dairy

Value	Label	Unweighted Frequency	%
0.0	-	746	28.5 %
0.1	-	28	1.1 %
0.2	-	1	0.0 %
0.4	-	3	0.1 %
0.8	-	1	0.0 %
Missing Data			
.	-	1838	70.2 %
Total		2,617	100%

Based upon 779 valid cases out of 2,617 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.80
- Standard Deviation: 0.04

Location: 2839-2843 (width: 5; decimal: 1)

Variable Type: numeric

EFPFVS5: EFP N servings Fruit + Veg

EFP N servings Fruit + Veg

Value	Label	Unweighted Frequency	%
0.000	-	150	5.7 %
0.009	-	51	1.9 %
0.010	-	1	0.0 %
0.017	-	2	0.1 %
0.019	-	7	0.3 %
0.020	-	36	1.4 %
0.027	-	1	0.0 %
0.029	-	3	0.1 %
0.033	-	1	0.0 %
0.034	-	1	0.0 %
0.036	-	1	0.0 %
0.037	-	16	0.6 %
0.039	-	1	0.0 %
0.040	-	2	0.1 %
0.044	-	10	0.4 %
0.047	-	5	0.2 %
0.051	-	1	0.0 %
0.054	-	4	0.2 %
0.056	-	21	0.8 %

Value	Label	Unweighted Frequency	%
0.057	-	43	1.6 %
0.059	-	1	0.0 %
0.060	-	1	0.0 %
0.066	-	21	0.8 %
0.073	-	1	0.0 %
0.074	-	5	0.2 %
0.076	-	1	0.0 %
0.077	-	14	0.5 %
0.081	-	1	0.0 %
0.083	-	8	0.3 %
0.087	-	2	0.1 %
0.089	-	2	0.1 %
0.090	-	1	0.0 %
0.093	-	3	0.1 %
0.094	-	2	0.1 %
0.096	-	1	0.0 %
0.097	-	5	0.2 %
0.101	-	4	0.2 %
0.104	-	6	0.2 %
0.106	-	1	0.0 %
0.109	-	3	0.1 %
0.110	-	2	0.1 %
0.111	-	4	0.2 %
0.113	-	6	0.2 %
0.114	-	1	0.0 %
0.116	-	1	0.0 %
0.119	-	5	0.2 %
0.123	-	1	0.0 %
0.124	-	1	0.0 %
0.129	-	1	0.0 %
0.131	-	41	1.6 %
Missing Data			
.	-	1838	70.2 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 779 valid cases out of 2,617 total cases.

- Mean: 0.210
- Median: 0.077
- Mode: 0.000
- Minimum: 0.000

- Maximum: 3.819
- Standard Deviation: 0.399

Location: 2844-2849 (width: 6; decimal: 3)

Variable Type: numeric

EFPFVFQ5: EFP Sum daily freq Fruit + Veg

EFP Sum daily freq Fruit + Veg

Value	Label	Unweighted Frequency	%
0.0	-	253	9.7 %
0.1	-	257	9.8 %
0.2	-	91	3.5 %
0.3	-	65	2.5 %
0.4	-	51	1.9 %
0.5	-	19	0.7 %
0.6	-	9	0.3 %
0.7	-	8	0.3 %
0.8	-	10	0.4 %
0.9	-	4	0.2 %
1.0	-	2	0.1 %
1.1	-	4	0.2 %
1.2	-	2	0.1 %
1.4	-	1	0.0 %
1.5	-	1	0.0 %
1.8	-	1	0.0 %
2.2	-	1	0.0 %
Missing Data			
.	-	1838	70.2 %
Total		2,617	100%

Based upon 779 valid cases out of 2,617 total cases.

- Mean: 0.17
- Median: 0.10
- Mode: 0.10
- Minimum: 0.00
- Maximum: 2.20
- Standard Deviation: 0.23

Location: 2850-2854 (width: 5; decimal: 1)

Variable Type: numeric

ADD1XWK5: Additional foods eaten 1x wk

Additional foods eaten 1x wk

Value	Label	Unweighted Frequency	%
1	No	0	0.0 %
2	Yes	0	0.0 %
	Missing Data		
.	-	2617	100.0 %
	Total	2,617	100%

Based upon 0 valid cases out of 2,617 total cases.

Location: 2855-2856 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NUMADDS5: Number of Additional Foods

Number of Additional Foods

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	2617	100.0 %
	Total	2,617	100%

Based upon 0 valid cases out of 2,617 total cases.

Location: 2857-2857 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: .

NSKIP5: # foods missing or double-marked

Value	Label	Unweighted Frequency	%
0	-	1833	70.0 %
1	-	210	8.0 %
2	-	52	2.0 %
3	-	16	0.6 %
4	-	7	0.3 %
5	-	3	0.1 %
6	-	1	0.0 %
10	-	3	0.1 %
	Missing Data		
.	-	492	18.8 %
	Total	2,617	100%

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 0.21
- Median: 0.00
- Mode: 0.00

- Minimum: 0.00
- Maximum: 10.00
- Standard Deviation: 0.68

Location: 2858-2859 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: .

EXCLUDE5: Too many/few foods/calories or >10 skipped

Too many/few foods/calories or >10 skipped

Value	Label	Unweighted Frequency	%
1	-	112	4.3 %
.	Missing Data	2505	95.7 %
	Total	2,617	100%

Based upon 112 valid cases out of 2,617 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

Location: 2860-2860 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: .

HRMDAY5: Hormone measures Day

Hormone measures Day

Value	Label	Unweighted Frequency	%
1719	-	1	0.0 %
1726	-	1	0.0 %
1741	-	2	0.1 %
1744	-	1	0.0 %
1746	-	1	0.0 %
1748	-	1	0.0 %
1750	-	1	0.0 %
1752	-	1	0.0 %
1757	-	2	0.1 %
1759	-	2	0.1 %
1761	-	1	0.0 %
1762	-	1	0.0 %
1763	-	2	0.1 %

Value	Label	Unweighted Frequency	%
1764	-	3	0.1 %
1767	-	2	0.1 %
1768	-	2	0.1 %
1770	-	3	0.1 %
1771	-	1	0.0 %
1772	-	2	0.1 %
1775	-	2	0.1 %
1776	-	3	0.1 %
1777	-	1	0.0 %
1778	-	3	0.1 %
1779	-	3	0.1 %
1780	-	1	0.0 %
1781	-	8	0.3 %
1782	-	15	0.6 %
1783	-	14	0.5 %
1784	-	15	0.6 %
1785	-	18	0.7 %
1786	-	8	0.3 %
1787	-	9	0.3 %
1788	-	6	0.2 %
1789	-	5	0.2 %
1790	-	17	0.6 %
1791	-	15	0.6 %
1792	-	19	0.7 %
1793	-	14	0.5 %
1794	-	11	0.4 %
1795	-	11	0.4 %
1796	-	12	0.5 %
1797	-	13	0.5 %
1798	-	18	0.7 %
1799	-	26	1.0 %
1800	-	7	0.3 %
1801	-	11	0.4 %
1802	-	13	0.5 %
1803	-	10	0.4 %
1804	-	8	0.3 %
1805	-	14	0.5 %
Missing Data			
.	-	472	18.0 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,145 valid cases out of 2,617 total cases.

- Mean: 1869.82
- Minimum: 1719.00
- Maximum: 2185.00
- Standard Deviation: 70.76

Location: 2861-2864 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: .

CYCDAY5: Day of cycle

Day of cycle

Value	Label	Unweighted Frequency	%
2	-	101	3.9 %
3	-	195	7.5 %
4	-	179	6.8 %
5	-	179	6.8 %
Missing Data			
.	-	1963	75.0 %
Total		2,617	100%

Based upon 654 valid cases out of 2,617 total cases.

- Mean: 3.67
- Median: 4.00
- Mode: 3.00
- Minimum: 2.00
- Maximum: 5.00
- Standard Deviation: 1.04

Location: 2865-2865 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: .

DHAS5: Dehydroepiandrosterone sulfate (ug/dL)

Dehydroepiandrosterone sulfate (ug/dL)

Value	Label	Unweighted Frequency	%
3.3	-	1	0.0 %
3.8	-	2	0.1 %
4.8	-	1	0.0 %
6.7	-	1	0.0 %
7.4	-	1	0.0 %
8.2	-	1	0.0 %

Value	Label	Unweighted Frequency	%
8.4	-	1	0.0 %
8.9	-	2	0.1 %
10.2	-	1	0.0 %
10.9	-	1	0.0 %
11.9	-	1	0.0 %
12.0	-	1	0.0 %
12.7	-	1	0.0 %
13.4	-	1	0.0 %
13.5	-	1	0.0 %
13.9	-	1	0.0 %
14.2	-	1	0.0 %
14.5	-	1	0.0 %
15.3	-	1	0.0 %
15.8	-	1	0.0 %
16.2	-	1	0.0 %
16.3	-	1	0.0 %
16.6	-	1	0.0 %
16.9	-	1	0.0 %
17.8	-	1	0.0 %
18.3	-	1	0.0 %
18.4	-	2	0.1 %
18.7	-	1	0.0 %
18.8	-	1	0.0 %
19.5	-	1	0.0 %
19.7	-	1	0.0 %
20.2	-	1	0.0 %
20.3	-	2	0.1 %
20.7	-	1	0.0 %
21.0	-	1	0.0 %
21.2	-	2	0.1 %
22.3	-	1	0.0 %
22.5	-	1	0.0 %
22.6	-	1	0.0 %
22.9	-	1	0.0 %
23.2	-	1	0.0 %
23.3	-	1	0.0 %
23.4	-	1	0.0 %
23.5	-	1	0.0 %
23.6	-	1	0.0 %
23.7	-	1	0.0 %
23.8	-	2	0.1 %
23.9	-	1	0.0 %

Value	Label	Unweighted Frequency	%
24.1	-	1	0.0 %
24.2	-	1	0.0 %
	Missing Data		
.	-	470	18.0 %
	Total	2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,147 valid cases out of 2,617 total cases.

- Mean: 128.31
- Minimum: 3.30
- Maximum: 629.80
- Standard Deviation: 78.46

Location: 2866-2872 (width: 7; decimal: 1)

Variable Type: numeric

(Range of) Missing Values: .

FSH5: Follicle-stimulating hormone (mIU/mL)

Follicle-stimulating hormone (mIU/mL)

Value	Label	Unweighted Frequency	%
1.3	-	1	0.0 %
1.5	-	1	0.0 %
2.2	-	1	0.0 %
2.3	-	1	0.0 %
2.4	-	1	0.0 %
2.5	-	1	0.0 %
2.6	-	2	0.1 %
2.7	-	1	0.0 %
2.9	-	1	0.0 %
3.0	-	1	0.0 %
3.1	-	1	0.0 %
3.2	-	2	0.1 %
3.3	-	2	0.1 %
3.4	-	1	0.0 %
3.5	-	1	0.0 %
3.6	-	1	0.0 %
3.8	-	1	0.0 %
3.9	-	1	0.0 %
4.0	-	3	0.1 %
4.1	-	3	0.1 %
4.2	-	4	0.2 %

Value	Label	Unweighted Frequency	%
4.3	-	4	0.2 %
4.4	-	5	0.2 %
4.6	-	2	0.1 %
4.7	-	3	0.1 %
4.8	-	1	0.0 %
4.9	-	2	0.1 %
5.0	-	6	0.2 %
5.1	-	3	0.1 %
5.2	-	2	0.1 %
5.3	-	5	0.2 %
5.4	-	2	0.1 %
5.5	-	1	0.0 %
5.7	-	4	0.2 %
5.8	-	2	0.1 %
5.9	-	4	0.2 %
6.0	-	2	0.1 %
6.1	-	4	0.2 %
6.2	-	5	0.2 %
6.3	-	2	0.1 %
6.5	-	4	0.2 %
6.6	-	2	0.1 %
6.7	-	6	0.2 %
6.8	-	4	0.2 %
7.1	-	2	0.1 %
7.2	-	5	0.2 %
7.3	-	3	0.1 %
7.4	-	7	0.3 %
7.5	-	2	0.1 %
7.6	-	5	0.2 %
Missing Data			
.	-	472	18.0 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,145 valid cases out of 2,617 total cases.

- Mean: 54.22
- Minimum: 1.30
- Maximum: 367.40
- Standard Deviation: 44.38

Location: 2873-2879 (*width:* 7; *decimal:* 1)

Variable Type: numeric

(Range of) Missing Values: .

SHBG5: Sex hormone-binding globulin (nM)

Sex hormone-binding globulin (nM)

Value	Label	Unweighted Frequency	%
2.5	-	1	0.0 %
3.3	-	1	0.0 %
3.7	-	1	0.0 %
4.4	-	1	0.0 %
5.1	-	1	0.0 %
5.4	-	2	0.1 %
5.5	-	2	0.1 %
5.6	-	1	0.0 %
6.9	-	1	0.0 %
7.0	-	4	0.2 %
7.1	-	1	0.0 %
7.3	-	1	0.0 %
7.6	-	1	0.0 %
7.9	-	2	0.1 %
8.0	-	1	0.0 %
8.2	-	1	0.0 %
8.7	-	1	0.0 %
9.0	-	3	0.1 %
9.3	-	1	0.0 %
9.4	-	1	0.0 %
9.6	-	2	0.1 %
9.7	-	1	0.0 %
9.8	-	2	0.1 %
10.0	-	2	0.1 %
10.3	-	2	0.1 %
10.4	-	1	0.0 %
10.6	-	1	0.0 %
10.7	-	3	0.1 %
10.8	-	1	0.0 %
10.9	-	1	0.0 %
11.0	-	3	0.1 %
11.1	-	2	0.1 %
11.2	-	1	0.0 %
11.4	-	1	0.0 %
11.5	-	2	0.1 %
11.7	-	1	0.0 %
11.9	-	3	0.1 %

Value	Label	Unweighted Frequency	%
12.0	-	1	0.0 %
12.2	-	2	0.1 %
12.5	-	2	0.1 %
12.6	-	2	0.1 %
12.8	-	2	0.1 %
12.9	-	1	0.0 %
13.0	-	4	0.2 %
13.1	-	1	0.0 %
13.2	-	3	0.1 %
13.3	-	2	0.1 %
13.4	-	1	0.0 %
13.5	-	1	0.0 %
13.6	-	3	0.1 %
Missing Data			
.	-	482	18.4 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,135 valid cases out of 2,617 total cases.

- Mean: 50.78
- Minimum: 2.50
- Maximum: 315.40
- Standard Deviation: 32.66

Location: 2880-2886 (width: 7; decimal: 1)

Variable Type: numeric

(Range of) Missing Values: .

T5: Testosterone (ng/dL)

Testosterone (ng/dL)

Value	Label	Unweighted Frequency	%
2.9	-	1	0.0 %
3.8	-	1	0.0 %
4.0	-	1	0.0 %
4.2	-	2	0.1 %
4.8	-	1	0.0 %
4.9	-	1	0.0 %
5.0	-	1	0.0 %
5.4	-	1	0.0 %
6.1	-	1	0.0 %
6.3	-	2	0.1 %

Value	Label	Unweighted Frequency	%
6.4	-	2	0.1 %
7.1	-	2	0.1 %
7.2	-	1	0.0 %
7.4	-	1	0.0 %
7.6	-	2	0.1 %
8.0	-	1	0.0 %
8.1	-	1	0.0 %
8.4	-	3	0.1 %
8.5	-	1	0.0 %
8.7	-	4	0.2 %
9.1	-	2	0.1 %
9.4	-	1	0.0 %
9.5	-	1	0.0 %
9.6	-	1	0.0 %
9.8	-	1	0.0 %
10.1	-	2	0.1 %
10.2	-	2	0.1 %
10.3	-	2	0.1 %
10.4	-	1	0.0 %
10.5	-	1	0.0 %
10.6	-	3	0.1 %
10.8	-	1	0.0 %
10.9	-	2	0.1 %
11.0	-	2	0.1 %
11.1	-	2	0.1 %
11.2	-	1	0.0 %
11.4	-	1	0.0 %
11.5	-	2	0.1 %
11.6	-	1	0.0 %
11.7	-	1	0.0 %
11.8	-	1	0.0 %
11.9	-	3	0.1 %
12.0	-	2	0.1 %
12.1	-	3	0.1 %
12.2	-	5	0.2 %
12.3	-	1	0.0 %
12.4	-	1	0.0 %
12.5	-	2	0.1 %
12.6	-	3	0.1 %
12.7	-	2	0.1 %
Missing Data			
.	-	473	18.1 %

Value	Label	Unweighted Frequency	%
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,144 valid cases out of 2,617 total cases.

- Mean: 37.22
- Minimum: 2.90
- Maximum: 202.30
- Standard Deviation: 17.46

Location: 2887-2893 (width: 7; decimal: 1)

Variable Type: numeric

(Range of) Missing Values: .

E2AVE5: Estradiol (average, pg/mL)

Estradiol (average, pg/mL)

Value	Label	Unweighted Frequency	%
3.50	-	1	0.0 %
3.80	-	1	0.0 %
4.00	-	1	0.0 %
4.15	-	1	0.0 %
4.25	-	1	0.0 %
4.50	-	1	0.0 %
4.65	-	1	0.0 %
4.80	-	2	0.1 %
4.85	-	1	0.0 %
4.90	-	2	0.1 %
5.00	-	1	0.0 %
5.10	-	1	0.0 %
5.15	-	2	0.1 %
5.20	-	4	0.2 %
5.25	-	3	0.1 %
5.35	-	2	0.1 %
5.40	-	2	0.1 %
5.45	-	1	0.0 %
5.55	-	2	0.1 %
5.60	-	1	0.0 %
5.65	-	1	0.0 %
5.70	-	1	0.0 %
5.80	-	2	0.1 %
5.85	-	1	0.0 %
5.90	-	1	0.0 %

Value	Label	Unweighted Frequency	%
5.95	-	2	0.1 %
6.05	-	1	0.0 %
6.20	-	2	0.1 %
6.25	-	3	0.1 %
6.30	-	5	0.2 %
6.35	-	2	0.1 %
6.40	-	4	0.2 %
6.50	-	2	0.1 %
6.55	-	2	0.1 %
6.60	-	1	0.0 %
6.65	-	3	0.1 %
6.70	-	2	0.1 %
6.75	-	4	0.2 %
6.85	-	1	0.0 %
6.90	-	3	0.1 %
6.95	-	1	0.0 %
7.00	-	1	0.0 %
7.05	-	5	0.2 %
7.15	-	4	0.2 %
7.20	-	2	0.1 %
7.30	-	2	0.1 %
7.35	-	3	0.1 %
7.40	-	2	0.1 %
7.50	-	1	0.0 %
7.55	-	2	0.1 %
Missing Data			
.	-	520	19.9 %
	Total	2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,097 valid cases out of 2,617 total cases.

- Mean: 59.499
- Minimum: 3.500
- Maximum: 4071.000
- Standard Deviation: 119.545

Location: 2894-2902 (width: 9; decimal: 3)

Variable Type: numeric

(Range of) Missing Values: .

FLGCV5: Both E2>20 pg/mL & CV>15%

Both E2>20 pg/mL & CV>15%

Value	Label	Unweighted Frequency	%
0	No	2145	82.0 %
1	Yes	2	0.1 %
	Missing Data		
.	-	470	18.0 %
	Total	2,617	100%

Based upon 2,147 valid cases out of 2,617 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 2903-2904 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FLGdif5: 1 or both E2<=20 pg/mL & dif>10

1 or both E2<=20 pg/mL & dif>10

Value	Label	Unweighted Frequency	%
0	No	2147	82.0 %
1	Yes	0	0.0 %
	Missing Data		
.	-	470	18.0 %
	Total	2,617	100%

Based upon 2,147 valid cases out of 2,617 total cases.

- Minimum: 0.00
- Maximum: 0.00

Location: 2905-2906 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CVRday5: Cardiovascular measures Day

Cardiovascular measures Day

Value	Label	Unweighted Frequency	%
1719	-	1	0.0 %
1726	-	1	0.0 %
1741	-	1	0.0 %
1744	-	1	0.0 %
1746	-	1	0.0 %
1748	-	1	0.0 %

Value	Label	Unweighted Frequency	%
1750	-	1	0.0 %
1752	-	1	0.0 %
1757	-	2	0.1 %
1759	-	2	0.1 %
1761	-	1	0.0 %
1762	-	1	0.0 %
1763	-	2	0.1 %
1764	-	3	0.1 %
1767	-	2	0.1 %
1768	-	2	0.1 %
1770	-	3	0.1 %
1771	-	1	0.0 %
1772	-	2	0.1 %
1775	-	2	0.1 %
1776	-	3	0.1 %
1777	-	1	0.0 %
1778	-	3	0.1 %
1779	-	3	0.1 %
1780	-	1	0.0 %
1781	-	9	0.3 %
1782	-	15	0.6 %
1783	-	14	0.5 %
1784	-	16	0.6 %
1785	-	18	0.7 %
1786	-	8	0.3 %
1787	-	9	0.3 %
1788	-	6	0.2 %
1789	-	6	0.2 %
1790	-	16	0.6 %
1791	-	16	0.6 %
1792	-	19	0.7 %
1793	-	15	0.6 %
1794	-	11	0.4 %
1795	-	11	0.4 %
1796	-	13	0.5 %
1797	-	13	0.5 %
1798	-	18	0.7 %
1799	-	27	1.0 %
1800	-	7	0.3 %
1801	-	12	0.5 %
1802	-	12	0.5 %
1803	-	9	0.3 %

Value	Label	Unweighted Frequency	%
1804	-	10	0.4 %
1805	-	14	0.5 %
	Missing Data		
.	-	464	17.7 %
	Total	2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,153 valid cases out of 2,617 total cases.

- Mean: 1870.46
- Minimum: 1719.00
- Maximum: 2378.00
- Standard Deviation: 72.68

Location: 2907-2910 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: .

FLAGSER5: Lipids measured on serum not plasma

Lipids measured on serum not plasma

Value	Label	Unweighted Frequency	%
0	No	2131	81.4 %
1	Yes	35	1.3 %
	Missing Data		
.	-	451	17.2 %
	Total	2,617	100%

Based upon 2,166 valid cases out of 2,617 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 2911-2912 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

CHOLRES5: Total cholesterol (mg/dl)

Total cholesterol (mg/dl)

Value	Label	Unweighted Frequency	%
84	-	1	0.0 %
96	-	1	0.0 %
101	-	1	0.0 %
103	-	1	0.0 %

Value	Label	Unweighted Frequency	%
104	-	1	0.0 %
107	-	1	0.0 %
108	-	1	0.0 %
110	-	1	0.0 %
111	-	2	0.1 %
115	-	1	0.0 %
120	-	1	0.0 %
121	-	1	0.0 %
122	-	3	0.1 %
123	-	3	0.1 %
124	-	5	0.2 %
126	-	1	0.0 %
127	-	4	0.2 %
128	-	2	0.1 %
129	-	3	0.1 %
131	-	3	0.1 %
132	-	4	0.2 %
133	-	5	0.2 %
134	-	3	0.1 %
135	-	3	0.1 %
136	-	3	0.1 %
137	-	5	0.2 %
138	-	4	0.2 %
139	-	5	0.2 %
140	-	7	0.3 %
141	-	4	0.2 %
142	-	5	0.2 %
143	-	3	0.1 %
144	-	5	0.2 %
145	-	8	0.3 %
146	-	7	0.3 %
147	-	11	0.4 %
148	-	4	0.2 %
149	-	9	0.3 %
150	-	9	0.3 %
151	-	7	0.3 %
152	-	13	0.5 %
153	-	12	0.5 %
154	-	7	0.3 %
155	-	10	0.4 %
156	-	15	0.6 %
157	-	10	0.4 %

Value	Label	Unweighted Frequency	%
158	-	11	0.4 %
159	-	11	0.4 %
160	-	18	0.7 %
161	-	13	0.5 %
Missing Data			
.	-	462	17.7 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,155 valid cases out of 2,617 total cases.

- Mean: 201.41
- Median: 198.00
- Mode: 202.00
- Minimum: 84.00
- Maximum: 364.00
- Standard Deviation: 37.28

Location: 2913-2915 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: .

TRIGRES5: Triglycerides (mg/dl)

Triglycerides (mg/dl)

Value	Label	Unweighted Frequency	%
35	-	1	0.0 %
36	-	2	0.1 %
37	-	3	0.1 %
38	-	4	0.2 %
39	-	2	0.1 %
41	-	1	0.0 %
42	-	5	0.2 %
43	-	4	0.2 %
44	-	11	0.4 %
45	-	4	0.2 %
46	-	6	0.2 %
47	-	6	0.2 %
48	-	9	0.3 %
49	-	8	0.3 %
50	-	13	0.5 %
51	-	9	0.3 %
52	-	11	0.4 %

Value	Label	Unweighted Frequency	%
53	-	13	0.5 %
54	-	9	0.3 %
55	-	9	0.3 %
56	-	18	0.7 %
57	-	11	0.4 %
58	-	19	0.7 %
59	-	17	0.6 %
60	-	19	0.7 %
61	-	19	0.7 %
62	-	17	0.6 %
63	-	17	0.6 %
64	-	12	0.5 %
65	-	22	0.8 %
66	-	11	0.4 %
67	-	24	0.9 %
68	-	22	0.8 %
69	-	28	1.1 %
70	-	20	0.8 %
71	-	24	0.9 %
72	-	19	0.7 %
73	-	23	0.9 %
74	-	20	0.8 %
75	-	16	0.6 %
76	-	14	0.5 %
77	-	17	0.6 %
78	-	11	0.4 %
79	-	24	0.9 %
80	-	22	0.8 %
81	-	23	0.9 %
82	-	22	0.8 %
83	-	15	0.6 %
84	-	20	0.8 %
85	-	20	0.8 %
Missing Data			
.	-	541	20.7 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,076 valid cases out of 2,617 total cases.

- Mean: 126.78
- Minimum: 35.00

- Maximum: 1480.00
- Standard Deviation: 93.22

Location: 2916-2919 (*width:* 4; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: .

LDLRESU5: Estimated LDL (mg/dl)

Estimated LDL (mg/dl)

Value	Label	Unweighted Frequency	%
17	-	1	0.0 %
28	-	1	0.0 %
35	-	1	0.0 %
37	-	1	0.0 %
38	-	1	0.0 %
39	-	2	0.1 %
40	-	1	0.0 %
43	-	3	0.1 %
44	-	2	0.1 %
45	-	3	0.1 %
46	-	2	0.1 %
47	-	1	0.0 %
48	-	2	0.1 %
49	-	2	0.1 %
51	-	4	0.2 %
53	-	1	0.0 %
54	-	4	0.2 %
55	-	1	0.0 %
56	-	4	0.2 %
57	-	2	0.1 %
58	-	5	0.2 %
59	-	6	0.2 %
60	-	8	0.3 %
61	-	3	0.1 %
62	-	6	0.2 %
63	-	2	0.1 %
64	-	2	0.1 %
65	-	3	0.1 %
66	-	10	0.4 %
67	-	8	0.3 %
68	-	7	0.3 %
69	-	9	0.3 %
70	-	9	0.3 %

Value	Label	Unweighted Frequency	%
71	-	12	0.5 %
72	-	9	0.3 %
73	-	8	0.3 %
74	-	22	0.8 %
75	-	12	0.5 %
76	-	11	0.4 %
77	-	6	0.2 %
78	-	14	0.5 %
79	-	15	0.6 %
80	-	20	0.8 %
81	-	13	0.5 %
82	-	19	0.7 %
83	-	25	1.0 %
84	-	13	0.5 %
85	-	27	1.0 %
86	-	18	0.7 %
87	-	20	0.8 %
Missing Data			
.	-	572	21.9 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,045 valid cases out of 2,617 total cases.

- Mean: 116.63
- Median: 114.00
- Minimum: 17.00
- Maximum: 264.00
- Standard Deviation: 33.21

Location: 2920-2922 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: .

HDLRESU5: HDL (mg/dl)

HDL (mg/dl)

Value	Label	Unweighted Frequency	%
20	-	1	0.0 %
24	-	1	0.0 %
26	-	5	0.2 %
27	-	4	0.2 %
28	-	3	0.1 %

Value	Label	Unweighted Frequency	%
29	-	2	0.1 %
30	-	10	0.4 %
31	-	3	0.1 %
32	-	9	0.3 %
33	-	10	0.4 %
34	-	23	0.9 %
35	-	10	0.4 %
36	-	18	0.7 %
37	-	18	0.7 %
38	-	24	0.9 %
39	-	18	0.7 %
40	-	46	1.8 %
41	-	27	1.0 %
42	-	50	1.9 %
43	-	27	1.0 %
44	-	30	1.1 %
45	-	43	1.6 %
46	-	48	1.8 %
47	-	50	1.9 %
48	-	45	1.7 %
49	-	60	2.3 %
50	-	51	1.9 %
51	-	60	2.3 %
52	-	48	1.8 %
53	-	54	2.1 %
54	-	61	2.3 %
55	-	67	2.6 %
56	-	52	2.0 %
57	-	68	2.6 %
58	-	52	2.0 %
59	-	57	2.2 %
60	-	65	2.5 %
61	-	49	1.9 %
62	-	61	2.3 %
63	-	48	1.8 %
64	-	45	1.7 %
65	-	44	1.7 %
66	-	48	1.8 %
67	-	41	1.6 %
68	-	38	1.5 %
69	-	30	1.1 %
70	-	27	1.0 %

Value	Label	Unweighted Frequency	%
71	-	38	1.5 %
72	-	20	0.8 %
73	-	33	1.3 %
	Missing Data		
.	-	462	17.7 %
	Total	2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,155 valid cases out of 2,617 total cases.

- Mean: 59.81
- Median: 58.00
- Mode: 57.00
- Minimum: 20.00
- Maximum: 138.00
- Standard Deviation: 15.70

Location: 2923-2925 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: .

GLUCRES5: Glucose (mg/dl)

Glucose (mg/dl)

Value	Label	Unweighted Frequency	%
32	-	1	0.0 %
54	-	1	0.0 %
55	-	1	0.0 %
57	-	1	0.0 %
60	-	1	0.0 %
62	-	1	0.0 %
63	-	4	0.2 %
64	-	1	0.0 %
66	-	2	0.1 %
67	-	2	0.1 %
68	-	2	0.1 %
69	-	3	0.1 %
70	-	6	0.2 %
71	-	9	0.3 %
72	-	7	0.3 %
73	-	16	0.6 %
74	-	13	0.5 %
75	-	19	0.7 %

Value	Label	Unweighted Frequency	%
76	-	28	1.1 %
77	-	34	1.3 %
78	-	40	1.5 %
79	-	46	1.8 %
80	-	56	2.1 %
81	-	68	2.6 %
82	-	72	2.8 %
83	-	87	3.3 %
84	-	83	3.2 %
85	-	108	4.1 %
86	-	96	3.7 %
87	-	80	3.1 %
88	-	94	3.6 %
89	-	79	3.0 %
90	-	80	3.1 %
91	-	80	3.1 %
92	-	68	2.6 %
93	-	90	3.4 %
94	-	60	2.3 %
95	-	50	1.9 %
96	-	54	2.1 %
97	-	35	1.3 %
98	-	45	1.7 %
99	-	27	1.0 %
100	-	31	1.2 %
101	-	24	0.9 %
102	-	29	1.1 %
103	-	17	0.6 %
104	-	14	0.5 %
105	-	16	0.6 %
106	-	19	0.7 %
107	-	19	0.7 %
Missing Data			
.	-	536	20.5 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,081 valid cases out of 2,617 total cases.

- Mean: 96.41
- Median: 89.00
- Mode: 85.00

- Minimum: 32.00
- Maximum: 398.00
- Standard Deviation: 31.54

Location: 2926-2928 (*width:* 3; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: .

INSURES5: Insulin (uIU/ml)

Insulin (uIU/ml)

Value	Label	Unweighted Frequency	%
3.4	-	1	0.0 %
4.0	-	1	0.0 %
4.2	-	2	0.1 %
4.3	-	2	0.1 %
4.4	-	2	0.1 %
4.5	-	7	0.3 %
4.6	-	21	0.8 %
4.7	-	16	0.6 %
4.9	-	21	0.8 %
5.0	-	22	0.8 %
5.1	-	27	1.0 %
5.2	-	20	0.8 %
5.3	-	17	0.6 %
5.4	-	16	0.6 %
5.5	-	22	0.8 %
5.6	-	23	0.9 %
5.7	-	22	0.8 %
5.8	-	19	0.7 %
5.9	-	30	1.1 %
6.0	-	29	1.1 %
6.1	-	22	0.8 %
6.2	-	14	0.5 %
6.4	-	21	0.8 %
6.5	-	30	1.1 %
6.6	-	26	1.0 %
6.7	-	26	1.0 %
6.8	-	20	0.8 %
6.9	-	34	1.3 %
7.0	-	29	1.1 %
7.1	-	27	1.0 %
7.2	-	31	1.2 %
7.3	-	22	0.8 %
7.4	-	17	0.6 %

Value	Label	Unweighted Frequency	%
7.5	-	17	0.6 %
7.6	-	16	0.6 %
7.7	-	23	0.9 %
7.9	-	18	0.7 %
8.0	-	15	0.6 %
8.1	-	23	0.9 %
8.2	-	12	0.5 %
8.3	-	22	0.8 %
8.4	-	17	0.6 %
8.5	-	20	0.8 %
8.6	-	15	0.6 %
8.7	-	23	0.9 %
8.8	-	15	0.6 %
8.9	-	17	0.6 %
9.0	-	19	0.7 %
9.1	-	15	0.6 %
9.2	-	16	0.6 %
Missing Data			
.	-	662	25.3 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,955 valid cases out of 2,617 total cases.

- Mean: 12.79
- Minimum: 3.40
- Maximum: 211.00
- Standard Deviation: 11.96

Location: 2929-2935 (width: 7; decimal: 1)

Variable Type: numeric

(Range of) Missing Values: .

FACRESU5: Factor VII (%)

Factor VII (%)

Value	Label	Unweighted Frequency	%
17	-	1	0.0 %
33	-	1	0.0 %
37	-	1	0.0 %
39	-	1	0.0 %
41	-	1	0.0 %
43	-	2	0.1 %

Value	Label	Unweighted Frequency	%
46	-	1	0.0 %
48	-	2	0.1 %
50	-	1	0.0 %
54	-	1	0.0 %
55	-	2	0.1 %
56	-	4	0.2 %
57	-	2	0.1 %
59	-	2	0.1 %
61	-	3	0.1 %
62	-	1	0.0 %
63	-	4	0.2 %
65	-	6	0.2 %
66	-	2	0.1 %
68	-	4	0.2 %
69	-	3	0.1 %
70	-	2	0.1 %
71	-	2	0.1 %
72	-	6	0.2 %
73	-	5	0.2 %
74	-	6	0.2 %
75	-	5	0.2 %
76	-	4	0.2 %
77	-	6	0.2 %
78	-	4	0.2 %
79	-	10	0.4 %
80	-	6	0.2 %
81	-	10	0.4 %
82	-	11	0.4 %
83	-	7	0.3 %
84	-	11	0.4 %
85	-	19	0.7 %
86	-	16	0.6 %
87	-	18	0.7 %
88	-	14	0.5 %
89	-	14	0.5 %
90	-	16	0.6 %
91	-	12	0.5 %
92	-	18	0.7 %
93	-	23	0.9 %
94	-	10	0.4 %
95	-	17	0.6 %
96	-	36	1.4 %

Value	Label	Unweighted Frequency	%
97	-	16	0.6 %
98	-	33	1.3 %
	Missing Data		
.	-	637	24.3 %
	Total	2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,980 valid cases out of 2,617 total cases.

- Mean: 122.03
- Median: 118.50
- Mode: 126.00
- Minimum: 17.00
- Maximum: 444.00
- Standard Deviation: 33.09

Location: 2936-2938 (*width:* 3; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: .

FIBRESU5: Fibrinogen (mg/dl)

Fibrinogen (mg/dl)

Value	Label	Unweighted Frequency	%
64	-	1	0.0 %
72	-	1	0.0 %
82	-	1	0.0 %
97	-	1	0.0 %
101	-	1	0.0 %
102	-	1	0.0 %
126	-	1	0.0 %
128	-	1	0.0 %
130	-	2	0.1 %
132	-	1	0.0 %
137	-	1	0.0 %
141	-	1	0.0 %
146	-	1	0.0 %
150	-	1	0.0 %
154	-	1	0.0 %
159	-	7	0.3 %
161	-	3	0.1 %
163	-	3	0.1 %
164	-	3	0.1 %

Value	Label	Unweighted Frequency	%
166	-	2	0.1 %
168	-	3	0.1 %
169	-	3	0.1 %
171	-	5	0.2 %
173	-	3	0.1 %
175	-	4	0.2 %
177	-	4	0.2 %
179	-	3	0.1 %
181	-	5	0.2 %
183	-	6	0.2 %
185	-	9	0.3 %
188	-	7	0.3 %
190	-	7	0.3 %
193	-	6	0.2 %
195	-	11	0.4 %
196	-	1	0.0 %
198	-	12	0.5 %
200	-	12	0.5 %
203	-	19	0.7 %
206	-	19	0.7 %
209	-	23	0.9 %
212	-	35	1.3 %
215	-	27	1.0 %
219	-	47	1.8 %
222	-	37	1.4 %
226	-	40	1.5 %
230	-	48	1.8 %
234	-	42	1.6 %
238	-	70	2.7 %
242	-	68	2.6 %
247	-	72	2.8 %
Missing Data			
.	-	611	23.3 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,006 valid cases out of 2,617 total cases.

- Mean: 277.26
- Median: 273.00
- Mode: 292.00
- Minimum: 64.00

- Maximum: 668.00
- Standard Deviation: 60.54

Location: 2939-2941 (*width:* 3; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: .

PAIRESU5: PAI-5 (ng/ml)

PAI-5 (ng/ml)

Value	Label	Unweighted Frequency	%
0.3	-	1	0.0 %
0.6	-	3	0.1 %
0.9	-	2	0.1 %
1.0	-	2	0.1 %
1.1	-	3	0.1 %
1.2	-	2	0.1 %
1.3	-	3	0.1 %
1.5	-	1	0.0 %
1.6	-	2	0.1 %
1.7	-	6	0.2 %
1.8	-	4	0.2 %
1.9	-	4	0.2 %
2.0	-	1	0.0 %
2.1	-	6	0.2 %
2.2	-	3	0.1 %
2.3	-	4	0.2 %
2.4	-	5	0.2 %
2.5	-	4	0.2 %
2.6	-	4	0.2 %
2.7	-	6	0.2 %
2.8	-	8	0.3 %
2.9	-	8	0.3 %
3.0	-	3	0.1 %
3.1	-	6	0.2 %
3.2	-	7	0.3 %
3.3	-	7	0.3 %
3.4	-	8	0.3 %
3.5	-	6	0.2 %
3.6	-	7	0.3 %
3.7	-	3	0.1 %
3.8	-	6	0.2 %
3.9	-	9	0.3 %
4.0	-	5	0.2 %

Value	Label	Unweighted Frequency	%
4.1	-	9	0.3 %
4.2	-	5	0.2 %
4.3	-	7	0.3 %
4.4	-	5	0.2 %
4.5	-	11	0.4 %
4.6	-	10	0.4 %
4.7	-	9	0.3 %
4.8	-	6	0.2 %
4.9	-	10	0.4 %
5.0	-	4	0.2 %
5.1	-	6	0.2 %
5.2	-	9	0.3 %
5.3	-	11	0.4 %
5.4	-	10	0.4 %
5.5	-	6	0.2 %
5.6	-	8	0.3 %
5.7	-	11	0.4 %
Missing Data			
.	-	604	23.1 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,013 valid cases out of 2,617 total cases.

- Mean: 24.03
- Minimum: 0.30
- Maximum: 530.00
- Standard Deviation: 32.40

Location: 2942-2948 (width: 7; decimal: 1)

Variable Type: numeric

(Range of) Missing Values: .

TPARESU5: tPA (ng/ml)

tPA (ng/ml)

Value	Label	Unweighted Frequency	%
1.3	-	1	0.0 %
1.4	-	1	0.0 %
1.8	-	3	0.1 %
1.9	-	3	0.1 %
2.0	-	5	0.2 %
2.1	-	4	0.2 %

Value	Label	Unweighted Frequency	%
2.2	-	3	0.1 %
2.3	-	5	0.2 %
2.4	-	8	0.3 %
2.5	-	7	0.3 %
2.6	-	5	0.2 %
2.7	-	8	0.3 %
2.8	-	14	0.5 %
2.9	-	13	0.5 %
3.0	-	9	0.3 %
3.1	-	8	0.3 %
3.2	-	16	0.6 %
3.3	-	13	0.5 %
3.4	-	12	0.5 %
3.5	-	18	0.7 %
3.6	-	24	0.9 %
3.7	-	10	0.4 %
3.8	-	16	0.6 %
3.9	-	18	0.7 %
4.0	-	16	0.6 %
4.1	-	12	0.5 %
4.2	-	12	0.5 %
4.3	-	27	1.0 %
4.4	-	21	0.8 %
4.5	-	31	1.2 %
4.6	-	28	1.1 %
4.7	-	24	0.9 %
4.8	-	22	0.8 %
4.9	-	29	1.1 %
5.0	-	25	1.0 %
5.1	-	30	1.1 %
5.2	-	28	1.1 %
5.3	-	17	0.6 %
5.4	-	33	1.3 %
5.5	-	27	1.0 %
5.6	-	25	1.0 %
5.7	-	28	1.1 %
5.8	-	31	1.2 %
5.9	-	24	0.9 %
6.0	-	25	1.0 %
6.1	-	23	0.9 %
6.2	-	30	1.1 %
6.3	-	28	1.1 %

Value	Label	Unweighted Frequency	%
6.4	-	25	1.0 %
6.5	-	28	1.1 %
	Missing Data		
.	-	613	23.4 %
	Total	2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,004 valid cases out of 2,617 total cases.

- Mean: 7.47
- Median: 7.00
- Minimum: 1.30
- Maximum: 56.40
- Standard Deviation: 3.88

Location: 2949-2954 (width: 6; decimal: 1)

Variable Type: numeric

(Range of) Missing Values: .

LPARESU5: Lipoprotein Lp(a) (mg/dl)

Lipoprotein Lp(a) (mg/dl)

Value	Label	Unweighted Frequency	%
1	-	65	2.5 %
2	-	128	4.9 %
3	-	100	3.8 %
4	-	71	2.7 %
5	-	78	3.0 %
6	-	90	3.4 %
7	-	81	3.1 %
8	-	70	2.7 %
9	-	66	2.5 %
10	-	45	1.7 %
11	-	42	1.6 %
12	-	43	1.6 %
13	-	35	1.3 %
14	-	35	1.3 %
15	-	35	1.3 %
16	-	49	1.9 %
17	-	43	1.6 %
18	-	21	0.8 %
19	-	32	1.2 %
20	-	24	0.9 %

Value	Label	Unweighted Frequency	%
21	-	20	0.8 %
22	-	11	0.4 %
23	-	15	0.6 %
24	-	25	1.0 %
25	-	18	0.7 %
26	-	26	1.0 %
27	-	14	0.5 %
28	-	17	0.6 %
29	-	28	1.1 %
30	-	20	0.8 %
31	-	20	0.8 %
32	-	17	0.6 %
33	-	17	0.6 %
34	-	13	0.5 %
35	-	23	0.9 %
36	-	14	0.5 %
37	-	10	0.4 %
38	-	11	0.4 %
39	-	13	0.5 %
40	-	9	0.3 %
41	-	13	0.5 %
42	-	14	0.5 %
43	-	10	0.4 %
44	-	10	0.4 %
45	-	11	0.4 %
46	-	7	0.3 %
47	-	8	0.3 %
48	-	7	0.3 %
49	-	14	0.5 %
50	-	8	0.3 %
Missing Data			
.	-	550	21.0 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,067 valid cases out of 2,617 total cases.

- Mean: 31.80
- Median: 17.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 262.00

- Standard Deviation: 36.63

Location: 2955-2957 (*width:* 3; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: .

LPA1RES5: LPA1 result (mg/dl)

LPA1 result (mg/dl)

Value	Label	Unweighted Frequency	%
20	-	1	0.0 %
21	-	1	0.0 %
22	-	1	0.0 %
23	-	4	0.2 %
24	-	1	0.0 %
25	-	2	0.1 %
26	-	6	0.2 %
27	-	7	0.3 %
28	-	10	0.4 %
29	-	14	0.5 %
30	-	26	1.0 %
31	-	17	0.6 %
32	-	27	1.0 %
33	-	31	1.2 %
34	-	33	1.3 %
35	-	34	1.3 %
36	-	40	1.5 %
37	-	55	2.1 %
38	-	56	2.1 %
39	-	57	2.2 %
40	-	42	1.6 %
41	-	59	2.3 %
42	-	49	1.9 %
43	-	62	2.4 %
44	-	38	1.5 %
45	-	53	2.0 %
46	-	70	2.7 %
47	-	54	2.1 %
48	-	41	1.6 %
49	-	60	2.3 %
50	-	56	2.1 %
51	-	49	1.9 %
52	-	71	2.7 %
53	-	48	1.8 %

Value	Label	Unweighted Frequency	%
54	-	41	1.6 %
55	-	49	1.9 %
56	-	43	1.6 %
57	-	43	1.6 %
58	-	55	2.1 %
59	-	54	2.1 %
60	-	44	1.7 %
61	-	36	1.4 %
62	-	41	1.6 %
63	-	44	1.7 %
64	-	50	1.9 %
65	-	42	1.6 %
66	-	33	1.3 %
67	-	27	1.0 %
68	-	29	1.1 %
69	-	24	0.9 %
Missing Data			
.	-	467	17.8 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,150 valid cases out of 2,617 total cases.

- Mean: 53.57
- Median: 52.00
- Mode: 52.00
- Minimum: 20.00
- Maximum: 120.00
- Standard Deviation: 15.39

Location: 2958-2960 (*width:* 3; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: .

APOARES5: Apolipoprotein A-5 (mg/dl)

Apolipoprotein A-5 (mg/dl)

Value	Label	Unweighted Frequency	%
86	-	1	0.0 %
89	-	2	0.1 %
96	-	3	0.1 %
97	-	2	0.1 %
99	-	2	0.1 %

Value	Label	Unweighted Frequency	%
100	-	1	0.0 %
101	-	2	0.1 %
102	-	1	0.0 %
103	-	2	0.1 %
104	-	2	0.1 %
105	-	1	0.0 %
106	-	3	0.1 %
107	-	2	0.1 %
108	-	2	0.1 %
109	-	4	0.2 %
110	-	2	0.1 %
111	-	4	0.2 %
112	-	5	0.2 %
113	-	4	0.2 %
114	-	5	0.2 %
115	-	11	0.4 %
116	-	4	0.2 %
117	-	7	0.3 %
118	-	3	0.1 %
119	-	8	0.3 %
120	-	16	0.6 %
121	-	4	0.2 %
122	-	3	0.1 %
123	-	6	0.2 %
124	-	11	0.4 %
125	-	10	0.4 %
126	-	11	0.4 %
127	-	14	0.5 %
128	-	13	0.5 %
129	-	10	0.4 %
130	-	21	0.8 %
131	-	21	0.8 %
132	-	17	0.6 %
133	-	15	0.6 %
134	-	17	0.6 %
135	-	21	0.8 %
136	-	19	0.7 %
137	-	18	0.7 %
138	-	18	0.7 %
139	-	18	0.7 %
140	-	18	0.7 %
141	-	19	0.7 %

Value	Label	Unweighted Frequency	%
142	-	22	0.8 %
143	-	19	0.7 %
144	-	27	1.0 %
	Missing Data		
.	-	470	18.0 %
	Total	2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,147 valid cases out of 2,617 total cases.

- Mean: 167.19
- Median: 165.00
- Mode: 166.00
- Minimum: 86.00
- Maximum: 288.00
- Standard Deviation: 29.39

Location: 2961-2963 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: .

APOBRES5: Apolipoprotein B (mg/dl)

Apolipoprotein B (mg/dl)

Value	Label	Unweighted Frequency	%
38	-	2	0.1 %
42	-	2	0.1 %
43	-	1	0.0 %
44	-	1	0.0 %
45	-	1	0.0 %
48	-	1	0.0 %
49	-	1	0.0 %
50	-	4	0.2 %
51	-	2	0.1 %
53	-	2	0.1 %
54	-	2	0.1 %
55	-	2	0.1 %
56	-	4	0.2 %
57	-	1	0.0 %
58	-	1	0.0 %
59	-	3	0.1 %
60	-	6	0.2 %
61	-	3	0.1 %

Value	Label	Unweighted Frequency	%
62	-	7	0.3 %
63	-	5	0.2 %
64	-	8	0.3 %
65	-	4	0.2 %
66	-	5	0.2 %
67	-	7	0.3 %
68	-	10	0.4 %
69	-	4	0.2 %
70	-	10	0.4 %
71	-	14	0.5 %
72	-	15	0.6 %
73	-	16	0.6 %
74	-	15	0.6 %
75	-	13	0.5 %
76	-	19	0.7 %
77	-	22	0.8 %
78	-	14	0.5 %
79	-	14	0.5 %
80	-	21	0.8 %
81	-	23	0.9 %
82	-	21	0.8 %
83	-	20	0.8 %
84	-	24	0.9 %
85	-	25	1.0 %
86	-	23	0.9 %
87	-	25	1.0 %
88	-	20	0.8 %
89	-	27	1.0 %
90	-	40	1.5 %
91	-	30	1.1 %
92	-	33	1.3 %
93	-	42	1.6 %
Missing Data			
.	-	471	18.0 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,146 valid cases out of 2,617 total cases.

- Mean: 111.61
- Median: 109.00
- Mode: 93.00

- Minimum: 38.00
- Maximum: 241.00
- Standard Deviation: 28.61

Location: 2964-2966 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: .

CRPRESU5: C-reactive protein (mg/l)

C-reactive protein (mg/l)

Value	Label	Unweighted Frequency	%
0.044	-	2	0.1 %
0.053	-	1	0.0 %
0.059	-	2	0.1 %
0.066	-	1	0.0 %
0.070	-	1	0.0 %
0.071	-	4	0.2 %
0.073	-	2	0.1 %
0.074	-	1	0.0 %
0.075	-	1	0.0 %
0.084	-	1	0.0 %
0.086	-	2	0.1 %
0.087	-	1	0.0 %
0.088	-	1	0.0 %
0.090	-	1	0.0 %
0.091	-	1	0.0 %
0.092	-	1	0.0 %
0.094	-	2	0.1 %
0.096	-	3	0.1 %
0.097	-	1	0.0 %
0.100	-	1	0.0 %
0.101	-	1	0.0 %
0.103	-	1	0.0 %
0.108	-	1	0.0 %
0.110	-	2	0.1 %
0.113	-	1	0.0 %
0.116	-	2	0.1 %
0.117	-	2	0.1 %
0.123	-	1	0.0 %
0.125	-	1	0.0 %
0.127	-	1	0.0 %
0.128	-	1	0.0 %
0.129	-	1	0.0 %
0.130	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.133	-	2	0.1 %
0.134	-	2	0.1 %
0.135	-	1	0.0 %
0.136	-	2	0.1 %
0.137	-	1	0.0 %
0.139	-	1	0.0 %
0.140	-	1	0.0 %
0.143	-	2	0.1 %
0.144	-	3	0.1 %
0.146	-	1	0.0 %
0.147	-	2	0.1 %
0.148	-	2	0.1 %
0.149	-	1	0.0 %
0.150	-	3	0.1 %
0.151	-	1	0.0 %
0.153	-	1	0.0 %
0.154	-	1	0.0 %
Missing Data			
.	-	478	18.3 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,139 valid cases out of 2,617 total cases.

- Mean: 4.255
- Minimum: 0.044
- Maximum: 111.000
- Standard Deviation: 6.604

Location: 2967-2973 (width: 7; decimal: 3)

Variable Type: numeric

(Range of) Missing Values: .

FLGCVR5: Collected after V5 cutoff (02/15/2003)

Collected after V5 cutoff (02/15/2003)

Value	Label	Unweighted Frequency	%
0	No	2163	82.7 %
1	Yes	3	0.1 %
Missing Data			
.	-	451	17.2 %
Total		2,617	100%

Based upon 2,166 valid cases out of 2,617 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 2974-2975 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SPSCDAY5: Spine Scan Day

Spine Scan Day

Value	Label	Unweighted Frequency	%
1733	-	1	0.0 %
1741	-	1	0.0 %
1746	-	1	0.0 %
1748	-	1	0.0 %
1750	-	1	0.0 %
1752	-	1	0.0 %
1757	-	1	0.0 %
1759	-	1	0.0 %
1761	-	1	0.0 %
1762	-	1	0.0 %
1763	-	2	0.1 %
1764	-	3	0.1 %
1767	-	2	0.1 %
1768	-	2	0.1 %
1769	-	1	0.0 %
1770	-	4	0.2 %
1772	-	2	0.1 %
1775	-	2	0.1 %
1776	-	3	0.1 %
1777	-	1	0.0 %
1778	-	3	0.1 %
1780	-	2	0.1 %
1781	-	7	0.3 %
1782	-	12	0.5 %
1783	-	17	0.6 %
1784	-	13	0.5 %
1785	-	13	0.5 %
1786	-	5	0.2 %
1787	-	8	0.3 %
1788	-	7	0.3 %
1789	-	3	0.1 %
1790	-	11	0.4 %

Value	Label		Unweighted Frequency	%
1791	-		10	0.4 %
1792	-		26	1.0 %
1793	-		12	0.5 %
1794	-		13	0.5 %
1795	-		9	0.3 %
1796	-		9	0.3 %
1797	-		12	0.5 %
1798	-		8	0.3 %
1799	-		26	1.0 %
1800	-		7	0.3 %
1801	-		13	0.5 %
1802	-		12	0.5 %
1803	-		8	0.3 %
1804	-		7	0.3 %
1805	-		11	0.4 %
1806	-		21	0.8 %
1807	-		4	0.2 %
1808	-		11	0.4 %
Missing Data				
.	-		868	33.2 %
Total			2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,749 valid cases out of 2,617 total cases.

- Mean: 1856.43
- Minimum: 1733.00
- Maximum: 2099.00
- Standard Deviation: 56.57

Location: 2976-2979 (width: 4; decimal: 0)

Variable Type: numeric

SPSCTIM5: Spine Scan Time

Spine Scan Time

Value	Label	Unweighted Frequency	%
	-	914	34.9 %
0:06:38	-	1	0.0 %
0:06:44	-	1	0.0 %
0:06:49	-	1	0.0 %
0:06:52	-	1	0.0 %
0:06:53	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0:07:00	-	1	0.0 %
0:07:05	-	1	0.0 %
0:07:09	-	1	0.0 %
0:07:12	-	1	0.0 %
0:07:13	-	1	0.0 %
0:07:14	-	1	0.0 %
0:07:15	-	2	0.1 %
0:07:16	-	1	0.0 %
0:07:17	-	1	0.0 %
0:07:20	-	1	0.0 %
0:07:21	-	1	0.0 %
0:07:24	-	1	0.0 %
0:07:25	-	3	0.1 %
0:07:27	-	1	0.0 %
0:07:28	-	1	0.0 %
0:07:30	-	1	0.0 %
0:07:32	-	1	0.0 %
0:07:33	-	2	0.1 %
0:07:34	-	2	0.1 %
0:07:35	-	1	0.0 %
0:07:39	-	3	0.1 %
0:07:40	-	1	0.0 %
0:07:41	-	1	0.0 %
0:07:42	-	2	0.1 %
0:07:43	-	2	0.1 %
0:07:44	-	4	0.2 %
0:07:47	-	2	0.1 %
0:07:48	-	2	0.1 %
0:07:49	-	2	0.1 %
0:07:50	-	2	0.1 %
0:07:51	-	4	0.2 %
0:07:52	-	1	0.0 %
0:07:53	-	2	0.1 %
0:07:54	-	3	0.1 %
0:07:56	-	2	0.1 %
0:07:59	-	3	0.1 %
0:08:00	-	2	0.1 %
0:08:02	-	2	0.1 %
0:08:03	-	3	0.1 %
0:08:04	-	1	0.0 %
0:08:05	-	1	0.0 %
0:08:06	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0:08:07	-	5	0.2 %
0:08:08	-	2	0.1 %
	Total	2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,617 valid cases out of 2,617 total cases.

Location: 2980-2987 (width: 8; decimal: 0)

Variable Type: character

SPSCMOD5: Spine Scan Mode

Spine Scan Mode

Value	Label	Unweighted Frequency	%
5	2000 machine	651	24.9 %
11	4500 machine	1052	40.2 %
	Missing Data		
.	-	914	34.9 %
	Total	2,617	100%

Based upon 1,703 valid cases out of 2,617 total cases.

- Minimum: 5.00
- Maximum: 11.00

Location: 2988-2989 (width: 2; decimal: 0)

Variable Type: numeric

HPSCDAY5: Hip Scan Day

Hip Scan Day

Value	Label	Unweighted Frequency	%
1733	-	1	0.0 %
1741	-	1	0.0 %
1746	-	1	0.0 %
1748	-	1	0.0 %
1750	-	1	0.0 %
1752	-	1	0.0 %
1757	-	1	0.0 %
1759	-	1	0.0 %
1761	-	1	0.0 %
1762	-	1	0.0 %
1763	-	2	0.1 %
1764	-	3	0.1 %

Value	Label	Unweighted Frequency	%
1767	-	2	0.1 %
1768	-	2	0.1 %
1769	-	1	0.0 %
1770	-	4	0.2 %
1772	-	2	0.1 %
1775	-	2	0.1 %
1776	-	3	0.1 %
1777	-	2	0.1 %
1778	-	3	0.1 %
1780	-	2	0.1 %
1781	-	7	0.3 %
1782	-	12	0.5 %
1783	-	17	0.6 %
1784	-	13	0.5 %
1785	-	13	0.5 %
1786	-	5	0.2 %
1787	-	8	0.3 %
1788	-	7	0.3 %
1789	-	3	0.1 %
1790	-	11	0.4 %
1791	-	9	0.3 %
1792	-	26	1.0 %
1793	-	12	0.5 %
1794	-	14	0.5 %
1795	-	9	0.3 %
1796	-	10	0.4 %
1797	-	12	0.5 %
1798	-	8	0.3 %
1799	-	26	1.0 %
1800	-	7	0.3 %
1801	-	13	0.5 %
1802	-	12	0.5 %
1803	-	8	0.3 %
1804	-	7	0.3 %
1805	-	11	0.4 %
1806	-	21	0.8 %
1807	-	4	0.2 %
1808	-	11	0.4 %
Missing Data			
.	-	866	33.1 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,751 valid cases out of 2,617 total cases.

- Mean: 1856.27
- Minimum: 1733.00
- Maximum: 2099.00
- Standard Deviation: 56.50

Location: 2990-2993 (width: 4; decimal: 0)

Variable Type: numeric

HPSCTIM5: Hip Scan Time

Hip Scan Time

Value	Label	Unweighted Frequency	%
-	-	912	34.8 %
0:06:35	-	1	0.0 %
0:06:47	-	2	0.1 %
0:06:49	-	1	0.0 %
0:06:51	-	1	0.0 %
0:06:57	-	1	0.0 %
0:07:03	-	1	0.0 %
0:07:06	-	1	0.0 %
0:07:09	-	1	0.0 %
0:07:11	-	1	0.0 %
0:07:12	-	3	0.1 %
0:07:13	-	1	0.0 %
0:07:14	-	1	0.0 %
0:07:22	-	2	0.1 %
0:07:23	-	2	0.1 %
0:07:24	-	1	0.0 %
0:07:25	-	3	0.1 %
0:07:28	-	2	0.1 %
0:07:29	-	1	0.0 %
0:07:34	-	1	0.0 %
0:07:36	-	1	0.0 %
0:07:37	-	2	0.1 %
0:07:38	-	3	0.1 %
0:07:39	-	2	0.1 %
0:07:40	-	2	0.1 %
0:07:42	-	4	0.2 %
0:07:45	-	3	0.1 %
0:07:46	-	1	0.0 %
0:07:47	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0:07:48	-	1	0.0 %
0:07:49	-	3	0.1 %
0:07:50	-	1	0.0 %
0:07:51	-	2	0.1 %
0:07:53	-	1	0.0 %
0:07:54	-	1	0.0 %
0:07:55	-	1	0.0 %
0:07:56	-	4	0.2 %
0:07:57	-	3	0.1 %
0:07:58	-	4	0.2 %
0:07:59	-	2	0.1 %
0:08:00	-	2	0.1 %
0:08:01	-	1	0.0 %
0:08:02	-	3	0.1 %
0:08:03	-	1	0.0 %
0:08:04	-	3	0.1 %
0:08:05	-	3	0.1 %
0:08:07	-	1	0.0 %
0:08:10	-	3	0.1 %
0:08:11	-	2	0.1 %
0:08:12	-	6	0.2 %
	Total	2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,617 valid cases out of 2,617 total cases.

Location: 2994-3001 (width: 8; decimal: 0)

Variable Type: character

HPSCMOD5: Hip Scan Mode

Hip Scan Mode

Value	Label	Unweighted Frequency	%
5	2000 machine	653	25.0 %
11	4500 machine	1052	40.2 %
	Missing Data		
-	-	912	34.8 %
	Total	2,617	100%

Based upon 1,705 valid cases out of 2,617 total cases.

- Minimum: 5.00
- Maximum: 11.00

Location: 3002-3003 (width: 2; decimal: 0)

Variable Type: numeric

SPBMDT5: Total Spine BMD w/cross-calibration applied

Total Spine BMD w/cross-calibration applied

Value	Label	Unweighted Frequency	%
0.605	-	1	0.0 %
0.680	-	1	0.0 %
0.681	-	1	0.0 %
0.682	-	1	0.0 %
0.694	-	1	0.0 %
0.702	-	1	0.0 %
0.705	-	1	0.0 %
0.715	-	1	0.0 %
0.718	-	1	0.0 %
0.721	-	1	0.0 %
0.723	-	1	0.0 %
0.725	-	1	0.0 %
0.727	-	1	0.0 %
0.729	-	1	0.0 %
0.731	-	1	0.0 %
0.734	-	1	0.0 %
0.735	-	2	0.1 %
0.737	-	1	0.0 %
0.741	-	1	0.0 %
0.742	-	1	0.0 %
0.746	-	1	0.0 %
0.747	-	1	0.0 %
0.748	-	1	0.0 %
0.752	-	1	0.0 %
0.753	-	1	0.0 %
0.754	-	1	0.0 %
0.755	-	1	0.0 %
0.756	-	1	0.0 %
0.759	-	2	0.1 %
0.760	-	1	0.0 %
0.762	-	2	0.1 %
0.764	-	2	0.1 %
0.765	-	2	0.1 %
0.766	-	2	0.1 %
0.767	-	1	0.0 %
0.770	-	1	0.0 %
0.771	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.773	-	1	0.0 %
0.774	-	1	0.0 %
0.777	-	1	0.0 %
0.780	-	2	0.1 %
0.781	-	2	0.1 %
0.782	-	3	0.1 %
0.784	-	2	0.1 %
0.785	-	1	0.0 %
0.786	-	1	0.0 %
0.788	-	1	0.0 %
0.789	-	2	0.1 %
0.791	-	2	0.1 %
0.795	-	1	0.0 %
Missing Data			
.	-	876	33.5 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,741 valid cases out of 2,617 total cases.

- Mean: 1.050
- Minimum: 0.605
- Maximum: 1.610
- Standard Deviation: 0.152

Location: 3004-3010 (width: 7; decimal: 3)

Variable Type: numeric

HPBMDT5: Total Hip BMD w/cross-calibration applied

Total Hip BMD w/cross-calibration applied

Value	Label	Unweighted Frequency	%
0.584	-	1	0.0 %
0.611	-	1	0.0 %
0.615	-	1	0.0 %
0.621	-	1	0.0 %
0.622	-	1	0.0 %
0.623	-	1	0.0 %
0.634	-	1	0.0 %
0.641	-	2	0.1 %
0.642	-	1	0.0 %
0.644	-	1	0.0 %
0.645	-	2	0.1 %

Value	Label	Unweighted Frequency	%
0.646	-	1	0.0 %
0.648	-	1	0.0 %
0.651	-	1	0.0 %
0.652	-	1	0.0 %
0.653	-	1	0.0 %
0.656	-	1	0.0 %
0.658	-	1	0.0 %
0.662	-	1	0.0 %
0.664	-	2	0.1 %
0.666	-	1	0.0 %
0.667	-	1	0.0 %
0.670	-	1	0.0 %
0.671	-	1	0.0 %
0.673	-	2	0.1 %
0.676	-	1	0.0 %
0.679	-	1	0.0 %
0.682	-	1	0.0 %
0.683	-	1	0.0 %
0.684	-	1	0.0 %
0.688	-	1	0.0 %
0.692	-	2	0.1 %
0.693	-	2	0.1 %
0.694	-	1	0.0 %
0.695	-	2	0.1 %
0.698	-	4	0.2 %
0.699	-	1	0.0 %
0.700	-	1	0.0 %
0.701	-	2	0.1 %
0.702	-	1	0.0 %
0.705	-	1	0.0 %
0.706	-	1	0.0 %
0.707	-	1	0.0 %
0.709	-	2	0.1 %
0.710	-	4	0.2 %
0.712	-	3	0.1 %
0.715	-	3	0.1 %
0.716	-	1	0.0 %
0.717	-	1	0.0 %
0.718	-	3	0.1 %
Missing Data			
-	-	872	33.3 %

Value	Label	Unweighted Frequency	%
	Total	2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,745 valid cases out of 2,617 total cases.

- Mean: 0.946
- Minimum: 0.584
- Maximum: 1.604
- Standard Deviation: 0.146

Location: 3011-3017 (width: 7; decimal: 3)

Variable Type: numeric

BMDFLG5: PI recommended for spine exclusion

PI recommended for spine exclusion

Value	Label	Unweighted Frequency	%
0	No	1757	67.1 %
1	Yes	0	0.0 %
	Missing Data		
.	-	860	32.9 %
	Total	2,617	100%

Based upon 1,757 valid cases out of 2,617 total cases.

- Minimum: 0.00
- Maximum: 0.00

Location: 3018-3019 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -8 , -7 , -1 , .