

ICPSR 31181

**Study of Women's Health Across
the Nation (SWAN), 2002-2004: Visit
06 Dataset**

Codebook

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

Study of Women's Health Across the Nation (SWAN), 2002-2004: Visit 06 Dataset

Kim Sutton-Tyrell

University of Pittsburgh

Faith Selzer

University of Pittsburgh

MaryFran Sowers

University of Michigan

Joel Finkelstein

Massachusetts General Hospital, Boston

Lynda Powell

Rush University. Rush-Presbyterian-St. Luke's Medical Center, Chicago

Ellen Gold

University of California-Davis

Gail Greendale

University of California-Los Angeles

Gerson Weiss

University of Medicine and Dentistry-New Jersey Medical Center

Karen Matthews

University of Pittsburgh

Terms of Use

The terms of use for this study can be found at:
<http://www.icpsr.umich.edu/icpsrweb/ICPSR/studies/31181/terms>

Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

**NOTICE
WARNING CONCERNING COPYRIGHT RESTRICTIONS**

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

ICPSR PROCESSING NOTES FOR #31181

Study of Women's Health Across the Nation (SWAN), 2002-2004: Visit 06 Dataset

1. **Linking Variable:** Using the variable **SWANID**, this dataset can be linked with the following datasets:

ICPSR #	Dataset Name
ICPSR 4368	SWAN Cross-Sectional Screener
ICPSR 28762	Baseline Data
ICPSR 29221	Visit 1 Data
ICPSR 29401	Visit 2 Data
ICPSR 29701	Visit 3 Data
ICPSR 30142	Visit 4 Data
ICPSR 30501	Visit 5 Data
ICPSR 31901	Visit 7 Data
ICPSR 32122	Visit 8 Data
ICPSR 32721	Visit 9 Data
ICPSR 32961	Visit 10 Data
ICPSR 30181	Family Medical History Data

2. **Stata Limitations:** Due to a system limitation in Stata, the string/character variables within the dataset, such as **STRTIM16** and **STPTIM16**, do not contain value labels. Data users should refer to the documentation for the appropriate labels.
3. **Additional information:** For additional information on the Study of Women's Health Across the Nation Study, please visit the [SWAN Web site](#).



FOLLOW-UP VISIT 06

CODEBOOK

PAGE INTENTIONALLY BLANK

TABLE OF CONTENTS

Documentation for the SWAN Visit 06 Dataset	4
Interview Questionnaire	7
Self-Administered Questionnaire Part A	34
Self-Administered Questionnaire Part B	68
Physical Measures.....	74
Cognitive Function Form	77
Additional Measures.....	85
Bioimpedance Measures.....	89

DOCUMENTATION FOR THE PUBLIC-USE SWAN VISIT 06 DATASET

1. Who is included in the public use dataset:

The dataset contains follow-up visit 6 information for the 3,302 women from the 7 clinical sites participating in the SWAN longitudinal study. The sites include Boston, MA, Pittsburgh, PA, Oakland and Los Angeles, CA, Detroit, MI, Newark, NJ, and Chicago, IL.

2. How this codebook is constructed:

Following this documentation section are copies of each of the questionnaires that were used at visit 6. A list of additional variables is also provided. The questionnaires include the variables available for public use next to the question in bold red uppercase underlined letters. Those variables not available for public use have a # before the variable and are in blue. Any special notes are indicated with footnotes at the bottom of the page.

The assigned participant ID has been replaced with a randomly generated SWANID in order to protect participant privacy. The *baseline* interview date is denoted as day 0 and is used as the basis for all other dates. All other questionnaires or data collected that have a date attached have been converted to the number of days from the baseline interview. For example, if the Visit 6 Self-Administered Questionnaire Part A was collected 6 years after the baseline interview, the day for the Self-Administered Part A would be day 2190 and the Baseline Interview would be day 0. *Please note:* Several women were reactivated at visit 6, and their last prior visits were earlier than visit 3.

All variables for visit 6 have a 6 at the end of the variable name.

3. Missing data coding:

The following coding convention is used to indicate different forms of missing data:

- 9 = Missing
- 8 = Do not know
- 7 = Refused
- 1 = Not Applicable

4. Ways this data can be used and additional notes

Interview Questionnaire

In general, any 'Other, specify' text field is not included in the dataset.

- A menopausal status variable (STATUS6) was derived for all analyses of the SWAN data for the participant at visit 6.
- Age (AGE6) was calculated from date of birth to when the interview form was completed, and is rounded to the next lowest integer.
- A social support score can be calculated from the questions in C.8.a-d after recoding them from a 1-5 range to a 0-4 range.
- CES-D scores can be created from the questions in C.10.
- A perceived stress score can be created from questions in C.9.
- New to this visit are several questions (D.1 – D.4) concerning the events of September 11, 2001.
- The flag FORMINT6 is set with a value of AIN for the 124 participants who completed the abbreviated interview instead of the full interview (see explanation below).

Self-Administered Questionnaire Part A

A Self-A Amended Telephone Interview (PATI), comprised of key questions from the core Follow-up Self-Administered Questionnaire Part A, was administered at study visits in cases where the Self-Administered Questionnaire was not completed. Similarly, an Abbreviated Follow-up Interview (AINT), comprised of key questions from the core Annual Follow-up Interview and Self-Administered Questionnaire Part A, was administered for participants who are not willing to come in for a core study visit, but who were willing to give 10 or 15 minutes of their time to answer questions over the telephone. The flag FORMSAA6 delineates those who did the full questionnaire (SAA) from the 99 participants who did the abbreviated questionnaire (AIN), and the 32 that did the phone interview (PAT).

- The income question G.1 was condensed so that the income ranges were more broadly defined.
- Current smoking is defined as anyone who answered 'yes' to question B.13 (SMOKERE6) and an answer greater than 0 for B.13a (AVGCIGDA6).
- SF-36 scores for all eight of the subscales can be derived according to the SF-36 User's Manual. Responses may need to be reversed where necessary so that all items are positively scored. Thus for each scale, a higher value indicates better functioning. The Bodily Pain Score is calculated from questions B.24 and B.25. Item recoding depends on whether both questions were answered or one of the items has missing data. After recoding, all the items are positively scored so that a higher score indicates less pain. The Vitality Score is calculated from questions B.26.a, .e, .g and .i. Questions B.26.a and B.26.e should be reversed so that all items are positively scored; for the resulting index a higher score indicates greater energy (and less fatigue). The Social Functioning Score is calculated using questions B.23 and B.27. Question B.23 is reversed so that all items are positively scored; for the resulting index a higher score indicates better social functioning. The Role-Emotional Score is calculated using questions B.22a-c. All items are positively scored, so a higher score indicates better role-emotional functioning. The Mental Health Score is calculated from questions B.26.b - .d, B.26.f and B.26.h. Questions B.26.d and B.26.h were reversed so that all items are positively scored; for the resulting index a higher score indicates participant feels peaceful, happy and calm all of the time. The General Health Score is calculated from questions B.1. and B.28.a-d. Questions B.1, B.28.b and B.28.d were reversed so that all items are positively scored; for the resulting index a higher score indicates participant believes personal health is excellent. The Physical Functioning Scores are calculated from questions B.20.a-j. All items are positively scored; for the resulting index a higher score indicates ability to perform all types of physical activities including the most vigorous without limitations due to health. The Role-Physical Score is calculated from question B.21a-d. All four questions were reversed so that all items are positively scored; for the resulting index a higher score indicates no problems with work or other daily activities as a result of physical health.
- Positive and Negative Affect Schedule (PANAS) Scores can be derived from questions H.1.a through H.1.t. A subset of the participants answered the Japanese version, which has 22 culturally appropriate items rather than the 20 items asked on the English version. There is no direct correlation between the two versions, so all Japanese items have been set to missing. In addition, question H.1.b has been set to missing because 'disinterested' was on the form, but the correct PANAS term is 'distressed.' It is suggested that the raw 9 item negative affect score, when multiplied by 1.112, can be made comparable to the positive affect score and the outcomes found in the literature.
- In depth complementary and alternative medicine questions are asked in questions I.1 through I.22.
- The flag FLGSAAV6 is set for the 3 participants who completed the questionnaire after the 02/15/2004 cutoff, and also for the one participant the completed the questionnaire before Visit 6 began (3/15/2002).

Self-Administered Questionnaire Part B

- The flag FLGSABV6 is set for the 3 participants who completed the questionnaire after the 02/15/2004 cutoff, and also for the one participant the completed the questionnaire before Visit 6 began (3/15/2002).

Physical Measures

- In addition to the variables on the form, BMI6 was also calculated as weight in kilograms divided by the square of height in meters.
- The flag FLGPHYV6 is set for the participants who completed either the full physical (PHY), abbreviated interview (AIN), or the phone interview (PAT). No physical measures were performed for the abbreviated or phone interview (AIN and PAT); however, self-reported weight was collected on the abbreviated interview.

Cognitive Function Form

- Individual and summary scores are available for the following tests: East Boston Memory Test (both the immediate and delayed recall of a story), Symbol Digits Modalities Test, and the Digits Backward Test.
- The flag FLGCOGV6 is set for the one participant who completed the questionnaire after the 02/15/2004 cutoff.
- Several special codes were used in this dataset to indicate why tests (and test items) were not administered:
 - 6 = Not administered because of physical impairment
 - 7 = Not administered because of verbal refusal
 - 8 = Not administered because of a behavioral reason
 - 9 = Not administered for some other reason
 - 10 = Administered but not according to protocol

Additional Measures

Serum Hormone Measures

The Visit 6 hormone results are included. Of special note is that the estradiol assay was run in duplicate. The average (E2AVE6) is the within-person arithmetic average of the two assays. A flag indicates if the estradiol results differed by > 10 pg/mL where one or both results <= 20 pg/mL. Hormone results below the lower level of detection (LLD- see table in the Additional Measures section) were recoded to an .L value.

Cardiovascular Measures

The Visit 6 cardiovascular results are included. A flag (FLAGSER6) indicates that the lipids were measured on serum rather than plasma because plasma was not available.

Bone Mineral Density Measures

Five of the seven sites participated in the bone study – Detroit, MI, Boston, MA, Oakland and Los Angeles, CA, and Pittsburgh, PA. Total spine and total hip bone mineral density (BMD) measures are provided.

Bioimpedance Measures

Body composition was measured using bioimpedance equipment. Percent body fat (equation provided by Dr. MaryFran Sowers), skeletal muscle mass (Janssen, 2000), fat free mass, total body water, and percent body fat (all provided by RJL Systems and validated using NHANES III data (Chumlea, 2002)) are also provided.

Study of Women's Health Across the Nation

ANNUAL FOLLOW-UP INTERVIEW

SECTION A. GENERAL INFORMATION

AFFIX ID LABEL HERE

A1. RESPONDENT ID:

SWANID~

A2. SWAN STUDY VISIT #

VISIT

A3. FORM VERSION:

01/01/2002

#FORM_V

A4. DATE FORM COMPLETED:

____ M ____ / ____ D ____ / ____ Y ____ Y ____ Y

INTDAY6[†]

A5. INTERVIEWER'S INITIALS:

____ M ____ D ____ Y ____ Y ____ Y

#INITS

A6. RESPONDENT'S DOB:

____ M ____ / ____ D ____ / ____ Y ____ 1 ____ 9 ____ Y ____ Y

#DOB

VERIFY WITH RESPONDENT

A7. INTERVIEW COMPLETED IN:

#LOCATIO6

- | | |
|---------------------------------|---|
| RESPONDENT'S HOME | 1 |
| CLINIC/OFFICE | 2 |
| RESPONDENT'S HOME BY PROXY..... | 3 |
| CLINIC/OFFICE BY PROXY..... | 4 |
| TELEPHONE | 5 |
| TELEPHONE BY PROXY | 6 |

A7.1 INTERVIEW LANGUAGE:

LANGINT6

- | | |
|----------------|---|
| ENGLISH | 1 |
| SPANISH | 2 |
| CANTONESE..... | 3 |
| JAPANESE | 4 |

A8. Are you currently pregnant?

PREGNAN6

- | | |
|------------------|----|
| NO..... | 1 |
| YES..... | 2 |
| DON'T KNOW | -8 |

A9. WAS BLOOD FOR THIS ANNUAL FOLLOW-UP DRAWN PREVIOUS TO THIS INTERVIEW DATE?

PREVBLO6

- | | |
|-----------|---|
| NO..... | 1 |
| YES | 2 |

(GO TO PAGE 3)

~ A randomly generated ID will be provided that is different from the original ID

† This date is given in days since the initial baseline interview, which is day zero.

Before we draw a blood sample I need to ask you a few questions.

- A10. Have you had anything to eat or drink, other than water, in the last 12 hours? That is,
since ____ : ____ last night? **EATDRIN6**

NO..... 1
YES 2

- A11. Did you start a menstrual period in the last 5 days? **STRTPER6**

NO..... 1 (A13)
YES 2 (A12)

- A12. What is the date that you started to bleed?

BLEDAY6[†]

____ M ____ / ____ D ____ / ____ Y ____ Y ____ Y ____ Y

- A13. BLOOD DRAW ATTEMPTED? **BLDRWAT6**

YES, AS PER PROTOCOL 1 (A14)
YES, MENSES TOO VARIABLE 2 (A14)
YES, LAST ATTEMPT 3 (A14)
YES, RESPONDENT PREGNANT 4 (A14)
NO, NOT FASTING AND/OR NOT IN WINDOW - RESCHEDULE 5 (A13.1)

A13.1 Unfortunately this is not the best time to draw a blood sample. In order to get the best possible information for this study, we need you to fast for 12 hours and to be within 5 days of starting a menstrual period. We need to reschedule a good day to draw your blood.

[INTERVIEWER HAND INSTRUCTION CARD TO RESPONDENT AND EXPLAIN]
GO TO SECTION B ON THE NEXT PAGE

- A14. FOLLOW BLOOD DRAW PROTOCOL
RECORD COLLECTION TUBES FILLED ON SPECIMEN COLLECTION FORM

- A15. BLOOD DRAWN? **BLDDRAW6**

NO..... 1
YES 2

[†] This date is given in days since the initial baseline interview

ASK RESPONDENT TO GATHER PRESCRIPTION MEDICATIONS SO THEY ARE WITHIN REACH. REMEMBER, DO NOT READ OUT LOUD ANY SCRIPT IN CAPITAL LETTERS.

I would like to begin the interview by asking you some questions about prescribed and over - the - counter (OTC) medications.

I will start by asking about any pills or medicines, including patches, suppositories, injections, creams and ointments which are prescribed by your doctor or other health care provider that you have taken since your last study visit.

IF YES TO ANY, RECORD
MEDICATION NAME IN THE SPACES
PROVIDED

PRESCRIPTION DRUGS

IF YES:

a. What is the name of the medication?	b. Have you been taking it at least two times per week for the last month?	c. INTERVIEWER CHECK: MEDICATION VERIFIED FROM CONTAINER LABEL?
---	--	--

Since your last study visit....

NO	YES	NO	YES	NO	YES
----	-----	----	-----	----	-----

B1. Have you taken any medication, pills or other medicine to thin your blood (anticoagulants)? <u>ANTICO16</u>	1	2	<u>#ACOAMD16</u>	1	2	<u>ACOATW16</u>	1	2	<u>#ACOAVR16</u>
	1	2	<u>#ACOAMD26</u>	1	2	<u>ACOATW26</u>	1	2	<u>#ACOAVR26</u>
B2. Anything for your heart or heartbeat, including pills or patches? <u>HEART16</u>	1	2	<u>#HARTMD16</u>	1	2	<u>HARTTW16</u>	1	2	<u>#HARTVR16</u>
	1	2	<u>#HARTMD26</u>	1	2	<u>HARTTW26</u>	1	2	<u>#HARTVR26</u>
B3. Any medications for cholesterol or fats in your blood? <u>CHOLST16</u>	1	2	<u>#CHOLMD16</u>	1	2	<u>CHOLTW16</u>	1	2	<u>#CHOLVR16</u>
	1	2	<u>#CHOLMD26</u>	1	2	<u>CHOLTW26</u>	1	2	<u>#CHOLVR26</u>
B4. Blood pressure pills? <u>BP16</u>	1	2	<u>#BPMED16</u>	1	2	<u>BPTW16</u>	1	2	<u>#BPVER16</u>
	1	2	<u>#BPMED26</u>	1	2	<u>BPTW26</u>	1	2	<u>#BPVER26</u>

	a. What is the name of the medication?	b. Have you been taking it at least two times per week for the last month?	c. INTERVIEWER CHECK: MEDICATION VERIFIED FROM CONTAINER LABEL?
--	---	--	---

Since your last study visit, have you taken...

	NO	YES	NO	YES	NO	YES
B5. Diuretics for water retention?	1	2	1	2	1	2
	<u>DIURET16</u>		<u>#DIURMD16</u>		<u>DIURTWI6</u>	
	1	2	1	2	1	2
	<u>DIURET26</u>		<u>#DIURMD26</u>		<u>DIURTW26</u>	
B6. Thyroid pills?	1	2	1	2	1	2
	<u>THYROI16</u>		<u>#THYRMD16</u>		<u>THYRTW16</u>	
	1	2	1	2	1	2
	<u>THYROI26</u>		<u>#THYRMD26</u>		<u>THYRTW26</u>	
B7. Insulin or pills for sugar in your blood?	1	2	1	2	1	2
	<u>INSULN16</u>		<u>#INSUMD16</u>		<u>INSUTW16</u>	
	1	2	1	2	1	2
	<u>INSULN26</u>		<u>#INSUMD26</u>		<u>INSUTW26</u>	
B8. Any medications for a nervous condition such as tranquilizers, sedatives, sleeping pills, or anti-depression medication?	1	2	1	2	1	2
	<u>NERVS16, NERVS26</u>		<u>#NERVMD16</u>		<u>NERVTW16</u>	
	1	2	1	2	1	2
	<u>NERV26</u>		<u>#NERVMD26</u>		<u>NERVTW26</u>	
B9. Steroid pills such as Prednisone, or cortisone?	1	2	1	2	1	2
	<u>STEROI16</u>		<u>#STERMD16</u>		<u>STERTW16</u>	
	1	2	1	2	1	2
	<u>STEROI26</u>		<u>#STERMD26</u>		<u>STERTW26</u>	
B10. Fertility medications to help you get pregnant (Pergonal, Clomid)?	1	2	1	2	1	2
	<u>FERTIL16</u>		<u>#FRTLMD16</u>		<u>FRTLTw16</u>	
	1	2	1	2	1	2
	<u>FERTIL26</u>		<u>#FRTLMD26</u>		<u>FRTLTw26</u>	

- a. What is the name of the medication? b. Have you been taking it during the past month? c. INTERVIEWER CHECK: MEDICATION VERIFIED FROM CONTAINER LABEL?

HORMONE QUESTIONS B11-15:

Since your last study visit, have you taken...

	NO	YES	NO	YES	NO	YES	
B11. Birth Control pills?	1 (B12)	2	<u>#BCPMED16</u>	1	2	1	2
<u>BCP16</u>	1	2	<u>#BCPMED26</u>	<u>BCPTWI16</u>	1	2	<u>#BCPVER16</u>
<u>BCP26</u>				<u>BCPTWI26</u>			<u>#BCPVER26</u>

B11.d For your most recent use, what was the primary reason for taking birth control pills? BCREAS6

- | | |
|--|-----------------|
| TO PREVENT PREGNANCY | 1 |
| TO HELP CONTROL PRE-MENSTRUAL SYMPTOMS | 2 |
| TO HELP CONTROL MENOPAUSAL SYMPTOMS..... | 3 |
| TO CONTROL OTHER SYMPTOMS..... | 4 |
| TO REGULATE PERIODS | 5 |
| TO PREVENT OSTEOPOROSIS | 6 |
| TO REDUCE BLEEDING..... | 7 |
| OTHER..... | 8 |
| (SPECIFY) _____ | <u>BCRES S6</u> |
| DON'T KNOW | -8 |

	NO	YES	NO	YES	NO	YES	
B12. Estrogen pills (such as Premarin, Estrace, 1 (B13) Ogen, etc)?	2		1	2	1	2	
<u>ESTROG16, ESTROG26</u>	1	2	<u>#ESTRMD16</u>	<u>ESTRTW16</u>	<u>#ESTRVR16</u>		
			<u>#ESTRMD26</u>	<u>ESTRTW26</u>	1	2	<u>#ESTRVR26</u>

B12.d IF YES: Does/Did your prescription have you take estrogen daily or on and off on a monthly cycle?
[IF MORE THAN ONE MENTIONED, RECORD THE MORE RECENT AT 1.]

- | | |
|--------------------|-----------------|
| <u>ESTRDA16</u> | <u>ESTRDA26</u> |
| 1. EVERY DAY | 1 |
| OFF AND ON | 2 |
| DON'T KNOW | -8 |
| | 1 |
| | 2 |
| | -8 |

Since your last study visit, have you taken...

	NO	YES	NO	YES	NO	YES	
B13. Estrogen by injection or patch (such as Estraderm)?	1	2	<u>#EINJMD16</u>	1	2	1	2
<u>ESTRNJ16, ESTRNJ26</u>	1	2	<u>#EINJMD26</u>	<u>EINJTW16</u>	1	2	<u>#EINJVR16</u>
				<u>EINJTW26</u>			<u>#EINJVR26</u>
B14. Combination estrogen/progestin (such as Premphase or Prempro)?	1	2	<u>#COMBMD16</u>	<u>COMBTW16</u>	1	2	<u>#COMBVR16</u>
<u>COMBIN16, COMBIN26</u>	1	2	<u>#COMBMD26</u>	<u>COMBTW26</u>	1	2	<u>#COMBVR26</u>

- a. What is the name of the medication? b. Have you been taking it during the past month? c. INTERVIEWER CHECK:
MEDICATION VERIFIED FROM CONTAINER LABEL?

Since your last study visit, have you taken...

	NO	YES	NO	YES	NO	YES
B15. Progestin pills (such as Provera)?	1 (B16)	2	#PROGMD16	1	2	#PROGVR16
	<u>PROGES16</u>					1 2
	<u>PROGES26</u>					#PROGVR26
	1	2	#PROGMD26	1	2	1 2

B15.d IF YES: Does/Did your prescription have you take progestin daily or on and off on a monthly cycle?
[IF MORE THAN ONE MENTIONED, RECORD THE MORE RECENT AT 1.]

- | | |
|--|--|
| <u>PROGDA16</u>
1. EVERY DAY 1
OFF AND ON 2
DON'T KNOW -8 | <u>PROGDA26</u>
2. EVERY DAY 1
OFF AND ON 2
DON'T KNOW -8 |
|--|--|

- a. What is the name of the medication? b. Have you been taking it at least two times per week for the last month? c. INTERVIEWER CHECK:
MEDICATION VERIFIED FROM CONTAINER LABEL?

	NO	YES	NO	YES	NO	YES
B16. Medications to prevent or treat osteoporosis (brittle or thinning bones such as Fosamax, Didronel, Evista, Miacalcin, Rocaltrol, Actonel)?	1	2	#OSTEMD16	1	2	#OSTEVR16
	<u>OSTEPR16</u>					1 2
			#OSTEMD26	1	2	#OSTEVR26
				<u>OSTETW16</u>		

OSTEPR26

B17. Prescribed medications for arthritis?	1	2	#ARTHMD16	1	2	1	2
	<u>ARTHRT16</u>					<u>ARTHVR16</u>	
			#ARTHMD26	1	2	1	2
	<u>ARTHRT26</u>					#ARTHVR26	

	a.	What is the name of the medication?	b.	Have you been taking it at least two times per week for the last month?	c.	INTERVIEWER CHECK: MEDICATION VERIFIED FROM CONTAINER LABEL?	
	NO	YES	NO	YES	NO	YES	
B18. Are there any other prescription pills or medications that you have taken, that I haven't asked you about? (PLEASE LIST)	1	2	1	2	1	2	
	_____		_____		_____		
	1	2	1	2	1	2	
<u>OTHMED16-96</u>			<u>#OTHRMD16</u>	<u>OTHRTW16 -</u>		<u>#OTHRVR16 -</u>	
	1	2	-	1	2	1	2
	1	2	_____	1	2	1	2
	1	2	_____	1	2	1	2
<u>OTHME106-156</u>			<u>#OTHRMD96</u>	<u>OTHRTW96</u>		<u>#OTHRVR96</u>	
	1	2	_____	1	2	1	2
	1	2	_____	1	2	1	2
	1	2	_____	1	2	1	2
	1	2	_____	1	2	1	2
	1	2	_____	1	2	1	2
	1	2	_____	1	2	1	2

IF RESPONDENT HAS TAKEN ANY HORMONES (IF YES TO ANY OF B12 -15) ASK B19,
OTHERWISE GO TO PAGE 9.

B19. Were you using any prescription medications containing estrogen or progestin at the time of your last study visit? **ESTLSTV6**

NO.....	1
YES.....	2 (GO TO PAGE 9)
DON'T KNOW	-8

B20. I am going to read a list of some reasons why women start taking hormones, not including birth control pills. For each one, please tell me if it is a reason why you started taking hormones. (READ LIST a THROUGH i)

		NO	YES
a.	To reduce the risk of heart disease	<u>REDUHAR6</u>	1 2
b.	To reduce the risk of osteoporosis (brittle or thinning bones)	<u>OSTEOP06</u>	1 2
c.	To relieve menopausal symptoms	<u>MENOSYM6</u>	1 2
d.	To stay young-looking	<u>YOUNGLK6</u>	1 2
e.	A health care provider advised me to take them	<u>HCPADVI6</u>	1 2
f.	A friend or relative advised me to take them	<u>FRNADVI6</u>	1 2
g.	To improve my memory	<u>IMPRMEM6</u>	1 2
h.	To regulate periods	<u>REGPERI6</u> <u>HORMOTH6</u>	1 2
i.	Any other? SPECIFY _____	#HORMSPE6	1 2
j.	DON'T KNOW/REMEMBER	<u>DONTKNO6</u>	1 2

IF RESPONDENT REPORTED TAKING ANY HORMONES SINCE HER LAST STUDY VISIT, BUT IS NOT CURRENTLY TAKING ANY (THAT IS, "YES" TO ANY OF B12-15 AND "NO" TO ALL OF B12b - 15b), ASK B21, OTHERWISE GO TO PAGE 10.

B21. Since your last study visit, you were taking some hormones and then stopped.

In what month and year did you last take hormones?

HORMDAY6[◊]

— — / — — — —
M M Y Y Y Y

[PROMPT FOR YEAR EVEN IF MONTH IS UNKNOWN. ENTER -8 IF MONTH IS UNKNOWN.]

What were your reasons for stopping? PROBE: Any others? [DO NOT READ THE LIST. CODE 1 (NO) OR 2 (YES) FOR EACH ITEM.]

		NO	YES
a.	PROBLEMS WITH BLEEDING	<u>PRBBLEE6</u>	1 2
b.	DIDN'T LIKE HAVING PERIODS	<u>HAVEPER6</u>	1 2
c.	DIDN'T LIKE HOW I FELT ON THEM	<u>LIKEFEL6</u>	1 2
d.	WORRIED ABOUT POSSIBLE SIDE EFFECTS	<u>SIDEEFF6</u>	1 2
e.	WORRIED ABOUT CANCER	<u>CANCER6</u>	1 2
f.	MY HEALTH CARE PROVIDER ADVISED ME TO STOP (FOR MEDICAL REASONS)	<u>ADVISTO6</u>	1 2
g.	TOO EXPENSIVE	<u>EXPENSI6</u>	1 2
h.	DON'T LIKE TO TAKE ANY MEDICATIONS	<u>NOLIKE6</u>	1 2
i.	COULDN'T REMEMBER TO TAKE THEM	<u>NOREMEB6</u>	1 2
j.	DON'T KNOW	<u>DNTKNOW6</u>	1 2
k.	OTHER, SPECIFY:	<u>STOPOTH6</u>	1 2
		#STOPSPE6	
l.	NO REASON GIVEN	<u>NOREASON6</u>	1 2

B22. Since your last study visit, have you taken any vitamins or minerals fairly regularly, at least once a week?

REGVITA6

NO..... 1 (GO TO PAGE 11)
YES..... 2

[◊] Day of the month is assumed to be the 15th when calculating days since baseline interview.

Variable Excluded from Public Use Data File

B23. IF YES: Since your last study visit, what vitamins and minerals have you taken fairly regularly, at least once per week? [HAND RESPONDENT CARD "A" AND READ RESPONSE CATEGORIES.]

Multi-Vitamins, how often do you take...	Don't take any	1-3 days per week	4-6 days per week	Every day
a. Regular Once-A-Day, Centrum, or Thera type <u>ONCEADA6</u>	1	2	3	4
b. Antioxidant combination type <u>ANTIOXI6</u>	1	2	3	4
c. Any other combination types? NO (B23d) YES IF YES, specify: #VTMSPE16 VTMOTH16		VITCOMB6		
#VTMSPE26 VTMOTH26	1	2	3	4
#VTMSPE36 VTMOTH36	1	2	3	4
#VTMSPE46 VTMOTH46	1	2	3	4
Single Vitamins, not part of multi-vitamins, how often do you take...				
d. Vitamin A, not beta carotene <u>VITAMNA6</u>	1	2	3	4
e. Beta-carotene <u>BETACAR6</u>	1	2	3	4
f. Vitamin C <u>VITAMNC6</u>	1	2	3	4
g. Vitamin D <u>VITAMND6</u>	1	2	3	4
h. Vitamin E <u>VITAMNE6</u>	1	2	3	4
i. Calcium or Tums <u>CALCTUM6</u>	1	2	3	4
j. Iron <u>IRON6</u>	1	2	3	4
k. Zinc <u>ZINC6</u>	1	2	3	4
l. Selenium <u>SELENIU6</u>	1	2	3	4
m. Any other single vitamins? NO (B24) YES IF YES, specify (continued on page 11): #SVTMNA16 SVTMOT16		VTMSING6		
#SVTMNA26 SVTMOT26	1	2	3	4
#SVTMNA36 SVTMOT36	1	2	3	4

Question B23m. continued...

m. Any other single vitamins? IF YES, specify: #SVTMNA46 SVTMOT46	Don't take any	1-3 days per week	4-6 days per week	Every day
#SVTMNA56 SVTMOT56	1	2	3	4
#SVTMNA66 SVTMOT66	1	2	3	4
#SVTMNA76 SVTMOT76	1	2	3	4
#SVTMNA86 SVTMOT86	1	2	3	4
#SVTMNA96 SVTMOT96	1	2	3	4
#SVTMN106 SVTMO106	1	2	3	4

Now I would like to ask you about over-the-counter medications, non-prescription, that you have taken regularly at least 2 times per week for a month or more, since your last study visit.

IF YES TO ANY, RECORD MEDICATION NAME IN THE SPACES PROVIDED

a. What is the name of the medication?
b. Have you been taking it at least two times per week for the last month?

NO YES

Since your last study visit, have you taken.....

NO YES

B24 Any over-the-counter medications for pain including headaches and arthritis?

PAIN16

1 2 _____

PAINTW16

1 2

PAIN26

1 2 _____

PAINTW16

1 2

B25 Anything for problems sleeping?

SLEEP16

1 2 _____

SLEPTW16

1 2

SLEEP26

1 2 _____

SLEPTW26

1 2

B26 Have you taken any other over-the-counter pills or other medications (including liquids or ointments) that I haven't asked you about? (PLEASE LIST)

OTC16-46

1 2 _____

OTCTW16

1 2

1 2 _____

OTCTW26

1 2

1 2 _____

OTCTW36

1 2

1 2 _____

OTCTW46

1 2

IF BLOOD WAS DRAWN (A15 IS YES), GO TO B25. OTHERWISE GO TO B27.

In order to interpret your blood tests, we need to ask you the following questions.

B27 We've just talked about your prescription medications, over-the-counter medications, vitamins, and minerals you have taken since your last study visit. What did you take in the last 24 hours?
[REVIEW SHADED COLUMNS AFTER RESPONDENT ANSWERS.]

IF CURRENT MEDICATION USE REPORTED (YES TO ANY SHADED COLUMN IN B1b-B21b)
BUT NOT REPORTED HERE, PROBE FOR USE IN LAST 24 HOURS.]

- | | |
|----------|-----------|
| a. _____ | #TAKEMDA6 |
| b. _____ | #TAKEMDB6 |
| c. _____ | #TAKEMDC6 |
| d. _____ | #TAKEMDD6 |
| e. _____ | #TAKEMDE6 |
| f. _____ | #TAKEMDF6 |
| g. _____ | #TAKEMDG6 |
| h. _____ | #TAKEMDH6 |
| i. _____ | #TAKEMDI6 |
| j. _____ | #TAKEMDJ6 |

B28. Have you had any alcohol in the last 24 hours?

ALCHL246

NO..... 1
YES 2

B29. During the past year have you used any supplements containing soy protein or phytoestrogen powders or pills?

SOYYSNO6

NO.....	1	(B30)
YES.....	2	(B29a)
DON'T KNOW.....	-8	(B30)

B29a. IF YES: How many times per week?

SOYPROT6

Don't take any	1
1-3 days per week	2
4-6 days per week	3
Every day	4
DON'T KNOW	-8

Please look at response card A which we'll be using for the next 3 questions.

[HAND RESPONDENT CARD "A" AND READ RESPONSE CATEGORIES.]

B30. How many bowls of cereal do you eat per week where the label of the cereal box says that it is high in calcium?

CEREACA6

None or fewer than one a week.....	1
1 per week.....	2
2 per week.....	3
3-4 per week.....	4
5-6 per week.....	5
7 or more per week	6
DON'T KNOW	-8

B31. How many slices of bread do you eat per week when the bread wrapper says the loaf is high in calcium?

BREADCA6

None or fewer than one a week.....	1
1 per week.....	2
2 per week.....	3
3-4 per week.....	4
5-6 per week.....	5
7 or more per week	6
DON'T KNOW	-8

B32. Some brands of orange juice have extra calcium added. How many glasses of orange juice containing extra calcium do you drink per week?

ORANGCA6

None or fewer than one a week.....	1
1 per week.....	2
2 per week.....	3
3-4 per week.....	4
5-6 per week.....	5
7 or more per week	6
DON'T KNOW	-8

Now, I'm going to ask you some questions about your health and medical conditions.

B33 Since your last study visit, has a doctor, nurse practitioner or other health care provider told you that you had any of the following conditions or treated you for them?

		NO	YES	DON'T KNOW	
a.	Anemia?	<u>ANEMIA6</u>	1	2	-8
b.	Diabetes?	<u>DIABETE6</u>	1	2	-8
c.	High blood pressure or hypertension?	<u>HIGHBP6</u>	1	2	-8
d.	High cholesterol?	<u>HBCHOLE6</u>	1	2	-8
e.	Migraines?	<u>MIGRAIN6</u>	1	2	-8
f.	Stroke?	<u>STROKE6</u>	1	2	-8
g.	Arthritis or osteoarthritis (degenerative joint disease)?	<u>OSTEOAR6</u>	1	2	-8
h.	Overactive or underactive thyroid?	<u>THYROID6</u>	1	2	-8
i.	Heart attack?	<u>HEARTAT6</u>	1	2	-8
j.	Angina?	<u>ANGINA6</u>	1	2	-8
k.	Osteoporosis (brittle or thinning bones)?	<u>OSTEOPR6</u>	1	2	-8
l.	DELETED				
m.	Cancer, other than skin cancer?	<u>CANCERS6</u>	1 (B29)	2	-8 (B29)

m.1.What is/was the primary site of the cancer? [SITESPE6](#)

SPECIFY: _____

a. IF BREAST CANCER: Have you taken Tamoxifen since your last study visit?

[TAMOXIF6](#)

NO.....	1
YES.....	2
DON'T KNOW.....	-8
NOT APPLICABLE	-1

b. Since your last study visit, have you received chemotherapy or radiation treatment for this cancer?

[CHEMOTH6](#)

NO.....	1
YES.....	2
DON'T KNOW.....	-8

- B34 Since your last study visit, how many times did you break or fracture a bone?
 [IF MORE THAN ONE BONE WAS BROKEN DURING THE SAME EVENT COUNT AS ONE TIME.]
- _____ # of times broken bones (IF NONE, GO TO B30) **BROKEBO6**
- a. Which bones did you break or fracture?
 LIST BELOW. [IF BONE WAS BROKEN
 MORE THAN ONCE, RECORD EACH BREAK AND
 SPECIFY WHEN "REBROKEN".
 BE SPECIFIC IN IDENTIFYING WHICH BONE
 WAS BROKEN (I.E. RIGHT TIBIA).]
- b. How did it happen? Was it for any of the following
 reasons? [HAND RESPONDENT CARD "B"
 AND READ RESPONSE CATEGORIES.]
- after a fall from a height above the ground
 greater than six inches,
 - in a motor vehicle accident,
 - while moving fast, like running, bicycling or
 skating,
 - while playing sports,
 - or because something heavy fell on you or
 struck you.

1. _____ **BONES16**
 2. _____ **BONES26**
 3. _____ **BONES36**

NO	YES
1 <u>HAPPEN16</u>	2
1 <u>HAPPEN26</u>	2
1 <u>HAPPEN36</u>	2

Since your last study visit, have you had any of the following surgeries or procedures?		NO	YES	DON'T KNOW
B35	D and C, a scraping of the uterus for any reason, including abortion?	1 (B31)	2	-8 (B31)
	1. Since your last study visit, how many times have DANDC6 you had a D and C?			
	____ # TIMES	NUMDAND6		
B36	Hysterectomy (an operation to remove your uterus or womb)?	1 (B32)	2	-8 (B32)
		HYSTERE6		
	1. When was this performed? [PROMPT FOR YEAR EVEN IF MONTH IS UNKNOWN. ENTER -8 IF MONTH IS UNKNOWN.]			
	____ / ____ Y ____ Y ____ Y ____	HYSTDAY6[†]		
B37	Did you have one or both ovaries removed (an oophorectomy)?	1 (B33)	2	-8 (B33)
		OOPHORE6		
	1. Was one ovary removed or were both ovaries removed?			
	ONE OVARY REMOVED	1		
	BOTH OVARIES REMOVED	2		
	DON'T KNOW	-8		
		ONEOVAR6		
B38	Did you have an endometrial ablation (a procedure to reduce or eliminate menstrual periods by partially or completely destroying the lining of the uterus)?	1	2	-8
		ABLATIN6		
B39	Any <u>other</u> uterine procedures, other than D and C, for example: cesarean section, IUD insertion, fibroid removal or endometrial biopsy?	1	2	-8
		UTERPRO6		
B40	Thyroid gland removed?	1	2	-8
		THYRREM6		

[†] This date is given in days since the initial baseline interview

B41 Since your last study visit, have you had any of the following conditions?	NO	YES	B35.1 IF YES, has it made it difficult to carry out your daily routine (e.g., work, housework, childcare)?	NO	YES
a. endometriosis diagnosed by a physician (abnormal growths in lining of uterus)	<u>ENDO6</u>	1 2		1	2
b. pelvic pain (pain in the lowest part of the abdomen)	<u>PELVCPN6</u>	1 2		1	2
c. pelvic prolapse or relaxation (the uterus, bladder, or rectum drops, sometimes bulging out of vagina)	<u>PROLAPS6</u>	1 2		1	2
d. pelvic cancer (cancer of the vulva, cervix, uterus, or ovaries)	<u>PELVCNC6</u>	1 2		1	2
e. abnormal vaginal bleeding (bleeding from the vagina that is different enough from your normal pattern to be a concern: irregular, heavy, or long in duration)	<u>ABBLEED6</u>	1 2		1	2
f. fibroids (benign growths in the uterus or womb)	<u>FIBRUTR6</u>	1 2		1	2

We are interested in learning more about your health care decisions. All of your responses will be kept strictly confidential.

B42 Do you have a health care provider from whom you primarily get your care for women's health conditions? (If you have an obstetrician or gynecologist (ob/gyn), refer to him or her. If you don't, refer to the person from whom you get care for women's health. We will not contact your provider unless we request your specific written permission.)

PRVIDER6

No..... 1 **(GO TO PAGE 17)**
Yes 2

B43 What is the name of this health care provider? _____

(FIRST)

#PRVNAME6

(LAST)

#PRVLAST6

B44 In what city or town and what state do you see this health care provider?

CITY/TOWN

#PRVTOWN6

STATE

#PRVSTAT6

B45 What professional degree does this health care provider have? If you are not sure, please make your best guess:
[HAND RESPONDENT CARD "C" AND READ RESPONSE CATEGORIES.] **PROFDEG6**

Medical Doctor (MD)	1
Doctor of Osteopathy (DO)	2
Chiropractor (DC).....	3
Registered Nurse (RN).....	4 (B41)
Nurse Practitioner (NP).....	5 (B41)
Physician Assistant (PA).....	6 (B41)
Other: Specify SPECIFY6	7
DON'T KNOW	-8 (B41)

B46 Which of the following best describes this provider's specialty? **PROVSPC6**

A family practitioner.....	1
An internist	2
An obstetrician or gynecologist	3
A naturopath (one who uses non-medicinal therapy)	4
Other: Specify SPECIAL6	5
No specialty	6
DON'T KNOW	-8

B47 On average, how much time does this health care provider spend with you at each visit? **PROVTIM6**

0-5 minutes	1
6-10 minutes	2
11-15 minutes	3
16-20 minutes	4
21-30 minutes	5
more than 30 minutes.....	6
DON'T KNOW	-8

Now I would like to ask you about your menstrual periods.

C1. Did you have any menstrual bleeding since your last study visit? **BLEEDNG6** 1 (C6)
NO..... 1
YES..... 2

C2. Did you have any menstrual bleeding in the last 3 months? **BLD3MON6**
NO..... 1
YES..... 2

C3. What was the date that you started your most recent menstrual bleeding? [PROMPT FOR MONTH AND YEAR, EVEN IF DAY IS UNKNOWN. ENTER -8 FOR DAY FIELD IF UNKNOWN]

____ M ____ / ____ D ____ / ____ Y ____ Y ____ Y ____ Y **LMPDAY6[†]**

For the next few questions I would like to ask you to think about your periods since your last study visit, during times when you were not using birth control pills or other hormone medications.

C4. Which of the following best describes your menstrual periods since your last study visit? Have they:
[HAND RESPONDENT CARD "C"] **DESCPER6**

Become farther apart?	1
Become closer together?	2
Occurred at more variable intervals?	3
Stayed the same?	4
Become more regular?	5
DON'T KNOW	-8
NOT APPLICABLE	-1

C5. A menstrual cycle is the period of time from the beginning of bleeding from one menstrual period to the beginning of bleeding of the next menstrual period. Since your last study visit, what was the usual length of your menstrual cycles? **LENGCYL6**

LESS THAN 24 DAYS	1
24-35 DAYS	2
MORE THAN 35 DAYS	3
TOO VARIABLE OR IRREGULAR TO SAY	4
DON'T KNOW	-8

C6. Since your last study visit, have you been pregnant? Please include live births, stillbirths, abortions, miscarriages, tubal or ectopic pregnancies. **PRGNANT6**

NO..... 1 (C7)
YES..... 2

a. IF YES: [HAND RESPONDENT CARD "D"] What was the outcome of the pregnancy?
[READ RESPONSE CATEGORIES. IF RESPONDENT WAS PREGNANT MORE THAN ONCE SINCE LAST VISIT, RECORD OUTCOME OF MOST RECENT PREGNANCY.] **OUTCOME6**


Live birth.....	1
Still birth	2 (C7)
Miscarriage	3 (C7)
Abortion.....	4 (C7)
Tubal/ectopic pregnancy.....	5 (C7)
Still pregnant.....	6 (C7)

b. FOR LIVE BIRTHS ONLY: Are you currently breastfeeding? **BRSTFEE6**
NO 1
YES 2

[†] This date is given in days since the initial baseline interview

The next few questions focus on some other personal aspects of your life

- C7. Thinking about your quality of life at the present time, I'd like you to give it a rating where 0 represents the worst possible quality for you and 10 represents the best possible quality for you. [HAND RESPONDENT CARD "F"] Looking at this line, how would you rate your overall quality of life at the present time? Choose a number between 0 and 10.



QLTYLIF6

- C8. People sometimes look to others for companionship, assistance, or other types of support. How often is each of the following kinds of support available to you if you need it?
[HAND RESPONDENT CARD "G" AND READ RESPONSE CATEGORIES]

		None of the time	A little of the time	Some of the time	Most of the time	All of the time
a.	Someone you can count on to listen to you when you need to talk? <u>LISTEN6</u>	1	2	3	4	5
b.	Someone to take you to the doctor if you needed it? <u>TAKETOM6</u>	1	2	3	4	5
c.	Someone to confide in or talk to about yourself or your problems? <u>CONFIDE6</u>	1	2	3	4	5
d.	Someone to help with daily chores if you were sick? <u>HELPSIC6</u>	1	2	3	4	5

- C9. I would now like to ask you about your feelings over the past two weeks. Tell me how often you have felt or thought this way. [HAND RESPONDENT CARD "H" AND READ RESPONSE CATEGORIES]

*[READ STEM INSTRUCTIONS]	Never	Almost Never	Sometimes	Fairly Often	Very Often
In the past two weeks you have:					
*a. Felt unable to control important things in your life? <u>CONTROL6</u>	1	2	3	4	5
*b. Felt confident about your ability to handle your personal problems? <u>ABILITY6</u>	1	2	3	4	5
c. Felt that things were going your way? <u>YOURWAY6</u>	1	2	3	4	5
d. Felt difficulties were piling so high that you could not overcome them? <u>PILING6</u>	1	2	3	4	5

C10 I am going to read you a list of ways you might have felt or behaved recently. Please tell me how often you have felt or behaved this way during the past week. [HAND RESPONDENT CARD "H" AND READ RESPONSE CATEGORIES]

* [READ STEM INSTRUCTIONS] During the past week:	Rarely or none of the time (less than 1 DAY)	Some or a little of the time (1-2 DAYS)	Occasionally or a moderate amount of the time (3-4 DAYS)	Most or all of the time (5-7 DAYS)
*a. I was bothered by things that usually don't bother me BOTHER6	1	2	3	4
*b. I did not feel like eating; my appetite was poor APPETIT6	1	2	3	4
*c. I felt that I could not shake off the blues even with help from my friends BLUES6	1	2	3	4
d. I felt that I was just as good as other people GOOD6	1	2	3	4
e. I had trouble keeping my mind on what I was doing KEEPMIN6	1	2	3	4
f. I felt depressed DEPRESS6	1	2	3	4
*g. I felt that everything I did was an effort EFFORT6	1	2	3	4
h. I felt hopeful about the future HOPEFUL6	1	2	3	4
i. I thought my life had been a failure FAILURE6	1	2	3	4
j. I felt fearful FEARFUL6	1	2	3	4
*k. My sleep was restless RESTLES6	1	2	3	4
l. I was happy HAPPY6	1	2	3	4
m. I talked less than usual TALKLES6	1	2	3	4
n. I felt lonely LONELY6	1	2	3	4
*o. People were unfriendly UNFRNDL6	1	2	3	4
p. I enjoyed life ENJOY6	1	2	3	4
q. I had crying spells CRYING6	1	2	3	4
r. I felt sad SAD6	1	2	3	4
*s. I felt that people disliked me DISLIKE6	1	2	3	4
t. I could not get going GETGOIN6	1	2	3	4

Now I would like to ask some questions that have to do with the events of September 11th, 2001.

D1. Were you directly exposed to the disaster of September 11? By directly, I mean that you were in the vicinity of the World Trade Center, Pentagon, or Somerset County, PA at the time the disaster occurred? **SEPEXP6**

NO..... 1 **(D2)**
YES..... 2

a. How strongly did you believe that your own life was threatened at the time? Would you say, Not at all, To some extent or Very much so? **SEPTHR6**

Not at all..... 1
To some extent..... 2
Very much so..... 3

b. Were you injured physically in any way, that is (a) you were burned or harmed by debris or (b) your ability to breathe, see, hear, or move about was impaired in more than a transient way? Would you say, Not at all, Yes, but not seriously or Yes, seriously? **SEPINJ6**

Not at all..... 1
Yes, but not seriously..... 2
Yes, seriously..... 3

D2. Was your spouse or partner, any member of your family, or a close friend directly exposed to the disaster of September 11? By directly, I mean that he or she was in the vicinity of the World Trade Center, the Pentagon, or Somerset County, PA or on one of the planes that crashed? **SEPFAM6**

NO..... 1 **(D3)**
YES..... 2

a. What was his or her or their relationship(s) to you? **#SEPREL6**

b. Did the person or any of the people you know lose their lives? **SEPLEV6**

NO..... 1
YES..... 2

D3. Occasionally, major events like this can change the way people view themselves, other people, or the world in general.


[HAND RESPONDENT CARD "K" AND READ RESPONSE CATEGORIES.]

How true are the following statements about you?

		Not at all true	A little true	Somewhat true	Very true	Extremely true
a.	You feel less safe than you did before the disaster on September 11. Is this... SEPSAF6	1	2	3	4	5
b.	Compared to how you felt before the disaster, you feel less able to control the forces that will influence your life. SEPCON6	1	2	3	4	5
c.	You feel more pessimistic about the possibility of there ever being peace in the world. SEPEAC6	1	2	3	4	5
d.	You feel more pessimistic about your own future well-being. SEPFUL6	1	2	3	4	5
e.	You have less faith in government's ability to protect you than you did before the disaster. SEPGOV6	1	2	3	4	5
f.	You became less confident in your own abilities to cope with major crises. SEPCNF6	1	2	3	4	5

D4. Overall, how much stress or anxiety have you experienced because of the terrorist events of September 11th and events since then? [HAND RESPONDENT CARD "L."]. Please answer this question on a scale from 1 to 10, where 1 means that you have not personally been stressed or distressed at all, and 10 means that you have been terribly or extremely stressed or distressed.

SEPANX6



OCCUPATIONAL QUESTIONS

These next few questions concern employment. I'm going to ask you to tell me about any changes in your employment since your last study visit.

- D1. Since your last study visit, has there been a change in any of your jobs, that is: your place of employment, your job title, or your usual job tasks? **CHNGJOB6**

NO	1	(D3)
YES.....	2	
N/A	-1	(D6)

- D2. During the past 2 weeks, did you work at any time at a job or business, including work for pay performed at home? (Include unpaid work in the family farm or business. If you were on vacation, or scheduled leave or sick leave, please answer as though you were at your usual job.) **JOB6**

NO	1	(D6)
YES.....	2	

- a. For each paid job you have had in the last two weeks, what was your job title?

#JOBTIT16

JOB #1 _____
#JOBTIT26

JOB #2 _____
#JOBTIT36

JOB #3 _____

- b. Briefly, what are your usual job activities?

[IF MORE THAN ONE JOB WAS MENTIONED, ASK: Please answer for each job.]

#JOBACT16

JOB #1 _____

#JOBACT26

JOB #2 _____

#JOBACT36

JOB #3 _____

- c. What does the company or your part of the company, do or make? (For example, high school education, health care in hospital, automobile manufacturing, state labor department, retail shoe sales.)
[IF MORE THAN ONE JOB WAS MENTIONED, ASK: Please answer this for each job.]

#JBMAKE16

JOB #1 _____
#JBMAKE26

JOB #2 _____
#JBMAKE36

JOB #3 _____

D3. Since your last study visit, has there been a change in your usual hours of work of any of your jobs?

CHANGHR6

NO 1 (**D5**)
YES 2

D4. What are your usual hours of work each day for each job?

STRTIM16

JOB #1: START TIME: ____ : ____ A.M. 1. P.M. 2. **STRAMP16**

STPTIM16

STOP TIME: ____ : ____ A.M. 1. P.M. 2. **STPAMP16**

ROTATING/ALTERNATING (ALTERNATING WEEKLY/MONTHLY) **ROTAT16**

NO 1

YES 2

STRTIM26

JOB #2: START TIME: ____ : ____ A.M. 1. P.M. 2. **STRAMP26**

STPTIM26

STOP TIME: ____ : ____ A.M. 1. P.M. 2. **STPAMP26**

ROTATING/ALTERNATING (ALTERNATING WEEKLY/MONTHLY) **ROTAT26**

NO 1

YES 2

STRTIM36

JOB #3: START TIME: ____ : ____ A.M. 1. P.M. 2. **STRAMP36**

STPTIM36

STOP TIME: ____ : ____ A.M. 1. P.M. 2. **STPAMP36**

ROTATING/ALTERNATING (ALTERNATING WEEKLY/MONTHLY) **ROTAT36**

NO 1

YES 2

D5. On average, how many total hours a week do you work, for pay?

HOURSPA6

≤ 10 1
11-19 2
20-34 3
35-40 4
41-60 5
>60 6

D6. Do you do volunteer work?

VOLUNTE6

NO 1 (D7)
YES 2

a. What type of volunteer work do you do? How many hours a week do you spend doing it?

TYPE OF VOLUNTEER WORK

#TYPVOL16

1. _____

#TYPVOL26

2. _____

#TYPVOL36

3. _____

HRS/WK

VLNTHR16

VLNTHR26

VLNTHR36

D7. What is your current marital status? Would you say...

MARITAL6

Single/never married..... 1
Currently married or living as married .. 2
Separated 3
Widowed..... 4
Divorced 5
DON'T KNOW -8
REFUSED -7

We have a few final questions for you concerning your household.

E1. Since your last study visit, has there been any change in who is living in your household? **CHGHLD6**

NO	1	(END)
YES	2	
DON'T KNOW	-8	

E2. Other than yourself, is there anyone else living in your household? **HOUSEHL6**

NO	1	(END)
YES	2	
REFUSED	-7	(END)

E3. Please tell me their relationship to you, their gender, and their age.

a. RELATIONSHIP TO YOURSELF	b. SEX	c. AGE
1. _____ RELAT16	_____ SEX16	_____ AGE16
2. _____ RELAT26	_____ SEX26	_____ AGE26
3. _____ RELAT36	_____ SEX36	_____ AGE36
4. _____ RELAT46	_____ SEX46	_____ AGE46
5. _____ RELAT56	_____ SEX56	_____ AGE56
6. _____ RELAT66	_____ SEX66	_____ AGE66
7. _____ RELAT76	_____ SEX76	_____ AGE76
8. _____ RELAT86	_____ SEX86	_____ AGE86
9. _____ RELAT96	_____ SEX96	_____ AGE96
10. _____ RELAT106	_____ SEX106	_____ AGE106
11. _____ RELAT116	_____ SEX116	_____ AGE116
12. _____ RELAT126	_____ SEX126	_____ AGE126

Thank you. This ends this portion of the interview

Data Entered / Initials _____

Date Verified / Initials _____

SELF-ADMINISTERED QUESTIONNAIRE PART A
ANNUAL FOLLOW-UP

Study of Women's Health Across the Nation

SECTION A. GENERAL INFORMATION

AFFIX ID LABEL HERE

SWANID

A1. RESPONDENT ID:

A2. SWAN STUDY VISIT #

#VISIT

A3. FORM VERSION:

04/30/2002

#FORM_V

A4. DATE FORM COMPLETED:

____ M ____ M / ____ D ____ D / ____ Y ____ Y ____ Y ____ Y **SAADAY6[†]**

A5. INTERVIEWER'S INITIALS:

____ ____ ____

#INITS

A6. RESPONDENT'S DOB:

____ M ____ M / ____ D ____ D / ____ Y ____ Y ____ Y ____ Y **#DOB**
VERIFY WITH RESPONDENT

A7. COMPLETED IN:

#LOCATIO6

- | | |
|----------------------------------|---|
| RESPONDENT'S HOME | 1 |
| CLINIC / OFFICE | 2 |
| RESPONDENT'S HOME W/ PROXY | 3 |
| CLINIC/OFFICE W/ PROXY | 4 |
| TELEPHONE | 5 |
| TELEPHONE BY PROXY | 6 |

A8. INTERVIEW LANGUAGE:

LANGSAA6

- | | |
|-----------------|---|
| ENGLISH | 1 |
| SPANISH | 2 |
| CANTONESE | 3 |
| JAPANESE | 4 |

A9. INTERVIEWER-ADMINISTERED?

#INTADMI6

- | | |
|-----------|---|
| NO | 1 |
| YES | 2 |

[†] This date is given in days since the initial baseline interview, which is day zero.

We have some questions that we are asking you to complete on your own. If anything is unclear to you, please feel free to ask questions. Study representatives are available and happy to help you. Please take as much time as you need with each question. It is very important to us that you complete the entire questionnaire. Please find the most appropriate response to each question and circle the number for the answer you choose.

Thank you for your participation in this important study.

We are interested in learning more about women's health during their 40's and 50's. This first set of questions ask about your health and use of health care.

- B1. In general, would you say your health is excellent, very good, good, fair or poor?
(PLEASE CIRCLE ONE RESPONSE.) **OVERHLT6**

Excellent	1
Very good	2
Good.....	3
Fair.....	4
Poor.....	5
Don't know	-8

- B2. Since your last study visit, how many different times did you stay in the hospital overnight or longer?

____ # TIMES **HOSPSTA6**

- B3. Since your last study visit, about how many times did you see or talk to a doctor, nurse practitioner or other health care provider, regarding your own health? (Do not count hospitalizations or visits for this study.)

____ # TIMES **MDTALK6**

- B4. Since your last study visit, about how many times did you see or talk to a health care provider or other professional for problems with emotions, "nerves", or mental health?

____ # TIMES **NERVES6**

Since your last study visit, have you had:

(PLEASE CIRCLE 1 FOR NO OR 2 FOR YES FOR EACH QUESTION.)

	NO	YES
B5. A Pap Smear (a routine medical test in which the doctor examines the cervix)?)?	1	2
	<u>PAPSMEA6</u>	
B6. A breast physical examination (a doctor or medical assistant feels for lumps in the breast)?	1	2
	<u>BRSTEXA6</u>	
B7. A mammogram (an x-ray taken only of the breast by a machine that presses the breast against a glass plate)?	1	2
	<u>MAMOGRA6</u>	

B8. Have your health care costs been covered by Medicaid (MediCal) in the past year?

MEDICDY6

No.....	1
Yes	2
Don't know.....	-8

B9. Do you currently have insurance that covers any part of your **doctor bills**?

INSURDR6

No.....	1	(GO TO B10)
Yes	2	
Don't know.....	-8	(GO TO B10)

B9a. IF YES: How much does it cover?

INSDRCO6

All	1
Most	2
Part.....	3

B10. Do you currently have insurance that covers any part of your **prescription medication bills**?

INSURRX6

No.....	1	(GO TO B11)
Yes	2	
Don't know.....	-8	(GO TO B11)

B10a. IF YES: How much does it cover?

INSRXCO6

All	1
Most	2
Part.....	3

B11. Do you currently have insurance that covers any part of your **hospital bills**?

INSURHO6

No.....	1	(GO TO B12)
Yes	2	
Don't know.....	8	(GO TO B12)

B11a. IF YES: How much does it cover?

INSHOCO6

All	1
Most	2
Part.....	3

B12. Since your last study visit, are there any health services that you needed but did not receive?

HLTHSER6

No.....	1	(GO TO B13)
Yes	2	

B12a. People fail to get health care for a variety of reasons. Have any of the following reasons prevented you from getting health care?

(PLEASE CIRCLE ONE NUMBER FOR EACH REASON)

	NO	YES
a. Insurance or health plan does not cover	1	2 <u>INSURAN6</u>
b. Cannot afford	1	2 <u>NOTAFFR6</u>
c. Travel distance / lack of transportation	1	2 <u>NOTTRANS6</u>
d. No health care provider	1	2 <u>NOPROVI6</u>
e. Too busy/ didn't have the time	1	2 <u>TOOBUSY6</u>
f. Don't trust doctors	1	2 <u>NOTRUST6</u>
g. I'm better off not knowing	1	2 <u>BETTROF6</u>
h. Other	1	2 <u>FAILOTH6</u>
Please specify _____		#FAILSPE6

B13. Since your last study visit, have you smoked cigarettes regularly (at least one cigarette a day)?

SMOKERE6

No..... 1 (GO TO B14)
Yes 2

B13a. IF YES: How many cigarettes, on average, do you smoke per day now?

(If NONE, please indicate with a (0) zero and answer B13b.)

_____ CIGARETTES PER DAY **AVCIGDA6**

B13b. IF NONE, (You stopped smoking), What was the last month you smoked?

_____ MONTH **#LASTSMO6**

The next questions are about your consumption of alcoholic beverages.

B14. Since your last study visit, did you drink any beer, wine, liquor, or mixed drinks? **DRNKBEE6**

No 1 (GO TO B18, PAGE 7)
Yes 2

B15. How many glasses of beer (a medium glass or serving of beer is twelve ounces) did you drink on average per day, week or month? (PLEASE CIRCLE ONLY ONE RESPONSE.)

GLASBEE6

None or less than one per month.....	1
1-3 per month.....	2
1 per week.....	3
2-4 per week.....	4
5-6 per week.....	5
1 per day.....	6
2-3 per day	7
4 per day.....	8
5 or more per day	9

B16. How many glasses of wine or wine coolers, (a medium glass or serving of wine is 4 to 6 ounces), did you drink on average per day, week or month? (CIRCLE ONE NUMBER) **GLASWIN6**

None or less than one per month.....	1
1-3 per month.....	2
1 per week.....	3
2-4 per week.....	4
5-6 per week.....	5
1 per day.....	6
2-3 per day	7
4 per day.....	8
5 or more per day	9

B17. How many glasses of liquor or mixed drinks, (a medium serving is one shot), did you drink on average, per day, week or month? (CIRCLE ONE NUMBER) **GLASLIQ6**

None or less than once per month.....	1
1-3 per month.....	2
1 per week.....	3
2-4 per week.....	4
5-6 per week.....	5
1 per day.....	6
2-3 per day	7
4 per day.....	8
5 or more per day	9

B18. **THIS QUESTION HAS BEEN DELETED.**

B19. Compared to one year ago, how would you rate your health in general now? (CIRCLE ONE)

HLTHAYR6

- | | |
|---|---|
| Much better now than one year ago..... | 1 |
| Somewhat better now than one year ago | 2 |
| About the same now as one year ago..... | 3 |
| Somewhat worse now than one year ago..... | 4 |
| Much worse now than one year ago..... | 5 |

B20. The following items are about activities you might do during a typical day. Does your health now limit you in these activities? If so, how much? (CIRCLE ONE NUMBER ON EACH LINE)

Activities		Yes, limited a lot	Yes, limited a little	No, not limited at all
a. Vigorous activities, such as running, lifting heavy objects, participating in strenuous sports	<u>V ACTI6</u>	1	2	3
b. Moderate activities, such as moving a table, pushing a vacuum cleaner, bowling, or playing golf	<u>M ACTI6</u>	1	2	3
c. Lifting or carrying groceries	<u>LIFTING6</u>	1	2	3
d. Climbing several flights of stairs	<u>CLIMBS6</u>	1	2	3
e. Climbing one flight of stairs	<u>CLIMB1_6</u>	1	2	3
f. Bending, kneeling, or stooping	<u>BENDING6</u>	1	2	3
g. Walking more than a mile	<u>WALKM6</u>	1	2	3
h. Walking several blocks	<u>WALKS6</u>	1	2	3
i. Walking one block	<u>WALK1_6</u>	1	2	3
j. Bathing or dressing yourself	<u>BATHING6</u>	1	2	3

B21. During the past 4 weeks, have you had any of the following problems with your work or other regular daily activities as a result of your **physical health**? (CIRCLE ONE NUMBER ON EACH LINE)

	NO	YES
a. Cut down on the amount of time you spent on work or other activities	1	2
	<u>PHYCTDW6</u>	
b. Accomplished less than you would like	1	2
	<u>PHYACCO6</u>	
c. Were limited in the kind of work or other activities	1	2
	<u>PHYLIMI6</u>	
d. Had difficulty performing the work or other activities (for example, it took extra effort)	1	2
	<u>PHYDFCL6</u>	

B22. During the past 4 weeks, have you had any of the following problems with your work or other regular activities as a result of any **emotional problems** (such as feeling depressed or anxious)? (CIRCLE ONE NUMBER ON EACH LINE)

	NO	YES
a. Cut down on the amount of time you spent on work or other activities	1	2
	<u>EMOCTDW6</u>	
b. Accomplished less than you would like	1	2
	<u>EMOACCO6</u>	
c. Didn't do work or other activities as carefully as usual	1	2
	<u>EMOCARE6</u>	

B23. During the past 4 weeks, to what extent has your **physical health or emotional problems** interfered with your normal social activities with family, friends, neighbors, or groups? (CIRCLE ONE)

INTERFR6

Not at all.....	1
Slightly.....	2
Moderately	3
Quite a bit.....	4
Extremely.....	5

B24. How much bodily pain have you had during the past 4 weeks? (CIRCLE ONE)

BODYPAI6

None.....	1
Very Mild.....	2
Mild.....	3
Moderately	4
Severe.....	5
Very Severe.....	6

B25. During the past 4 weeks, how much did **pain** interfere with your normal work (including both work outside the home and housework)? (CIRCLE ONE) **PAINTRF6**

Not at all.....	1
Slightly.....	2
Moderately	3
Quite a bit.....	4
Extremely.....	5

B26. These questions are about how you feel and how things have been with you during the past 4 weeks. For each question, please give the one answer that comes closest to the way you have been feeling. (CIRCLE ONE NUMBER ON EACH LINE)

How much of the time <u>during the past 4 weeks</u>	All of the time	Most of the time	A good bit of the time	Some of the time	A little of the time	None of the time
a. Did you feel full of pep? <u>PEP6</u>	1	2	3	4	5	6
b. Have you been a very nervous person? <u>NERV4WK6</u>	1	2	3	4	5	6
c. Have you felt so down in the dumps that nothing could cheer you up? <u>CHER4WK6</u>	1	2	3	4	5	6
d. Have you felt calm and peaceful? <u>CALM4WK6</u>	1	2	3	4	5	6
e. Did you have a lot of energy? <u>ENERGY6</u>	1	2	3	4	5	6
f. Have you felt downhearted and blue? <u>BLUE4WK6</u>	1	2	3	4	5	6
g. Did you feel worn out? <u>WORNOOT6</u>	1	2	3	4	5	6
h. Have you been a happy person? <u>HAPY4WK6</u>	1	2	3	4	5	6
i. Did you feel tired? <u>TIRED6</u>	1	2	3	4	5	6

B27. During the past 4 weeks, how much of the time has your **physical health or emotional problems** interfered with your social activities (like visiting with friends, relatives, etc.)? (CIRCLE ONE)

SOCIAL6

All of the time	1
Most of the time.....	2
Some of the time	3
A little of the time	4
None of the time	5

B28. How TRUE or FALSE is each of the following statements for you?
(CIRCLE ONE NUMBER ON EACH LINE)

	Definitely true	Mostly true	Don't know	Mostly false	Definitely false
a. I seem to get sick a little easier than other people HEALSIC6	1	2	3	4	5
b. I am as healthy as anybody I know HEALTHY6	1	2	3	4	5
c. I expect my health to get worse HEALWOR6	1	2	3	4	5
d. My health is excellent HEALEXC6	1	2	3	4	5

The next series of questions ask about your regular physical activities outside of your job: that is, other than the activities you do for pay.

We want to know about your activities at home, not including activities you may do for pay at your home or other people's homes. Please circle only one answer to each question.

During the past year (in the last 12 months), how much time did you spend on average....

- C1. Caring for a child or children 5 years of age or less, a disabled child or an elderly person? Only count time actually spent doing physical activities like feeding, dressing, moving, playing or bathing. (If child turned 6 less than 6 months ago, consider him/her age 5 for the whole year.) (CIRCLE ONE ANSWER)

CARING6

None or less than one hour per week	1
At least 1 hour but less than 20 hours per week.....	2
20 hours or more per week.....	3

- C2. **During the past year** (in the last 12 months), how much time did you spend preparing meals or cleaning up from meals? (CIRCLE ONE ANSWER)

MEALS6

1 hour or less per day	1
Between 1 and 2 hours per day	2
More than 2 hours per day	3

- C3. **During the past year** (in the last 12 months), how often did you do routine chores requiring light physical effort, such as dusting, laundry, changing linens, grocery shopping or other shopping? (CIRCLE ONE ANSWER)

ROUTNCH6

Once per week or less	1
More than once per week but less than daily	2
Daily or more	3

- C4. **During the past year** (in the last 12 months), how often did you do chores requiring moderate physical effort, such as vacuuming, washing floors, or gardening /yard work such as mowing the lawn or raking leaves? (CIRCLE ONE ANSWER)

MODERAT6

Once a month or less.....	1
2-3 times per month	2
4 or more times per month	3

- C5. **During the past year** (in the last 12 months), how often did you do chores at home requiring vigorous physical effort, such as chopping wood, tilling soil, shoveling snow, shampooing carpets, washing walls or windows, plumbing, tiling or outdoor painting? (CIRCLE ONE ANSWER)

VIGOROU6

Once a month or less.....	1
2-3 times per month	2
4 or more times per month	3

Now we want to ask about the general level of physical activity involved in your daily routine.

C6. In comparison with other women of your own age, do you think your recreational physical activity is...

PHYSACT6

Much less	1
Somewhat less.....	2
The same	3
Somewhat more	4
Much more	5

During the past year, when you were not working or doing chores around the house...

C7. Did you watch television...(CIRCLE ONE ANSWER)

WATCHTV6

Never or less than 1 hour a week.....	1
At least 1 hour/week but less than 1 hour a day.....	2
1-2 hours a day.....	3
2-4 hours a day.....	4
More than 4 hours a day.....	5

C8. Did you walk or bike to and from work, school or errands...(CIRCLE ONE ANSWER)

WALKBIK6

Never or less than 5 minutes per day	1
5-15 minutes per day.....	2
16-30 minutes per day.....	3
31-45 minutes per day.....	4
More than 45 minutes per day	5

C9. Did you sweat from exertion...(CIRCLE ONE ANSWER)

SWEATPA6

Never or less than once a month	1
Once a month.....	2
2-3 times a month	3
Once a week.....	4
More than once a week	5

C10. Did you play sports or exercise...(CIRCLE ONE ANSWER)

SPORTS6

Never.....	1	(GO TO C20, PAGE 15)
Less than once a month.....	2	
Once a month.....	3	
2-3 times a month	4	
Once a week.....	5	
More than once a week	6	

The following questions are about your participation in sports and exercise during the past year.

C11. Which sport or exercise did you do **most frequently during the past year?** (SPECIFY ONLY ONE)
SPOREX16

C12. When you did this activity, did your heart rate and breathing increase? (CIRCLE ONE ANSWER)

RATEIN16

No.....	1
Yes, a small increase.....	2
Yes, a moderate increase.....	3
Yes, a large increase	4

C13. How many months in this past year did you do this activity? (CIRCLE ONE ANSWER)

MTHSAC16

Less than 1 month	1
1-3 months	2
4-6 months	3
7-9 months	4
More than 9 months	5

C14. During these months, on average, how many hours a week did you do this activity?
(CIRCLE ONE ANSWER)

HRSACT16

Less than 1 hour	1
At least 1 but less than 2 hours	2
At least 2 but less than 3 hours	3
At least 3 but less than 4 hours	4
More than 4 hours	5

C15. Did you do any other exercise or play any other sport in this past year?

OTHSPOR6

No.....	1	(GO TO C20, PAGE 15)
Yes	2	

C16. What was the second most frequent sport or exercise you did during the past year?
(SPECIFY ONLY ONE)

SPOREX26

C17. When you did this activity, did your heart rate and breathing increase? (CIRCLE ONE ANSWER)

RATEIN26

No.....	1
Yes, a small increase.....	2
Yes, a moderate increase.....	3
Yes, a large increase	4

C18. How many months in this past year did you do this activity? (CIRCLE ONE ANSWER)

MTHSAC26

Less than 1 month	1
1-3 months	2
4-6 months	3
7-9 months	4
More than 9 months	5

C19. During these months, on average, how many hours a week did you do this activity?

(CIRCLE ONE ANSWER)

HRSACT26

Less than 1 hour	1
At least 1 but less than 2 hours	2
At least 2 but less than 3 hours	3
At least 3 but less than 4 hours	4
More than 4 hours	5

We would like to ask about the physical activity you did during this past year as part of the work you get paid to do. If you have NOT been employed for AT LEAST 6 MONTHS OF THE PAST 12 MONTHS, **GO TO D1, PAGE 17.**

C20. In comparison with other women your age, do you think your work during this past year is physically.....(CIRCLE ONE ANSWER)

PHYSWOR6

Much lighter.....	1
Lighter.....	2
The same	3
Heavier.....	4
Much Heavier	5
Don't know.....	-8

C21. After work, are you physically tired....(CIRCLE ONE ANSWER)

WORKTIR6

Never.....	1
Seldom	2
Sometimes.....	3
Often	4
Always	5

C22. In your current job(s), on a typical day/shift, how often do you do each of the following:

	Never	Less than half of the time	About half of the time	More than half of the time	Always	Don't Know
a. Sit <u>WRKACTA6</u>	1	2	3	4	5	-8
b. Stand <u>WRKACTB6</u>	1	2	3	4	5	-8
c. Walk <u>WRKACTC6</u>	1	2	3	4	5	-8
d. Lift heavy loads greater than 15 pounds (more than the weight of 2 gallons of milk) <u>WRKACTD6</u>	1	2	3	4	5	-8
e. Stoop and bend <u>WRKACTE6</u>	1	2	3	4	5	-8
f. Push or move heavy objects <u>WRKACTF6</u>	1	2	3	4	5	-8
g. Sweat from exertion <u>WRKACTG6</u>	1	2	3	4	5	-8

Variable Excluded from Public Use Data File

The following questions are about specific health problems you may have had over the past two weeks.

- D1. Below is a list of common problems which affect us from time to time in our daily lives. Thinking back over the past two weeks, please circle the number corresponding to how often you experienced any of the following.

How often have you had...		Not at all	1-5 days	6-8 days	9-13 days	Every day
a. Stiffness or soreness in joints, neck or shoulder?	<u>STIFF6</u>	1	2	3	4	5
b. Back aches or pains?	<u>ACHE6</u>	1	2	3	4	5
c. Cold sweats?	<u>COLDSWE6</u>	1	2	3	4	5
d. Night sweats?	<u>NITESWE6</u>	1	2	3	4	5
e. Vaginal dryness?	<u>VAGINDR6</u>	1	2	3	4	5
f. Feeling blue or depressed?	<u>FEELBLU6</u>	1	2	3	4	5
g. Dizzy spells?	<u>DIZZY6</u>	1	2	3	4	5
h. Irritability or grouchiness?	<u>IRRITAB6</u>	1	2	3	4	5
i. Feeling tense or nervous?	<u>NRVOUS6</u>	1	2	3	4	5
j. Forgetfulness?	<u>FORGET6</u>	1	2	3	4	5
k. Frequent mood changes?	<u>MOODCHG6</u>	1	2	3	4	5
l. Heart pounding or racing?	<u>HARTRAC6</u>	1	2	3	4	5
m. Feeling fearful for no reason?	<u>FEARFULA6</u>	1	2	3	4	5
n. Headaches?	<u>HDACHE6</u>	1	2	3	4	5
o. Hot flashes or flushes?	<u>HOTFLAS6</u>	1	2	3	4	5
p. Breast pain/tenderness?	<u>BRSTPAI6</u>	1	2	3	4	5

- D2. These questions (a - c) are about your sleep habits over the past two weeks. Please circle one answer for each of the following questions. Pick the answer that best describes how often you experienced the situation in the past 2 weeks.

	No, not in the past 2 weeks	Yes, less than once a week	Yes, 1 or 2 times a week	Yes, 3 or 4 times per week	Yes, 5 or more times a week
In the past two weeks...					
a. Did you have trouble falling asleep? TRBLSLE6	1	2	3	4	5
b. Did you wake up several times a night? WAKEUP6	1	2	3	4	5
c. Did you wake up earlier than you had planned to, and were unable to fall asleep again? WAKEARL6	1	2	3	4	5

The following question relates to your usual sleep habits during the past month only. Your answer should give the most accurate description for most of the days and nights in the past month.

- D3. During the past month, how would you rate your sleep quality overall?

SLEEPQL6

Very good	1
Fairly good.....	2
Fairly bad.....	3
Very bad.....	4

A common complaint among women is having to urinate a lot or the involuntary loss of urine.

- D4. How often do you usually get up from bed at night to urinate? (CIRCLE ONLY ONE ANSWER)

GETUPUR6

Never.....	1
Rarely (less than once a week).....	2
Once per week	3
A few times per week	4
Once a night, every night	5
More than once per night	6

D5. Since your last study visit, have you ever leaked, even a very small amount, of urine involuntarily?

INVOLEA6

No 1 (GO TO D6)
Yes 2

IF YES:

- a. In the last month, about how many days have you lost any urine, even a small amount, beyond your control? (CIRCLE ONLY ONE ANSWER)

DAYSLEA6

Never.....	1
Less than one day per week	2
Several days per week.....	3
Almost daily/daily.....	4

- b. Under what circumstances does it occur?

(CIRCLE 1 FOR "NO" OR 2 FOR "YES" FOR EACH QUESTION)

	NO	YES
b1. When you are coughing, laughing, sneezing, jogging, or picking up an object from the floor.	1	2
b2. When you have an urge to void and can't get to a toilet fast enough.	1	2
b3. Other Specify: _____	1	2

COUGHLE6

URGEVOI6

OTHRLEA6

#LEAKSPE6

Dietary and behavioral therapies are often used to treat conditions or to maintain good health. Please tell us about any of these therapies you may have used.

D6. In the past 12 months, have you used any of the following for any reason?
(CIRCLE ONLY ONE NUMBER FOR EACH)

	NO	YES
a. Special diets or nutritional remedies, such as macrobiotic or vegetarian diets, or vitamin supplements or therapy?	1	2
	<u>NUTRIRE6</u>	
b. Herbs or herbal remedies, such as homeopathy or Chinese herbs or teas?	1	2
	<u>HERBREM6</u>	
c. Psychological methods, such as meditation, mental imagery, or relaxation techniques?	1	2
	<u>PSYCMET6</u>	
d. Physical methods, such as massage, acupressure, acupuncture, or chiropractic therapy?	1	2
	<u>PHYSMET6</u>	
e. Folk medicine or traditional Chinese medicine?	1	2
	<u>FOLKMED6</u>	
f. Any others?	<u>OTHRTHE6</u>	1
	<u>SPECOTH6</u>	2

- E1. These next questions ask about events that we sometimes experience in our lives. Since your last study visit, have you experienced any of the following: If you have not, circle 1 (NO). If you have and it was not at all upsetting, circle 2. If you have and it was somewhat upsetting circle 3. If you have and it was very upsetting circle 4. If you have and it was very upsetting and is still upsetting, circle 5. (PLEASE CIRCLE ONE ANSWER FOR EACH QUESTION.)

	NO	YES Not at all upsetting	YES Somewhat upsetting	YES Very upsetting	YES Very upsetting and still upsetting
a. Started school, a training program, or new job? <u>STARTNE6</u>	1	2	3	4	5
b. Had trouble with a boss or conditions at work got worse? <u>WORKTRB6</u>	1	2	3	4	5
c. Quit, fired or laid off from a job? <u>QUITJOB6</u>	1	2	3	4	5
d. Took on a greatly increased work load at job? <u>WORKLOA6</u>	1	2	3	4	5
e. Husband/partner became unemployed? <u>PRTUNEM6</u>	1	2	3	4	5
f. Major money problems? <u>MONEYPR6</u>	1	2	3	4	5
g. Relations with husband/partner changed for the worse but without separation or divorce? <u>WOSRELR6</u>	1	2	3	4	5
h. Were separated or divorced or a long-term relationship ended? <u>RELATEN6</u>	1	2	3	4	5
i. Had a serious problem with child or family member (other than husband/partner) or with a close friend? <u>SERIPRO6</u>	1	2	3	4	5
j. A child moved out of the house or left the area? <u>CHILDMO6</u>	1	2	3	4	5
k. Took on responsibility for the care of another child, grandchild, parent, other family member or friend? <u>RESPCAR6</u>	1	2	3	4	5

	NO	YES Not at all upsetting	YES Somewhat upsetting	YES Very upsetting	YES Very upsetting and still upsetting
l. Family member had legal problems or a problem with police? <u>LEGALPR6</u>	1	2	3	4	5
m. A close relative (husband/partner, child or parent) died? <u>CRELDIE6</u>	1	2	3	4	5
n. A close friend or family member <u>other than</u> a husband/partner, child or parent died? <u>CLOSDIE6</u>	1	2	3	4	5
o. Major accident, assault, disaster, robbery or other violent event happened to yourself? <u>SELFVIO6</u>	1	2	3	4	5
p. Major accident, assault, disaster, robbery or other violent event happened to a family member? <u>FAMLVIO6</u>	1	2	3	4	5
q. Serious physical illness, injury or drug/alcohol problem in family member, partner or close friend? <u>PHYSILL6</u>	1	2	3	4	5
r. Other major event not included above? <u>MAJEVEN6</u>	1	2	3	4	5
Specify: # SPECEVN6					

Variable Excluded from Public Use Data File

These next questions concern different aspects (or roles) of your life and how you feel about them.

F1. Are you currently employed for pay? **EMPLYPA6**

No..... 1 (GO TO F2)
Yes 2

a. How rewarding is your job? (CIRCLE ONE NUMBER)

REWRDJO6

Not at all.....	1
A little	2
Somewhat.....	3
Quite a bit.....	4
Extremely.....	5

b. How stressful is your job? (CIRCLE ONE NUMBER)

STRSSJO6

Not at all	1
A little.....	2
Somewhat.....	3
Quite a bit.....	4
Extremely	5

F2. Are you currently caring for an older or disabled family member? **CRNTCAR6**

No..... 1 (GO TO F3)
Yes 2

a. How rewarding is your role as caregiver? (CIRCLE ONE NUMBER)

RWRDCAR6

Not at all.....	1
A little	2
Somewhat.....	3
Quite a bit.....	4
Extremely	5

b. How stressful is your role as caregiver? (CIRCLE ONE NUMBER)

STRSCAR6

Not at all	1
A little.....	2
Somewhat.....	3
Quite a bit.....	4
Extremely	5

F3. Are you currently married or in a committed relationship? **CRNTMAR6**

No..... 1 (GO TO F4)
Yes 2

a. How rewarding is this relationship? (CIRCLE ONE NUMBER)

RWRDREL6

Not at all.....	1
A little	2
Somewhat.....	3
Quite a bit.....	4
Extremely.....	5

b. How stressful is this relationship? (CIRCLE ONE NUMBER)

STRSREL6

Not at all.....	1
A little	2
Somewhat.....	3
Quite a bit.....	4
Extremely.....	5

F4. Do you have any children or stepchildren? **CHILDRE6**

No..... 1 (GO TO G1)
Yes 2

a. How rewarding is your role as a mother? (CIRCLE ONE NUMBER)

REWRDMO6

Not at all.....	1
A little	2
Somewhat.....	3
Quite a bit.....	4
Extremely.....	5

b. How stressful is your role as a mother? (CIRCLE ONE NUMBER)

STRSSMO6

Not at all.....	1
A little	2
Somewhat.....	3
Quite a bit.....	4
Extremely.....	5

**We would like to ask you some additional questions that will help us to understand your answers better.
Please remember that this information will remain confidential.**

G1. What is your total family income (before taxes) from all sources within your household in the last year?
(CIRCLE THE ANSWER THAT IS YOUR BEST GUESS.)

INCOME6\$

LESS THAN \$19,999	1
\$20,000 TO \$49,999	2
\$50,000 TO \$99,999	3
\$100,000 OR MORE	4
REFUSED.....	-7
DON'T KNOW.....	-8

G2. How hard is it for you to pay for the very basics like food, housing, medical care, and heating? Would you say it is...(CIRCLE ONE NUMBER)

HOW HAR6

Very hard	1
Somewhat hard	2
Not hard at all	3
Don't know	-8

G3. If you lost your current source of income (your paycheck, your family's paycheck(s), public assistance or other forms of income), how long could you keep your current address and standard of living?

(CIRCLE ONE NUMBER THAT IS THE BEST GUESS.)

LOSSINC6

Less than 1 month	1
1 to 2 months.....	2
3-6 months	3
7-12 months	4
More than 1 year	5

^{\$} G.1 Income categories have been condensed from the original questionnaire

Variable Excluded from Public Use Data File

G4. Compared to the current year, were your finances better off, the same or worse off during each of the time periods listed? (CIRCLE ONLY ONE NUMBER FOR EACH)

		Worse Off	Better Off	The Same
a. One year ago	<u>FINAN1Y6</u>	1	2	3
b. Two years ago	<u>FINAN2Y6</u>	1	2	3
c. Three years ago	<u>FINAN3Y6</u>	1	2	3

G5. Is the home where you live: (CIRCLE ONE NUMBER) HOMEOWN6

Owned or being bought by you (or someone in the household or family)? 1

Rented for money?.....2

Occupied without payment of money or rent?3


Other (specify) _____ 4

HOMESPE6

LADDERS - INSTRUCTIONS:

Think of this ladder as representing where people stand **in their communities**. People define community in different ways, e.g., including friends, neighbors, or coworkers. Please define it in whatever way is most meaningful to you. At the top of this ladder are the people who have the highest standing in their community. At the bottom are the people who have the lowest standing in their community. The higher up you are on this ladder, the closer you are to the people at the very top and the lower you are, the closer you are to the people at the very bottom.


- G6. Where would you place yourself on this ladder? Please place an “X” over the circle on the rung where you think you stand at this time in your life, relative to other people in **your community**. **LADERCO6**



INSTRUCTIONS:

Think of this ladder as representing where people stand **in the United States**. At the top of this ladder are the people who have the most money, most education, and the most respected jobs. At the bottom are the people who have the least money, least education, and least respected jobs or no job. The higher up you are on this ladder, the closer you are to the people at the very top and the lower you are, the closer you are to the people at the very bottom.

G7. Where would you place yourself on this ladder? Please place an “X” over the circle on the rung where you think you stand at this time in your life, relative to other people in the **United States**. **LADERUS6**



- H1. We are interested in how you have felt **this week** (the past 7 days) and below are a number of words that describe different feelings or emotions that people experience. Read each item and then, using the scale provided, indicate in the space next to each item how strongly you have experienced these feelings this past week. (CIRCLE ONLY ONE NUMBER FOR EACH.)

		Very slightly or not at all	A little	Moderately	Quite a bit	Extremely
a. Interested	<u>INTRPAN6</u>	1	2	3	4	5
b. Disinterested	<u>DISIPAN6</u>	1	2	3	4	5
c. Excited	<u>EXCIPAN6</u>	1	2	3	4	5
d. Upset	<u>UPSEPAN6</u>	1	2	3	4	5
e. Strong	<u>STROPAN6</u>	1	2	3	4	5
f. Guilty	<u>GUILPAN6</u>	1	2	3	4	5
g. Scared	<u>SCARPAN6</u>	1	2	3	4	5
h. Hostile	<u>HOSTPAN6</u>	1	2	3	4	5
i. Enthusiastic	<u>ENTHPAN6</u>	1	2	3	4	5
j. Proud	<u>PROUPAN6</u>	1	2	3	4	5
k. Irritable	<u>IRRIPAN6</u>	1	2	3	4	5
l. Alert	<u>ALERPAN6</u>	1	2	3	4	5
m. Ashamed	<u>ASHAPAN6</u>	1	2	3	4	5
n. Inspired	<u>INSPPAN6</u>	1	2	3	4	5
o. Nervous	<u>NERVPAN6</u>	1	2	3	4	5
p. Determined	<u>DETEPAN6</u>	1	2	3	4	5
q. Attentive	<u>ATTEPAN6</u>	1	2	3	4	5
r. Jittery	<u>JITTPAN6</u>	1	2	3	4	5
s. Active	<u>ACTIPAN6</u>	1	2	3	4	5
t. Afraid	<u>AFRAPAN6</u>	1	2	3	4	5

Variable Excluded from Public Use Data File

During the past 12 months, have you used any of the following for your health? N=No Y=Yes →	IF YES, what were the reasons for using this? For each “Yes” answer only, circle N=No or Y=Yes for each reason a through i.									
	a. To reduce risk of heart disease	b. To reduce risk of osteoporosis	c. To relieve menopausal symptoms	d. To stay young-looking	e. To improve memory	f. To regulate periods	g. For general health	h. To lose weight or to stay the same weight	i. On advice from health care provider	j. Other (please specify)
I1. Acupuncture N Y → ↓ ACUPUNC6	<u>ACUPHAR6</u> N Y	<u>ACUPOST6</u> N Y	<u>ACUPMEN6</u> N Y	<u>ACUPLOO6</u> N Y	<u>ACUPMEM6</u> N Y	<u>ACUPPER6</u> N Y	<u>ACUPGEN6</u> N Y	<u>ACUPWGH6</u> N Y	<u>ACUPADV6</u> N Y	<u>ACUPOTH6</u> N Y <u>ACUPSPE6</u>
I2. Black Cohosh N Y → ↓ BCOHOSH6	<u>BCOHHAR6</u> N Y	<u>BCOHOST6</u> N Y	<u>BCOHMEN6</u> N Y	<u>BCOHL006</u> N Y	<u>BCOHHMEM6</u> N Y	<u>BCOHPER6</u> N Y	<u>BCOHGEN6</u> N Y	<u>BCOHWGH6</u> N Y	<u>BCOHADV6</u> N Y	<u>BCOHOTH6</u> N Y <u>BCOHSPE6</u>
I3. DHEA dehydroepiandrosterone N Y → ↓ DHEA6	<u>DHEAHAR6</u> N Y	<u>DHEAOST6</u> N Y	<u>DHEAMEN6</u> N Y	<u>DHEALOO6</u> N Y	<u>DHEAMEM6</u> N Y	<u>DHEAPER6</u> N Y	<u>DHEAGEN6</u> N Y	<u>DHEAWGH6</u> N Y	<u>DHEAADV6</u> N Y	<u>DHEAOTH6</u> N Y <u>DHEASPE6</u>
I4. Dong Quai N Y → ↓ DQUAI6	<u>DQUAHAR6</u> N Y	<u>DQUAOST6</u> N Y	<u>DQUAMEN6</u> N Y	<u>DOUALOO6</u> N Y	<u>DOUAMEM6</u> N Y	<u>DOUAPER6</u> N Y	<u>DQUAGEN6</u> N Y	<u>DQUAWGH6</u> N Y	<u>DQUAADV6</u> N Y	<u>DQUAOTH6</u> N Y <u>DQUASPE6</u>
I5. Eating a nutritious diet N Y → ↓ DIETNUT6	<u>DIETHAR6</u> N Y	<u>DIETOST6</u> N Y	<u>DIETMEN6</u> N Y	<u>DIETLOO6</u> N Y	<u>DIETMEM6</u> N Y	<u>DIETPER6</u> N Y	<u>DIETGEN6</u> N Y	<u>DIETWGH6</u> N Y	<u>DIETADV6</u> N Y	<u>DIETOTH6</u> N Y <u>DIETSPE6</u>
I6. Energy healing N Y → ↓ HEALENR6	<u>HEALHAR6</u> N Y	<u>HEALOST6</u> N Y	<u>HEALMEN6</u> N Y	<u>HEALLOO6</u> N Y	<u>HEALMEM6</u> N Y	<u>HEALPER6</u> N Y	<u>HEALGEN6</u> N Y	<u>HEALWGH6</u> N Y	<u>HEALADV6</u> N Y	<u>HEALOTH6</u> N Y <u>HEALSPE6</u>
I7. Exercise N Y → ↓ EXERCIS6	<u>EXERHAR6</u> N Y	<u>EXEROST6</u> N Y	<u>EXERMEN6</u> N Y	<u>EXERLOO6</u> N Y	<u>EXERMEM6</u> N Y	<u>EXERPER6</u> N Y	<u>EXERGEN6</u> N Y	<u>EXERWGH6</u> N Y	<u>EXERADV6</u> N Y	<u>EXEROOTH6</u> N Y <u>EXERSPE6</u>

During the <u>past 12 months</u> , have you used any of the following for your health? N=No Y=Yes →	IF YES , what were the reasons for using this? For each “Yes” answer only, circle N=No or Y=Yes for each reason a through i.									
	a. To reduce risk of heart disease	b. To reduce risk of osteoporosis	c. To relieve menopausal symptoms	d. To stay young-looking	e. To improve memory	f. To regulate periods	g. For general health	h. To lose weight or to stay the same weight	i. On advice from health care provider	j. Other (please specify)
I8. Flaxseed or flaxseed oil supplements N Y → ↓ FLAXSEE6	<u>FLAXHAR6</u> N Y	<u>FLAXOST6</u> N Y	<u>FLAXMEN6</u> N Y	<u>FLAXLOO6</u> N Y	<u>FLAXMEM6</u> N Y	<u>FLAXPER6</u> N Y	<u>FLAXGEN6</u> N Y	<u>FLAXWGH6</u> N Y	<u>FLAXADV6</u> N Y	<u>FLAXOTH6</u> N Y <u>FLAXSPE6</u>
I9. Ginkgo Biloba N Y → ↓ GINKGO6	<u>GINKHAR6</u> N Y	<u>GINKOST6</u> N Y	<u>GINKMEN6</u> N Y	<u>GINKLOO6</u> N Y	<u>GINKMEM6</u> N Y	<u>GINKPER6</u> N Y	<u>GINKGEN6</u> N Y	<u>GINKWGH6</u> N Y	<u>GINKADV6</u> N Y	<u>GINKOTH6</u> N Y <u>GINKSPE6</u>
I10. Ginseng N Y → ↓ GINSENG6	<u>GINSHAR6</u> N Y	<u>GINSOST6</u> N Y	<u>GINSMEN6</u> N Y	<u>GINSLOO6</u> N Y	<u>GINSMEM6</u> N Y	<u>GINSPER6</u> N Y	<u>GINSGEN6</u> N Y	<u>GINSWGH6</u> N Y	<u>GINSADV6</u> N Y	<u>GINSOTH6</u> N Y <u>GINSSPE6</u>
I11. Glucosamine with or without Chondroitin N Y → ↓ GLUSAMI6	<u>GLUSHAR6</u> N Y	<u>GLUSOST6</u> N Y	<u>GLUSMEN6</u> N Y	<u>GLUSLOO6</u> N Y	<u>GLUSMEM6</u> N Y	<u>GLUSPER6</u> N Y	<u>GLUSGEN6</u> N Y	<u>GLUSWGH6</u> N Y	<u>GLUSADV6</u> N Y	<u>GLUSOTH6</u> N Y <u>GLUSSPE6</u>
I12. Mexican yam/progesterone cream N Y → ↓ MYAMPRO6	<u>MYAMHAR6</u> N Y	<u>MYAMOST6</u> N Y	<u>MYAMMEN6</u> N Y	<u>MYAMLOO6</u> N Y	<u>MYAMMEM6</u> N Y	<u>MYAMPER6</u> N Y	<u>MYAMGEN6</u> N Y	<u>MYAMWGH6</u> N Y	<u>MYAMADV6</u> N Y	<u>MYAMOTH6</u> N Y <u>MYAMSPE6</u>
I13. MSM methyl-sulfonyl-methane N Y → ↓ MSM6	<u>MSMHAR6</u> N Y	<u>MSMOST6</u> N Y	<u>MSMMEN6</u> N Y	<u>MSMLOO6</u> N Y	<u>MSMMEM6</u> N Y	<u>MSMPER6</u> N Y	<u>MSMGEN6</u> N Y	<u>MSMWGH6</u> N Y	<u>MSMADV6</u> N Y	<u>MSMOTH6</u> N Y <u>MSMSPE6</u>

Variable Excluded from Public Use Data File

During the <u>past 12 months</u> , have you used any of the following for your health? N=No Y=Yes →	IF YES , what were the reasons for using this? For each “Yes” answer only , circle N=No or Y=Yes for each reason a through i.									
	a. To reduce risk of heart disease	b. To reduce risk of osteoporosis	c. To relieve menopausal symptoms	d. To stay young-looking	e. To improve memory	f. To regulate periods	g. For general health	h. To lose weight or to stay the same weight	i. On advice from health care provider	j. Other (please specify)
I14. Prayer N Y → ↓ PRAYER6	<u>PRAYHAR6</u> N Y	<u>PRAYOST6</u> N Y	<u>PRAYMEN6</u> N Y	<u>PRAYLOO6</u> N Y	<u>PRAYMEM6</u> N Y	<u>PRAYPER6</u> N Y	<u>PRAYGEN6</u> N Y	<u>PRAYWGH6</u> N Y	<u>PRAYADV6</u> N Y	<u>PRAYOTH6</u> N Y <u>PRAYSPE6</u>
I15. SAM-E S-adenosylmethionine endogenous N Y → ↓ SAME6	<u>SAMEHAR6</u> N Y	<u>SAMEOST6</u> N Y	<u>SAMEMEN6</u> N Y	<u>SAMELOO6</u> N Y	<u>SAMEMEM6</u> N Y	<u>SAMEPER6</u> N Y	<u>SAMEGEN6</u> N Y	<u>SAMEWGH6</u> N Y	<u>SAMEADV6</u> N Y	<u>SAMEOTH6</u> N Y <u>SAMESPE6</u>
I16. Self-help group N Y → ↓ SELFHEL6	<u>SELFHAR6</u> N Y	<u>SELFOST6</u> N Y	<u>SELFMEN6</u> N Y	<u>SELFLOO6</u> N Y	<u>SELFMEM6</u> N Y	<u>SELFPER6</u> N Y	<u>SELFGEN6</u> N Y	<u>SELFWGH6</u> N Y	<u>SELFADV6</u> N Y	<u>SELFOTH6</u> N Y <u>SELFSPE6</u>
I18. Soy supplement N Y → ↓ SOYSUPP6	<u>SOYHAR6</u> N Y	<u>SOYOST6</u> N Y	<u>SOYMEN6</u> N Y	<u>SOYLOO6</u> N Y	<u>SOYMEM6</u> N Y	<u>SOYPER6</u> N Y	<u>SOYGEN6</u> N Y	<u>SOYWGH6</u> N Y	<u>SOYADV6</u> N Y	<u>SOYOTH6</u> N Y <u>SOYSPE6</u>
I19. St. John's Wort N Y → ↓ WORTSTJ6	<u>WORTHAR6</u> N Y	<u>WORTOST6</u> N Y	<u>WORTMEN6</u> N Y	<u>WORTLOO6</u> N Y	<u>WORTMEM6</u> N Y	<u>WORTPER6</u> N Y	<u>WORTGEN6</u> N Y	<u>WORTWGH6</u> N Y	<u>WORTADV6</u> N Y	<u>WORTOTH6</u> N Y <u>WORTSPE6</u>
I19. Tai Chi N Y → ↓ TAICHI6	<u>TAIHAR6</u> N Y	<u>TAIHOST6</u> N Y	<u>TAIMEN6</u> N Y	<u>TAILOO6</u> N Y	<u>TAIMEM6</u> N Y	<u>TAIPER6</u> N Y	<u>TAIGEN6</u> N Y	<u>TAIWGH6</u> N Y	<u>TAIADV6</u> N Y	<u>TAIOTH6</u> N Y <u>TAISPE6</u>

During the <u>past 12 months</u> , have you used any of the following for your health? N=No Y=Yes →	IF YES , what were the reasons for using this? For each “Yes” answer only, circle N=No or Y=Yes for each reason a through i.									
	a. To reduce risk of heart disease	b. To reduce risk of osteoporosis	c. To relieve menopausal symptoms	d. To stay young-looking	e. To improve memory	f. To regulate periods	g. For general health	h. To lose weight or to stay the same weight	i. On advice from health care provider	j. Other (please specify)
I20. Vitamin/supplement combination especially for women's health N Y → ↓ WVITAMI6	<u>WVITHAR6</u> N Y	<u>WVITOST6</u> N Y	<u>WVITMEN6</u> N Y	<u>WVITLOO6</u> N Y	<u>WVITMEM6</u> N Y	<u>WVITPER6</u> N Y	<u>WVITGEN6</u> N Y	<u>WVITWGH6</u> N Y	<u>WVITADV6</u> N Y	<u>WVITOOTH6</u> N Y <u>WVITSPE6</u>
I21. Yoga N Y → ↓ YOGA6	<u>YOGAHAR6</u> N Y	<u>YOGAOST6</u> N Y	<u>YOGAMEN6</u> N Y	<u>YOGALOO6</u> N Y	<u>YOGAMEM6</u> N Y	<u>YOGAPER6</u> N Y	<u>YOGAGEN6</u> N Y	<u>YOGAWGH6</u> N Y	<u>YOGAADV6</u> N Y	<u>YOGAOOTH6</u> N Y <u>YOGASPE6</u>
I22. Other (specify): OTHALTR6	<u>OTHHAR6</u> N Y	<u>OTHOST6</u> N Y	<u>OTHMEN6</u> N Y	<u>OTHLOO6</u> N Y	<u>OTHMEM6</u> N Y	<u>OTHPER6</u> N Y	<u>OTHGEN6</u> N Y	<u>OTHWGH6</u> N Y	<u>OTHADV6</u> N Y	<u>OTHALTR6</u> N Y <u>WHYOTHA6</u>

Thank you for your time. This ends this questionnaire.

Please give it to the study personnel.

**ADDITIONAL QUESTIONS FROM OTHER FORM VERSIONS OF THE
SELF ADMINISTRATED QUESTIONNAIRE, PART A**

Information on two physical activity variables (STRENEX6 and MODEREX6) are only available for the AIN/PAT participants.

Considering a usual 7-day period in the past year, how many times on the average did you do the following kinds of exercise or physical activity?

- | | TIMES/WEEK |
|---|-------------------|
| a. Strenuous exercise or physical activity where your heart beats rapidly
(i.e., running, jogging, soccer, singles tennis, vigorous swimming, vigorous long distance bicycling, vigorous aerobic dance) | <hr/> |
| <u>STRENEX6</u> | |
| b. Moderate exercise or physical activity, not exhausting
(i.e., fast walking, doubles tennis, easy bicycling, easy swimming, alpine skiing, dancing, low impact aerobics, weight lifting/training) | <hr/> |
| <u>MODEREX6</u> | |

Date Data Entered / Initials _____

Date Verified / Initials _____

Study of Women's Health Across the Nation
SELF-ADMINISTERED QUESTIONNAIRE PART B
ANNUAL FOLLOW-UP

SECTION A. GENERAL INFORMATION

AFFIX ID LABEL HERE

A1. RESPONDENT ID: SWANID

A2. SWAN STUDY VISIT # #VISIT

A3. FORM VERSION: #FORM_V

01/01/2002

A4. DATE FORM COMPLETED: SABDAY6[†]

____ M ____ M / ____ D ____ D / ____ Y ____ Y ____ Y ____ Y

A5. INTERVIEWER'S INITIALS: #INITS

A6. RESPONDENT'S DOB: #DOB

M ____ M ____ D ____ D ____ Y ____ Y ____ Y ____ Y

VERIFY WITH RESPONDENT

A7. COMPLETED IN: #LOCATIO6

- | | |
|----------------------------------|---|
| RESPONDENT'S HOME | 1 |
| CLINIC/OFFICE | 2 |
| RESPONDENT'S HOME W/ PROXY | 3 |
| CLINIC/ OFFICE W/ PROXY | 4 |
| TELEPHONE | 5 |
| TELEPHONE BY PROXY | 6 |

A8. INTERVIEW LANGUAGE: LANGSAB6

- | | |
|-----------------|---|
| ENGLISH | 1 |
| SPANISH | 2 |
| CANTONESE | 3 |
| JAPANESE | 4 |

A9. INTERVIEWER-ADMINISTERED? #ADMIN6

- | | |
|-----------|---|
| NO | 1 |
| YES | 2 |

[†] This date is given in days since the initial baseline interview, which is day zero.

This questionnaire covers material that is sensitive and personal. For some women, sexual activity is an important part of their lives, but for others, it is not. Everyone has different ideas on this subject. To help us understand how these matters affect women's lives and health, we would like you to answer the following questions from your own personal viewpoint. There are no right or wrong answers. Remember, confidentiality is assured. While we hope you are willing to answer all of the questions, if there are questions you would prefer not to answer, you are free to skip them. Please find the most appropriate response to each question, and circle the number for the answer you choose.

B1. How important is sex in your life? (CIRCLE ONE NUMBER) **IMPORSE6**

1 Extremely important	2 Quite important	3 Moderately important	4 Not very important	5 Not at all important
--------------------------	----------------------	---------------------------	-------------------------	---------------------------

B2. During the past 6 months, how often have you felt a desire to engage in any form of sexual activity, either alone or with a partner? (CIRCLE ONE NUMBER) **DESIRSE6**

1 Not at all	2 Once or twice per month	3 About once per week	4 More than once per week	5 Daily
-----------------	------------------------------	--------------------------	------------------------------	------------

B3. During the past 6 months, have you engaged in sexual activities with a partner? (CIRCLE ONE NUMBER) **ENGAGSE6**

No 1 **(GO TO B3.a)** _____

Yes 2 **(GO TO B4)** _____

B3.a People do not engage in sexual activities with partners for many reasons. Please circle 1 (NO) or 2 (YES) for each reason listed below. Please answer all four questions.

I have not had sex in the last 6 months because:

- | | NO | YES |
|--|----|-----|
| 1) I do not have a partner at this time. | 1 | 2 |
| 2) My partner has a physical problem that interferes with sex. | 1 | 2 |
| 3) I have a physical problem that interferes with sex. | 1 | 2 |
| 4) Other: Please Specify _____ | 1 | 2 |
- NOPARTN6**
PARTPRO6
PHYSPRO6
NOSEXOT6
#NOSEXSP6

PLEASE TURN TO PAGE 6, AND ANSWER QUESTION B14

B4. In the past 6 months, how emotionally satisfying was your relationship with your main partner? **SATISFY6**

1 Extremely satisfying	2 Very satisfying	3 Moderately satisfying	4 Slightly satisfying	5 Not at all satisfying
---------------------------	----------------------	----------------------------	--------------------------	----------------------------

- B5. During the past 6 months, how often, on average, have you engaged in each of the following sexual activities? (CIRCLE ONE ANSWER FOR EACH QUESTION. IF AN ACTIVITY DOES NOT APPLY TO YOU, CIRCLE 1 [NOT AT ALL].)

	Not at all	Once or twice per month	About once per week	More than once per week	Daily
a) Kissing or hugging? KISSING6	1	2	3	4	5
b) Sexual touching or caressing? TOUCHING6	1	2	3	4	5
c) Oral sex? ORALSEX6	1	2	3	4	5
d) Sexual intercourse? INTCOUR6	1	2	3	4	5

Please answer the following questions, B6 – B8, about sexual activity with your partner(s).

- B6. During the last 6 months, how often did you feel aroused during sexual activity? **AROUSED6**

1 Always	2 Almost always	3 Sometimes	4 Almost never	5 Never
-------------	--------------------	----------------	-------------------	------------

- B7. During the past 6 months, have you felt vaginal or pelvic pain during intercourse? **PELVIC6**

1 Always	2 Almost always	3 Sometimes	4 Almost never	5 Never	6 No intercourse in last 6 months
-------------	--------------------	----------------	-------------------	------------	--------------------------------------

- B8. During the last 6 months, how often have you used lubricants, such as creams or jellies, to make sex more comfortable? **LUBRICN6**

1 Always	2 Almost always	3 Sometimes	4 Almost never	5 Never	6 No intercourse in last 6 months
-------------	--------------------	----------------	-------------------	------------	--------------------------------------

Please answer the following questions, B9 – B12, about sexual activity with your partner(s).

B9. During the past 6 months, how often were you able to reach climax (come)?

ABLECLM6

1 Always	2 Almost always	3 Sometimes	4 Almost never	5 Never
-------------	-----------------------	----------------	----------------------	------------

B10. During the past 6 months, how often was it important for you to reach a climax? **IMPCLMX6**

1 Always	2 Almost always	3 Sometimes	4 Almost never	5 Never
-------------	-----------------------	----------------	----------------------	------------

B11. During the past 6 months, how often did you feel satisfied after sexual activity? **SATISFD6**

1 Always	2 Almost always	3 Sometimes	4 Almost never	5 Never
-------------	-----------------------	----------------	----------------------	------------

B12. During the past 6 months, how often were you satisfied with the frequency of sexual activity?

FREQUEN6

1 Always	2 Almost always	3 Sometimes	4 Almost never	5 Never
-------------	-----------------------	----------------	----------------------	------------

We have a couple final questions for you. We are asking this next question to gather information about the risk of acquiring HIV/AIDS and other sexually transmitted diseases. We understand that this question is very personal. There are many women in this study with a wide range of experiences. Please answer only if you have had sex with men in the last six months. Your answers are important in this research study and will be kept confidential.

B13. Over the past 6 months, how many men have you had intercourse with?

MEN6MOS6

Zero	1
One	2
Two.....	3
Three.....	4
Four - ten	5
More than 10	6

B14. On average, in the last 6 months, how often have you engaged in masturbation (self-stimulation)?

MASTURB6

1 Not at all	2 Less than once a month	3 Once or twice a month	4 About once a week	5 More than once a week	6 Daily
--------------------	-----------------------------------	-------------------------------	---------------------------	----------------------------------	------------

Thank you for helping us with this important research study.

Please place the completed questionnaire in the envelope provided, seal it, and give it to the study personnel.

Date Data Entered / Initials _____

Date Verified / Initials _____

Study of Women's Health Across the Nation

PHYSICAL MEASURES

SECTION A. GENERAL INFORMATION

SWANID

A1. RESPONDENT ID:

AFFIX ID LABEL HERE

A2. SWAN STUDY VISIT #

— —

#VISIT

A3. READING:

PRIMARY DATA COLLECTION.....1
QC DATA COLLECTION.....2

#DATA_COL

A4. FORM VERSION:

01/01/2002

#FORM_V

A5. DATE FORM COMPLETED:

— / — / —
M M D D Y Y Y Y

PHYDAY6[†]

A6. RESPONDENT'S DOB:

— / — / —
M M D D 1 Y Y Y

#DOB

VERIFY WITH RESPONDENT

A7. MEASUREMENTS COMPLETED IN:

#LOCATIO6

RESPONDENT'S HOME.....1
CLINIC/OFFICE.....2

A8. TECHNICIAN'S INITIALS

a. BLOOD PRESSURE — — —

#INITSA6

b. HEIGHT/WEIGHT — — —

#INITSB6

c. WAIST/HIP — — —

#INITSC6

[†] This date is given in days since the initial baseline interview, which is day zero.

Section B. Measurements

- B.1. ARM LENGTH . cm #ARMLNGT6
- B.2. ARM CIRCUMFERENCE . cm #ARMCIRC6
- B.3. CUFF SIZE USED (Circle one.)
#CUFFSIZ6
1. Pediatric 3. Large Adult
2. Adult 4. Thigh

Wait 5 minutes before measurements. Respondent is to sit quietly for 5 minutes with feet flat on the floor (legs uncrossed) and is to refrain from talking during the measurements.

WAIT 2 MINUTES BETWEEN EACH BLOOD PRESSURE READING.

- B.4. PULSE beats/30 sec **PULSE6**
- B.5. BLOOD PRESSURE #1 (SYS./DIA. 5th Phase)
SYSBP16 / DIABP16 / mmHg
- B.6. BLOOD PRESSURE #2 (SYS./DIA. 5th Phase)
SYSBP26 / DIABP26 / mmHg

Ask the respondent to remove her shoes before measuring height and weight.

- B.7. HEIGHT **HEIGHT6** . cm
- B.7.1. Measurement Method **HTMETHO6**
1. Stadiometer 2. Portable
- B.8. WEIGHT **WEIGHT6** . kg
- B.8.1. Scales **SCALE6**
1. Balance Beam 2. Clinic Digital
3. Portable
- B.9. WAIST CIRCUMFERENCE **WAIST6** . cm
- B.9.1. Measurement taken in:
WASTMEA6
1. Undergarments 2. Light clothing
- B.10. HIP CIRCUMFERENCE **HIP6** . cm
- B.10.1. Measurement taken in:
HIPMEAS6
1. Undergarments 2. Light clothing
- B.11. Please note if there were any unusual circumstances or deviations from the protocol.
#DEVIAT16 / #DEVIAT26
-
-

ADDITIONAL PHYSICAL MEASURES

One additional measure, BMI4, has been made available:

Variable	<u>Meaning</u>	<u>Values</u>
BMI6	Body Mass Index	numeric

BMI is calculated as weight in kilograms divided by the square of height in meters.

Date Data Entered / Initials _____

Date Verified / Initials _____

Study of Women's Health Across the Nation

COGNITIVE FUNCTION FORM

ANNUAL FOLLOW-UP

SECTION A. GENERAL INFORMATION

AFFIX ID LABEL HERE

A1. RESPONDENT ID: **SWANID**

A2. SWAN STUDY VISIT # **#VISIT**

A3. FORM VERSION: 04/30/2002 **#FORM_V**

A4. DATE FORM COMPLETED: ____/____/____YYYY **COGDAY6[†]**

A5. INTERVIEWER'S INITIALS: **#INITS**

A6. RESPONDENT'S DOB: ____/____/____YYYY **#DOB**
VERIFY WITH RESPONDENT

A7. COMPLETED IN: **#LOCATIO6**

RESPONDENT'S HOME 1
CLINIC / OFFICE 2

A8. INTERVIEW LANGUAGE: **LANGCOG6**

ENGLISH..... 1
SPANISH..... 2
CANTONESE 3
JAPANESE 4

#START6

#STRTAMP6

A9. START TIME AM....1
PM....2

[†] This date is given in days since the initial baseline interview, which is day zero.

EAST BOSTON MEMORY TEST

I have some questions that involve remembering things and concentrating. Please try your best.

INTERVIEWER NOTE: RECORD ALL ANSWERS PROVIDED BY THE PARTICIPANT.
ALL RESPONSES MUST BE GIVEN WITHOUT ANY AID TO MEMORY.

I. IMMEDIATE RECALL OF STORY

Now I would like to ask you to try to remember a short story.

First, I'm going to read you a short story and when I'm through, I'm going to wait a few seconds and then ask you to tell me as much as you can remember.

The story is:

Three children were alone at home and the house caught on fire. A brave fireman managed to climb in a back window and carry them to safety. Aside from minor cuts and bruises, all were well.

WAIT FIVE SECONDS, THEN SAY: Please tell me the story.

RECORD RESPONSE VERBATIM

IMEDTHR6

IMEDCH16

IMEDHOU6

IMEDHOU6

IMEDFIR6

IMEDFMN6

IMEDCLM6

IMEDCH26

IMEDRES6

IMEDMIN6

IMEDINJ6

IMEDEVR6

IMEDWEL6

TOTIDE16

SCORE EACH IDEA AS PRESENT OR ABSENT

Idea	Present	Absent
Three	1	0
Children	1	0
House	1	0
On Fire	1	0
Fireman	1	0
Climb In	1	0
Children	1	0
Rescued	1	0
Minor	1	0
Injuries	1	0
Everyone	1	0
Well	1	0
Total Ideas		

B. SYMBOL DIGIT MODALITIES TEST

Now, we are going to try something a little different.

PLACE THE LAMINATED TEST FORM IN FRONT OF RESPONDENT RESPONSES ON A BLANK SDMT FORM.

POINT TO KEY AT TOP OF PAGE AND SAY: Look at these boxes. Notice that each box has a little mark in the upper part and a number in the lower part. Each mark has its own number. Now look down here. [POINT]

Notice that the boxes on the top have marks, but the boxes on the bottom are empty. I want you to call out the number that goes with each mark. For example, look at the first mark and then look at the key. [POINT]

The number 1 goes with the first mark. So you call out the number 1 for the first box.

POINT OUT NEXT 2 ANSWERS: A 5 goes with this mark, and a 2 goes with this mark.

Now what number belongs in the next box?

POINT TO BOX IF NECESSARY. RECORD RESPONSE.

IF RESPONSE IS CORRECT, SAY: Good. You have the idea.

IF RESPONSE IS INCORRECT, SAY: No, that is a 1. AND POINT TO THE APPROPRIATE SYMBOL/ITEM PAIR IN KEY.

Now, for practice, tell me the numbers that belong in the rest of the boxes up to this line.

DRAW OVER THE DOUBLE LINE IN THE PRACTICE ROW.

Use your finger as you move along the row so you don't get lost.

RECORD RESPONSES TO REMAINING PRACTICE ITEMS (ANSWERS: 3 6 2 4 1 6). IMMEDIATELY CORRECT EACH ERROR AS ABOVE. RECORD "0" FOR NON-NUMERIC RESPONSES.

REINSTRUCT AND/OR ENCOURAGE GUESSING IF RESPONDENT IS CONFUSED ON THE PRACTICE ROW; E.G., If you don't know, guess a number from 1 to 9, and I'll tell you if you're right or wrong.

AFTER PRACTICE ROW IS COMPLETED, SAY:

Good, you know how to do them. I have some more of these I want you to do. When I tell you to begin start here [POINT TO THE FIRST SQUARE TO RIGHT OF DOUBLE LINE] and call out the numbers just like you have been doing until I say 'Stop.' If you make a mistake, tell me what you think the correct answer is. Do not skip any boxes and work as quickly as you can. Ready? Begin.

START TIMER AT "BEGIN," ALLOW 90 SECONDS, AND THEN SAY: Stop.

RECORD RESPONSES.

DO NOT REINSTRUCT FURTHER; IF PRESSED, SAY: Just do the best you can.

C. SYMBOL DIGIT MODALITIES TEST SCORING:

1. Administration status (1, 6-10) **SDMTSTA6** _____
- 1 = test administered
6 = Not administered because of physical impairment
7 = Not administered because of verbal refusal
8 = Not administered because of a behavioral reason
9 = Not administered for some other reason
- Specify _____ #**SDMTSPE6** _____
- 10 = Administered but not according to protocol
Specify _____ _____
2. Number of Test Administrations **SDMTADM6** _____
3. Number of Practice Items Correct (0-7) **SDMTPRA6** _____
4. Number of Test Items Attempted (0-110) **SDMTATM6** _____ _____ _____
5. Number of Test Items Correct (0-110) **SDMTCOR6** _____ _____ _____

D. DIGITS BACKWARD

ADMINISTRATION: MAKE SURE YOU HAVE RESPONDENT'S ATTENTION BEFORE PRESENTING EACH ITEM. READ DIGITS CLEARLY AT ONE-PER-SECOND RATE, LETTING VOICE PITCH DROP/RISE ON LAST DIGIT. PRESENT EACH ITEM ONLY ONCE. IF REPETITION IS REQUESTED, SAY: Just tell me what you can remember.

DISCONTINUE AFTER TWO CONSECUTIVE ERRORS AT A GIVEN ITEM LENGTH (e.g., IF BOTH 4a AND 4b ARE ERRORS). IF REQUESTED, REINSTRUCT: After I say the numbers, you are to say them backwards.

IF RESPONDENT REPEATS THE NUMBERS FORWARD, SCORE THE RESPONSE AS AN ERROR (0) AND REINSTRUCT AS ABOVE. ONLY ONE UNREQUESTED REINSTRUCTION IS PERMITTED.

SCORING: CLASSIFY EACH RESPONSE AS ERROR (0) OR CORRECT (1) AND ENTER THE SCORE IN THE SPACE PROVIDED. FOR ITEMS NOT ADMINISTERED DUE TO BRANCHING OR DISCONTINUATION RULE, PLACE AN “-1” IN THE SPACE PROVIDED; FOR ITEMS NOT ADMINISTERED FOR ANY OTHER REASON, ENTER THE APPROPRIATE CODE: 6 = PHYSICAL IMPAIRMENT; 7 = VERBAL REFUSAL; 8 = BEHAVIORAL REASON; 9 = OTHER REASON.

INSTRUCTION: Now, let's move on to another part. I am going to say some numbers. When I stop, I want you to say them backwards.

ITEM	RESPONSE CODE
P1. Try this one : 2 – 8 – 3.”	_____
IF <u>CORRECT</u> (1), SAY: That's right. Now I have some more numbers. Remember, you are to say them backwards. [GO TO 1a]	
IF <u>ERROR</u> (0), SAY: No, I said 2 – 8 – 3, so to say them backwards, you would need to say 3 – 8 – 2. [GO TO P2]	

P2. Try this one. Remember, you are to say them backwards. Ready? 1 – 5 – 8.

IF CORRECT (1), SAY: That's right. Now I have some more numbers. Remember, you are to say them backwards.

[GO TO 1a]

IF ERROR (0), SAY: No, I said 1 – 5 – 8, so to say them backwards, you would need to say 8 - 5 - 1. Now I have some more numbers. Remember, you are to say them backwards.

DIGITS BACKWARD (CONTINUED)

1 = Correct; 0 = Error
-1 = Not Administered due to discontinuation rule
6 = Not administered because of physical impairment
7 = Not administered because of verbal refusal
8 = Not administered because of behavioral reason
9 = No administered for some other reason

<i>Item</i>		<i>Response Code</i>
1a.	Ready? 5 – 1.....	<u>DIGIT1A6</u>
1b.	Here is another: 3 – 8	<u>DIGIT1B6</u>
2a.	Here is another: 4 – 9 – 3	<u>DIGIT2A6</u>
2b.	Here is another: 5 – 2 – 6	<u>DIGIT2B6</u>
3a.	Here is another: 3 – 8 – 1 – 4	<u>DIGIT3A6</u>
3b.	Here is another: 1 – 7 – 9 – 5	<u>DIGIT3B6</u>
4a.	Here is another: 6 – 2 – 9 – 7 – 2	<u>DIGIT4A6</u>
4b.	Here is another: 4 – 8 – 5 – 2 – 7	<u>DIGIT4B6</u>
5a.	Here is another: 7 – 1 – 5 – 2 – 8 – 6	<u>DIGIT5A6</u>
5b.	Here is another: 8 – 3 – 1 – 9 – 6 – 4	<u>DIGIT5B6</u>
6a.	Here is another: 4 – 7 – 3 – 9 – 1 – 2 – 8	<u>DIGIT6A6</u>
6b.	Here is another: 8 – 1 – 2 – 9 – 3 – 6 – 3	<u>DIGIT6B6</u>

Specify _____ #SPCDIG16 #SPCDIG26 _____

[NOTE: DISCONTINUE TEST AFTER 2 CONSECUTIVE ERRORS AT THE SAME ITEM LENGTH]

E. DELAYED RECALL OF STORY

Please recall the short story I read a few moments ago and tell me as much as you can remember of the story now.

RECORD RESPONSE VERBATIM

DLAYTHR6

DLAYCH16

DLAYHOU6

DLAYFIR6

DLAYFMN6

DLAYCLM6

DLAYCH26

DLAYRES6

DLAYMIN6

DLAYINJ6

DLAYEVR6

DLAYWEL6

SCORE EACH IDEA AS PRESENT OR ABSENT

Idea	Present	Absent
Three	1	0
Children	1	0
House	1	0
On Fire	1	0
Fireman	1	0
Climb In	1	0
Children	1	0
Rescued	1	0
Minor	1	0
Injuries	1	0
Everyone	1	0
Well	1	0
Total Ideas	TOTIDE26	

F. PLACEMENT OF COGNITIVE PROTOCOL

FOR EACH PROTOCOL COMPONENT LISTED BELOW, INDICATE WHETHER OR NOT EACH WAS COMPLETED AT THE SAME STUDY VISIT/DATE PRIOR TO THE ADMINISTRATION OF THE COGNITIVE ASSESSMENT. UNDER "OTHER", LIST ANY OTHER COMPONENTS ADMINISTERED PRIOR TO COGNITIVE ASSESSMENT AT THE SAME VISIT SESSION (i.e., SCID, SITE-SPECIFIC, ETC.)

PROTOCOL COMPONENT:	COMPLETED PRIOR TO COGNITIVE ASSESSMENT?		
	NO	YES	NOT APPLICABLE
CONSENT #CONSENT6	1	2	-1
INTERVIEWER ADMINISTERED FORM #INTADMI6	1	2	-1
FAMILY MEDICAL HISTORY #FAMHIST6	1	2	-1
BLOOD PRESSURE MEASUREMENTS	1	2	-1

	#BLDPRSS6			
BLOOD DRAW	#BLODDRA6	1	2	-1
ANTHROPOMETRIC MEASUREMENTS	#ANTHROP6	1	2	-1
SAQ A	#SELFA6	1	2	-1
SAQ B	#SELFB6	1	2	-1
DHS ASSESSMENT	#DHSASMN6	1	2	-1
BONE DENSITY	#BONEDNS6	1	2	-1
BIOIMPEDANCE	#BIOIMPE6	1	2	-1
OTHER (If yes, specify protocol(s) done prior to Cognitive Assessment):		1	2	
	#OTHSTDY6			
	#OTHPRO16			
	#OTHPRO26			
	#OTHPRO36			
	#OTHPRO46			
	#OTHPRO56			

ADDITIONAL MEASURES COLLECTED

The following measures that were collected at baseline have been included in the codebook:

SERUM HORMONE MEASURES

1. Variables for assays

Variable	Assay	Units
DHAS6	Dehydroepiandrosterone sulfate	ug/dL
E2AVE6*	Estradiol (see important note below)	pg/mL
FSH6	Follicle-stimulating hormone	mIU/mL
SHBG6	Sex hormone-binding globulin	nM
T6	Testosterone	ng/dL

* **IMPORTANT NOTE:** There were originally two estradiol result variables because estradiol was run in duplicate. E2AVE2 is the within-person arithmetic average of the two estradiol variables.

2. Flags and other variables

Variable	Meaning	Codes
CYCDAY6	Day of cycle	n/a
FLGCV6	Both Estradiol results are > 20 pg/mL and the within-subject coefficient of variation (CV) is > 15%.	0=no, 1=yes
FLGDIF6	One or both Estradiol results ≤ 20 pg/mL and the difference between them is > 10 pg/mL. Note: Differences were found between some of the Estradiol duplicate measurements. The following guidelines were decided upon: 1. If both E2 values > 20 pg/ml, CV must be ≤ 15%. 2. If one or both E2 ≤ 20 pg/ml, the two E2 results must agree within 10 pg/ml. DATA WITH THESE FLAGS SHOULD BE OMITTED FROM DATA ANALYSES, OR USED WITH CAUTION IF INCLUDED IN ANALYSES.	

*1=yes means flagged

3. Changes to the data:

- Lower limit of detection (LLD). Hormone results below the LLD were recoded to a value of '.L'.
- LLDs changed over time. The following LLDs were provided by the lab and apply to all samples through 2009:

<i>Hormone</i>	<i>Time Window on hormone measurement corresponding to LLD</i>	<i>Lower Limit of Detection</i>
DHEAS	~ Sep. 15, 1997	<1.52 ug/dL (Initial value)
	Sep. 16, 1997 ~ Jan. 14, 1999	<0.304 ug/dL
	Jan. 15, 1999 ~	<1.5 ug/dL
E2	~ Feb. 20, 2000	<1.0 pg/mL (Initial value)
	Feb. 21, 2000 ~ Aug. 27, 2001	<2.0 pg/mL
	Aug. 28, 2001 ~ May 03, 2009	<4.0 pg/mL
	May 04, 2009 ~	<7.0 pg/mL
FSH	~ Aug. 05, 1999	<1.05 mIU/mL (Initial value)
	Aug. 06, 1999 ~ Nov. 10, 1999	<1.0 mIU/mL
	Nov. 11, 1999 ~ Jul. 19, 2000	<0.7 mIU/mL
	Jul. 20, 2000 ~ Oct. 29, 2002	<0.6 mIU/mL
	Oct. 30, 2002 ~ Sep. 28, 2003	<0.5 mIU/mL
	Sep. 29, 2003 ~ Feb 20, 2006	<0.4 mIU/mL
	Feb 21, 2006 ~	<0.8 mIU/mL
SHBG	~ Aug. 05, 1999	<1.95 nM (Initial value)
	Aug. 06, 1999 ~ Oct. 31, 1999	<1.9 nM
	Nov. 01, 1999 ~ Mar. 22, 2006	<2.0 nM
	Mar. 23, 2006 ~	<3.2 nM
T	~ Jun. 04, 1998	<2.19 ng/dL (Initial value)
	Jun. 05, 1998 ~ Jun. 17, 1999	<2.2 ng/dL
	Jun. 18, 1999 ~	<2.0 ng/dL

CARDIOVASCULAR MEASURES

1. Variables for assays

Variable	Assay	Units
CHOLRES6	Total cholesterol	mg/dl
TRIGRES6	Triglycerides	mg/dl
LDLRESU6	Low-density lipoprotein cholesterol (estimated)	mg/dl
HDLRESU6	High density lipoprotein cholesterol	mg/dl
GLUCRES6	Glucose	mg/dl
INSURES6	Insulin	uIU/ml
PAIRESU6	PAI-1	ng/ml
TPARESU6	tPA	ng/ml
LPARESU6	Lipoprotein Lp(a)	mg/dl
APOARES6	Apolipoprotein A-1	mg/dl
APOBRES6	Apolipoprotein B	mg/dl
CRPRESU6	C-reactive protein	mg/l

2. Flags and other variables

Variable	Meaning	Codes
FLAGSER6	Flag to indicate that lipids were measured on serum rather than plasma because plasma was not available. Lipids for these subjects were <u>not</u> set to missing.	0=no, 1=yes

*1=yes means flagged

3. Changes to the data:

- Non-fasting Triglycerides, Insulin, & Glucose - If women were not fasting, triglycerides, insulin and glucose were set to missing in the frozen data set because these assays are not valid for non-fasting samples.
- Estimated vs. Direct LDL. LDL is estimated using the Friedewald equation for all women with triglycerides below 400 mg/dl. If triglycerides exceed 400 mg/dl, LDL is set to missing.
- Serum lipids. A few subjects had their lipids measured from serum rather than plasma. The results were left as is but subjects were flagged (FLAGSER1=1).

BONE MINERAL DENSITY MEASURES

Five of the seven clinical sites did DXA bone scans on the spine and hip. The total bone mineral density scores had to be calibrated in order to apply machine change calibration correction factors.

Variable	Meaning	Codes
<u>SPSCDAY6</u>	Spine Scan Day	
<u>SPSCTIM6</u>	Spine Scan Time	
<u>SPSCMOD6</u>	Spine Scan Mode	5 = 2000 machine 11=4500 machine
<u>HPSCDAY6</u>	Hip Scan Day	
<u>HPSCTIM6</u>	Hip Scan Time	
<u>HPSCMOD6</u>	Hip Scan Mode	5 = 2000 machine 11=4500 machine
<u>SPBMDT6</u>	Total Spine BMD w/cross-calibration applied	
<u>HPBMDT6</u>	Total Hip BMD w/cross-calibration applied	

Date Data Entered / Initials _____

Date Verified / Initials _____

BIOIMPEDANCE

INTERVIEWER-ADMINISTERED ANNUAL FOLLOW-UP FORM

Study of Women's Health Across the Nation

SECTION A. GENERAL INFORMATION

AFFIX ID LABEL HERE

SWANID

A1. RESPONDENT ID:

A2. SWAN STUDY VISIT #

#VISIT

A3. FORM VERSION:

04/30/2002

#FORM_V

A4. DATE FORM COMPLETED:

____ M ____ / ____ D ____ / ____ Y ____ Y ____ Y ____ Y **BIODAY6[†]**

A5. OPERATOR'S INITIALS:

____ — — —

#INITS

A6. RESPONDENT'S DOB:

____ M ____ / ____ D ____ / ____ Y ____ 1 ____ 9 ____ Y ____ Y ____ Y **#DOB**

VERIFY WITH RESPONDENT

A7. INTERVIEW COMPLETED IN:

#LOCATIO6

RESPONDENT'S HOME/OFFICE 1
CLINIC/OFFICE 2

A8. INTERVIEW LANGUAGE:

LANGUAG6

ENGLISH 1
SPANISH 2
CANTONESE 3
JAPANESE 4

[†] This date is given in days since the initial baseline interview, which is day zero.

Variable Excluded from Public Use Data File

Now I would like to measure your body composition using this bioimpedance equipment. Body composition is the amount of body fluids, fat, and lean body mass, including your muscles and organs found in your body.

B1. Do you have an insulin pump, pacemaker or automatic implantable cardiac defibrillator (AICD)?

AICDPUM6

NO.....	1
YES.....	2 (END)
DON'T KNOW.....	-8 (END)

IF YES OR DON'T KNOW, STOP. SUBJECT INELIGIBLE FOR BIOIMPEDANCE

If you have not recently done so, I would like you to use the bathroom before we take this measurement. For this measurement, you will need to remove metal jewelry and your right sock and shoe. Two sticky pads called electrodes will be placed on your right hand at the wrist and knuckles and two more will be placed on your right foot at the toes and ankle. Once the electrodes are attached, it will take less than one minute for the equipment to measure your body composition.

Before we begin the bioimpedance measurement I need to ask you a few questions that will help us interpret the results.

B2. Have you exercised intensely for at least half an hour or taken a sauna within the last 12 hours? That is, since ____ : ____ a.m. / p.m.?

EXER12H6

NO.....	1
YES.....	2
REFUSED.....	-7

B3. Have you had anything to eat or drink, apart from water, in the last 5 hours?

That is, since ____ : ____ a.m. / p.m.?

EAT5HR6

NO.....	1
YES.....	2
REFUSED.....	-7

B4. Have you had more than 2 alcohol drinks in the last 24 hours?

That is, since ____ : ____ a.m. / p.m.?

ALCO24H6

NO.....	1
YES.....	2
REFUSED.....	-7

Please remove all metal jewelry. Although you won't feel anything, metal removal is encouraged for more accurate results. Now please remove your right shoe and sock before lying down on a table for the test.

LEGS SHOULD BE FAR ENOUGH APART SO THAT THE THIGHS DO NOT TOUCH. HANDS AND ARMS SHOULD BE FAR ENOUGH APART SO THAT THE HANDS AND ARMS DON'T TOUCH THE TORSO.

IF THE SKIN IS OILY, CLEAN IT WITH AN ALCOHOL SWAB BEFORE ATTACHING ELECTRODES.

IF THE SKIN IS DRY, APPLY A SMALL AMOUNT OF ECG OR CONDUCTIVE PASTE BEFORE ATTACHING ELECTRODES.

B5. WAS BIOIMPEDANCE MEASUREMENT COMPLETED?

	<u>COMPBIA6</u>
NO.....	1 (END)
YES.....	2
REFUSED.....	-7 (END)

B6. ON WHICH SIDE OF THE BODY WERE THE ELECTRODES PLACED?

	<u>SIDE6</u>
RIGHT	1
LEFT	2

B7. RECORD THE CONDUCTANCE / RESISTANCE VALUE THAT APPEARS ON THE IMPEDANCE METER:

CONDRAW6 / CONDFRZ6
(+ OR -) _____ OHMS

B8. RECORD THE REACTANCE / IMPEDANCE VALUE THAT APPEARS ON THE IMPEDANCE METER:

IMPERAW6 / IMPEFRZ6
(+ OR -) _____ OHMS

B9. COMMENTS: _____

#OPERCO16 **#OPERCO26**

REMOVE AND DISPOSE OF THE ELECTRODES, BE SURE NOT TO INJURE THE SUBJECT'S SKIN.

Thank you for your participation in this study.

Visit 6 bibliography

Thurston RC, Sowers MR, Chang Y, Sternfeld B, Gold EB, Johnston JM, Matthews KA. **Adiposity and Reporting of Vasomotor Symptoms among Midlife Women: The Study of Women's Health Across the Nation.** *American Journal of Epidemiology.* 2008;167(1):78-85.

Primary Question: What is the association between adiposity and vasomotor symptoms among midlife women?

Summary of Findings: Higher total percentage of body fat is associated with a higher likelihood of reporting vasomotor symptoms among midlife women.

Gold EB, Bair Y, Zhang G, Utts J, Greendale GA, Upchurch D, Chyu L, Sternfeld B, Adler S. **Cross-sectional analysis of specific complementary and alternative medicine (CAM) use by racial/ethnic group and menopausal status: the Study of Women's Health Across the Nation (SWAN).** *Menopause.* 2007;14(4):612-623.

Primary Question: We examined whether race/ethnicity, menopausal status, health characteristics and symptoms were related to use of 21 types of complementary and alternative medicine (CAM).

Summary of Findings: Over half of women used some type of CAM. Use of most types of CAM differed significantly by race/ethnicity, except use of ginkgo biloba, glucosamine and yoga. Use of most types of CAM did not differ significantly by menopausal status or vasomotor symptoms, except use of soy supplements which was significantly greater in late and surgically menopausal women who were not using hormones. Women reporting somatic symptoms were significantly more likely to use glucosamine. Women reporting psychological symptoms were significantly more likely to use ginkgo biloba and soy supplements. Number of comorbidities, moderate or high socioeconomic status, number of healthy behaviors, symptom sensitivity, age and dietary genistein intake were significantly positively associated with use of several types of CAM.

Hess R, Colvin A, Avis NE, Bromberger JT, Schocken M, Johnston JM, Matthews KA. **The impact of hormone therapy on health-related quality of life: longitudinal results from the Study of Women's Health Across the Nation.** *Menopause.* 2008;15(3):422-428.

Primary Question: What is the impact of hormone therapy (HT) on health related quality (HRQOL) of life among women undergoing the menopausal transition and does the impact differ for women who are symptomatic?

Summary of Findings: Poor HRQOL does not increase the likelihood of initiating HT, nor is HT use associated with subsequent improvements in HRQOL. The exception to this may be women who have high levels of menopausal symptoms.

Avis NE, Brockwell S, Randolph JF Jr, Shen S, Cain VS, Ory M, Greendale GA. **Longitudinal changes in sexual functioning as women transition through menopause: results from the Study of Women's Health Across the Nation.** *Menopause.* 2009;16(3):442-452.

Primary Question: To determine if the menopause transition, independent of chronological aging, impacts women's sexual functioning.

Summary of Findings: The menopause transition is associated with decreases in women's sexual desire and increases in pain during sexual intercourse. The menopause transition does not have an impact on the importance of sex, emotional satisfaction or physical pleasure.

Janssen I, Powell LH, Crawford S, Lasley B, Sutton-Tyrrell K. **Menopause and the Metabolic Syndrome: The Study of Women's Health Across the Nation (SWAN).** *Archives of Internal Medicine.* 2008;168(14):1568-1575.

Primary Question: Does the chance of developing the metabolic syndrome increase with the menopause (independently of standard CVD risk factors), and if so, can this change be related to reproductive hormones?

Summary of Findings: As testosterone increases over the menopausal transition, the prevalence of the metabolic syndrome increases, independently of age and other important covariates. This suggests that one pathway by which cardiovascular disease increases in women is via the menopause-related increasing androgenicity of the hormonal milieu.

Bair YA, Gold EB, Zhang G, Rasor N, Utts J, Upchurch DM, Chyu L, Greendale GA, Sternfeld B, Adler SR. **Use of complementary and alternative medicine during the menopause transition: longitudinal results from the Study of Women's Health Across the Nation.** *Menopause*. 2008;15(1):32-43.

Primary Question: Does use of complementary and alternative medicine during menopause vary by ethnicity?

Do symptoms or menopausal status affect women's use of complementary and alternative medicine?

Summary of Findings: Women's cultural and personal characteristics influence the decision to use complementary and alternative medicine more than symptom experience or menopausal status.

Waetjen LE, Feng W, Ye J, Johnson WO, Greendale GA, Sampselle CM, Sternfeld B, Harlow SD, Gold EB for the Study of Women's Health Across the Nation (SWAN). **Factors Associated With Worsening and Improving Urinary Incontinence Across the Menopausal Transition.** *Obstetrics & Gynecology*. 2008;111(3):667-677.

Primary Question: Is the menopausal transition associated with improving or worsening of urinary incontinence symptoms?

Summary of Findings: Women with urinary incontinence in peri- and post-menopause are more likely to report improvement in their incontinence symptoms. Meanwhile, aging, increases in waist to hip ratio and weight cycling are associated with worsening incontinence symptoms.

ICPSR 31181

Study of Women's Health Across the Nation (SWAN), 2002-2004: Visit 06 Dataset

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

ICPSR has an FAQ on [copyright and survey instruments](#).

SWANID: SWANID

Respondent ID

Value	Label	Unweighted Frequency	%
10046	-	1	0.0 %
10056	-	1	0.0 %
10126	-	1	0.0 %
10153	-	1	0.0 %
10196	-	1	0.0 %
10245	-	1	0.0 %
10484	-	1	0.0 %
10514	-	1	0.0 %
10522	-	1	0.0 %
10532	-	1	0.0 %
10550	-	1	0.0 %
10604	-	1	0.0 %
10629	-	1	0.0 %
10630	-	1	0.0 %
10694	-	1	0.0 %
10747	-	1	0.0 %
10757	-	1	0.0 %
10801	-	1	0.0 %
10879	-	1	0.0 %
10910	-	1	0.0 %
10968	-	1	0.0 %
11007	-	1	0.0 %
11041	-	1	0.0 %
11079	-	1	0.0 %
11097	-	1	0.0 %
11126	-	1	0.0 %
11133	-	1	0.0 %
11180	-	1	0.0 %
11201	-	1	0.0 %
11208	-	1	0.0 %
11211	-	1	0.0 %
11267	-	1	0.0 %
11284	-	1	0.0 %
11286	-	1	0.0 %
11298	-	1	0.0 %
11338	-	1	0.0 %
11347	-	1	0.0 %
11430	-	1	0.0 %
11463	-	1	0.0 %

Value	Label	Unweighted Frequency	%
11478	-	1	0.0 %
11481	-	1	0.0 %
11508	-	1	0.0 %
11519	-	1	0.0 %
11600	-	1	0.0 %
11613	-	1	0.0 %
11630	-	1	0.0 %
11632	-	1	0.0 %
11642	-	1	0.0 %
11740	-	1	0.0 %
11769	-	1	0.0 %
Total		2,448	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,448 valid cases out of 2,448 total cases.

- Mean: 54201.79
- Minimum: 10046.00
- Maximum: 99962.00
- Standard Deviation: 25803.81

Location: 1-5 (width: 5; decimal: 0)

Variable Type: numeric

VISIT: Study Visit

SWAN study visit #

Value	Label	Unweighted Frequency	%
-		7	0.3 %
06	-	2441	99.7 %
Total		2,448	100%

Based upon 2,448 valid cases out of 2,448 total cases.

Location: 6-7 (width: 2; decimal: 0)

Variable Type: character

INTDAY6: Interview Day

Date form completed

Value	Label	Unweighted Frequency	%
2036	-	1	0.0 %
2041	-	1	0.0 %
2045	-	1	0.0 %

Value	Label	Unweighted Frequency	%
2055	-	1	0.0 %
2085	-	1	0.0 %
2095	-	1	0.0 %
2106	-	1	0.0 %
2107	-	3	0.1 %
2114	-	1	0.0 %
2116	-	1	0.0 %
2118	-	1	0.0 %
2119	-	1	0.0 %
2120	-	1	0.0 %
2122	-	2	0.1 %
2123	-	2	0.1 %
2125	-	1	0.0 %
2128	-	3	0.1 %
2129	-	2	0.1 %
2132	-	2	0.1 %
2133	-	3	0.1 %
2135	-	5	0.2 %
2136	-	2	0.1 %
2137	-	4	0.2 %
2138	-	1	0.0 %
2140	-	2	0.1 %
2141	-	5	0.2 %
2142	-	8	0.3 %
2143	-	3	0.1 %
2144	-	5	0.2 %
2145	-	6	0.2 %
2146	-	12	0.5 %
2147	-	16	0.7 %
2148	-	13	0.5 %
2149	-	36	1.5 %
2150	-	18	0.7 %
2151	-	13	0.5 %
2152	-	12	0.5 %
2153	-	13	0.5 %
2154	-	16	0.7 %
2155	-	19	0.8 %
2156	-	36	1.5 %
2157	-	24	1.0 %
2158	-	19	0.8 %
2159	-	10	0.4 %
2160	-	14	0.6 %

Value	Label	Unweighted Frequency	%
2161	-	23	0.9 %
2162	-	25	1.0 %
2163	-	38	1.6 %
2164	-	9	0.4 %
2165	-	9	0.4 %
Missing Data			
.	-	7	0.3 %
Total		2,448	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,441 valid cases out of 2,448 total cases.

- Mean: 2226.55
- Minimum: 2036.00
- Maximum: 2687.00
- Standard Deviation: 78.66

Location: 8-11 (*width:* 4; *decimal:* 0)

Variable Type: numeric

AGE6: Visit 6 Age

Calculated from date of birth to when the interview form was completed, and rounded to the next lowest integer

Value	Label	Unweighted Frequency	%
47	-	2	0.1 %
48	-	234	9.6 %
49	-	299	12.2 %
50	-	307	12.5 %
51	-	295	12.1 %
52	-	297	12.1 %
53	-	290	11.8 %
54	-	238	9.7 %
55	-	207	8.5 %
56	-	119	4.9 %
57	-	91	3.7 %
58	-	57	2.3 %
59	-	5	0.2 %
Missing Data			
.	-	7	0.3 %
Total		2,448	100%

Based upon 2,441 valid cases out of 2,448 total cases.

- Mean: 51.98

- Median: 52.00
- Mode: 50.00
- Minimum: 47.00
- Maximum: 59.00
- Standard Deviation: 2.68

Location: 12-13 (width: 2; decimal: 0)

Variable Type: numeric

LANGINT6: Language of Interview

Interview language

Value	Label	Unweighted Frequency	%
1	English	2222	90.8 %
2	Spanish	34	1.4 %
3	Cantonese	83	3.4 %
4	Japanese	102	4.2 %
Missing Data			
.	-	7	0.3 %
Total		2,448	100%

Based upon 2,441 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 14-15 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PREGNAN6: Currently Pregnant

Are you currently pregnant?

Value	Label	Unweighted Frequency	%
1	No	2016	82.4 %
2	Yes	0	0.0 %
Missing Data			
.	-	432	17.6 %
Total		2,448	100%

Based upon 2,016 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 16-17 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PREVBLO6: Blood Drawn Previously

Was blood for this annual follow-up drawn previous to this interview date?

Value	Label	Unweighted Frequency	%
1	No	1217	49.7 %
2	Yes	0	0.0 %
	Missing Data		
.	-	1231	50.3 %
	Total	2,448	100%

Based upon 1,217 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 18-19 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

EATDRIN6: Eat/Drink in last 12 hrs

Have you had anything to eat or drink, other than water, in the last 12 hours? That is since (time) last night?

Value	Label	Unweighted Frequency	%
1	No	1960	80.1 %
2	Yes	55	2.2 %
	Missing Data		
-1	N/A	1	0.0 %
.	-	432	17.6 %
	Total	2,448	100%

Based upon 2,015 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 20-21 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

STRTPER6: Start Period in Last Week

Did you start a menstrual period in the last five days?

Value	Label	Unweighted Frequency	%
1	No	1553	63.4 %
2	Yes	462	18.9 %
	Missing Data		
-1	N/A	1	0.0 %

Value	Label	Unweighted Frequency	%
.	-	432	17.6 %
	Total	2,448	100%

Based upon 2,015 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 22-23 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BLEDAY6: Day that you started to bleed

What is the date that you started to bleed?

Value	Label	Unweighted Frequency	%
2118	-	1	0.0 %
2124	-	1	0.0 %
2126	-	1	0.0 %
2127	-	2	0.1 %
2138	-	1	0.0 %
2141	-	1	0.0 %
2142	-	2	0.1 %
2143	-	1	0.0 %
2144	-	1	0.0 %
2147	-	2	0.1 %
2148	-	1	0.0 %
2149	-	2	0.1 %
2150	-	1	0.0 %
2151	-	3	0.1 %
2152	-	4	0.2 %
2154	-	2	0.1 %
2155	-	4	0.2 %
2156	-	4	0.2 %
2157	-	3	0.1 %
2158	-	3	0.1 %
2159	-	4	0.2 %
2160	-	1	0.0 %
2161	-	3	0.1 %
2162	-	3	0.1 %
2163	-	2	0.1 %
2165	-	3	0.1 %
2166	-	2	0.1 %
2167	-	5	0.2 %

Value	Label	Unweighted Frequency	%
2168	-	4	0.2 %
2169	-	3	0.1 %
2170	-	4	0.2 %
2171	-	5	0.2 %
2172	-	2	0.1 %
2173	-	3	0.1 %
2174	-	1	0.0 %
2175	-	3	0.1 %
2176	-	2	0.1 %
2177	-	3	0.1 %
2178	-	5	0.2 %
2179	-	5	0.2 %
2180	-	7	0.3 %
2181	-	4	0.2 %
2182	-	5	0.2 %
2183	-	10	0.4 %
2184	-	1	0.0 %
2185	-	1	0.0 %
2186	-	3	0.1 %
2187	-	5	0.2 %
2188	-	3	0.1 %
2189	-	4	0.2 %
Missing Data			
.	-	1986	81.1 %
Total		2,448	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 462 valid cases out of 2,448 total cases.

- Mean: 2229.85
- Median: 2220.00
- Minimum: 2118.00
- Maximum: 2508.00
- Standard Deviation: 62.14

Location: 24-27 (width: 4; decimal: 0)

Variable Type: numeric

BLDRWAT6: Blood Draw Attempted

Blood draw attempted?

Value	Label	Unweighted Frequency	%
1	Yes, as per protocol	1635	66.8 %

Value	Label	Unweighted Frequency	%
2	Yes, menses too variable	270	11.0 %
3	Yes, Last attempt	110	4.5 %
4	Yes, Respondent Pregnant	0	0.0 %
5	No, Not fasting and/or not in window	0	0.0 %
Missing Data			
-1	N/A	1	0.0 %
.	-	432	17.6 %
Total		2,448	100%

Based upon 2,015 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 28-29 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BLDDRAW6: Blood Drawn

Blood drawn?

Value	Label	Unweighted Frequency	%
1	No	0	0.0 %
2	Yes	2016	82.4 %
Missing Data			
.	-	432	17.6 %
Total		2,448	100%

Based upon 2,016 valid cases out of 2,448 total cases.

- Minimum: 2.00
- Maximum: 2.00

Location: 30-31 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SPEDAY6: Blood Specimen Day

Blood Specimen Day

Value	Label	Unweighted Frequency	%
2041	-	1	0.0 %
2045	-	1	0.0 %
2085	-	1	0.0 %
2095	-	1	0.0 %
2107	-	3	0.1 %

Value	Label	Unweighted Frequency	%
2116	-	1	0.0 %
2117	-	1	0.0 %
2119	-	1	0.0 %
2120	-	1	0.0 %
2122	-	1	0.0 %
2123	-	2	0.1 %
2125	-	1	0.0 %
2128	-	3	0.1 %
2129	-	1	0.0 %
2131	-	1	0.0 %
2132	-	1	0.0 %
2133	-	2	0.1 %
2135	-	4	0.2 %
2136	-	1	0.0 %
2137	-	3	0.1 %
2138	-	1	0.0 %
2140	-	1	0.0 %
2141	-	4	0.2 %
2142	-	2	0.1 %
2143	-	3	0.1 %
2144	-	2	0.1 %
2145	-	3	0.1 %
2146	-	10	0.4 %
2147	-	7	0.3 %
2148	-	9	0.4 %
2149	-	22	0.9 %
2150	-	16	0.7 %
2151	-	8	0.3 %
2152	-	11	0.4 %
2153	-	8	0.3 %
2154	-	13	0.5 %
2155	-	12	0.5 %
2156	-	21	0.9 %
2157	-	13	0.5 %
2158	-	12	0.5 %
2159	-	8	0.3 %
2160	-	9	0.4 %
2161	-	22	0.9 %
2162	-	19	0.8 %
2163	-	24	1.0 %
2164	-	7	0.3 %
2165	-	8	0.3 %

Value	Label	Unweighted Frequency	%
2166	-	13	0.5 %
2167	-	9	0.4 %
2168	-	8	0.3 %
	Missing Data		
.	-	419	17.1 %
	Total	2,448	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,029 valid cases out of 2,448 total cases.

- Mean: 2233.61
- Minimum: 2041.00
- Maximum: 2684.00
- Standard Deviation: 74.58

Location: 32-35 (width: 4; decimal: 0)

Variable Type: numeric

ANTICO16: Anticoagulant #1

Since your last study visit, have you taken: Any medication, pills or other medicine to thin your blood (anticoagulants)?

Value	Label	Unweighted Frequency	%
1	No	2368	96.7 %
2	Yes	73	3.0 %
	Missing Data		
.	-	7	0.3 %
	Total	2,448	100%

Based upon 2,441 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 36-37 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ACOATW16: Anticoagulant #1 taken 2x/wk for last mo

If YES to ANTICO16: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	22	0.9 %
2	Yes	51	2.1 %
	Missing Data		
-1	N/A	2368	96.7 %

Value	Label	Unweighted Frequency	%
.	-	7	0.3 %
Total		2,448	100%

Based upon 73 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 38-39 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ANTICO26: Anticoagulant #2

Since your last study visit, have you taken: Any medication, pills or other medicine to thin your blood (anticoagulants)?

Value	Label	Unweighted Frequency	%
1	No	66	2.7 %
2	Yes	7	0.3 %
Missing Data			
-1	N/A	2368	96.7 %
.	-	7	0.3 %
Total		2,448	100%

Based upon 73 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 40-41 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ACOATW26: Anticoagulant #2 taken 2x/wk for last mo

If YES to ANTICO26: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	0	0.0 %
2	Yes	7	0.3 %
Missing Data			
-1	N/A	2434	99.4 %
.	-	7	0.3 %
Total		2,448	100%

Based upon 7 valid cases out of 2,448 total cases.

- Minimum: 2.00
- Maximum: 2.00

Location: 42-43 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HEART16: Heart med #1

Since your last study visit, have you taken: Anything for your heart or heart beat, including pills or patches?

Value	Label	Unweighted Frequency	%
1	No	2348	95.9 %
2	Yes	93	3.8 %
	Missing Data		
.	-	7	0.3 %
	Total	2,448	100%

Based upon 2,441 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 44-45 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HARTTW16: Heart med #1 taken 2x/wk for last mo

If YES to HEART16: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	16	0.7 %
2	Yes	77	3.1 %
	Missing Data		
-1	N/A	2348	95.9 %
.	-	7	0.3 %
	Total	2,448	100%

Based upon 93 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 46-47 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HEART26: Heart med #2

Since your last study visit, have you taken: Anything for your heart or heart beat, including pills or patches?

Value	Label	Unweighted Frequency	%
1	No	74	3.0 %

Value	Label	Unweighted Frequency	%
2	Yes	19	0.8 %
	Missing Data		
-1	N/A	2348	95.9 %
.	-	7	0.3 %
	Total	2,448	100%

Based upon 93 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 48-49 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HARTTW26: Heart med #2 taken 2x/wk for last mo

If YES to HEART26: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	3	0.1 %
2	Yes	16	0.7 %
	Missing Data		
-1	N/A	2422	98.9 %
.	-	7	0.3 %
	Total	2,448	100%

Based upon 19 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 50-51 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CHOLST16: Cholesterol med #1

Since your last study visit, have you taken: Any medications for cholesterol or fats in your blood?

Value	Label	Unweighted Frequency	%
1	No	2174	88.8 %
2	Yes	267	10.9 %
	Missing Data		
.	-	7	0.3 %
	Total	2,448	100%

Based upon 2,441 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 52-53 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CHOLTW16: Cholesterol med #1 taken 2x/wk for last mo

If YES to CHOLST16: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	26	1.1 %
2	Yes	241	9.8 %
	Missing Data		
-1	N/A	2174	88.8 %
.	-	7	0.3 %
	Total	2,448	100%

Based upon 267 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 54-55 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CHOLST26: Cholesterol med #2

Since your last study visit, have you taken: Any medications for cholesterol or fats in your blood?

Value	Label	Unweighted Frequency	%
1	No	257	10.5 %
2	Yes	10	0.4 %
	Missing Data		
-1	N/A	2174	88.8 %
.	-	7	0.3 %
	Total	2,448	100%

Based upon 267 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 56-57 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CHOLTW26: Cholesterol med #2 taken 2x/wk for last mo

If YES to CHOLST26: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	3	0.1 %
2	Yes	7	0.3 %
	Missing Data		
-1	N/A	2431	99.3 %
.	-	7	0.3 %
	Total	2,448	100%

Based upon 10 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 58-59 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BP16: Blood pressure med #1

Since your last study visit, have you taken: Blood pressure pills?

Value	Label	Unweighted Frequency	%
1	No	1849	75.5 %
2	Yes	592	24.2 %
	Missing Data		
.	-	7	0.3 %
	Total	2,448	100%

Based upon 2,441 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 60-61 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BPTW16: Blood pressure med #1 taken 2x/wk last mo

If YES to BP16: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	25	1.0 %
2	Yes	567	23.2 %
	Missing Data		
-1	N/A	1849	75.5 %
.	-	7	0.3 %
	Total	2,448	100%

Based upon 592 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 62-63 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BP26: Blood pressure med #2

Since your last study visit, have you taken: Blood pressure pills?

Value	Label	Unweighted Frequency	%
1	No	393	16.1 %
2	Yes	199	8.1 %
Missing Data			
-1	N/A	1849	75.5 %
.	-	7	0.3 %
Total		2,448	100%

Based upon 592 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 64-65 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BPTW26: Blood pressure med #2 taken 2x/wk last mo

If YES to BP26: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	17	0.7 %
2	Yes	182	7.4 %
Missing Data			
-1	N/A	2242	91.6 %
.	-	7	0.3 %
Total		2,448	100%

Based upon 199 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 66-67 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIURET16: Diuretic #1

Since your last study visit, have you taken: Diuretics for water retention?

Value	Label	Unweighted Frequency	%
1	No	2256	92.2 %
2	Yes	185	7.6 %
	Missing Data		
.	-	7	0.3 %
	Total	2,448	100%

Based upon 2,441 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 68-69 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIURTW16: Diuretic #1 taken 2x/wk for last mo

If YES to DIURET16: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	34	1.4 %
2	Yes	151	6.2 %
	Missing Data		
-1	N/A	2256	92.2 %
.	-	7	0.3 %
	Total	2,448	100%

Based upon 185 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 70-71 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIURET26: Diuretic #2

Since your last study visit, have you taken: Diuretics for water retention?

Value	Label	Unweighted Frequency	%
1	No	177	7.2 %
2	Yes	8	0.3 %
	Missing Data		
-1	N/A	2256	92.2 %
.	-	7	0.3 %

Value	Label	Unweighted Frequency	%
	Total	2,448	100%

Based upon 185 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 72-73 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIURTW26: Diuretic #2 taken 2x/wk for last mo

If YES to DIURET26: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	1	0.0 %
2	Yes	7	0.3 %
	Missing Data		
-1	N/A	2433	99.4 %
.	-	7	0.3 %
	Total	2,448	100%

Based upon 8 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 74-75 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

THYROI16: Thyroid med #1

Since your last study visit, have you taken: Thyroid pills?

Value	Label	Unweighted Frequency	%
1	No	2177	88.9 %
2	Yes	264	10.8 %
	Missing Data		
.	-	7	0.3 %
	Total	2,448	100%

Based upon 2,441 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 76-77 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

THYRTW16: Thyroid med #1 taken 2x/wk for last mo

If YES to THYROI16: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	14	0.6 %
2	Yes	250	10.2 %
	Missing Data		
-1	N/A	2177	88.9 %
.	-	7	0.3 %
	Total	2,448	100%

Based upon 264 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 78-79 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

THYROI26: Thyroid med #2

Since your last study visit, have you taken: Thyroid pills?

Value	Label	Unweighted Frequency	%
1	No	257	10.5 %
2	Yes	7	0.3 %
	Missing Data		
-1	N/A	2177	88.9 %
.	-	7	0.3 %
	Total	2,448	100%

Based upon 264 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 80-81 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

THYRTW26: Thyroid med #2 taken 2x/wk for last mo

If YES to THYROI26: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	4	0.2 %

Value	Label	Unweighted Frequency	%
2	Yes	3	0.1 %
	Missing Data		
-1	N/A	2434	99.4 %
.	-	7	0.3 %
	Total	2,448	100%

Based upon 7 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 82-83 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

INSULN16: Insulin med #1

Since your last study visit, have you taken: Insulin or pills for sugar in your blood?

Value	Label	Unweighted Frequency	%
1	No	2285	93.3 %
2	Yes	156	6.4 %
	Missing Data		
.	-	7	0.3 %
	Total	2,448	100%

Based upon 2,441 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 84-85 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

INSUTW16: Insulin med #1 taken 2x/wk for last mo

If YES to INSULN16: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	6	0.2 %
2	Yes	150	6.1 %
	Missing Data		
-1	N/A	2285	93.3 %
.	-	7	0.3 %
	Total	2,448	100%

Based upon 156 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 86-87 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

INSULN26: Insulin med #2

Since your last study visit, have you taken: Insulin or pills for sugar in your blood?

Value	Label	Unweighted Frequency	%
1	No	76	3.1 %
2	Yes	80	3.3 %
Missing Data			
-1	N/A	2285	93.3 %
.	-	7	0.3 %
Total		2,448	100%

Based upon 156 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 88-89 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

INSUTW26: Insulin med #2 taken 2x/wk for last mo

If YES to INSULN26: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	4	0.2 %
2	Yes	76	3.1 %
Missing Data			
-1	N/A	2361	96.4 %
.	-	7	0.3 %
Total		2,448	100%

Based upon 80 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 90-91 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NERVS16: Nervous cond med #1

Since your last study visit, have you taken: Any medications for a nervous condition such as tranquilizers, sedatives, sleeping pills, or anti-depression medication?

Value	Label	Unweighted Frequency	%
1	No	2014	82.3 %
2	Yes	427	17.4 %
	Missing Data		
.	-	7	0.3 %
	Total	2,448	100%

Based upon 2,441 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 92-93 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NERVTW16: Nervous cond med #1 taken 2x/wk last mo

If YES to NERVS16: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	106	4.3 %
2	Yes	321	13.1 %
	Missing Data		
-1	N/A	2014	82.3 %
.	-	7	0.3 %
	Total	2,448	100%

Based upon 427 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 94-95 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NERVS26: Nervous cond med #2

Since your last study visit, have you taken: Any medications for a nervous condition such as tranquilizers, sedatives, sleeping pills, or anti-depression medication?

Value	Label	Unweighted Frequency	%
1	No	282	11.5 %
2	Yes	144	5.9 %
	Missing Data		
-9	Missing	1	0.0 %

Value	Label	Unweighted Frequency	%
-1	N/A	2014	82.3 %
.	-	7	0.3 %
Total		2,448	100%

Based upon 426 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 96-97 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NERVTW26: Nervous cond med #2 taken 2x/wk last mo

If YES to NERVS26: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	29	1.2 %
2	Yes	115	4.7 %
Missing Data			
-1	N/A	2297	93.8 %
.	-	7	0.3 %
Total		2,448	100%

Based upon 144 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 98-99 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

STEROI16: Steroid #1

Since your last study visit, have you taken: Steroid pills such as Prednisone, or cortisone?

Value	Label	Unweighted Frequency	%
1	No	2331	95.2 %
2	Yes	110	4.5 %
Missing Data			
.	-	7	0.3 %
Total		2,448	100%

Based upon 2,441 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 100-101 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

STERTW16: Steroid #1 taken 2x/wk for last mo

If YES to STEROI16: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	75	3.1 %
2	Yes	35	1.4 %
	Missing Data		
-1	N/A	2331	95.2 %
.	-	7	0.3 %
	Total	2,448	100%

Based upon 110 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 102-103 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

STEROI26: Steroid #2

Since your last study visit, have you taken: Steroid pills such as Prednisone, or cortisone?

Value	Label	Unweighted Frequency	%
1	No	100	4.1 %
2	Yes	10	0.4 %
	Missing Data		
-1	N/A	2331	95.2 %
.	-	7	0.3 %
	Total	2,448	100%

Based upon 110 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 104-105 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

STERTW26: Steroid #2 taken 2x/wk for last mo

If YES to STEROI26: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	5	0.2 %
2	Yes	5	0.2 %
	Missing Data		
-1	N/A	2431	99.3 %
.	-	7	0.3 %
	Total	2,448	100%

Based upon 10 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 106-107 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FERTIL16: Fertility med #1

Since your last study visit, have you taken: Fertility medications to help you get pregnant (Pergonal, Clomid)?

Value	Label	Unweighted Frequency	%
1	No	2441	99.7 %
2	Yes	0	0.0 %
	Missing Data		
.	-	7	0.3 %
	Total	2,448	100%

Based upon 2,441 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 108-109 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FRTLTW16: Fertility med #1 taken 2x/wk last mo

If YES to FERTIL16: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	0	0.0 %
2	Yes	0	0.0 %
	Missing Data		
-1	N/A	2441	99.7 %
.	-	7	0.3 %
	Total	2,448	100%

Based upon 0 valid cases out of 2,448 total cases.

Location: 110-111 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FERTIL26: Fertility med #2

Since your last study visit, have you taken: Fertility medications to help you get pregnant (Pergonal, Clomid)?

Value	Label	Unweighted Frequency	%
1	No	0	0.0 %
2	Yes	0	0.0 %
	Missing Data		
-1	N/A	2441	99.7 %
.	-	7	0.3 %
	Total	2,448	100%

Based upon 0 valid cases out of 2,448 total cases.

Location: 112-113 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FRTLTW26: Fertility med #2 taken 2x/wk last mo

If YES to FERTIL26: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	0	0.0 %
2	Yes	0	0.0 %
	Missing Data		
-1	N/A	2441	99.7 %
.	-	7	0.3 %
	Total	2,448	100%

Based upon 0 valid cases out of 2,448 total cases.

Location: 114-115 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BCP16: Birth Control Pill #1

Since your last study visit, have you taken: Birth control pills?

Value	Label	Unweighted Frequency	%
1	No	2400	98.0 %
2	Yes	41	1.7 %
	Missing Data		
.	-	7	0.3 %

Value	Label	Unweighted Frequency	%
	Total	2,448	100%

Based upon 2,441 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 116-117 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BCPTWI16: Birth Control Pill #1 taken 2x/wk last mo

If YES to BCP16: Have you been taking it during the past month?

Value	Label	Unweighted Frequency	%
1	No	14	0.6 %
2	Yes	27	1.1 %
	Missing Data		
-1	N/A	2400	98.0 %
.	-	7	0.3 %
	Total	2,448	100%

Based upon 41 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 118-119 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BCP26: Birth Control Pill #2

Since your last study visit, have you taken: Birth control pills?

Value	Label	Unweighted Frequency	%
1	No	40	1.6 %
2	Yes	1	0.0 %
	Missing Data		
-1	N/A	2400	98.0 %
.	-	7	0.3 %
	Total	2,448	100%

Based upon 41 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 120-121 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BCPTWI26: Birth control pills #2 taken 2x/wk last mo

If YES to BCP26: Have you been taking it during the past month?

Value	Label	Unweighted Frequency	%
1	No	0	0.0 %
2	Yes	1	0.0 %
	Missing Data		
-1	N/A	2440	99.7 %
.	-	7	0.3 %
	Total	2,448	100%

Based upon 1 valid cases out of 2,448 total cases.

- Minimum: 2.00
- Maximum: 2.00

Location: 122-123 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BCREAS6: Primary reason for taking birth control pills

For your most recent use, what was the primary reason for taking birth control pills?

Value	Label	Unweighted Frequency	%
1	Prevent Pregnancy	5	0.2 %
2	Help Control Pre Menstrual Symptoms	5	0.2 %
3	Help Control Menopausal Symptoms	6	0.2 %
4	Control Other Symptoms	1	0.0 %
5	Regulate Periods	11	0.4 %
6	Prevent Osteoporosis	0	0.0 %
7	Reduce Bleeding	9	0.4 %
8	Other	2	0.1 %
	Missing Data		
-8	Do not know	1	0.0 %
-1	N/A	2401	98.1 %
.	-	7	0.3 %
	Total	2,448	100%

Based upon 39 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 8.00

Location: 124-125 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BCRES_S6: Primary reason other specify

For your most recent use, what was the primary reason for taking birth control pills? - (Specify)

Value	Label	Unweighted Frequency	%
-	-	7	0.3 %
-1: N/A	-	2439	99.6 %
TO CONTROL FIBROIDS	-	1	0.0 %
to prevent cyst	-	1	0.0 %
	Total	2,448	100%

Based upon 2,448 valid cases out of 2,448 total cases.

Location: 126-144 (width: 19; decimal: 0)

Variable Type: character

ESTROG16: Estrogen pills #1

Since your last study visit, have you taken: Estrogen pills (such as Premarin, Estrace, Ogen, etc)?

Value	Label	Unweighted Frequency	%
1	No	2196	89.7 %
2	Yes	245	10.0 %
	Missing Data		
.	-	7	0.3 %
	Total	2,448	100%

Based upon 2,441 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 145-146 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ESTRTW16: Estrogen pills #1 taken 2x/wk for last mo

If YES to ESTROG16: Have you been taking it during the past month?

Value	Label	Unweighted Frequency	%
1	No	69	2.8 %
2	Yes	176	7.2 %
	Missing Data		
-1	N/A	2196	89.7 %
.	-	7	0.3 %
	Total	2,448	100%

Based upon 245 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 147-148 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ESTROG26: Estrogen pills #2

Since your last study visit, have you taken: Estrogen pills (such as Premarin, Estrace, Ogen, etc)?

Value	Label	Unweighted Frequency	%
1	No	241	9.8 %
2	Yes	4	0.2 %
Missing Data			
-1	N/A	2196	89.7 %
.	-	7	0.3 %
Total		2,448	100%

Based upon 245 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 149-150 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ESTRTW26: Estrogen pills #2 taken 2x/wk for last mo

If YES to ESTROG26: Have you been taking it during the past month?

Value	Label	Unweighted Frequency	%
1	No	2	0.1 %
2	Yes	2	0.1 %
Missing Data			
-1	N/A	2437	99.6 %
.	-	7	0.3 %
Total		2,448	100%

Based upon 4 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 151-152 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ESTRDA16: Estr #1 rx daily or off & on

If YES to ESTRTW16: Does/Did your prescription have you take estrogen daily or on and off on a monthly cycle?

Value	Label	Unweighted Frequency	%
1	Every Day	213	8.7 %
2	Off and On	25	1.0 %
	Missing Data		
-9	Missing	2	0.1 %
-8	Do not know	4	0.2 %
-7	Refused	1	0.0 %
-1	N/A	2196	89.7 %
.	-	7	0.3 %
	Total	2,448	100%

Based upon 238 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 153-154 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ESTRDA26: Estr #2 rx daily or off & on

If YES to ESTRTW26: Does/Did your prescription have you take estrogen daily or on and off on a monthly cycle?

Value	Label	Unweighted Frequency	%
1	Every Day	3	0.1 %
2	Off and On	1	0.0 %
	Missing Data		
-1	N/A	2437	99.6 %
.	-	7	0.3 %
	Total	2,448	100%

Based upon 4 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 155-156 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ESTRNJ16: Estrogen inj/patch #1

Since your last study visit, have you taken: Estrogen by injection or patch (such as Estraderm)?

Value	Label	Unweighted Frequency	%
1	No	2414	98.6 %

Value	Label	Unweighted Frequency	%
2	Yes	27	1.1 %
	Missing Data		
.	-	7	0.3 %
	Total	2,448	100%

Based upon 2,441 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 157-158 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -8 , -7 , -1 , .

EINJTW16: Estrogen inj/patch #1 taken 2x/wk last mo

If YES to ESTRNJ16: Have you been taking it during the past month?

Value	Label	Unweighted Frequency	%
1	No	8	0.3 %
2	Yes	19	0.8 %
	Missing Data		
-1	N/A	2414	98.6 %
.	-	7	0.3 %
	Total	2,448	100%

Based upon 27 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 159-160 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -8 , -7 , -1 , .

ESTRNJ26: Estrogen inj/patch #2

Since your last study visit, have you taken: Estrogen by injection or patch (such as Estraderm)?

Value	Label	Unweighted Frequency	%
1	No	29	1.2 %
2	Yes	2	0.1 %
	Missing Data		
-1	N/A	2410	98.4 %
.	-	7	0.3 %
	Total	2,448	100%

Based upon 31 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 161-162 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

EINJTW26: Estrogen inj/patch #2 taken 2x/wk last mo

If YES to ESTRNJ26: Have you been taking it during the past month?

Value	Label	Unweighted Frequency	%
1	No	2	0.1 %
2	Yes	0	0.0 %
Missing Data			
-1	N/A	2439	99.6 %
.	-	7	0.3 %
Total		2,448	100%

Based upon 2 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 163-164 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

COMBIN16: Comb estrogen/progestin #1

Since your last study visit, have you taken: Combination estrogen/progestin (such as Premphase or Prempro)?

Value	Label	Unweighted Frequency	%
1	No	2249	91.9 %
2	Yes	192	7.8 %
Missing Data			
.	-	7	0.3 %
Total		2,448	100%

Based upon 2,441 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 165-166 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

COMBTW16: Comb estrogen/progestin #1 taken 2x/wk last mo

If YES to COMBIN16: Have you been taking it during the past month?

Value	Label	Unweighted Frequency	%
1	No	71	2.9 %
2	Yes	121	4.9 %
	Missing Data		
-1	N/A	2249	91.9 %
.	-	7	0.3 %
	Total	2,448	100%

Based upon 192 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 167-168 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

COMBIN26: Comb estrogen/progestin #2

Since your last study visit, have you taken: Combination estrogen/progestin (such as Premphase or Prempro)?

Value	Label	Unweighted Frequency	%
1	No	176	7.2 %
2	Yes	13	0.5 %
	Missing Data		
-1	N/A	2252	92.0 %
.	-	7	0.3 %
	Total	2,448	100%

Based upon 189 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 169-170 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

COMBTW26: Comb estrogen/progestin #2 taken 2x/wk last mo

If YES to COMBIN26: Have you been taking it during the past month?

Value	Label	Unweighted Frequency	%
1	No	6	0.2 %
2	Yes	7	0.3 %
	Missing Data		
-1	N/A	2428	99.2 %
.	-	7	0.3 %

Value	Label	Unweighted Frequency	%
	Total	2,448	100%

Based upon 13 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 171-172 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PROGES16: Progestin pills #1

Since your last study visit, have you taken: Progestin pills (such as Provera)?

Value	Label	Unweighted Frequency	%
1	No	2271	92.8 %
2	Yes	170	6.9 %
	Missing Data		
.	-	7	0.3 %
	Total	2,448	100%

Based upon 2,441 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 173-174 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PROGTW16: Progestin pills #1 taken 2x/wk last mo

If YES to PROGES16: Have you been taking it during the past month?

Value	Label	Unweighted Frequency	%
1	No	44	1.8 %
2	Yes	126	5.1 %
	Missing Data		
-1	N/A	2271	92.8 %
.	-	7	0.3 %
	Total	2,448	100%

Based upon 170 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 175-176 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PROGES26: Progestin pills #2

Since your last study visit, have you taken: Progestin pills (such as Provera)?

Value	Label	Unweighted Frequency	%
1	No	168	6.9 %
2	Yes	2	0.1 %
	Missing Data		
-1	N/A	2271	92.8 %
.	-	7	0.3 %
	Total	2,448	100%

Based upon 170 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 177-178 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PROGTW26: Progestin pills #2 taken 2x/wk last mo

If YES to PROGES26: Have you been taking it during the past month?

Value	Label	Unweighted Frequency	%
1	No	1	0.0 %
2	Yes	1	0.0 %
	Missing Data		
-1	N/A	2439	99.6 %
.	-	7	0.3 %
	Total	2,448	100%

Based upon 2 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 179-180 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PROGDA16: Prog #1 rx daily or off & on

If YES to PROGTW16: Does/Did your prescription have you take progestin daily or on and off a monthly cycle?

Value	Label	Unweighted Frequency	%
1	Every Day	91	3.7 %

Value	Label	Unweighted Frequency	%
2	Off and On	76	3.1 %
	Missing Data		
-9	Missing	1	0.0 %
-8	Do not know	1	0.0 %
-7	Refused	1	0.0 %
-1	N/A	2271	92.8 %
.	-	7	0.3 %
	Total	2,448	100%

Based upon 167 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 181-182 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PROGDA26: Prog #2 rx daily or off & on

If YES to PROGTW26: Does/Did your prescription have you take progestin daily or on and off a monthly cycle?

Value	Label	Unweighted Frequency	%
1	Every Day	2	0.1 %
2	Off and On	0	0.0 %
	Missing Data		
-1	N/A	2439	99.6 %
.	-	7	0.3 %
	Total	2,448	100%

Based upon 2 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 183-184 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OSTEPR16: Osteoporosis med #1

Since your last study visit, have you taken: Medications to prevent or treat osteoporosis (brittle or thinning bones such as Fosamax, Didronel, Evista, Miocalcin, Rocaltrol, Actonel)?

Value	Label	Unweighted Frequency	%
1	No	2371	96.9 %
2	Yes	70	2.9 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	7	0.3 %
	Total	2,448	100%

Based upon 2,441 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 185-186 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OSTETW16: Osteoporosis med #1 taken 2x/wk for last mo

If YES to OSTEPR16: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	28	1.1 %
2	Yes	42	1.7 %
	Missing Data		
-1	N/A	2371	96.9 %
.	-	7	0.3 %
	Total	2,448	100%

Based upon 70 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 187-188 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OSTEPR26: Osteoporosis med #2

Since your last study visit, have you taken: Medications to prevent or treat osteoporosis (brittle or thinning bones such as Fosamax, Didronel, Evista, Miacalcin, Rocaltrol, Actonel)?

Value	Label	Unweighted Frequency	%
1	No	67	2.7 %
2	Yes	3	0.1 %
	Missing Data		
-1	N/A	2371	96.9 %
.	-	7	0.3 %
	Total	2,448	100%

Based upon 70 valid cases out of 2,448 total cases.

- Minimum: 1.00

- Maximum: 2.00

Location: 189-190 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OSTETW26: Osteoporosis med #2 taken 2x/wk for last mo

If YES to OSTEPR26: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	1	0.0 %
2	Yes	2	0.1 %
Missing Data			
-1	N/A	2438	99.6 %
.	-	7	0.3 %
Total		2,448	100%

Based upon 3 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 191-192 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ARTHRT16: Arthritis med #1

Since your last study visit, have you taken: Prescribed medications for arthritis?

Value	Label	Unweighted Frequency	%
1	No	2113	86.3 %
2	Yes	204	8.3 %
Missing Data			
-1	N/A	124	5.1 %
.	-	7	0.3 %
Total		2,448	100%

Based upon 2,317 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 193-194 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ARTHTW16: Arthritis med #1 taken 2x/wk last mo

If YES to ARTHRT16: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	69	2.8 %
2	Yes	135	5.5 %
	Missing Data		
-1	N/A	2237	91.4 %
.	-	7	0.3 %
	Total	2,448	100%

Based upon 204 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 195-196 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ARTHRT26: Arthritis med #2

Since your last study visit, have you taken: Prescribed medications for arthritis?

Value	Label	Unweighted Frequency	%
1	No	165	6.7 %
2	Yes	39	1.6 %
	Missing Data		
-1	N/A	2237	91.4 %
.	-	7	0.3 %
	Total	2,448	100%

Based upon 204 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 197-198 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ARTHTW26: Arthritis med #2 taken 2x/wk last mo

If YES to ARTHRT26: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	20	0.8 %
2	Yes	19	0.8 %
	Missing Data		
-1	N/A	2402	98.1 %
.	-	7	0.3 %

Value	Label	Unweighted Frequency	%
	Total	2,448	100%

Based upon 39 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 199-200 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHMED16: Other rx med #1

Since your last study visit: Are there any other prescription pills or medications that you have taken, that I haven't asked you about?
(Please list)

Value	Label	Unweighted Frequency	%
1	No	1293	52.8 %
2	Yes	1148	46.9 %
	Missing Data		
.	-	7	0.3 %
	Total	2,448	100%

Based upon 2,441 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 201-202 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHRTW16: Other rx med #1 taken 2x/wk last mo

If YES to OTHMED16: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	471	19.2 %
2	Yes	676	27.6 %
	Missing Data		
-9	Missing	1	0.0 %
-1	N/A	1293	52.8 %
.	-	7	0.3 %
	Total	2,448	100%

Based upon 1,147 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 203-204 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHMED26: Other rx med #2

Since your last study visit: Are there any other prescription pills or medications that you have taken, that I haven't asked you about?
(Please list)

Value	Label	Unweighted Frequency	%
1	No	525	21.4 %
2	Yes	623	25.4 %
	Missing Data		
-1	N/A	1293	52.8 %
.	-	7	0.3 %
Total		2,448	100%

Based upon 1,148 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 205-206 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHRTW26: Other rx med #2 taken 2x/wk last mo

If YES to OTHMED26: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	253	10.3 %
2	Yes	369	15.1 %
	Missing Data		
-9	Missing	1	0.0 %
-1	N/A	1818	74.3 %
.	-	7	0.3 %
Total		2,448	100%

Based upon 622 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 207-208 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHMED36: Other rx med #3

Since your last study visit: Are there any other prescription pills or medications that you have taken, that I haven't asked you about?
(Please list)

Value	Label	Unweighted Frequency	%
1	No	286	11.7 %
2	Yes	337	13.8 %
	Missing Data		
-1	N/A	1818	74.3 %
.	-	7	0.3 %
	Total	2,448	100%

Based upon 623 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 209-210 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHRTW36: Other rx med #3 taken 2x/wk last mo

If YES to OTHMED36: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	151	6.2 %
2	Yes	186	7.6 %
	Missing Data		
-1	N/A	2104	85.9 %
.	-	7	0.3 %
	Total	2,448	100%

Based upon 337 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 211-212 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHMED46: Other rx med #4

Since your last study visit: Are there any other prescription pills or medications that you have taken, that I haven't asked you about? (Please list)

Value	Label	Unweighted Frequency	%
1	No	134	5.5 %
2	Yes	203	8.3 %
	Missing Data		
-1	N/A	2104	85.9 %
.	-	7	0.3 %

Value	Label	Unweighted Frequency	%
	Total	2,448	100%

Based upon 337 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 213-214 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHRTW46: Other rx med #4 taken 2x/wk last mo

If YES to OTHMED46: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	95	3.9 %
2	Yes	108	4.4 %
	Missing Data		
-1	N/A	2238	91.4 %
.	-	7	0.3 %
	Total	2,448	100%

Based upon 203 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 215-216 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHMED56: Other rx med #5

Since your last study visit: Are there any other prescription pills or medications that you have taken, that I haven't asked you about? (Please list)

Value	Label	Unweighted Frequency	%
1	No	90	3.7 %
2	Yes	113	4.6 %
	Missing Data		
-1	N/A	2238	91.4 %
.	-	7	0.3 %
	Total	2,448	100%

Based upon 203 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 217-218 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9, -8, -7, -1, .

OTHRTW56: Other rx med #5 taken 2x/wk last mo

If YES to OTHMED56: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	59	2.4 %
2	Yes	54	2.2 %
	Missing Data		
-1	N/A	2328	95.1 %
.	-	7	0.3 %
	Total	2,448	100%

Based upon 113 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 219-220 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

OTHMED66: Other rx med #6

Since your last study visit: Are there any other prescription pills or medications that you have taken, that I haven't asked you about? (Please list)

Value	Label	Unweighted Frequency	%
1	No	53	2.2 %
2	Yes	60	2.5 %
	Missing Data		
-1	N/A	2328	95.1 %
.	-	7	0.3 %
	Total	2,448	100%

Based upon 113 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 221-222 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

OTHRTW66: Other rx med #6 taken 2x/wk last mo

If YES to OTHMED66: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	36	1.5 %
2	Yes	24	1.0 %
	Missing Data		
-1	N/A	2381	97.3 %
.	-	7	0.3 %
	Total	2,448	100%

Based upon 60 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 223-224 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHMED76: Other rx med #7

Since your last study visit: Are there any other prescription pills or medications that you have taken, that I haven't asked you about? (Please list)

Value	Label	Unweighted Frequency	%
1	No	21	0.9 %
2	Yes	39	1.6 %
	Missing Data		
-1	N/A	2381	97.3 %
.	-	7	0.3 %
	Total	2,448	100%

Based upon 60 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 225-226 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHRTW76: Other rx med #7 taken 2x/wk last mo

If YES to OTHMED76: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	23	0.9 %
2	Yes	16	0.7 %
	Missing Data		
-1	N/A	2402	98.1 %
.	-	7	0.3 %

Value	Label	Unweighted Frequency	%
	Total	2,448	100%

Based upon 39 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 227-228 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHMED86: Other rx med #8

Since your last study visit: Are there any other prescription pills or medications that you have taken, that I haven't asked you about?
(Please list)

Value	Label	Unweighted Frequency	%
1	No	16	0.7 %
2	Yes	23	0.9 %
	Missing Data		
-1	N/A	2402	98.1 %
.	-	7	0.3 %
	Total	2,448	100%

Based upon 39 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 229-230 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHRTW86: Other rx med #8 taken 2x/wk last mo

If YES to OTHMED86: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	13	0.5 %
2	Yes	10	0.4 %
	Missing Data		
-1	N/A	2418	98.8 %
.	-	7	0.3 %
	Total	2,448	100%

Based upon 23 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 231-232 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHMED96: Other rx med #9

Since your last study visit: Are there any other prescription pills or medications that you have taken, that I haven't asked you about?
(Please list)

Value	Label	Unweighted Frequency	%
1	No	8	0.3 %
2	Yes	15	0.6 %
	Missing Data		
-1	N/A	2418	98.8 %
.	-	7	0.3 %
Total		2,448	100%

Based upon 23 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 233-234 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHRTW96: Other rx med #9 taken 2x/wk last mo

If YES to OTHMED96: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	10	0.4 %
2	Yes	5	0.2 %
	Missing Data		
-1	N/A	2426	99.1 %
.	-	7	0.3 %
Total		2,448	100%

Based upon 15 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 235-236 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHME106: Other rx med #10

Since your last study visit: Are there any other prescription pills or medications that you have taken, that I haven't asked you about?
(Please list)

Value	Label	Unweighted Frequency	%
1	No	5	0.2 %
2	Yes	10	0.4 %
	Missing Data		
-1	N/A	2426	99.1 %
.	-	7	0.3 %
	Total	2,448	100%

Based upon 15 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 237-238 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHTW106: Other rx med #10 taken 2x/wk last mo

If YES to OTHMED106: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	5	0.2 %
2	Yes	5	0.2 %
	Missing Data		
-1	N/A	2431	99.3 %
.	-	7	0.3 %
	Total	2,448	100%

Based upon 10 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 239-240 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHME116: Other rx med #11

Since your last study visit: Are there any other prescription pills or medications that you have taken, that I haven't asked you about? (Please list)

Value	Label	Unweighted Frequency	%
1	No	2	0.1 %
2	Yes	8	0.3 %
	Missing Data		
-1	N/A	2431	99.3 %
.	-	7	0.3 %

Value	Label	Unweighted Frequency	%
	Total	2,448	100%

Based upon 10 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 241-242 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHTW116: Other rx med #11 taken 2x/wk last mo

If YES to OTHMED116: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	6	0.2 %
2	Yes	2	0.1 %
	Missing Data		
-1	N/A	2433	99.4 %
.	-	7	0.3 %
	Total	2,448	100%

Based upon 8 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 243-244 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHME126: Other rx med #12

Since your last study visit: Are there any other prescription pills or medications that you have taken, that I haven't asked you about? (Please list)

Value	Label	Unweighted Frequency	%
1	No	1	0.0 %
2	Yes	7	0.3 %
	Missing Data		
-1	N/A	2433	99.4 %
.	-	7	0.3 %
	Total	2,448	100%

Based upon 8 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 245-246 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9, -8, -7, -1, .

OTHTW126: Other rx med #12 taken 2x/wk last mo

If YES to OTHMED126: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	5	0.2 %
2	Yes	2	0.1 %
	Missing Data		
-1	N/A	2434	99.4 %
.	-	7	0.3 %
	Total	2,448	100%

Based upon 7 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 247-248 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

OTHME136: Other rx med #13

Since your last study visit: Are there any other prescription pills or medications that you have taken, that I haven't asked you about? (Please list)

Value	Label	Unweighted Frequency	%
1	No	0	0.0 %
2	Yes	7	0.3 %
	Missing Data		
-1	N/A	2434	99.4 %
.	-	7	0.3 %
	Total	2,448	100%

Based upon 7 valid cases out of 2,448 total cases.

- Minimum: 2.00
- Maximum: 2.00

Location: 249-250 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

OTHTW136: Other rx med #13 taken 2x/wk last mo

If YES to OTHMED136: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	5	0.2 %
2	Yes	2	0.1 %
	Missing Data		
-1	N/A	2434	99.4 %
.	-	7	0.3 %
	Total	2,448	100%

Based upon 7 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 251-252 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHME146: Other rx med #14

Since your last study visit: Are there any other prescription pills or medications that you have taken, that I haven't asked you about? (Please list)

Value	Label	Unweighted Frequency	%
1	No	1	0.0 %
2	Yes	6	0.2 %
	Missing Data		
-1	N/A	2434	99.4 %
.	-	7	0.3 %
	Total	2,448	100%

Based upon 7 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 253-254 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHTW146: Other rx med #14 taken 2x/wk last mo

If YES to OTHMED146: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	5	0.2 %
2	Yes	1	0.0 %
	Missing Data		
-1	N/A	2435	99.5 %
.	-	7	0.3 %

Value	Label	Unweighted Frequency	%
	Total	2,448	100%

Based upon 6 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 255-256 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHME156: Other rx med #15

Since your last study visit: Are there any other prescription pills or medications that you have taken, that I haven't asked you about? (Please list)

Value	Label	Unweighted Frequency	%
1	No	2	0.1 %
2	Yes	4	0.2 %
	Missing Data		
-1	N/A	2435	99.5 %
.	-	7	0.3 %
	Total	2,448	100%

Based upon 6 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 257-258 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHTW156: Other rx med #15 taken 2x/wk last mo

If YES to OTHMED156: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	3	0.1 %
2	Yes	1	0.0 %
	Missing Data		
-1	N/A	2437	99.6 %
.	-	7	0.3 %
	Total	2,448	100%

Based upon 4 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 259-260 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9, -8, -7, -1, .

ESTLSTV6: Using any estrogen/progestin at time of last study visit

Were you using any prescription medications containing estrogen or progestin at the time of your last study visit?

Value	Label	Unweighted Frequency	%
1	No	92	3.8 %
2	Yes	344	14.1 %
	Missing Data		
-8	Do not know	3	0.1 %
-1	N/A	2002	81.8 %
.	-	7	0.3 %
	Total	2,448	100%

Based upon 436 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 261-262 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

REDUHAR6: Reduce risk of heart disease

I am going to read a list of some reasons why women start taking hormones, not including birth control pills. For each one, please tell me if it is a reason why you started taking hormones: To reduce the risk of heart disease

Value	Label	Unweighted Frequency	%
1	No	87	3.6 %
2	Yes	8	0.3 %
	Missing Data		
-1	N/A	2346	95.8 %
.	-	7	0.3 %
	Total	2,448	100%

Based upon 95 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 263-264 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

OSTEOP06: Reduce risk of osteoporosis

I am going to read a list of some reasons why women start taking hormones, not including birth control pills. For each one, please tell me if it is a reason why you started taking hormones: To reduce the risk of osteoporosis (brittle or thinning bones)

Value	Label	Unweighted Frequency	%
1	No	74	3.0 %
2	Yes	21	0.9 %
	Missing Data		
-1	N/A	2346	95.8 %
.	-	7	0.3 %
	Total	2,448	100%

Based upon 95 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 265-266 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MENOSYM6: Relieve menopausal symptoms

I am going to read a list of some reasons why women start taking hormones, not including birth control pills. For each one, please tell me if it is a reason why you started taking hormones: To relieve menopausal symptoms

Value	Label	Unweighted Frequency	%
1	No	30	1.2 %
2	Yes	65	2.7 %
	Missing Data		
-1	N/A	2346	95.8 %
.	-	7	0.3 %
	Total	2,448	100%

Based upon 95 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 267-268 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

YOUNGLK6: Stay young-looking

I am going to read a list of some reasons why women start taking hormones, not including birth control pills. For each one, please tell me if it is a reason why you started taking hormones: To stay young-looking

Value	Label	Unweighted Frequency	%
1	No	87	3.6 %
2	Yes	8	0.3 %
	Missing Data		
-1	N/A	2346	95.8 %

Value	Label	Unweighted Frequency	%
.	-	7	0.3 %
	Total	2,448	100%

Based upon 95 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 269-270 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HCPADVI6: Health care provider advised

I am going to read a list of some reasons why women start taking hormones, not including birth control pills. For each one, please tell me if it is a reason why you started taking hormones: A health care provider advised me to take them

Value	Label	Unweighted Frequency	%
1	No	25	1.0 %
2	Yes	70	2.9 %
	Missing Data		
-1	N/A	2346	95.8 %
.	-	7	0.3 %
	Total	2,448	100%

Based upon 95 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 271-272 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FRNADVI6: Friend/relative advised

I am going to read a list of some reasons why women start taking hormones, not including birth control pills. For each one, please tell me if it is a reason why you started taking hormones: A friend or relative advised me to take them

Value	Label	Unweighted Frequency	%
1	No	81	3.3 %
2	Yes	14	0.6 %
	Missing Data		
-1	N/A	2346	95.8 %
.	-	7	0.3 %
	Total	2,448	100%

Based upon 95 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 273-274 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

IMPRMEM6: Improve memory

I am going to read a list of some reasons why women start taking hormones, not including birth control pills. For each one, please tell me if it is a reason why you started taking hormones: To improve my memory

Value	Label	Unweighted Frequency	%
1	No	85	3.5 %
2	Yes	10	0.4 %
Missing Data			
-1	N/A	2346	95.8 %
.	-	7	0.3 %
Total		2,448	100%

Based upon 95 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 275-276 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

REGPERI6: Regulate periods

I am going to read a list of some reasons why women start taking hormones, not including birth control pills. For each one, please tell me if it is a reason why you started taking hormones: To regulate periods

Value	Label	Unweighted Frequency	%
1	No	71	2.9 %
2	Yes	24	1.0 %
Missing Data			
-1	N/A	2346	95.8 %
.	-	7	0.3 %
Total		2,448	100%

Based upon 95 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 277-278 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HORMOTH6: Take hormones for other reasons

I am going to read a list of some reasons why women start taking hormones, not including birth control pills. For each one, please tell me if it is a reason why you started taking hormones: Any other? Specify

Value	Label	Unweighted Frequency	%
1	No	73	3.0 %
2	Yes	22	0.9 %
	Missing Data		
-1	N/A	2346	95.8 %
.	-	7	0.3 %
	Total	2,448	100%

Based upon 95 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 279-280 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DONTKNO6: Don't know/rem why take hormones

I am going to read a list of some reasons why women start taking hormones, not including birth control pills. For each one, please tell me if it is a reason why you started taking hormones: Don't Know/Remember

Value	Label	Unweighted Frequency	%
1	No	94	3.8 %
2	Yes	1	0.0 %
	Missing Data		
-1	N/A	2346	95.8 %
.	-	7	0.3 %
	Total	2,448	100%

Based upon 95 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 281-282 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HORMDAY6: Last Took Hormones Day

Since your last study visit, you were taking some hormones and then stopped. In what month and year did you last take hormones?

Value	Label	Unweighted Frequency	%
1201	-	1	0.0 %
1704	-	1	0.0 %
1791	-	1	0.0 %

Value	Label	Unweighted Frequency	%
1819	-	1	0.0 %
1829	-	2	0.1 %
1846	-	1	0.0 %
1855	-	1	0.0 %
1869	-	1	0.0 %
1872	-	1	0.0 %
1875	-	1	0.0 %
1883	-	1	0.0 %
1884	-	1	0.0 %
1887	-	1	0.0 %
1894	-	1	0.0 %
1920	-	1	0.0 %
1921	-	1	0.0 %
1929	-	1	0.0 %
1933	-	1	0.0 %
1938	-	2	0.1 %
1941	-	1	0.0 %
1956	-	1	0.0 %
1957	-	1	0.0 %
1963	-	1	0.0 %
1964	-	1	0.0 %
1968	-	1	0.0 %
1970	-	1	0.0 %
1978	-	1	0.0 %
1981	-	1	0.0 %
1984	-	1	0.0 %
1988	-	1	0.0 %
1994	-	1	0.0 %
2009	-	2	0.1 %
2010	-	1	0.0 %
2012	-	1	0.0 %
2019	-	1	0.0 %
2023	-	1	0.0 %
2029	-	1	0.0 %
2030	-	1	0.0 %
2031	-	1	0.0 %
2035	-	1	0.0 %
2039	-	2	0.1 %
2040	-	1	0.0 %
2041	-	1	0.0 %
2047	-	1	0.0 %
2049	-	1	0.0 %

Value	Label	Unweighted Frequency	%
2051	-	1	0.0 %
2054	-	1	0.0 %
2062	-	2	0.1 %
2066	-	1	0.0 %
2071	-	1	0.0 %
Missing Data			
.	-	2334	95.3 %
Total		2,448	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 114 valid cases out of 2,448 total cases.

- Mean: 2050.70
- Median: 2072.00
- Minimum: 1201.00
- Maximum: 2417.00
- Standard Deviation: 144.89

Location: 283-286 (width: 4; decimal: 0)

Variable Type: numeric

PRBBLEE6: Problems w/bleeding

Since your last study visit, you were taking hormones and then stopped. What were your reasons for stopping? Problems with bleeding

Value	Label	Unweighted Frequency	%
1	No	108	4.4 %
2	Yes	8	0.3 %
Missing Data			
-1	N/A	2325	95.0 %
.	-	7	0.3 %
Total		2,448	100%

Based upon 116 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 287-288 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -8 , -7 , -1 , .

HAVEPER6: Did not like having periods

Since your last study visit, you were taking hormones and then stopped. What were your reasons for stopping? Didn't like having periods

Value	Label	Unweighted Frequency	%
1	No	116	4.7 %
2	Yes	0	0.0 %
	Missing Data		
-1	N/A	2325	95.0 %
.	-	7	0.3 %
	Total	2,448	100%

Based upon 116 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 289-290 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

LIKEFEL6: Did not like how felt on them

Since your last study visit, you were taking hormones and then stopped. What were your reasons for stopping? Didn't like how I felt on them

Value	Label	Unweighted Frequency	%
1	No	103	4.2 %
2	Yes	13	0.5 %
	Missing Data		
-1	N/A	2325	95.0 %
.	-	7	0.3 %
	Total	2,448	100%

Based upon 116 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 291-292 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SIDEEFF6: Worried about poss side effects

Since your last study visit, you were taking hormones and then stopped. What were your reasons for stopping? Worried about possible side effects

Value	Label	Unweighted Frequency	%
1	No	74	3.0 %
2	Yes	42	1.7 %
	Missing Data		
-1	N/A	2325	95.0 %

Value	Label	Unweighted Frequency	%
.	-	7	0.3 %
	Total	2,448	100%

Based upon 116 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 293-294 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CANCER6: Worried about cancer

Since your last study visit, you were taking hormones and then stopped. What were your reasons for stopping? Worried about cancer

Value	Label	Unweighted Frequency	%
1	No	86	3.5 %
2	Yes	30	1.2 %
	Missing Data		
-1	N/A	2325	95.0 %
.	-	7	0.3 %
	Total	2,448	100%

Based upon 116 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 295-296 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ADVISTO6: Health care prov advised to stop

Since your last study visit, you were taking hormones and then stopped. What were your reasons for stopping? My health care provider advised me to stop (for medical reasons)

Value	Label	Unweighted Frequency	%
1	No	90	3.7 %
2	Yes	26	1.1 %
	Missing Data		
-1	N/A	2325	95.0 %
.	-	7	0.3 %
	Total	2,448	100%

Based upon 116 valid cases out of 2,448 total cases.

- Minimum: 1.00

- Maximum: 2.00

Location: 297-298 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

EXPENS16: Too expensive

Since your last study visit, you were taking hormones and then stopped. What were your reasons for stopping? Too expensive

Value	Label	Unweighted Frequency	%
1	No	114	4.7 %
2	Yes	2	0.1 %
Missing Data			
-1	N/A	2325	95.0 %
.	-	7	0.3 %
Total		2,448	100%

Based upon 116 valid cases out of 2,448 total cases.

- Minimum: 1.00

- Maximum: 2.00

Location: 299-300 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NOLIKE6: Do not like taking meds

Since your last study visit, you were taking hormones and then stopped. What were your reasons for stopping? Don't like to take any medications

Value	Label	Unweighted Frequency	%
1	No	114	4.7 %
2	Yes	2	0.1 %
Missing Data			
-1	N/A	2325	95.0 %
.	-	7	0.3 %
Total		2,448	100%

Based upon 116 valid cases out of 2,448 total cases.

- Minimum: 1.00

- Maximum: 2.00

Location: 301-302 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NOREMEMB6: Couldn't remember to take them

Since your last study visit, you were taking hormones and then stopped. What were your reasons for stopping? Couldn't remember to take them

Value	Label	Unweighted Frequency	%
1	No	114	4.7 %
2	Yes	2	0.1 %
	Missing Data		
-1	N/A	2325	95.0 %
.	-	7	0.3 %
	Total	2,448	100%

Based upon 116 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 303-304 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DNTKNOW6: Don't know why stopped hormones

Since your last study visit, you were taking hormones and then stopped. What were your reasons for stopping? Don't know

Value	Label	Unweighted Frequency	%
1	No	116	4.7 %
2	Yes	0	0.0 %
	Missing Data		
-1	N/A	2325	95.0 %
.	-	7	0.3 %
	Total	2,448	100%

Based upon 116 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 305-306 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

STOPOTH6: Stopped hormones other reason

Since your last study visit, you were taking hormones and then stopped. What were your reasons for stopping? Other, specify

Value	Label	Unweighted Frequency	%
1	No	44	1.8 %
2	Yes	72	2.9 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-1	N/A	2325	95.0 %
.	-	7	0.3 %
	Total	2,448	100%

Based upon 116 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 307-308 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NOREASO6: Stopped hormones no reason given

Since your last study visit, you were taking hormones and then stopped. What were your reasons for stopping? No reason given

Value	Label	Unweighted Frequency	%
1	No	115	4.7 %
2	Yes	1	0.0 %
	Missing Data		
-1	N/A	2325	95.0 %
.	-	7	0.3 %
	Total	2,448	100%

Based upon 116 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 309-310 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

REGVITA6: Take any vitamins/minerals 1x/wk

Since your last study visit, have you taken any vitamins or minerals fairly regularly, at least once a week?

Value	Label	Unweighted Frequency	%
1	No	757	30.9 %
2	Yes	1559	63.7 %
	Missing Data		
-1	N/A	125	5.1 %
.	-	7	0.3 %
	Total	2,448	100%

Based upon 2,316 valid cases out of 2,448 total cases.

- Minimum: 1.00

- Maximum: 2.00

Location: 311-312 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ONCEADA6: How often take multi-vitamin

If YES to REGVITA6: Since your last study visit, what vitamins and minerals have you taken fairly regularly, at least once per week? Multi-Vitamins, how often do you take: Regular Once-A-Day, Centrum, or Thera type

Value	Label	Unweighted Frequency	%
1	Do not take any	475	19.4 %
2	1-3 days/week	170	6.9 %
3	4-6 days/week	166	6.8 %
4	Every day	748	30.6 %
Missing Data			
-1	N/A	882	36.0 %
.	-	7	0.3 %
Total		2,448	100%

Based upon 1,559 valid cases out of 2,448 total cases.

- Minimum: 1.00

- Maximum: 4.00

Location: 313-314 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ANTIOXI6: How often take antioxidant

If YES to REGVITA6: Since your last study visit, what vitamins and minerals have you taken fairly regularly, at least once per week? Multi-Vitamins, how often do you take: Antioxidant combination type

Value	Label	Unweighted Frequency	%
1	Do not take any	1430	58.4 %
2	1-3 days/week	27	1.1 %
3	4-6 days/week	21	0.9 %
4	Every day	80	3.3 %
Missing Data			
-9	Missing	1	0.0 %
-1	N/A	882	36.0 %
.	-	7	0.3 %
Total		2,448	100%

Based upon 1,558 valid cases out of 2,448 total cases.

- Minimum: 1.00

- Maximum: 4.00

Location: 315-316 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

VITCOMB6: Other vitamin combinations

If YES to REGVITA6: Since your last study visit, what vitamins and minerals have you taken fairly regularly, at least once per week? Multi-Vitamins, how often do you take: Any other combination types

Value	Label	Unweighted Frequency	%
1	No	1209	49.4 %
2	Yes	350	14.3 %
Missing Data			
-1	N/A	882	36.0 %
.	-	7	0.3 %
Total		2,448	100%

Based upon 1,559 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 317-318 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

VTMOTH16: How often take other multi-vit #1

If YES to REGVITA6: Since your last study visit, what vitamins and minerals have you taken fairly regularly, at least once per week? Multi-Vitamins, how often do you take: Any other combination types? If YES to VITCOMB6, specify

Value	Label	Unweighted Frequency	%
1	Do not take any	0	0.0 %
2	1-3 days/week	41	1.7 %
3	4-6 days/week	37	1.5 %
4	Every day	272	11.1 %
Missing Data			
-1	N/A	2091	85.4 %
.	-	7	0.3 %
Total		2,448	100%

Based upon 350 valid cases out of 2,448 total cases.

- Minimum: 2.00
- Maximum: 4.00

Location: 319-320 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

VTMOTH26: How often take other multi-vit #2

If YES to REGVITA6: Since your last study visit, what vitamins and minerals have you taken fairly regularly, at least once per week? Multi-Vitamins, how often do you take: Any other combination types? If YES to VITCOMB6, specify

Value	Label	Unweighted Frequency	%
1	Do not take any	2	0.1 %
2	1-3 days/week	12	0.5 %
3	4-6 days/week	6	0.2 %
4	Every day	50	2.0 %
Missing Data			
-1	N/A	2371	96.9 %
.	-	7	0.3 %
Total		2,448	100%

Based upon 70 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 321-322 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

VTMOTH36: How often take other multi-vit #3

If YES to REGVITA6: Since your last study visit, what vitamins and minerals have you taken fairly regularly, at least once per week? Multi-Vitamins, how often do you take: Any other combination types? If YES to VITCOMB6, specify

Value	Label	Unweighted Frequency	%
1	Do not take any	0	0.0 %
2	1-3 days/week	4	0.2 %
3	4-6 days/week	1	0.0 %
4	Every day	9	0.4 %
Missing Data			
-1	N/A	2427	99.1 %
.	-	7	0.3 %
Total		2,448	100%

Based upon 14 valid cases out of 2,448 total cases.

- Minimum: 2.00
- Maximum: 4.00

Location: 323-324 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

VTMOTH46: How often take other multi-vit #4

If YES to REGVITA6: Since your last study visit, what vitamins and minerals have you taken fairly regularly, at least once per week? Multi-Vitamins, how often do you take: Any other combination types? If YES to VITCOMB6, specify

Value	Label	Unweighted Frequency	%
1	Do not take any	0	0.0 %
2	1-3 days/week	0	0.0 %
3	4-6 days/week	2	0.1 %
4	Every day	7	0.3 %
Missing Data			
-1	N/A	2432	99.3 %
.	-	7	0.3 %
Total		2,448	100%

Based upon 9 valid cases out of 2,448 total cases.

- Minimum: 3.00
- Maximum: 4.00

Location: 325-326 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

VITAMNA6: How often take vitamin A

If YES to REGVITA6: Since your last study visit, what vitamins and minerals have you taken fairly regularly, at least once per week?
Single Vitamins, not part of multi-vitamins, how often do you take: Vitamin A, not beta carotene

Value	Label	Unweighted Frequency	%
1	Do not take any	1515	61.9 %
2	1-3 days/week	13	0.5 %
3	4-6 days/week	5	0.2 %
4	Every day	26	1.1 %
Missing Data			
-1	N/A	882	36.0 %
.	-	7	0.3 %
Total		2,448	100%

Based upon 1,559 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 327-328 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BETACAR6: How often take beta-carotene

If YES to REGVITA6: Since your last study visit, what vitamins and minerals have you taken fairly regularly, at least once per week?
Single Vitamins, not part of multi-vitamins, how often do you take: Beta-carotene

Value	Label	Unweighted Frequency	%
1	Do not take any	1505	61.5 %
2	1-3 days/week	13	0.5 %
3	4-6 days/week	10	0.4 %
4	Every day	31	1.3 %
Missing Data			
-1	N/A	882	36.0 %
.	-	7	0.3 %
Total		2,448	100%

Based upon 1,559 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 329-330 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

VITAMNC6: How often take vitamin C

If YES to REGVITA6: Since your last study visit, what vitamins and minerals have you taken fairly regularly, at least once per week?
Single Vitamins, not part of multi-vitamins, how often do you take: Vitamin C

Value	Label	Unweighted Frequency	%
1	Do not take any	1118	45.7 %
2	1-3 days/week	86	3.5 %
3	4-6 days/week	67	2.7 %
4	Every day	288	11.8 %
Missing Data			
-1	N/A	882	36.0 %
.	-	7	0.3 %
Total		2,448	100%

Based upon 1,559 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 331-332 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

VITAMND6: How often take vitamin D

If YES to REGVITA6: Since your last study visit, what vitamins and minerals have you taken fairly regularly, at least once per week?
Single Vitamins, not part of multi-vitamins, how often do you take: Vitamin D

Value	Label	Unweighted Frequency	%
1	Do not take any	1400	57.2 %
2	1-3 days/week	16	0.7 %
3	4-6 days/week	20	0.8 %
4	Every day	123	5.0 %
Missing Data			
-1	N/A	882	36.0 %
.	-	7	0.3 %
Total		2,448	100%

Based upon 1,559 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 333-334 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

VITAMNE6: How often take vitamin E

If YES to REGVITA6: Since your last study visit, what vitamins and minerals have you taken fairly regularly, at least once per week?
Single Vitamins, not part of multi-vitamins, how often do you take: Vitamin E

Value	Label	Unweighted Frequency	%
1	Do not take any	1021	41.7 %
2	1-3 days/week	90	3.7 %
3	4-6 days/week	70	2.9 %
4	Every day	378	15.4 %
Missing Data			
-1	N/A	882	36.0 %
.	-	7	0.3 %
Total		2,448	100%

Based upon 1,559 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 335-336 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CALCTUM6: How often take calcium/Tums

If YES to REGVITA6: Since your last study visit, what vitamins and minerals have you taken fairly regularly, at least once per week?
Single Vitamins, not part of multi-vitamins, how often do you take: Calcium or Tums

Value	Label	Unweighted Frequency	%
1	Do not take any	736	30.1 %
2	1-3 days/week	161	6.6 %
3	4-6 days/week	118	4.8 %
4	Every day	544	22.2 %
Missing Data			
-1	N/A	882	36.0 %
.	-	7	0.3 %
Total		2,448	100%

Based upon 1,559 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 337-338 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

IRON6: How often take iron

If YES to REGVITA6: Since your last study visit, what vitamins and minerals have you taken fairly regularly, at least once per week?
Single Vitamins, not part of multi-vitamins, how often do you take: Iron

Value	Label	Unweighted Frequency	%
1	Do not take any	1436	58.7 %
2	1-3 days/week	38	1.6 %
3	4-6 days/week	7	0.3 %
4	Every day	78	3.2 %
Missing Data			
-1	N/A	882	36.0 %
.	-	7	0.3 %
Total		2,448	100%

Based upon 1,559 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 339-340 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ZINC6: How often take zinc

If YES to REGVITA6: Since your last study visit, what vitamins and minerals have you taken fairly regularly, at least once per week?
Single Vitamins, not part of multi-vitamins, how often do you take: Zinc

Value	Label	Unweighted Frequency	%
1	Do not take any	1481	60.5 %
2	1-3 days/week	24	1.0 %
3	4-6 days/week	14	0.6 %
4	Every day	40	1.6 %
Missing Data			
-1	N/A	882	36.0 %
.	-	7	0.3 %
Total		2,448	100%

Based upon 1,559 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 341-342 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SELENIU6: How often take selenium

If YES to REGVITA6: Since your last study visit, what vitamins and minerals have you taken fairly regularly, at least once per week?
Single Vitamins, not part of multi-vitamins, how often do you take: Selenium

Value	Label	Unweighted Frequency	%
1	Do not take any	1507	61.6 %
2	1-3 days/week	9	0.4 %
3	4-6 days/week	10	0.4 %
4	Every day	33	1.3 %
Missing Data			
-1	N/A	882	36.0 %
.	-	7	0.3 %
Total		2,448	100%

Based upon 1,559 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 343-344 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

VTMSING6: Any other single vitamins

If YES to REGVITA6: Since your last study visit, what vitamins and minerals have you taken fairly regularly, at least once per week?
Single Vitamins, not part of multi-vitamins, how often do you take: Any other single vitamins?

Value	Label	Unweighted Frequency	%
1	No	1140	46.6 %
2	Yes	419	17.1 %
	Missing Data		
-1	N/A	882	36.0 %
.	-	7	0.3 %
	Total	2,448	100%

Based upon 1,559 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 345-346 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SVTMOT16: How often take other vit #1

If YES to REGVITA6: Since your last study visit, what vitamins and minerals have you taken fairly regularly, at least once per week? Single Vitamins, not part of multi-vitamins, how often do you take: Any other single vitamins? If YES to VTMSING6, specify

Value	Label	Unweighted Frequency	%
1	Do not take any	2	0.1 %
2	1-3 days/week	42	1.7 %
3	4-6 days/week	55	2.2 %
4	Every day	320	13.1 %
	Missing Data		
-1	N/A	2022	82.6 %
.	-	7	0.3 %
	Total	2,448	100%

Based upon 419 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 347-348 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SVTMOT26: How often take other vit #2

If YES to REGVITA6: Since your last study visit, what vitamins and minerals have you taken fairly regularly, at least once per week? Single Vitamins, not part of multi-vitamins, how often do you take: Any other single vitamins? If YES to VTMSING6, specify

Value	Label	Unweighted Frequency	%
1	Do not take any	1	0.0 %
2	1-3 days/week	19	0.8 %

Value	Label	Unweighted Frequency	%
3	4-6 days/week	20	0.8 %
4	Every day	145	5.9 %
	Missing Data		
-1	N/A	2256	92.2 %
.	-	7	0.3 %
	Total	2,448	100%

Based upon 185 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 349-350 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SVTMOT36: How often take other vit #3

If YES to REGVITA6: Since your last study visit, what vitamins and minerals have you taken fairly regularly, at least once per week? Single Vitamins, not part of multi-vitamins, how often do you take: Any other single vitamins? If YES to VTMSING6, specify

Value	Label	Unweighted Frequency	%
1	Do not take any	1	0.0 %
2	1-3 days/week	8	0.3 %
3	4-6 days/week	15	0.6 %
4	Every day	83	3.4 %
	Missing Data		
-1	N/A	2334	95.3 %
.	-	7	0.3 %
	Total	2,448	100%

Based upon 107 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 351-352 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SVTMOT46: How often take other vit #4

If YES to REGVITA6: Since your last study visit, what vitamins and minerals have you taken fairly regularly, at least once per week? Single Vitamins, not part of multi-vitamins, how often do you take: Any other single vitamins? If YES to VTMSING6, specify

Value	Label	Unweighted Frequency	%
1	Do not take any	1	0.0 %
2	1-3 days/week	4	0.2 %

Value	Label	Unweighted Frequency	%
3	4-6 days/week	10	0.4 %
4	Every day	36	1.5 %
	Missing Data		
-1	N/A	2390	97.6 %
.	-	7	0.3 %
	Total	2,448	100%

Based upon 51 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 353-354 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SVTMOT56: How often take other vit #5

If YES to REGVITA6: Since your last study visit, what vitamins and minerals have you taken fairly regularly, at least once per week? Single Vitamins, not part of multi-vitamins, how often do you take: Any other single vitamins? If YES to VTMSING6, specify

Value	Label	Unweighted Frequency	%
1	Do not take any	1	0.0 %
2	1-3 days/week	2	0.1 %
3	4-6 days/week	7	0.3 %
4	Every day	21	0.9 %
	Missing Data		
-1	N/A	2410	98.4 %
.	-	7	0.3 %
	Total	2,448	100%

Based upon 31 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 355-356 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SVTMOT66: How often take other vit #6

If YES to REGVITA6: Since your last study visit, what vitamins and minerals have you taken fairly regularly, at least once per week? Single Vitamins, not part of multi-vitamins, how often do you take: Any other single vitamins? If YES to VTMSING6, specify

Value	Label	Unweighted Frequency	%
1	Do not take any	0	0.0 %
2	1-3 days/week	3	0.1 %

Value	Label	Unweighted Frequency	%
3	4-6 days/week	4	0.2 %
4	Every day	11	0.4 %
	Missing Data		
-1	N/A	2423	99.0 %
.	-	7	0.3 %
	Total	2,448	100%

Based upon 18 valid cases out of 2,448 total cases.

- Minimum: 2.00
- Maximum: 4.00

Location: 357-358 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SVTMOT76: How often take other vit #7

If YES to REGVITA6: Since your last study visit, what vitamins and minerals have you taken fairly regularly, at least once per week? Single Vitamins, not part of multi-vitamins, how often do you take: Any other single vitamins? If YES to VTMSING6, specify

Value	Label	Unweighted Frequency	%
1	Do not take any	0	0.0 %
2	1-3 days/week	3	0.1 %
3	4-6 days/week	2	0.1 %
4	Every day	8	0.3 %
	Missing Data		
-1	N/A	2428	99.2 %
.	-	7	0.3 %
	Total	2,448	100%

Based upon 13 valid cases out of 2,448 total cases.

- Minimum: 2.00
- Maximum: 4.00

Location: 359-360 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SVTMOT86: How often take other vit #8

If YES to REGVITA6: Since your last study visit, what vitamins and minerals have you taken fairly regularly, at least once per week? Single Vitamins, not part of multi-vitamins, how often do you take: Any other single vitamins? If YES to VTMSING6, specify

Value	Label	Unweighted Frequency	%
1	Do not take any	0	0.0 %
2	1-3 days/week	0	0.0 %

Value	Label	Unweighted Frequency	%
3	4-6 days/week	2	0.1 %
4	Every day	7	0.3 %
Missing Data			
-1	N/A	2432	99.3 %
.	-	7	0.3 %
Total		2,448	100%

Based upon 9 valid cases out of 2,448 total cases.

- Minimum: 3.00
- Maximum: 4.00

Location: 361-362 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SVTMOT96: How often take other vit #9

If YES to REGVITA6: Since your last study visit, what vitamins and minerals have you taken fairly regularly, at least once per week? Single Vitamins, not part of multi-vitamins, how often do you take: Any other single vitamins? If YES to VTMSING6, specify

Value	Label	Unweighted Frequency	%
1	Do not take any	0	0.0 %
2	1-3 days/week	0	0.0 %
3	4-6 days/week	2	0.1 %
4	Every day	3	0.1 %
Missing Data			
-1	N/A	2436	99.5 %
.	-	7	0.3 %
Total		2,448	100%

Based upon 5 valid cases out of 2,448 total cases.

- Minimum: 3.00
- Maximum: 4.00

Location: 363-364 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SVTMO106: How often take other vit #10

If YES to REGVITA6: Since your last study visit, what vitamins and minerals have you taken fairly regularly, at least once per week? Single Vitamins, not part of multi-vitamins, how often do you take: Any other single vitamins? If YES to VTMSING6, specify

Value	Label	Unweighted Frequency	%
1	Do not take any	0	0.0 %
2	1-3 days/week	0	0.0 %

Value	Label	Unweighted Frequency	%
3	4-6 days/week	2	0.1 %
4	Every day	1	0.0 %
	Missing Data		
-1	N/A	2438	99.6 %
.	-	7	0.3 %
	Total	2,448	100%

Based upon 3 valid cases out of 2,448 total cases.

- Minimum: 3.00
- Maximum: 4.00

Location: 365-366 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PAIN16: OTC Pain med #1

Since your last study visit, have you taken: Any over-the-counter medications for pain including headaches and arthritis?

Value	Label	Unweighted Frequency	%
1	No	1526	62.3 %
2	Yes	790	32.3 %
	Missing Data		
-9	Missing	1	0.0 %
-1	N/A	124	5.1 %
.	-	7	0.3 %
	Total	2,448	100%

Based upon 2,316 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 367-368 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PAINTW16: OTC Pain med #1 taken 2x/wk last mo

If YES to PAIN16: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	329	13.4 %
2	Yes	461	18.8 %
	Missing Data		
-1	N/A	1651	67.4 %
.	-	7	0.3 %

Value	Label	Unweighted Frequency	%
	Total	2,448	100%

Based upon 790 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 369-370 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PAIN26: OTC Pain med #2

Since your last study visit, have you taken: Any over-the-counter medications for pain including headaches and arthritis?

Value	Label	Unweighted Frequency	%
1	No	565	23.1 %
2	Yes	225	9.2 %
	Missing Data		
-1	N/A	1651	67.4 %
.	-	7	0.3 %
	Total	2,448	100%

Based upon 790 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 371-372 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PAINTW26: OTC Pain med #2 taken 2x/wk last mo

If YES to PAIN26: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	121	4.9 %
2	Yes	104	4.2 %
	Missing Data		
-1	N/A	2216	90.5 %
.	-	7	0.3 %
	Total	2,448	100%

Based upon 225 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 373-374 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SLEEP16: OTC Sleep med #1

Since your last study visit, have you taken: Anything for problems sleeping?

Value	Label	Unweighted Frequency	%
1	No	2203	90.0 %
2	Yes	113	4.6 %
	Missing Data		
-9	Missing	1	0.0 %
-1	N/A	124	5.1 %
.	-	7	0.3 %
	Total	2,448	100%

Based upon 2,316 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 375-376 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SLEPTW16: OTC Sleep med #1 taken 2x/wk last mo

If YES to SLEEP16: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	40	1.6 %
2	Yes	73	3.0 %
	Missing Data		
-1	N/A	2328	95.1 %
.	-	7	0.3 %
	Total	2,448	100%

Based upon 113 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 377-378 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SLEEP26: OTC Sleep med #2

Since your last study visit, have you taken: Anything for problems sleeping?

Value	Label	Unweighted Frequency	%
1	No	100	4.1 %
2	Yes	13	0.5 %
	Missing Data		
-1	N/A	2328	95.1 %
.	-	7	0.3 %
	Total	2,448	100%

Based upon 113 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 379-380 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SLEPTW26: OTC Sleep med #2 taken 2x/wk last mo

If YES to SLEEP26: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	1	0.0 %
2	Yes	12	0.5 %
	Missing Data		
-1	N/A	2428	99.2 %
.	-	7	0.3 %
	Total	2,448	100%

Based upon 13 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 381-382 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTC16: Other OTC med #1

Since your last study visit, have you taken: Any other over-the-counter pills or other medications (including liquids or ointments) that I haven't talked to you about?

Value	Label	Unweighted Frequency	%
1	No	1745	71.3 %
2	Yes	571	23.3 %
	Missing Data		
-9	Missing	1	0.0 %
-1	N/A	124	5.1 %

Value	Label	Unweighted Frequency	%
.	-	7	0.3 %
	Total	2,448	100%

Based upon 2,316 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 383-384 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTCTW16: Other OTC med #1 taken 2x/wk last mo

If YES to OTC16: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	129	5.3 %
2	Yes	442	18.1 %
	Missing Data		
-1	N/A	1870	76.4 %
.	-	7	0.3 %
	Total	2,448	100%

Based upon 571 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 385-386 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTC26: Other OTC med #2

Since your last study visit, have you taken: Any other over-the-counter pills or other medications (including liquids or ointments) that I haven't talked to you about?

Value	Label	Unweighted Frequency	%
1	No	390	15.9 %
2	Yes	181	7.4 %
	Missing Data		
-1	N/A	1870	76.4 %
.	-	7	0.3 %
	Total	2,448	100%

Based upon 571 valid cases out of 2,448 total cases.

- Minimum: 1.00

- Maximum: 2.00

Location: 387-388 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTCTW26: Other OTC med #2 taken 2x/wk last mo

If YES to OTC26: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	39	1.6 %
2	Yes	142	5.8 %
Missing Data			
-1	N/A	2260	92.3 %
.	-	7	0.3 %
Total		2,448	100%

Based upon 181 valid cases out of 2,448 total cases.

- Minimum: 1.00

- Maximum: 2.00

Location: 389-390 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTC36: Other OTC med #3

Since your last study visit, have you taken: Any other over-the-counter pills or other medications (including liquids or ointments) that I haven't talked to you about?

Value	Label	Unweighted Frequency	%
1	No	109	4.5 %
2	Yes	72	2.9 %
Missing Data			
-1	N/A	2260	92.3 %
.	-	7	0.3 %
Total		2,448	100%

Based upon 181 valid cases out of 2,448 total cases.

- Minimum: 1.00

- Maximum: 2.00

Location: 391-392 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTCTW36: Other OTC med #3 taken 2x/wk last mo

If YES to OTC36: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	14	0.6 %
2	Yes	58	2.4 %
	Missing Data		
-1	N/A	2369	96.8 %
.	-	7	0.3 %
	Total	2,448	100%

Based upon 72 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 393-394 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTC46: Other OTC med #4

Since your last study visit, have you taken: Any other over-the-counter pills or other medications (including liquids or ointments) that I haven't talked to you about?

Value	Label	Unweighted Frequency	%
1	No	45	1.8 %
2	Yes	27	1.1 %
	Missing Data		
-1	N/A	2369	96.8 %
.	-	7	0.3 %
	Total	2,448	100%

Based upon 72 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 395-396 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTCTW46: Other OTC med #4 taken 2x/wk last mo

If YES to OTC46: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	5	0.2 %
2	Yes	22	0.9 %
	Missing Data		
-1	N/A	2414	98.6 %
.	-	7	0.3 %

Value	Label	Unweighted Frequency	%
	Total	2,448	100%

Based upon 27 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 397-398 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ALCHL246: Alcohol in Last 24 hrs

Have you had any alcohol in the last 24 hours?

Value	Label	Unweighted Frequency	%
1	No	1678	68.5 %
2	Yes	337	13.8 %
	Missing Data		
-9	Missing	1	0.0 %
.	-	432	17.6 %
	Total	2,448	100%

Based upon 2,015 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 399-400 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SOYYSNO6: Soy protein/phytoestrogen powders/pills

During the past year have you used any supplements containing soy protein or phytoestrogen powders or pills?

Value	Label	Unweighted Frequency	%
1	No	1982	81.0 %
2	Yes	329	13.4 %
	Missing Data		
-8	Do not know	5	0.2 %
-1	N/A	125	5.1 %
.	-	7	0.3 %
	Total	2,448	100%

Based upon 2,311 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 401-402 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SOYPROT6: How often take soy protein

If YES to SOYYNSNO6: How many times per week?

Value	Label	Unweighted Frequency	%
1	Don't take any	22	0.9 %
2	1-3 days/week	111	4.5 %
3	4-6 days/week	30	1.2 %
4	Every day	160	6.5 %
Missing Data			
-8	Do not know	7	0.3 %
-1	N/A	2111	86.2 %
.	-	7	0.3 %
Total		2,448	100%

Based upon 323 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 403-404 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CEREACA6: How many bowls high calcium cereal

How many bowls of cereal do you eat per week where the label of the cereal box says that it is high in calcium?

Value	Label	Unweighted Frequency	%
1	None or <1/week	1524	62.3 %
2	1/week	185	7.6 %
3	2/week	159	6.5 %
4	3-4/week	151	6.2 %
5	5-6/week	51	2.1 %
6	>=7/week	48	2.0 %
Missing Data			
-8	Do not know	199	8.1 %
-1	N/A	124	5.1 %
.	-	7	0.3 %
Total		2,448	100%

Based upon 2,118 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 405-406 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9, -8, -7, -1, .

BREADCA6: How many slices high calcium bread

How many slices of bread do you eat per week when the bread wrapper says the loaf is high in calcium?

Value	Label	Unweighted Frequency	%
1	None or <1/week	1465	59.8 %
2	1/week	111	4.5 %
3	2/week	137	5.6 %
4	3-4/week	163	6.7 %
5	5-6/week	75	3.1 %
6	>=7/week	97	4.0 %
Missing Data			
-8	Do not know	269	11.0 %
-1	N/A	124	5.1 %
.	-	7	0.3 %
Total		2,448	100%

Based upon 2,048 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 407-408 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9, -8, -7, -1, .

ORANGCA6: How many glasses high calcium OJ

Some brands of orange juice have extra calcium added. How many glasses of orange juice containing extra calcium do you drink per week?

Value	Label	Unweighted Frequency	%
1	None or <1/week	1393	56.9 %
2	1/week	216	8.8 %
3	2/week	190	7.8 %
4	3-4/week	234	9.6 %
5	5-6/week	100	4.1 %
6	>=7/week	160	6.5 %
Missing Data			
-8	Do not know	24	1.0 %
-1	N/A	124	5.1 %
.	-	7	0.3 %
Total		2,448	100%

Based upon 2,293 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 409-410 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ANEMIA6: Anemia since last visit

Since your last study visit, has a doctor, nurse practitioner or other health care provider told you that you had any of the following conditions or treated you for them? Anemia?

Value	Label	Unweighted Frequency	%
1	No	2145	87.6 %
2	Yes	171	7.0 %
	Missing Data		
-8	Do not know	1	0.0 %
-1	N/A	124	5.1 %
.	-	7	0.3 %
	Total	2,448	100%

Based upon 2,316 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 411-412 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIABETE6: Diabetes since last visit

Since your last study visit, has a doctor, nurse practitioner or other health care provider told you that you had any of the following conditions or treated you for them? Diabetes?

Value	Label	Unweighted Frequency	%
1	No	2270	92.7 %
2	Yes	169	6.9 %
	Missing Data		
-8	Do not know	2	0.1 %
.	-	7	0.3 %
	Total	2,448	100%

Based upon 2,439 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 413-414 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HIGHBP6: Hypertension since last visit

Since your last study visit, has a doctor, nurse practitioner or other health care provider told you that you had any of the following conditions or treated you for them? High blood pressure or hypertension?

Value	Label	Unweighted Frequency	%
1	No	1879	76.8 %
2	Yes	559	22.8 %
	Missing Data		
-8	Do not know	3	0.1 %
.	-	7	0.3 %
	Total	2,448	100%

Based upon 2,438 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 415-416 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HBCHOLE6: High cholesterol since last visit

Since your last study visit, has a doctor, nurse practitioner or other health care provider told you that you had any of the following conditions or treated you for them? High cholesterol?

Value	Label	Unweighted Frequency	%
1	No	1854	75.7 %
2	Yes	461	18.8 %
	Missing Data		
-8	Do not know	2	0.1 %
-1	N/A	124	5.1 %
.	-	7	0.3 %
	Total	2,448	100%

Based upon 2,315 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 417-418 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MIGRAIN6: Migraines since last visit

Since your last study visit, has a doctor, nurse practitioner or other health care provider told you that you had any of the following conditions or treated you for them? Migraines?

Value	Label	Unweighted Frequency	%
1	No	2190	89.5 %
2	Yes	126	5.1 %
Missing Data			
-8	Do not know	1	0.0 %
-1	N/A	124	5.1 %
.	-	7	0.3 %
Total		2,448	100%

Based upon 2,316 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 419-420 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

STROKE6: Stroke since last visit

Since your last study visit, has a doctor, nurse practitioner or other health care provider told you that you had any of the following conditions or treated you for them? Stroke?

Value	Label	Unweighted Frequency	%
1	No	2306	94.2 %
2	Yes	10	0.4 %
Missing Data			
-8	Do not know	1	0.0 %
-1	N/A	124	5.1 %
.	-	7	0.3 %
Total		2,448	100%

Based upon 2,316 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 421-422 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OSTEOAR6: Arthritis since last visit

Since your last study visit, has a doctor, nurse practitioner or other health care provider told you that you had any of the following conditions or treated you for them? Arthritis or osteoarthritis (degenerative joint disease)?

Value	Label	Unweighted Frequency	%
1	No	1999	81.7 %
2	Yes	435	17.8 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-8	Do not know	7	0.3 %
.	-	7	0.3 %
	Total	2,448	100%

Based upon 2,434 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 423-424 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

THYROID6: Over/underactive Thyroid since last visit

Since your last study visit, has a doctor, nurse practitioner or other health care provider told you that you had any of the following conditions or treated you for them? Overactive or underactive thyroid?

Value	Label	Unweighted Frequency	%
1	No	2201	89.9 %
2	Yes	233	9.5 %
	Missing Data		
-8	Do not know	7	0.3 %
.	-	7	0.3 %
	Total	2,448	100%

Based upon 2,434 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 425-426 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HEARTAT6: Heart attack since last visit

Since your last study visit, has a doctor, nurse practitioner or other health care provider told you that you had any of the following conditions or treated you for them? Heart attack?

Value	Label	Unweighted Frequency	%
1	No	2428	99.2 %
2	Yes	12	0.5 %
	Missing Data		
-8	Do not know	1	0.0 %
.	-	7	0.3 %
	Total	2,448	100%

Based upon 2,440 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 427-428 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ANGINA6: Angina since last visit

Since your last study visit, has a doctor, nurse practitioner or other health care provider told you that you had any of the following conditions or treated you for them? Angina?

Value	Label	Unweighted Frequency	%
1	No	2413	98.6 %
2	Yes	27	1.1 %
	Missing Data		
-8	Do not know	1	0.0 %
.	-	7	0.3 %
	Total	2,448	100%

Based upon 2,440 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 429-430 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OSTEOPR6: Osteoporosis since last visit

Since your last study visit, has a doctor, nurse practitioner or other health care provider told you that you had any of the following conditions or treated you for them? Osteoporosis (brittle or thinning bones)?

Value	Label	Unweighted Frequency	%
1	No	2385	97.4 %
2	Yes	50	2.0 %
	Missing Data		
-8	Do not know	6	0.2 %
.	-	7	0.3 %
	Total	2,448	100%

Based upon 2,435 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 431-432 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CANCERS6: Cancer since last visit

Since your last study visit, has a doctor, nurse practitioner or other health care provider told you that you had any of the following conditions or treated you for them? Cancer, other than skin cancer?

Value	Label	Unweighted Frequency	%
1	No	2410	98.4 %
2	Yes	29	1.2 %
Missing Data			
-8	Do not know	2	0.1 %
.	.	7	0.3 %
Total		2,448	100%

Based upon 2,439 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 433-434 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SITESPE6: Primary site of cancer

If YES to CANCERS6: What is the primary site of the cancer? Specify.

Value	Label	Unweighted Frequency	%
-	-	7	0.3 %
-1: N/A	-	2412	98.5 %
BONE CANCER- LEGS	-	1	0.0 %
BREAST	-	3	0.1 %
BREAST (METASTASIS OF PREVIOUS INFLAMMATORY BREAST CANCER)	-	1	0.0 %
BREAST (RIGHT)	-	1	0.0 %
BREAST - LEFT	-	1	0.0 %
BREAST - RIGHT	-	1	0.0 %
BREAST CANCER	-	4	0.2 %
BREAST CANCER - LEFT BREAST	-	1	0.0 %
CERVICAL CANCER	-	1	0.0 %
CML LEUKEMIA	-	1	0.0 %
LEUKEMIA (CML)	-	1	0.0 %
LING - UPPER RIGHT LOBE	-	1	0.0 %
LYMPH NODES	-	1	0.0 %
MELANOMA ON THIGH	-	1	0.0 %
OVARIAN	-	1	0.0 %
RIGHT BREAST	-	2	0.1 %
RIGHT/BREAST CANCER (DX: DEC 01)	-	1	0.0 %
RT. BREAST	-	1	0.0 %

Value	Label	Unweighted Frequency	%
THYROID CANCER	-	1	0.0 %
TRACHEA, ADENOID CYSTIC CARCINOMA (RARE, NOT ADENOCARCINOMA)	-	1	0.0 %
UTERUS	-	2	0.1 %
UTRINE	-	1	0.0 %
	Total	2,448	100%

Based upon 2,448 valid cases out of 2,448 total cases.

Location: 435-494 (width: 60; decimal: 0)

Variable Type: character

TAMOXIF6: Taken Tamoxifen since last visit

If BREAST CANCER: Have you taken Tamoxifen since your last study visit?

Value	Label	Unweighted Frequency	%
1	No	7	0.3 %
2	Yes	8	0.3 %
	Missing Data		
-1	N/A	2426	99.1 %
.	-	7	0.3 %
	Total	2,448	100%

Based upon 15 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 495-496 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CHEMOTH6: Chemotherapy/radiation for cancer

Since your last study visit, have you received chemotherapy or radiation treatment for this cancer?

Value	Label	Unweighted Frequency	%
1	No	11	0.4 %
2	Yes	13	0.5 %
	Missing Data		
-1	N/A	2417	98.7 %
.	-	7	0.3 %
	Total	2,448	100%

Based upon 24 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 497-498 (*width:* 2; *decimal:* 0)
Variable Type: numeric
(Range of) Missing Values: -9, -8, -7, -1, .

BROKEBO6: # times broke bones since last visit

Since your last study visit, how many times did you break or fracture a bone? # of times broken bones

Value	Label	Unweighted Frequency	%
0	-	2381	97.3 %
1	-	57	2.3 %
3	-	1	0.0 %
Missing Data			
-9	Missing	2	0.1 %
.	-	7	0.3 %
Total		2,448	100%

Based upon 2,439 valid cases out of 2,448 total cases.

- Mean: 0.02
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.16

Location: 499-500 (*width:* 2; *decimal:* 0)
Variable Type: numeric
(Range of) Missing Values: -9, -8, -7, -1, .

BONES16: Bone #1 broken

Which bones did you break or fracture?

Value	Label	Unweighted Frequency	%
-	-	7	0.3 %
-1: N/A	-	2383	97.3 %
3RD FINGER (DISTAL PHALANX) LT	-	1	0.0 %
5TH METATORSAL OF RIGHT FOOT	-	1	0.0 %
ANKLE	-	1	0.0 %
ANKLE (LEFT)	-	1	0.0 %
BABY TOE (BONE CHIP)	-	1	0.0 %
BABY TOE ON RT FOOT	-	1	0.0 %
BELOW THE KNEE	-	1	0.0 %
BIG TOE	-	1	0.0 %
BONES IN RIGHT FOOT	-	1	0.0 %
BROKE PINKY FINGER ON LT HAND	-	1	0.0 %
COLLAR	-	1	0.0 %
EXTERIOR ANKLE BONE	-	1	0.0 %

Value	Label	Unweighted Frequency	%
FIBULA FX	-	1	0.0 %
FOOT (TOP RIGHT ANKLE OF RIGHT	-	1	0.0 %
FX PELVIS 2/02	-	1	0.0 %
FX RIGHT FOOT	-	1	0.0 %
HIP BONE	-	1	0.0 %
HIP JOINT	-	1	0.0 %
HUMEROUS	-	2	0.1 %
HUMERUS LEFT	-	1	0.0 %
IN RT FOOT	-	1	0.0 %
KNEE	-	1	0.0 %
L SHIN BONE	-	1	0.0 %
LEFT 4TH TOE	-	1	0.0 %
LEFT ANKLE	-	1	0.0 %
LEFT BIG TOE	-	1	0.0 %
LEFT FEMUR	-	1	0.0 %
LEFT FOOT	-	1	0.0 %
LEFT LEG	-	1	0.0 %
LEFT METATARSAL, CUNEIFORM, NA	-	1	0.0 %
LEFT THUMB	-	1	0.0 %
LEFT WRIST	-	2	0.1 %
LT ANKLE	-	1	0.0 %
LT FORE FINGER 3RD DIGIT	-	1	0.0 %
METACARPAL BONE LEFT HAND	-	1	0.0 %
METATORSAL-TOE BONE RT FOOT	-	1	0.0 %
MID TOE (RIGHT)	-	1	0.0 %
MIDDLE FINGER LEFT HAND	-	1	0.0 %
MIDDLE TOE	-	1	0.0 %
NOSE	-	1	0.0 %
PELVIC BONE	-	1	0.0 %
RIB	-	1	0.0 %
RIGHT ANKLE	-	1	0.0 %
RIGHT ARM	-	1	0.0 %
RIGHT FEMUR	-	1	0.0 %
RIGHT RADIUS	-	1	0.0 %
RIGHT THIRD FINGER	-	1	0.0 %
RT ANKLE	-	1	0.0 %
	Total	2,448	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,448 valid cases out of 2,448 total cases.

Location: 501-530 (width: 30; decimal: 0)

Variable Type: character

HAPPEN16: How happened #1

How did it happen? Was it for any of the following reasons?: After a fall from a height above the ground greater than six inches; in a motor vehicle accident; while moving fast, like running, bicycling or skating; while playing sports; or because something heavy fell on you or struck you.

Value	Label	Unweighted Frequency	%
1	No	24	1.0 %
2	Yes	34	1.4 %
	Missing Data		
-1	N/A	2383	97.3 %
.	-	7	0.3 %
	Total	2,448	100%

Based upon 58 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 531-532 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BONES26: Bone #2 broken

Which bones did you break or fracture?

Value	Label	Unweighted Frequency	%
	-	7	0.3 %
-1: N/A	-	2440	99.7 %
LT. FOOT	-	1	0.0 %
	Total	2,448	100%

Based upon 2,448 valid cases out of 2,448 total cases.

Location: 533-540 (width: 8; decimal: 0)

Variable Type: character

HAPPEN26: How happened #2

How did it happen? Was it for any of the following reasons?: After a fall from a height above the ground greater than six inches; in a motor vehicle accident; while moving fast, like running, bicycling or skating; while playing sports; or because something heavy fell on you or struck you.

Value	Label	Unweighted Frequency	%
1	No	1	0.0 %
2	Yes	0	0.0 %
	Missing Data		
-1	N/A	2440	99.7 %

Value	Label	Unweighted Frequency	%
.	-	7	0.3 %
	Total	2,448	100%

Based upon 1 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 541-542 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BONES36: Bone #3 broken

Which bones did you break or fracture?

Value	Label	Unweighted Frequency	%
.	-	7	0.3 %
-1: N/A	-	2440	99.7 %
RT. TOE (1ST TARSAL	-	1	0.0 %
	Total	2,448	100%

Based upon 2,448 valid cases out of 2,448 total cases.

Location: 543-562 (width: 20; decimal: 0)

Variable Type: character

HAPPEN36: How happened #3

How did it happen? Was it for any of the following reasons?: After a fall from a height above the ground greater than six inches; in a motor vehicle accident; while moving fast, like running, bicycling or skating; while playing sports; or because something heavy fell on you or struck you.

Value	Label	Unweighted Frequency	%
1	No	1	0.0 %
2	Yes	0	0.0 %
	Missing Data		
-1	N/A	2440	99.7 %
.	-	7	0.3 %
	Total	2,448	100%

Based upon 1 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 563-564 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DANDC6: D & C since last visit

Since your last study visit, have you had any of the following surgeries or procedures? D and C, a scraping of the uterus for any reason, including abortion?

Value	Label	Unweighted Frequency	%
1	No	2276	93.0 %
2	Yes	41	1.7 %
	Missing Data		
-1	N/A	124	5.1 %
.	-	7	0.3 %
	Total	2,448	100%

Based upon 2,317 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 565-566 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NUMDAND6: D & C # of times

Since your last study visit, how many times have you had a D and C? Number of times

Value	Label	Unweighted Frequency	%
1	-	39	1.6 %
2	-	2	0.1 %
	Missing Data		
-1	N/A	2400	98.0 %
.	-	7	0.3 %
	Total	2,448	100%

Based upon 41 valid cases out of 2,448 total cases.

- Mean: 1.05
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.22

Location: 567-568 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HYSTERE6: Hysterectomy since last visit

Since your last study visit, have you had any of the following surgeries or procedures? Hysterectomy (an operation to remove your uterus or womb)?

Value	Label	Unweighted Frequency	%
1	No	2407	98.3 %
2	Yes	34	1.4 %
	Missing Data		
.	-	7	0.3 %
	Total	2,448	100%

Based upon 2,441 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 569-570 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HYSTDAY6: Day of hysterectomy

Since your last study visit, have you had any of the following surgeries or procedures? Hysterectomy (an operation to remove your uterus or womb)? When was this performed?

Value	Label	Unweighted Frequency	%
309	-	1	0.0 %
1061	-	1	0.0 %
1143	-	1	0.0 %
1144	-	1	0.0 %
1267	-	1	0.0 %
1291	-	1	0.0 %
1769	-	1	0.0 %
1829	-	1	0.0 %
1844	-	1	0.0 %
1848	-	1	0.0 %
1851	-	1	0.0 %
1856	-	1	0.0 %
1858	-	1	0.0 %
1907	-	1	0.0 %
1910	-	1	0.0 %
1920	-	1	0.0 %
1922	-	1	0.0 %
1940	-	1	0.0 %
1957	-	1	0.0 %
1962	-	1	0.0 %
1981	-	1	0.0 %
2021	-	1	0.0 %
2047	-	1	0.0 %
2082	-	1	0.0 %

Value	Label	Unweighted Frequency	%
2118	-	1	0.0 %
2124	-	1	0.0 %
2191	-	2	0.1 %
2251	-	1	0.0 %
2253	-	1	0.0 %
2260	-	1	0.0 %
2268	-	1	0.0 %
2296	-	1	0.0 %
Missing Data			
.	-	2415	98.7 %
Total		2,448	100%

Based upon 33 valid cases out of 2,448 total cases.

- Mean: 1838.52
- Median: 1922.00
- Mode: 2191.00
- Minimum: 309.00
- Maximum: 2296.00
- Standard Deviation: 436.00

Location: 571-574 (width: 4; decimal: 0)

Variable Type: numeric

OOPHORE6: Ovaries removed since last visit

Since your last study visit, have you had any of the following surgeries or procedures? Did you have one or both ovaries removed (an oophorectomy)?

Value	Label	Unweighted Frequency	%
1	No	2408	98.4 %
2	Yes	33	1.3 %
Missing Data			
.	-	7	0.3 %
Total		2,448	100%

Based upon 2,441 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 575-576 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ONEOVAR6: One or both ovaries removed

Since your last study visit, have you had any of the following surgeries or procedures? Was one ovary removed or were both ovaries removed?

Value	Label	Unweighted Frequency	%
1	One Ovary Removed	10	0.4 %
2	Both Ovaries Removed	22	0.9 %
	Missing Data		
-8	Do not know	1	0.0 %
-1	N/A	2408	98.4 %
.	-	7	0.3 %
Total		2,448	100%

Based upon 32 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 577-578 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ABLATIN6: Endometrial ablation since last visit

Since your last study visit, have you had any of the following surgeries or procedures? Did you have an endometrial ablation (a procedure to reduce or eliminate menstrual periods by partially or completely destroying the lining of the uterus)?

Value	Label	Unweighted Frequency	%
1	No	2311	94.4 %
2	Yes	6	0.2 %
	Missing Data		
-1	N/A	124	5.1 %
.	-	7	0.3 %
Total		2,448	100%

Based upon 2,317 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 579-580 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

UTERPRO6: Uterine procedure since last visit

Since your last study visit, have you had any of the following surgeries or procedures? Any other uterine procedures, other than D and C, for example: cesarean section, IUD insertion, fibroid removal or endometrial biopsy?

Value	Label	Unweighted Frequency	%
1	No	2216	90.5 %
2	Yes	100	4.1 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-8	Do not know	1	0.0 %
-1	N/A	124	5.1 %
.	-	7	0.3 %
	Total	2,448	100%

Based upon 2,316 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 581-582 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -8 , -7 , -1 , .

THYRREM6: Thyroid gland removed since last visit

Since your last study visit, have you had any of the following surgeries or procedures? Thyroid gland removed?

Value	Label	Unweighted Frequency	%
1	No	2313	94.5 %
2	Yes	4	0.2 %
	Missing Data		
-1	N/A	124	5.1 %
.	-	7	0.3 %
	Total	2,448	100%

Based upon 2,317 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 583-584 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -8 , -7 , -1 , .

ENDO6: Endometriosis since last visit

Since your last study visit, have you had any of the following conditions? Endometriosis diagnosed by a physician (abnormal growths in lining of uterus)?

Value	Label	Unweighted Frequency	%
1	No	2295	93.8 %
2	Yes	21	0.9 %
	Missing Data		
-8	Do not know	1	0.0 %
-1	N/A	124	5.1 %
.	-	7	0.3 %
	Total	2,448	100%

Based upon 2,316 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 585-586 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ENDODIF6: Endometriosis difficult

If YES to ENDO6: Has it made it difficult to carry out your daily routine (e.g., work, housework, childcare)?

Value	Label	Unweighted Frequency	%
1	No	18	0.7 %
2	Yes	3	0.1 %
Missing Data			
-1	N/A	2420	98.9 %
.	-	7	0.3 %
Total		2,448	100%

Based upon 21 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 587-588 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PELVCPN6: Pelvic pain since last visit

Since your last study visit, have you had any of the following conditions? Pelvic pain (pain in the lowest part of the abdomen)?

Value	Label	Unweighted Frequency	%
1	No	2190	89.5 %
2	Yes	127	5.2 %
Missing Data			
-1	N/A	124	5.1 %
.	-	7	0.3 %
Total		2,448	100%

Based upon 2,317 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 589-590 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIFPELV6: Pelvic pain difficult

If YES to PELVCPN6: Has it made it difficult to carry out your daily routine (e.g., work, housework, childcare)?

Value	Label	Unweighted Frequency	%
1	No	88	3.6 %
2	Yes	39	1.6 %
Missing Data			
-1	N/A	2314	94.5 %
.	-	7	0.3 %
Total		2,448	100%

Based upon 127 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 591-592 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PROLAPS6: Pelvic prolapse since last visit

Since your last study visit, have you had any of the following conditions? Pelvic prolapse or relaxation (the uterus, bladder, or rectum drops, sometimes bulging out of vagina)?

Value	Label	Unweighted Frequency	%
1	No	2295	93.8 %
2	Yes	22	0.9 %
Missing Data			
-1	N/A	124	5.1 %
.	-	7	0.3 %
Total		2,448	100%

Based upon 2,317 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 593-594 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIFPROL6: Pelvic prolapse difficult

If YES to PROLAPS6: Has it made it difficult to carry out your daily routine (e.g., work, housework, childcare)?

Value	Label	Unweighted Frequency	%
1	No	17	0.7 %
2	Yes	5	0.2 %
Missing Data			

Value	Label	Unweighted Frequency	%
-1	N/A	2419	98.8 %
.	-	7	0.3 %
Total		2,448	100%

Based upon 22 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 595-596 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PELVCNC6: Pelvic cancer since last visit

Since your last study visit, have you had any of the following conditions? Pelvic cancer (cancer of the vulva, cervix, uterus, or ovaries)?

Value	Label	Unweighted Frequency	%
1	No	2313	94.5 %
2	Yes	3	0.1 %
Missing Data			
-9	Missing	1	0.0 %
-1	N/A	124	5.1 %
.	-	7	0.3 %
Total		2,448	100%

Based upon 2,316 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 597-598 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIFCANC6: Pelvic cancer difficult

If YES to PELVCNC6: Has it made it difficult to carry out your daily routine (e.g., work, housework, childcare)?

Value	Label	Unweighted Frequency	%
1	No	2	0.1 %
2	Yes	1	0.0 %
Missing Data			
-1	N/A	2438	99.6 %
.	-	7	0.3 %
Total		2,448	100%

Based upon 3 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 599-600 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ABBLEED6: Abnormal vaginal bleeding since last visit

Since your last study visit, have you had any of the following conditions? Abnormal vaginal bleeding (bleeding from the vagina that is different enough from your normal pattern to be a concern: irregular, heavy, or long in duration)?

Value	Label	Unweighted Frequency	%
1	No	2180	89.1 %
2	Yes	137	5.6 %
	Missing Data		
-1	N/A	124	5.1 %
.	-	7	0.3 %
	Total	2,448	100%

Based upon 2,317 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 601-602 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIFBLED6: Abnormal vaginal bleeding difficult

If YES to ABBLEED6: Has it made it difficult to carry out your daily routine (e.g., work, housework, childcare)?

Value	Label	Unweighted Frequency	%
1	No	79	3.2 %
2	Yes	58	2.4 %
	Missing Data		
-1	N/A	2304	94.1 %
.	-	7	0.3 %
	Total	2,448	100%

Based upon 137 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 603-604 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FIBRUTR6: Fibroids since last visit

Since your last study visit, have you had any of the following conditions? Fibroids (benign growths in the uterus or womb)?

Value	Label	Unweighted Frequency	%
1	No	2078	84.9 %
2	Yes	239	9.8 %
	Missing Data		
-1	N/A	124	5.1 %
.	-	7	0.3 %
Total		2,448	100%

Based upon 2,317 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 605-606 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIFFIBR6: Fibroids difficult

If YES to FIBRUTR6: Has it made it difficult to carry out your daily routine (e.g., work, housework, childcare)?

Value	Label	Unweighted Frequency	%
1	No	203	8.3 %
2	Yes	36	1.5 %
	Missing Data		
-1	N/A	2202	90.0 %
.	-	7	0.3 %
Total		2,448	100%

Based upon 239 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 607-608 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PRVIDER6: Health care provider for women's health

Do you have a health care provider from whom you primarily get your care for women's health conditions? (If you have an obstetrician or gynecologist (ob/gyn) refer to him or her. If you don't, refer to the person from whom you get care for women's health).

Value	Label	Unweighted Frequency	%
1	No	307	12.5 %
2	Yes	2010	82.1 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-1	N/A	124	5.1 %
.	-	7	0.3 %
	Total	2,448	100%

Based upon 2,317 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 609-610 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PROFDEG6: Professional degree of HCP

What professional degree does this health care provider have? If you are not sure, please make your best guess.

Value	Label	Unweighted Frequency	%
1	Medical Doctor (MD)	1806	73.8 %
2	Dr. of Osteopathy (DO)	34	1.4 %
3	Chiropractor (DC)	1	0.0 %
4	Registered Nurse (RN)	9	0.4 %
5	Nurse Practitioner (NP)	133	5.4 %
6	Physician Assistant (PA)	7	0.3 %
7	Other: Specify	4	0.2 %
	Missing Data		
-8	Do not know	15	0.6 %
-7	Refused	1	0.0 %
-1	N/A	431	17.6 %
.	-	7	0.3 %
	Total	2,448	100%

Based upon 1,994 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 611-612 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SPECIFY6: Professional degree - other specify

What professional degree does this health care provider have? If you are not sure, please make your best guess - Specify

Value	Label	Unweighted Frequency	%
-	-	7	0.3 %
-1: N/A	-	2437	99.6 %

Value	Label	Unweighted Frequency	%
CERTIFIED NURSE MIDWIFE	-	1	0.0 %
NATUROPATHIC ND	-	1	0.0 %
PHYSICAL THERAPIST/HOLISTIC PR	-	1	0.0 %
SURGEON	-	1	0.0 %
	Total	2,448	100%

Based upon 2,448 valid cases out of 2,448 total cases.

Location: 613-642 (width: 30; decimal: 0)

Variable Type: character

PROVSPC6: Provider's specialty

Which of the following best describes this provider's specialty?

Value	Label	Unweighted Frequency	%
1	Family Practitioner	479	19.6 %
2	Internist	347	14.2 %
3	Gynecologist	964	39.4 %
4	Naturopath	2	0.1 %
5	Other	34	1.4 %
6	No specialty	0	0.0 %
	Missing Data		
-8	Do not know	19	0.8 %
-1	N/A	596	24.3 %
.	-	7	0.3 %
	Total	2,448	100%

Based upon 1,826 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 643-644 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SPECIAL6: HCP specialty - other specify

Which of the following best describes this provider's speciality? - Specify

Value	Label	Unweighted Frequency	%
	-	7	0.3 %
-1: N/A	-	2407	98.3 %
4	-	1	0.0 %
ADULT MEDICINE	-	3	0.1 %
AS ABOVE	-	1	0.0 %

Value	Label	Unweighted Frequency	%
CARDIOLOGY AND HYPERTENSION	-	1	0.0 %
ENDOCRINOLOGIST	-	2	0.1 %
GEN PRACTICE	-	1	0.0 %
GEN. PRACTITIONER	-	1	0.0 %
GENERAL PRACTITIONER	-	2	0.1 %
GENERAL PRACTITIONER	-	3	0.1 %
GP	-	1	0.0 %
HEMATOLOGIST	-	1	0.0 %
ONCOLOGIST	-	1	0.0 %
ONCOLOGY	-	1	0.0 %
PHYSICAL THERAPIST/HOLISTIC PR	-	1	0.0 %
PRIMARY CARE	-	1	0.0 %
PSYCHIATRIST	-	1	0.0 %
PULMONARY	-	1	0.0 %
RHEUMATOLOGIST	-	2	0.1 %
SURGEON	-	2	0.1 %
SURGERY	-	1	0.0 %
WOMEN OVER 50	-	1	0.0 %
WOMEN'S HEALTH	-	3	0.1 %
WOMEN'S HEALTH PRACTITIONER	-	1	0.0 %
WOMEN'S MEDICINE	-	1	0.0 %
	Total	2,448	100%

Based upon 2,448 valid cases out of 2,448 total cases.

Location: 645-674 (width: 30; decimal: 0)

Variable Type: character

PROVTIM6: Time spent by HCP on avg

On average, how much time does this health care provider spend with you at each visit?

Value	Label	Unweighted Frequency	%
1	0-5 minutes	57	2.3 %
2	6-10 minutes	210	8.6 %
3	11-15 minutes	426	17.4 %
4	16-20 minutes	470	19.2 %
5	21-30 minutes	499	20.4 %
6	> 30 minutes	337	13.8 %
	Missing Data		
-8	Do not know	11	0.4 %
-1	N/A	431	17.6 %
.	-	7	0.3 %
	Total	2,448	100%

Based upon 1,999 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 675-676 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BLEEDNG6: Menstrual bleeding since last visit

Did you have any menstrual bleeding since your last study visit?

Value	Label	Unweighted Frequency	%
1	No	1126	46.0 %
2	Yes	1313	53.6 %
	Missing Data		
-8	Do not know	2	0.1 %
.	-	7	0.3 %
	Total	2,448	100%

Based upon 2,439 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 677-678 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BLD3MON6: Menstrual bleeding in last 3 mos

Did you have any menstrual bleeding in the last 3 months?

Value	Label	Unweighted Frequency	%
1	No	280	11.4 %
2	Yes	1034	42.2 %
	Missing Data		
-1	N/A	1127	46.0 %
.	-	7	0.3 %
	Total	2,448	100%

Based upon 1,314 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 679-680 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

LMPDAY6: Last Menstrual Period Day

What was the date that you started your most recent menstrual bleeding?

Value	Label	Unweighted Frequency	%
866	-	1	0.0 %
957	-	1	0.0 %
1291	-	1	0.0 %
1600	-	1	0.0 %
1646	-	1	0.0 %
1694	-	1	0.0 %
1743	-	1	0.0 %
1745	-	1	0.0 %
1769	-	1	0.0 %
1789	-	1	0.0 %
1797	-	1	0.0 %
1823	-	1	0.0 %
1824	-	1	0.0 %
1825	-	1	0.0 %
1827	-	1	0.0 %
1828	-	1	0.0 %
1829	-	1	0.0 %
1833	-	2	0.1 %
1836	-	1	0.0 %
1838	-	1	0.0 %
1844	-	1	0.0 %
1852	-	2	0.1 %
1855	-	1	0.0 %
1857	-	1	0.0 %
1861	-	1	0.0 %
1863	-	1	0.0 %
1864	-	2	0.1 %
1866	-	1	0.0 %
1867	-	1	0.0 %
1869	-	1	0.0 %
1870	-	1	0.0 %
1871	-	1	0.0 %
1872	-	3	0.1 %
1874	-	1	0.0 %
1875	-	1	0.0 %
1877	-	3	0.1 %
1886	-	3	0.1 %
1890	-	2	0.1 %
1892	-	1	0.0 %
1893	-	2	0.1 %

Value	Label	Unweighted Frequency	%
1895	-	1	0.0 %
1896	-	3	0.1 %
1897	-	1	0.0 %
1901	-	1	0.0 %
1902	-	1	0.0 %
1904	-	2	0.1 %
1907	-	1	0.0 %
1912	-	1	0.0 %
1913	-	1	0.0 %
1917	-	1	0.0 %
Missing Data			
.	-	1157	47.3 %
Total		2,448	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,291 valid cases out of 2,448 total cases.

- Mean: 2158.73
- Minimum: 866.00
- Maximum: 2597.00
- Standard Deviation: 127.43

Location: 681-684 (width: 4; decimal: 0)

Variable Type: numeric

DESCPER6: Describe your menstrual periods

For the next few questions I would like to ask you to think about your periods since your last study visit, during times when you were not using birth control medications: Which of the following best describes your menstrual periods since your last study visit? Have they:

Value	Label	Unweighted Frequency	%
1	Become Farther Apart	415	17.0 %
2	Become Closer Together	108	4.4 %
3	Occurred At More Variable Intervals	356	14.5 %
4	Stayed The Same	316	12.9 %
5	Become More Regular	15	0.6 %
Missing Data			
-8	Do not know	4	0.2 %
-1	N/A	1227	50.1 %
.	-	7	0.3 %
Total		2,448	100%

Based upon 1,210 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 685-686 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

LENGCYL6: Length of menstrual cycle

For the next few questions I would like to ask you to think about your periods since your last study visit, during times when you were not using birth control medications: A menstrual cycle is the period of time from the beginning of bleeding from one menstrual period to the beginning of bleeding of the next menstrual period. Since your last study visit, what was the usual length of your menstrual cycles?

Value	Label	Unweighted Frequency	%
1	< 24 days	96	3.9 %
2	24-35 days	548	22.4 %
3	> 35 days	143	5.8 %
4	Too variable to say	356	14.5 %
Missing Data			
-8	Do not know	8	0.3 %
-1	N/A	1290	52.7 %
.	-	7	0.3 %
Total		2,448	100%

Based upon 1,143 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 687-688 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PRGNANT6: Pregnant since last visit

Since your last study visit, have you been pregnant? Please include live births, stillbirths, abortions, miscarriages, tubal or ectopic pregnancies.

Value	Label	Unweighted Frequency	%
1	No	2316	94.6 %
2	Yes	1	0.0 %
Missing Data			
-1	N/A	124	5.1 %
.	-	7	0.3 %
Total		2,448	100%

Based upon 2,317 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 689-690 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OUTCOME6: Outcome of pregnancy

If YES to PRGNANT6: What was the outcome of the pregnancy?

Value	Label	Unweighted Frequency	%
1	Live Birth	1	0.0 %
2	Still Birth	0	0.0 %
3	Miscarriage	0	0.0 %
4	Abortion	0	0.0 %
5	Tubal (Ectopic) Pregnancy	0	0.0 %
6	Still Pregnant	0	0.0 %
Missing Data			
-1	N/A	2440	99.7 %
.	-	7	0.3 %
Total		2,448	100%

Based upon 1 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 691-692 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BRSTFEE6: Currently breastfeeding

FOR LIVE BIRTHS ONLY: Are you currently breastfeeding?

Value	Label	Unweighted Frequency	%
1	No	1	0.0 %
2	Yes	0	0.0 %
Missing Data			
-1	N/A	2440	99.7 %
.	-	7	0.3 %
Total		2,448	100%

Based upon 1 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 693-694 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

QLTYLIF6: Quality of life

Thinking about your quality of life at the present time, I'd like you to give it a rating where 0 represents the worst possible quality for you and 10 represents the best possible quality for you. Looking at this line, how would you rate your overall quality of life at the present time? Choose a number between 0 and 10.

Value	Label	Unweighted Frequency	%
0	-	6	0.2 %
1	-	9	0.4 %
2	-	24	1.0 %
3	-	37	1.5 %
4	-	57	2.3 %
5	-	199	8.1 %
6	-	204	8.3 %
7	-	511	20.9 %
8	-	787	32.1 %
9	-	404	16.5 %
10	-	190	7.8 %
Missing Data			
-9	Missing	11	0.4 %
-7	Refused	2	0.1 %
.	-	7	0.3 %
Total		2,448	100%

Based upon 2,428 valid cases out of 2,448 total cases.

- Mean: 7.42
- Median: 8.00
- Mode: 8.00
- Minimum: 0.00
- Maximum: 10.00
- Standard Deviation: 1.70

Location: 695-696 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

LSTEN6: Support - someone to listen

People sometimes look to others for companionship, assistance, or other types of support. How often is each of the following kinds of support available to you if you need it? Someone you can count on to listen to you when you need to talk?

Value	Label	Unweighted Frequency	%
1	None Of The Time	18	0.7 %
2	A Little Of The Time	75	3.1 %
3	Some Of The Time	189	7.7 %
4	Most Of The Time	796	32.5 %
5	All Of The Time	1237	50.5 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-9	Missing	1	0.0 %
-7	Refused	1	0.0 %
-1	N/A	124	5.1 %
.	-	7	0.3 %
	Total	2,448	100%

Based upon 2,315 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 697-698 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

TAKETOM6: Support - take to doctor

People sometimes look to others for companionship, assistance, or other types of support. How often is each of the following kinds of support available to you if you need it? Someone to take you to the doctor if you needed it?

Value	Label	Unweighted Frequency	%
1	None Of The Time	45	1.8 %
2	A Little Of The Time	81	3.3 %
3	Some Of The Time	192	7.8 %
4	Most Of The Time	617	25.2 %
5	All Of The Time	1380	56.4 %
	Missing Data		
-9	Missing	1	0.0 %
-7	Refused	1	0.0 %
-1	N/A	124	5.1 %
.	-	7	0.3 %
	Total	2,448	100%

Based upon 2,315 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 699-700 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CONFIDE6: Support - confide in

People sometimes look to others for companionship, assistance, or other types of support. How often is each of the following kinds of support available to you if you need it? Someone to confide in or talk to about yourself or your problems?

Value	Label	Unweighted Frequency	%
1	None Of The Time	23	0.9 %
2	A Little Of The Time	89	3.6 %
3	Some Of The Time	209	8.5 %
4	Most Of The Time	770	31.5 %
5	All Of The Time	1224	50.0 %
Missing Data			
-9	Missing	1	0.0 %
-7	Refused	1	0.0 %
-1	N/A	124	5.1 %
.	-	7	0.3 %
Total		2,448	100%

Based upon 2,315 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 701-702 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

HELPSC6: Support - help w/chores when sick

People sometimes look to others for companionship, assistance, or other types of support. How often is each of the following kinds of support available to you if you need it? Someone to help with daily chores if you were sick?

Value	Label	Unweighted Frequency	%
1	None Of The Time	89	3.6 %
2	A Little Of The Time	199	8.1 %
3	Some Of The Time	432	17.6 %
4	Most Of The Time	618	25.2 %
5	All Of The Time	976	39.9 %
Missing Data			
-9	Missing	1	0.0 %
-7	Refused	2	0.1 %
-1	N/A	124	5.1 %
.	-	7	0.3 %
Total		2,448	100%

Based upon 2,314 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 703-704 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

CONTROL6: Unable to control imp things in your life

In the past two weeks you have: Felt unable to control important things in your life?

Value	Label	Unweighted Frequency	%
1	Never	1031	42.1 %
2	Almost Never	732	29.9 %
3	Sometimes	509	20.8 %
4	Fairly Often	119	4.9 %
5	Very Often	49	2.0 %
Missing Data			
-7	Refused	1	0.0 %
.	-	7	0.3 %
Total		2,448	100%

Based upon 2,440 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 705-706 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ABILITY6: Confident in ability to handle problems

In the past two weeks you have: Felt confident about your ability to handle your personal problems?

Value	Label	Unweighted Frequency	%
1	Never	20	0.8 %
2	Almost Never	74	3.0 %
3	Sometimes	390	15.9 %
4	Fairly Often	827	33.8 %
5	Very Often	1128	46.1 %
Missing Data			
-7	Refused	2	0.1 %
.	-	7	0.3 %
Total		2,448	100%

Based upon 2,439 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 707-708 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

YOURWAY6: Things were going your way

In the past two weeks you have: Felt that things were going your way?

Value	Label	Unweighted Frequency	%
1	Never	39	1.6 %
2	Almost Never	119	4.9 %
3	Sometimes	630	25.7 %
4	Fairly Often	1034	42.2 %
5	Very Often	618	25.2 %
Missing Data			
-7	Refused	1	0.0 %
.	-	7	0.3 %
Total		2,448	100%

Based upon 2,440 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 709-710 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PILING6: Difficulties piling up

In the past two weeks you have: Felt difficulties were piling so high that you could not overcome them?

Value	Label	Unweighted Frequency	%
1	Never	1135	46.4 %
2	Almost Never	756	30.9 %
3	Sometimes	416	17.0 %
4	Fairly Often	89	3.6 %
5	Very Often	44	1.8 %
Missing Data			
-7	Refused	1	0.0 %
.	-	7	0.3 %
Total		2,448	100%

Based upon 2,440 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 711-712 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BOTHER6: Bothered past week

During the past week: I was bothered by things that usually don't bother me.

Value	Label	Unweighted Frequency	%
1	Rarely/None Of The Time (< 1 Day)	1452	59.3 %
2	Some/A Little Of The Time (1-2 Days)	591	24.1 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	218	8.9 %
4	Most/All Of The Time (5-7 Days)	54	2.2 %
Missing Data			
-7	Refused	2	0.1 %
-1	N/A	124	5.1 %
.	-	7	0.3 %
Total		2,448	100%

Based upon 2,315 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 713-714 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

APPETIT6: Lost appetite past week

During the past week: I did not feel like eating; my appetite was poor

Value	Label	Unweighted Frequency	%
1	Rarely/None Of The Time (< 1 Day)	1883	76.9 %
2	Some/A Little Of The Time (1-2 Days)	291	11.9 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	102	4.2 %
4	Most/All Of The Time (5-7 Days)	40	1.6 %
Missing Data			
-7	Refused	1	0.0 %
-1	N/A	124	5.1 %
.	-	7	0.3 %
Total		2,448	100%

Based upon 2,316 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 715-716 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BLUES6: Had blues past week

During the past week: I felt that I could not shake off the blues even with help from my friends

Value	Label	Unweighted Frequency	%
1	Rarely/None Of The Time (< 1 Day)	1783	72.8 %
2	Some/A Little Of The Time (1-2 Days)	338	13.8 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	135	5.5 %
4	Most/All Of The Time (5-7 Days)	60	2.5 %
Missing Data			
-7	Refused	1	0.0 %
-1	N/A	124	5.1 %
.	-	7	0.3 %
Total		2,448	100%

Based upon 2,316 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 717-718 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GOOD6: As good as others past week

During the past week: I felt that I was just as good as other people

Value	Label	Unweighted Frequency	%
1	Rarely/None Of The Time (< 1 Day)	66	2.7 %
2	Some/A Little Of The Time (1-2 Days)	121	4.9 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	280	11.4 %
4	Most/All Of The Time (5-7 Days)	1846	75.4 %
Missing Data			
-7	Refused	4	0.2 %
-1	N/A	124	5.1 %
.	-	7	0.3 %
Total		2,448	100%

Based upon 2,313 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 719-720 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

KEEPMIN6: Mind on what doing past week

During the past week: I had trouble keeping my mind on what I was doing

Value	Label	Unweighted Frequency	%
1	Rarely/None Of The Time (< 1 Day)	1127	46.0 %
2	Some/A Little Of The Time (1-2 Days)	686	28.0 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	398	16.3 %
4	Most/All Of The Time (5-7 Days)	105	4.3 %
Missing Data			
-7	Refused	1	0.0 %
-1	N/A	124	5.1 %
.	-	7	0.3 %
Total		2,448	100%

Based upon 2,316 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 721-722 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DEPRESS6: Felt depressed past week

During the past week: I felt depressed

Value	Label	Unweighted Frequency	%
1	Rarely/None Of The Time (< 1 Day)	1554	63.5 %
2	Some/A Little Of The Time (1-2 Days)	508	20.8 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	169	6.9 %
4	Most/All Of The Time (5-7 Days)	85	3.5 %
Missing Data			
-7	Refused	1	0.0 %
-1	N/A	124	5.1 %
.	-	7	0.3 %
Total		2,448	100%

Based upon 2,316 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 723-724 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

EFFORT6: Everything an effort past week

During the past week: I felt that everything I did was an effort

Value	Label	Unweighted Frequency	%
1	Rarely/None Of The Time (< 1 Day)	1414	57.8 %
2	Some/A Little Of The Time (1-2 Days)	584	23.9 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	206	8.4 %
4	Most/All Of The Time (5-7 Days)	112	4.6 %
Missing Data			
-7	Refused	1	0.0 %
-1	N/A	124	5.1 %
.	-	7	0.3 %
Total		2,448	100%

Based upon 2,316 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 725-726 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HOPEFUL6: Hopeful about future past week

During the past week: I felt hopeful about the future

Value	Label	Unweighted Frequency	%
1	Rarely/None Of The Time (< 1 Day)	72	2.9 %
2	Some/A Little Of The Time (1-2 Days)	237	9.7 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	490	20.0 %
4	Most/All Of The Time (5-7 Days)	1517	62.0 %
Missing Data			
-7	Refused	1	0.0 %
-1	N/A	124	5.1 %
.	-	7	0.3 %
Total		2,448	100%

Based upon 2,316 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 727-728 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FAILURE6: Life has been failure past week

During the past week: I thought my life had been a failure

Value	Label	Unweighted Frequency	%
1	Rarely/None Of The Time (< 1 Day)	2031	83.0 %
2	Some/A Little Of The Time (1-2 Days)	185	7.6 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	75	3.1 %
4	Most/All Of The Time (5-7 Days)	25	1.0 %
Missing Data			
-7	Refused	1	0.0 %
-1	N/A	124	5.1 %
.	-	7	0.3 %
Total		2,448	100%

Based upon 2,316 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 729-730 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FEARFUL6: Felt fearful past week

During the past week: I felt fearful

Value	Label	Unweighted Frequency	%
1	Rarely/None Of The Time (< 1 Day)	1819	74.3 %
2	Some/A Little Of The Time (1-2 Days)	370	15.1 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	92	3.8 %
4	Most/All Of The Time (5-7 Days)	35	1.4 %
Missing Data			
-7	Refused	1	0.0 %
-1	N/A	124	5.1 %
.	-	7	0.3 %
Total		2,448	100%

Based upon 2,316 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 731-732 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RESTLES6: Sleep was restless past week

During the past week: My sleep was restless

Value	Label	Unweighted Frequency	%
1	Rarely/None Of The Time (< 1 Day)	1075	43.9 %
2	Some/A Little Of The Time (1-2 Days)	651	26.6 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	308	12.6 %
4	Most/All Of The Time (5-7 Days)	282	11.5 %
Missing Data			
-7	Refused	1	0.0 %
-1	N/A	124	5.1 %
.	-	7	0.3 %
Total		2,448	100%

Based upon 2,316 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 733-734 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HAPPY6: Happy past week

During the past week: I was happy

Value	Label	Unweighted Frequency	%
1	Rarely/None Of The Time (< 1 Day)	108	4.4 %
2	Some/A Little Of The Time (1-2 Days)	270	11.0 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	605	24.7 %
4	Most/All Of The Time (5-7 Days)	1332	54.4 %
Missing Data			
-7	Refused	2	0.1 %
-1	N/A	124	5.1 %
.	-	7	0.3 %
Total		2,448	100%

Based upon 2,315 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 735-736 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

TALKLES6: Talked less than usual past week

During the past week: I talked less than usual

Value	Label	Unweighted Frequency	%
1	Rarely/None Of The Time (< 1 Day)	1649	67.4 %
2	Some/A Little Of The Time (1-2 Days)	407	16.6 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	200	8.2 %
4	Most/All Of The Time (5-7 Days)	60	2.5 %
Missing Data			
-7	Refused	1	0.0 %
-1	N/A	124	5.1 %
.	-	7	0.3 %
Total		2,448	100%

Based upon 2,316 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 737-738 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

LONELY6: Felt lonely past week

During the past week: I felt lonely

Value	Label	Unweighted Frequency	%
1	Rarely/None Of The Time (< 1 Day)	1707	69.7 %
2	Some/A Little Of The Time (1-2 Days)	420	17.2 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	133	5.4 %
4	Most/All Of The Time (5-7 Days)	56	2.3 %
Missing Data			
-7	Refused	1	0.0 %
-1	N/A	124	5.1 %
.	-	7	0.3 %
Total		2,448	100%

Based upon 2,316 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 739-740 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

UNFRNDL6: People unfriendly past week

During the past week: People were unfriendly

Value	Label	Unweighted Frequency	%
1	Rarely/None Of The Time (< 1 Day)	1977	80.8 %
2	Some/A Little Of The Time (1-2 Days)	264	10.8 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	55	2.2 %
4	Most/All Of The Time (5-7 Days)	20	0.8 %
Missing Data			
-7	Refused	1	0.0 %
-1	N/A	124	5.1 %
.	-	7	0.3 %
Total		2,448	100%

Based upon 2,316 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 741-742 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ENJOY6: Enjoyed life past week

During the past week: I enjoyed life

Value	Label	Unweighted Frequency	%
1	Rarely/None Of The Time (< 1 Day)	91	3.7 %
2	Some/A Little Of The Time (1-2 Days)	200	8.2 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	446	18.2 %
4	Most/All Of The Time (5-7 Days)	1579	64.5 %
Missing Data			
-7	Refused	1	0.0 %
-1	N/A	124	5.1 %
.	-	7	0.3 %
Total		2,448	100%

Based upon 2,316 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 743-744 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CRYING6: Crying spells past week

During the past week: I had crying spells

Value	Label	Unweighted Frequency	%
1	Rarely/None Of The Time (< 1 Day)	1915	78.2 %
2	Some/A Little Of The Time (1-2 Days)	276	11.3 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	90	3.7 %
4	Most/All Of The Time (5-7 Days)	35	1.4 %
Missing Data			
-7	Refused	1	0.0 %
-1	N/A	124	5.1 %
.	-	7	0.3 %
Total		2,448	100%

Based upon 2,316 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 745-746 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SAD6: Felt sad past week

During the past week: I felt sad

Value	Label	Unweighted Frequency	%
1	Rarely/None Of The Time (< 1 Day)	1513	61.8 %
2	Some/A Little Of The Time (1-2 Days)	592	24.2 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	149	6.1 %
4	Most/All Of The Time (5-7 Days)	62	2.5 %
Missing Data			
-7	Refused	1	0.0 %
-1	N/A	124	5.1 %
.	-	7	0.3 %
Total		2,448	100%

Based upon 2,316 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 747-748 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DISLIKE6: People disliked me past week

During the past week: I felt that people disliked me

Value	Label	Unweighted Frequency	%
1	Rarely/None Of The Time (< 1 Day)	2043	83.5 %
2	Some/A Little Of The Time (1-2 Days)	211	8.6 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	50	2.0 %
4	Most/All Of The Time (5-7 Days)	12	0.5 %
Missing Data			
-7	Refused	1	0.0 %
-1	N/A	124	5.1 %
.	-	7	0.3 %
Total		2,448	100%

Based upon 2,316 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 749-750 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GETGOIN6: Could not get going past week

During the past week: I could not get going

Value	Label	Unweighted Frequency	%
1	Rarely/None Of The Time (< 1 Day)	1501	61.3 %
2	Some/A Little Of The Time (1-2 Days)	555	22.7 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	188	7.7 %
4	Most/All Of The Time (5-7 Days)	72	2.9 %
Missing Data			
-7	Refused	1	0.0 %
-1	N/A	124	5.1 %
.	-	7	0.3 %
Total		2,448	100%

Based upon 2,316 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 751-752 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SEPEXP6: Exposed directly to 9/11

Were you directly exposed to the disaster of September 11? By directly, I mean that you were in the vicinity of the World Trade Center, Pentagon, or Somerset County, PA at the time the disaster occurred?

Value	Label	Unweighted Frequency	%
1	No	2287	93.4 %
2	Yes	26	1.1 %
	Missing Data		
-9	Missing	1	0.0 %
-7	Refused	2	0.1 %
-1	N/A	125	5.1 %
.	-	7	0.3 %
	Total	2,448	100%

Based upon 2,313 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 753-754 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SEPTHR6: Believe your life threatened at time of 9/11

How strongly did you believe that your own life was threatened at the time? Would you say, Not at all, To some extent or Very much so

Value	Label	Unweighted Frequency	%
1	Not At All	10	0.4 %
2	To Some Extent	12	0.5 %
3	Very Much So	4	0.2 %
	Missing Data		
-1	N/A	2415	98.7 %
.	-	7	0.3 %
	Total	2,448	100%

Based upon 26 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 755-756 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SEPINJ6: Injured physically by 9/11

Were you injured physically in any way, that is (a) you were burned or harmed by debris or (b) your ability to breathe, see, hear, or move about was impaired in more than a transient way? Would you say, Not at all, Yes, but not seriously or Yes, seriously?

Value	Label	Unweighted Frequency	%
1	Not At All	24	1.0 %

Value	Label	Unweighted Frequency	%
2	Yes, but not Seriously	2	0.1 %
3	Yes, Seriously	0	0.0 %
Missing Data			
-1	N/A	2415	98.7 %
.	-	7	0.3 %
Total		2,448	100%

Based upon 26 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 757-758 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SEPFAM6: Family member/friend exposed directly to 9/11

Was your spouse or partner, any member of your family, or a close friend directly exposed to the disaster of September 11? By directly, I mean he or she was in the vicinity of the World Trade Center, the Pentagon, or Somerset County, PA or on one of the planes that crashed?

Value	Label	Unweighted Frequency	%
1	No	1968	80.4 %
2	Yes	345	14.1 %
Missing Data			
-9	Missing	1	0.0 %
-7	Refused	2	0.1 %
-1	N/A	125	5.1 %
.	-	7	0.3 %
Total		2,448	100%

Based upon 2,313 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 759-760 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SEPLEV6: Person lose life on 9/11

Did the person or any of the people you know lose their lives?

Value	Label	Unweighted Frequency	%
1	No	297	12.1 %
2	Yes	48	2.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-1	N/A	2096	85.6 %
.	-	7	0.3 %
	Total	2,448	100%

Based upon 345 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 761-762 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -8 , -7 , -1 , .

SEPSAF6: Feel less safe after 9/11

How true are the following statements about you? You feel less safe than you did before the disaster on September 11. Is this...

Value	Label	Unweighted Frequency	%
1	Not At All True	499	20.4 %
2	A Little True	759	31.0 %
3	Somewhat True	657	26.8 %
4	Very True	313	12.8 %
5	Extremely True	84	3.4 %
	Missing Data		
-9	Missing	1	0.0 %
-7	Refused	3	0.1 %
-1	N/A	125	5.1 %
.	-	7	0.3 %
	Total	2,448	100%

Based upon 2,312 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 763-764 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -8 , -7 , -1 , .

SEPCON6: Feel less in control since 9/11

How true are the following statements about you? Compared to how you felt before the disaster, you feel less able to control the forces that will influence your life.

Value	Label	Unweighted Frequency	%
1	Not At All True	762	31.1 %
2	A Little True	639	26.1 %

Value	Label	Unweighted Frequency	%
3	Somewhat True	564	23.0 %
4	Very True	288	11.8 %
5	Extremely True	58	2.4 %
Missing Data			
-9	Missing	1	0.0 %
-7	Refused	4	0.2 %
-1	N/A	125	5.1 %
.	-	7	0.3 %
Total		2,448	100%

Based upon 2,311 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 765-766 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SEPEAC6: Pessimistic about peace since 9/11

How true are the following statements about you? You feel more pessimistic about the possibility of there ever being peace in the world.

Value	Label	Unweighted Frequency	%
1	Not At All True	508	20.8 %
2	A Little True	580	23.7 %
3	Somewhat True	697	28.5 %
4	Very True	380	15.5 %
5	Extremely True	145	5.9 %
Missing Data			
-9	Missing	1	0.0 %
-8	Do not know	1	0.0 %
-7	Refused	4	0.2 %
-1	N/A	125	5.1 %
.	-	7	0.3 %
Total		2,448	100%

Based upon 2,310 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 767-768 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SEPFUT6: Pessimistic about own future since 9/11

How true are the following statements about you? You feel more pessimistic about your own future well-being.

Value	Label	Unweighted Frequency	%
1	Not At All True	1040	42.5 %
2	A Little True	699	28.6 %
3	Somewhat True	408	16.7 %
4	Very True	125	5.1 %
5	Extremely True	39	1.6 %
Missing Data			
-9	Missing	1	0.0 %
-7	Refused	4	0.2 %
-1	N/A	125	5.1 %
.	-	7	0.3 %
Total		2,448	100%

Based upon 2,311 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 769-770 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SEPGOV6: Less faith in govt since 9/11

How true are the following statements about you? You have less faith in government's ability to protect you than you did before the disaster.

Value	Label	Unweighted Frequency	%
1	Not At All True	587	24.0 %
2	A Little True	541	22.1 %
3	Somewhat True	564	23.0 %
4	Very True	378	15.4 %
5	Extremely True	240	9.8 %
Missing Data			
-9	Missing	1	0.0 %
-8	Do not know	1	0.0 %
-7	Refused	4	0.2 %
-1	N/A	125	5.1 %
.	-	7	0.3 %
Total		2,448	100%

Based upon 2,310 valid cases out of 2,448 total cases.

- Minimum: 1.00

- Maximum: 5.00

Location: 771-772 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SEPCNF6: Less confident in own abilities since 9/11

How true are the following statements about you? You became less confident in your own abilities to cope with major crises.

Value	Label	Unweighted Frequency	%
1	Not At All True	1355	55.4 %
2	A Little True	561	22.9 %
3	Somewhat True	292	11.9 %
4	Very True	78	3.2 %
5	Extremely True	25	1.0 %
Missing Data			
-9	Missing	1	0.0 %
-8	Do not know	1	0.0 %
-7	Refused	3	0.1 %
-1	N/A	125	5.1 %
.	-	7	0.3 %
Total		2,448	100%

Based upon 2,311 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 773-774 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SEPANX6: How much stress/anxiety because of 9/11

Overall, how much stress or anxiety have you experienced because of the terrorist events of September 11th and events since then? Please answer this question on a scale from 1 to 10, where 1 means that you have not personally been stressed or distressed at all, and 10 means that you have been terribly or extremely stressed or distressed.

Value	Label	Unweighted Frequency	%
1	-	277	11.3 %
2	-	363	14.8 %
3	-	447	18.3 %
4	-	274	11.2 %
5	-	288	11.8 %
6	-	238	9.7 %
7	-	177	7.2 %
8	-	125	5.1 %
9	-	54	2.2 %

Value	Label	Unweighted Frequency	%
10	-	65	2.7 %
Missing Data			
-9	Missing	1	0.0 %
-7	Refused	7	0.3 %
-1	N/A	125	5.1 %
.	-	7	0.3 %
Total		2,448	100%

Based upon 2,308 valid cases out of 2,448 total cases.

- Mean: 4.20
- Median: 4.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 10.00
- Standard Deviation: 2.36

Location: 775-776 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

CHNGJOB6: Change in job since last visit

Since your last study visit, has there been a change in any of your jobs, that is: your place of employment, your job title, or your usual job tasks?

Value	Label	Unweighted Frequency	%
1	No	1400	57.2 %
2	Yes	631	25.8 %
Missing Data			
-7	Refused	1	0.0 %
-1	N/A	409	16.7 %
.	-	7	0.3 %
Total		2,448	100%

Based upon 2,031 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 777-778 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

JOB6: Work for pay past 2 wks

During the past 2 weeks, did you work at any time at a job or business, including work for pay performed at home? (Include unpaid work in the family farm or business. If you were on vacation, or scheduled leave or sick leave, please answer as though you were at your usual job.)

Value	Label	Unweighted Frequency	%
1	No	109	4.5 %
2	Yes	522	21.3 %
	Missing Data		
-1	N/A	1810	73.9 %
.	-	7	0.3 %
	Total	2,448	100%

Based upon 631 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 779-780 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CHANGHR6: Change in usual hrs of work

Since your last study visit, has there been a change in your usual hours of work of any of your jobs?

Value	Label	Unweighted Frequency	%
1	No	1460	59.6 %
2	Yes	462	18.9 %
	Missing Data		
-1	N/A	519	21.2 %
.	-	7	0.3 %
	Total	2,448	100%

Based upon 1,922 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 781-782 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

STRTIM16: Work start time

Work start time

Value	Label	Unweighted Frequency	%
-	-	7	0.3 %
-1	N/A	2055	83.9 %
-7	Refused	0	0.0 %
-8	Do not know	0	0.0 %
-9	Missing	0	0.0 %
10:00	-	24	1.0 %

Value	Label	Unweighted Frequency	%
10:30	-	1	0.0 %
11:00	-	8	0.3 %
11:30	-	2	0.1 %
12:00	-	8	0.3 %
1:00	-	6	0.2 %
2:00	-	4	0.2 %
2:30	-	3	0.1 %
3:00	-	3	0.1 %
3:30	-	1	0.0 %
4:00	-	5	0.2 %
4:15	-	1	0.0 %
4:30	-	2	0.1 %
5:00	-	3	0.1 %
5:30	-	1	0.0 %
6:00	-	16	0.7 %
6:30	-	12	0.5 %
6:45	-	1	0.0 %
7:00	-	37	1.5 %
7:15	-	4	0.2 %
7:20	-	1	0.0 %
7:30	-	39	1.6 %
7:35	-	1	0.0 %
7:45	-	4	0.2 %
8:00	-	86	3.5 %
8:15	-	4	0.2 %
8:20	-	1	0.0 %
8:30	-	31	1.3 %
8:40	-	1	0.0 %
8:45	-	1	0.0 %
9:00	-	64	2.6 %
9:30	-	11	0.4 %
Total		2,448	100%

Based upon 2,448 valid cases out of 2,448 total cases.

Location: 783-787 (width: 5; decimal: 0)

Variable Type: character

STRAMP16: Work start AM/PM

Work start AM/PM

Value	Label	Unweighted Frequency	%
1	A.M.	350	14.3 %

Value	Label	Unweighted Frequency	%
2	P.M.	36	1.5 %
	Missing Data		
-1	N/A	2055	83.9 %
.	-	7	0.3 %
	Total	2,448	100%

Based upon 386 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 788-789 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

STPTIM16: Work stop time

Work stop time

Value	Label	Unweighted Frequency	%
-	-	7	0.3 %
-1	N/A	2055	83.9 %
-7	Refused	0	0.0 %
-8	Do not know	0	0.0 %
-9	Missing	0	0.0 %
10:00	-	9	0.4 %
10:30	-	3	0.1 %
11:00	-	7	0.3 %
11:15	-	1	0.0 %
11:30	-	2	0.1 %
12:00	-	12	0.5 %
12:15	-	1	0.0 %
12:30	-	2	0.1 %
1:00	-	8	0.3 %
1:25	-	1	0.0 %
1:30	-	5	0.2 %
2:00	-	14	0.6 %
2:10	-	1	0.0 %
2:15	-	1	0.0 %
2:20	-	1	0.0 %
2:30	-	10	0.4 %
2:40	-	1	0.0 %
2:45	-	3	0.1 %
3:00	-	28	1.1 %
3:15	-	2	0.1 %

Value	Label	Unweighted Frequency	%
3:18	-	1	0.0 %
3:30	-	19	0.8 %
3:45	-	2	0.1 %
4:00	-	33	1.3 %
4:30	-	31	1.3 %
4:32	-	1	0.0 %
4:40	-	1	0.0 %
4:45	-	2	0.1 %
5:00	-	56	2.3 %
5:20	-	1	0.0 %
5:30	-	20	0.8 %
6:00	-	33	1.3 %
6:30	-	9	0.4 %
6:45	-	1	0.0 %
7:00	-	22	0.9 %
7:30	-	10	0.4 %
8:00	-	16	0.7 %
8:30	-	5	0.2 %
9:00	-	10	0.4 %
9:30	-	1	0.0 %
Total		2,448	100%

Based upon 2,448 valid cases out of 2,448 total cases.

Location: 790-794 (width: 5; decimal: 0)

Variable Type: character

STPAMP16: Work stop AM/PM

Work stop AM/PM

Value	Label	Unweighted Frequency	%
1	A.M.	23	0.9 %
2	P.M.	363	14.8 %
	Missing Data		
-1	N/A	2055	83.9 %
.	-	7	0.3 %
Total		2,448	100%

Based upon 386 valid cases out of 2,448 total cases.

- Minimum: 1.00

- Maximum: 2.00

Location: 795-796 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ROTAT16: Work rotating/alternating

What are your usual hours of work each day for each job? Rotating/Alternating (Alternating weekly/monthly?)

Value	Label	Unweighted Frequency	%
1	No	382	15.6 %
2	Yes	77	3.1 %
	Missing Data		
-1	N/A	1982	81.0 %
.	-	7	0.3 %
	Total	2,448	100%

Based upon 459 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 797-798 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

STRTIM26: Work start time (2)

Work start time (2)

Value	Label	Unweighted Frequency	%
	-	7	0.3 %
-1	N/A	2395	97.8 %
-7	Refused	0	0.0 %
-8	Do not know	0	0.0 %
-9	Missing	0	0.0 %
10:00	-	1	0.0 %
12:00	-	1	0.0 %
1:00	-	1	0.0 %
1:30	-	1	0.0 %
2:00	-	1	0.0 %
2:30	-	1	0.0 %
2:45	-	1	0.0 %
3:00	-	3	0.1 %
3:30	-	3	0.1 %
4:00	-	2	0.1 %
4:55	-	1	0.0 %
5:00	-	4	0.2 %
5:30	-	1	0.0 %
6:00	-	3	0.1 %

Value	Label	Unweighted Frequency	%
6:10	-	1	0.0 %
6:30	-	1	0.0 %
7:00	-	2	0.1 %
7:30	-	1	0.0 %
8:00	-	7	0.3 %
9:00	-	8	0.3 %
9:30	-	2	0.1 %
Total		2,448	100%

Based upon 2,448 valid cases out of 2,448 total cases.

Location: 799-803 (width: 5; decimal: 0)

Variable Type: character

STRAMP26: Work start AM/PM (2)

Work start AM/PM (2)

Value	Label	Unweighted Frequency	%
1	A.M.	21	0.9 %
2	P.M.	25	1.0 %
Missing Data			
-1	N/A	2395	97.8 %
.	-	7	0.3 %
Total		2,448	100%

Based upon 46 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 804-805 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

STPTIM26: Work stop time (2)

Work stop time (2)

Value	Label	Unweighted Frequency	%
-	-	7	0.3 %
-1	N/A	2395	97.8 %
-7	Refused	0	0.0 %
-8	Do not know	0	0.0 %
-9	Missing	0	0.0 %
10:00	-	4	0.2 %
10:15	-	1	0.0 %

Value	Label	Unweighted Frequency	%
10:30	-	1	0.0 %
11:00	-	2	0.1 %
12:00	-	2	0.1 %
12:30	-	2	0.1 %
1:00	-	3	0.1 %
2:30	-	1	0.0 %
3:00	-	2	0.1 %
3:30	-	1	0.0 %
4:00	-	4	0.2 %
4:15	-	1	0.0 %
4:30	-	1	0.0 %
5:00	-	6	0.2 %
5:30	-	1	0.0 %
6:00	-	3	0.1 %
6:30	-	1	0.0 %
7:00	-	2	0.1 %
8:00	-	1	0.0 %
9:00	-	4	0.2 %
9:30	-	3	0.1 %
Total		2,448	100%

Based upon 2,448 valid cases out of 2,448 total cases.

Location: 806-810 (width: 5; decimal: 0)

Variable Type: character

STPAMP26: Work stop AM/PM (2)

Work stop AM/PM (2)

Value	Label	Unweighted Frequency	%
1	A.M.	8	0.3 %
2	P.M.	38	1.6 %
	Missing Data		
-1	N/A	2395	97.8 %
.	-	7	0.3 %
Total		2,448	100%

Based upon 46 valid cases out of 2,448 total cases.

- Minimum: 1.00

- Maximum: 2.00

Location: 811-812 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ROTAT26: Work rotating/alternating (2)

What are your usual hours of work each day for each job? Rotating/Alternating (Alternating weekly/monthly?)

Value	Label	Unweighted Frequency	%
1	No	45	1.8 %
2	Yes	25	1.0 %
	Missing Data		
-1	N/A	2371	96.9 %
.	-	7	0.3 %
Total		2,448	100%

Based upon 70 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 813-814 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

STRTIM36: Work start time (3)

Work start time (3)

Value	Label	Unweighted Frequency	%
	-	7	0.3 %
-1	N/A	2435	99.5 %
-7	Refused	0	0.0 %
-8	Do not know	0	0.0 %
-9	Missing	0	0.0 %
10:00	-	1	0.0 %
10:30	-	1	0.0 %
11:00	-	1	0.0 %
5:00	-	1	0.0 %
5:15	-	1	0.0 %
8:30	-	1	0.0 %
Total		2,448	100%

Based upon 2,448 valid cases out of 2,448 total cases.

Location: 815-819 (width: 5; decimal: 0)

Variable Type: character

STRAMP36: Work start AM/PM (3)

Work start AM/PM (3)

Value	Label	Unweighted Frequency	%
1	A.M.	3	0.1 %
2	P.M.	3	0.1 %
Missing Data			
-1	N/A	2435	99.5 %
.	-	7	0.3 %
Total		2,448	100%

Based upon 6 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 820-821 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

STPTIM36: Work stop time (3)

Work stop time (3)

Value	Label	Unweighted Frequency	%
-		7	0.3 %
-1	N/A	2435	99.5 %
-7	Refused	0	0.0 %
-8	Do not know	0	0.0 %
-9	Missing	0	0.0 %
10:00	-	1	0.0 %
4:00	-	2	0.1 %
6:00	-	2	0.1 %
7:45	-	1	0.0 %
Total		2,448	100%

Based upon 2,448 valid cases out of 2,448 total cases.

Location: 822-826 (width: 5; decimal: 0)

Variable Type: character

STPAMP36: Work stop AM/PM (3)

Work stop AM/PM (3)

Value	Label	Unweighted Frequency	%
1	A.M.	1	0.0 %
2	P.M.	5	0.2 %
Missing Data			
-1	N/A	2435	99.5 %
.	-	7	0.3 %

Value	Label	Unweighted Frequency	%
	Total	2,448	100%

Based upon 6 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 827-828 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ROTAT36: Work rotating/alternating (3)

What are your usual hours of work each day for each job? Rotating/Alternating (Alternating weekly/monthly?)

Value	Label	Unweighted Frequency	%
1	No	6	0.2 %
2	Yes	11	0.4 %
	Missing Data		
-1	N/A	2424	99.0 %
.	-	7	0.3 %
	Total	2,448	100%

Based upon 17 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 829-830 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HOURSPA6: How many hrs/wk work for pay

On average, how many total hours a week do you work, for pay?

Value	Label	Unweighted Frequency	%
1	<= 10 hrs	129	5.3 %
2	11-19 hrs	80	3.3 %
3	20-34 hrs	355	14.5 %
4	35-40 hrs	831	33.9 %
5	41-60 hrs	471	19.2 %
6	>60 hrs	54	2.2 %
	Missing Data		
-7	Refused	1	0.0 %
-1	N/A	520	21.2 %
.	-	7	0.3 %

Value	Label	Unweighted Frequency	%
	Total	2,448	100%

Based upon 1,920 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 831-832 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

VOLUNTE6: Do volunteer work

Do you do volunteer work?

Value	Label	Unweighted Frequency	%
1	No	1407	57.5 %
2	Yes	909	37.1 %
	Missing Data		
-7	Refused	1	0.0 %
-1	N/A	124	5.1 %
.	-	7	0.3 %
	Total	2,448	100%

Based upon 2,316 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 833-834 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

VLNTHR16: Volunteer (1) hrs/wk

What type of volunteer work do you do? How many hours a week do you spend doing it?

Value	Label	Unweighted Frequency	%
0.01	-	2	0.1 %
0.04	-	1	0.0 %
0.06	-	1	0.0 %
0.10	-	2	0.1 %
0.12	-	1	0.0 %
0.17	-	1	0.0 %
0.19	-	1	0.0 %
0.20	-	1	0.0 %
0.23	-	1	0.0 %
0.25	-	12	0.5 %

Value	Label	Unweighted Frequency	%
0.30	-	2	0.1 %
0.38	-	1	0.0 %
0.50	-	66	2.7 %
0.58	-	2	0.1 %
0.60	-	3	0.1 %
0.63	-	1	0.0 %
0.73	-	1	0.0 %
0.75	-	8	0.3 %
0.77	-	2	0.1 %
0.80	-	1	0.0 %
0.90	-	1	0.0 %
1.00	-	200	8.2 %
1.25	-	1	0.0 %
1.50	-	22	0.9 %
1.60	-	1	0.0 %
1.75	-	1	0.0 %
2.00	-	160	6.5 %
2.50	-	21	0.9 %
3.00	-	99	4.0 %
3.50	-	4	0.2 %
4.00	-	73	3.0 %
4.50	-	5	0.2 %
5.00	-	44	1.8 %
5.50	-	4	0.2 %
5.77	-	1	0.0 %
6.00	-	39	1.6 %
6.50	-	1	0.0 %
7.00	-	8	0.3 %
8.00	-	20	0.8 %
8.08	-	1	0.0 %
9.00	-	1	0.0 %
10.00	-	27	1.1 %
12.00	-	6	0.2 %
13.00	-	1	0.0 %
14.00	-	5	0.2 %
15.00	-	9	0.4 %
16.00	-	4	0.2 %
17.00	-	1	0.0 %
18.00	-	1	0.0 %
20.00	-	19	0.8 %
Missing Data			
-8.00	Do not know	2	0.1 %

Value	Label	Unweighted Frequency	%
-1.00	N/A	1532	62.6 %
.	-	7	0.3 %
	Total	2,448	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 907 valid cases out of 2,448 total cases.

- Mean: 4.09
- Median: 2.00
- Mode: 1.00
- Minimum: 0.01
- Maximum: 50.00
- Standard Deviation: 6.27

Location: 835-840 (width: 6; decimal: 2)

Variable Type: numeric

(Range of) Missing Values: -9.00 , -8.00 , -7.00 , -1.00 , .

VLNTHR26: Volunteer (2) hrs/wk

What type of volunteer work do you do? How many hours a week do you spend doing it?

Value	Label	Unweighted Frequency	%
0.01	-	1	0.0 %
0.12	-	1	0.0 %
0.15	-	3	0.1 %
0.19	-	2	0.1 %
0.20	-	2	0.1 %
0.25	-	13	0.5 %
0.30	-	1	0.0 %
0.39	-	1	0.0 %
0.46	-	1	0.0 %
0.50	-	37	1.5 %
0.58	-	1	0.0 %
0.67	-	1	0.0 %
0.75	-	3	0.1 %
1.00	-	69	2.8 %
1.33	-	1	0.0 %
1.50	-	6	0.2 %
2.00	-	50	2.0 %
2.50	-	2	0.1 %
3.00	-	25	1.0 %
3.50	-	1	0.0 %
4.00	-	16	0.7 %

Value	Label	Unweighted Frequency	%
5.00	-	9	0.4 %
6.00	-	8	0.3 %
6.50	-	1	0.0 %
7.00	-	1	0.0 %
8.00	-	9	0.4 %
10.00	-	3	0.1 %
15.00	-	1	0.0 %
20.00	-	1	0.0 %
21.00	-	1	0.0 %
28.00	-	1	0.0 %
30.00	-	1	0.0 %
40.00	-	1	0.0 %
Missing Data			
-8.00	Do not know	1	0.0 %
-1.00	N/A	2166	88.5 %
.	-	7	0.3 %
Total		2,448	100%

Based upon 274 valid cases out of 2,448 total cases.

- Mean: 2.62
- Median: 1.42
- Mode: 1.00
- Minimum: 0.01
- Maximum: 40.00
- Standard Deviation: 4.17

Location: 841-846 (width: 6; decimal: 2)

Variable Type: numeric

(Range of) Missing Values: -9.00 , -8.00 , -7.00 , -1.00 , .

VLNTHR36: Volunteer (3) hrs/wk

What type of volunteer work do you do? How many hours a week do you spend doing it?

Value	Label	Unweighted Frequency	%
0.25	-	2	0.1 %
0.48	-	1	0.0 %
0.50	-	9	0.4 %
1.00	-	37	1.5 %
1.25	-	1	0.0 %
1.50	-	3	0.1 %
2.00	-	14	0.6 %
2.50	-	1	0.0 %
3.00	-	7	0.3 %

Value	Label	Unweighted Frequency	%
3.50	-	1	0.0 %
4.00	-	5	0.2 %
5.00	-	3	0.1 %
5.50	-	1	0.0 %
6.00	-	3	0.1 %
7.00	-	1	0.0 %
8.00	-	1	0.0 %
10.00	-	3	0.1 %
Missing Data			
-8.00	Do not know	1	0.0 %
-1.00	N/A	2347	95.9 %
.	-	7	0.3 %
Total		2,448	100%

Based upon 93 valid cases out of 2,448 total cases.

- Mean: 2.22
- Median: 1.00
- Mode: 1.00
- Minimum: 0.25
- Maximum: 10.00
- Standard Deviation: 2.17

Location: 847-852 (width: 6; decimal: 2)

Variable Type: numeric

(Range of) Missing Values: -9.00 , -8.00 , -7.00 , -1.00 , .

MARITAL6: Marital status

What is your current marital status? Would you say ...

Value	Label	Unweighted Frequency	%
1	Single/Never Married	313	12.8 %
2	Currently Married/Living as Married	1587	64.8 %
3	Separated	78	3.2 %
4	Widowed	79	3.2 %
5	Divorced	370	15.1 %
Missing Data			
-9	Missing	11	0.4 %
-7	Refused	3	0.1 %
.	-	7	0.3 %
Total		2,448	100%

Based upon 2,427 valid cases out of 2,448 total cases.

- Minimum: 1.00

- Maximum: 5.00

Location: 853-854 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CHGHLD6: Change in anyone living in house

Since your last study visit, has there been any change in who is living in your household?

Value	Label	Unweighted Frequency	%
1	No	1739	71.0 %
2	Yes	577	23.6 %
Missing Data			
-7	Refused	1	0.0 %
-1	N/A	124	5.1 %
.	-	7	0.3 %
Total		2,448	100%

Based upon 2,316 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 855-856 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HOUSEHL6: Anyone living in your household

Other than yourself, is there anyone living in your household?

Value	Label	Unweighted Frequency	%
1	No	57	2.3 %
2	Yes	520	21.2 %
Missing Data			
-1	N/A	1864	76.1 %
.	-	7	0.3 %
Total		2,448	100%

Based upon 577 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 857-858 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RELAT16: Relationship to yourself (1)

Please tell me their relationship to you

Value	Label	Unweighted Frequency	%
-1: N/A	-	7	0.3 %
BOARDER	-	1	0.0 %
BOYFRIEND	-	7	0.3 %
BROTHER	-	2	0.1 %
BROTHER IN LAW	-	1	0.0 %
CHILD	-	1	0.0 %
COUSIN	-	2	0.1 %
DAUGHTER	-	73	3.0 %
DAUGHTER'S BOYFRIEND	-	1	0.0 %
DAUGHTER'S FRIEND	-	1	0.0 %
DAUGHTER-IN-LAW	-	1	0.0 %
EX HUSBAND	-	1	0.0 %
EXCHANGE STUDENT	-	2	0.1 %
FAMILY FRIEND	-	1	0.0 %
FATHER	-	2	0.1 %
FATHER-IN-LAW	-	1	0.0 %
FIANCE	-	1	0.0 %
FIANCEE	-	2	0.1 %
FRIEND	-	6	0.2 %
GIRLFRIEND	-	1	0.0 %
GODSON	-	1	0.0 %
GRANDDAUGHTER	-	2	0.1 %
GRANDBABBY	-	1	0.0 %
GRANDDAUGHTER	-	7	0.3 %
GRANDSON	-	8	0.3 %
GREAT NIECE	-	1	0.0 %
HUSBAND	-	268	10.9 %
MOTHER	-	15	0.6 %
MOTHER IN LAW	-	1	0.0 %
MOTHER-IN-LAW	-	1	0.0 %
NEPHEW	-	4	0.2 %
NIECE	-	5	0.2 %
PARENTS (MOM)	-	1	0.0 %
PARTNER	-	4	0.2 %
RELIGIOUS SISTER CANDIDATE	-	1	0.0 %
ROOMATE	-	1	0.0 %
ROOMMATE	-	3	0.1 %
SIGNIFICANT OTHER	-	2	0.1 %
SISTER	-	9	0.4 %
SON	-	61	2.5 %
SPOUSE	-	12	0.5 %

Value	Label	Unweighted Frequency	%
STATE PLACEMENT PERSONEL	-	1	0.0 %
SWEETHEART	-	1	0.0 %
TENANT	-	1	0.0 %
UNCLE	-	1	0.0 %
X-HUSBAND	-	1	0.0 %
	Total	2,448	100%

Based upon 2,448 valid cases out of 2,448 total cases.

Location: 859-884 (width: 26; decimal: 0)

Variable Type: character

SEX16: Gender (1)

Please tell me their gender

Value	Label	Unweighted Frequency	%
	-	7	0.3 %
-1: N/A	-	1921	78.5 %
F	-	132	5.4 %
M	-	388	15.8 %
	Total	2,448	100%

Based upon 2,448 valid cases out of 2,448 total cases.

Location: 885-899 (width: 15; decimal: 0)

Variable Type: character

AGE16: Age (1)

Please tell me their age

Value	Label	Unweighted Frequency	%
1	-	6	0.2 %
3	-	1	0.0 %
4	-	1	0.0 %
6	-	2	0.1 %
8	-	4	0.2 %
9	-	1	0.0 %
10	-	3	0.1 %
11	-	2	0.1 %
12	-	4	0.2 %
13	-	6	0.2 %
14	-	4	0.2 %
15	-	9	0.4 %
16	-	9	0.4 %

Value	Label	Unweighted Frequency	%
17	-	9	0.4 %
18	-	3	0.1 %
19	-	4	0.2 %
20	-	10	0.4 %
21	-	12	0.5 %
22	-	9	0.4 %
23	-	9	0.4 %
24	-	7	0.3 %
25	-	12	0.5 %
26	-	8	0.3 %
27	-	7	0.3 %
28	-	5	0.2 %
29	-	4	0.2 %
30	-	10	0.4 %
31	-	4	0.2 %
32	-	3	0.1 %
35	-	4	0.2 %
36	-	1	0.0 %
37	-	2	0.1 %
38	-	3	0.1 %
39	-	3	0.1 %
40	-	1	0.0 %
41	-	4	0.2 %
42	-	1	0.0 %
43	-	3	0.1 %
44	-	4	0.2 %
45	-	2	0.1 %
46	-	4	0.2 %
47	-	6	0.2 %
48	-	15	0.6 %
49	-	21	0.9 %
50	-	26	1.1 %
51	-	17	0.7 %
52	-	38	1.6 %
53	-	32	1.3 %
54	-	23	0.9 %
55	-	21	0.9 %
Missing Data			
-7	Refused	1	0.0 %
-1	N/A	1921	78.5 %
-	-	7	0.3 %

Value	Label	Unweighted Frequency	%
Total		2,448	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 519 valid cases out of 2,448 total cases.

- Mean: 43.49
- Median: 50.00
- Mode: 52.00
- Minimum: 1.00
- Maximum: 94.00
- Standard Deviation: 18.54

Location: 900-901 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RELAT26: Relationship to yourself (2)

Please tell me their relationship to you

Value	Label	Unweighted Frequency	%
-	-	7	0.3 %
-1: N/A	-	2083	85.1 %
BOYFRIEND	-	1	0.0 %
BOYFRIEND'S DAUGHTER	-	1	0.0 %
BROTHER	-	7	0.3 %
BROTHER IN LAW	-	1	0.0 %
CHILD	-	2	0.1 %
COMPANION	-	1	0.0 %
DAD	-	1	0.0 %
DAUGGHTER	-	1	0.0 %
DAUGHTER	-	102	4.2 %
DAUGHTER IN LAW	-	1	0.0 %
DAUGHTER'S BOY FRIEND	-	1	0.0 %
DAUGHTER'S BOYFRIEND	-	1	0.0 %
DAUGHTER-IN-LAW	-	1	0.0 %
EXCHANGE STUDENT	-	1	0.0 %
FAMILY FRIEND	-	1	0.0 %
FATHER	-	3	0.1 %
FATHER'S GIRLFRIEND	-	1	0.0 %
FATHER-IN-LAW	-	1	0.0 %
FRIEND	-	3	0.1 %
GIRL FRIEND	-	1	0.0 %
GRAND DAUGHTER	-	1	0.0 %

Value	Label	Unweighted Frequency	%
GRAND SON	-	2	0.1 %
GRAND-DAUGHTER	-	2	0.1 %
GRANDAUGHTER	-	2	0.1 %
GRANDDAUGHTER	-	6	0.2 %
GRANDMOTHER	-	1	0.0 %
GRANDSO	-	1	0.0 %
GRANDSON	-	17	0.7 %
GREAT NEICE	-	1	0.0 %
GREAT NEPHEW	-	1	0.0 %
HUSBAND	-	20	0.8 %
MOTHER	-	8	0.3 %
MOTHER-IN-LAW	-	4	0.2 %
NEIGHBOR	-	1	0.0 %
NEPHEW	-	6	0.2 %
NIECE	-	5	0.2 %
NIECE'S BOYFRIEND	-	1	0.0 %
NIECE'S SON	-	2	0.1 %
PARENT	-	1	0.0 %
RELIGIOUS SISTER	-	1	0.0 %
RENTER	-	1	0.0 %
ROOMMATE	-	2	0.1 %
SIGNIFICANT OTHER	-	1	0.0 %
SISTER-IN-LAW	-	1	0.0 %
SON	-	125	5.1 %
SON (GRANDSON)	-	1	0.0 %
SON (IN COLLEGE)	-	1	0.0 %
SON'S FIANCE	-	1	0.0 %
	Total	2,448	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,448 valid cases out of 2,448 total cases.

Location: 902-931 (width: 30; decimal: 0)

Variable Type: character

SEX26: Gender (2)

Please tell me their gender

Value	Label	Unweighted Frequency	%
	-	7	0.3 %
-1: N/A	-	2083	85.1 %
F	-	152	6.2 %

Value	Label	Unweighted Frequency	%
M	-	206	8.4 %
	Total	2,448	100%

Based upon 2,448 valid cases out of 2,448 total cases.

Location: 932-946 (width: 15; decimal: 0)

Variable Type: character

AGE26: Age (2)

Please tell me their age

Value	Label	Unweighted Frequency	%
1	-	9	0.4 %
2	-	2	0.1 %
3	-	2	0.1 %
4	-	2	0.1 %
5	-	1	0.0 %
6	-	2	0.1 %
7	-	2	0.1 %
8	-	5	0.2 %
9	-	6	0.2 %
10	-	7	0.3 %
11	-	9	0.4 %
12	-	6	0.2 %
13	-	1	0.0 %
14	-	9	0.4 %
15	-	12	0.5 %
16	-	16	0.7 %
17	-	15	0.6 %
18	-	14	0.6 %
19	-	12	0.5 %
20	-	12	0.5 %
21	-	27	1.1 %
22	-	21	0.9 %
23	-	22	0.9 %
24	-	13	0.5 %
25	-	14	0.6 %
26	-	13	0.5 %
27	-	10	0.4 %
28	-	10	0.4 %
29	-	3	0.1 %
30	-	6	0.2 %
31	-	1	0.0 %

Value	Label	Unweighted Frequency	%
32	-	1	0.0 %
34	-	5	0.2 %
35	-	5	0.2 %
36	-	2	0.1 %
37	-	1	0.0 %
38	-	1	0.0 %
40	-	1	0.0 %
41	-	1	0.0 %
42	-	2	0.1 %
44	-	1	0.0 %
46	-	2	0.1 %
47	-	1	0.0 %
48	-	2	0.1 %
49	-	3	0.1 %
50	-	2	0.1 %
51	-	3	0.1 %
52	-	5	0.2 %
53	-	2	0.1 %
54	-	1	0.0 %
Missing Data			
-1	N/A	2083	85.1 %
.	-	7	0.3 %
Total		2,448	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 358 valid cases out of 2,448 total cases.

- Mean: 26.59
- Median: 22.00
- Mode: 21.00
- Minimum: 1.00
- Maximum: 100.00
- Standard Deviation: 18.42

Location: 947-949 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RELAT36: Relationship to yourself (3)

Please tell me their relationship to you

Value	Label	Unweighted Frequency	%
-	-	7	0.3 %

Value	Label	Unweighted Frequency	%
-1: N/A	-	2239	91.5 %
BROTHER	-	2	0.1 %
BROTHER-IN-LAW	-	1	0.0 %
CARE GIVER	-	1	0.0 %
CHILD	-	2	0.1 %
DAUGHTER	-	52	2.1 %
DAUGHTER IN LAW	-	2	0.1 %
DAUGHTER'S FRIEND	-	1	0.0 %
DAUGHTER-IN-LAW	-	3	0.1 %
FATHER	-	1	0.0 %
FOSTER DAUGHTER	-	1	0.0 %
FOSTER SON	-	1	0.0 %
FRIEND	-	1	0.0 %
GOD SON	-	1	0.0 %
GRAND DAUGHTER	-	5	0.2 %
GRANDDAUGHTER	-	1	0.0 %
GRANDDAUGHTER	-	8	0.3 %
GRANDSON	-	16	0.7 %
GREAT GRAND SON	-	1	0.0 %
GREAT NEPHEW	-	4	0.2 %
HELPER/CAREGIVER	-	1	0.0 %
HUSAND	-	1	0.0 %
HUSBAND	-	8	0.3 %
MOTHER	-	1	0.0 %
MOTHER-IN-LAW	-	1	0.0 %
NIECE	-	6	0.2 %
NIECE'S SON	-	1	0.0 %
OLDEST SON	-	1	0.0 %
RELIGIOUS SISTER	-	1	0.0 %
ROOMMATE	-	1	0.0 %
S.O. NEPHEW	-	1	0.0 %
SISTER	-	2	0.1 %
SON	-	70	2.9 %
SON'S FRIEND'S FIANCE	-	1	0.0 %
SON-IN-LAW	-	1	0.0 %
STEPDAUGHTER	-	1	0.0 %
	Total	2,448	100%

Based upon 2,448 valid cases out of 2,448 total cases.

Location: 950-970 (width: 21; decimal: 0)

Variable Type: character

SEX36: Gender (3)

Please tell me their gender

Value	Label	Unweighted Frequency	%
-	-	7	0.3 %
-1: N/A	-	2239	91.5 %
F	-	89	3.6 %
M	-	113	4.6 %
	Total	2,448	100%

Based upon 2,448 valid cases out of 2,448 total cases.

Location: 971-985 (width: 15; decimal: 0)

Variable Type: character

AGE36: Age (3)

Please tell me their age

Value	Label	Unweighted Frequency	%
1	-	10	0.4 %
2	-	6	0.2 %
3	-	3	0.1 %
4	-	4	0.2 %
5	-	4	0.2 %
6	-	2	0.1 %
7	-	2	0.1 %
8	-	5	0.2 %
9	-	3	0.1 %
10	-	5	0.2 %
12	-	6	0.2 %
13	-	10	0.4 %
14	-	8	0.3 %
15	-	11	0.4 %
16	-	8	0.3 %
17	-	3	0.1 %
18	-	15	0.6 %
19	-	16	0.7 %
20	-	10	0.4 %
21	-	10	0.4 %
22	-	7	0.3 %
23	-	3	0.1 %
24	-	9	0.4 %
25	-	5	0.2 %
27	-	4	0.2 %

Value	Label	Unweighted Frequency	%
28	-	1	0.0 %
29	-	1	0.0 %
30	-	4	0.2 %
31	-	3	0.1 %
33	-	1	0.0 %
35	-	1	0.0 %
37	-	1	0.0 %
40	-	1	0.0 %
42	-	1	0.0 %
46	-	2	0.1 %
49	-	1	0.0 %
53	-	1	0.0 %
54	-	3	0.1 %
55	-	1	0.0 %
56	-	1	0.0 %
59	-	2	0.1 %
60	-	2	0.1 %
63	-	1	0.0 %
70	-	1	0.0 %
71	-	1	0.0 %
80	-	1	0.0 %
82	-	2	0.1 %
Missing Data			
-1	N/A	2239	91.5 %
.	-	7	0.3 %
Total		2,448	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 202 valid cases out of 2,448 total cases.

- Mean: 20.47
- Median: 18.00
- Mode: 19.00
- Minimum: 1.00
- Maximum: 82.00
- Standard Deviation: 15.62

Location: 986-987 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RELAT46: Relationship to yourself (4)

Please tell me their relationship to you

Value	Label	Unweighted Frequency	%
-	-	7	0.3 %
-1: N/A	-	2343	95.7 %
BOYFRIEND	-	1	0.0 %
BROTHER	-	1	0.0 %
BROTHER-IN-LAW	-	1	0.0 %
DAUGHTER	-	16	0.7 %
DAUGHTER IN LAW	-	1	0.0 %
DAUGHTER-IN-LAW	-	1	0.0 %
EX-HUSBAND	-	1	0.0 %
FOSTER CHILD	-	1	0.0 %
FOSTER DAUGHTER	-	2	0.1 %
FOSTER SON	-	2	0.1 %
FRIEND	-	1	0.0 %
FRIEND'S DAUGHTER	-	1	0.0 %
GOD DAUGHTER	-	1	0.0 %
GRAND DAUGHTER	-	1	0.0 %
GRAND SON	-	1	0.0 %
GRANDDAUGHTER	-	1	0.0 %
GRANDDAUGHTER	-	5	0.2 %
GRANDSON	-	8	0.3 %
GREAT GRAND SON	-	1	0.0 %
GREAT NEPHEW	-	2	0.1 %
HELPER/CAREGIVER	-	1	0.0 %
HUSBAND	-	7	0.3 %
MOTHER-IN-LAW	-	2	0.1 %
NEICE	-	1	0.0 %
NEPHEW	-	2	0.1 %
NIECE	-	2	0.1 %
RELIGIOUS SISTER	-	1	0.0 %
S.O. NEPHEW	-	1	0.0 %
SECOND SON	-	1	0.0 %
SON	-	26	1.1 %
SON'S GIRLFRIEND	-	2	0.1 %
STEP SON	-	1	0.0 %
STEP-SON	-	1	0.0 %
TEMPORARY FOSTER CHILD	-	1	0.0 %
	Total	2,448	100%

Based upon 2,448 valid cases out of 2,448 total cases.

Location: 988-1009 (width: 22; decimal: 0)

Variable Type: character

SEX46: Gender (4)

Please tell me their gender

Value	Label	Unweighted Frequency	%
-	-	7	0.3 %
-1: N/A	-	2343	95.7 %
F	-	39	1.6 %
M	-	59	2.4 %
	Total	2,448	100%

Based upon 2,448 valid cases out of 2,448 total cases.

Location: 1010-1024 (width: 15; decimal: 0)

Variable Type: character

AGE46: Age (4)

Please tell me their age

Value	Label	Unweighted Frequency	%
1	-	3	0.1 %
2	-	3	0.1 %
3	-	3	0.1 %
4	-	3	0.1 %
5	-	1	0.0 %
6	-	4	0.2 %
7	-	1	0.0 %
8	-	1	0.0 %
9	-	1	0.0 %
10	-	3	0.1 %
11	-	3	0.1 %
12	-	2	0.1 %
13	-	3	0.1 %
14	-	6	0.2 %
15	-	2	0.1 %
16	-	5	0.2 %
17	-	5	0.2 %
18	-	2	0.1 %
19	-	5	0.2 %
20	-	6	0.2 %
21	-	4	0.2 %
22	-	1	0.0 %
23	-	6	0.2 %
24	-	1	0.0 %
27	-	1	0.0 %

Value	Label	Unweighted Frequency	%
28	-	1	0.0 %
29	-	1	0.0 %
30	-	1	0.0 %
31	-	2	0.1 %
33	-	1	0.0 %
34	-	1	0.0 %
35	-	1	0.0 %
48	-	2	0.1 %
50	-	1	0.0 %
52	-	2	0.1 %
53	-	2	0.1 %
57	-	1	0.0 %
59	-	1	0.0 %
60	-	1	0.0 %
62	-	1	0.0 %
64	-	1	0.0 %
67	-	1	0.0 %
80	-	1	0.0 %
87	-	1	0.0 %
Missing Data			
-1	N/A	2343	95.7 %
.	-	7	0.3 %
Total		2,448	100%

Based upon 98 valid cases out of 2,448 total cases.

- Mean: 22.21
- Median: 17.50
- Minimum: 1.00
- Maximum: 87.00
- Standard Deviation: 18.24

Location: 1025-1026 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RELAT56: Relationship to yourself (5)

Please tell me their relationship to you

Value	Label	Unweighted Frequency	%
-	-	7	0.3 %
-1: N/A	-	2390	97.6 %
BROTHER	-	1	0.0 %
CARE-GIVER	-	1	0.0 %

Value	Label	Unweighted Frequency	%
DAUGHTER	-	6	0.2 %
DAUGHTER (FEMALE/HAVE LEGAL CU	-	1	0.0 %
DAUGHTER-IN-LAW	-	1	0.0 %
FOSTER CHILD	-	1	0.0 %
FOSTER DAUGHTER	-	1	0.0 %
FRIEND	-	1	0.0 %
FRIEND'S DAUGHTER	-	1	0.0 %
GOD SON	-	1	0.0 %
GODSON	-	1	0.0 %
GRAND NEICE	-	1	0.0 %
GRAND SON	-	1	0.0 %
GRANDCHILD	-	1	0.0 %
GRANDDAUGHTER	-	1	0.0 %
GRANDSON	-	7	0.3 %
GREAT GRAND DAUGHTER	-	1	0.0 %
HUSBAND	-	1	0.0 %
NEPHEW	-	1	0.0 %
PARTNER	-	1	0.0 %
SIGNIFICANT OTHER	-	1	0.0 %
SISTER	-	1	0.0 %
SON	-	16	0.7 %
TEMPORARY FOSTER CHILD	-	1	0.0 %
THIRD SON	-	1	0.0 %
	Total	2,448	100%

Based upon 2,448 valid cases out of 2,448 total cases.

Location: 1027-1056 (width: 30; decimal: 0)

Variable Type: character

SEX56: Gender (5)

Please tell me their gender

Value	Label	Unweighted Frequency	%
	-	7	0.3 %
-1: N/A	-	2390	97.6 %
F	-	16	0.7 %
M	-	35	1.4 %
	Total	2,448	100%

Based upon 2,448 valid cases out of 2,448 total cases.

Location: 1057-1071 (width: 15; decimal: 0)

Variable Type: character

AGE56: Age (5)

Please tell me their age

Value	Label	Unweighted Frequency	%
1	-	4	0.2 %
2	-	1	0.0 %
4	-	3	0.1 %
5	-	2	0.1 %
6	-	1	0.0 %
7	-	3	0.1 %
8	-	1	0.0 %
9	-	1	0.0 %
10	-	1	0.0 %
11	-	1	0.0 %
12	-	2	0.1 %
14	-	3	0.1 %
15	-	2	0.1 %
16	-	1	0.0 %
17	-	3	0.1 %
18	-	2	0.1 %
20	-	2	0.1 %
21	-	5	0.2 %
22	-	1	0.0 %
24	-	1	0.0 %
25	-	2	0.1 %
27	-	1	0.0 %
28	-	1	0.0 %
30	-	1	0.0 %
42	-	1	0.0 %
45	-	1	0.0 %
46	-	1	0.0 %
51	-	1	0.0 %
58	-	2	0.1 %
Missing Data			
-1	N/A	2390	97.6 %
.	-	7	0.3 %
Total		2,448	100%

Based upon 51 valid cases out of 2,448 total cases.

- Mean: 18.00
- Median: 16.00
- Mode: 21.00
- Minimum: 1.00

- Maximum: 58.00
- Standard Deviation: 14.28

Location: 1072-1073 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RELAT66: Relationship to yourself (6)

Please tell me their relationship to you

Value	Label	Unweighted Frequency	%
-	-	7	0.3 %
-1: N/A	-	2418	98.8 %
DAUGHTER	-	3	0.1 %
DAUGHTERS-HUSBAND	-	1	0.0 %
FIANCE	-	1	0.0 %
FOSTER CHILD	-	1	0.0 %
FRIEND OF SON	-	1	0.0 %
FRIEND'S SON	-	1	0.0 %
GRAND SON	-	2	0.1 %
GRANDCHILD	-	1	0.0 %
GRANDDAUGHTER	-	1	0.0 %
GRANDMOTHER	-	1	0.0 %
GRANDSON	-	4	0.2 %
HUSBAND	-	1	0.0 %
NEPHEW	-	1	0.0 %
S.O. SISTER	-	1	0.0 %
SON	-	2	0.1 %
STEP SON	-	1	0.0 %
	Total	2,448	100%

Based upon 2,448 valid cases out of 2,448 total cases.

Location: 1074-1090 (*width:* 17; *decimal:* 0)

Variable Type: character

SEX66: Gender (6)

Please tell me their gender

Value	Label	Unweighted Frequency	%
-	-	7	0.3 %
-1: N/A	-	2418	98.8 %
F	-	7	0.3 %
M	-	16	0.7 %
	Total	2,448	100%

Based upon 2,448 valid cases out of 2,448 total cases.

Location: 1091-1105 (width: 15; decimal: 0)

Variable Type: character

AGE66: Age (6)

Please tell me their age

Value	Label	Unweighted Frequency	%
1	-	1	0.0 %
2	-	1	0.0 %
3	-	3	0.1 %
4	-	1	0.0 %
5	-	1	0.0 %
6	-	1	0.0 %
10	-	2	0.1 %
12	-	1	0.0 %
14	-	1	0.0 %
16	-	1	0.0 %
17	-	1	0.0 %
19	-	2	0.1 %
23	-	1	0.0 %
27	-	1	0.0 %
40	-	2	0.1 %
51	-	1	0.0 %
52	-	1	0.0 %
88	-	1	0.0 %
Missing Data			
-1	N/A	2418	98.8 %
.	-	7	0.3 %
Total		2,448	100%

Based upon 23 valid cases out of 2,448 total cases.

- Mean: 20.22
- Median: 14.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 88.00
- Standard Deviation: 21.34

Location: 1106-1107 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

RELAT76: Relationship to yourself (7)

Please tell me their relationship to you

Value	Label	Unweighted Frequency	%
-	-	7	0.3 %
-1: N/A	-	2430	99.3 %
BROTHER IN LAW	-	1	0.0 %
DAUGHTER	-	2	0.1 %
FRIEND	-	1	0.0 %
GRAND DAUGHTER	-	2	0.1 %
GRAND SON	-	1	0.0 %
GRANDCHILD	-	1	0.0 %
GRANDSON	-	1	0.0 %
HUSBAND	-	1	0.0 %
SON	-	1	0.0 %
	Total	2,448	100%

Based upon 2,448 valid cases out of 2,448 total cases.

Location: 1108-1122 (width: 15; decimal: 0)

Variable Type: character

SEX76: Gender (7)

Please tell me their gender

Value	Label	Unweighted Frequency	%
-	-	7	0.3 %
-1: N/A	-	2430	99.3 %
F	-	5	0.2 %
M	-	6	0.2 %
	Total	2,448	100%

Based upon 2,448 valid cases out of 2,448 total cases.

Location: 1123-1137 (width: 15; decimal: 0)

Variable Type: character

AGE76: Age (7)

Please tell me their age

Value	Label	Unweighted Frequency	%
1	-	2	0.1 %
2	-	1	0.0 %
3	-	1	0.0 %
8	-	1	0.0 %
9	-	1	0.0 %
14	-	1	0.0 %
21	-	1	0.0 %

Value	Label	Unweighted Frequency	%
40	-	1	0.0 %
54	-	1	0.0 %
73	-	1	0.0 %
	Missing Data		
-1	N/A	2430	99.3 %
.	-	7	0.3 %
	Total	2,448	100%

Based upon 11 valid cases out of 2,448 total cases.

- Mean: 20.55
- Median: 9.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 73.00
- Standard Deviation: 24.49

Location: 1138-1139 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RELAT86: Relationship to yourself (8)

Please tell me their relationship to you

Value	Label	Unweighted Frequency	%
	-	7	0.3 %
-1: N/A	-	2436	99.5 %
DAUGHTER	-	1	0.0 %
FRIEND	-	1	0.0 %
GRANCHILD	-	1	0.0 %
GRANDCHILD	-	1	0.0 %
HUSBAND	-	1	0.0 %
	Total	2,448	100%

Based upon 2,448 valid cases out of 2,448 total cases.

Location: 1140-1154 (width: 15; decimal: 0)

Variable Type: character

SEX86: Gender (8)

Please tell me their gender

Value	Label	Unweighted Frequency	%
	-	7	0.3 %
-1: N/A	-	2436	99.5 %
F	-	3	0.1 %

Value	Label	Unweighted Frequency	%
M	-	2	0.1 %
	Total	2,448	100%

Based upon 2,448 valid cases out of 2,448 total cases.

Location: 1155-1169 (width: 15; decimal: 0)

Variable Type: character

AGE86: Age (8)

Please tell me their age

Value	Label	Unweighted Frequency	%
1	-	1	0.0 %
2	-	1	0.0 %
12	-	1	0.0 %
40	-	1	0.0 %
57	-	1	0.0 %
	Missing Data		
-1	N/A	2436	99.5 %
.	-	7	0.3 %
	Total	2,448	100%

Based upon 5 valid cases out of 2,448 total cases.

- Mean: 22.40
- Median: 12.00
- Minimum: 1.00
- Maximum: 57.00
- Standard Deviation: 24.95

Location: 1170-1171 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RELAT96: Relationship to yourself (9)

Please tell me their relationship to you

Value	Label	Unweighted Frequency	%
	-	7	0.3 %
-1: N/A	-	2440	99.7 %
NEPHEW	-	1	0.0 %
	Total	2,448	100%

Based upon 2,448 valid cases out of 2,448 total cases.

Location: 1172-1186 (width: 15; decimal: 0)

Variable Type: character

SEX96: Gender (9)

Please tell me their gender

Value	Label	Unweighted Frequency	%
-	-	7	0.3 %
-1: N/A	-	2440	99.7 %
M	-	1	0.0 %
	Total	2,448	100%

Based upon 2,448 valid cases out of 2,448 total cases.

Location: 1187-1201 (width: 15; decimal: 0)

Variable Type: character

AGE96: Age (9)

Please tell me their age

Value	Label	Unweighted Frequency	%
15	-	1	0.0 %
	Missing Data		
-1	N/A	2440	99.7 %
.	-	7	0.3 %
	Total	2,448	100%

Based upon 1 valid cases out of 2,448 total cases.

- Mean: 15.00
- Median: 15.00
- Mode: 15.00
- Minimum: 15.00
- Maximum: 15.00
- Standard Deviation: 0.00

Location: 1202-1203 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

RELAT106: Relationship to yourself (10)

Please tell me their relationship to you

Value	Label	Unweighted Frequency	%
-	-	7	0.3 %
-1: N/A	-	2441	99.7 %
	Total	2,448	100%

Based upon 2,448 valid cases out of 2,448 total cases.

Location: 1204-1218 (width: 15; decimal: 0)

Variable Type: character

SEX106: Gender (10)

Please tell me their gender

Value	Label	Unweighted Frequency	%
-	-	7	0.3 %
-1: N/A	-	2441	99.7 %
	Total	2,448	100%

Based upon 2,448 valid cases out of 2,448 total cases.

Location: 1219-1233 (width: 15; decimal: 0)

Variable Type: character

AGE106: Age (10)

Please tell me their age

Value	Label	Unweighted Frequency	%
	Missing Data		
-1	N/A	2441	99.7 %
.	-	7	0.3 %
	Total	2,448	100%

Based upon 0 valid cases out of 2,448 total cases.

Location: 1234-1235 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RELAT116: Relationship to yourself (11)

Please tell me their relationship to you

Value	Label	Unweighted Frequency	%
-	-	7	0.3 %
-1: N/A	-	2441	99.7 %
	Total	2,448	100%

Based upon 2,448 valid cases out of 2,448 total cases.

Location: 1236-1250 (width: 15; decimal: 0)

Variable Type: character

SEX116: Gender (11)

Please tell me their gender

Value	Label	Unweighted Frequency	%
-	-	7	0.3 %
-1: N/A	-	2441	99.7 %
	Total	2,448	100%

Based upon 2,448 valid cases out of 2,448 total cases.

Location: 1251-1265 (width: 15; decimal: 0)

Variable Type: character

AGE116: Age (11)

Please tell me their age

Value	Label	Unweighted Frequency	%
	Missing Data		
-1	N/A	2441	99.7 %
.	-	7	0.3 %
	Total	2,448	100%

Based upon 0 valid cases out of 2,448 total cases.

Location: 1266-1267 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RELAT126: Relationship to yourself (12)

Please tell me their relationship to you

Value	Label	Unweighted Frequency	%
-	-	7	0.3 %
-1: N/A	-	2441	99.7 %
	Total	2,448	100%

Based upon 2,448 valid cases out of 2,448 total cases.

Location: 1268-1282 (width: 15; decimal: 0)

Variable Type: character

SEX126: Gender (12)

Please tell me their gender

Value	Label	Unweighted Frequency	%
-	-	7	0.3 %
-1: N/A	-	2441	99.7 %
	Total	2,448	100%

Based upon 2,448 valid cases out of 2,448 total cases.

Location: 1283-1297 (width: 15; decimal: 0)

Variable Type: character

AGE126: Age (12)

Please tell me their age

Value	Label	Unweighted Frequency	%
	Missing Data		
-1	N/A	2441	99.7 %
.	-	7	0.3 %
	Total	2,448	100%

Based upon 0 valid cases out of 2,448 total cases.

Location: 1298-1299 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FIBROID6: Fibroids since last visit(asked on AINT)

Since your last study visit, has a doctor, nurse practitioner or other health care provider told you that you had any of the following conditions or treated you for them? Fibroids, benign growths of the uterus or womb?

Value	Label	Unweighted Frequency	%
1	No	103	4.2 %
2	Yes	21	0.9 %
	Missing Data		
-1	N/A	2317	94.6 %
.	-	7	0.3 %
	Total	2,448	100%

Based upon 124 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1300-1301 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FORMINT6: Abbreviated (AIN) or regular (INT) interview

Abbreviated (AIN) or regular (INT) interview

Value	Label	Unweighted Frequency	%
-	-	7	0.3 %
AIN	-	124	5.1 %
INT	-	2317	94.6 %
	Total	2,448	100%

Based upon 2,448 valid cases out of 2,448 total cases.

Location: 1302-1304 (width: 3; decimal: 0)

Variable Type: character

STATUS6: Menopausal Status

Menopausal Status

Value	Label	Unweighted Frequency	%
1	Hysterectomy/both ovaries removed	171	7.0 %
2	Post-menopausal	1021	41.7 %
3	Late Peri	240	9.8 %
4	Early Peri	740	30.2 %
5	Pre-menopausal	80	3.3 %
6	Pregnant/breastfeeding	0	0.0 %
7	Unknown due to HT use	189	7.7 %
Missing Data			
.	-	7	0.3 %
Total		2,448	100%

Based upon 2,441 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 1305-1305 (width: 1; decimal: 0)

Variable Type: numeric

SAADAY6: Self-administered-Part A Day

Self-administered-Part A Day

Value	Label	Unweighted Frequency	%
2033	-	1	0.0 %
2036	-	1	0.0 %
2055	-	1	0.0 %
2085	-	1	0.0 %
2094	-	1	0.0 %
2106	-	1	0.0 %
2107	-	3	0.1 %
2114	-	1	0.0 %
2116	-	1	0.0 %
2118	-	3	0.1 %
2119	-	1	0.0 %
2120	-	1	0.0 %
2122	-	1	0.0 %
2123	-	2	0.1 %

Value	Label	Unweighted Frequency	%
2124	-	1	0.0 %
2128	-	3	0.1 %
2130	-	1	0.0 %
2131	-	3	0.1 %
2132	-	2	0.1 %
2133	-	2	0.1 %
2135	-	4	0.2 %
2136	-	4	0.2 %
2137	-	3	0.1 %
2138	-	1	0.0 %
2140	-	1	0.0 %
2141	-	6	0.2 %
2142	-	9	0.4 %
2143	-	5	0.2 %
2144	-	4	0.2 %
2145	-	6	0.2 %
2146	-	18	0.7 %
2147	-	13	0.5 %
2148	-	16	0.7 %
2149	-	33	1.3 %
2150	-	15	0.6 %
2151	-	13	0.5 %
2152	-	13	0.5 %
2153	-	15	0.6 %
2154	-	18	0.7 %
2155	-	16	0.7 %
2156	-	35	1.4 %
2157	-	21	0.9 %
2158	-	17	0.7 %
2159	-	12	0.5 %
2160	-	13	0.5 %
2161	-	23	0.9 %
2162	-	26	1.1 %
2163	-	35	1.4 %
2164	-	6	0.2 %
2165	-	9	0.4 %
Missing Data			
.	-	116	4.7 %
Total		2,448	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,332 valid cases out of 2,448 total cases.

- Mean: 2225.70
- Minimum: 2033.00
- Maximum: 2703.00
- Standard Deviation: 78.47

Location: 1306-1309 (width: 4; decimal: 0)

Variable Type: numeric

FORMSAA6: Full form (SAA), Abbreviated (AIN) or Phone Interview (PAT)

Full form (SAA), Abbreviated (AIN) or Phone Interview (PAT)

Value	Label	Unweighted Frequency	%
-	-	116	4.7 %
AIN	-	99	4.0 %
PAT	-	32	1.3 %
SAA	-	2201	89.9 %
Total		2,448	100%

Based upon 2,448 valid cases out of 2,448 total cases.

Location: 1310-1312 (width: 3; decimal: 0)

Variable Type: character

LANGSAA6: Language of Self-A

Language of Self-A

Value	Label	Unweighted Frequency	%
1	English	2110	86.2 %
2	Spanish	34	1.4 %
3	Cantonese	85	3.5 %
4	Japanese	103	4.2 %
Missing Data			
.	-	116	4.7 %
Total		2,448	100%

Based upon 2,332 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1313-1314 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OVERHLT6: Overall health

In general, would you say your health is excellent, very good, good, fair or poor?

Value	Label	Unweighted Frequency	%
1	Excellent	347	14.2 %
2	Very good	850	34.7 %
3	Good	761	31.1 %
4	Fair	303	12.4 %
5	Poor	54	2.2 %
Missing Data			
-9	Missing	1	0.0 %
-8	Do not know	3	0.1 %
-7	Refused	13	0.5 %
.	-	116	4.7 %
Total		2,448	100%

Based upon 2,315 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1315-1316 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

HOSPSTA6: Hospital stays since last visit

Since your last study visit, how many different times did you stay in the hospital overnight or longer?

Value	Label	Unweighted Frequency	%
0	-	1963	80.2 %
1	-	150	6.1 %
2	-	40	1.6 %
3	-	7	0.3 %
4	-	2	0.1 %
5	-	4	0.2 %
7	-	1	0.0 %
8	-	2	0.1 %
10	-	1	0.0 %
12	-	1	0.0 %
30	-	1	0.0 %
Missing Data			
-9	Missing	155	6.3 %
-7	Refused	5	0.2 %
.	-	116	4.7 %
Total		2,448	100%

Based upon 2,172 valid cases out of 2,448 total cases.

- Mean: 0.16

- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 30.00
- Standard Deviation: 0.90

Location: 1317-1318 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MDTALK6: # times talk to health professional

Since your last study visit, about how many times did you see or talk to a doctor, nurse practitioner or other health care provider, regarding your own health? (Do not count hospitalizations or visits for this study).

Value	Label	Unweighted Frequency	%
0	-	200	8.2 %
1	-	308	12.6 %
2	-	399	16.3 %
3	-	328	13.4 %
4	-	264	10.8 %
5	-	151	6.2 %
6	-	156	6.4 %
7	-	34	1.4 %
8	-	59	2.4 %
9	-	16	0.7 %
10	-	88	3.6 %
11	-	4	0.2 %
12	-	41	1.7 %
13	-	1	0.0 %
14	-	7	0.3 %
15	-	28	1.1 %
16	-	3	0.1 %
17	-	1	0.0 %
18	-	4	0.2 %
19	-	1	0.0 %
20	-	24	1.0 %
21	-	1	0.0 %
22	-	1	0.0 %
23	-	1	0.0 %
24	-	5	0.2 %
25	-	6	0.2 %
28	-	2	0.1 %
30	-	11	0.4 %
32	-	2	0.1 %
34	-	1	0.0 %

Value	Label	Unweighted Frequency	%
36	-	1	0.0 %
37	-	1	0.0 %
40	-	3	0.1 %
45	-	1	0.0 %
50	-	7	0.3 %
53	-	1	0.0 %
60	>=60 times	6	0.2 %
Missing Data			
-9	Missing	156	6.4 %
-8	Do not know	1	0.0 %
-7	Refused	8	0.3 %
.	-	116	4.7 %
Total		2,448	100%

Based upon 2,167 valid cases out of 2,448 total cases.

- Mean: 4.66
- Median: 3.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 60.00
- Standard Deviation: 6.36

Location: 1319-1320 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NERVES6: Talk to professional for nerves

Since your last study visit, about how many times did you see or talk to a health care provider or other professional for problems with emotions, "nerves", or mental health?

Value	Label	Unweighted Frequency	%
0	-	1748	71.4 %
1	-	140	5.7 %
2	-	63	2.6 %
3	-	25	1.0 %
4	-	34	1.4 %
5	-	20	0.8 %
6	-	18	0.7 %
7	-	3	0.1 %
8	-	7	0.3 %
9	-	5	0.2 %
10	-	20	0.8 %
12	-	13	0.5 %
13	-	1	0.0 %

Value	Label	Unweighted Frequency	%
14	-	3	0.1 %
15	-	4	0.2 %
16	-	2	0.1 %
18	-	1	0.0 %
20	-	10	0.4 %
24	-	10	0.4 %
25	-	7	0.3 %
26	-	2	0.1 %
30	-	7	0.3 %
31	-	1	0.0 %
35	-	1	0.0 %
40	-	4	0.2 %
45	-	1	0.0 %
48	-	2	0.1 %
50	-	3	0.1 %
52	-	4	0.2 %
60	>=60 times	10	0.4 %
Missing Data			
-9	Missing	157	6.4 %
-7	Refused	6	0.2 %
.	-	116	4.7 %
Total		2,448	100%

Based upon 2,169 valid cases out of 2,448 total cases.

- Mean: 1.63
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 60.00
- Standard Deviation: 6.63

Location: 1321-1322 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PAPSMEA6: Pap smear since last visit

Since your last study visit, have you had: A Pap Smear (a routine medical test in which the doctor examines the cervix)?

Value	Label	Unweighted Frequency	%
1	No	613	25.0 %
2	Yes	1558	63.6 %
Missing Data			
-9	Missing	157	6.4 %

Value	Label	Unweighted Frequency	%
-7	Refused	4	0.2 %
.	-	116	4.7 %
Total		2,448	100%

Based upon 2,171 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1323-1324 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BRSTEXA6: Breast exam since last visit

Since your last study visit, have you had: A breast physical examination (a doctor or medical assistant feels for lumps in the breast)?

Value	Label	Unweighted Frequency	%
1	No	506	20.7 %
2	Yes	1663	67.9 %
Missing Data			
-9	Missing	157	6.4 %
-7	Refused	6	0.2 %
.	-	116	4.7 %
Total		2,448	100%

Based upon 2,169 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1325-1326 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MAMOGRA6: Mammogram since last visit

Since your last study visit, have you had: A mammogram (an x-ray taken only of the breast by a machine that presses the breast against a glass plate)?

Value	Label	Unweighted Frequency	%
1	No	704	28.8 %
2	Yes	1465	59.8 %
Missing Data			
-9	Missing	157	6.4 %
-7	Refused	6	0.2 %
.	-	116	4.7 %
Total		2,448	100%

Based upon 2,169 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1327-1328 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MEDICDY6: Medicaid/MediCal covering health care

Have your health care costs been covered by Medicaid (MediCal) in the past year?

Value	Label	Unweighted Frequency	%
1	No	1932	78.9 %
2	Yes	209	8.5 %
Missing Data			
-9	Missing	26	1.1 %
-8	Do not know	22	0.9 %
-7	Refused	11	0.4 %
-1	N/A	1	0.0 %
.	-	247	10.1 %
Total		2,448	100%

Based upon 2,141 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1329-1330 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

INSURDR6: Have insurance for dr bills

Do you currently have insurance that covers any part of your doctor bills?

Value	Label	Unweighted Frequency	%
1	No	169	6.9 %
2	Yes	1995	81.5 %
Missing Data			
-9	Missing	27	1.1 %
-8	Do not know	5	0.2 %
-7	Refused	4	0.2 %
-1	N/A	1	0.0 %
.	-	247	10.1 %
Total		2,448	100%

Based upon 2,164 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1331-1332 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

INSDRCO6: Insurance dr bill coverage

If YES to INSURDR6: How much does it cover?

Value	Label	Unweighted Frequency	%
1	All	490	20.0 %
2	Most	1264	51.6 %
3	Part	196	8.0 %
Missing Data			
-7	Refused	45	1.8 %
-1	N/A	206	8.4 %
.	-	247	10.1 %
Total		2,448	100%

Based upon 1,950 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 1333-1334 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

INSURRX6: Have insurance for medication

Do you currently have insurance that covers any part of your prescription medication bills?

Value	Label	Unweighted Frequency	%
1	No	213	8.7 %
2	Yes	1926	78.7 %
Missing Data			
-9	Missing	32	1.3 %
-8	Do not know	21	0.9 %
-7	Refused	8	0.3 %
-1	N/A	1	0.0 %
.	-	247	10.1 %
Total		2,448	100%

Based upon 2,139 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1335-1336 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

INSRXCO6: Insurance medication coverage

If YES to INSURRX6: How much does it cover?

Value	Label	Unweighted Frequency	%
1	All	169	6.9 %
2	Most	1358	55.5 %
3	Part	385	15.7 %
Missing Data			
-7	Refused	14	0.6 %
-1	N/A	275	11.2 %
.	-	247	10.1 %
Total		2,448	100%

Based upon 1,912 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 1337-1338 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

INSURHO6: Have insurance for hospital

Do you currently have insurance that covers any part of your hospital bills?

Value	Label	Unweighted Frequency	%
1	No	150	6.1 %
2	Yes	1991	81.3 %
Missing Data			
-9	Missing	31	1.3 %
-8	Do not know	19	0.8 %
-7	Refused	9	0.4 %
-1	N/A	1	0.0 %
.	-	247	10.1 %
Total		2,448	100%

Based upon 2,141 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1339-1340 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

INSHOC06: Insurance hospital coverage

If YES to INSURHO6: How much does it cover?

Value	Label	Unweighted Frequency	%
1	All	703	28.7 %
2	Most	1074	43.9 %
3	Part	190	7.8 %
Missing Data			
-7	Refused	24	1.0 %
-1	N/A	210	8.6 %
.	-	247	10.1 %
Total		2,448	100%

Based upon 1,967 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 1341-1342 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HLTHSER6: Health services did not receive

Since your last study visit, are there any health services that you needed but did not receive?

Value	Label	Unweighted Frequency	%
1	No	1758	71.8 %
2	Yes	324	13.2 %
Missing Data			
-9	Missing	241	9.8 %
-7	Refused	9	0.4 %
.	-	116	4.7 %
Total		2,448	100%

Based upon 2,082 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1343-1344 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

INSURAN6: Insurance doesn't cover

People fail to get health care for a variety of reasons. Have any of the following reasons prevented you from getting health care? - Insurance or health plan does not cover

Value	Label	Unweighted Frequency	%
1	No	193	7.9 %
2	Yes	118	4.8 %
	Missing Data		
-9	Missing	131	5.4 %
-7	Refused	13	0.5 %
-1	N/A	1877	76.7 %
.	-	116	4.7 %
	Total	2,448	100%

Based upon 311 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1345-1346 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NOTAFFR6: Cannot afford

People fail to get health care for a variety of reasons. Have any of the following reasons prevented you from getting health care? - Cannot afford

Value	Label	Unweighted Frequency	%
1	No	184	7.5 %
2	Yes	124	5.1 %
	Missing Data		
-9	Missing	132	5.4 %
-7	Refused	15	0.6 %
-1	N/A	1877	76.7 %
.	-	116	4.7 %
	Total	2,448	100%

Based upon 308 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1347-1348 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NOTTRANS6: Travel distance/no transportation

People fail to get health care for a variety of reasons. Have any of the following reasons prevented you from getting health care? - Travel distance / lack of transportation

Value	Label	Unweighted Frequency	%
1	No	279	11.4 %
2	Yes	25	1.0 %
	Missing Data		
-9	Missing	131	5.4 %
-7	Refused	20	0.8 %
-1	N/A	1877	76.7 %
.	-	116	4.7 %
	Total	2,448	100%

Based upon 304 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1349-1350 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NOPROVI6: No health care provider

People fail to get health care for a variety of reasons. Have any of the following reasons prevented you from getting health care? -
No health care provider

Value	Label	Unweighted Frequency	%
1	No	253	10.3 %
2	Yes	54	2.2 %
	Missing Data		
-9	Missing	131	5.4 %
-7	Refused	17	0.7 %
-1	N/A	1877	76.7 %
.	-	116	4.7 %
	Total	2,448	100%

Based upon 307 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1351-1352 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

TOOBUSY6: Too busy

People fail to get health care for a variety of reasons. Have any of the following reasons prevented you from getting health care? -
Too busy / didn't have the time

Value	Label	Unweighted Frequency	%
1	No	184	7.5 %
2	Yes	124	5.1 %
	Missing Data		
-9	Missing	131	5.4 %
-7	Refused	16	0.7 %
-1	N/A	1877	76.7 %
.	-	116	4.7 %
	Total	2,448	100%

Based upon 308 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1353-1354 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NOTRUST6: Don't trust drs

People fail to get health care for a variety of reasons. Have any of the following reasons prevented you from getting health care? - Don't trust doctors

Value	Label	Unweighted Frequency	%
1	No	279	11.4 %
2	Yes	25	1.0 %
	Missing Data		
-9	Missing	131	5.4 %
-7	Refused	20	0.8 %
-1	N/A	1877	76.7 %
.	-	116	4.7 %
	Total	2,448	100%

Based upon 304 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1355-1356 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BETTROF6: Better off not knowing

People fail to get health care for a variety of reasons. Have any of the following reasons prevented you from getting health care? - I'm better off not knowing

Value	Label	Unweighted Frequency	%
1	No	289	11.8 %
2	Yes	15	0.6 %
	Missing Data		
-9	Missing	131	5.4 %
-7	Refused	20	0.8 %
-1	N/A	1877	76.7 %
.	-	116	4.7 %
	Total	2,448	100%

Based upon 304 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1357-1358 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FAILOTH6: No health care - other reason

People fail to get health care for a variety of reasons. Have any of the following reasons prevented you from getting health care? - Other

Value	Label	Unweighted Frequency	%
1	No	211	8.6 %
2	Yes	95	3.9 %
	Missing Data		
-9	Missing	131	5.4 %
-7	Refused	18	0.7 %
-1	N/A	1877	76.7 %
.	-	116	4.7 %
	Total	2,448	100%

Based upon 306 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1359-1360 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SMOKERE6: Smoked regularly since last visit

Since your last study visit, have you smoked cigarettes regularly (at least one cigarette a day)?

Value	Label	Unweighted Frequency	%
1	No	2006	81.9 %

Value	Label	Unweighted Frequency	%
2	Yes	323	13.2 %
	Missing Data		
-9	Missing	2	0.1 %
-7	Refused	1	0.0 %
.	-	116	4.7 %
	Total	2,448	100%

Based upon 2,329 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1361-1362 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of Missing Values: -9 , -8 , -7 , -1 , .

AVCIGDA6: Avg cigarettes/day since last visit

If YES to SMOKERE6: How many cigarettes, on average, do you smoke per day now?

Value	Label	Unweighted Frequency	%
0	-	13	0.5 %
1	-	14	0.6 %
2	-	14	0.6 %
3	-	9	0.4 %
4	-	24	1.0 %
5	-	16	0.7 %
6	-	12	0.5 %
7	-	9	0.4 %
8	-	12	0.5 %
9	-	2	0.1 %
10	-	74	3.0 %
11	-	1	0.0 %
12	-	7	0.3 %
14	-	2	0.1 %
15	-	16	0.7 %
16	-	2	0.1 %
17	-	2	0.1 %
18	-	4	0.2 %
20	-	59	2.4 %
21	-	2	0.1 %
25	-	6	0.2 %
28	-	1	0.0 %
30	-	12	0.5 %
35	-	2	0.1 %

Value	Label	Unweighted Frequency	%
40	-	6	0.2 %
Missing Data			
-7	Refused	3	0.1 %
-1	N/A	2008	82.0 %
.	-	116	4.7 %
Total		2,448	100%

Based upon 321 valid cases out of 2,448 total cases.

- Mean: 11.85
- Median: 10.00
- Mode: 10.00
- Minimum: 0.00
- Maximum: 40.00
- Standard Deviation: 8.73

Location: 1363-1364 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DRNKBEE6: Drink alcoholic bev since last visit

Since your last study visit, did you drink any beer, wine, liquor, or mixed drinks?

Value	Label	Unweighted Frequency	%
1	No	685	28.0 %
2	Yes	1486	60.7 %
Missing Data			
-9	Missing	27	1.1 %
-7	Refused	2	0.1 %
-1	N/A	1	0.0 %
.	-	247	10.1 %
Total		2,448	100%

Based upon 2,171 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1365-1366 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GLASBEE6: Avg glasses of beer

How many glasses of beer (a medium glass or serving of beer is twelve ounces) did you drink on average per day, week or month?

Value	Label	Unweighted Frequency	%
1	None or < 1/mo	930	38.0 %
2	1-3/mo	291	11.9 %
3	1/wk	94	3.8 %
4	2-4/wk	95	3.9 %
5	5-6/wk	32	1.3 %
6	1/day	21	0.9 %
7	2-3/day	15	0.6 %
8	4/day	2	0.1 %
9	>= 5/day	4	0.2 %
Missing Data			
-7	Refused	2	0.1 %
-1	N/A	715	29.2 %
.	-	247	10.1 %
Total		2,448	100%

Based upon 1,484 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 1367-1368 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GLASWIN6: Avg glasses of wine

How many glasses of wine or wine coolers (a medium glass or serving of wine is 4 to 6 ounces), did you drink on average per day, week or month?

Value	Label	Unweighted Frequency	%
1	None or < 1/mo	618	25.2 %
2	1-3/mo	380	15.5 %
3	1/wk	120	4.9 %
4	2-4/wk	186	7.6 %
5	5-6/wk	54	2.2 %
6	1/day	73	3.0 %
7	2-3/day	53	2.2 %
8	4/day	1	0.0 %
9	>= 5/day	0	0.0 %
Missing Data			
-7	Refused	1	0.0 %
-1	N/A	715	29.2 %
.	-	247	10.1 %
Total		2,448	100%

Based upon 1,485 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 8.00

Location: 1369-1370 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GLASLIQ6: Avg glasses of liquor

How many glasses of liquor or mixed drinks (a medium serving is one shot), did you drink on average per day, week or month?

Value	Label	Unweighted Frequency	%
1	None or < 1/mo	1024	41.8 %
2	1-3/mo	288	11.8 %
3	1/wk	70	2.9 %
4	2-4/wk	68	2.8 %
5	5-6/wk	13	0.5 %
6	1/day	11	0.4 %
7	2-3/day	9	0.4 %
8	4/day	1	0.0 %
9	>= 5/day	0	0.0 %
Missing Data			
-7	Refused	2	0.1 %
-1	N/A	715	29.2 %
.	-	247	10.1 %
Total		2,448	100%

Based upon 1,484 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 8.00

Location: 1371-1372 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HLTHAYR6: Rate health compared to 1 yr ago

Compared to one year ago, how would you rate your health in general now?

Value	Label	Unweighted Frequency	%
1	Much better now	127	5.2 %
2	Somewhat better now	312	12.7 %
3	About the same now	1353	55.3 %
4	Somewhat worse now	357	14.6 %
5	Much worse now	18	0.7 %
Missing Data			

Value	Label	Unweighted Frequency	%
-9	Missing	27	1.1 %
-7	Refused	6	0.2 %
-1	N/A	1	0.0 %
.	-	247	10.1 %
Total		2,448	100%

Based upon 2,167 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1373-1374 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -8 , -7 , -1 , .

V_ACTI6: Health limits vigorous activities

The following items are about activities you might do during a typical day. Does your health now limit you in these activities? If so, how much? - Vigorous activities, such as running, lifting heavy objects, participating in strenuous sports

Value	Label	Unweighted Frequency	%
1	Yes, Limited a lot	493	20.1 %
2	Yes, Limited a little	918	37.5 %
3	No, Not limited at all	785	32.1 %
Missing Data			
-9	Missing	1	0.0 %
-7	Refused	3	0.1 %
-1	N/A	1	0.0 %
.	-	247	10.1 %
Total		2,448	100%

Based upon 2,196 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 1375-1376 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -8 , -7 , -1 , .

M_ACTI6: Health limits moderate activities

The following items are about activities you might do during a typical day. Does your health now limit you in these activities? If so, how much? - Moderate activities, such as moving a table, pushing a vacuum cleaner, bowling, or playing golf

Value	Label	Unweighted Frequency	%
1	Yes, Limited a lot	131	5.4 %
2	Yes, Limited a little	373	15.2 %

Value	Label	Unweighted Frequency	%
3	No, Not limited at all	1688	69.0 %
Missing Data			
-9	Missing	1	0.0 %
-7	Refused	7	0.3 %
-1	N/A	1	0.0 %
.	-	247	10.1 %
Total		2,448	100%

Based upon 2,192 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 1377-1378 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

LIFTING6: Health limits lifting groceries

The following items are about activities you might do during a typical day. Does your health now limit you in these activities? If so, how much? - Lifting or carrying groceries

Value	Label	Unweighted Frequency	%
1	Yes, Limited a lot	88	3.6 %
2	Yes, Limited a little	359	14.7 %
3	No, Not limited at all	1747	71.4 %
Missing Data			
-9	Missing	2	0.1 %
-7	Refused	4	0.2 %
-1	N/A	1	0.0 %
.	-	247	10.1 %
Total		2,448	100%

Based upon 2,194 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 1379-1380 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CLIMBS6: Health limits climbing several flights

The following items are about activities you might do during a typical day. Does your health now limit you in these activities? If so, how much? - Climbing several flights of stairs

Value	Label	Unweighted Frequency	%
1	Yes, Limited a lot	203	8.3 %
2	Yes, Limited a little	557	22.8 %
3	No, Not limited at all	1435	58.6 %
Missing Data			
-9	Missing	1	0.0 %
-7	Refused	4	0.2 %
-1	N/A	1	0.0 %
.	-	247	10.1 %
Total		2,448	100%

Based upon 2,195 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 1381-1382 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CLIMB1_6: Health limits climbing 1 flight

The following items are about activities you might do during a typical day. Does your health now limit you in these activities? If so, how much? - Climbing one flight of stairs

Value	Label	Unweighted Frequency	%
1	Yes, Limited a lot	91	3.7 %
2	Yes, Limited a little	261	10.7 %
3	No, Not limited at all	1843	75.3 %
Missing Data			
-9	Missing	1	0.0 %
-7	Refused	4	0.2 %
-1	N/A	1	0.0 %
.	-	247	10.1 %
Total		2,448	100%

Based upon 2,195 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 1383-1384 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BENDING6: Health limits bending, kneeling

The following items are about activities you might do during a typical day. Does your health now limit you in these activities? If so, how much? - Bending, kneeling, or stooping

Value	Label	Unweighted Frequency	%
1	Yes, Limited a lot	181	7.4 %
2	Yes, Limited a little	651	26.6 %
3	No, Not limited at all	1362	55.6 %
Missing Data			
-9	Missing	1	0.0 %
-7	Refused	5	0.2 %
-1	N/A	1	0.0 %
.	-	247	10.1 %
Total		2,448	100%

Based upon 2,194 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 1385-1386 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WALKM6: Health limits walking > mile

The following items are about activities you might do during a typical day. Does your health now limit you in these activities? If so, how much? - Walking more than a mile

Value	Label	Unweighted Frequency	%
1	Yes, Limited a lot	214	8.7 %
2	Yes, Limited a little	369	15.1 %
3	No, Not limited at all	1611	65.8 %
Missing Data			
-9	Missing	1	0.0 %
-7	Refused	5	0.2 %
-1	N/A	1	0.0 %
.	-	247	10.1 %
Total		2,448	100%

Based upon 2,194 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 1387-1388 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WALKS6: Health limits walking several blocks

The following items are about activities you might do during a typical day. Does your health now limit you in these activities? If so, how much? - Walking several blocks

Value	Label	Unweighted Frequency	%
1	Yes, Limited a lot	129	5.3 %
2	Yes, Limited a little	250	10.2 %
3	No, Not limited at all	1815	74.1 %
Missing Data			
-9	Missing	2	0.1 %
-7	Refused	4	0.2 %
-1	N/A	1	0.0 %
.	-	247	10.1 %
Total		2,448	100%

Based upon 2,194 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 1389-1390 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WALK1_6: Health limits walking 1 block

The following items are about activities you might do during a typical day. Does your health now limit you in these activities? If so, how much? - Walking one block

Value	Label	Unweighted Frequency	%
1	Yes, Limited a lot	82	3.3 %
2	Yes, Limited a little	139	5.7 %
3	No, Not limited at all	1973	80.6 %
Missing Data			
-9	Missing	1	0.0 %
-7	Refused	5	0.2 %
-1	N/A	1	0.0 %
.	-	247	10.1 %
Total		2,448	100%

Based upon 2,194 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 1391-1392 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BATHING6: Health limits bathing, dressing

The following items are about activities you might do during a typical day. Does your health now limit you in these activities? If so, how much? - Bathing or dressing yourself

Value	Label	Unweighted Frequency	%
1	Yes, Limited a lot	51	2.1 %
2	Yes, Limited a little	81	3.3 %
3	No, Not limited at all	2064	84.3 %
Missing Data			
-9	Missing	1	0.0 %
-7	Refused	3	0.1 %
-1	N/A	1	0.0 %
.	-	247	10.1 %
Total		2,448	100%

Based upon 2,196 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 1393-1394 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PHYCTDW6: Cut down on activ/work past mo due to health

During the past 4 weeks, have you had any of the following problems with your work or other regular daily activities as a result of your physical health? - Cut down on the amount of time you spent on work or other activities

Value	Label	Unweighted Frequency	%
1	No	1905	77.8 %
2	Yes	289	11.8 %
Missing Data			
-9	Missing	1	0.0 %
-7	Refused	5	0.2 %
-1	N/A	1	0.0 %
.	-	247	10.1 %
Total		2,448	100%

Based upon 2,194 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1395-1396 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PHYACCO6: Accomplished less past mo due to health

During the past 4 weeks, have you had any of the following problems with your work or other regular daily activities as a result of your physical health? - Accomplished less than you would like

Value	Label	Unweighted Frequency	%
1	No	1658	67.7 %
2	Yes	535	21.9 %
	Missing Data		
-9	Missing	1	0.0 %
-7	Refused	6	0.2 %
-1	N/A	1	0.0 %
.	-	247	10.1 %
	Total	2,448	100%

Based upon 2,193 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1397-1398 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PHYLIMI6: Limited in activ/work past mo due to health

During the past 4 weeks, have you had any of the following problems with your work or other regular daily activities as a result of your physical health? - Were limited in the kind of work or other activities

Value	Label	Unweighted Frequency	%
1	No	1790	73.1 %
2	Yes	402	16.4 %
	Missing Data		
-9	Missing	1	0.0 %
-7	Refused	7	0.3 %
-1	N/A	1	0.0 %
.	-	247	10.1 %
	Total	2,448	100%

Based upon 2,192 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1399-1400 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PHYDFCL6: Difficulty perf activ/work past mo due to health

During the past 4 weeks, have you had any of the following problems with your work or other regular daily activities as a result of your physical health? - Had difficulty performing the work or other activities (for example, it took extra effort)

Value	Label	Unweighted Frequency	%
1	No	1759	71.9 %
2	Yes	431	17.6 %
	Missing Data		
-9	Missing	2	0.1 %
-7	Refused	8	0.3 %
-1	N/A	1	0.0 %
.	-	247	10.1 %
	Total	2,448	100%

Based upon 2,190 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1401-1402 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

EMOCTDW6: Cut down on activ/work past mo due to emot prob

During the past 4 weeks, have you had any of the following problems with your work or other regular daily activities as a result of any emotional problems (such as feeling depressed or anxious)? - Cut down on the amount of time you spent on work or other activities

Value	Label	Unweighted Frequency	%
1	No	1909	78.0 %
2	Yes	286	11.7 %
	Missing Data		
-9	Missing	1	0.0 %
-7	Refused	4	0.2 %
-1	N/A	1	0.0 %
.	-	247	10.1 %
	Total	2,448	100%

Based upon 2,195 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1403-1404 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

EMOACCO6: Accomplished less past mo due to emot prob

During the past 4 weeks, have you had any of the following problems with your work or other regular daily activities as a result of any emotional problems (such as feeling depressed or anxious)? - Accomplished less than you would like

Value	Label	Unweighted Frequency	%
1	No	1728	70.6 %
2	Yes	466	19.0 %
	Missing Data		
-9	Missing	1	0.0 %
-7	Refused	5	0.2 %
-1	N/A	1	0.0 %
.	-	247	10.1 %
	Total	2,448	100%

Based upon 2,194 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1405-1406 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

EMOCARE6: Activ/work less carefully past mo due to emot prob

During the past 4 weeks, have you had any of the following problems with your work or other regular daily activities as a result of any emotional problems (such as feeling depressed or anxious)? - Didn't do work or other activities as carefully as usual

Value	Label	Unweighted Frequency	%
1	No	1896	77.5 %
2	Yes	296	12.1 %
	Missing Data		
-9	Missing	1	0.0 %
-7	Refused	7	0.3 %
-1	N/A	1	0.0 %
.	-	247	10.1 %
	Total	2,448	100%

Based upon 2,192 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1407-1408 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

INTERFR6: Phys health/emot prob interfered w/normal social activ

During the past 4 weeks, to what extent has your physical health or emotional problems interfered with your normal social activities with family, friends, neighbors, or groups?

Value	Label	Unweighted Frequency	%
1	Not At All	1408	57.5 %
2	Slightly	482	19.7 %
3	Moderately	191	7.8 %
4	Quite A Bit	91	3.7 %
5	Extremely	24	1.0 %
Missing Data			
-9	Missing	1	0.0 %
-7	Refused	3	0.1 %
-1	N/A	1	0.0 %
.	-	247	10.1 %
Total		2,448	100%

Based upon 2,196 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1409-1410 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

BODYPAI6: Bodily pain past mo

How much bodily pain have you had during the past 4 weeks?

Value	Label	Unweighted Frequency	%
1	None	386	15.8 %
2	Very Mild	783	32.0 %
3	Mild	497	20.3 %
4	Moderately	408	16.7 %
5	Severe	100	4.1 %
6	Very Severe	22	0.9 %
Missing Data			
-9	Missing	2	0.1 %
-7	Refused	2	0.1 %
-1	N/A	1	0.0 %
.	-	247	10.1 %
Total		2,448	100%

Based upon 2,196 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 1411-1412 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

PAINTRF6: Pain interfere w/work past mo

During the past 4 weeks, how much did pain interfere with your normal work (including both work outside the home and housework)?

Value	Label	Unweighted Frequency	%
1	Not At All	1236	50.5 %
2	Slightly	615	25.1 %
3	Moderately	214	8.7 %
4	Quite A Bit	102	4.2 %
5	Extremely	28	1.1 %
Missing Data			
-9	Missing	1	0.0 %
-7	Refused	4	0.2 %
-1	N/A	1	0.0 %
.	-	247	10.1 %
Total		2,448	100%

Based upon 2,195 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1413-1414 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PEP6: Full of pep last mo

How much of the time during the past 4 weeks: Did you feel full of pep?

Value	Label	Unweighted Frequency	%
1	All Of The Time	46	1.9 %
2	Most Of The Time	542	22.1 %
3	A Good Bit Of The Time	552	22.5 %
4	Some Of The Time	581	23.7 %
5	A Little Of The Time	317	12.9 %
6	None Of The Time	130	5.3 %
Missing Data			
-9	Missing	158	6.5 %
-7	Refused	6	0.2 %
.	-	116	4.7 %
Total		2,448	100%

Based upon 2,168 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 1415-1416 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9, -8, -7, -1, .

NERV4WK6: Very nervous last mo

How much of the time during the past 4 weeks: Have you been a very nervous person?

Value	Label	Unweighted Frequency	%
1	All Of The Time	11	0.4 %
2	Most Of The Time	53	2.2 %
3	A Good Bit Of The Time	92	3.8 %
4	Some Of The Time	305	12.5 %
5	A Little Of The Time	751	30.7 %
6	None Of The Time	956	39.1 %
Missing Data			
-9	Missing	27	1.1 %
-7	Refused	5	0.2 %
-1	N/A	1	0.0 %
.	-	247	10.1 %
Total		2,448	100%

Based upon 2,168 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 1417-1418 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

CHER4WK6: Nothing could cheer last mo

How much of the time during the past 4 weeks: Have you felt so down in the dumps that nothing could cheer you up?

Value	Label	Unweighted Frequency	%
1	All Of The Time	9	0.4 %
2	Most Of The Time	31	1.3 %
3	A Good Bit Of The Time	52	2.1 %
4	Some Of The Time	172	7.0 %
5	A Little Of The Time	446	18.2 %
6	None Of The Time	1458	59.6 %
Missing Data			
-9	Missing	28	1.1 %
-7	Refused	4	0.2 %
-1	N/A	1	0.0 %
.	-	247	10.1 %
Total		2,448	100%

Based upon 2,168 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 1419-1420 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CALM4WK6: Calm/peaceful last mo

How much of the time during the past 4 weeks: Have you felt calm and peaceful?

Value	Label	Unweighted Frequency	%
1	All Of The Time	83	3.4 %
2	Most Of The Time	790	32.3 %
3	A Good Bit Of The Time	533	21.8 %
4	Some Of The Time	494	20.2 %
5	A Little Of The Time	218	8.9 %
6	None Of The Time	48	2.0 %
Missing Data			
-9	Missing	27	1.1 %
-7	Refused	7	0.3 %
-1	N/A	1	0.0 %
.	-	247	10.1 %
Total		2,448	100%

Based upon 2,166 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 1421-1422 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ENERGY6: Lots energy last mo

How much of the time during the past 4 weeks: Did you have a lot of energy?

Value	Label	Unweighted Frequency	%
1	All Of The Time	55	2.2 %
2	Most Of The Time	521	21.3 %
3	A Good Bit Of The Time	534	21.8 %
4	Some Of The Time	588	24.0 %
5	A Little Of The Time	325	13.3 %
6	None Of The Time	148	6.0 %
Missing Data			
-9	Missing	159	6.5 %

Value	Label	Unweighted Frequency	%
-7	Refused	2	0.1 %
.	-	116	4.7 %
Total		2,448	100%

Based upon 2,171 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 1423-1424 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BLUE4WK6: Downhearted/blue last mo

How much of the time during the past 4 weeks: Have you felt downhearted and blue?

Value	Label	Unweighted Frequency	%
1	All Of The Time	15	0.6 %
2	Most Of The Time	44	1.8 %
3	A Good Bit Of The Time	104	4.2 %
4	Some Of The Time	315	12.9 %
5	A Little Of The Time	848	34.6 %
6	None Of The Time	841	34.4 %
Missing Data			
-9	Missing	27	1.1 %
-7	Refused	6	0.2 %
-1	N/A	1	0.0 %
.	-	247	10.1 %
Total		2,448	100%

Based upon 2,167 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 1425-1426 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WORNOOT6: Felt worn out last mo

How much of the time during the past 4 weeks: Did you feel worn out?

Value	Label	Unweighted Frequency	%
1	All Of The Time	39	1.6 %
2	Most Of The Time	130	5.3 %
3	A Good Bit Of The Time	222	9.1 %

Value	Label	Unweighted Frequency	%
4	Some Of The Time	635	25.9 %
5	A Little Of The Time	802	32.8 %
6	None Of The Time	342	14.0 %
Missing Data			
-9	Missing	158	6.5 %
-7	Refused	4	0.2 %
.	-	116	4.7 %
Total		2,448	100%

Based upon 2,170 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 1427-1428 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

HAPY4WK6: Happy person last mo

How much of the time during the past 4 weeks: Have you been a happy person?

Value	Label	Unweighted Frequency	%
1	All Of The Time	161	6.6 %
2	Most Of The Time	1021	41.7 %
3	A Good Bit Of The Time	442	18.1 %
4	Some Of The Time	369	15.1 %
5	A Little Of The Time	152	6.2 %
6	None Of The Time	26	1.1 %
Missing Data			
-9	Missing	27	1.1 %
-7	Refused	2	0.1 %
-1	N/A	1	0.0 %
.	-	247	10.1 %
Total		2,448	100%

Based upon 2,171 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 1429-1430 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

TIRED6: Felt tired last mo

How much of the time during the past 4 weeks: Did you feel tired?

Value	Label	Unweighted Frequency	%
1	All Of The Time	69	2.8 %
2	Most Of The Time	197	8.0 %
3	A Good Bit Of The Time	302	12.3 %
4	Some Of The Time	819	33.5 %
5	A Little Of The Time	701	28.6 %
6	None Of The Time	83	3.4 %
Missing Data			
-9	Missing	158	6.5 %
-7	Refused	3	0.1 %
.	-	116	4.7 %
Total		2,448	100%

Based upon 2,171 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 1431-1432 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

SOCIAL6: Phys health/emot prob interfered w/social activ/visiting

During the past 4 weeks, how much of the time has your physical health or emotional problems interfered with your social activities (like visiting with friends, relatives, etc.)?

Value	Label	Unweighted Frequency	%
1	All Of The Time	61	2.5 %
2	Most Of The Time	103	4.2 %
3	Some Of The Time	266	10.9 %
4	A Little Of The Time	437	17.9 %
5	None Of The Time	1302	53.2 %
Missing Data			
-9	Missing	27	1.1 %
-7	Refused	4	0.2 %
-1	N/A	1	0.0 %
.	-	247	10.1 %
Total		2,448	100%

Based upon 2,169 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1433-1434 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

HEALSIC6: Seem to get sick easier than others

How TRUE or FALSE is each of the following statements for you? - I seem to get sick a little easier than other people

Value	Label	Unweighted Frequency	%
1	Definitely true	32	1.3 %
2	Mostly true	111	4.5 %
3	Don't know	173	7.1 %
4	Mostly false	569	23.2 %
5	Definitely false	1282	52.4 %
Missing Data			
-9	Missing	27	1.1 %
-7	Refused	6	0.2 %
-1	N/A	1	0.0 %
.	-	247	10.1 %
Total		2,448	100%

Based upon 2,167 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1435-1436 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

HEALTHY6: Healthy as anybody I know

How TRUE or FALSE is each of the following statements for you? - I am as healthy as anybody I know

Value	Label	Unweighted Frequency	%
1	Definitely true	691	28.2 %
2	Mostly true	970	39.6 %
3	Don't know	268	10.9 %
4	Mostly false	159	6.5 %
5	Definitely false	78	3.2 %
Missing Data			
-9	Missing	27	1.1 %
-7	Refused	7	0.3 %
-1	N/A	1	0.0 %
.	-	247	10.1 %
Total		2,448	100%

Based upon 2,166 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1437-1438 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HEALWOR6: Expect health to get worse

How TRUE or FALSE is each of the following statements for you? - I expect my health to get worse

Value	Label	Unweighted Frequency	%
1	Definitely true	54	2.2 %
2	Mostly true	225	9.2 %
3	Don't know	627	25.6 %
4	Mostly false	533	21.8 %
5	Definitely false	728	29.7 %
Missing Data			
-9	Missing	27	1.1 %
-7	Refused	6	0.2 %
-1	N/A	1	0.0 %
.	-	247	10.1 %
Total		2,448	100%

Based upon 2,167 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1439-1440 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HEALEXC6: My health is excellent

How TRUE or FALSE is each of the following statements for you? - My health is excellent

Value	Label	Unweighted Frequency	%
1	Definitely true	436	17.8 %
2	Mostly true	1186	48.4 %
3	Don't know	178	7.3 %
4	Mostly false	233	9.5 %
5	Definitely false	134	5.5 %
Missing Data			
-9	Missing	27	1.1 %
-7	Refused	6	0.2 %
-1	N/A	1	0.0 %
.	-	247	10.1 %
Total		2,448	100%

Based upon 2,167 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1441-1442 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CARING6: Time spent past yr caring for child

During the past year (in the past 12 months), how much time did you spend on average: Caring for a child or children 5 years of age or less, a disabled child or an elderly person? Only count time actually spent doing physical activities like feeding, dressing, moving, playing or bathing. (If child turned 6 less than 6 months ago, consider him/her age 5 for the whole year.)

Value	Label	Unweighted Frequency	%
1	None Or Less Than 1 Hr/Wk	1687	68.9 %
2	At Least 1 hr But < 20 Hrs/Wk	326	13.3 %
3	20 Hrs Or More/Wk	151	6.2 %
Missing Data			
-9	Missing	158	6.5 %
-7	Refused	10	0.4 %
.	-	116	4.7 %
Total		2,448	100%

Based upon 2,164 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 1443-1444 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MEALS6: Time spent past yr preparing meals

During the past year (in the last 12 months), how much time did you spend preparing meals or cleaning up from meals?

Value	Label	Unweighted Frequency	%
1	1 Hour Or Less Per Day	763	31.2 %
2	Between 1 And 2 Hrs/Day	1045	42.7 %
3	More Than 2 Hrs/Day	362	14.8 %
Missing Data			
-9	Missing	158	6.5 %
-7	Refused	4	0.2 %
.	-	116	4.7 %
Total		2,448	100%

Based upon 2,170 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 1445-1446 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9, -8, -7, -1, .

ROUTNCH6: Time spent past yr light chores

During the past year (in the last 12 months), how often did you do routine chores requiring light physical effort, such as dusting, laundry, changing linens, grocery shopping or other shopping?

Value	Label	Unweighted Frequency	%
1	Once/Wk Or Less	387	15.8 %
2	More Than Once/Wk But < Daily	1086	44.4 %
3	Daily Or More	698	28.5 %
	Missing Data		
-9	Missing	158	6.5 %
-7	Refused	3	0.1 %
.	-	116	4.7 %
	Total	2,448	100%

Based upon 2,171 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 1447-1448 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9, -8, -7, -1, .

MODERAT6: Time spent past yr moderate chores

During the past year (in the last 12 months), how often did you do chores requiring moderate physical effort, such as vacuuming, washing floors, or gardening/yard work such as mowing the lawn or raking leaves?

Value	Label	Unweighted Frequency	%
1	Once A Month Or Less	445	18.2 %
2	2-3 Times/Month	676	27.6 %
3	4 Or More Times/Month	1049	42.9 %
	Missing Data		
-9	Missing	158	6.5 %
-7	Refused	4	0.2 %
.	-	116	4.7 %
	Total	2,448	100%

Based upon 2,170 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 1449-1450 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9, -8, -7, -1, .

VIGOROU6: Time spent past yr vigorous chores

During the past year (in the last 12 months), how often did you do chores at home requiring vigorous physical effort, such as chopping wood, tilling soil, shoveling snow, shampooing carpets, washing walls or windows, plumbing, tiling or outdoor painting?

Value	Label	Unweighted Frequency	%
1	Once A Month Or Less	1828	74.7 %
2	2-3 Times/Month	257	10.5 %
3	4 Or More Times/Month	83	3.4 %
Missing Data			
-9	Missing	158	6.5 %
-7	Refused	6	0.2 %
.	-	116	4.7 %
Total		2,448	100%

Based upon 2,168 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 1451-1452 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PHYSACT6: Recreational activity compared to other women same age

In comparison with other women of your own age, do you think your recreational physical activity is...

Value	Label	Unweighted Frequency	%
1	Much Less	265	10.8 %
2	Somewhat Less	629	25.7 %
3	The Same	688	28.1 %
4	Somewhat More	435	17.8 %
5	Much More	151	6.2 %
Missing Data			
-9	Missing	158	6.5 %
-7	Refused	6	0.2 %
.	-	116	4.7 %
Total		2,448	100%

Based upon 2,168 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1453-1454 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WATCHTV6: Time spent past yr watching TV

During the past year, when you were not working or doing chores around the house: Did you watch television...

Value	Label	Unweighted Frequency	%
1	Never Or Less Than 1 Hr/Wk	132	5.4 %
2	At Least 1 Hr/Wk But < 1 Hr/Day	404	16.5 %
3	1-2 Hrs/Day	835	34.1 %
4	2-4 Hrs/Day	546	22.3 %
5	More Than 4 Hrs/Day	255	10.4 %
Missing Data			
-9	Missing	158	6.5 %
-7	Refused	2	0.1 %
.	-	116	4.7 %
Total		2,448	100%

Based upon 2,172 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1455-1456 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WALKBIK6: Time spent walk/bike

During the past year, when you were not working or doing chores around the house: Did you walk or bike to and from work, school or errands...

Value	Label	Unweighted Frequency	%
1	Never/ < 5 Minutes Per Day	1243	50.8 %
2	5-15 Minutes/Day	429	17.5 %
3	16-30 Minutes/Day	301	12.3 %
4	31-45 Minutes/Day	127	5.2 %
5	More Than 45 Minutes/Day	70	2.9 %
Missing Data			
-9	Missing	158	6.5 %
-7	Refused	4	0.2 %
.	-	116	4.7 %
Total		2,448	100%

Based upon 2,170 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1457-1458 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SWEATPA6: Time spent sweat from exertion

During the past year, when you were not working or doing chores around the house: Did you sweat from exertion...

Value	Label	Unweighted Frequency	%
1	Never/Less Than Once A Month	668	27.3 %
2	Once A Month	249	10.2 %
3	2-3 Times A Month	324	13.2 %
4	Once/Wk	257	10.5 %
5	More Than Once/Wk	672	27.5 %
Missing Data			
-9	Missing	159	6.5 %
-7	Refused	3	0.1 %
.	-	116	4.7 %
Total		2,448	100%

Based upon 2,170 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1459-1460 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SPORTS6: Time spent sport/exercise

During the past year, when you were not working or doing chores around the house: Did you play sports or exercise...

Value	Label	Unweighted Frequency	%
1	Never	476	19.4 %
2	LT Once/Month	286	11.7 %
3	Once/Month	95	3.9 %
4	2-3 Times/Month	210	8.6 %
5	Once/Wk	226	9.2 %
6	More Than Once/Wk	832	34.0 %
Missing Data			
-9	Missing	204	8.3 %
-7	Refused	3	0.1 %
.	-	116	4.7 %
Total		2,448	100%

Based upon 2,125 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 1461-1462 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SPOREX16: Sport done most freq past yr

Which sport or exercise did you do most frequently during the past year?

Value	Label	Unweighted Frequency	%
-	-	116	4.7 %
'GAZELLE' - THE SWINGING-GLIDER TREADMILL WITHOUT THE IMPACT	-	1	0.0 %
'WALK' DOG	-	1	0.0 %
-1	-	6	0.2 %
-1: N/A	-	500	20.4 %
-7: Refused	-	23	0.9 %
-9: Missing	-	131	5.4 %
@HOME (STATIONARY/REG BIKE,SWIMMING,WALK)	-	1	0.0 %
A MIX OF AEROBIC & WEIGHT TRAINING (SUPERCIRCUITS)	-	1	0.0 %
A STRETCH ROUTINE	-	1	0.0 %
ABDOMINAL EXERCISE	-	1	0.0 %
ABDOMINAL EXERCISES	-	1	0.0 %
ABDOMINAL EXERCIZE, ARM EXERCIZES, LOW IMPACT AEROBICS	-	1	0.0 %
ACQUATIC EXERCISE	-	1	0.0 %
ADVANCED STEP AEROBICS	-	1	0.0 %
AEROBIC	-	5	0.2 %
AEROBIC (TREADMILL, STAIRSTEP) FREE WEIGHTS	-	1	0.0 %
AEROBIC AND DANCE CLASSES	-	1	0.0 %
AEROBIC DANCE CLASS	-	1	0.0 %
AEROBIC DANCING	-	2	0.1 %
AEROBIC EXERCISE	-	4	0.2 %
AEROBIC EXERCISE & WEIGHT TRAINING	-	1	0.0 %
AEROBIC EXERCISE CLASS	-	1	0.0 %
AEROBIC EXERCISE CLASSES	-	1	0.0 %
AEROBIC KICK-BOXING	-	1	0.0 %
AEROBIC TYPE OF EXERCISE	-	1	0.0 %
AEROBIC WALKING	-	2	0.1 %
AEROBIC WORK OUT	-	1	0.0 %
AEROBIC WORKOUT	-	1	0.0 %
AEROBICS	-	40	1.6 %
AEROBICS & FREE WEIGHTS	-	1	0.0 %
AEROBICS & STRETCHES	-	1	0.0 %
AEROBICS & WEIGHTS	-	1	0.0 %
AEROBICS (OVER 40)	-	1	0.0 %
AEROBICS (WITH WEIGHTS)	-	1	0.0 %
AEROBICS AND WALKING	-	1	0.0 %

Value	Label	Unweighted Frequency	%
AEROBICS AND WEIGHT RESISTANCE	-	1	0.0 %
AEROBICS AND WEIGHT TRAINING	-	1	0.0 %
AEROBICS CLASS AT Y	-	1	0.0 %
AEROBICS CLASS, VIGOROUS WALKING	-	1	0.0 %
AEROBICS WITH WEIGHT TRAINING	-	1	0.0 %
AEROBICS, PILATTES	-	1	0.0 %
AEROBICS/DANCING	-	1	0.0 %
AIKIDO MARTIAL ART	-	1	0.0 %
ALKING	-	1	0.0 %
AQUA AEROBICS	-	2	0.1 %
AQUA-AEROBICS	-	1	0.0 %
ARM EXERCISES	-	1	0.0 %
AROBICS	-	1	0.0 %
AROEBICS	-	1	0.0 %
	Total	2,448	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,448 valid cases out of 2,448 total cases.

Location: 1463-1522 (width: 60; decimal: 0)

Variable Type: character

RATEIN16: Incr heart rate sport 1

When you did this activity, did your heart rate and breathing increase?

Value	Label	Unweighted Frequency	%
1	No	130	5.3 %
2	Yes, A Small Increase	593	24.2 %
3	Yes, A Moderate Increase	730	29.8 %
4	Yes, A Large Increase	232	9.5 %
	Missing Data		
-9	Missing	131	5.4 %
-7	Refused	10	0.4 %
-1	N/A	506	20.7 %
.	-	116	4.7 %
	Total	2,448	100%

Based upon 1,685 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1523-1524 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MTHSAC16: Sport 1 # months

How many months in this past year did you do this activity?

Value	Label	Unweighted Frequency	%
1	Less Than 1 Month	100	4.1 %
2	1-3 Months	291	11.9 %
3	4-6 Months	301	12.3 %
4	7-9 Months	232	9.5 %
5	More Than 9 Months	762	31.1 %
Missing Data			
-9	Missing	131	5.4 %
-7	Refused	9	0.4 %
-1	N/A	506	20.7 %
.	-	116	4.7 %
Total		2,448	100%

Based upon 1,686 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1525-1526 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HRSACT16: Sport 1 hrs/wk

During these months, on average, how many hours a week did you do this activity?

Value	Label	Unweighted Frequency	%
1	Less Than 1 Hour	329	13.4 %
2	At Least 1 But < 2 Hrs	428	17.5 %
3	At Least 2 But < 3 Hrs	362	14.8 %
4	At Least 3 But < 4 Hrs	262	10.7 %
5	More Than 4 Hours	306	12.5 %
Missing Data			
-9	Missing	131	5.4 %
-7	Refused	8	0.3 %
-1	N/A	506	20.7 %
.	-	116	4.7 %
Total		2,448	100%

Based upon 1,687 valid cases out of 2,448 total cases.

- Minimum: 1.00

- Maximum: 5.00

Location: 1527-1528 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

OTHSPOR6: Other sports done past yr

Did you do any other exercise or play any other sport in this past year?

Value	Label	Unweighted Frequency	%
1	No	815	33.3 %
2	Yes	864	35.3 %
Missing Data			
-9	Missing	142	5.8 %
-7	Refused	6	0.2 %
-1	N/A	505	20.6 %
.	-	116	4.7 %
Total		2,448	100%

Based upon 1,679 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1529-1530 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

SPOREX26: Sport second most freq past yr

What was the second most frequent sport or exercise you did during the past year?

Value	Label	Unweighted Frequency	%
-	-	116	4.7 %
-1	-	11	0.4 %
-1: N/A	-	1316	53.8 %
-7: Refused	-	18	0.7 %
-9: Missing	-	131	5.4 %
AB ROLLER	-	1	0.0 %
ABDOMICIZE	-	1	0.0 %
ABS (CRUNCH) CLASS	-	1	0.0 %
ABS CLASS	-	1	0.0 %
AEROBIC	-	1	0.0 %
AEROBIC & LIGHT WEIGHTS	-	1	0.0 %
AEROBIC - BICYCLE, TREADMILL, ETC	-	1	0.0 %
AEROBIC CLASS	-	1	0.0 %
AEROBIC DANCING	-	1	0.0 %

Value	Label	Unweighted Frequency	%
AEROBIC EXERCISE	-	1	0.0 %
AEROBIC STEP	-	1	0.0 %
AEROBICS	-	15	0.6 %
AEROBICS & MUSCLE TRAINING	-	1	0.0 %
AEROBICS CLASS	-	1	0.0 %
AEROBICS CLASSES	-	2	0.1 %
AEROBICS, STRECTHNG,FLOOR EXERSCING	-	1	0.0 %
AQUA AEROBICS	-	2	0.1 %
AROBICS	-	1	0.0 %
BACK STRETCHES / EXERCISES	-	1	0.0 %
BADMINTON	-	1	0.0 %
BALLET	-	2	0.1 %
BALLROOM DANCE	-	1	0.0 %
BALLROOM DANCING	-	2	0.1 %
BASKETBALL	-	3	0.1 %
BEACH VOLLEYBALL	-	1	0.0 %
BEGINNER YOGA / STRETCHING	-	1	0.0 %
BICYCLE	-	2	0.1 %
BICYCLE TO WORK	-	1	0.0 %
BICYCLING	-	16	0.7 %
BIKE	-	7	0.3 %
BIKE RIDE	-	1	0.0 %
BIKE RIDING	-	10	0.4 %
BIKING	-	17	0.7 %
BIKING (SPINNING)	-	1	0.0 %
BIKRAM YOGA	-	1	0.0 %
BODY MOVEMENT	-	1	0.0 %
BODY SCULPTING	-	1	0.0 %
BOWL	-	3	0.1 %
BOWLING	-	14	0.6 %
BRISK WALKING	-	2	0.1 %
CALESTHENICS	-	1	0.0 %
CALISTHENICS (SIT UPS, ETC)	-	1	0.0 %
CAMPING	-	1	0.0 %
CHI KONG	-	1	0.0 %
CHI KONG, TAI CHI	-	1	0.0 %
	Total	2,448	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,448 valid cases out of 2,448 total cases.

Location: 1531-1586 (*width:* 56; *decimal:* 0)

Variable Type: character

RATEIN26: Incr heart rate sport 2

When you did this activity, did your heart rate and breathing increase?

Value	Label	Unweighted Frequency	%
1	No	65	2.7 %
2	Yes, A Small Increase	320	13.1 %
3	Yes, A Moderate Increase	348	14.2 %
4	Yes, A Large Increase	137	5.6 %
Missing Data			
-9	Missing	131	5.4 %
-7	Refused	4	0.2 %
-1	N/A	1327	54.2 %
.	-	116	4.7 %
Total		2,448	100%

Based upon 870 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1587-1588 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MTHSAC26: Sport 2 # months

How many months in this past year did you do this activity?

Value	Label	Unweighted Frequency	%
1	Less Than 1 Month	80	3.3 %
2	1-3 Months	228	9.3 %
3	4-6 Months	186	7.6 %
4	7-9 Months	93	3.8 %
5	More Than 9 Months	282	11.5 %
Missing Data			
-9	Missing	131	5.4 %
-7	Refused	6	0.2 %
-1	N/A	1326	54.2 %
.	-	116	4.7 %
Total		2,448	100%

Based upon 869 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1589-1590 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9, -8, -7, -1, .

HRSACT26: Sport 2 hrs/wk

During these months, on average, how many hours a week did you do this activity?

Value	Label	Unweighted Frequency	%
1	Less Than 1 Hour	178	7.3 %
2	At Least 1 But < 2 Hrs	316	12.9 %
3	At Least 2 But < 3 Hrs	188	7.7 %
4	At Least 3 But < 4 Hrs	100	4.1 %
5	More Than 4 Hours	85	3.5 %
Missing Data			
-9	Missing	131	5.4 %
-7	Refused	8	0.3 %
-1	N/A	1326	54.2 %
.	-	116	4.7 %
Total		2,448	100%

Based upon 867 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1591-1592 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

PHYSWOR6: Work physical compared to other women same age

We would like to ask you about the physical activity you did during this past year as part of the work you get paid to do. In comparison with other women your age, do you think your work during this past year is physically...

Value	Label	Unweighted Frequency	%
1	Much Lighter	129	5.3 %
2	Lighter	257	10.5 %
3	The Same	922	37.7 %
4	Heavier	307	12.5 %
5	Much Heavier	103	4.2 %
Missing Data			
-9	Missing	32	1.3 %
-8	Do not know	73	3.0 %
-7	Refused	77	3.1 %
-1	N/A	301	12.3 %
.	-	247	10.1 %
Total		2,448	100%

Based upon 1,718 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1593-1594 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WORKTIR6: Physically tired after work

We would like to ask you about the physical activity you did during this past year as part of the work you get paid to do. After work, are you physically tired...

Value	Label	Unweighted Frequency	%
1	Never	114	4.7 %
2	Seldom	373	15.2 %
3	Sometimes	805	32.9 %
4	Often	373	15.2 %
5	Always	124	5.1 %
Missing Data			
-9	Missing	33	1.3 %
-8	Do not know	2	0.1 %
-7	Refused	76	3.1 %
-1	N/A	301	12.3 %
.	-	247	10.1 %
Total		2,448	100%

Based upon 1,789 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1595-1596 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WRKACTA6: How often sit in current job

In your current job(s), on a typical day/shift, how often do you do each of the following: Sit

Value	Label	Unweighted Frequency	%
1	Never	139	5.7 %
2	Less Than Half Of The Time	452	18.5 %
3	About Half Of The Time	333	13.6 %
4	More Than Half Of The Time	593	24.2 %
5	Always	253	10.3 %
Missing Data			
-9	Missing	33	1.3 %

Value	Label	Unweighted Frequency	%
-8	Do not know	10	0.4 %
-7	Refused	87	3.6 %
-1	N/A	301	12.3 %
.	-	247	10.1 %
Total		2,448	100%

Based upon 1,770 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1597-1598 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WRKACTB6: How often stand in current job

In your current job(s), on a typical day/shift, how often do you do each of the following: Stand

Value	Label	Unweighted Frequency	%
1	Never	144	5.9 %
2	Less Than Half Of The Time	909	37.1 %
3	About Half Of The Time	260	10.6 %
4	More Than Half Of The Time	263	10.7 %
5	Always	193	7.9 %
Missing Data			
-9	Missing	33	1.3 %
-8	Do not know	13	0.5 %
-7	Refused	85	3.5 %
-1	N/A	301	12.3 %
.	-	247	10.1 %
Total		2,448	100%

Based upon 1,769 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1599-1600 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WRKACTC6: How often walk in current job

In your current job(s), on a typical day/shift, how often do you do each of the following: Walk

Value	Label	Unweighted Frequency	%
1	Never	112	4.6 %

Value	Label	Unweighted Frequency	%
2	Less Than Half Of The Time	1015	41.5 %
3	About Half Of The Time	258	10.5 %
4	More Than Half Of The Time	216	8.8 %
5	Always	157	6.4 %
Missing Data			
-9	Missing	33	1.3 %
-8	Do not know	15	0.6 %
-7	Refused	94	3.8 %
-1	N/A	301	12.3 %
.	-	247	10.1 %
Total		2,448	100%

Based upon 1,758 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1601-1602 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

WRKACTD6: How often lift > 15 lbs in current job

In your current job(s), on a typical day/shift, how often do you do each of the following: Lift heavy loads greater than 15 pounds (more than the weight of 2 gallons of milk)

Value	Label	Unweighted Frequency	%
1	Never	962	39.3 %
2	Less Than Half Of The Time	598	24.4 %
3	About Half Of The Time	73	3.0 %
4	More Than Half Of The Time	53	2.2 %
5	Always	85	3.5 %
Missing Data			
-9	Missing	34	1.4 %
-8	Do not know	13	0.5 %
-7	Refused	82	3.3 %
-1	N/A	301	12.3 %
.	-	247	10.1 %
Total		2,448	100%

Based upon 1,771 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1603-1604 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WRKACTE6: How often stoop/bend in current job

In your current job(s), on a typical day/shift, how often do you do each of the following: Stoop and bend

Value	Label	Unweighted Frequency	%
1	Never	415	17.0 %
2	Less Than Half Of The Time	948	38.7 %
3	About Half Of The Time	165	6.7 %
4	More Than Half Of The Time	104	4.2 %
5	Always	132	5.4 %
Missing Data			
-9	Missing	34	1.4 %
-8	Do not know	21	0.9 %
-7	Refused	81	3.3 %
-1	N/A	301	12.3 %
.	-	247	10.1 %
Total		2,448	100%

Based upon 1,764 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1605-1606 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WRKACTF6: How often push heavy equip in current job

In your current job(s), on a typical day/shift, how often do you do each of the following: Push or move heavy objects

Value	Label	Unweighted Frequency	%
1	Never	1010	41.3 %
2	Less Than Half Of The Time	593	24.2 %
3	About Half Of The Time	58	2.4 %
4	More Than Half Of The Time	55	2.2 %
5	Always	54	2.2 %
Missing Data			
-9	Missing	34	1.4 %
-8	Do not know	13	0.5 %
-7	Refused	83	3.4 %
-1	N/A	301	12.3 %
.	-	247	10.1 %
Total		2,448	100%

Based upon 1,770 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1607-1608 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WRKACTG6: How often sweat from exertion in current job

In your current job(s), on a typical day/shift, how often do you do each of the following: Sweat from exertion

Value	Label	Unweighted Frequency	%
1	Never	1194	48.8 %
2	Less Than Half Of The Time	440	18.0 %
3	About Half Of The Time	50	2.0 %
4	More Than Half Of The Time	33	1.3 %
5	Always	50	2.0 %
Missing Data			
-9	Missing	33	1.3 %
-8	Do not know	18	0.7 %
-7	Refused	82	3.3 %
-1	N/A	301	12.3 %
.	-	247	10.1 %
Total		2,448	100%

Based upon 1,767 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1609-1610 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

STIFF6: Stiffness/soreness past 2 wks

Thinking back over the past two weeks, how often have you had: Stiffness or soreness in joints, neck or shoulders?

Value	Label	Unweighted Frequency	%
1	Not At All	548	22.4 %
2	1-5 Days	906	37.0 %
3	6-8 Days	198	8.1 %
4	9-13 Days	160	6.5 %
5	Every Day	514	21.0 %
Missing Data			
-7	Refused	6	0.2 %
.	-	116	4.7 %
Total		2,448	100%

Based upon 2,326 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1611-1612 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ACHES6: Back aches/pains past 2 wks

Thinking back over the past two weeks, how often have you had: Back aches or pains?

Value	Label	Unweighted Frequency	%
1	Not At All	802	32.8 %
2	1-5 Days	826	33.7 %
3	6-8 Days	155	6.3 %
4	9-13 Days	127	5.2 %
5	Every Day	286	11.7 %
Missing Data			
-9	Missing	131	5.4 %
-7	Refused	5	0.2 %
.	-	116	4.7 %
Total		2,448	100%

Based upon 2,196 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1613-1614 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

COLDSWE6: Cold sweats past 2 wks

Thinking back over the past two weeks, how often have you had: Cold sweats?

Value	Label	Unweighted Frequency	%
1	Not At All	1894	77.4 %
2	1-5 Days	199	8.1 %
3	6-8 Days	38	1.6 %
4	9-13 Days	27	1.1 %
5	Every Day	34	1.4 %
Missing Data			
-9	Missing	131	5.4 %
-7	Refused	9	0.4 %
.	-	116	4.7 %
Total		2,448	100%

Based upon 2,192 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1615-1616 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NITESWE6: Night sweats past 2 wks

Thinking back over the past two weeks, how often have you had: Night sweats?

Value	Label	Unweighted Frequency	%
1	Not At All	1367	55.8 %
2	1-5 Days	620	25.3 %
3	6-8 Days	121	4.9 %
4	9-13 Days	73	3.0 %
5	Every Day	145	5.9 %
Missing Data			
-7	Refused	6	0.2 %
.	-	116	4.7 %
Total		2,448	100%

Based upon 2,326 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1617-1618 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

VAGINDR6: Vaginal dryness past 2 wks

Thinking back over the past two weeks, how often have you had: Vaginal dryness?

Value	Label	Unweighted Frequency	%
1	Not At All	1605	65.6 %
2	1-5 Days	410	16.7 %
3	6-8 Days	100	4.1 %
4	9-13 Days	60	2.5 %
5	Every Day	143	5.8 %
Missing Data			
-9	Missing	1	0.0 %
-7	Refused	13	0.5 %
.	-	116	4.7 %
Total		2,448	100%

Based upon 2,318 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1619-1620 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FEELBLU6: Feeling blue past 2 wks

Thinking back over the past two weeks, how often have you had: Feeling blue or depressed?

Value	Label	Unweighted Frequency	%
1	Not At All	1104	45.1 %
2	1-5 Days	923	37.7 %
3	6-8 Days	134	5.5 %
4	9-13 Days	94	3.8 %
5	Every Day	71	2.9 %
Missing Data			
-9	Missing	2	0.1 %
-7	Refused	4	0.2 %
.	-	116	4.7 %
Total		2,448	100%

Based upon 2,326 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1621-1622 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIZZY6: Dizzy spells past 2 wks

Thinking back over the past two weeks, how often have you had: Dizzy spells?

Value	Label	Unweighted Frequency	%
1	Not At All	1754	71.7 %
2	1-5 Days	388	15.8 %
3	6-8 Days	36	1.5 %
4	9-13 Days	11	0.4 %
5	Every Day	8	0.3 %
Missing Data			
-9	Missing	131	5.4 %
-7	Refused	4	0.2 %
.	-	116	4.7 %
Total		2,448	100%

Based upon 2,197 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1623-1624 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

IRRITAB6: Irritability past 2 wks

Thinking back over the past two weeks, how often have you had: Irritability or grouchiness?

Value	Label	Unweighted Frequency	%
1	Not At All	860	35.1 %
2	1-5 Days	1195	48.8 %
3	6-8 Days	158	6.5 %
4	9-13 Days	58	2.4 %
5	Every Day	53	2.2 %
Missing Data			
-9	Missing	1	0.0 %
-7	Refused	7	0.3 %
.	-	116	4.7 %
Total		2,448	100%

Based upon 2,324 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1625-1626 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NRVOUS6: Tense/nervous past 2 wks

Thinking back over the past two weeks, how often have you had: Feeling tense or nervous?

Value	Label	Unweighted Frequency	%
1	Not At All	870	35.5 %
2	1-5 Days	1033	42.2 %
3	6-8 Days	160	6.5 %
4	9-13 Days	79	3.2 %
5	Every Day	52	2.1 %
Missing Data			
-9	Missing	131	5.4 %
-7	Refused	7	0.3 %
.	-	116	4.7 %
Total		2,448	100%

Based upon 2,194 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1627-1628 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FORGET6: Forgetfulness past 2 wks

Thinking back over the past two weeks, how often have you had: Forgetfulness?

Value	Label	Unweighted Frequency	%
1	Not At All	665	27.2 %
2	1-5 Days	1070	43.7 %
3	6-8 Days	212	8.7 %
4	9-13 Days	112	4.6 %
5	Every Day	136	5.6 %
Missing Data			
-9	Missing	131	5.4 %
-7	Refused	6	0.2 %
.	-	116	4.7 %
Total		2,448	100%

Based upon 2,195 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1629-1630 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MOODCHG6: Freq mood changes past 2 wks

Thinking back over the past two weeks, how often have you had: Frequent mood changes?

Value	Label	Unweighted Frequency	%
1	Not At All	1324	54.1 %
2	1-5 Days	770	31.5 %
3	6-8 Days	133	5.4 %
4	9-13 Days	50	2.0 %
5	Every Day	48	2.0 %
Missing Data			
-7	Refused	7	0.3 %
.	-	116	4.7 %
Total		2,448	100%

Based upon 2,325 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1631-1632 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HARTRAC6: Heart pounding/racing past 2 wks

Thinking back over the past two weeks, how often have you had: Heart pounding or racing?

Value	Label	Unweighted Frequency	%
1	Not At All	1594	65.1 %
2	1-5 Days	486	19.9 %
3	6-8 Days	66	2.7 %
4	9-13 Days	28	1.1 %
5	Every Day	23	0.9 %
Missing Data			
-7	Refused	4	0.2 %
.	-	247	10.1 %
Total		2,448	100%

Based upon 2,197 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1633-1634 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FEARFULA6: Feeling fearful past 2 wks

Thinking back over the past two weeks, how often have you had: Feeling fearful for no reason?

Value	Label	Unweighted Frequency	%
1	Not At All	1836	75.0 %
2	1-5 Days	287	11.7 %
3	6-8 Days	41	1.7 %
4	9-13 Days	23	0.9 %
5	Every Day	11	0.4 %
Missing Data			
-9	Missing	131	5.4 %
-7	Refused	3	0.1 %
.	-	116	4.7 %
Total		2,448	100%

Based upon 2,198 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1635-1636 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HDACHE6: Headaches past 2 wks

Thinking back over the past two weeks, how often have you had: Headaches?

Value	Label	Unweighted Frequency	%
1	Not At All	960	39.2 %
2	1-5 Days	1002	40.9 %
3	6-8 Days	144	5.9 %
4	9-13 Days	59	2.4 %
5	Every Day	30	1.2 %
Missing Data			
-9	Missing	131	5.4 %
-7	Refused	6	0.2 %
.	-	116	4.7 %
Total		2,448	100%

Based upon 2,195 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1637-1638 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HOTFLAS6: Hot flashes past 2 wks

Thinking back over the past two weeks, how often have you had: Hot flashes or flushes?

Value	Label	Unweighted Frequency	%
1	Not At All	1160	47.4 %
2	1-5 Days	648	26.5 %
3	6-8 Days	168	6.9 %
4	9-13 Days	122	5.0 %
5	Every Day	227	9.3 %
Missing Data			
-7	Refused	7	0.3 %
.	-	116	4.7 %
Total		2,448	100%

Based upon 2,325 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1639-1640 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BRSTPAI6: Breast pain/tenderness past 2 wks

Thinking back over the past two weeks, how often have you had: Breast pain/tenderness?

Value	Label	Unweighted Frequency	%
1	Not At All	1613	65.9 %
2	1-5 Days	498	20.3 %
3	6-8 Days	55	2.2 %
4	9-13 Days	16	0.7 %
5	Every Day	17	0.7 %
Missing Data			
-9	Missing	131	5.4 %
-7	Refused	2	0.1 %
.	-	116	4.7 %
Total		2,448	100%

Based upon 2,199 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1641-1642 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

TRBLSLE6: Trouble falling asleep past 2 wks

In the past two weeks: Did you have trouble falling asleep?

Value	Label	Unweighted Frequency	%
1	No, Not In The Past 2 Wks	1196	48.9 %
2	Yes, < Once A Wk	353	14.4 %
3	Yes, 1-2 Times/Wk	314	12.8 %
4	Yes, 3-4 Times/Wk	151	6.2 %
5	Yes, 5 or More Times/Wk	156	6.4 %
Missing Data			
-9	Missing	157	6.4 %
-7	Refused	5	0.2 %
.	-	116	4.7 %
Total		2,448	100%

Based upon 2,170 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1643-1644 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WAKEUP6: Wake up several times/night past 2 wks

In the past two weeks: Did you wake up several times a night?

Value	Label	Unweighted Frequency	%
1	No, Not In The Past 2 Wks	589	24.1 %
2	Yes, < Once A Wk	352	14.4 %
3	Yes, 1-2 Times/Wk	437	17.9 %
4	Yes, 3-4 Times/Wk	328	13.4 %
5	Yes, 5 or More Times/Wk	464	19.0 %
Missing Data			
-9	Missing	157	6.4 %
-7	Refused	5	0.2 %
.	-	116	4.7 %
Total		2,448	100%

Based upon 2,170 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1645-1646 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WAKEARL6: Wake up early past 2 wks

In the past two weeks: Did you wake up earlier than you had planned to, and were unable to fall asleep again?

Value	Label	Unweighted Frequency	%
1	No, Not In The Past 2 Wks	1011	41.3 %
2	Yes, < Once A Wk	424	17.3 %
3	Yes, 1-2 Times/Wk	353	14.4 %
4	Yes, 3-4 Times/Wk	207	8.5 %
5	Yes, 5 or More Times/Wk	176	7.2 %
Missing Data			
-9	Missing	157	6.4 %
-7	Refused	4	0.2 %
.	-	116	4.7 %
Total		2,448	100%

Based upon 2,171 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1647-1648 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SLEEPQL6: Sleep quality overall past month

During the past month, how would you rate your sleep quality overall?

Value	Label	Unweighted Frequency	%
1	Very good	507	20.7 %
2	Fairly good	1179	48.2 %
3	Fairly bad	396	16.2 %
4	Very bad	88	3.6 %
Missing Data			
-9	Missing	158	6.5 %
-7	Refused	4	0.2 %
.	-	116	4.7 %
Total		2,448	100%

Based upon 2,170 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1649-1650 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GETUPUR6: How often get up to urinate

How often do you usually get up from bed at night to urinate?

Value	Label	Unweighted Frequency	%
1	Never	257	10.5 %
2	Rarely (< Once A Wk)	486	19.9 %
3	Once/Wk	159	6.5 %
4	A Few Times/Wk	444	18.1 %
5	Once A Night, Every Night	532	21.7 %
6	More Than Once Per Night	291	11.9 %
Missing Data			
-9	Missing	159	6.5 %
-7	Refused	4	0.2 %
.	-	116	4.7 %
Total		2,448	100%

Based upon 2,169 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 1651-1652 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

INVOLEA6: Involuntary leakage since last visit

Since your last study visit, have you ever leaked, even a very small amount, of urine involuntarily?

Value	Label	Unweighted Frequency	%
1	No	803	32.8 %
2	Yes	1492	60.9 %
Missing Data			
-9	Missing	28	1.1 %
-7	Refused	4	0.2 %
-1	N/A	5	0.2 %
.	-	116	4.7 %
Total		2,448	100%

Based upon 2,295 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1653-1654 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DAYSLEA6: Leakage days past mo

If YES to INVOLEA6: In the last month, about how many days have you lost any urine, even a small amount, beyond your own control?

Value	Label	Unweighted Frequency	%
1	Never	181	7.4 %
2	Less Than 1 Day/Week	870	35.5 %
3	Several Days/Week	287	11.7 %
4	Almost Daily/Daily	150	6.1 %
Missing Data			
-8	Do not know	2	0.1 %
-7	Refused	5	0.2 %
-1	N/A	837	34.2 %
.	-	116	4.7 %
Total		2,448	100%

Based upon 1,488 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1655-1656 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9, -8, -7, -1, .

COUGHLE6: Leak bec cough,sneeze,laugh,jog,pick up

If YES to INVOLEA6: Under what circumstances does it occur? - When you are coughing, laughing, sneezing, jogging, or picking up an object from the floor.

Value	Label	Unweighted Frequency	%
1	No	361	14.7 %
2	Yes	1037	42.4 %
Missing Data			
-9	Missing	131	5.4 %
-7	Refused	30	1.2 %
-1	N/A	773	31.6 %
.	-	116	4.7 %
Total		2,448	100%

Based upon 1,398 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1657-1658 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

URGEVOI6: Urge to void caused leakage

If YES to INVOLEA6: Under what circumstances does it occur? - When you have an urge to void and can't get to a toilet fast enough.

Value	Label	Unweighted Frequency	%
1	No	633	25.9 %
2	Yes	767	31.3 %
Missing Data			
-9	Missing	131	5.4 %
-7	Refused	28	1.1 %
-1	N/A	773	31.6 %
.	-	116	4.7 %
Total		2,448	100%

Based upon 1,400 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1659-1660 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

OTHRLEA6: Other causes of leakage

If YES to INVOLEA6: Under what circumstances does it occur? - Other

Value	Label	Unweighted Frequency	%
1	No	1151	47.0 %
2	Yes	139	5.7 %
	Missing Data		
-9	Missing	132	5.4 %
-7	Refused	137	5.6 %
-1	N/A	773	31.6 %
.	-	116	4.7 %
	Total	2,448	100%

Based upon 1,290 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1661-1662 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NUTRIRE6: Nutritional remedies past yr

In the past 12 months, have you used any of the following for any reason? Special diets or nutritional remedies, such as macrobiotic or vegetarian diets, or vitamin supplements or therapy?

Value	Label	Unweighted Frequency	%
1	No	1406	57.4 %
2	Yes	890	36.4 %
	Missing Data		
-9	Missing	28	1.1 %
-7	Refused	3	0.1 %
-1	N/A	5	0.2 %
.	-	116	4.7 %
	Total	2,448	100%

Based upon 2,296 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1663-1664 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HERBREM6: Herbal remedies past yr

In the past 12 months, have you used any of the following for any reason? Herbs or herbal remedies, such as homeopathy or Chinese herbs or teas?

Value	Label	Unweighted Frequency	%
1	No	1836	75.0 %
2	Yes	458	18.7 %
Missing Data			
-9	Missing	28	1.1 %
-7	Refused	5	0.2 %
-1	N/A	5	0.2 %
.	-	116	4.7 %
Total		2,448	100%

Based upon 2,294 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1665-1666 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PSYCMET6: Psychological methods past yr

In the past 12 months, have you used any of the following for any reason? Psychological methods, such as meditation, mental imagery, or relaxation techniques?

Value	Label	Unweighted Frequency	%
1	No	1802	73.6 %
2	Yes	490	20.0 %
Missing Data			
-9	Missing	28	1.1 %
-7	Refused	7	0.3 %
-1	N/A	5	0.2 %
.	-	116	4.7 %
Total		2,448	100%

Based upon 2,292 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1667-1668 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PHYSMET6: Physical methods past yr

In the past 12 months, have you used any of the following for any reason? Physical methods, such as massage, acupressure, acupuncture, or chiropractic therapy?

Value	Label	Unweighted Frequency	%
1	No	1722	70.3 %
2	Yes	571	23.3 %
	Missing Data		
-9	Missing	28	1.1 %
-7	Refused	6	0.2 %
-1	N/A	5	0.2 %
.	-	116	4.7 %
	Total	2,448	100%

Based upon 2,293 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1669-1670 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FOLKMED6: Folk medicine past yr

In the past 12 months, have you used and of the following for any reason? Folk medicine or traditional Chinese medicine?

Value	Label	Unweighted Frequency	%
1	No	2196	89.7 %
2	Yes	95	3.9 %
	Missing Data		
-9	Missing	28	1.1 %
-7	Refused	8	0.3 %
-1	N/A	5	0.2 %
.	-	116	4.7 %
	Total	2,448	100%

Based upon 2,291 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1671-1672 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHRTHE6: Other diet/behav therapies past yr

In the past 12 months, have you used and of the following for any reason? Any others?

Value	Label	Unweighted Frequency	%
1	No	1994	81.5 %
2	Yes	221	9.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-9	Missing	28	1.1 %
-7	Refused	84	3.4 %
-1	N/A	5	0.2 %
.	-	116	4.7 %
	Total	2,448	100%

Based upon 2,215 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1673-1674 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -8 , -7 , -1 , .

SPECOTH6: Other diet/behav therapies-specify

In the past 12 months, have you used and of the following for any reason? Any others? - Specify

Value	Label	Unweighted Frequency	%
	-	116	4.7 %
-1: N/A	-	2111	86.2 %
-7: Refused	-	2	0.1 %
12 DROPS PROPOLIS DAILY	-	1	0.0 %
1ADAY VITAMIN, BODY MASSAGE	-	1	0.0 %
ACCUPUNCTURE TRAUMA HEALING/ SOMATIC EXPERANCING	-	1	0.0 %
ACUPUNCTURE FOR STIFFNESS IN KNEE AND FINGER JOINTS	-	1	0.0 %
ADDED FLAXSEED TO DIET	-	1	0.0 %
ALTERNATIVE MEDICINE, SUPPLEMENTS THAT ARE NOT VITA	-	1	0.0 %
ANTI-DEPRESSANTS	-	1	0.0 %
AROMA THERAPY	-	1	0.0 %
AROMATHERAPY	-	1	0.0 %
ART THERAPY	-	1	0.0 %
ATKINS DIET	-	1	0.0 %
AYUREVEDIC , RAW FOODEST	-	1	0.0 %
B. PAPAYA ENZYME FOR UPSET STOMACH; D. MASSAGE, CH	-	1	0.0 %
BACH FLOWER ESSENCES	-	1	0.0 %
BACK PAIN-SEEN CHIROPRACTOR THEN PHYSICAL THERAPIST	-	1	0.0 %
BATHS AND SOFT MUSIC	-	1	0.0 %
BIBLE READING	-	1	0.0 %
BIBLE STUDYING	-	1	0.0 %
BIO-ENERGY, REKI	-	1	0.0 %
BLACK COHASH	-	1	0.0 %
BLACK COHOSH, ST. JOHN'S WORT	-	1	0.0 %

Value	Label	Unweighted Frequency	%
BODY MASSAGE	-	1	0.0 %
CAPAZINE HP RUBBED ON LOWER BACK & KNEES TO HELP RED	-	1	0.0 %
CENTRUM 3-5 DAYS/WEEK	-	1	0.0 %
CHAMOMILE TEA	-	1	0.0 %
CHAMOMILE TEA/VALERIAN ROOT FOR SLEEPING	-	1	0.0 %
CHI QONG UNDER D. CHIBESE MASSAGE	-	1	0.0 %
CHINESE EXERCISE (CHI GON)	-	1	0.0 %
CHINESE TEA	-	1	0.0 %
CHIROPRACTIC	-	1	0.0 %
CHIROPRACTIC THERAPY FOR NECK AND BACK PAIN	-	1	0.0 %
CO-Q-10 100 MG DAILY STARTED 2 WKS AGO	-	1	0.0 %
COUNSELING	-	1	0.0 %
CRANIAL SACRAL	-	1	0.0 %
DETOXIFYING MINERAL BODY WRAPS	-	1	0.0 %
DIET, WEIGHT WATCHERS TO LOSE WEIGHT & FEEL BETTER	-	1	0.0 %
DIETRY SUPPLEMENT CALLED NOVI, FRUIT DRINK	-	1	0.0 %
ECHINACEA (FOR PREVENTING A FLU)	-	1	0.0 %
ELIMINATE SPECIFIC FOODS FROM DIET	-	1	0.0 %
ENERGY HEALING SIMILAR TO REIKI	-	1	0.0 %
ENZYME THERAPY	-	1	0.0 %
ESTROVEN-VITAMIN SUPPLEMENT	-	1	0.0 %
ESTROVIN TO TRY AND DEAL WITH HOT FLASHES, SO-SO RE	-	1	0.0 %
EXERCISE, SEX -- STRONG PC MUSCLES (ORGASMS)	-	1	0.0 %
FASTING, HERBAL LAXATIVE TEA	-	1	0.0 %
FEM-HRT WHICH DOCTOR HAS ADVISE ME TO DISCONTINUE	-	1	0.0 %
FLAX SEED OIL	-	1	0.0 %
	Total	2,448	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,448 valid cases out of 2,448 total cases.

Location: 1675-1725 (width: 51; decimal: 0)

Variable Type: character

STARTNE6: Started new job/school upsetting since last visit

Since your last study visit, have you experienced any of the following: Started school, a training program, or new job?

Value	Label	Unweighted Frequency	%
1	No	1777	72.6 %
2	Yes, Not At All Upsetting	204	8.3 %
3	Yes, Somewhat Upsetting	140	5.7 %
4	Yes, Very Upsetting	35	1.4 %

Value	Label	Unweighted Frequency	%
5	Yes, Very Upsetting & Still Upsetting	17	0.7 %
Missing Data			
-9	Missing	157	6.4 %
-7	Refused	2	0.1 %
.	-	116	4.7 %
Total		2,448	100%

Based upon 2,173 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1726-1727 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WORKTRB6: Work problems upsetting since last visit

Since your last study visit, have you experienced any of the following: Had trouble with a boss or conditions at work got worse?

Value	Label	Unweighted Frequency	%
1	No	1560	63.7 %
2	Yes, Not At All Upsetting	86	3.5 %
3	Yes, Somewhat Upsetting	404	16.5 %
4	Yes, Very Upsetting	149	6.1 %
5	Yes, Very Upsetting & Still Upsetting	103	4.2 %
Missing Data			
-9	Missing	26	1.1 %
-7	Refused	4	0.2 %
.	-	116	4.7 %
Total		2,448	100%

Based upon 2,302 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1728-1729 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

QUITJOB6: Quit job upsetting since last visit

Since your last study visit, have you experienced any of the following: Quit, fired or laid off from a job?

Value	Label	Unweighted Frequency	%
1	No	1970	80.5 %
2	Yes, Not At All Upsetting	61	2.5 %

Value	Label	Unweighted Frequency	%
3	Yes, Somewhat Upsetting	70	2.9 %
4	Yes, Very Upsetting	33	1.3 %
5	Yes, Very Upsetting & Still Upsetting	34	1.4 %
Missing Data			
-9	Missing	157	6.4 %
-7	Refused	7	0.3 %
.	-	116	4.7 %
Total		2,448	100%

Based upon 2,168 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1730-1731 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

WORKLOAD6: Increase work load upsetting since last visit

Since your last study visit, have you experienced any of the following: Took on a greatly increased workload at job?

Value	Label	Unweighted Frequency	%
1	No	1569	64.1 %
2	Yes, Not At All Upsetting	232	9.5 %
3	Yes, Somewhat Upsetting	289	11.8 %
4	Yes, Very Upsetting	48	2.0 %
5	Yes, Very Upsetting & Still Upsetting	27	1.1 %
Missing Data			
-9	Missing	157	6.4 %
-7	Refused	10	0.4 %
.	-	116	4.7 %
Total		2,448	100%

Based upon 2,165 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1732-1733 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

PRTUNEM6: Partner unemployed upsetting since last visit

Since your last study visit, have you experienced any of the following: Husband/partner became unemployed?

Value	Label	Unweighted Frequency	%
1	No	2016	82.4 %
2	Yes, Not At All Upsetting	28	1.1 %
3	Yes, Somewhat Upsetting	78	3.2 %
4	Yes, Very Upsetting	29	1.2 %
5	Yes, Very Upsetting & Still Upsetting	17	0.7 %
Missing Data			
-9	Missing	158	6.5 %
-7	Refused	6	0.2 %
.	-	116	4.7 %
Total		2,448	100%

Based upon 2,168 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1734-1735 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MONEYPR6: Money problems upsetting since last visit

Since your last study visit, have you experienced any of the following: Major money problems?

Value	Label	Unweighted Frequency	%
1	No	1683	68.8 %
2	Yes, Not At All Upsetting	78	3.2 %
3	Yes, Somewhat Upsetting	320	13.1 %
4	Yes, Very Upsetting	110	4.5 %
5	Yes, Very Upsetting & Still Upsetting	109	4.5 %
Missing Data			
-9	Missing	28	1.1 %
-7	Refused	4	0.2 %
.	-	116	4.7 %
Total		2,448	100%

Based upon 2,300 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1736-1737 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WORSREL6: Worsening relationship upsetting since last visit

Since your last study visit, have you experienced any of the following: Relations with husband/partner changed for the worse but without separation or divorce?

Value	Label	Unweighted Frequency	%
1	No	1916	78.3 %
2	Yes, Not At All Upsetting	42	1.7 %
3	Yes, Somewhat Upsetting	122	5.0 %
4	Yes, Very Upsetting	45	1.8 %
5	Yes, Very Upsetting & Still Upsetting	43	1.8 %
Missing Data			
-9	Missing	157	6.4 %
-7	Refused	7	0.3 %
.	-	116	4.7 %
Total		2,448	100%

Based upon 2,168 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1738-1739 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RELATEN6: Ended relationship upsetting since last visit

Since your last study visit, have you experienced any of the following: Were separated or divorced or a long-term relationship ended?

Value	Label	Unweighted Frequency	%
1	No	2064	84.3 %
2	Yes, Not At All Upsetting	18	0.7 %
3	Yes, Somewhat Upsetting	32	1.3 %
4	Yes, Very Upsetting	28	1.1 %
5	Yes, Very Upsetting & Still Upsetting	27	1.1 %
Missing Data			
-9	Missing	157	6.4 %
-7	Refused	6	0.2 %
.	-	116	4.7 %
Total		2,448	100%

Based upon 2,169 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1740-1741 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SERIPRO6: Serious family problem upsetting since last visit

Since your last study visit, have you experienced any of the following: Had a serious problem with child or family member (other than husband/partner) or with a close friend?

Value	Label	Unweighted Frequency	%
1	No	1668	68.1 %
2	Yes, Not At All Upsetting	46	1.9 %
3	Yes, Somewhat Upsetting	289	11.8 %
4	Yes, Very Upsetting	180	7.4 %
5	Yes, Very Upsetting & Still Upsetting	118	4.8 %
Missing Data			
-9	Missing	26	1.1 %
-7	Refused	5	0.2 %
.	-	116	4.7 %
Total		2,448	100%

Based upon 2,301 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1742-1743 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CHILDMO6: Child moved upsetting since last visit

Since your last study visit, have you experienced any of the following: A child moved out of the house or left the area?

Value	Label	Unweighted Frequency	%
1	No	1813	74.1 %
2	Yes, Not At All Upsetting	159	6.5 %
3	Yes, Somewhat Upsetting	139	5.7 %
4	Yes, Very Upsetting	32	1.3 %
5	Yes, Very Upsetting & Still Upsetting	25	1.0 %
Missing Data			
-9	Missing	157	6.4 %
-7	Refused	7	0.3 %
.	-	116	4.7 %
Total		2,448	100%

Based upon 2,168 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1744-1745 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RESPCAR6: Responsibility for care upsetting since last visit

Since your last study visit, have you experienced any of the following: Took on responsibility for the care of another child, grandchild, parent, other family member or friend?

Value	Label	Unweighted Frequency	%
1	No	1822	74.4 %
2	Yes, Not At All Upsetting	128	5.2 %
3	Yes, Somewhat Upsetting	161	6.6 %
4	Yes, Very Upsetting	37	1.5 %
5	Yes, Very Upsetting & Still Upsetting	21	0.9 %
Missing Data			
-9	Missing	157	6.4 %
-7	Refused	6	0.2 %
.	-	116	4.7 %
Total		2,448	100%

Based upon 2,169 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1746-1747 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

LEGALPR6: Legal problems upsetting since last visit

Since your last study visit, have you experienced any of the following: Family member had legal problems or a problem with the police?

Value	Label	Unweighted Frequency	%
1	No	1898	77.5 %
2	Yes, Not At All Upsetting	41	1.7 %
3	Yes, Somewhat Upsetting	122	5.0 %
4	Yes, Very Upsetting	66	2.7 %
5	Yes, Very Upsetting & Still Upsetting	44	1.8 %
Missing Data			
-9	Missing	157	6.4 %
-7	Refused	4	0.2 %
.	-	116	4.7 %
Total		2,448	100%

Based upon 2,171 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1748-1749 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CRELDIE6: Close relative died upsetting since last visit

Since your last study visit, have you experienced any of the following: A close relative (husband/partner, child or parent) died?

Value	Label	Unweighted Frequency	%
1	No	2048	83.7 %
2	Yes, Not At All Upsetting	13	0.5 %
3	Yes, Somewhat Upsetting	81	3.3 %
4	Yes, Very Upsetting	87	3.6 %
5	Yes, Very Upsetting & Still Upsetting	68	2.8 %
Missing Data			
-9	Missing	26	1.1 %
-7	Refused	9	0.4 %
.	-	116	4.7 %
Total		2,448	100%

Based upon 2,297 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1750-1751 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CLOSDIE6: Other close friend/relative died upsetting since last visit

Since your last study visit, have you experienced any of the following: A close friend or family member other than a husband/partner, child or parent died?

Value	Label	Unweighted Frequency	%
1	No	1755	71.7 %
2	Yes, Not At All Upsetting	65	2.7 %
3	Yes, Somewhat Upsetting	295	12.1 %
4	Yes, Very Upsetting	134	5.5 %
5	Yes, Very Upsetting & Still Upsetting	51	2.1 %
Missing Data			
-9	Missing	26	1.1 %
-7	Refused	6	0.2 %
.	-	116	4.7 %
Total		2,448	100%

Based upon 2,300 valid cases out of 2,448 total cases.

- Minimum: 1.00

- Maximum: 5.00

Location: 1752-1753 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SELFVIO6: Violent event to self upsetting since last visit

Since your last study visit, have you experienced any of the following: Major accident, assault, disaster, robbery or other violent event happened to yourself?

Value	Label	Unweighted Frequency	%
1	No	2068	84.5 %
2	Yes, Not At All Upsetting	12	0.5 %
3	Yes, Somewhat Upsetting	42	1.7 %
4	Yes, Very Upsetting	38	1.6 %
5	Yes, Very Upsetting & Still Upsetting	11	0.4 %
Missing Data			
-9	Missing	157	6.4 %
-7	Refused	4	0.2 %
.	-	116	4.7 %
Total		2,448	100%

Based upon 2,171 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1754-1755 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FAMILVIO6: Violent event to other fam mem upsetting since last visit

Since your last study visit, have you experienced any of the following: Major accident, assault, disaster, robbery or other violent event happened to a family member?

Value	Label	Unweighted Frequency	%
1	No	2027	82.8 %
2	Yes, Not At All Upsetting	10	0.4 %
3	Yes, Somewhat Upsetting	57	2.3 %
4	Yes, Very Upsetting	60	2.5 %
5	Yes, Very Upsetting & Still Upsetting	16	0.7 %
Missing Data			
-9	Missing	157	6.4 %
-7	Refused	5	0.2 %
.	-	116	4.7 %
Total		2,448	100%

Based upon 2,170 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1756-1757 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PHYSILL6: Serious illness family upsetting since last visit

Since your last study visit, have you experienced any of the following: Serious physical illness, injury or drug/alcohol problem in family member, partner or close friend?

Value	Label	Unweighted Frequency	%
1	No	1642	67.1 %
2	Yes, Not At All Upsetting	21	0.9 %
3	Yes, Somewhat Upsetting	239	9.8 %
4	Yes, Very Upsetting	165	6.7 %
5	Yes, Very Upsetting & Still Upsetting	105	4.3 %
Missing Data			
-9	Missing	157	6.4 %
-7	Refused	3	0.1 %
.	-	116	4.7 %
Total		2,448	100%

Based upon 2,172 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1758-1759 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MAJEVEN6: Other major event upsetting since last visit

Since your last study visit, have you experienced any of the following: Other major event not included above?

Value	Label	Unweighted Frequency	%
1	No	1985	81.1 %
2	Yes, Not At All Upsetting	21	0.9 %
3	Yes, Somewhat Upsetting	105	4.3 %
4	Yes, Very Upsetting	81	3.3 %
5	Yes, Very Upsetting & Still Upsetting	80	3.3 %
Missing Data			
-9	Missing	30	1.2 %
-7	Refused	30	1.2 %
.	-	116	4.7 %

Value	Label	Unweighted Frequency	%
	Total	2,448	100%

Based upon 2,272 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1760-1761 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

EMPLYPA6: Employed for pay

Are you currently employed for pay?

Value	Label	Unweighted Frequency	%
1	No	482	19.7 %
2	Yes	1673	68.3 %
	Missing Data		
-9	Missing	170	6.9 %
-7	Refused	7	0.3 %
.	-	116	4.7 %
	Total	2,448	100%

Based upon 2,155 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1762-1763 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

REWRDJO6: How rewarding is job

If YES to EMPLYPA6: How rewarding is your job?

Value	Label	Unweighted Frequency	%
1	Not At All	45	1.8 %
2	A Little	156	6.4 %
3	Somewhat	488	19.9 %
4	Quite A Bit	656	26.8 %
5	Extremely	316	12.9 %
	Missing Data		
-9	Missing	131	5.4 %
-7	Refused	12	0.5 %
-1	N/A	528	21.6 %
.	-	116	4.7 %

Value	Label	Unweighted Frequency	%
	Total	2,448	100%

Based upon 1,661 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1764-1765 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

STRSSJO6: How stressful is job

If YES to EMPLYPA6: How stressful is your job?

Value	Label	Unweighted Frequency	%
1	Not At All	135	5.5 %
2	A Little	326	13.3 %
3	Somewhat	614	25.1 %
4	Quite A Bit	412	16.8 %
5	Extremely	172	7.0 %
Missing Data			
-9	Missing	131	5.4 %
-7	Refused	14	0.6 %
-1	N/A	528	21.6 %
.	-	116	4.7 %
	Total	2,448	100%

Based upon 1,659 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1766-1767 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CRNTCAR6: Caring for older/disabled fam mem

Are you currently caring for an older or disabled family member?

Value	Label	Unweighted Frequency	%
1	No	1869	76.3 %
2	Yes	280	11.4 %
Missing Data			
-9	Missing	176	7.2 %
-7	Refused	7	0.3 %
.	-	116	4.7 %

Value	Label	Unweighted Frequency	%
	Total	2,448	100%

Based upon 2,149 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1768-1769 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RWRDCAR6: How rewarding caregiver role

If YES to CRNTCAR6: How rewarding is your role as caregiver?

Value	Label	Unweighted Frequency	%
1	Not At All	21	0.9 %
2	A Little	43	1.8 %
3	Somewhat	106	4.3 %
4	Quite A Bit	77	3.1 %
5	Extremely	31	1.3 %
Missing Data			
-9	Missing	131	5.4 %
-7	Refused	2	0.1 %
-1	N/A	1921	78.5 %
.	-	116	4.7 %
	Total	2,448	100%

Based upon 278 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1770-1771 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

STRSCAR6: How stressful caregiver role

If YES to CRNTCAR6: How stressful is your role as caregiver?

Value	Label	Unweighted Frequency	%
1	Not At All	18	0.7 %
2	A Little	64	2.6 %
3	Somewhat	103	4.2 %
4	Quite A Bit	60	2.5 %
5	Extremely	33	1.3 %
Missing Data			

Value	Label	Unweighted Frequency	%
-9	Missing	131	5.4 %
-7	Refused	2	0.1 %
-1	N/A	1921	78.5 %
.	-	116	4.7 %
Total		2,448	100%

Based upon 278 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1772-1773 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CRNTMAR6: Currently married/committed rel

Are you currently married or in a committed relationship?

Value	Label	Unweighted Frequency	%
1	No	565	23.1 %
2	Yes	1589	64.9 %
Missing Data			
-9	Missing	171	7.0 %
-7	Refused	7	0.3 %
.	-	116	4.7 %
Total		2,448	100%

Based upon 2,154 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1774-1775 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RWRDREL6: How rewarding is relationship

If YES to CRNTMAR6: How rewarding is this relationship?

Value	Label	Unweighted Frequency	%
1	Not At All	48	2.0 %
2	A Little	88	3.6 %
3	Somewhat	318	13.0 %
4	Quite A Bit	619	25.3 %
5	Extremely	510	20.8 %
Missing Data			

Value	Label	Unweighted Frequency	%
-9	Missing	131	5.4 %
-7	Refused	6	0.2 %
-1	N/A	612	25.0 %
.	-	116	4.7 %
Total		2,448	100%

Based upon 1,583 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1776-1777 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

STRSREL6: How stressful is relationship

If YES to CRNTMAR6: How stressful is this relationship?

Value	Label	Unweighted Frequency	%
1	Not At All	365	14.9 %
2	A Little	612	25.0 %
3	Somewhat	414	16.9 %
4	Quite A Bit	131	5.4 %
5	Extremely	62	2.5 %
Missing Data			
-9	Missing	131	5.4 %
-7	Refused	5	0.2 %
-1	N/A	612	25.0 %
.	-	116	4.7 %
Total		2,448	100%

Based upon 1,584 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1778-1779 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CHILDRE6: Have children/stepchildren

Do you have any children or stepchildren?

Value	Label	Unweighted Frequency	%
1	No	380	15.5 %
2	Yes	1778	72.6 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-9	Missing	168	6.9 %
-7	Refused	6	0.2 %
.	-	116	4.7 %
	Total	2,448	100%

Based upon 2,158 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1780-1781 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

REWRDMO6: How rewarding is role as mother

If YES to CHILDRE6: How rewarding is your role as a mother?

Value	Label	Unweighted Frequency	%
1	Not At All	23	0.9 %
2	A Little	67	2.7 %
3	Somewhat	241	9.8 %
4	Quite A Bit	633	25.9 %
5	Extremely	809	33.0 %
	Missing Data		
-9	Missing	131	5.4 %
-7	Refused	4	0.2 %
-1	N/A	424	17.3 %
.	-	116	4.7 %
	Total	2,448	100%

Based upon 1,773 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1782-1783 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

STRSSMO6: How stressful is role as mother

If YES to CHILDRE6: How stressful is your role as a mother?

Value	Label	Unweighted Frequency	%
1	Not At All	273	11.2 %
2	A Little	575	23.5 %

Value	Label	Unweighted Frequency	%
3	Somewhat	545	22.3 %
4	Quite A Bit	271	11.1 %
5	Extremely	109	4.5 %
Missing Data			
-9	Missing	131	5.4 %
-7	Refused	4	0.2 %
-1	N/A	424	17.3 %
.	-	116	4.7 %
Total		2,448	100%

Based upon 1,773 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1784-1785 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

INCOME6: Total family income

What is your total family income (before taxes) from all sources within your household in the last year?

Value	Label	Unweighted Frequency	%
1	Less Than \$19,999	185	7.6 %
2	\$20,000 to \$49,999	559	22.8 %
3	\$50,000 to \$99,999	467	19.1 %
4	\$100,000 or More	865	35.3 %
Missing Data			
-9	Missing	157	6.4 %
-8	Do not know	33	1.3 %
-7	Refused	66	2.7 %
.	-	116	4.7 %
Total		2,448	100%

Based upon 2,076 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1786-1787 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HOW_HAR6: How hard to pay for basics

How hard is it for you to pay for the very basics like food, housing, medical care, and heating? Would you say it is ...

Value	Label	Unweighted Frequency	%
1	Very Hard	116	4.7 %
2	Somewhat Hard	469	19.2 %
3	Not hard at all	1590	65.0 %
Missing Data			
-9	Missing	2	0.1 %
-8	Do not know	19	0.8 %
-7	Refused	4	0.2 %
-1	N/A	1	0.0 %
.	-	247	10.1 %
Total		2,448	100%

Based upon 2,175 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 1788-1789 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

LOSSINC6: If lost curr income, how long curr address

If you lost your current source of income (your paycheck, your family's paycheck(s), public assistance or other forms of income), how long could you keep your current address and standard of living?

Value	Label	Unweighted Frequency	%
1	< 1 mo	228	9.3 %
2	1-2 mos	336	13.7 %
3	3-6 mos	548	22.4 %
4	7-12 mos	308	12.6 %
5	> 1 yr	744	30.4 %
Missing Data			
-9	Missing	27	1.1 %
-7	Refused	9	0.4 %
-1	N/A	1	0.0 %
.	-	247	10.1 %
Total		2,448	100%

Based upon 2,164 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1790-1791 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

FINAN1Y6: Compare finances now to 1 yr ago

Compared to the current year, were your finances better off, the same or worse off during each of the time periods listed? - One year ago

Value	Label	Unweighted Frequency	%
1	Worse Off	380	15.5 %
2	Better Off	675	27.6 %
3	The Same	1104	45.1 %
Missing Data			
-9	Missing	27	1.1 %
-7	Refused	14	0.6 %
-1	N/A	1	0.0 %
.	-	247	10.1 %
Total		2,448	100%

Based upon 2,159 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 1792-1793 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

FINAN2Y6: Compare finances now to 2 yrs ago

Compared to the current year, were your finances better off, the same or worse off during each of the time periods listed? - Two years ago

Value	Label	Unweighted Frequency	%
1	Worse Off	403	16.5 %
2	Better Off	820	33.5 %
3	The Same	903	36.9 %
Missing Data			
-9	Missing	27	1.1 %
-7	Refused	47	1.9 %
-1	N/A	1	0.0 %
.	-	247	10.1 %
Total		2,448	100%

Based upon 2,126 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 1794-1795 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

FINAN3Y6: Compare finances now to 3 yrs ago

Compared to the current year, were your finances better off, the same or worse off during each of the time periods listed? - Three years ago

Value	Label	Unweighted Frequency	%
1	Worse Off	451	18.4 %
2	Better Off	872	35.6 %
3	The Same	805	32.9 %
Missing Data			
-9	Missing	27	1.1 %
-7	Refused	45	1.8 %
-1	N/A	1	0.0 %
.	-	247	10.1 %
Total		2,448	100%

Based upon 2,128 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 1796-1797 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

HOMEOWN6: Home where you live

Is the home where you live:

Value	Label	Unweighted Frequency	%
1	Owned/being Bought	1767	72.2 %
2	Rented for Money	347	14.2 %
3	Occupied wo/payment	37	1.5 %
4	Other, home ownership	12	0.5 %
Missing Data			
-9	Missing	29	1.2 %
-7	Refused	8	0.3 %
-1	N/A	1	0.0 %
.	-	247	10.1 %
Total		2,448	100%

Based upon 2,163 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1798-1799 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

HOMESPE6: Home where you live, specify

Is the home where you live: Specify

Value	Label	Unweighted Frequency	%
-	-	247	10.1 %
-1: N/A	-	2189	89.4 %
BUY MOBILE HOME- PAY SPACE RENT	-	1	0.0 %
CO-OWNED / SHARED EXPENDITURES	-	1	0.0 %
COOPERATIVE	-	1	0.0 %
FORECLOSURE	-	1	0.0 %
HOME IS IN FOR CLOSURE	-	1	0.0 %
HOMELESS	-	2	0.1 %
LIVING IN RELIGIOUS COMMUNITY HOUSE ORDER OWNS	-	1	0.0 %
LIVING WITH MOTHER & 2 CHILDREN, PAYING SOME EXPENSES	-	1	0.0 %
OWN BY MY FIANCE	-	1	0.0 %
OWNER OCCUPIED - I RENT 1ST FLOOR, I LIVE ON 2ND FLOOR	-	1	0.0 %
PAYMENT FOR TAXES & HELPS UPHEEP	-	1	0.0 %
	Total	2,448	100%

Based upon 2,448 valid cases out of 2,448 total cases.

Location: 1800-1852 (width: 53; decimal: 0)

Variable Type: character

LADERCO6: Ladder Relative to Community

Where would you place yourself on this ladder? Please place an "X" over the circle on the rung where you think you stand at this time in your life, relative to other people in your community.

Value	Label	Unweighted Frequency	%
1	-	107	4.4 %
2	-	315	12.9 %
3	-	548	22.4 %
4	-	462	18.9 %
5	-	457	18.7 %
6	-	96	3.9 %
7	-	87	3.6 %
8	-	44	1.8 %
9	-	35	1.4 %
	Missing Data		
-9	Missing	27	1.1 %
-8	Do not know	3	0.1 %
-7	Refused	19	0.8 %
-1	N/A	1	0.0 %
.	-	247	10.1 %

Value	Label	Unweighted Frequency	%
	Total	2,448	100%

Based upon 2,151 valid cases out of 2,448 total cases.

- Mean: 3.89
- Median: 4.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 9.00
- Standard Deviation: 1.66

Location: 1853-1854 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

LADERUS6: Ladder Relative to U.S.

Where would you place yourself on this ladder? Please place an "X" over the circle on the rung where you think you stand at this time in your life, relative to other people in the United States.

Value	Label	Unweighted Frequency	%
1	-	32	1.3 %
2	-	153	6.2 %
3	-	413	16.9 %
4	-	528	21.6 %
5	-	538	22.0 %
6	-	217	8.9 %
7	-	166	6.8 %
8	-	65	2.7 %
9	-	37	1.5 %
Missing Data			
-9	Missing	29	1.2 %
-8	Do not know	4	0.2 %
-7	Refused	18	0.7 %
-1	N/A	1	0.0 %
.	-	247	10.1 %
	Total	2,448	100%

Based upon 2,149 valid cases out of 2,448 total cases.

- Mean: 4.51
- Median: 4.00
- Mode: 5.00
- Minimum: 1.00
- Maximum: 9.00
- Standard Deviation: 1.62

Location: 1855-1856 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

INTRPAN6: Interested this wk

Indicate in the space next to each item how strongly you have experienced these feelings this past week: Interested

Value	Label	Unweighted Frequency	%
1	Not At All/Very Slightly	70	2.9 %
2	A Little	195	8.0 %
3	Moderately	588	24.0 %
4	Quite A Bit	912	37.3 %
5	Extremely	296	12.1 %
Missing Data			
-7	Refused	10	0.4 %
.	-	377	15.4 %
Total		2,448	100%

Based upon 2,061 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1857-1858 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DISIPAN6: Disinterested this wk

Indicate in the space next to each item how strongly you have experienced these feelings this past week: Disinterested

Value	Label	Unweighted Frequency	%
1	Not At All/Very Slightly	0	0.0 %
2	A Little	0	0.0 %
3	Moderately	0	0.0 %
4	Quite A Bit	0	0.0 %
5	Extremely	0	0.0 %
Missing Data			
.	-	2448	100.0 %
Total		2,448	100%

Based upon 0 valid cases out of 2,448 total cases.

Location: 1859-1860 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

EXCIPAN6: Excited this wk

Indicate in the space next to each item how strongly you have experienced these feelings this past week: Excited

Value	Label	Unweighted Frequency	%
1	Not At All/Very Slightly	243	9.9 %
2	A Little	453	18.5 %
3	Moderately	816	33.3 %
4	Quite A Bit	449	18.3 %
5	Extremely	97	4.0 %
Missing Data			
-9	Missing	1	0.0 %
-7	Refused	12	0.5 %
.	-	377	15.4 %
Total		2,448	100%

Based upon 2,058 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1861-1862 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

UPSEPAN6: Upset this wk

Indicate in the space next to each item how strongly you have experienced these feelings this past week: Upset

Value	Label	Unweighted Frequency	%
1	Not At All/Very Slightly	611	25.0 %
2	A Little	814	33.3 %
3	Moderately	357	14.6 %
4	Quite A Bit	219	8.9 %
5	Extremely	62	2.5 %
Missing Data			
-7	Refused	8	0.3 %
.	-	377	15.4 %
Total		2,448	100%

Based upon 2,063 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1863-1864 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

STROPAN6: Strong this wk

Indicate in the space next to each item how strongly you have experienced these feelings this past week: Strong

Value	Label	Unweighted Frequency	%
1	Not At All/Very Slightly	160	6.5 %
2	A Little	288	11.8 %
3	Moderately	712	29.1 %
4	Quite A Bit	726	29.7 %
5	Extremely	175	7.1 %
Missing Data			
-7	Refused	10	0.4 %
.	-	377	15.4 %
Total		2,448	100%

Based upon 2,061 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1865-1866 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GUILPAN6: Guilty this wk

Indicate in the space next to each item how strongly you have experienced these feelings this past week: Guilty

Value	Label	Unweighted Frequency	%
1	Not At All/Very Slightly	1441	58.9 %
2	A Little	464	19.0 %
3	Moderately	104	4.2 %
4	Quite A Bit	44	1.8 %
5	Extremely	7	0.3 %
Missing Data			
-9	Missing	1	0.0 %
-7	Refused	10	0.4 %
.	-	377	15.4 %
Total		2,448	100%

Based upon 2,060 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1867-1868 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SCARPAN6: Scared this wk

Indicate in the space next to each item how strongly you have experienced these feelings this past week: Scared

Value	Label	Unweighted Frequency	%
1	Not At All/Very Slightly	1341	54.8 %
2	A Little	516	21.1 %
3	Moderately	120	4.9 %
4	Quite A Bit	73	3.0 %
5	Extremely	12	0.5 %
Missing Data			
-9	Missing	1	0.0 %
-7	Refused	8	0.3 %
.	-	377	15.4 %
Total		2,448	100%

Based upon 2,062 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1869-1870 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

HOSTPAN6: Hostile this wk

Indicate in the space next to each item how strongly you have experienced these feelings this past week: Hostile

Value	Label	Unweighted Frequency	%
1	Not At All/Very Slightly	1478	60.4 %
2	A Little	428	17.5 %
3	Moderately	108	4.4 %
4	Quite A Bit	34	1.4 %
5	Extremely	10	0.4 %
Missing Data			
-9	Missing	1	0.0 %
-7	Refused	12	0.5 %
.	-	377	15.4 %
Total		2,448	100%

Based upon 2,058 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1871-1872 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

ENTHPAN6: Enthusiastic this wk

Indicate in the space next to each item how strongly you have experienced these feelings this past week: Enthusiastic

Value	Label	Unweighted Frequency	%
1	Not At All/Very Slightly	178	7.3 %
2	A Little	385	15.7 %
3	Moderately	713	29.1 %
4	Quite A Bit	614	25.1 %
5	Extremely	171	7.0 %
Missing Data			
-7	Refused	10	0.4 %
.	-	377	15.4 %
Total		2,448	100%

Based upon 2,061 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1873-1874 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PROUPAN6: Proud this wk

Indicate in the space next to each item how strongly you have experienced these feelings this past week: Proud

Value	Label	Unweighted Frequency	%
1	Not At All/Very Slightly	183	7.5 %
2	A Little	327	13.4 %
3	Moderately	609	24.9 %
4	Quite A Bit	668	27.3 %
5	Extremely	272	11.1 %
Missing Data			
-7	Refused	12	0.5 %
.	-	377	15.4 %
Total		2,448	100%

Based upon 2,059 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1875-1876 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

IRRIPAN6: Irritable this wk

Indicate in the space next to each item how strongly you have experienced these feelings this past week: Irritable

Value	Label	Unweighted Frequency	%
1	Not At All/Very Slightly	666	27.2 %
2	A Little	907	37.1 %
3	Moderately	321	13.1 %
4	Quite A Bit	133	5.4 %
5	Extremely	32	1.3 %
Missing Data			
-9	Missing	2	0.1 %
-7	Refused	10	0.4 %
.	-	377	15.4 %
Total		2,448	100%

Based upon 2,059 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1877-1878 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

ALERPAN6: Alert this wk

Indicate in the space next to each item how strongly you have experienced these feelings this past week: Alert

Value	Label	Unweighted Frequency	%
1	Not At All/Very Slightly	92	3.8 %
2	A Little	249	10.2 %
3	Moderately	669	27.3 %
4	Quite A Bit	808	33.0 %
5	Extremely	242	9.9 %
Missing Data			
-7	Refused	11	0.4 %
.	-	377	15.4 %
Total		2,448	100%

Based upon 2,060 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1879-1880 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

ASHAPAN6: Ashamed this wk

Indicate in the space next to each item how strongly you have experienced these feelings this past week: Ashamed

Value	Label	Unweighted Frequency	%
1	Not At All/Very Slightly	1692	69.1 %
2	A Little	271	11.1 %
3	Moderately	59	2.4 %
4	Quite A Bit	23	0.9 %
5	Extremely	13	0.5 %
Missing Data			
-9	Missing	1	0.0 %
-7	Refused	12	0.5 %
.	-	377	15.4 %
Total		2,448	100%

Based upon 2,058 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1881-1882 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

INSPPAN6: Inspired this wk

Indicate in the space next to each item how strongly you have experienced these feelings this past week: Inspired

Value	Label	Unweighted Frequency	%
1	Not At All/Very Slightly	272	11.1 %
2	A Little	459	18.8 %
3	Moderately	660	27.0 %
4	Quite A Bit	495	20.2 %
5	Extremely	169	6.9 %
Missing Data			
-9	Missing	2	0.1 %
-7	Refused	14	0.6 %
.	-	377	15.4 %
Total		2,448	100%

Based upon 2,055 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1883-1884 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

NERVPAN6: Nervous this wk

Indicate in the space next to each item how strongly you have experienced these feelings this past week: Nervous

Value	Label	Unweighted Frequency	%
1	Not At All/Very Slightly	964	39.4 %
2	A Little	691	28.2 %
3	Moderately	243	9.9 %
4	Quite A Bit	125	5.1 %
5	Extremely	33	1.3 %
Missing Data			
-9	Missing	3	0.1 %
-7	Refused	12	0.5 %
.	-	377	15.4 %
Total		2,448	100%

Based upon 2,056 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1885-1886 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

DETEPAN6: Determined this wk

Indicate in the space next to each item how strongly you have experienced these feelings this past week: Determined

Value	Label	Unweighted Frequency	%
1	Not At All/Very Slightly	100	4.1 %
2	A Little	288	11.8 %
3	Moderately	590	24.1 %
4	Quite A Bit	714	29.2 %
5	Extremely	367	15.0 %
Missing Data			
-7	Refused	12	0.5 %
.	-	377	15.4 %
Total		2,448	100%

Based upon 2,059 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1887-1888 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

ATTEPAN6: Attentive this wk

Indicate in the space next to each item how strongly you have experienced these feelings this past week: Attentive

Value	Label	Unweighted Frequency	%
1	Not At All/Very Slightly	58	2.4 %
2	A Little	251	10.3 %
3	Moderately	719	29.4 %
4	Quite A Bit	804	32.8 %
5	Extremely	227	9.3 %
Missing Data			
-9	Missing	1	0.0 %
-7	Refused	11	0.4 %
.	-	377	15.4 %
Total		2,448	100%

Based upon 2,059 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1889-1890 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

JITTPAN6: Jittery this wk

Indicate in the space next to each item how strongly you have experienced these feelings this past week: Jittery

Value	Label	Unweighted Frequency	%
1	Not At All/Very Slightly	1297	53.0 %
2	A Little	506	20.7 %
3	Moderately	152	6.2 %
4	Quite A Bit	76	3.1 %
5	Extremely	27	1.1 %
Missing Data			
-9	Missing	2	0.1 %
-7	Refused	11	0.4 %
.	-	377	15.4 %
Total		2,448	100%

Based upon 2,058 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1891-1892 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

ACTIPAN6: Active this wk

Indicate in the space next to each item how strongly you have experienced these feelings this past week: Active

Value	Label	Unweighted Frequency	%
1	Not At All/Very Slightly	114	4.7 %
2	A Little	297	12.1 %
3	Moderately	692	28.3 %
4	Quite A Bit	681	27.8 %
5	Extremely	277	11.3 %
Missing Data			
-7	Refused	10	0.4 %
.	-	377	15.4 %
Total		2,448	100%

Based upon 2,061 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1893-1894 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

AFRAPAN6: Afraid this wk

Indicate in the space next to each item how strongly you have experienced these feelings this past week: Afraid

Value	Label	Unweighted Frequency	%
1	Not At All/Very Slightly	1412	57.7 %
2	A Little	469	19.2 %
3	Moderately	103	4.2 %
4	Quite A Bit	56	2.3 %
5	Extremely	21	0.9 %
Missing Data			
-9	Missing	1	0.0 %
-7	Refused	9	0.4 %
.	-	377	15.4 %
Total		2,448	100%

Based upon 2,061 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1895-1896 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

STRENEX6: Strenuous exercise x/wk

Considering a usual 7-day period in the past year, how many times on the average did you do the following kinds of exercise or physical activity? - Strenuous exercise or physical activity where your heart beats rapidly (i.e., running, jogging, soccer, singles tennis, vigorous swimming, vigorous long distance bicycling, vigorous aerobic dance)

Value	Label	Unweighted Frequency	%
0	-	91	3.7 %
1	-	9	0.4 %
2	-	7	0.3 %
3	-	8	0.3 %
4	-	6	0.2 %
5	-	2	0.1 %
6	-	2	0.1 %
Missing Data			
-9	Missing	2202	90.0 %
-1	N/A	5	0.2 %
.	-	116	4.7 %
Total		2,448	100%

Based upon 125 valid cases out of 2,448 total cases.

- Mean: 0.74
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 1.44

Location: 1897-1898 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

MODEREX6: Moderate exercise x/wk

Considering a usual 7-day period in the past year, how many times on the average did you do the following kinds of exercise or physical activity? - Moderate exercise or physical activity, not exhausting (i.e., fast walking, doubles tennis, easy bicycling, easy swimming, alpine skiing, dancing, low impact aerobics, weight lifting/training)

Value	Label	Unweighted Frequency	%
0	-	32	1.3 %
1	-	15	0.6 %
2	-	19	0.8 %
3	-	26	1.1 %
4	-	12	0.5 %
5	-	8	0.3 %
6	-	4	0.2 %
7	-	9	0.4 %
Missing Data			
-9	Missing	2202	90.0 %

Value	Label	Unweighted Frequency	%
-1	N/A	5	0.2 %
.	-	116	4.7 %
	Total	2,448	100%

Based upon 125 valid cases out of 2,448 total cases.

- Mean: 2.45
- Median: 2.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 7.00
- Standard Deviation: 2.11

Location: 1899-1900 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ACUPUNC6: Acupuncture

During the past 12 months, have you used any of the following for your health? Acupuncture

Value	Label	Unweighted Frequency	%
1	No	2066	84.4 %
2	Yes	99	4.0 %
	Missing Data		
-7	Refused	7	0.3 %
.	-	276	11.3 %
	Total	2,448	100%

Based upon 2,165 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1901-1902 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ACUPHAR6: Acupuncture - Heart

If YES to ACUPUNC6: What were the reasons for using this? - To reduce the risk of heart disease?

Value	Label	Unweighted Frequency	%
1	No	88	3.6 %
2	Yes	6	0.2 %
	Missing Data		
-7	Refused	5	0.2 %
-1	N/A	2073	84.7 %

Value	Label	Unweighted Frequency	%
.	-	276	11.3 %
	Total	2,448	100%

Based upon 94 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1903-1904 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ACUPOST6: Acupuncture - Osteoporosis

If YES to ACUPUNC6: What were the reasons for using this? - To reduce the risk of osteoporosis

Value	Label	Unweighted Frequency	%
1	No	92	3.8 %
2	Yes	3	0.1 %
	Missing Data		
-7	Refused	4	0.2 %
-1	N/A	2073	84.7 %
.	-	276	11.3 %
	Total	2,448	100%

Based upon 95 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1905-1906 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ACUPMEN6: Acupuncture - Meno. symptoms

If YES to ACUPUNC6: What were the reasons for using this? - To relieve menopausal symptoms

Value	Label	Unweighted Frequency	%
1	No	80	3.3 %
2	Yes	14	0.6 %
	Missing Data		
-7	Refused	5	0.2 %
-1	N/A	2073	84.7 %
.	-	276	11.3 %
	Total	2,448	100%

Based upon 94 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1907-1908 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ACUPLOO6: Acupuncture - Young Looking

If YES to ACUPUNC6: What were the reasons for using this? - To stay young-looking

Value	Label	Unweighted Frequency	%
1	No	90	3.7 %
2	Yes	3	0.1 %
Missing Data			
-7	Refused	6	0.2 %
-1	N/A	2073	84.7 %
.	-	276	11.3 %
Total		2,448	100%

Based upon 93 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1909-1910 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ACUPMEM6: Acupuncture - Improve Memory

If YES to ACUPUNC6: What were the reasons for using this? - To improve memory

Value	Label	Unweighted Frequency	%
1	No	90	3.7 %
2	Yes	2	0.1 %
Missing Data			
-7	Refused	7	0.3 %
-1	N/A	2073	84.7 %
.	-	276	11.3 %
Total		2,448	100%

Based upon 92 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1911-1912 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ACUPPER6: Acupuncture - Reg. Periods

If YES to ACUPUNC6: What were the reasons for using this? - To regulate periods

Value	Label	Unweighted Frequency	%
1	No	90	3.7 %
2	Yes	4	0.2 %
	Missing Data		
-7	Refused	5	0.2 %
-1	N/A	2073	84.7 %
.	.	276	11.3 %
	Total	2,448	100%

Based upon 94 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1913-1914 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

ACUPGEN6: Acupuncture - General Health

If YES to ACUPUNC6: What were the reasons for using this? - For general health

Value	Label	Unweighted Frequency	%
1	No	53	2.2 %
2	Yes	39	1.6 %
	Missing Data		
-7	Refused	6	0.2 %
-1	N/A	2074	84.7 %
.	.	276	11.3 %
	Total	2,448	100%

Based upon 92 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1915-1916 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

ACUPWGH6: Acupuncture - Weight

If YES to ACUPUNC6: What were the reasons for using this? - To lose weight or stay the same weight

Value	Label	Unweighted Frequency	%
1	No	86	3.5 %

Value	Label	Unweighted Frequency	%
2	Yes	8	0.3 %
	Missing Data		
-7	Refused	5	0.2 %
-1	N/A	2073	84.7 %
.	-	276	11.3 %
	Total	2,448	100%

Based upon 94 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1917-1918 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ACUPADV6: Acupuncture - Provider advice

If YES to ACUPUNC6: What were the reasons for using this? - On advice from health care provider

Value	Label	Unweighted Frequency	%
1	No	74	3.0 %
2	Yes	20	0.8 %
	Missing Data		
-7	Refused	5	0.2 %
-1	N/A	2073	84.7 %
.	-	276	11.3 %
	Total	2,448	100%

Based upon 94 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1919-1920 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ACUPOTH6: Acupuncture - Other reason

If YES to ACUPUNC6: What were the reasons for using this? - Other

Value	Label	Unweighted Frequency	%
1	No	30	1.2 %
2	Yes	58	2.4 %
	Missing Data		
-7	Refused	11	0.4 %
-1	N/A	2073	84.7 %

Value	Label	Unweighted Frequency	%
-		276	11.3 %
Total		2,448	100%

Based upon 88 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1921-1922 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ACUPSPE6: Acupuncture - Other specify

If YES to ACUPUNC6: What were the reasons for using this? - Other (please specify)

Value	Label	Unweighted Frequency	%
-		276	11.3 %
-1: N/A		2114	86.4 %
ACID REFLEX, KNEE PAIN (BURSITIS)		1	0.0 %
ALLERGIES		1	0.0 %
ALLERGIES, SINUS PROBLEMS		1	0.0 %
ALLEViate PAIN		1	0.0 %
ARTHRITIS		1	0.0 %
ARTHRITIS PAIN		1	0.0 %
BACK ACHE		1	0.0 %
BACK PAIN		1	0.0 %
BOWEL PROBLEMS & CAROTENEMIA		1	0.0 %
CONCERN ABOUT THYROID		1	0.0 %
DEPRESSION		1	0.0 %
DIAGNOS A PROBLEM I WAS HAVING		1	0.0 %
ELBOW PAIN		1	0.0 %
ENDOMETRIOSIS, ALLERGIES, COLDS		1	0.0 %
FOOT PAIN		1	0.0 %
FOR BACK PROBLEMS		1	0.0 %
FOR HEADACHES		1	0.0 %
FOR MY NEUROPATHIC PAIN		1	0.0 %
FOR PAIN AND SWELLING		1	0.0 %
FOR SHOULDER PAIN		1	0.0 %
INSOMNIA		1	0.0 %
JOINT PAIN		1	0.0 %
JOINT PAIN BURSITIS		1	0.0 %
JOINT PAIN IN HIP, IRRIT. BOWEL		1	0.0 %
KNEE PAIN		1	0.0 %
KNEE PROBLEM		1	0.0 %

Value	Label	Unweighted Frequency	%
KNEE/BACK PAIN	-	1	0.0 %
LOWER BACK PAIN	-	2	0.1 %
NECK PAIN	-	1	0.0 %
NEVER	-	1	0.0 %
PAIN	-	2	0.1 %
PAIN & FATIGUE OF MULTIPLE SCLEROSIS	-	1	0.0 %
PAIN IN ARM	-	1	0.0 %
PAIN IN SHOULDER ARM & FINGERS	-	1	0.0 %
PAIN TREATMENT	-	1	0.0 %
RECOVERY FROM INJURY	-	1	0.0 %
REDUCE PAIN	-	2	0.1 %
REGULATE PAIN ON LEG	-	1	0.0 %
RELIEVE STRESS	-	1	0.0 %
RESEARCH STUDY DROPPED OUT	-	1	0.0 %
SCIATICA	-	1	0.0 %
SHOULDER PAIN	-	1	0.0 %
SINUS INFECTION	-	1	0.0 %
SORE WRIST	-	1	0.0 %
STIFF NECK	-	1	0.0 %
TENDERNITES	-	1	0.0 %
THYROID TREATMENT	-	1	0.0 %
TINNITUS	-	1	0.0 %
	Total	2,448	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,448 valid cases out of 2,448 total cases.

Location: 1923-1958 (width: 36; decimal: 0)

Variable Type: character

BCOHOSH6: Black cohosh

During the past 12 months, have you used any of the following for your health? Black cohosh

Value	Label	Unweighted Frequency	%
1	No	2027	82.8 %
2	Yes	136	5.6 %
	Missing Data		
-7	Refused	9	0.4 %
.	-	276	11.3 %
	Total	2,448	100%

Based upon 2,163 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1959-1960 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BCOHHAR6: Black cohosh - Heart

If YES to BCOHOSH6: What were the reasons for using this? - To reduce the risk of heart disease?

Value	Label	Unweighted Frequency	%
1	No	107	4.4 %
2	Yes	21	0.9 %
Missing Data			
-7	Refused	8	0.3 %
-1	N/A	2036	83.2 %
.	-	276	11.3 %
Total		2,448	100%

Based upon 128 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1961-1962 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BCOHOSH6: Black cohosh - Osteoporosis

If YES to BCOHOSH6: What were the reasons for using this? - To reduce the risk of osteoporosis

Value	Label	Unweighted Frequency	%
1	No	119	4.9 %
2	Yes	7	0.3 %
Missing Data			
-7	Refused	10	0.4 %
-1	N/A	2036	83.2 %
.	-	276	11.3 %
Total		2,448	100%

Based upon 126 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1963-1964 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BCOHMEN6: Black cohosh - Meno. symptoms

If YES to BCOHOSH6: What were the reasons for using this? - To relieve menopausal symptoms

Value	Label	Unweighted Frequency	%
1	No	9	0.4 %
2	Yes	126	5.1 %
	Missing Data		
-7	Refused	1	0.0 %
-1	N/A	2036	83.2 %
.	-	276	11.3 %
	Total	2,448	100%

Based upon 135 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1965-1966 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BCOHLOO6: Black cohosh - Young Looking

If YES to BCOHOSH6: What were the reasons for using this? - To stay young-looking

Value	Label	Unweighted Frequency	%
1	No	119	4.9 %
2	Yes	7	0.3 %
	Missing Data		
-7	Refused	10	0.4 %
-1	N/A	2036	83.2 %
.	-	276	11.3 %
	Total	2,448	100%

Based upon 126 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1967-1968 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BCOHMEM6: Black cohosh - Improve Memory

If YES to BCOHOSH6: What were the reasons for using this? - To improve memory

Value	Label	Unweighted Frequency	%
1	No	115	4.7 %

Value	Label	Unweighted Frequency	%
2	Yes	10	0.4 %
	Missing Data		
-7	Refused	11	0.4 %
-1	N/A	2036	83.2 %
.	-	276	11.3 %
	Total	2,448	100%

Based upon 125 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1969-1970 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BCOHPER6: Black cohosh - Reg. Periods

If YES to BCOHOSH6: What were the reasons for using this? - To regulate periods

Value	Label	Unweighted Frequency	%
1	No	120	4.9 %
2	Yes	6	0.2 %
	Missing Data		
-7	Refused	10	0.4 %
-1	N/A	2036	83.2 %
.	-	276	11.3 %
	Total	2,448	100%

Based upon 126 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1971-1972 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BCOHGEN6: Black cohosh - General Health

If YES to BCOHOSH6: What were the reasons for using this? - For general health

Value	Label	Unweighted Frequency	%
1	No	104	4.2 %
2	Yes	23	0.9 %
	Missing Data		
-7	Refused	9	0.4 %
-1	N/A	2036	83.2 %

Value	Label	Unweighted Frequency	%
.	-	276	11.3 %
	Total	2,448	100%

Based upon 127 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1973-1974 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BCOHWH6: Black cohosh - Weight

If YES to BCOHOSH6: What were the reasons for using this? - To lose weight or to stay the same weight

Value	Label	Unweighted Frequency	%
1	No	118	4.8 %
2	Yes	8	0.3 %
	Missing Data		
-7	Refused	10	0.4 %
-1	N/A	2036	83.2 %
.	-	276	11.3 %
	Total	2,448	100%

Based upon 126 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1975-1976 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BCOHADV6: Black cohosh - Provider advice

If YES to BCOHOSH6: What were the reasons for using this? - On advice from health care provider

Value	Label	Unweighted Frequency	%
1	No	108	4.4 %
2	Yes	18	0.7 %
	Missing Data		
-7	Refused	10	0.4 %
-1	N/A	2036	83.2 %
.	-	276	11.3 %
	Total	2,448	100%

Based upon 126 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1977-1978 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BCOHOTH6: Black cohosh - Other reason

If YES to BCOHOSH6: What were the reasons for using this? - Other

Value	Label	Unweighted Frequency	%
1	No	116	4.7 %
2	Yes	7	0.3 %
Missing Data			
-7	Refused	13	0.5 %
-1	N/A	2036	83.2 %
.	-	276	11.3 %
Total		2,448	100%

Based upon 123 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1979-1980 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BCOHSPE6: Black cohosh - Other specify

If YES to BCOHOSH6: What were the reasons for using this? - Other (please specify)

Value	Label	Unweighted Frequency	%
-	-	276	11.3 %
-1: N/A	-	2165	88.4 %
HOT FLASH & NIGHT SWEAT	-	1	0.0 %
HOT FLASHES	-	2	0.1 %
HOT FLUSHES	-	1	0.0 %
LIVER FLUSH	-	1	0.0 %
PERI MENOPAUSE SYMPTOMS	-	1	0.0 %
TO IMPROVE SLEEP	-	1	0.0 %
Total		2,448	100%

Based upon 2,448 valid cases out of 2,448 total cases.

Location: 1981-2003 (width: 23; decimal: 0)

Variable Type: character

DHEA6: DHEA

During the past 12 months, have you used any of the following for your health? DHEA

Value	Label	Unweighted Frequency	%
1	No	2133	87.1 %
2	Yes	27	1.1 %
Missing Data			
-9	Missing	1	0.0 %
-7	Refused	11	0.4 %
.	-	276	11.3 %
Total		2,448	100%

Based upon 2,160 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2004-2005 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DHEAHAR6: DHEA - Heart

If YES to DHEA6: What were the reasons for using this? - To reduce the risk of heart disease

Value	Label	Unweighted Frequency	%
1	No	21	0.9 %
2	Yes	4	0.2 %
Missing Data			
-7	Refused	2	0.1 %
-1	N/A	2145	87.6 %
.	-	276	11.3 %
Total		2,448	100%

Based upon 25 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2006-2007 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DHEAOST6: DHEA - Osteoporosis

If YES to DHEA6: What were the reasons for using this? - To reduce the risk of osteoporosis

Value	Label	Unweighted Frequency	%
1	No	20	0.8 %
2	Yes	4	0.2 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-7	Refused	3	0.1 %
-1	N/A	2145	87.6 %
.	-	276	11.3 %
	Total	2,448	100%

Based upon 24 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2008-2009 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DHEAMEN6: DHEA - Meno. symptoms

If YES to DHEA6: What were the reasons for using this? - To relieve menopausal symptoms

Value	Label	Unweighted Frequency	%
1	No	16	0.7 %
2	Yes	9	0.4 %
	Missing Data		
-7	Refused	2	0.1 %
-1	N/A	2145	87.6 %
.	-	276	11.3 %
	Total	2,448	100%

Based upon 25 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2010-2011 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DHEALOO6: DHEA - Young Looking

If YES to DHEA6: What were the reasons for using this? - To stay young-looking

Value	Label	Unweighted Frequency	%
1	No	15	0.6 %
2	Yes	9	0.4 %
	Missing Data		
-7	Refused	3	0.1 %
-1	N/A	2145	87.6 %
.	-	276	11.3 %

Value	Label	Unweighted Frequency	%
	Total	2,448	100%

Based upon 24 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2012-2013 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DHEAMEM6: DHEA - Improve Memory

If YES to DHEA6: What were the reasons for using this? - To improve memory

Value	Label	Unweighted Frequency	%
1	No	17	0.7 %
2	Yes	5	0.2 %
	Missing Data		
-7	Refused	5	0.2 %
-1	N/A	2145	87.6 %
.	-	276	11.3 %
	Total	2,448	100%

Based upon 22 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2014-2015 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DHEAPER6: DHEA - Reg. Periods

If YES to DHEA6: What were the reasons for using this? - To regulate periods

Value	Label	Unweighted Frequency	%
1	No	22	0.9 %
2	Yes	1	0.0 %
	Missing Data		
-7	Refused	4	0.2 %
-1	N/A	2145	87.6 %
.	-	276	11.3 %
	Total	2,448	100%

Based upon 23 valid cases out of 2,448 total cases.

- Minimum: 1.00

- Maximum: 2.00

Location: 2016-2017 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DHEAGEN6: DHEA - General Health

If YES to DHEA6: What were the reasons for using this? - For general health

Value	Label	Unweighted Frequency	%
1	No	11	0.4 %
2	Yes	14	0.6 %
Missing Data			
-7	Refused	2	0.1 %
-1	N/A	2145	87.6 %
.	-	276	11.3 %
Total		2,448	100%

Based upon 25 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2018-2019 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DHEAWGH6: DHEA - Weight

If YES to DHEA6: What were the reasons for using this? - To lose weight or to stay the same weight

Value	Label	Unweighted Frequency	%
1	No	20	0.8 %
2	Yes	3	0.1 %
Missing Data			
-7	Refused	4	0.2 %
-1	N/A	2145	87.6 %
.	-	276	11.3 %
Total		2,448	100%

Based upon 23 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2020-2021 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DHEAADV6: DHEA - Provider advice

If YES to DHEA6: What were the reasons for using this? - On advice from health care provider

Value	Label	Unweighted Frequency	%
1	No	16	0.7 %
2	Yes	8	0.3 %
Missing Data			
-7	Refused	3	0.1 %
-1	N/A	2145	87.6 %
.	-	276	11.3 %
Total		2,448	100%

Based upon 24 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2022-2023 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DHEAOTH6: DHEA - Other reason

If YES to DHEA6: What were the reasons for using this? - Other

Value	Label	Unweighted Frequency	%
1	No	18	0.7 %
2	Yes	4	0.2 %
Missing Data			
-7	Refused	5	0.2 %
-1	N/A	2145	87.6 %
.	-	276	11.3 %
Total		2,448	100%

Based upon 22 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2024-2025 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DHEASPE6: DHEA - Other specify

If YES to DHEA6: What were the reasons for using this? - Other (please specify)

Value	Label	Unweighted Frequency	%
-	-	276	11.3 %
-1: N/A	-	2168	88.6 %

Value	Label	Unweighted Frequency	%
BETTER SLEEP	-	1	0.0 %
CAN'T REMEMBER	-	1	0.0 %
ENERGY	-	1	0.0 %
ENHANCE LIBIDO	-	1	0.0 %
	Total	2,448	100%

Based upon 2,448 valid cases out of 2,448 total cases.

Location: 2026-2040 (width: 15; decimal: 0)

Variable Type: character

DQUAI6: Dong Quai

During the past 12 months, have you used any of the following for your health? Dong Quai

Value	Label	Unweighted Frequency	%
1	No	2104	85.9 %
2	Yes	61	2.5 %
	Missing Data		
-7	Refused	7	0.3 %
.	-	276	11.3 %
	Total	2,448	100%

Based upon 2,165 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2041-2042 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DQUAHAR6: Dong Quai - Heart

If YES to DQUAI6: What were the reasons for using this? - To reduce the risk of heart disease

Value	Label	Unweighted Frequency	%
1	No	43	1.8 %
2	Yes	8	0.3 %
	Missing Data		
-7	Refused	10	0.4 %
-1	N/A	2111	86.2 %
.	-	276	11.3 %
	Total	2,448	100%

Based upon 51 valid cases out of 2,448 total cases.

- Minimum: 1.00

- Maximum: 2.00

Location: 2043-2044 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DQUAOST6: Dong Quai - Osteoporosis

If YES to DQUAI6: What were the reasons for using this? - To reduce the risk of osteoporosis

Value	Label	Unweighted Frequency	%
1	No	46	1.9 %
2	Yes	5	0.2 %
Missing Data			
-7	Refused	10	0.4 %
-1	N/A	2111	86.2 %
.	-	276	11.3 %
Total		2,448	100%

Based upon 51 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2045-2046 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DQUAMEN6: Dong Quai - Meno. symptoms

If YES to DQUAI6: What were the reasons for using this? - To relieve menopausal symptoms

Value	Label	Unweighted Frequency	%
1	No	21	0.9 %
2	Yes	36	1.5 %
Missing Data			
-7	Refused	4	0.2 %
-1	N/A	2111	86.2 %
.	-	276	11.3 %
Total		2,448	100%

Based upon 57 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2047-2048 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DQUALOO6: Dong Quai - Young Looking

If YES to DQUAI6: What were the reasons for using this? - To stay young-looking

Value	Label	Unweighted Frequency	%
1	No	45	1.8 %
2	Yes	5	0.2 %
Missing Data			
-7	Refused	11	0.4 %
-1	N/A	2111	86.2 %
.	-	276	11.3 %
Total		2,448	100%

Based upon 50 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2049-2050 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DQUAMEM6: Dong Quai - Improve Memory

If YES to DQUAI6: What were the reasons for using this? - To improve memory

Value	Label	Unweighted Frequency	%
1	No	45	1.8 %
2	Yes	5	0.2 %
Missing Data			
-7	Refused	11	0.4 %
-1	N/A	2111	86.2 %
.	-	276	11.3 %
Total		2,448	100%

Based upon 50 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2051-2052 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DQUAPER6: Dong Quai - Reg. Periods

If YES to DQUAI6: What were the reasons for using this? - To regulate periods

Value	Label	Unweighted Frequency	%
1	No	44	1.8 %
2	Yes	9	0.4 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-7	Refused	8	0.3 %
-1	N/A	2111	86.2 %
.	-	276	11.3 %
	Total	2,448	100%

Based upon 53 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2053-2054 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DQUAGEN6: Dong Quai - General Health

If YES to DQUAI6: What were the reasons for using this? - For general health

Value	Label	Unweighted Frequency	%
1	No	20	0.8 %
2	Yes	34	1.4 %
	Missing Data		
-7	Refused	7	0.3 %
-1	N/A	2111	86.2 %
.	-	276	11.3 %
	Total	2,448	100%

Based upon 54 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2055-2056 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DQUAWGH6: Dong Quai - Weight

If YES to DQUAI6: What were the reasons for using this? - To lose weight or to stay the same weight

Value	Label	Unweighted Frequency	%
1	No	46	1.9 %
2	Yes	4	0.2 %
	Missing Data		
-7	Refused	11	0.4 %
-1	N/A	2111	86.2 %
.	-	276	11.3 %

Value	Label	Unweighted Frequency	%
	Total	2,448	100%

Based upon 50 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2057-2058 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DQUAADV6: Dong Quai - Provider advice

If YES to DQUAI6: What were the reasons for using this? - On advice from health care provider

Value	Label	Unweighted Frequency	%
1	No	44	1.8 %
2	Yes	6	0.2 %
	Missing Data		
-7	Refused	11	0.4 %
-1	N/A	2111	86.2 %
.	-	276	11.3 %
	Total	2,448	100%

Based upon 50 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2059-2060 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DQUAOTH6: Dong Quai - Other reason

If YES to DQUAI6: What were the reasons for using this? - Other

Value	Label	Unweighted Frequency	%
1	No	28	1.1 %
2	Yes	6	0.2 %
	Missing Data		
-7	Refused	27	1.1 %
-1	N/A	2111	86.2 %
.	-	276	11.3 %
	Total	2,448	100%

Based upon 34 valid cases out of 2,448 total cases.

- Minimum: 1.00

- Maximum: 2.00

Location: 2061-2062 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DQUASPE6: Dong Quai - Other specify

If YES to DQUAI6: What were the reasons for using this? - Other (please specify)

Value	Label	Unweighted Frequency	%
-	-	276	11.3 %
-1: N/A	-	2166	88.5 %
CAN'T REMEMBER	-	1	0.0 %
CAROTENEMIA	-	1	0.0 %
HOT FLASH	-	1	0.0 %
HOT FLASHES	-	1	0.0 %
SAME AS I1	-	1	0.0 %
TONIC	-	1	0.0 %
	Total	2,448	100%

Based upon 2,448 valid cases out of 2,448 total cases.

Location: 2063-2077 (width: 15; decimal: 0)

Variable Type: character

DIETNUT6: Nutritious diet

During the past 12 months, have you used any of the following for your health? Eating a nutritious diet

Value	Label	Unweighted Frequency	%
1	No	733	29.9 %
2	Yes	1425	58.2 %
	Missing Data		
-7	Refused	14	0.6 %
.	-	276	11.3 %
	Total	2,448	100%

Based upon 2,158 valid cases out of 2,448 total cases.

- Minimum: 1.00

- Maximum: 2.00

Location: 2078-2079 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIETHAR6: Nutritious diet - Heart

If YES to DIETNUT6: What were the reasons for using this? - To reduce the risk of heart disease

Value	Label	Unweighted Frequency	%
1	No	420	17.2 %
2	Yes	964	39.4 %
	Missing Data		
-7	Refused	41	1.7 %
-1	N/A	747	30.5 %
.	-	276	11.3 %
	Total	2,448	100%

Based upon 1,384 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2080-2081 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIETOST6: Nutritious diet - Osteoporosis

If YES to DIETNUT6: What were the reasons for using this? - To reduce the risk of osteoporosis

Value	Label	Unweighted Frequency	%
1	No	674	27.5 %
2	Yes	701	28.6 %
	Missing Data		
-7	Refused	48	2.0 %
-1	N/A	749	30.6 %
.	-	276	11.3 %
	Total	2,448	100%

Based upon 1,375 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2082-2083 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIETMEN6: Nutritious diet - Meno. symptoms

If YES to DIETNUT6: What were the reasons for using this? - To relieve menopausal symptoms

Value	Label	Unweighted Frequency	%
1	No	1068	43.6 %
2	Yes	302	12.3 %
	Missing Data		
-7	Refused	53	2.2 %

Value	Label	Unweighted Frequency	%
-1	N/A	749	30.6 %
.	-	276	11.3 %
	Total	2,448	100%

Based upon 1,370 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2084-2085 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIETLOO6: Nutritious diet - Young Looking

If YES to DIETNUT6: What were the reasons for using this? - To stay young-looking

Value	Label	Unweighted Frequency	%
1	No	833	34.0 %
2	Yes	542	22.1 %
	Missing Data		
-7	Refused	48	2.0 %
-1	N/A	749	30.6 %
.	-	276	11.3 %
	Total	2,448	100%

Based upon 1,375 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2086-2087 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIETMEM6: Nutritious diet - Improve Memory

If YES to DIETNUT6: What were the reasons for using this? - To improve memory

Value	Label	Unweighted Frequency	%
1	No	1020	41.7 %
2	Yes	348	14.2 %
	Missing Data		
-7	Refused	54	2.2 %
-1	N/A	750	30.6 %
.	-	276	11.3 %
	Total	2,448	100%

Based upon 1,368 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2088-2089 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIETPER6: Nutritious diet - Reg. Periods

If YES to DIETNUT6: What were the reasons for using this? - To regulate periods

Value	Label	Unweighted Frequency	%
1	No	1299	53.1 %
2	Yes	62	2.5 %
Missing Data			
-7	Refused	61	2.5 %
-1	N/A	750	30.6 %
.	-	276	11.3 %
Total		2,448	100%

Based upon 1,361 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2090-2091 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIETGEN6: Nutritious diet - General Health

If YES to DIETNUT6: What were the reasons for using this? - For general health

Value	Label	Unweighted Frequency	%
1	No	83	3.4 %
2	Yes	1321	54.0 %
Missing Data			
-7	Refused	20	0.8 %
-1	N/A	748	30.6 %
.	-	276	11.3 %
Total		2,448	100%

Based upon 1,404 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2092-2093 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIETWGH6: Nutritious diet - Weight

If YES to DIETNUT6: What were the reasons for using this? - To lose weight or to stay the same weight

Value	Label	Unweighted Frequency	%
1	No	271	11.1 %
2	Yes	1121	45.8 %
	Missing Data		
-7	Refused	31	1.3 %
-1	N/A	749	30.6 %
.	-	276	11.3 %
	Total	2,448	100%

Based upon 1,392 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2094-2095 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIETADV6: Nutritious diet - Provider advice

If YES to DIETNUT6: What were the reasons for using this? - On advice from health care provider

Value	Label	Unweighted Frequency	%
1	No	978	40.0 %
2	Yes	387	15.8 %
	Missing Data		
-7	Refused	57	2.3 %
-1	N/A	750	30.6 %
.	-	276	11.3 %
	Total	2,448	100%

Based upon 1,365 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2096-2097 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIETOTH6: Nutritious diet - Other reason

If YES to DIETNUT6: What were the reasons for using this? - Other

Value	Label	Unweighted Frequency	%
1	No	1136	46.4 %
2	Yes	56	2.3 %
	Missing Data		
-7	Refused	228	9.3 %
-1	N/A	752	30.7 %
.	-	276	11.3 %
	Total	2,448	100%

Based upon 1,192 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2098-2099 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIETSPE6: Nutritious diet - Other specify

If YES to DIETNUT6: What were the reasons for using this? - Other (please specify)

Value	Label	Unweighted Frequency	%
-	-	276	11.3 %
-1: N/A	-	2116	86.4 %
ACID AKALINE BALANCE	-	1	0.0 %
ARTHRITIS	-	1	0.0 %
BE HEALTHY.	-	1	0.0 %
BECAUSE I WANT TO LIVE LONGER	-	1	0.0 %
BECAUSE IT TASTE GOOD	-	1	0.0 %
BLOOD SUGAR CONDITION	-	1	0.0 %
CANCER	-	1	0.0 %
COMMON SENSE	-	1	0.0 %
DAUGHTER COOKS VERY NUTRITIOUS MEALS	-	1	0.0 %
DECREASE CHOLESTEROL	-	1	0.0 %
DIABETES	-	6	0.2 %
DIAGNOSED WITH BREAST CANCER	-	1	0.0 %
EROSIVE ESOPHAGAS	-	1	0.0 %
FIGHT SYMTOMS OFF DISEASE	-	1	0.0 %
GEN. HEALTH	-	1	0.0 %
HAVE CHILD ON HEALTH DIET- SO WE ALL ARE	-	1	0.0 %
HIGH CHOLESTEROL	-	1	0.0 %
HUNGRY	-	1	0.0 %
I FEEL BETTER WHEN I EAT HEALTHY.	-	1	0.0 %
I JUST SHOULD	-	1	0.0 %
I LIKE NUTRITIOUS FOOD	-	1	0.0 %

Value	Label	Unweighted Frequency	%
IMPROVE ENERGY	-	1	0.0 %
IMPROVE FACIAL LOOK	-	1	0.0 %
LENT	-	1	0.0 %
LOWER BLOOD SUGAR, CHOLESTEROL	-	1	0.0 %
LOWER CHOLESTEROL	-	2	0.1 %
MENOPAUSE	-	1	0.0 %
MODERATE BLOOD SUGAR	-	1	0.0 %
NORMAL EATING PATTERN	-	1	0.0 %
PLEASURE	-	1	0.0 %
PREVENT DIABETES (WEIGHT)	-	1	0.0 %
PROLONG NRG SUPPORT, EXERCISE, CLEAR THINKING, PREV CATABOLI	-	1	0.0 %
SET EXAMPLE FOR MY DAUGHTER	-	1	0.0 %
SPIRITUAL CLARITY	-	1	0.0 %
STAYING HEALTHY AND STRONG	-	1	0.0 %
TO AVOID ALL GLUTENS DUE TO WHEAT INTOLERANCE	-	1	0.0 %
TO CONTROL DIABETES	-	1	0.0 %
TO FEEL BETTER	-	1	0.0 %
TO FEEL GOOD	-	1	0.0 %
TO GAIN WEIGHT	-	1	0.0 %
TO HELP MY VIRUS (COXSACHIE B1)	-	1	0.0 %
TO IMPROVE ANEMIA	-	1	0.0 %
TO IMPROVE MOOD SWINGS	-	1	0.0 %
TO INCREASE CALCIUM INTAKE	-	1	0.0 %
TO LOWER CHOLESTEROL	-	1	0.0 %
TO LOWER LDL CHOLESTEROL AND RAISE HDL CHOLESTEROL	-	1	0.0 %
TO OBTAIN ADEQUATE FIBER	-	1	0.0 %
TO REVERSE DIABETES/INSULIN RESISTANCE	-	1	0.0 %
	Total	2,448	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,448 valid cases out of 2,448 total cases.

Location: 2100-2159 (width: 60; decimal: 0)

Variable Type: character

HEALENR6: Energy healing

During the past 12 months, have you used any of the following for your health? Energy healing

Value	Label	Unweighted Frequency	%
1	No	2055	83.9 %
2	Yes	101	4.1 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-9	Missing	1	0.0 %
-7	Refused	15	0.6 %
.	-	276	11.3 %
Total		2,448	100%

Based upon 2,156 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2160-2161 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -8 , -7 , -1 , .

HEALHAR6: Energy healing - Heart

If YES to HEALENR6: What were the reasons for using this? - To reduce the risk of heart disease

Value	Label	Unweighted Frequency	%
1	No	57	2.3 %
2	Yes	38	1.6 %
Missing Data			
-7	Refused	6	0.2 %
-1	N/A	2071	84.6 %
.	-	276	11.3 %
Total		2,448	100%

Based upon 95 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2162-2163 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -8 , -7 , -1 , .

HEALOST6: Energy healing - Osteoporosis

If YES to HEALENR6: What were the reasons for using this? - To reduce the risk of osteoporosis

Value	Label	Unweighted Frequency	%
1	No	67	2.7 %
2	Yes	28	1.1 %
Missing Data			
-7	Refused	6	0.2 %
-1	N/A	2071	84.6 %
.	-	276	11.3 %

Value	Label	Unweighted Frequency	%
	Total	2,448	100%

Based upon 95 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2164-2165 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HEALMEN6: Energy healing - Meno. symptoms

If YES to HEALENR6: What were the reasons for using this? - To relieve menopausal symptoms

Value	Label	Unweighted Frequency	%
1	No	68	2.8 %
2	Yes	27	1.1 %
	Missing Data		
-7	Refused	6	0.2 %
-1	N/A	2071	84.6 %
.	-	276	11.3 %
	Total	2,448	100%

Based upon 95 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2166-2167 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HEALOO6: Energy healing - Young Looking

If YES to HEALENR6: What were the reasons for using this? - To stay young-looking

Value	Label	Unweighted Frequency	%
1	No	57	2.3 %
2	Yes	38	1.6 %
	Missing Data		
-7	Refused	6	0.2 %
-1	N/A	2071	84.6 %
.	-	276	11.3 %
	Total	2,448	100%

Based upon 95 valid cases out of 2,448 total cases.

- Minimum: 1.00

- Maximum: 2.00

Location: 2168-2169 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HEALMEM6: Energy healing - Improve Memory

If YES to HEALENR6: What were the reasons for using this? - To improve memory

Value	Label	Unweighted Frequency	%
1	No	60	2.5 %
2	Yes	34	1.4 %
Missing Data			
-7	Refused	7	0.3 %
-1	N/A	2071	84.6 %
.	-	276	11.3 %
Total		2,448	100%

Based upon 94 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2170-2171 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HEALPER6: Energy healing - Reg. Periods

If YES to HEALENR6: What were the reasons for using this? - To regulate periods

Value	Label	Unweighted Frequency	%
1	No	85	3.5 %
2	Yes	10	0.4 %
Missing Data			
-7	Refused	6	0.2 %
-1	N/A	2071	84.6 %
.	-	276	11.3 %
Total		2,448	100%

Based upon 95 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2172-2173 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HEALGEN6: Energy healing - General Health

If YES to HEALENR6: What were the reasons for using this? - For general health

Value	Label	Unweighted Frequency	%
1	No	13	0.5 %
2	Yes	87	3.6 %
Missing Data			
-7	Refused	1	0.0 %
-1	N/A	2071	84.6 %
.	-	276	11.3 %
Total		2,448	100%

Based upon 100 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2174-2175 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HEALWGH6: Energy healing - Weight

If YES to HEALENR6: What were the reasons for using this? - To lose weight or to stay the same weight

Value	Label	Unweighted Frequency	%
1	No	60	2.5 %
2	Yes	35	1.4 %
Missing Data			
-7	Refused	6	0.2 %
-1	N/A	2071	84.6 %
.	-	276	11.3 %
Total		2,448	100%

Based upon 95 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2176-2177 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HEALADV6: Energy healing - Provider advice

If YES to HEALENR6: What were the reasons for using this? - On advice from health care provider

Value	Label	Unweighted Frequency	%
1	No	73	3.0 %
2	Yes	22	0.9 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-7	Refused	6	0.2 %
-1	N/A	2071	84.6 %
.	-	276	11.3 %
	Total	2,448	100%

Based upon 95 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2178-2179 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HEALOTH6: Energy healing - Other reason

If YES to HEALENR6: What were the reasons for using this? - Other

Value	Label	Unweighted Frequency	%
1	No	66	2.7 %
2	Yes	21	0.9 %
	Missing Data		
-7	Refused	14	0.6 %
-1	N/A	2071	84.6 %
.	-	276	11.3 %
	Total	2,448	100%

Based upon 87 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2180-2181 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HEALSPE6: Energy healing - Other specify

If YES to HEALENR6: What were the reasons for using this? - Other (please specify)

Value	Label	Unweighted Frequency	%
	-	276	11.3 %
-1: N/A	-	2151	87.9 %
BECAUSE I WANT TO LIVE LONGER	-	1	0.0 %
BEFORE SURGERY	-	1	0.0 %
CORRECT KNEE PROBLEM	-	1	0.0 %
DIAGNOSED WITH BREAST CANCER	-	1	0.0 %

Value	Label	Unweighted Frequency	%
EMOTIONAL BALANCE	-	1	0.0 %
EMOTIONAL HEALING	-	1	0.0 %
EMOTIONAL RELIEF	-	1	0.0 %
FOR EMOTIONS	-	1	0.0 %
FRESH OUT DOOR AIR	-	1	0.0 %
GENERAL WELL BEING/EMOTIONAL HEALTH	-	1	0.0 %
HELP RECOVER FROM SURGERY & VIRUS	-	1	0.0 %
HELP W/ AFFECTS PTSD	-	1	0.0 %
IN CONJUNCTION WITH CHEMO	-	1	0.0 %
INCREASE EMOTIONAL HEALTH	-	1	0.0 %
MASSAGE POLARITY REIKE	-	1	0.0 %
PAIN	-	1	0.0 %
PAIN TREATMENT	-	1	0.0 %
SPIRITUAL HEALING, BECOMING MORE CAUSATIVE	-	1	0.0 %
TO RELIEVE FEAR & SLUGGISHNESS	-	1	0.0 %
TO STAY IN BALANCE	-	1	0.0 %
WELL-BEING, LESSEN STRESS	-	1	0.0 %
		Total	2,448
			100%

Based upon 2,448 valid cases out of 2,448 total cases.

Location: 2182-2223 (width: 42; decimal: 0)

Variable Type: character

EXERCIS6: Exercise

During the past 12 months, have you used any of the following for your health? Exercise

Value	Label	Unweighted Frequency	%
1	No	625	25.5 %
2	Yes	1540	62.9 %
	Missing Data		
-7	Refused	7	0.3 %
.	-	276	11.3 %
		Total	2,448
			100%

Based upon 2,165 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2224-2225 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

EXERHAR6: Exercise - Heart

If YES to EXERCIS6: What were the reasons for using this? - To reduce the risk of heart disease

Value	Label	Unweighted Frequency	%
1	No	431	17.6 %
2	Yes	1072	43.8 %
Missing Data			
-7	Refused	37	1.5 %
-1	N/A	632	25.8 %
.	-	276	11.3 %
Total		2,448	100%

Based upon 1,503 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2226-2227 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

EXEROST6: Exercise - Osteoporosis

If YES to EXERCIS6: What were the reasons for using this? - To reduce the risk of osteoporosis

Value	Label	Unweighted Frequency	%
1	No	632	25.8 %
2	Yes	859	35.1 %
Missing Data			
-7	Refused	46	1.9 %
-1	N/A	635	25.9 %
.	-	276	11.3 %
Total		2,448	100%

Based upon 1,491 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2228-2229 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

EXERMEN6: Exercise - Meno. symptoms

If YES to EXERCIS6: What were the reasons for using this? - To relieve menopausal symptoms

Value	Label	Unweighted Frequency	%
1	No	1155	47.2 %
2	Yes	327	13.4 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-7	Refused	56	2.3 %
-1	N/A	634	25.9 %
.	-	276	11.3 %
	Total	2,448	100%

Based upon 1,482 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2230-2231 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

EXERLOO6: Exercise - Young Looking

If YES to EXERCIS6: What were the reasons for using this? - To stay young-looking

Value	Label	Unweighted Frequency	%
1	No	669	27.3 %
2	Yes	823	33.6 %
	Missing Data		
-7	Refused	45	1.8 %
-1	N/A	635	25.9 %
.	-	276	11.3 %
	Total	2,448	100%

Based upon 1,492 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2232-2233 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

EXERMEM6: Exercise - Improve Memory

If YES to EXERCIS6: What were the reasons for using this? - To improve memory

Value	Label	Unweighted Frequency	%
1	No	1066	43.5 %
2	Yes	410	16.7 %
	Missing Data		
-7	Refused	60	2.5 %
-1	N/A	636	26.0 %
.	-	276	11.3 %

Value	Label	Unweighted Frequency	%
	Total	2,448	100%

Based upon 1,476 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2234-2235 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

EXERPER6: Exercise - Reg. Periods

If YES to EXERCIS6: What were the reasons for using this? - To regulate periods

Value	Label	Unweighted Frequency	%
1	No	1406	57.4 %
2	Yes	64	2.6 %
	Missing Data		
-7	Refused	66	2.7 %
-1	N/A	636	26.0 %
.	-	276	11.3 %
	Total	2,448	100%

Based upon 1,470 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2236-2237 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

EXERGEN6: Exercise - General Health

If YES to EXERCIS6: What were the reasons for using this? - For general health

Value	Label	Unweighted Frequency	%
1	No	86	3.5 %
2	Yes	1434	58.6 %
	Missing Data		
-7	Refused	19	0.8 %
-1	N/A	633	25.9 %
.	-	276	11.3 %
	Total	2,448	100%

Based upon 1,520 valid cases out of 2,448 total cases.

- Minimum: 1.00

- Maximum: 2.00

Location: 2238-2239 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

EXERWGH6: Exercise - Weight

If YES to EXERCIS6: What were the reasons for using this? - To lose weight or to stay the same weight

Value	Label	Unweighted Frequency	%
1	No	227	9.3 %
2	Yes	1277	52.2 %
Missing Data			
-7	Refused	33	1.3 %
-1	N/A	635	25.9 %
.	-	276	11.3 %
Total		2,448	100%

Based upon 1,504 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2240-2241 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

EXERADV6: Exercise - Provider advice

If YES to EXERCIS6: What were the reasons for using this? - On advice from health care provider

Value	Label	Unweighted Frequency	%
1	No	956	39.1 %
2	Yes	524	21.4 %
Missing Data			
-7	Refused	56	2.3 %
-1	N/A	636	26.0 %
.	-	276	11.3 %
Total		2,448	100%

Based upon 1,480 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2242-2243 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

EXEROTH6: Exercise - Other reason

If YES to EXERCIS6: What were the reasons for using this? - Other

Value	Label	Unweighted Frequency	%
1	No	1192	48.7 %
2	Yes	84	3.4 %
Missing Data			
-7	Refused	259	10.6 %
-1	N/A	637	26.0 %
.	-	276	11.3 %
Total		2,448	100%

Based upon 1,276 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2244-2245 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

EXERSPE6: Exercise - Other specify

If YES to EXERCIS6: What were the reasons for using this? - Other (please specify)

Value	Label	Unweighted Frequency	%
-	-	276	11.3 %
-1: N/A	-	2088	85.3 %
ARTHROSIS	-	1	0.0 %
BACK STRECHES	-	1	0.0 %
CHAIR EXERCISES	-	1	0.0 %
CHOLESTEROL CONTROL	-	1	0.0 %
CORE STRENGTH FLEXABILITY	-	1	0.0 %
DEAL WITH TENSION	-	1	0.0 %
DIABETES	-	4	0.2 %
ENJOY BEING OUTSIDE	-	1	0.0 %
FEEL BETTER PHYSICALLY	-	1	0.0 %
FEEL GOOD	-	1	0.0 %
FEELS GOOD	-	1	0.0 %
FITNESS & FLEXIBILITY, STRENGTH, ENDURANCE	-	1	0.0 %
FOR BACK PROBLEMS	-	1	0.0 %
FOR FUN	-	5	0.2 %
FOR HEALTH	-	1	0.0 %
FOR HIP REPLACEMENT HEALING	-	1	0.0 %
FOR MENTAL WELL BEING	-	1	0.0 %
FUN	-	1	0.0 %
GENERAL WELL-BEING- MAKES ME FEEL GOOD	-	1	0.0 %

Value	Label	Unweighted Frequency	%
GOING TO DO 26 MILE WALK NEED TO PREPARE	-	1	0.0 %
HELPS ME FEEL GREAT, I ENJOY IT	-	1	0.0 %
I ENJOY IT	-	1	0.0 %
I HAD A LOT OF PHYSICAL WORK TO DO	-	1	0.0 %
I LIKE THE FRIENDS I HAVE MADE PLAYING SPORTS	-	1	0.0 %
IMPROVE MOOD	-	1	0.0 %
IT IS PART OF MY HOBBY	-	1	0.0 %
KEEPING MYSELF BUSY AND IN SHAPE	-	1	0.0 %
LEFT LEG FLUID RETENTION	-	1	0.0 %
LIKE TO!	-	1	0.0 %
LOWER BLOOD SUGAR, HIGH BLOOD PRESSURE, CHOLESTEROL	-	1	0.0 %
MAINTAIN BODY TONE; IMPROVE SKIN TEXTURE	-	1	0.0 %
MY DOGS NEED TO BE WALKED!	-	1	0.0 %
NOT OFTEN	-	1	0.0 %
PART OF MY WORK	-	1	0.0 %
PHYSICAL UP KEEP ON RENTAL YARD/STRUCTURE	-	1	0.0 %
PHYSICAL THERAPY	-	1	0.0 %
PHYSICAL THERAPY FOR HIP FRACTURE	-	1	0.0 %
PHYSICAL THERAPY FOR KNEE	-	1	0.0 %
PHYSICAL THERAPY ON FOOT	-	1	0.0 %
PLEASURE	-	2	0.1 %
PREVENT DEPRESSION	-	1	0.0 %
PURE PLEASURE	-	1	0.0 %
REDUCE RISK OF DIABETES	-	1	0.0 %
REHAB LEFT KNEE	-	1	0.0 %
RELAXATION AND FOCUS	-	1	0.0 %
RELIEVE STRESS, STAY FIT	-	1	0.0 %
RELIEVES STRESS	-	1	0.0 %
SPINAL STENOSIS	-	1	0.0 %
	Total	2,448	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,448 valid cases out of 2,448 total cases.

Location: 2246-2302 (*width:* 57; *decimal:* 0)

Variable Type: character

FLAXSEE6: Flaxseed

During the past 12 months, have you used any of the following for your health? Flaxseed or flaxseed oil supplements

Value	Label	Unweighted Frequency	%
1	No	1940	79.2 %

Value	Label	Unweighted Frequency	%
2	Yes	226	9.2 %
	Missing Data		
-7	Refused	6	0.2 %
.	-	276	11.3 %
	Total	2,448	100%

Based upon 2,166 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2303-2304 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FLAXHAR6: Flaxseed - Heart

If YES to FLAXSEE6: What were the reasons for using this? - To reduce the risk of heart disease

Value	Label	Unweighted Frequency	%
1	No	82	3.3 %
2	Yes	139	5.7 %
	Missing Data		
-7	Refused	5	0.2 %
-1	N/A	1946	79.5 %
.	-	276	11.3 %
	Total	2,448	100%

Based upon 221 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2305-2306 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FLAXOST6: Flaxseed - Osteoporosis

If YES to FLAXSEE6: What were the reasons for using this? - To reduce the risk of osteoporosis

Value	Label	Unweighted Frequency	%
1	No	185	7.6 %
2	Yes	32	1.3 %
	Missing Data		
-7	Refused	9	0.4 %
-1	N/A	1946	79.5 %
.	-	276	11.3 %

Value	Label	Unweighted Frequency	%
	Total	2,448	100%

Based upon 217 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2307-2308 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FLAXMEN6: Flaxseed - Meno. symptoms

If YES to FLAXSEE6: What were the reasons for using this? - To relieve menopausal symptoms

Value	Label	Unweighted Frequency	%
1	No	166	6.8 %
2	Yes	53	2.2 %
	Missing Data		
-7	Refused	7	0.3 %
-1	N/A	1946	79.5 %
.	-	276	11.3 %
	Total	2,448	100%

Based upon 219 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2309-2310 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FLAXLOO6: Flaxseed - Young Looking

If YES to FLAXSEE6: What were the reasons for using this? - To stay young-looking

Value	Label	Unweighted Frequency	%
1	No	165	6.7 %
2	Yes	52	2.1 %
	Missing Data		
-7	Refused	9	0.4 %
-1	N/A	1946	79.5 %
.	-	276	11.3 %
	Total	2,448	100%

Based upon 217 valid cases out of 2,448 total cases.

- Minimum: 1.00

- Maximum: 2.00

Location: 2311-2312 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FLAXMEM6: Flaxseed - Improve Memory

If YES to FLAXSEE6: What were the reasons for using this? - To improve memory

Value	Label	Unweighted Frequency	%
1	No	189	7.7 %
2	Yes	27	1.1 %
Missing Data			
-7	Refused	10	0.4 %
-1	N/A	1946	79.5 %
.	-	276	11.3 %
Total		2,448	100%

Based upon 216 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2313-2314 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FLAXPER6: Flaxseed - Reg. Periods

If YES to FLAXSEE6: What were the reasons for using this? - To regulate periods

Value	Label	Unweighted Frequency	%
1	No	213	8.7 %
2	Yes	2	0.1 %
Missing Data			
-7	Refused	11	0.4 %
-1	N/A	1946	79.5 %
.	-	276	11.3 %
Total		2,448	100%

Based upon 215 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2315-2316 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FLAXGEN6: Flaxseed - General Health

If YES to FLAXSEE6: What were the reasons for using this? - For general health

Value	Label	Unweighted Frequency	%
1	No	39	1.6 %
2	Yes	184	7.5 %
Missing Data			
-7	Refused	3	0.1 %
-1	N/A	1946	79.5 %
.	-	276	11.3 %
Total		2,448	100%

Based upon 223 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2317-2318 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FLAXWGH6: Flaxseed - Weight

If YES to FLAXSEE6: What were the reasons for using this? - To lose weight or to stay the same weight

Value	Label	Unweighted Frequency	%
1	No	173	7.1 %
2	Yes	43	1.8 %
Missing Data			
-7	Refused	10	0.4 %
-1	N/A	1946	79.5 %
.	-	276	11.3 %
Total		2,448	100%

Based upon 216 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2319-2320 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FLAXADV6: Flaxseed - Provider advice

If YES to FLAXSEE6: What were the reasons for using this? - On advice from health care provider

Value	Label	Unweighted Frequency	%
1	No	188	7.7 %
2	Yes	27	1.1 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-7	Refused	11	0.4 %
-1	N/A	1946	79.5 %
.	-	276	11.3 %
	Total	2,448	100%

Based upon 215 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2321-2322 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FLAXOTH6: Flaxseed - Other reason

If YES to FLAXSEE6: What were the reasons for using this? - Other

Value	Label	Unweighted Frequency	%
1	No	166	6.8 %
2	Yes	26	1.1 %
	Missing Data		
-7	Refused	34	1.4 %
-1	N/A	1946	79.5 %
.	-	276	11.3 %
	Total	2,448	100%

Based upon 192 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2323-2324 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FLAXSPE6: Flaxseed - Other specify

If YES to FLAXSEE6: What were the reasons for using this? - Other (please specify)

Value	Label	Unweighted Frequency	%
	-	276	11.3 %
-1: N/A	-	2146	87.7 %
ALTERNATE OMEGA 3	-	1	0.0 %
BETTER SKIN / MOST FOLKS ARE OMEGA 3 DEFICIENT	-	1	0.0 %
BETTER SKIN TONE	-	1	0.0 %
BOWEL REGULATING	-	1	0.0 %

Value	Label	Unweighted Frequency	%
FOR DRY EYES	-	2	0.1 %
FOR DRY EYES (ON ADVICE OF OPHTHAMOLOGIST)	-	1	0.0 %
FOR MY MS TREATMENT	-	1	0.0 %
HOT FLASHES	-	1	0.0 %
I LIKE IT	-	1	0.0 %
IMPROVE THE SYMPTOMS OF PSORIASIS	-	1	0.0 %
INCREASE FIBER IN MY DIET	-	1	0.0 %
IRRITABLE BOWEL SYNDROME	-	1	0.0 %
LOWER CHOLESTEROL	-	1	0.0 %
ONE OF THE VEGTABLE OILS I CAN EAT	-	1	0.0 %
PSORIASIS	-	2	0.1 %
REDUCE CHOLESTEROL	-	1	0.0 %
REGULATE BOWEL	-	1	0.0 %
RELIEVE CONSTIPATION	-	1	0.0 %
SKIN	-	1	0.0 %
SNACK TASTES GOOD	-	1	0.0 %
TO HELP CHRONIC DERMATITIS	-	1	0.0 %
TO LOWER CHOLESTEROL	-	1	0.0 %
TO PREVENT DRY SKIN/ITCHY SKIN	-	1	0.0 %
TO REDUCE BREAST CANCER AND COLON CANCER	-	1	0.0 %
	Total	2,448	100%

Based upon 2,448 valid cases out of 2,448 total cases.

Location: 2325-2370 (width: 46; decimal: 0)

Variable Type: character

GINKGO6: Ginkgo Biloba

During the past 12 months, have you used any of the following for your health? Ginkgo Biloba

Value	Label	Unweighted Frequency	%
1	No	2023	82.6 %
2	Yes	143	5.8 %
	Missing Data		
-7	Refused	6	0.2 %
.	-	276	11.3 %
	Total	2,448	100%

Based upon 2,166 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2371-2372 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GINKHAR6: Ginkgo Biloba - Heart

If YES to GINKGO6: What were the reasons for using this? - To reduce the risk of heart disease

Value	Label	Unweighted Frequency	%
1	No	131	5.4 %
2	Yes	9	0.4 %
Missing Data			
-7	Refused	3	0.1 %
-1	N/A	2029	82.9 %
.	-	276	11.3 %
Total		2,448	100%

Based upon 140 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2373-2374 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GINKOST6: Ginkgo Biloba - Osteoporosis

If YES to GINKGO6: What were the reasons for using this? - To reduce the risk of osteoporosis

Value	Label	Unweighted Frequency	%
1	No	135	5.5 %
2	Yes	5	0.2 %
Missing Data			
-7	Refused	3	0.1 %
-1	N/A	2029	82.9 %
.	-	276	11.3 %
Total		2,448	100%

Based upon 140 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2375-2376 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GINKMEN6: Ginkgo Biloba - Meno. symptoms

If YES to GINKGO6: What were the reasons for using this? - To relieve menopausal symptoms

Value	Label	Unweighted Frequency	%
1	No	132	5.4 %
2	Yes	8	0.3 %
	Missing Data		
-7	Refused	3	0.1 %
-1	N/A	2029	82.9 %
.	-	276	11.3 %
	Total	2,448	100%

Based upon 140 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2377-2378 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GINKLOO6: Ginkgo Biloba - Young Looking

If YES to GINKGO6: What were the reasons for using this? - To stay young-looking

Value	Label	Unweighted Frequency	%
1	No	128	5.2 %
2	Yes	12	0.5 %
	Missing Data		
-7	Refused	3	0.1 %
-1	N/A	2029	82.9 %
.	-	276	11.3 %
	Total	2,448	100%

Based upon 140 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2379-2380 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GINKMEM6: Ginkgo Biloba - Improve Memory

If YES to GINKGO6: What were the reasons for using this? - To improve memory

Value	Label	Unweighted Frequency	%
1	No	13	0.5 %
2	Yes	130	5.3 %
	Missing Data		
-1	N/A	2029	82.9 %

Value	Label	Unweighted Frequency	%
.	-	276	11.3 %
	Total	2,448	100%

Based upon 143 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2381-2382 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GINKPER6: Ginkgo Biloba - Reg. Periods

If YES to GINKGO6: What were the reasons for using this? - To regulate periods

Value	Label	Unweighted Frequency	%
1	No	138	5.6 %
2	Yes	1	0.0 %
	Missing Data		
-7	Refused	4	0.2 %
-1	N/A	2029	82.9 %
.	-	276	11.3 %
	Total	2,448	100%

Based upon 139 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2383-2384 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GINKGEN6: Ginkgo Biloba - General Health

If YES to GINKGO6: What were the reasons for using this? - For general health

Value	Label	Unweighted Frequency	%
1	No	96	3.9 %
2	Yes	45	1.8 %
	Missing Data		
-7	Refused	2	0.1 %
-1	N/A	2029	82.9 %
.	-	276	11.3 %
	Total	2,448	100%

Based upon 141 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2385-2386 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GINKWGH6: Ginkgo Biloba - Weight

If YES to GINKGO6: What were the reasons for using this? - To lose weight or to stay the same weight

Value	Label	Unweighted Frequency	%
1	No	137	5.6 %
2	Yes	3	0.1 %
Missing Data			
-7	Refused	3	0.1 %
-1	N/A	2029	82.9 %
.	-	276	11.3 %
Total		2,448	100%

Based upon 140 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2387-2388 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GINKADV6: Ginkgo Biloba - Provider advice

If YES to GINKGO6: What were the reasons for using this? - On advice from health care provider

Value	Label	Unweighted Frequency	%
1	No	131	5.4 %
2	Yes	6	0.2 %
Missing Data			
-7	Refused	6	0.2 %
-1	N/A	2029	82.9 %
.	-	276	11.3 %
Total		2,448	100%

Based upon 137 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2389-2390 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GINKOTH6: Ginkgo Biloba - Other reason

If YES to GINKGO6: What were the reasons for using this? - Other

Value	Label	Unweighted Frequency	%
1	No	113	4.6 %
2	Yes	4	0.2 %
	Missing Data		
-7	Refused	26	1.1 %
-1	N/A	2029	82.9 %
.	-	276	11.3 %
Total		2,448	100%

Based upon 117 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2391-2392 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GINKSPE6: Ginkgo Biloba - Other specify

If YES to GINKGO6: What were the reasons for using this? - Other (please specify)

Value	Label	Unweighted Frequency	%
	-	276	11.3 %
-1: N/A	-	2168	88.6 %
ALSO FOR MY MS TREATMENT	-	1	0.0 %
INCREASE MEMORY RETENTION	-	1	0.0 %
JOINT PREPARATION	-	1	0.0 %
TO REMOVE A WART	-	1	0.0 %
Total		2,448	100%

Based upon 2,448 valid cases out of 2,448 total cases.

Location: 2393-2417 (width: 25; decimal: 0)

Variable Type: character

GINSENG6: Ginseng

During the past 12 months, have you used any of the following for your health? Ginseng

Value	Label	Unweighted Frequency	%
1	No	2041	83.4 %
2	Yes	123	5.0 %
	Missing Data		
-7	Refused	8	0.3 %

Value	Label	Unweighted Frequency	%
.	-	276	11.3 %
	Total	2,448	100%

Based upon 2,164 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2418-2419 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GINSHAR6: Ginseng - Heart

If YES to GINSENG6: What were the reasons for using this? - To reduce the risk of heart disease

Value	Label	Unweighted Frequency	%
1	No	101	4.1 %
2	Yes	14	0.6 %
	Missing Data		
-7	Refused	8	0.3 %
-1	N/A	2049	83.7 %
.	-	276	11.3 %
	Total	2,448	100%

Based upon 115 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2420-2421 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GINSOST6: Ginseng - Osteoporosis

If YES to GINSENG6: What were the reasons for using this? - To reduce the risk of osteoporosis

Value	Label	Unweighted Frequency	%
1	No	108	4.4 %
2	Yes	7	0.3 %
	Missing Data		
-7	Refused	8	0.3 %
-1	N/A	2049	83.7 %
.	-	276	11.3 %
	Total	2,448	100%

Based upon 115 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2422-2423 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GINSMEN6: Ginseng - Meno. symptoms

If YES to GINSENG6: What were the reasons for using this? - To relieve menopausal symptoms

Value	Label	Unweighted Frequency	%
1	No	105	4.3 %
2	Yes	12	0.5 %
Missing Data			
-7	Refused	6	0.2 %
-1	N/A	2049	83.7 %
.	-	276	11.3 %
Total		2,448	100%

Based upon 117 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2424-2425 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GINSLOO6: Ginseng - Young Looking

If YES to GINSENG6: What were the reasons for using this? - To stay young-looking

Value	Label	Unweighted Frequency	%
1	No	101	4.1 %
2	Yes	15	0.6 %
Missing Data			
-7	Refused	7	0.3 %
-1	N/A	2049	83.7 %
.	-	276	11.3 %
Total		2,448	100%

Based upon 116 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2426-2427 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GINSMEM6: Ginseng - Improve Memory

If YES to GINSENG6: What were the reasons for using this? - To improve memory

Value	Label	Unweighted Frequency	%
1	No	74	3.0 %
2	Yes	42	1.7 %
	Missing Data		
-7	Refused	7	0.3 %
-1	N/A	2049	83.7 %
.	-	276	11.3 %
	Total	2,448	100%

Based upon 116 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2428-2429 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

GINSPER6: Ginseng - Reg. Periods

If YES to GINSENG6: What were the reasons for using this? - To regulate periods

Value	Label	Unweighted Frequency	%
1	No	110	4.5 %
2	Yes	4	0.2 %
	Missing Data		
-7	Refused	9	0.4 %
-1	N/A	2049	83.7 %
.	-	276	11.3 %
	Total	2,448	100%

Based upon 114 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2430-2431 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

GINSGEN6: Ginseng - General Health

If YES to GINSENG6: What were the reasons for using this? - For general health

Value	Label	Unweighted Frequency	%
1	No	27	1.1 %

Value	Label	Unweighted Frequency	%
2	Yes	93	3.8 %
	Missing Data		
-7	Refused	3	0.1 %
-1	N/A	2049	83.7 %
.	-	276	11.3 %
	Total	2,448	100%

Based upon 120 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2432-2433 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GINSWH6: Ginseng - Weight

If YES to GINSENG6: What were the reasons for using this? - To lose weight or to stay the same weight

Value	Label	Unweighted Frequency	%
1	No	103	4.2 %
2	Yes	13	0.5 %
	Missing Data		
-7	Refused	7	0.3 %
-1	N/A	2049	83.7 %
.	-	276	11.3 %
	Total	2,448	100%

Based upon 116 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2434-2435 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GINSADV6: Ginseng - Provider advice

If YES to GINSENG6: What were the reasons for using this? - On advice from health care provider

Value	Label	Unweighted Frequency	%
1	No	100	4.1 %
2	Yes	13	0.5 %
	Missing Data		
-7	Refused	10	0.4 %
-1	N/A	2049	83.7 %

Value	Label	Unweighted Frequency	%
.	-	276	11.3 %
	Total	2,448	100%

Based upon 113 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2436-2437 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GINSOTH6: Ginseng - Other reason

If YES to GINSENG6: What were the reasons for using this? - Other

Value	Label	Unweighted Frequency	%
1	No	71	2.9 %
2	Yes	17	0.7 %
	Missing Data		
-7	Refused	35	1.4 %
-1	N/A	2049	83.7 %
.	-	276	11.3 %
	Total	2,448	100%

Based upon 88 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2438-2439 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GINSSPE6: Ginseng - Other specify

If YES to GINSENG6: What were the reasons for using this? - Other (please specify)

Value	Label	Unweighted Frequency	%
	-	276	11.3 %
-1: N/A	-	2155	88.0 %
EMERGENCY	-	1	0.0 %
ENERGY	-	7	0.3 %
FOR ENERGY	-	2	0.1 %
INCREASE ENERGY	-	2	0.1 %
INCREASE ENERGY LEVEL	-	1	0.0 %
STAMINE	-	1	0.0 %
TEA - I LIKE THE FLAVOR. MAYBE 2 CUPS A WEEK.	-	1	0.0 %

Value	Label	Unweighted Frequency	%
TO IMPROVE ENERGY LEVEL	-	1	0.0 %
TO STAY ALERT	-	1	0.0 %
	Total	2,448	100%

Based upon 2,448 valid cases out of 2,448 total cases.

Location: 2440-2485 (width: 46; decimal: 0)

Variable Type: character

GLUSAMI6: Glucosamine

During the past 12 months, have you used any of the following for your health? Glucosamine with or without Chondroitin

Value	Label	Unweighted Frequency	%
1	No	1830	74.8 %
2	Yes	338	13.8 %
	Missing Data		
-7	Refused	4	0.2 %
.	-	276	11.3 %
	Total	2,448	100%

Based upon 2,168 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2486-2487 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , ..

GLUSHAR6: Glucosamine - Heart

If YES to GLUSAMI6: What were the reasons for using this? - To reduce the risk of heart disease

Value	Label	Unweighted Frequency	%
1	No	296	12.1 %
2	Yes	25	1.0 %
	Missing Data		
-7	Refused	17	0.7 %
-1	N/A	1834	74.9 %
.	-	276	11.3 %
	Total	2,448	100%

Based upon 321 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2488-2489 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GLUSOST6: Glucosamine - Osteoporosis

If YES to GLUSAMI6: What were the reasons for using this? - To reduce the risk of osteoporosis

Value	Label	Unweighted Frequency	%
1	No	205	8.4 %
2	Yes	118	4.8 %
Missing Data			
-7	Refused	15	0.6 %
-1	N/A	1834	74.9 %
.	-	276	11.3 %
Total		2,448	100%

Based upon 323 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2490-2491 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GLUSMEN6: Glucosamine - Meno. symptoms

If YES to GLUSAMI6: What were the reasons for using this? - To relieve menopausal symptoms

Value	Label	Unweighted Frequency	%
1	No	307	12.5 %
2	Yes	13	0.5 %
Missing Data			
-7	Refused	18	0.7 %
-1	N/A	1834	74.9 %
.	-	276	11.3 %
Total		2,448	100%

Based upon 320 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2492-2493 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GLUSLOO6: Glucosamine - Young Looking

If YES to GLUSAMI6: What were the reasons for using this? - To stay young-looking

Value	Label	Unweighted Frequency	%
1	No	293	12.0 %
2	Yes	29	1.2 %
	Missing Data		
-7	Refused	16	0.7 %
-1	N/A	1834	74.9 %
.	.	276	11.3 %
	Total	2,448	100%

Based upon 322 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2494-2495 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GLUSMEM6: Glucosamine - Improve Memory

If YES to GLUSAMI6: What were the reasons for using this? - To improve memory

Value	Label	Unweighted Frequency	%
1	No	312	12.7 %
2	Yes	8	0.3 %
	Missing Data		
-7	Refused	18	0.7 %
-1	N/A	1834	74.9 %
.	.	276	11.3 %
	Total	2,448	100%

Based upon 320 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2496-2497 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GLUSPER6: Glucosamine - Reg. Periods

If YES to GLUSAMI6: What were the reasons for using this? - To regulate periods

Value	Label	Unweighted Frequency	%
1	No	315	12.9 %
2	Yes	4	0.2 %
	Missing Data		
-7	Refused	19	0.8 %

Value	Label	Unweighted Frequency	%
-1	N/A	1834	74.9 %
.	-	276	11.3 %
	Total	2,448	100%

Based upon 319 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2498-2499 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GLUSGEN6: Glucosamine - General Health

If YES to GLUSAMI6: What were the reasons for using this? - For general health

Value	Label	Unweighted Frequency	%
1	No	138	5.6 %
2	Yes	188	7.7 %
	Missing Data		
-7	Refused	12	0.5 %
-1	N/A	1834	74.9 %
.	-	276	11.3 %
	Total	2,448	100%

Based upon 326 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2500-2501 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GLUSWGH6: Glucosamine - Weight

If YES to GLUSAMI6: What were the reasons for using this? - To lose weight or to stay the same weight

Value	Label	Unweighted Frequency	%
1	No	308	12.6 %
2	Yes	11	0.4 %
	Missing Data		
-7	Refused	19	0.8 %
-1	N/A	1834	74.9 %
.	-	276	11.3 %
	Total	2,448	100%

Based upon 319 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2502-2503 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GLUSADV6: Glucosamine - Provider advice

If YES to GLUSAMI6: What were the reasons for using this? - On advice from health care provider

Value	Label	Unweighted Frequency	%
1	No	258	10.5 %
2	Yes	62	2.5 %
Missing Data			
-7	Refused	18	0.7 %
-1	N/A	1834	74.9 %
.	-	276	11.3 %
Total		2,448	100%

Based upon 320 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2504-2505 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GLUSOTH6: Glucosamine - Other reason

If YES to GLUSAMI6: What were the reasons for using this? - Other

Value	Label	Unweighted Frequency	%
1	No	160	6.5 %
2	Yes	145	5.9 %
Missing Data			
-7	Refused	33	1.3 %
-1	N/A	1834	74.9 %
.	-	276	11.3 %
Total		2,448	100%

Based upon 305 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2506-2507 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GLUSSPE6: Glucosamine - Other specify

If YES to GLUSAMI6: What were the reasons for using this? - Other (please specify)

Value	Label	Unweighted Frequency	%
-		276	11.3 %
-1: N/A	-	2027	82.8 %
ALLEViate PAIN	-	1	0.0 %
ARITHITIS JOINTS CARTILLAGE	-	1	0.0 %
ARTHritis	-	14	0.6 %
ARTHritis KNEES	-	1	0.0 %
ARTHritis PAIN	-	2	0.1 %
ARTHritis RELIEF	-	1	0.0 %
ARTHritis, JOINT PAIN, STIFFNESS	-	1	0.0 %
ARTHritis-KNEES	-	1	0.0 %
BODY ACHEs	-	1	0.0 %
CONTROL JOINT PAIN	-	1	0.0 %
DON'T KNOW	-	1	0.0 %
FOR ARTHritis	-	1	0.0 %
FOR BONES	-	1	0.0 %
FOR BROKEN BACK L2	-	1	0.0 %
FOR JOINT HEALTH-KNEES	-	1	0.0 %
FOR JOINT MOBILITY	-	1	0.0 %
FOR JOINT PAIN	-	1	0.0 %
FOR JOINT PAIN, ARTHritis	-	1	0.0 %
FOR JOINTS	-	4	0.2 %
FOR KNEE PAIN	-	2	0.1 %
FOR MILD ARTHritis	-	1	0.0 %
FOR MY ARTHritis	-	1	0.0 %
FOR MY JOINTS	-	1	0.0 %
FOR OSTEOARTHRITIS	-	1	0.0 %
FOR SHOULDER, ANKLE, KNEE PAIN	-	1	0.0 %
FOR STIFFNESS BACK, ETC.	-	1	0.0 %
HAD A PAIN IN MY ARM-SOMEONE SUGGESTED GLUCOSAMINE IT WORKED	-	1	0.0 %
HAD KNEE & BACK PAIN	-	1	0.0 %
HELP W/ JOINTS	-	1	0.0 %
HELP WITH ANKLE JOINT	-	1	0.0 %
HELP WITH JOINT STIFFNESS AND PAIN	-	1	0.0 %
HIP PAIN	-	1	0.0 %
IMPROVE JOINTS	-	2	0.1 %
IMPROVE JOINTS, RELIEVE JOINT PAIN	-	1	0.0 %
IMPROVE OR MAINTAIN JOINTS	-	1	0.0 %

Value	Label	Unweighted Frequency	%
INJURED KNEE	-	1	0.0 %
JOINT & PAIN	-	1	0.0 %
JOINT DISCOMFORT	-	1	0.0 %
JOINT HEALTH	-	7	0.3 %
JOINT HEALTH RELATED TO BACK PAIN	-	1	0.0 %
JOINT HEALTH, TO STOP PROGRESS OF ARTHRITIS	-	1	0.0 %
JOINT PAIN	-	9	0.4 %
JOINT PAIN AND LIGAMENT PAIN	-	1	0.0 %
JOINT PAIN IN HANDS AND BACK	-	1	0.0 %
JOINT PAIN (KNEE)	-	1	0.0 %
JOINT STIFFNESS	-	1	0.0 %
JOINT SWELLING	-	1	0.0 %
JOINTS	-	4	0.2 %
	Total	2,448	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,448 valid cases out of 2,448 total cases.

Location: 2508-2567 (width: 60; decimal: 0)

Variable Type: character

MYAMPRO6: Mexican yam

During the past 12 months, have you used any of the following for your health? Mexican yam / progesterone cream

Value	Label	Unweighted Frequency	%
1	No	2102	85.9 %
2	Yes	61	2.5 %
	Missing Data		
-7	Refused	9	0.4 %
.	-	276	11.3 %
	Total	2,448	100%

Based upon 2,163 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2568-2569 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , ..

MYAMHAR6: Mexican yam - Heart

If YES to MYAMPRO6: What were the reasons for using this? - To reduce the risk of heart disease

Value	Label	Unweighted Frequency	%
1	No	53	2.2 %
2	Yes	6	0.2 %
	Missing Data		
-7	Refused	2	0.1 %
-1	N/A	2111	86.2 %
.	-	276	11.3 %
	Total	2,448	100%

Based upon 59 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2570-2571 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MYAMOST6: Mexican yam - Osteoporosis

If YES to MYAMPRO6: What were the reasons for using this? - To reduce the risk of osteoporosis

Value	Label	Unweighted Frequency	%
1	No	45	1.8 %
2	Yes	13	0.5 %
	Missing Data		
-7	Refused	2	0.1 %
-1	N/A	2112	86.3 %
.	-	276	11.3 %
	Total	2,448	100%

Based upon 58 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2572-2573 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MYAMMEN6: Mexican yam - Meno. symptoms

If YES to MYAMPRO6: What were the reasons for using this? - To relieve menopausal symptoms

Value	Label	Unweighted Frequency	%
1	No	8	0.3 %
2	Yes	53	2.2 %
	Missing Data		
-1	N/A	2111	86.2 %

Value	Label	Unweighted Frequency	%
.	-	276	11.3 %
	Total	2,448	100%

Based upon 61 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2574-2575 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MYAMLOO6: Mexican yam - Young Looking

If YES to MYAMPRO6: What were the reasons for using this? - To stay young-looking

Value	Label	Unweighted Frequency	%
1	No	52	2.1 %
2	Yes	6	0.2 %
	Missing Data		
-7	Refused	2	0.1 %
-1	N/A	2112	86.3 %
.	-	276	11.3 %
	Total	2,448	100%

Based upon 58 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2576-2577 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MYAMMEM6: Mexican yam - Improve Memory

If YES to MYAMPRO6: What were the reasons for using this? - To improve memory

Value	Label	Unweighted Frequency	%
1	No	53	2.2 %
2	Yes	5	0.2 %
	Missing Data		
-7	Refused	2	0.1 %
-1	N/A	2112	86.3 %
.	-	276	11.3 %
	Total	2,448	100%

Based upon 58 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2578-2579 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MYAMPER6: Mexican yam - Reg. Periods

If YES to MYAMPRO6: What were the reasons for using this? - To regulate periods

Value	Label	Unweighted Frequency	%
1	No	48	2.0 %
2	Yes	9	0.4 %
Missing Data			
-7	Refused	3	0.1 %
-1	N/A	2112	86.3 %
.	-	276	11.3 %
Total		2,448	100%

Based upon 57 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2580-2581 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MYAMGEN6: Mexican yam - General Health

If YES to MYAMPRO6: What were the reasons for using this? - For general health

Value	Label	Unweighted Frequency	%
1	No	39	1.6 %
2	Yes	19	0.8 %
Missing Data			
-7	Refused	2	0.1 %
-1	N/A	2112	86.3 %
.	-	276	11.3 %
Total		2,448	100%

Based upon 58 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2582-2583 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MYAMWGH6: Mexican yam - Weight

If YES to MYAMPRO6: What were the reasons for using this? - To lose weight or to stay the same weight

Value	Label	Unweighted Frequency	%
1	No	53	2.2 %
2	Yes	4	0.2 %
	Missing Data		
-7	Refused	3	0.1 %
-1	N/A	2112	86.3 %
.	-	276	11.3 %
	Total	2,448	100%

Based upon 57 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2584-2585 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MYAMADV6: Mexican yam - Provider advice

If YES to MYAMPRO6: What were the reasons for using this? - On advice from health care provider

Value	Label	Unweighted Frequency	%
1	No	48	2.0 %
2	Yes	9	0.4 %
	Missing Data		
-7	Refused	3	0.1 %
-1	N/A	2112	86.3 %
.	-	276	11.3 %
	Total	2,448	100%

Based upon 57 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2586-2587 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MYAMOTH6: Mexican yam - Other reason

If YES to MYAMPRO6: What were the reasons for using this? - Other

Value	Label	Unweighted Frequency	%
1	No	45	1.8 %

Value	Label	Unweighted Frequency	%
2	Yes	5	0.2 %
	Missing Data		
-7	Refused	10	0.4 %
-1	N/A	2112	86.3 %
.	-	276	11.3 %
	Total	2,448	100%

Based upon 50 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2588-2589 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MYAMSP6: Mexican yam - Other specify

If YES to MYAMPRO6: What were the reasons for using this? - Other (please specify)

Value	Label	Unweighted Frequency	%
	-	276	11.3 %
-1: N/A	-	2167	88.5 %
KEROTOSIS MOLE	-	1	0.0 %
OVER THE COUNTER PROGESTERONE CREAM	-	1	0.0 %
TO REDUCE MOLES	-	1	0.0 %
TO REGULATE LEVEL OF ESTROGEN	-	1	0.0 %
VAGINAL ATROPHY	-	1	0.0 %
	Total	2,448	100%

Based upon 2,448 valid cases out of 2,448 total cases.

Location: 2590-2624 (width: 35; decimal: 0)

Variable Type: character

MSM6: MSM (Methyl Sulfonyl Methane)

During the past 12 months, have you used any of the following for your health? MSM (methyl-sulfonyl-methane)

Value	Label	Unweighted Frequency	%
1	No	2080	85.0 %
2	Yes	80	3.3 %
	Missing Data		
-9	Missing	1	0.0 %
-7	Refused	11	0.4 %
.	-	276	11.3 %
	Total	2,448	100%

Based upon 2,160 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2625-2626 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MSMHAR6: MSM - Heart

If YES to MSM6: What were the reasons for using this? - To reduce the risk of heart disease

Value	Label	Unweighted Frequency	%
1	No	67	2.7 %
2	Yes	11	0.4 %
Missing Data			
-7	Refused	2	0.1 %
-1	N/A	2092	85.5 %
.	-	276	11.3 %
Total		2,448	100%

Based upon 78 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2627-2628 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MSMOS6: MSM - Osteoporosis

If YES to MSM6: What were the reasons for using this? - To reduce the risk of osteoporosis

Value	Label	Unweighted Frequency	%
1	No	57	2.3 %
2	Yes	20	0.8 %
Missing Data			
-7	Refused	3	0.1 %
-1	N/A	2092	85.5 %
.	-	276	11.3 %
Total		2,448	100%

Based upon 77 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2629-2630 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MSMMEN6: MSM - Meno. symptoms

If YES to MSM6: What were the reasons for using this? - To relieve menopausal symptoms

Value	Label	Unweighted Frequency	%
1	No	73	3.0 %
2	Yes	4	0.2 %
Missing Data			
-7	Refused	3	0.1 %
-1	N/A	2092	85.5 %
.	-	276	11.3 %
Total		2,448	100%

Based upon 77 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2631-2632 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MSMLOO6: MSM - Young Looking

If YES to MSM6: What were the reasons for using this? - To stay young-looking

Value	Label	Unweighted Frequency	%
1	No	65	2.7 %
2	Yes	12	0.5 %
Missing Data			
-7	Refused	3	0.1 %
-1	N/A	2092	85.5 %
.	-	276	11.3 %
Total		2,448	100%

Based upon 77 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2633-2634 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MSMMEM6: MSM - Improve Memory

If YES to MSM6: What were the reasons for using this? - To improve memory

Value	Label	Unweighted Frequency	%
1	No	72	2.9 %
2	Yes	5	0.2 %
	Missing Data		
-7	Refused	3	0.1 %
-1	N/A	2092	85.5 %
.	-	276	11.3 %
	Total	2,448	100%

Based upon 77 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2635-2636 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MSMPER6: MSM - Reg. Periods

If YES to MSM6: What were the reasons for using this? - To regulate periods

Value	Label	Unweighted Frequency	%
1	No	74	3.0 %
2	Yes	2	0.1 %
	Missing Data		
-7	Refused	4	0.2 %
-1	N/A	2092	85.5 %
.	-	276	11.3 %
	Total	2,448	100%

Based upon 76 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2637-2638 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MSMGEN6: MSM - General Health

If YES to MSM6: What were the reasons for using this? - For general health

Value	Label	Unweighted Frequency	%
1	No	22	0.9 %
2	Yes	57	2.3 %
	Missing Data		
-7	Refused	1	0.0 %

Value	Label	Unweighted Frequency	%
-1	N/A	2092	85.5 %
.	-	276	11.3 %
	Total	2,448	100%

Based upon 79 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2639-2640 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MSMWH6: MSM - Weight

If YES to MSM6: What were the reasons for using this? - To lose weight or to stay the same weight

Value	Label	Unweighted Frequency	%
1	No	72	2.9 %
2	Yes	4	0.2 %
	Missing Data		
-7	Refused	4	0.2 %
-1	N/A	2092	85.5 %
.	-	276	11.3 %
	Total	2,448	100%

Based upon 76 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2641-2642 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MSMADV6: MSM - Provider advice

If YES to MSM6: What were the reasons for using this? - On advice from health care provider

Value	Label	Unweighted Frequency	%
1	No	70	2.9 %
2	Yes	7	0.3 %
	Missing Data		
-7	Refused	3	0.1 %
-1	N/A	2092	85.5 %
.	-	276	11.3 %
	Total	2,448	100%

Based upon 77 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2643-2644 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MSMOTH6: MSM - Other reason

If YES to MSM6: What were the reasons for using this? - Other

Value	Label	Unweighted Frequency	%
1	No	43	1.8 %
2	Yes	29	1.2 %
Missing Data			
-7	Refused	8	0.3 %
-1	N/A	2092	85.5 %
.	-	276	11.3 %
Total		2,448	100%

Based upon 72 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2645-2646 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MSMSPE6: MSM - Other specify

If YES to MSM6: What were the reasons for using this? - Other (please specify)

Value	Label	Unweighted Frequency	%
	-	276	11.3 %
-1: N/A	-	2143	87.5 %
ARTHRITIS	-	1	0.0 %
BODY ACHEs	-	1	0.0 %
CAN'T REMEMBER	-	1	0.0 %
FOR ARTHRITIS	-	1	0.0 %
FOR BENEFITS	-	1	0.0 %
FOR JOINTS	-	2	0.1 %
FOR KNEE PAIN	-	1	0.0 %
FOR PAIN, PARASITES	-	1	0.0 %
HEALING JOINT MUSCLE PROBLEMS AND ALLERGIES	-	1	0.0 %
IMPROVE JOINTS	-	1	0.0 %
IMPROVE OR MAINTAIN JOINTS	-	1	0.0 %

Value	Label	Unweighted Frequency	%
INJURED KNEE	-	1	0.0 %
JOINT HEALTH	-	2	0.1 %
JOINT PAIN-KNEE	-	1	0.0 %
JOINTS	-	1	0.0 %
KNEE JOINT HEALTH	-	1	0.0 %
KNEE JOINTS	-	1	0.0 %
MENTAL & EMOTIONAL WELL BEING	-	1	0.0 %
MIGHT HELP PREVENT ARTHRITIS	-	1	0.0 %
PAIN RELIEF	-	1	0.0 %
RELIEVE ARTHRITIS PAIN	-	1	0.0 %
RELIEVE KNEE	-	1	0.0 %
RELIGION	-	1	0.0 %
SPIRITUAL EMOTIONAL HEALTH	-	1	0.0 %
TENNIS ELBOW	-	1	0.0 %
TO PREVENT JOINT PAIN	-	1	0.0 %
USED FOR ARTHRITIS	-	1	0.0 %
	Total	2,448	100%

Based upon 2,448 valid cases out of 2,448 total cases.

Location: 2647-2689 (width: 43; decimal: 0)

Variable Type: character

PRAYER6: Prayer

During the past 12 months, have you used any of the following for your health? Prayer

Value	Label	Unweighted Frequency	%
1	No	976	39.9 %
2	Yes	1191	48.7 %
	Missing Data		
-7	Refused	5	0.2 %
.	-	276	11.3 %
	Total	2,448	100%

Based upon 2,167 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2690-2691 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PRAYHAR6: Prayer - Heart

If YES to PRAYER6: What were the reasons for using this? - To reduce the risk of heart disease

Value	Label	Unweighted Frequency	%
1	No	858	35.0 %
2	Yes	269	11.0 %
	Missing Data		
-7	Refused	64	2.6 %
-1	N/A	981	40.1 %
.	-	276	11.3 %
	Total	2,448	100%

Based upon 1,127 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2692-2693 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PRAYOST6: Prayer - Osteoporosis

If YES to PRAYER6: What were the reasons for using this? - To reduce the risk of osteoporosis

Value	Label	Unweighted Frequency	%
1	No	984	40.2 %
2	Yes	134	5.5 %
	Missing Data		
-7	Refused	73	3.0 %
-1	N/A	981	40.1 %
.	-	276	11.3 %
	Total	2,448	100%

Based upon 1,118 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2694-2695 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PRAYMEN6: Prayer - Meno. symptoms

If YES to PRAYER6: What were the reasons for using this? - To relieve menopausal symptoms

Value	Label	Unweighted Frequency	%
1	No	974	39.8 %
2	Yes	144	5.9 %
	Missing Data		
-7	Refused	73	3.0 %

Value	Label	Unweighted Frequency	%
-1	N/A	981	40.1 %
.	-	276	11.3 %
	Total	2,448	100%

Based upon 1,118 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2696-2697 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PRAYLOO6: Prayer - Young Looking

If YES to PRAYER6: What were the reasons for using this? - To stay young-looking

Value	Label	Unweighted Frequency	%
1	No	969	39.6 %
2	Yes	152	6.2 %
	Missing Data		
-7	Refused	70	2.9 %
-1	N/A	981	40.1 %
.	-	276	11.3 %
	Total	2,448	100%

Based upon 1,121 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2698-2699 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PRAYMEM6: Prayer - Improve Memory

If YES to PRAYER6: What were the reasons for using this? - To improve memory

Value	Label	Unweighted Frequency	%
1	No	918	37.5 %
2	Yes	201	8.2 %
	Missing Data		
-7	Refused	72	2.9 %
-1	N/A	981	40.1 %
.	-	276	11.3 %
	Total	2,448	100%

Based upon 1,119 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2700-2701 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PRAYER6: Prayer - Reg. Periods

If YES to PRAYER6: What were the reasons for using this? - To regulate periods

Value	Label	Unweighted Frequency	%
1	No	1040	42.5 %
2	Yes	76	3.1 %
Missing Data			
-7	Refused	75	3.1 %
-1	N/A	981	40.1 %
.	-	276	11.3 %
Total		2,448	100%

Based upon 1,116 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2702-2703 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PRAYGEN6: Prayer - General Health

If YES to PRAYER6: What were the reasons for using this? - For general health

Value	Label	Unweighted Frequency	%
1	No	331	13.5 %
2	Yes	825	33.7 %
Missing Data			
-7	Refused	35	1.4 %
-1	N/A	981	40.1 %
.	-	276	11.3 %
Total		2,448	100%

Based upon 1,156 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2704-2705 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PRAYWGH6: Prayer - Weight

If YES to PRAYER6: What were the reasons for using this? - To lose weight or to stay the same weight

Value	Label	Unweighted Frequency	%
1	No	923	37.7 %
2	Yes	196	8.0 %
Missing Data			
-7	Refused	72	2.9 %
-1	N/A	981	40.1 %
.	-	276	11.3 %
Total		2,448	100%

Based upon 1,119 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2706-2707 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PRAYADV6: Prayer - Provider advice

If YES to PRAYER6: What were the reasons for using this? - On advice from health care provide

Value	Label	Unweighted Frequency	%
1	No	1035	42.3 %
2	Yes	79	3.2 %
Missing Data			
-7	Refused	77	3.1 %
-1	N/A	981	40.1 %
.	-	276	11.3 %
Total		2,448	100%

Based upon 1,114 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2708-2709 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PRAYOTH6: Prayer - Other reason

If YES to PRAYER6: What were the reasons for using this? - Other

Value	Label	Unweighted Frequency	%
1	No	591	24.1 %
2	Yes	517	21.1 %
	Missing Data		
-7	Refused	82	3.3 %
-1	N/A	982	40.1 %
.	-	276	11.3 %
	Total	2,448	100%

Based upon 1,108 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2710-2711 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PRAYSPE6: Prayer - Other specify

If YES to PRAYER6: What were the reasons for using this? - Other (please specify)

Value	Label	Unweighted Frequency	%
	-	276	11.3 %
'WHY NOT'	-	1	0.0 %
-1: N/A	-	1655	67.6 %
-7: Refused	-	2	0.1 %
-RELIEVE STRESS	-	1	0.0 %
A PRINCIPLE	-	1	0.0 %
ALL THINGS ARE POSSIABLE	-	1	0.0 %
ALWAYS PRAY	-	1	0.0 %
AS A COPING MECHANISM	-	1	0.0 %
ATTITUDE	-	1	0.0 %
BECAUSE I BELIEVE IN JESUS	-	1	0.0 %
BECAUSE I ENJOY TALKING TO GOD	-	1	0.0 %
BECAUSE I LIKE TO TALK TO GOD	-	1	0.0 %
BECAUSE I LOVE THE LORD	-	1	0.0 %
BECAUSE I TALK TO GOD DAILY	-	1	0.0 %
BECAUSE I WANT TO.	-	1	0.0 %
BECAUSE IT HELPS	-	1	0.0 %
BECAUSE IT IS GOOD FOR YOU	-	1	0.0 %
BECAUSE OF MY FAITH	-	1	0.0 %
BECAUSE OF R'S FAITH	-	1	0.0 %
BECAUSE WE NEED TO AND FOR GENERAL WELL BEING	-	1	0.0 %
BELIEVE IN PRAYER	-	1	0.0 %
BELIEVE IN PRAYER (GOD)	-	1	0.0 %

Value	Label	Unweighted Frequency	%
BELIEVE PRAYER HELPS	-	1	0.0 %
BETTER LIFE	-	1	0.0 %
BODY, MIND, SOUL	-	1	0.0 %
BREAST CANCER	-	1	0.0 %
BUILD MY FAITH	-	1	0.0 %
CALM MYSELF	-	1	0.0 %
CALMING	-	1	0.0 %
CALMNESS	-	1	0.0 %
CAN'T DO IT ALL BY MYSELF	-	1	0.0 %
CANT LIVE WITHOUT PRAYING TO MY SAVIOUR	-	1	0.0 %
CHRISTIAN	-	1	0.0 %
CHRISTIANITY	-	2	0.1 %
COMFORT	-	3	0.1 %
COMFORT & STRENGTH	-	1	0.0 %
COMFORT, PEACE	-	1	0.0 %
COMFORT, THANKS, HABIT	-	1	0.0 %
COMMUNICATE	-	1	0.0 %
COMMUNICATE WITH OUR CREATOR/BEST FRIEND SPIRITUAL HEALTH	-	1	0.0 %
CONNECTION	-	1	0.0 %
CONSOLATION CALMING INFLUENCE	-	1	0.0 %
COPE WITH LIFE	-	1	0.0 %
DAILY COMMUNE WITH GOD	-	1	0.0 %
DAILY DEVOTION	-	1	0.0 %
DAILY HEALTH	-	1	0.0 %
DAILY THANKS TO THE LORD	-	1	0.0 %
DIABETES HAS TAKEN A HARD TOLL ON FAMILY	-	1	0.0 %
DONE ON A DAILY BASIS	-	1	0.0 %
	Total	2,448	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,448 valid cases out of 2,448 total cases.

Location: 2712-2771 (width: 60; decimal: 0)

Variable Type: character

SAME6: SAM-E

During the past 12 months, have you used any of the following for your health? SAM-E (S-adenosylmethionine endogenous)

Value	Label	Unweighted Frequency	%
1	No	2136	87.3 %
2	Yes	24	1.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-9	Missing	1	0.0 %
-7	Refused	11	0.4 %
.	-	276	11.3 %
	Total	2,448	100%

Based upon 2,160 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2772-2773 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -8 , -7 , -1 , .

SAMEHAR6: SAM-E - Heart

If YES to SAME6: What were the reasons for using this? - To reduce the risk of heart disease

Value	Label	Unweighted Frequency	%
1	No	17	0.7 %
2	Yes	7	0.3 %
	Missing Data		
-1	N/A	2148	87.7 %
.	-	276	11.3 %
	Total	2,448	100%

Based upon 24 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2774-2775 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -8 , -7 , -1 , .

SAMEOST6: SAM-E - Osteoporosis

If YES to SAME6: What were the reasons for using this? - To reduce the risk of osteoporosis

Value	Label	Unweighted Frequency	%
1	No	20	0.8 %
2	Yes	4	0.2 %
	Missing Data		
-1	N/A	2148	87.7 %
.	-	276	11.3 %
	Total	2,448	100%

Based upon 24 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2776-2777 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SAMEMEN6: SAM-E - Meno. symptoms

If YES to SAME6: What were the reasons for using this? - To relieve menopausal symptoms

Value	Label	Unweighted Frequency	%
1	No	19	0.8 %
2	Yes	5	0.2 %
Missing Data			
-1	N/A	2148	87.7 %
.	-	276	11.3 %
Total		2,448	100%

Based upon 24 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2778-2779 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SAMELOO6: SAM-E - Young Looking

If YES to SAME6: What were the reasons for using this? - To stay young-looking

Value	Label	Unweighted Frequency	%
1	No	19	0.8 %
2	Yes	5	0.2 %
Missing Data			
-1	N/A	2148	87.7 %
.	-	276	11.3 %
Total		2,448	100%

Based upon 24 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2780-2781 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SAMEMEM6: SAM-E - Improve Memory

If YES to SAME6: What were the reasons for using this? - To improve memory

Value	Label	Unweighted Frequency	%
1	No	18	0.7 %
2	Yes	6	0.2 %
	Missing Data		
-1	N/A	2148	87.7 %
.	-	276	11.3 %
	Total	2,448	100%

Based upon 24 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2782-2783 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SAMEPER6: SAM-E - Reg. Periods

If YES to SAME6: What were the reasons for using this? - To regulate periods

Value	Label	Unweighted Frequency	%
1	No	23	0.9 %
2	Yes	1	0.0 %
	Missing Data		
-1	N/A	2148	87.7 %
.	-	276	11.3 %
	Total	2,448	100%

Based upon 24 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2784-2785 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SAMEGEN6: SAM-E - General Health

If YES to SAME6: What were the reasons for using this? - For general health

Value	Label	Unweighted Frequency	%
1	No	11	0.4 %
2	Yes	13	0.5 %
	Missing Data		
-1	N/A	2148	87.7 %
.	-	276	11.3 %

Value	Label	Unweighted Frequency	%
	Total	2,448	100%

Based upon 24 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2786-2787 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SAMEWGH6: SAM-E - Weight

If YES to SAME6: What were the reasons for using this? - To lose weight or to stay the same weight

Value	Label	Unweighted Frequency	%
1	No	22	0.9 %
2	Yes	2	0.1 %
	Missing Data		
-1	N/A	2148	87.7 %
.	-	276	11.3 %
	Total	2,448	100%

Based upon 24 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2788-2789 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SAMEADV6: SAM-E - Provider advice

If YES to SAME6: What were the reasons for using this? - On advice from health care provider

Value	Label	Unweighted Frequency	%
1	No	24	1.0 %
2	Yes	0	0.0 %
	Missing Data		
-1	N/A	2148	87.7 %
.	-	276	11.3 %
	Total	2,448	100%

Based upon 24 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 2790-2791 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SAMEOTH6: SAM-E - Other reason

If YES to SAME6: What were the reasons for using this? - Other

Value	Label	Unweighted Frequency	%
1	No	15	0.6 %
2	Yes	9	0.4 %
	Missing Data		
-1	N/A	2148	87.7 %
.	-	276	11.3 %
	Total	2,448	100%

Based upon 24 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2792-2793 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SAMESPE6: SAM-E - Other specify

If YES to SAME6: What were the reasons for using this? - Other (please specify)

Value	Label	Unweighted Frequency	%
	-	276	11.3 %
-1: N/A	-	2163	88.4 %
CAN'T REMEMBER	-	1	0.0 %
DEPRESSION	-	1	0.0 %
ENERGY	-	1	0.0 %
FOR EMOTIONAL HEALTH	-	1	0.0 %
JOINT PAIN	-	1	0.0 %
MOOD ARTHRITIS	-	1	0.0 %
REDUCE PAIN	-	1	0.0 %
RELIEVE ARTHRITS PAIN	-	1	0.0 %
TO STOP DEPRESSION BEFORE ZOLOFT	-	1	0.0 %
	Total	2,448	100%

Based upon 2,448 valid cases out of 2,448 total cases.

Location: 2794-2825 (width: 32; decimal: 0)

Variable Type: character

SELFHEL6: Self-help group

During the past 12 months, have you used any of the following for your health? Self-help group

Value	Label	Unweighted Frequency	%
1	No	2049	83.7 %
2	Yes	114	4.7 %
Missing Data			
-7	Refused	9	0.4 %
.	-	276	11.3 %
Total		2,448	100%

Based upon 2,163 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2826-2827 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SELFHAR6: Self-help group - Heart

If YES to SELFHEL6: What were the reasons for using this? - To reduce the risk of heart disease

Value	Label	Unweighted Frequency	%
1	No	73	3.0 %
2	Yes	34	1.4 %
Missing Data			
-7	Refused	7	0.3 %
-1	N/A	2058	84.1 %
.	-	276	11.3 %
Total		2,448	100%

Based upon 107 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2828-2829 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SELFOST6: Self-help group - Osteoporosis

If YES to SELFHEL6: What were the reasons for using this? - To reduce the risk of osteoporosis

Value	Label	Unweighted Frequency	%
1	No	91	3.7 %
2	Yes	15	0.6 %
Missing Data			

Value	Label	Unweighted Frequency	%
-7	Refused	8	0.3 %
-1	N/A	2058	84.1 %
.	-	276	11.3 %
	Total	2,448	100%

Based upon 106 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2830-2831 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SELFMEN6: Self-help group - Meno. symptoms

If YES to SELFHEL6: What were the reasons for using this? - To relieve menopausal symptoms

Value	Label	Unweighted Frequency	%
1	No	90	3.7 %
2	Yes	16	0.7 %
	Missing Data		
-7	Refused	8	0.3 %
-1	N/A	2058	84.1 %
.	-	276	11.3 %
	Total	2,448	100%

Based upon 106 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2832-2833 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SELFLOO6: Self-help group - Young Looking

If YES to SELFHEL6: What were the reasons for using this? - To stay young-looking

Value	Label	Unweighted Frequency	%
1	No	85	3.5 %
2	Yes	21	0.9 %
	Missing Data		
-7	Refused	8	0.3 %
-1	N/A	2058	84.1 %
.	-	276	11.3 %

Value	Label	Unweighted Frequency	%
	Total	2,448	100%

Based upon 106 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2834-2835 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SELFMEM6: Self-help group - Improve Memory

If YES to SELFHEL6: What were the reasons for using this? - To improve memory

Value	Label	Unweighted Frequency	%
1	No	89	3.6 %
2	Yes	18	0.7 %
	Missing Data		
-7	Refused	7	0.3 %
-1	N/A	2058	84.1 %
.	-	276	11.3 %
	Total	2,448	100%

Based upon 107 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2836-2837 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SELFPER6: Self-help group - Reg. Periods

If YES to SELFHEL6: What were the reasons for using this? - To regulate periods

Value	Label	Unweighted Frequency	%
1	No	99	4.0 %
2	Yes	7	0.3 %
	Missing Data		
-7	Refused	8	0.3 %
-1	N/A	2058	84.1 %
.	-	276	11.3 %
	Total	2,448	100%

Based upon 106 valid cases out of 2,448 total cases.

- Minimum: 1.00

- Maximum: 2.00

Location: 2838-2839 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SELFGEN6: Self-help group - General Health

If YES to SELFHEL6: What were the reasons for using this? - For general health

Value	Label	Unweighted Frequency	%
1	No	30	1.2 %
2	Yes	82	3.3 %
Missing Data			
-7	Refused	2	0.1 %
-1	N/A	2058	84.1 %
.	-	276	11.3 %
Total		2,448	100%

Based upon 112 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2840-2841 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SELFWGH6: Self-help group - Weight

If YES to SELFHEL6: What were the reasons for using this? - To lose weight or to stay the same weight

Value	Label	Unweighted Frequency	%
1	No	67	2.7 %
2	Yes	41	1.7 %
Missing Data			
-7	Refused	6	0.2 %
-1	N/A	2058	84.1 %
.	-	276	11.3 %
Total		2,448	100%

Based upon 108 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2842-2843 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SELFADV6: Self-help group - Provider advice

If YES to SELFHEL6: What were the reasons for using this? - On advice from health care provider

Value	Label	Unweighted Frequency	%
1	No	79	3.2 %
2	Yes	28	1.1 %
Missing Data			
-7	Refused	7	0.3 %
-1	N/A	2058	84.1 %
.	-	276	11.3 %
Total		2,448	100%

Based upon 107 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2844-2845 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SELFOTH6: Self-help group - Other reason

If YES to SELFHEL6: What were the reasons for using this? - Other

Value	Label	Unweighted Frequency	%
1	No	84	3.4 %
2	Yes	24	1.0 %
Missing Data			
-7	Refused	6	0.2 %
-1	N/A	2058	84.1 %
.	-	276	11.3 %
Total		2,448	100%

Based upon 108 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2846-2847 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SELFSPE6: Self-help group - Other specify

If YES to SELFHEL6: What were the reasons for using this? - Other (please specify)

Value	Label	Unweighted Frequency	%
-	-	276	11.3 %
-1: N/A	-	2148	87.7 %

Value	Label	Unweighted Frequency	%
ALANON MENTAL HEALTH	-	1	0.0 %
BEREAVEMENT	-	1	0.0 %
BLIND SUPPORT GROUP	-	1	0.0 %
DEPRESSION	-	1	0.0 %
EMOTIONAL SUPPORT	-	2	0.1 %
ENCOURAGEMENT, SOCIAL RELIEF	-	1	0.0 %
FEEL MORE CREATIVE	-	1	0.0 %
FOR CARDIAC PATIENT & CAREGIVER SUPPORT	-	1	0.0 %
FOR MAKING MYSELF A BETTER PERSON	-	1	0.0 %
FOR MY SELF	-	1	0.0 %
FOR SHARING, LAUGHING, FRIENDSHIP	-	1	0.0 %
GRIEF GROUP	-	1	0.0 %
LESS STRESS IN MY LIFE	-	1	0.0 %
PEACE OF MIND	-	1	0.0 %
PRAYER GROUPS	-	1	0.0 %
RELIEVE ANXIETY	-	1	0.0 %
REMAIN SOBER	-	1	0.0 %
SPIRITUAL HEALTH COVENAT GROUP	-	1	0.0 %
SUPPORT GROUP FOR ABUSED WOMEN	-	1	0.0 %
TALKING TO OTHERS MAKE ONE FEEL CONNECTED	-	1	0.0 %
TO GET OUT OF MY DEPRESSION	-	1	0.0 %
TO HELP US HELP OUR SON AND OWN MENTAL HEALTH	-	1	0.0 %
TO SUPPORT OTHERS AT A CHURCH GROUP	-	1	0.0 %
	Total	2,448	100%

Based upon 2,448 valid cases out of 2,448 total cases.

Location: 2848-2892 (width: 45; decimal: 0)

Variable Type: character

SOYSUPP6: Soy supplement

During the past 12 months, have you used any of the following for your health? Soy supplement

Value	Label	Unweighted Frequency	%
1	No	1813	74.1 %
2	Yes	353	14.4 %
	Missing Data		
-7	Refused	6	0.2 %
-	-	276	11.3 %
	Total	2,448	100%

Based upon 2,166 valid cases out of 2,448 total cases.

- Minimum: 1.00

- Maximum: 2.00

Location: 2893-2894 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SOYHAR6: Soy supplement - Heart

If YES to SOYSUPP6: What were the reasons for using this? - To reduce the risk of heart disease

Value	Label	Unweighted Frequency	%
1	No	186	7.6 %
2	Yes	148	6.0 %
Missing Data			
-7	Refused	19	0.8 %
-1	N/A	1819	74.3 %
.	-	276	11.3 %
Total		2,448	100%

Based upon 334 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2895-2896 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SOYOST6: Soy supplement - Osteoporosis

If YES to SOYSUPP6: What were the reasons for using this? - To reduce the risk of osteoporosis

Value	Label	Unweighted Frequency	%
1	No	195	8.0 %
2	Yes	139	5.7 %
Missing Data			
-7	Refused	19	0.8 %
-1	N/A	1819	74.3 %
.	-	276	11.3 %
Total		2,448	100%

Based upon 334 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2897-2898 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SOYMEN6: Soy supplement - Meno. symptoms

If YES to SOYSUPP6: What were the reasons for using this? - To relieve menopausal symptoms

Value	Label	Unweighted Frequency	%
1	No	99	4.0 %
2	Yes	243	9.9 %
Missing Data			
-7	Refused	11	0.4 %
-1	N/A	1819	74.3 %
.	-	276	11.3 %
Total		2,448	100%

Based upon 342 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2899-2900 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SOYLOO6: Soy supplement - Young Looking

If YES to SOYSUPP6: What were the reasons for using this? - To stay young-looking

Value	Label	Unweighted Frequency	%
1	No	257	10.5 %
2	Yes	75	3.1 %
Missing Data			
-7	Refused	20	0.8 %
-1	N/A	1820	74.3 %
.	-	276	11.3 %
Total		2,448	100%

Based upon 332 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2901-2902 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SOYMEM6: Soy supplement - Improve Memory

If YES to SOYSUPP6: What were the reasons for using this? - To improve memory

Value	Label	Unweighted Frequency	%
1	No	286	11.7 %
2	Yes	44	1.8 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-7	Refused	22	0.9 %
-1	N/A	1820	74.3 %
.	-	276	11.3 %
	Total	2,448	100%

Based upon 330 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2903-2904 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SOYPER6: Soy supplement - Reg. Periods

If YES to SOYSUPP6: What were the reasons for using this? - To regulate periods

Value	Label	Unweighted Frequency	%
1	No	313	12.8 %
2	Yes	17	0.7 %
	Missing Data		
-7	Refused	22	0.9 %
-1	N/A	1820	74.3 %
.	-	276	11.3 %
	Total	2,448	100%

Based upon 330 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2905-2906 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SOYGEN6: Soy supplement - General Health

If YES to SOYSUPP6: What were the reasons for using this? - For general health

Value	Label	Unweighted Frequency	%
1	No	94	3.8 %
2	Yes	248	10.1 %
	Missing Data		
-7	Refused	11	0.4 %
-1	N/A	1819	74.3 %
.	-	276	11.3 %

Value	Label	Unweighted Frequency	%
	Total	2,448	100%

Based upon 342 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2907-2908 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SOYWH6: Soy supplement - Weight

If YES to SOYSUPP6: What were the reasons for using this? - To lose weight or to stay the same weight

Value	Label	Unweighted Frequency	%
1	No	254	10.4 %
2	Yes	79	3.2 %
	Missing Data		
-7	Refused	20	0.8 %
-1	N/A	1819	74.3 %
.	-	276	11.3 %
	Total	2,448	100%

Based upon 333 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2909-2910 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SOYADV6: Soy supplement - Provider advice

If YES to SOYSUPP6: What were the reasons for using this? - On advice from health care provider

Value	Label	Unweighted Frequency	%
1	No	284	11.6 %
2	Yes	47	1.9 %
	Missing Data		
-7	Refused	21	0.9 %
-1	N/A	1820	74.3 %
.	-	276	11.3 %
	Total	2,448	100%

Based upon 331 valid cases out of 2,448 total cases.

- Minimum: 1.00

- Maximum: 2.00

Location: 2911-2912 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SOYOTH6: Soy supplement - Other reason

If YES to SOYSUPP6: What were the reasons for using this? - Other

Value	Label	Unweighted Frequency	%
1	No	274	11.2 %
2	Yes	18	0.7 %
Missing Data			
-7	Refused	60	2.5 %
-1	N/A	1820	74.3 %
.	-	276	11.3 %
Total		2,448	100%

Based upon 292 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2913-2914 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SOYSPE6: Soy supplement - Other specify

If YES to SOYSUPP6: What were the reasons for using this? - Other (please specify)

Value	Label	Unweighted Frequency	%
-	-	276	11.3 %
-1: N/A	-	2154	88.0 %
ALLERGIC TO MILK SO I USE SOY MILK	-	1	0.0 %
CALCIUM?	-	1	0.0 %
DIDN'T WORK HAD BAD RASH	-	1	0.0 %
EROSIVE ESOPHAGAS	-	1	0.0 %
FAMILY/CHILD ALLERGIC TO MILK	-	1	0.0 %
HELPS WITH MY MENOPAUSE	-	1	0.0 %
HEMORRHOIDS & JOINT TROUBLE	-	1	0.0 %
HOT FLASHES	-	2	0.1 %
I DON'T DRINK MILK	-	1	0.0 %
I DON'T EAT DRINK DAIRY BY HAVE A LOT OF SOY	-	1	0.0 %
REDUCE INSULIN RESISTANCE	-	1	0.0 %
SOY MILK ONLY	-	1	0.0 %
SUBSTITUTE FOR MILK	-	1	0.0 %

Value	Label	Unweighted Frequency	%
SUPPLEMENTS TO ABSORB NUTRIENTS BETTER	-	1	0.0 %
TASTES GOOD	-	1	0.0 %
USUAL DIET	-	1	0.0 %
VERY INFREQUENT	-	1	0.0 %
	Total	2,448	100%

Based upon 2,448 valid cases out of 2,448 total cases.

Location: 2915-2958 (width: 44; decimal: 0)

Variable Type: character

WORTSTJ6: St. John's wort

During the past 12 months, have you used any of the following for your health? St. John's Wort

Value	Label	Unweighted Frequency	%
1	No	2118	86.5 %
2	Yes	46	1.9 %
	Missing Data		
-7	Refused	8	0.3 %
.	-	276	11.3 %
	Total	2,448	100%

Based upon 2,164 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2959-2960 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WORTHAR6: St. John's wort - Heart

If YES to WORTSTJ6: What were the reasons for using this? - To reduce the risk of heart disease

Value	Label	Unweighted Frequency	%
1	No	40	1.6 %
2	Yes	3	0.1 %
	Missing Data		
-7	Refused	3	0.1 %
-1	N/A	2126	86.8 %
.	-	276	11.3 %
	Total	2,448	100%

Based upon 43 valid cases out of 2,448 total cases.

- Minimum: 1.00

- Maximum: 2.00

Location: 2961-2962 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WORTOST6: St. John's wort - Osteoporosis

If YES to WORTSTJ6: What were the reasons for using this? - To reduce the risk of osteoporosis

Value	Label	Unweighted Frequency	%
1	No	43	1.8 %
2	Yes	1	0.0 %
Missing Data			
-7	Refused	2	0.1 %
-1	N/A	2126	86.8 %
.	-	276	11.3 %
Total		2,448	100%

Based upon 44 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2963-2964 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WORTMEN6: St. John's wort - Meno. symptoms

If YES to WORTSTJ6: What were the reasons for using this? - To relieve menopausal symptoms

Value	Label	Unweighted Frequency	%
1	No	33	1.3 %
2	Yes	10	0.4 %
Missing Data			
-7	Refused	3	0.1 %
-1	N/A	2126	86.8 %
.	-	276	11.3 %
Total		2,448	100%

Based upon 43 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2965-2966 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WORTLOO6: St. John's wort - Young Looking

If YES to WORTSTJ6: What were the reasons for using this? - To stay young-looking

Value	Label	Unweighted Frequency	%
1	No	39	1.6 %
2	Yes	4	0.2 %
Missing Data			
-7	Refused	3	0.1 %
-1	N/A	2126	86.8 %
.	-	276	11.3 %
Total		2,448	100%

Based upon 43 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2967-2968 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WORTMEM6: St. John's wort - Improve Memory

If YES to WORTSTJ6: What were the reasons for using this? - To improve memory

Value	Label	Unweighted Frequency	%
1	No	38	1.6 %
2	Yes	5	0.2 %
Missing Data			
-7	Refused	3	0.1 %
-1	N/A	2126	86.8 %
.	-	276	11.3 %
Total		2,448	100%

Based upon 43 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2969-2970 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WORTPER6: St. John's wort - Reg. Periods

If YES to WORTSTJ6: What were the reasons for using this? - To regulate periods

Value	Label	Unweighted Frequency	%
1	No	42	1.7 %
2	Yes	1	0.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-7	Refused	3	0.1 %
-1	N/A	2126	86.8 %
.	-	276	11.3 %
	Total	2,448	100%

Based upon 43 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2971-2972 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WORTGEN6: St. John's wort - General Health

If YES to WORTSTJ6: What were the reasons for using this? - For general health

Value	Label	Unweighted Frequency	%
1	No	21	0.9 %
2	Yes	23	0.9 %
	Missing Data		
-7	Refused	2	0.1 %
-1	N/A	2126	86.8 %
.	-	276	11.3 %
	Total	2,448	100%

Based upon 44 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2973-2974 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WORTWGH6: St. John's wort - Weight

If YES to WORTSTJ6: What were the reasons for using this? - To lose weight or to stay the same weight

Value	Label	Unweighted Frequency	%
1	No	42	1.7 %
2	Yes	1	0.0 %
	Missing Data		
-7	Refused	3	0.1 %
-1	N/A	2126	86.8 %
.	-	276	11.3 %

Value	Label	Unweighted Frequency	%
	Total	2,448	100%

Based upon 43 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2975-2976 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WORTADV6: St. John's wort - Provider advice

If YES to WORTSTJ6: What were the reasons for using this? - On advice from health care provider

Value	Label	Unweighted Frequency	%
1	No	40	1.6 %
2	Yes	2	0.1 %
	Missing Data		
-7	Refused	4	0.2 %
-1	N/A	2126	86.8 %
.	-	276	11.3 %
	Total	2,448	100%

Based upon 42 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2977-2978 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WORTOTH6: St. John's wort - Other reason

If YES to WORTSTJ6: What were the reasons for using this? - Other

Value	Label	Unweighted Frequency	%
1	No	19	0.8 %
2	Yes	23	0.9 %
	Missing Data		
-7	Refused	4	0.2 %
-1	N/A	2126	86.8 %
.	-	276	11.3 %
	Total	2,448	100%

Based upon 42 valid cases out of 2,448 total cases.

- Minimum: 1.00

- Maximum: 2.00

Location: 2979-2980 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WORTSPE6: St. John's wort - Other specify

If YES to WORTSTJ6: What were the reasons for using this? - Other (please specify)

Value	Label	Unweighted Frequency	%
-	-	276	11.3 %
-1: N/A	-	2149	87.8 %
ANTI-DEPRESSION	-	1	0.0 %
ANXIETY	-	1	0.0 %
CALMS NERVES	-	1	0.0 %
DEPRESSION	-	2	0.1 %
DEPRESSION AND ANXIETY	-	1	0.0 %
DEPRESSION AROUND PERIODS	-	1	0.0 %
FEEL MORE UP	-	1	0.0 %
FOR EMOTIONAL HEALTH	-	1	0.0 %
FOR S.A.D.	-	1	0.0 %
HELP WITH MOOD	-	1	0.0 %
LOW ENERGY & MILD DEPRESSION	-	1	0.0 %
MOOD ENHANCEMENT	-	1	0.0 %
MOOD SWINGS	-	1	0.0 %
MOODY MESS	-	1	0.0 %
NATURAL DEPRESSION	-	1	0.0 %
NERVOUS	-	1	0.0 %
SLEEP	-	1	0.0 %
TO BE CALM	-	1	0.0 %
TO EVEN OUT MOODS	-	1	0.0 %
TO FEEL BETTER.	-	1	0.0 %
TO HELP WITH DEPRESSION	-	1	0.0 %
TREAT DEPRESSION	-	1	0.0 %
	Total	2,448	100%

Based upon 2,448 valid cases out of 2,448 total cases.

Location: 2981-3008 (width: 28; decimal: 0)

Variable Type: character

TAICHI6: Tai Chi

During the past 12 months, have you used any of the following for your health? Tai Chi

Value	Label	Unweighted Frequency	%
1	No	2097	85.7 %

Value	Label	Unweighted Frequency	%
2	Yes	65	2.7 %
	Missing Data		
-9	Missing	1	0.0 %
-7	Refused	9	0.4 %
.	-	276	11.3 %
	Total	2,448	100%

Based upon 2,162 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3009-3010 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

TAIHAR6: Tai Chi - Heart

If YES to TAICHI6: What were the reasons for using this? - To reduce the risk of heart disease

Value	Label	Unweighted Frequency	%
1	No	38	1.6 %
2	Yes	23	0.9 %
	Missing Data		
-7	Refused	4	0.2 %
-1	N/A	2107	86.1 %
.	-	276	11.3 %
	Total	2,448	100%

Based upon 61 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3011-3012 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

TAIOST6: Tai Chi - Osteoporosis

If YES to TAICHI6: What were the reasons for using this? - To reduce the risk of osteoporosis

Value	Label	Unweighted Frequency	%
1	No	40	1.6 %
2	Yes	21	0.9 %
	Missing Data		
-7	Refused	4	0.2 %
-1	N/A	2107	86.1 %

Value	Label	Unweighted Frequency	%
.	-	276	11.3 %
	Total	2,448	100%

Based upon 61 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3013-3014 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

TAIMEN6: Tai Chi - Meno. symptoms

If YES to TAICHI6: What were the reasons for using this? - To relieve menopausal symptoms

Value	Label	Unweighted Frequency	%
1	No	50	2.0 %
2	Yes	11	0.4 %
	Missing Data		
-7	Refused	4	0.2 %
-1	N/A	2107	86.1 %
.	-	276	11.3 %
	Total	2,448	100%

Based upon 61 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3015-3016 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

TAILOO6: Tai Chi - Young Looking

If YES to TAICHI6: What were the reasons for using this? - To stay young-looking

Value	Label	Unweighted Frequency	%
1	No	41	1.7 %
2	Yes	20	0.8 %
	Missing Data		
-7	Refused	4	0.2 %
-1	N/A	2107	86.1 %
.	-	276	11.3 %
	Total	2,448	100%

Based upon 61 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3017-3018 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

TAIMEM6: Tai Chi - Improve Memory

If YES to TAICHI6: What were the reasons for using this? - To improve memory

Value	Label	Unweighted Frequency	%
1	No	42	1.7 %
2	Yes	19	0.8 %
Missing Data			
-7	Refused	4	0.2 %
-1	N/A	2107	86.1 %
.	-	276	11.3 %
Total		2,448	100%

Based upon 61 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3019-3020 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

TAIPER6: Tai Chi - Reg. Periods

If YES to TAICHI6: What were the reasons for using this? - To regulate periods

Value	Label	Unweighted Frequency	%
1	No	56	2.3 %
2	Yes	5	0.2 %
Missing Data			
-7	Refused	4	0.2 %
-1	N/A	2107	86.1 %
.	-	276	11.3 %
Total		2,448	100%

Based upon 61 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3021-3022 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

TAIGEN6: Tai Chi - General Health

If YES to TAICHI6: What were the reasons for using this? - For general health

Value	Label	Unweighted Frequency	%
1	No	4	0.2 %
2	Yes	61	2.5 %
	Missing Data		
-1	N/A	2107	86.1 %
.	-	276	11.3 %
	Total	2,448	100%

Based upon 65 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3023-3024 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

TAIWGH6: Tai Chi - Weight

If YES to TAICHI6: What were the reasons for using this? - To lose weight or to stay the same weight

Value	Label	Unweighted Frequency	%
1	No	38	1.6 %
2	Yes	23	0.9 %
	Missing Data		
-7	Refused	4	0.2 %
-1	N/A	2107	86.1 %
.	-	276	11.3 %
	Total	2,448	100%

Based upon 61 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3025-3026 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

TAIADV6: Tai Chi - Provider advice

If YES to TAICHI6: What were the reasons for using this? - On advice from health care provider

Value	Label	Unweighted Frequency	%
1	No	52	2.1 %
2	Yes	9	0.4 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-7	Refused	4	0.2 %
-1	N/A	2107	86.1 %
.	-	276	11.3 %
	Total	2,448	100%

Based upon 61 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3027-3028 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

TAIOTH6: Tai Chi - Other reason

If YES to TAICHI6: What were the reasons for using this? - Other

Value	Label	Unweighted Frequency	%
1	No	37	1.5 %
2	Yes	7	0.3 %
	Missing Data		
-7	Refused	21	0.9 %
-1	N/A	2107	86.1 %
.	-	276	11.3 %
	Total	2,448	100%

Based upon 44 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3029-3030 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

TAISPE6: Tai Chi - Other specify

If YES to TAICHI6: What were the reasons for using this? - Other (please specify)

Value	Label	Unweighted Frequency	%
	-	276	11.3 %
-1: N/A	-	2165	88.4 %
BETTER BODY MOVEMENT	-	1	0.0 %
FOR MEDITATION	-	1	0.0 %
IMPROVE RIDING	-	1	0.0 %
MENTAL FOCUS WELL BEING	-	1	0.0 %

Value	Label	Unweighted Frequency	%
MOVING MEDITATION	-	1	0.0 %
SAME REASON AS ABOVE	-	1	0.0 %
STRESS REDUCTION	-	1	0.0 %
	Total	2,448	100%

Based upon 2,448 valid cases out of 2,448 total cases.

Location: 3031-3053 (width: 23; decimal: 0)

Variable Type: character

WVITAMI6: Women's vitamins

During the past 12 months, have you used any of the following for your health? Vitamin/supplement combination especially for women's health

Value	Label	Unweighted Frequency	%
1	No	1077	44.0 %
2	Yes	1087	44.4 %
	Missing Data		
-7	Refused	8	0.3 %
.	-	276	11.3 %
	Total	2,448	100%

Based upon 2,164 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3054-3055 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WVITHAR6: Women's vitamins - Heart

If YES to WVITAMI6: What were the reasons for using this? - To reduce the risk of heart disease

Value	Label	Unweighted Frequency	%
1	No	542	22.1 %
2	Yes	505	20.6 %
	Missing Data		
-7	Refused	40	1.6 %
-1	N/A	1085	44.3 %
.	-	276	11.3 %
	Total	2,448	100%

Based upon 1,047 valid cases out of 2,448 total cases.

- Minimum: 1.00

- Maximum: 2.00

Location: 3056-3057 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WVITOST6: Women's vitamins - Osteoporosis

If YES to WVITAMI6: What were the reasons for using this? - To reduce the risk of osteoporosis

Value	Label	Unweighted Frequency	%
1	No	387	15.8 %
2	Yes	663	27.1 %
Missing Data			
-7	Refused	37	1.5 %
-1	N/A	1085	44.3 %
.	-	276	11.3 %
Total		2,448	100%

Based upon 1,050 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3058-3059 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WVITMEN6: Women's vitamins - Meno. symptoms

If YES to WVITAMI6: What were the reasons for using this? - To relieve menopausal symptoms

Value	Label	Unweighted Frequency	%
1	No	758	31.0 %
2	Yes	281	11.5 %
Missing Data			
-7	Refused	48	2.0 %
-1	N/A	1085	44.3 %
.	-	276	11.3 %
Total		2,448	100%

Based upon 1,039 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3060-3061 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WVITLOO6: Women's vitamins - Young Looking

If YES to WVITAMI6: What were the reasons for using this? - To stay young-looking

Value	Label	Unweighted Frequency	%
1	No	680	27.8 %
2	Yes	362	14.8 %
Missing Data			
-7	Refused	45	1.8 %
-1	N/A	1085	44.3 %
.	-	276	11.3 %
Total		2,448	100%

Based upon 1,042 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3062-3063 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WVITMEM6: Women's vitamins - Improve Memory

If YES to WVITAMI6: What were the reasons for using this? - To improve memory

Value	Label	Unweighted Frequency	%
1	No	719	29.4 %
2	Yes	317	12.9 %
Missing Data			
-7	Refused	51	2.1 %
-1	N/A	1085	44.3 %
.	-	276	11.3 %
Total		2,448	100%

Based upon 1,036 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3064-3065 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WVITPER6: Women's vitamins - Reg. Periods

If YES to WVITAMI6: What were the reasons for using this? - To regulate periods

Value	Label	Unweighted Frequency	%
1	No	958	39.1 %
2	Yes	67	2.7 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-7	Refused	61	2.5 %
-1	N/A	1086	44.4 %
.	-	276	11.3 %
	Total	2,448	100%

Based upon 1,025 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3066-3067 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WVITGEN6: Women's vitamins - General Health

If YES to WVITAMI6: What were the reasons for using this? - For general health

Value	Label	Unweighted Frequency	%
1	No	53	2.2 %
2	Yes	1022	41.7 %
	Missing Data		
-7	Refused	12	0.5 %
-1	N/A	1085	44.3 %
.	-	276	11.3 %
	Total	2,448	100%

Based upon 1,075 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3068-3069 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WVITWGH6: Women's vitamins - Weight

If YES to WVITAMI6: What were the reasons for using this? - To lose weight or to stay the same weight

Value	Label	Unweighted Frequency	%
1	No	803	32.8 %
2	Yes	226	9.2 %
	Missing Data		
-7	Refused	58	2.4 %
-1	N/A	1085	44.3 %
.	-	276	11.3 %

Value	Label	Unweighted Frequency	%
	Total	2,448	100%

Based upon 1,029 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3070-3071 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WVITADV6: Women's vitamins - Provider advice

If YES to WVITAMI6: What were the reasons for using this? - On advice from health care provider

Value	Label	Unweighted Frequency	%
1	No	731	29.9 %
2	Yes	306	12.5 %
	Missing Data		
-7	Refused	49	2.0 %
-1	N/A	1086	44.4 %
.	-	276	11.3 %
	Total	2,448	100%

Based upon 1,037 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3072-3073 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WVITOTH6: Women's vitamins - Other reason

If YES to WVITAMI6: What were the reasons for using this? - Other

Value	Label	Unweighted Frequency	%
1	No	893	36.5 %
2	Yes	27	1.1 %
	Missing Data		
-7	Refused	166	6.8 %
-1	N/A	1086	44.4 %
.	-	276	11.3 %
	Total	2,448	100%

Based upon 920 valid cases out of 2,448 total cases.

- Minimum: 1.00

- Maximum: 2.00

Location: 3074-3075 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WVITSPE6: Women's vitamins - Other specify

If YES to WVITAMI6: What were the reasons for using this? - Other (please specify)

Value	Label	Unweighted Frequency	%
-	-	276	11.3 %
-1: N/A	-	2145	87.6 %
ANTIOXIDANTS	-	1	0.0 %
BECAUSE USA DIETS ARE DEFICIENT	-	1	0.0 %
COD LIVER OIL	-	1	0.0 %
ENERGY	-	1	0.0 %
EYES	-	1	0.0 %
FOR ENERGY	-	1	0.0 %
FOR IMPROVING SKIN TONE	-	1	0.0 %
FOR SKIN	-	1	0.0 %
FRIEND ADVISED	-	1	0.0 %
HAIR, NAIL, & SKIN	-	1	0.0 %
HAIRS' NAIL'S	-	1	0.0 %
HEALTHY HAIR	-	1	0.0 %
HELP GET OFF OF PREMARIN	-	1	0.0 %
I USE CHILDREN'S VITAMINS NOT THE ONES FOR WOMEN	-	1	0.0 %
LATEIN EYES	-	1	0.0 %
MENOPAUSE SYMPTOMS (CRYING)	-	1	0.0 %
NOT ONE SUPPLEMENT, A SLEW OF THIS AND THAT!	-	1	0.0 %
STRESS B'S + TO STRENGTHEN MY BONE	-	1	0.0 %
STRESS VITAMINS	-	1	0.0 %
SUGGESTION FROM SISTER	-	1	0.0 %
TO DECREAST MOOD SWINGS	-	1	0.0 %
TO IMPROVE ALERTNESS	-	1	0.0 %
TO PROTECT BODY AGAINST DISEASES AND ENHANCE GOOD HEALTH	-	1	0.0 %
TO REDUCE POSSIBILITY OF ANOTHER BLOOD CLOT	-	1	0.0 %
TO REGULATE HEART BEAT	-	1	0.0 %
VITAMIN E	-	1	0.0 %
WOMEN 1 A DAY FOR SUPPLEMENT	-	1	0.0 %
	Total	2,448	100%

Based upon 2,448 valid cases out of 2,448 total cases.

Location: 3076-3131 (width: 56; decimal: 0)

Variable Type: character

YOGA6: Yoga

During the past 12 months, have you used any of the following for your health? Yoga

Value	Label	Unweighted Frequency	%
1	No	1894	77.4 %
2	Yes	269	11.0 %
	Missing Data		
-7	Refused	9	0.4 %
.	-	276	11.3 %
	Total	2,448	100%

Based upon 2,163 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3132-3133 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

YOGAHAR6: Yoga - Heart

If YES to YOGA6: What were the reasons for using this? - To reduce the risk of heart disease

Value	Label	Unweighted Frequency	%
1	No	161	6.6 %
2	Yes	96	3.9 %
	Missing Data		
-7	Refused	12	0.5 %
-1	N/A	1903	77.7 %
.	-	276	11.3 %
	Total	2,448	100%

Based upon 257 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3134-3135 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

YOGAOST6: Yoga - Osteoporosis

If YES to YOGA6: What were the reasons for using this? - To reduce the risk of osteoporosis

Value	Label	Unweighted Frequency	%
1	No	161	6.6 %
2	Yes	97	4.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-7	Refused	11	0.4 %
-1	N/A	1903	77.7 %
.	-	276	11.3 %
	Total	2,448	100%

Based upon 258 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3136-3137 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

YOGAMEN6: Yoga - Meno. symptoms

If YES to YOGA6: What were the reasons for using this? - To relieve menopausal symptoms

Value	Label	Unweighted Frequency	%
1	No	203	8.3 %
2	Yes	53	2.2 %
	Missing Data		
-7	Refused	13	0.5 %
-1	N/A	1903	77.7 %
.	-	276	11.3 %
	Total	2,448	100%

Based upon 256 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3138-3139 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

YOGALOO6: Yoga - Young Looking

If YES to YOGA6: What were the reasons for using this? - To stay young-looking

Value	Label	Unweighted Frequency	%
1	No	129	5.3 %
2	Yes	131	5.4 %
	Missing Data		
-7	Refused	9	0.4 %
-1	N/A	1903	77.7 %
.	-	276	11.3 %

Value	Label	Unweighted Frequency	%
	Total	2,448	100%

Based upon 260 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3140-3141 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

YOGAMEM6: Yoga - Improve Memory

If YES to YOGA6: What were the reasons for using this? - To improve memory

Value	Label	Unweighted Frequency	%
1	No	200	8.2 %
2	Yes	58	2.4 %
	Missing Data		
-7	Refused	11	0.4 %
-1	N/A	1903	77.7 %
.	-	276	11.3 %
	Total	2,448	100%

Based upon 258 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3142-3143 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

YOGAPER6: Yoga - Reg. Periods

If YES to YOGA6: What were the reasons for using this? - To regulate periods

Value	Label	Unweighted Frequency	%
1	No	245	10.0 %
2	Yes	9	0.4 %
	Missing Data		
-7	Refused	15	0.6 %
-1	N/A	1903	77.7 %
.	-	276	11.3 %
	Total	2,448	100%

Based upon 254 valid cases out of 2,448 total cases.

- Minimum: 1.00

- Maximum: 2.00

Location: 3144-3145 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

YOGAGEN6: Yoga - General Health

If YES to YOGA6: What were the reasons for using this? - For general health

Value	Label	Unweighted Frequency	%
1	No	10	0.4 %
2	Yes	256	10.5 %
Missing Data			
-7	Refused	3	0.1 %
-1	N/A	1903	77.7 %
.	-	276	11.3 %
Total		2,448	100%

Based upon 266 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3146-3147 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

YOGAWGH6: Yoga - Weight

If YES to YOGA6: What were the reasons for using this? - To lose weight or to stay the same weight

Value	Label	Unweighted Frequency	%
1	No	127	5.2 %
2	Yes	131	5.4 %
Missing Data			
-7	Refused	11	0.4 %
-1	N/A	1903	77.7 %
.	-	276	11.3 %
Total		2,448	100%

Based upon 258 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3148-3149 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

YOGAADV6: Yoga - Provider advice

If YES to YOGA6: What were the reasons for using this? - On advice from health care provider

Value	Label	Unweighted Frequency	%
1	No	231	9.4 %
2	Yes	22	0.9 %
Missing Data			
-7	Refused	16	0.7 %
-1	N/A	1903	77.7 %
.	-	276	11.3 %
Total		2,448	100%

Based upon 253 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3150-3151 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

YOGAOTH6: Yoga - Other reason

If YES to YOGA6: What were the reasons for using this? - Other

Value	Label	Unweighted Frequency	%
1	No	184	7.5 %
2	Yes	41	1.7 %
Missing Data			
-7	Refused	44	1.8 %
-1	N/A	1903	77.7 %
.	-	276	11.3 %
Total		2,448	100%

Based upon 225 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3152-3153 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

YOGASPE6: Yoga - Other specify

If YES to YOGA6: What were the reasons for using this? - Other (please specify)

Value	Label	Unweighted Frequency	%
-	-	276	11.3 %
-1: N/A	-	2131	87.1 %

Value	Label	Unweighted Frequency	%
ARTHRITIS	-	1	0.0 %
BACK AND NECK RELIEF, FLEXIBILITY	-	1	0.0 %
BREATHING, STRETCHING, RELAXATION	-	1	0.0 %
DE-STRESS	-	1	0.0 %
DIDNT ENJOY YOGA	-	1	0.0 %
EMOTIONAL HEALTH; MORE ENERGY, FLEXIBILITY & STRENGTH	-	1	0.0 %
ENJOYMENT, FEEL BETTER	-	1	0.0 %
FEEL GOOD	-	1	0.0 %
FLEXABILITY	-	1	0.0 %
FOR BACK INJURY	-	1	0.0 %
FOR BALANCE	-	1	0.0 %
FOR EXERCISE	-	1	0.0 %
FOR RELAXATION	-	1	0.0 %
I ENJOY IT!	-	1	0.0 %
IF I DO YOGA I FEEL BETTER	-	1	0.0 %
IMPROVE FLEXIBILITY	-	1	0.0 %
INCREASE FLEXIBILITY	-	1	0.0 %
INCREASE FLEXIBLITY AND RELIEVE DJD PAIN	-	1	0.0 %
ITS MY FORM OF PRAYER	-	1	0.0 %
KRIYA YOGA MEDITATION	-	1	0.0 %
MENTAL ALERTNESS, FLEXIBILITY	-	1	0.0 %
MENTAL AND PHYSICAL HEALTH	-	1	0.0 %
MENTAL HEALTH	-	1	0.0 %
ONLY A FEW TIMES	-	1	0.0 %
PEACE OF MIND	-	1	0.0 %
PEACE OF MIND, JOY,	-	1	0.0 %
QUIET TIME	-	1	0.0 %
RECOVERY FROM INJURY	-	1	0.0 %
REDUCE STRESS	-	1	0.0 %
RELAX	-	1	0.0 %
RELIEVE NECK PAIN STAY FLEXIBLE AND IMPROVE POSTURE	-	1	0.0 %
RELIEVE STRESS	-	1	0.0 %
SPIRITUAL PRACTICE	-	1	0.0 %
STAY FLEXIBLE	-	1	0.0 %
STAY LIMBER, DECREASE BODY STIFFNESS	-	1	0.0 %
TO MAINTAIN LIMBERNESS	-	1	0.0 %
TO MAKE MY BODY FLEXIBLE.	-	1	0.0 %
TO RELAX	-	1	0.0 %
TO RELIEVE ACHES & PAINS	-	1	0.0 %
TO RELIEVE BACKPAIN & INCREASE FLEXIBILITY	-	1	0.0 %
TO RELIEVE MUSCULAR PAIN	-	1	0.0 %

Value	Label	Unweighted Frequency	%
	Total	2,448	100%

Based upon 2,448 valid cases out of 2,448 total cases.

Location: 3154-3206 (width: 53; decimal: 0)

Variable Type: character

OTHALT6: Other

During the past 12 months, have you used any of the following for your health? Other (specify)

Value	Label	Unweighted Frequency	%
1	No	1997	81.6 %
2	Yes	168	6.9 %
	Missing Data		
-7	Refused	7	0.3 %
.	-	276	11.3 %
	Total	2,448	100%

Based upon 2,165 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3207-3208 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -8 , -7 , -1 , .)

OTHALTS6: Other - Specify

If YES to OTHALT6: During the past 12 months, have you used any of the following for your health? Other - Specify

Value	Label	Unweighted Frequency	%
	-	276	11.3 %
-1: N/A	-	2004	81.9 %
ACUPPRESSURE	-	2	0.1 %
ACUPPRESSURE TO BACK OF FOOT	-	1	0.0 %
ACUPPRESSURE	-	1	0.0 %
AEROBICS	-	1	0.0 %
AEROBICS, KICKBOXING AND SWIMMING	-	1	0.0 %
AIKIDO	-	1	0.0 %
ANTIOXIDANTS WITH VITAMIN SUPPLEMENTS	-	1	0.0 %
AOJIRU (GREEN OAT POWDER)	-	1	0.0 %
ASPIRIN	-	1	0.0 %
ASPIRIN 81 MG	-	1	0.0 %
BALLET	-	1	0.0 %
BAYER W/CALCIUM FOR WOMEN	-	1	0.0 %

Value	Label	Unweighted Frequency	%
BIOCALTH, ESTRADIOL	-	1	0.0 %
BODY SOLUTION	-	1	0.0 %
BOVINE COLOSTRUM	-	1	0.0 %
CALCIUM	-	5	0.2 %
CALCIUM AND CENTRUM SILVER	-	1	0.0 %
CALCIUM MAGNESIUM	-	1	0.0 %
CALCIUM TABLETS	-	1	0.0 %
CATIRON	-	1	0.0 %
CELEXA	-	1	0.0 %
CENTERING PRAYER / MEDITATION	-	1	0.0 %
CHI CUNG	-	1	0.0 %
CHI GON (CHINESE EXERCISE)	-	1	0.0 %
CHI GONG	-	1	0.0 %
CHI KONG	-	1	0.0 %
CHI KUNG	-	1	0.0 %
CHIROPRACTOR	-	1	0.0 %
CO Q10	-	1	0.0 %
CO-ENZYME; ROYAL JELLY; MASSAGE.	-	1	0.0 %
COD LIVER OIL	-	2	0.1 %
COD LIVER OIL PILL	-	1	0.0 %
COENZYME Q10	-	1	0.0 %
COLON DETOXIFICATION/ CLEANSING PRODUCT	-	1	0.0 %
CORDYCEPS	-	1	0.0 %
COUNSELING	-	1	0.0 %
CURRY LEAVES (BOILED AS IN TEA)	-	1	0.0 %
DO IN (SELF-HEALING EXERISE)	-	1	0.0 %
EATING WHOLE FOOD	-	1	0.0 %
ECHINACEA	-	2	0.1 %
EDUCATION / TOPIC GROUPS, SEMINARS	-	1	0.0 %
EVENING OIL OF PRIMROSE	-	1	0.0 %
EVENING PRIMROSE OIL	-	1	0.0 %
EXERCISE	-	2	0.1 %
EXERCISE - RUN IN H2O	-	1	0.0 %
FELDENKREIS	-	1	0.0 %
FISH OIL CAPSULES	-	1	0.0 %
FLOOR EXERCISES	-	1	0.0 %
	Total	2,448	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,448 valid cases out of 2,448 total cases.

Location: 3209-3268 (width: 60; decimal: 0)

Variable Type: character

OTHHAR6: Other - Heart

If YES to OTHALT6: What were the reasons for using this? - To reduce the risk of heart disease

Value	Label	Unweighted Frequency	%
1	No	98	4.0 %
2	Yes	63	2.6 %
Missing Data			
-7	Refused	7	0.3 %
-1	N/A	2004	81.9 %
.	-	276	11.3 %
Total		2,448	100%

Based upon 161 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3269-3270 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHOST6: Other - Osteoporosis

If YES to OTHALT6: What were the reasons for using this? - To reduce the risk of osteoporosis

Value	Label	Unweighted Frequency	%
1	No	109	4.5 %
2	Yes	54	2.2 %
Missing Data			
-7	Refused	5	0.2 %
-1	N/A	2004	81.9 %
.	-	276	11.3 %
Total		2,448	100%

Based upon 163 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3271-3272 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHMEN6: Other - Meno. symptoms

If YES to OTHALT6: What were the reasons for using this? - To relieve menopausal symptoms

Value	Label	Unweighted Frequency	%
1	No	123	5.0 %
2	Yes	38	1.6 %
Missing Data			
-7	Refused	7	0.3 %
-1	N/A	2004	81.9 %
.	-	276	11.3 %
Total		2,448	100%

Based upon 161 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3273-3274 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHLOO6: Other - Young Looking

If YES to OTHALT6: What were the reasons for using this? - To stay young-looking

Value	Label	Unweighted Frequency	%
1	No	112	4.6 %
2	Yes	48	2.0 %
Missing Data			
-7	Refused	8	0.3 %
-1	N/A	2004	81.9 %
.	-	276	11.3 %
Total		2,448	100%

Based upon 160 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3275-3276 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHMEM6: Other - Improve Memory

If YES to OTHALT6: What were the reasons for using this? - To improve memory

Value	Label	Unweighted Frequency	%
1	No	122	5.0 %
2	Yes	38	1.6 %
Missing Data			
-7	Refused	8	0.3 %

Value	Label	Unweighted Frequency	%
-1	N/A	2004	81.9 %
.	-	276	11.3 %
	Total	2,448	100%

Based upon 160 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3277-3278 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHPER6: Other - Reg. Periods

If YES to OTHALT6: What were the reasons for using this? - To regulate periods

Value	Label	Unweighted Frequency	%
1	No	155	6.3 %
2	Yes	5	0.2 %
	Missing Data		
-7	Refused	8	0.3 %
-1	N/A	2004	81.9 %
.	-	276	11.3 %
	Total	2,448	100%

Based upon 160 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3279-3280 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHGEN6: Other - General Health

If YES to OTHALT6: What were the reasons for using this? - For general health

Value	Label	Unweighted Frequency	%
1	No	32	1.3 %
2	Yes	133	5.4 %
	Missing Data		
-7	Refused	3	0.1 %
-1	N/A	2004	81.9 %
.	-	276	11.3 %
	Total	2,448	100%

Based upon 165 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3281-3282 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHWGH6: Other - Weight

If YES to OTHALT6: What were the reasons for using this? - To lose weight or to stay the same weight

Value	Label	Unweighted Frequency	%
1	No	108	4.4 %
2	Yes	54	2.2 %
Missing Data			
-7	Refused	6	0.2 %
-1	N/A	2004	81.9 %
.	-	276	11.3 %
Total		2,448	100%

Based upon 162 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3283-3284 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHADV6: Other - Provider advice

If YES to OTHALT6: What were the reasons for using this? - On advice from health care provider

Value	Label	Unweighted Frequency	%
1	No	113	4.6 %
2	Yes	45	1.8 %
Missing Data			
-7	Refused	10	0.4 %
-1	N/A	2004	81.9 %
.	-	276	11.3 %
Total		2,448	100%

Based upon 158 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3285-3286 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHALTR6: Other - Other reason

If YES to OTHALT6: What were the reasons for using this? - Other

Value	Label	Unweighted Frequency	%
1	No	107	4.4 %
2	Yes	36	1.5 %
	Missing Data		
-7	Refused	25	1.0 %
-1	N/A	2004	81.9 %
.	-	276	11.3 %
	Total	2,448	100%

Based upon 143 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3287-3288 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WHYOTHA6: Other - Other specify

If YES to OTHALT6: What were the reasons for using this? - Other (please specify)

Value	Label	Unweighted Frequency	%
	-	276	11.3 %
-1: N/A	-	2136	87.3 %
-7: Refused	-	1	0.0 %
ANIMIA	-	1	0.0 %
BACK	-	1	0.0 %
BATTLE DEPRESS./FEAR/ANXIETY,DEAL W/DISABILITEIS/PHYS. LIMIT	-	1	0.0 %
BROKE ANKLE	-	1	0.0 %
CHOLESTEROL CONTROL	-	1	0.0 %
CONTINUOUS INTERACTION ACTIVITY HEALTHY. WIN OR LOSE.	-	1	0.0 %
DENTAL PAIN, BRONCHITIS, BOWEL PROBLEMS	-	1	0.0 %
EXERCISE	-	1	0.0 %
FOR DEPRESSION/ANXIETY	-	1	0.0 %
FOR HOT FLASHES	-	1	0.0 %
FOR JOINTS	-	1	0.0 %
FOR LEG CRAMPS	-	1	0.0 %
FOR MENTAL/EMOTIONAL HEALTH & SUPPORT & THAT OF MY KIDS	-	1	0.0 %
FOR PHYSICAL PEACE AND RELAXATION	-	1	0.0 %
FOR WORLD PEACE	-	1	0.0 %

Value	Label	Unweighted Frequency	%
GET RID OF FATIGUE	-	1	0.0 %
HELP WITH EMOTIONAL PROBLEMS	-	1	0.0 %
LIVER SUPPORT / DETOXING	-	1	0.0 %
MENTAL FUNCTIONING	-	1	0.0 %
MENTAL HEALTH	-	1	0.0 %
PANIC ATTACKS	-	1	0.0 %
PREVENT COLD ONSET OR MINIMIZE EXISTING SYMPTOMS	-	1	0.0 %
PREVENTIVE HART ATTACK/STROKE	-	1	0.0 %
RELIEVE DEPRESSION	-	1	0.0 %
RELIEVE PAIN FROM ARTHRITIS	-	1	0.0 %
RELIEVE STRESS, STAY FIT, STAY STRONG	-	1	0.0 %
SENSE OF WELL-BEING	-	1	0.0 %
STRENGTH FLEXABILITY	-	1	0.0 %
STRESS RELEASE	-	1	0.0 %
TO BOOST GOOD CHOLESTEROL	-	1	0.0 %
TO FEEL BETTER	-	1	0.0 %
TO HEAL KNEE INJURY	-	1	0.0 %
TO IMPROVE MY MENTAL HEALTH & OUTLOOK ON LIFE; TO SEE SITUAT	-	1	0.0 %
TO PREVENT COLDS	-	1	0.0 %
WITH CHEMO	-	1	0.0 %
	Total	2,448	100%

Based upon 2,448 valid cases out of 2,448 total cases.

Location: 3289-3348 (width: 60; decimal: 0)

Variable Type: character

FLGSAV6: Completed after V6 cutoff (02/15/2004)_1

Completed after V6 cutoff (02/15/2004)

Value	Label	Unweighted Frequency	%
0	No	2328	95.1 %
1	Yes	3	0.1 %
	Missing Data		
-1	Before V6	1	0.0 %
.	-	116	4.7 %
	Total	2,448	100%

Based upon 2,331 valid cases out of 2,448 total cases.

- Minimum: 0.00

- Maximum: 1.00

Location: 3349-3350 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SABDAY6: Self-administered-Part B Day

Self-administered-Part B Day

Value	Label	Unweighted Frequency	%
2041	-	1	0.0 %
2045	-	1	0.0 %
2085	-	1	0.0 %
2094	-	1	0.0 %
2095	-	1	0.0 %
2107	-	3	0.1 %
2114	-	1	0.0 %
2116	-	1	0.0 %
2118	-	1	0.0 %
2119	-	1	0.0 %
2120	-	1	0.0 %
2122	-	1	0.0 %
2123	-	2	0.1 %
2128	-	3	0.1 %
2129	-	1	0.0 %
2132	-	2	0.1 %
2133	-	3	0.1 %
2135	-	5	0.2 %
2136	-	2	0.1 %
2137	-	4	0.2 %
2138	-	1	0.0 %
2140	-	2	0.1 %
2141	-	5	0.2 %
2142	-	7	0.3 %
2143	-	4	0.2 %
2144	-	6	0.2 %
2145	-	4	0.2 %
2146	-	18	0.7 %
2147	-	14	0.6 %
2148	-	12	0.5 %
2149	-	36	1.5 %
2150	-	16	0.7 %
2151	-	15	0.6 %
2152	-	9	0.4 %
2153	-	14	0.6 %
2154	-	13	0.5 %
2155	-	15	0.6 %

Value	Label	Unweighted Frequency	%
2156	-	32	1.3 %
2157	-	21	0.9 %
2158	-	15	0.6 %
2159	-	11	0.4 %
2160	-	13	0.5 %
2161	-	24	1.0 %
2162	-	26	1.1 %
2163	-	35	1.4 %
2164	-	6	0.2 %
2165	-	8	0.3 %
2166	-	16	0.7 %
2167	-	14	0.6 %
2168	-	12	0.5 %
Missing Data			
.	-	256	10.5 %
Total		2,448	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,192 valid cases out of 2,448 total cases.

- Mean: 2221.04
- Minimum: 2041.00
- Maximum: 2703.00
- Standard Deviation: 71.06

Location: 3351-3354 (width: 4; decimal: 0)

Variable Type: numeric

LANGSAB6: Language of Self-B

Language of Self-B

Value	Label	Unweighted Frequency	%
1	English	1975	80.7 %
2	Spanish	33	1.3 %
3	Cantonese	85	3.5 %
4	Japanese	99	4.0 %
Missing Data			
.	-	256	10.5 %
Total		2,448	100%

Based upon 2,192 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 3355-3356 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

IMPORSE6: Importance of Sex

How important is sex in your life?

Value	Label	Unweighted Frequency	%
1	Extremely Important	141	5.8 %
2	Quite Important	401	16.4 %
3	Moderately Important	838	34.2 %
4	Not Very Important	517	21.1 %
5	Not At All Important	214	8.7 %
Missing Data			
-7	Refused	80	3.3 %
-1	N/A	1	0.0 %
.	-	256	10.5 %
Total		2,448	100%

Based upon 2,111 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3357-3358 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DESIRSE6: Desire to Engage in Sex past 6 mos

During the past 6 months, how often have you felt a desire to engage in any form of sexual activity, either alone or with a partner?

Value	Label	Unweighted Frequency	%
1	Not At All	328	13.4 %
2	Once or Twice/Mon	894	36.5 %
3	About Once/Wk	517	21.1 %
4	More than Once/Wk	360	14.7 %
5	Daily	49	2.0 %
Missing Data			
-7	Refused	44	1.8 %
.	-	256	10.5 %
Total		2,448	100%

Based upon 2,148 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3359-3360 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ENGAGSE6: Engaged in Sexual Activity past 6 mos

During the past 6 months, have you engaged in sexual activities with a partner?

Value	Label	Unweighted Frequency	%
1	No	583	23.8 %
2	Yes	1470	60.0 %
Missing Data			
-9	Missing	100	4.1 %
-7	Refused	39	1.6 %
.	-	256	10.5 %
Total		2,448	100%

Based upon 2,053 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3361-3362 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NOPARTN6: No Sex Past 6 Mos: No Partner

If NO to ENGAGSE6: I have not had sex in the last 6 months because: I do not have a partner at this time.

Value	Label	Unweighted Frequency	%
1	No	183	7.5 %
2	Yes	353	14.4 %
Missing Data			
-9	Missing	100	4.1 %
-8	Do not know	4	0.2 %
-7	Refused	43	1.8 %
-1	N/A	1509	61.6 %
.	-	256	10.5 %
Total		2,448	100%

Based upon 536 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3363-3364 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PARTPRO6: No Sex Past 6 Mos: Partner Phys Prob

If NO to ENGAGSE6: I have not had sex in the last 6 months because: My partner has a physical problem that interferes with sex.

Value	Label	Unweighted Frequency	%
1	No	387	15.8 %
2	Yes	59	2.4 %
Missing Data			
-9	Missing	100	4.1 %
-8	Do not know	7	0.3 %
-7	Refused	130	5.3 %
-1	N/A	1509	61.6 %
.	-	256	10.5 %
Total		2,448	100%

Based upon 446 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3365-3366 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

PHYSR6: No Sex Past 6 Mos: Phys Prob

If NO to ENGAGSE6: I have not had sex in the last 6 months because: I have a physical problem that interferes with sex.

Value	Label	Unweighted Frequency	%
1	No	417	17.0 %
2	Yes	25	1.0 %
Missing Data			
-9	Missing	100	4.1 %
-8	Do not know	8	0.3 %
-7	Refused	133	5.4 %
-1	N/A	1509	61.6 %
.	-	256	10.5 %
Total		2,448	100%

Based upon 442 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3367-3368 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

NOSEXOT6: No Sex Past 6 Mos: Other Reason

If NO to ENGAGSE6: I have not had sex in the last 6 months because: Other - Please Specify

Value	Label	Unweighted Frequency	%
1	No	218	8.9 %
2	Yes	133	5.4 %
Missing Data			
-9	Missing	100	4.1 %
-8	Do not know	13	0.5 %
-7	Refused	219	8.9 %
-1	N/A	1509	61.6 %
.	-	256	10.5 %
Total		2,448	100%

Based upon 351 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3369-3370 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SATISFY6: Emotionally Satisfying past 6 mos

If YES to ENGAGSE6: In the past 6 months, how emotionally satisfying was your relationship with your main partner?

Value	Label	Unweighted Frequency	%
1	Extremely Satisfying	212	8.7 %
2	Very Satisfying	549	22.4 %
3	Moderately Satisfying	512	20.9 %
4	Slightly Satisfying	160	6.5 %
5	Not At All Satisfying	30	1.2 %
Missing Data			
-9	Missing	100	4.1 %
-7	Refused	7	0.3 %
-1	N/A	622	25.4 %
.	-	256	10.5 %
Total		2,448	100%

Based upon 1,463 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3371-3372 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

KISSING6: Freq of Sexual Activity: Kissing

During the past 6 months, how often, on average, have you engaged in each of the following sexual activities? - Kissing or hugging?

Value	Label	Unweighted Frequency	%
1	Not At All	50	2.0 %
2	Once or Twice/Mon	209	8.5 %
3	About Once/Wk	173	7.1 %
4	More than Once/Wk	338	13.8 %
5	Daily	685	28.0 %
Missing Data			
-9	Missing	100	4.1 %
-7	Refused	15	0.6 %
-1	N/A	622	25.4 %
.	-	256	10.5 %
Total		2,448	100%

Based upon 1,455 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3373-3374 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

TOUCHIN6: Freq of Sexual Activity: Touching

During the past 6 months, how often, on average, have you engaged in each of the following sexual activities? - Sexual touching or caressing?

Value	Label	Unweighted Frequency	%
1	Not At All	52	2.1 %
2	Once or Twice/Mon	396	16.2 %
3	About Once/Wk	371	15.2 %
4	More than Once/Wk	438	17.9 %
5	Daily	190	7.8 %
Missing Data			
-9	Missing	100	4.1 %
-7	Refused	23	0.9 %
-1	N/A	622	25.4 %
.	-	256	10.5 %
Total		2,448	100%

Based upon 1,447 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3375-3376 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

ORALSEX6: Freq of Sexual Activity: Oral Sex

During the past 6 months, how often, on average, have you engaged in each of the following sexual activities? - Oral sex?

Value	Label	Unweighted Frequency	%
1	Not At All	673	27.5 %
2	Once or Twice/Mon	511	20.9 %
3	About Once/Wk	160	6.5 %
4	More than Once/Wk	74	3.0 %
5	Daily	3	0.1 %
Missing Data			
-9	Missing	101	4.1 %
-7	Refused	48	2.0 %
-1	N/A	622	25.4 %
.	-	256	10.5 %
Total		2,448	100%

Based upon 1,421 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3377-3378 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

INTCOUR6: Freq of Sexual Activity: Intercourse

During the past 6 months, how often, on average, have you engaged in each of the following sexual activities? - Sexual intercourse?

Value	Label	Unweighted Frequency	%
1	Not At All	73	3.0 %
2	Once or Twice/Mon	618	25.2 %
3	About Once/Wk	450	18.4 %
4	More than Once/Wk	298	12.2 %
5	Daily	10	0.4 %
Missing Data			
-9	Missing	100	4.1 %
-7	Refused	21	0.9 %
-1	N/A	622	25.4 %
.	-	256	10.5 %
Total		2,448	100%

Based upon 1,449 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3379-3380 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

AROUSED6: Arousal during sexual activity past 6 mos

During the last 6 months, how often did you feel aroused during sexual activity?

Value	Label	Unweighted Frequency	%
1	Always	355	14.5 %
2	Almost Always	578	23.6 %
3	Sometimes	430	17.6 %
4	Almost Never	72	2.9 %
5	Never	28	1.1 %
6	No Intercourse In Last 6 Mons	0	0.0 %
Missing Data			
-9	Missing	100	4.1 %
-7	Refused	7	0.3 %
-1	N/A	622	25.4 %
.	-	256	10.5 %
Total		2,448	100%

Based upon 1,463 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3381-3382 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PELVIC6: Vaginal or Pelvic Pain past 6 mos

During the past 6 months, have you felt vaginal or pelvic pain during intercourse?

Value	Label	Unweighted Frequency	%
1	Always	17	0.7 %
2	Almost Always	50	2.0 %
3	Sometimes	308	12.6 %
4	Almost Never	314	12.8 %
5	Never	702	28.7 %
6	No Intercourse In Last 6 Mons	72	2.9 %
Missing Data			
-9	Missing	100	4.1 %
-7	Refused	7	0.3 %
-1	N/A	622	25.4 %
.	-	256	10.5 %
Total		2,448	100%

Based upon 1,463 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 3383-3384 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

LUBRICN6: Use of Lubricants past 6 mos

During the last 6 months, how often have you used lubricants, such as creams or jellies, to make sex more comfortable?

Value	Label	Unweighted Frequency	%
1	Always	121	4.9 %
2	Almost Always	129	5.3 %
3	Sometimes	193	7.9 %
4	Almost Never	120	4.9 %
5	Never	844	34.5 %
6	No Intercourse In Last 6 Mons	59	2.4 %
Missing Data			
-9	Missing	100	4.1 %
-7	Refused	4	0.2 %
-1	N/A	622	25.4 %
.	-	256	10.5 %
Total		2,448	100%

Based upon 1,466 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 3385-3386 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ABLECLM6: Able to reach climax past 6 mos

During the past 6 months, how often were you able to reach climax (come)?

Value	Label	Unweighted Frequency	%
1	Always	268	10.9 %
2	Almost Always	538	22.0 %
3	Sometimes	451	18.4 %
4	Almost Never	116	4.7 %
5	Never	86	3.5 %
6	No Intercourse In Last 6 Mons	0	0.0 %
Missing Data			
-9	Missing	100	4.1 %

Value	Label	Unweighted Frequency	%
-7	Refused	11	0.4 %
-1	N/A	622	25.4 %
.	-	256	10.5 %
	Total	2,448	100%

Based upon 1,459 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3387-3388 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

IMPCLMX6: How important reach climax past 6 mos

During the past 6 months, how often was it important for you to reach a climax?

Value	Label	Unweighted Frequency	%
1	Always	181	7.4 %
2	Almost Always	445	18.2 %
3	Sometimes	586	23.9 %
4	Almost Never	182	7.4 %
5	Never	64	2.6 %
6	No Intercourse In Last 6 Mons	0	0.0 %
	Missing Data		
-9	Missing	100	4.1 %
-7	Refused	12	0.5 %
-1	N/A	622	25.4 %
.	-	256	10.5 %
	Total	2,448	100%

Based upon 1,458 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3389-3390 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SATISFD6: Satisfied after sexual activity past 6 mos

During the past 6 months, how often did you feel satisfied after sexual activity?

Value	Label	Unweighted Frequency	%
1	Always	302	12.3 %
2	Almost Always	635	25.9 %

Value	Label	Unweighted Frequency	%
3	Sometimes	408	16.7 %
4	Almost Never	72	2.9 %
5	Never	42	1.7 %
6	No Intercourse In Last 6 Mons	0	0.0 %
Missing Data			
-9	Missing	100	4.1 %
-7	Refused	11	0.4 %
-1	N/A	622	25.4 %
.	-	256	10.5 %
Total		2,448	100%

Based upon 1,459 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3391-3392 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

FREQUEN6: Satisfied w/freq sex activity past 6 mos

During the past 6 months, how often were you satisfied with the frequency of sexual activity?

Value	Label	Unweighted Frequency	%
1	Always	224	9.2 %
2	Almost Always	570	23.3 %
3	Sometimes	498	20.3 %
4	Almost Never	119	4.9 %
5	Never	50	2.0 %
6	No Intercourse In Last 6 Mons	0	0.0 %
Missing Data			
-9	Missing	100	4.1 %
-7	Refused	9	0.4 %
-1	N/A	622	25.4 %
.	-	256	10.5 %
Total		2,448	100%

Based upon 1,461 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3393-3394 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

MEN6MOS6: # men had intercourse w/in past 6 mos

Over the past 6 months, how many men have you had intercourse with?

Value	Label	Unweighted Frequency	%
1	Zero	73	3.0 %
2	One	1127	46.0 %
3	Two	37	1.5 %
4	Three	4	0.2 %
5	Four - Ten	1	0.0 %
6	More than 10	0	0.0 %
Missing Data			
-9	Missing	100	4.1 %
-7	Refused	9	0.4 %
-1	N/A	841	34.4 %
.	-	256	10.5 %
Total		2,448	100%

Based upon 1,242 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3395-3396 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MASTURB6: Freq of Masturbation past 6 mos

On average, in the last 6 months, how often have you engaged in masturbation (self-stimulation)?

Value	Label	Unweighted Frequency	%
1	Not At All	1077	44.0 %
2	Less Than Once/Mon	452	18.5 %
3	Once or Twice/Mon	370	15.1 %
4	About Once/Wk	117	4.8 %
5	More than Once/Wk	56	2.3 %
6	Daily	7	0.3 %
Missing Data			
-7	Refused	113	4.6 %
.	-	256	10.5 %
Total		2,448	100%

Based upon 2,079 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 3397-3398 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9, -8, -7, -1, .

FLGSABV6: Completed after V6 cutoff (02/15/2004)_2

Completed after V6 cutoff (02/15/2004)

Value	Label	Unweighted Frequency	%
0	No	2188	89.4 %
1	Yes	3	0.1 %
	Missing Data		
-1	Before V6	1	0.0 %
.	-	256	10.5 %
	Total	2,448	100%

Based upon 2,191 valid cases out of 2,448 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3399-3400 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

PHYDAY6: Physical measures Day

Physical measures Day

Value	Label	Unweighted Frequency	%
2036	-	1	0.0 %
2041	-	1	0.0 %
2045	-	1	0.0 %
2055	-	1	0.0 %
2085	-	1	0.0 %
2095	-	1	0.0 %
2106	-	1	0.0 %
2107	-	3	0.1 %
2114	-	1	0.0 %
2116	-	1	0.0 %
2118	-	2	0.1 %
2119	-	1	0.0 %
2120	-	1	0.0 %
2122	-	1	0.0 %
2123	-	2	0.1 %
2128	-	2	0.1 %
2129	-	1	0.0 %
2131	-	1	0.0 %

Value	Label	Unweighted Frequency	%
2132	-	2	0.1 %
2133	-	3	0.1 %
2135	-	5	0.2 %
2136	-	2	0.1 %
2137	-	5	0.2 %
2138	-	1	0.0 %
2140	-	2	0.1 %
2141	-	4	0.2 %
2142	-	7	0.3 %
2143	-	3	0.1 %
2144	-	5	0.2 %
2145	-	4	0.2 %
2146	-	12	0.5 %
2147	-	16	0.7 %
2148	-	14	0.6 %
2149	-	35	1.4 %
2150	-	19	0.8 %
2151	-	12	0.5 %
2152	-	13	0.5 %
2153	-	12	0.5 %
2154	-	15	0.6 %
2155	-	17	0.7 %
2156	-	34	1.4 %
2157	-	25	1.0 %
2158	-	17	0.7 %
2159	-	10	0.4 %
2160	-	14	0.6 %
2161	-	23	0.9 %
2162	-	23	0.9 %
2163	-	36	1.5 %
2164	-	8	0.3 %
2165	-	9	0.4 %
Missing Data			
.	-	144	5.9 %
Total		2,448	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,304 valid cases out of 2,448 total cases.

- Mean: 2225.73
- Minimum: 2036.00
- Maximum: 2687.00

- Standard Deviation: 77.65

Location: 3401-3404 (width: 4; decimal: 0)

Variable Type: numeric

PULSE6: Pulse, beats/30 seconds

Pulse, beats/30 seconds

Value	Label	Unweighted Frequency	%
18	-	1	0.0 %
19	-	1	0.0 %
20	-	2	0.1 %
21	-	1	0.0 %
22	-	4	0.2 %
23	-	5	0.2 %
24	-	7	0.3 %
25	-	23	0.9 %
26	-	31	1.3 %
27	-	43	1.8 %
28	-	86	3.5 %
29	-	80	3.3 %
30	-	168	6.9 %
31	-	161	6.6 %
32	-	204	8.3 %
33	-	176	7.2 %
34	-	217	8.9 %
35	-	172	7.0 %
36	-	208	8.5 %
37	-	99	4.0 %
38	-	96	3.9 %
39	-	71	2.9 %
40	-	83	3.4 %
41	-	35	1.4 %
42	-	57	2.3 %
43	-	23	0.9 %
44	-	28	1.1 %
45	-	20	0.8 %
46	-	13	0.5 %
47	-	6	0.2 %
48	-	5	0.2 %
49	-	6	0.2 %
50	-	2	0.1 %
51	-	1	0.0 %
52	-	3	0.1 %

Value	Label	Unweighted Frequency	%
54	-	2	0.1 %
60	-	1	0.0 %
62	-	1	0.0 %
64	-	2	0.1 %
66	-	3	0.1 %
70	-	5	0.2 %
80	-	2	0.1 %
Missing Data			
.	-	294	12.0 %
Total		2,448	100%

Based upon 2,154 valid cases out of 2,448 total cases.

- Mean: 34.41
- Median: 34.00
- Mode: 34.00
- Minimum: 18.00
- Maximum: 80.00
- Standard Deviation: 5.46

Location: 3405-3406 (width: 2; decimal: 0)

Variable Type: numeric

SYSBP16: Systolic BP #1

Systolic BP #1

Value	Label	Unweighted Frequency	%
74	-	1	0.0 %
78	-	3	0.1 %
80	-	3	0.1 %
84	-	5	0.2 %
86	-	5	0.2 %
88	-	18	0.7 %
89	-	1	0.0 %
90	-	13	0.5 %
92	-	21	0.9 %
94	-	31	1.3 %
96	-	43	1.8 %
98	-	71	2.9 %
100	-	81	3.3 %
102	-	86	3.5 %
103	-	1	0.0 %
104	-	76	3.1 %
106	-	82	3.3 %

Value	Label	Unweighted Frequency	%
108	-	140	5.7 %
109	-	1	0.0 %
110	-	140	5.7 %
112	-	108	4.4 %
114	-	72	2.9 %
116	-	93	3.8 %
118	-	122	5.0 %
120	-	130	5.3 %
122	-	76	3.1 %
124	-	80	3.3 %
126	-	77	3.1 %
128	-	87	3.6 %
129	-	1	0.0 %
130	-	73	3.0 %
132	-	47	1.9 %
134	-	43	1.8 %
136	-	33	1.3 %
138	-	46	1.9 %
140	-	50	2.0 %
142	-	35	1.4 %
144	-	20	0.8 %
146	-	13	0.5 %
148	-	22	0.9 %
150	-	20	0.8 %
152	-	5	0.2 %
153	-	1	0.0 %
154	-	7	0.3 %
156	-	5	0.2 %
158	-	13	0.5 %
160	-	15	0.6 %
162	-	2	0.1 %
164	-	2	0.1 %
166	-	3	0.1 %
Missing Data			
.	-	294	12.0 %
Total		2,448	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,154 valid cases out of 2,448 total cases.

- Mean: 118.28
- Median: 116.00

- Minimum: 74.00
- Maximum: 220.00
- Standard Deviation: 16.95

Location: 3407-3409 (*width:* 3; *decimal:* 0)

Variable Type: numeric

DIABP16: Diastolic BP #1

Diastolic BP #1

Value	Label	Unweighted Frequency	%
20	-	1	0.0 %
34	-	1	0.0 %
40	-	2	0.1 %
42	-	1	0.0 %
44	-	1	0.0 %
46	-	1	0.0 %
48	-	6	0.2 %
50	-	19	0.8 %
52	-	10	0.4 %
54	-	19	0.8 %
56	-	17	0.7 %
58	-	45	1.8 %
59	-	1	0.0 %
60	-	90	3.7 %
62	-	82	3.3 %
64	-	116	4.7 %
66	-	79	3.2 %
68	-	207	8.5 %
70	-	251	10.3 %
72	-	155	6.3 %
74	-	143	5.8 %
76	-	118	4.8 %
78	-	169	6.9 %
79	-	1	0.0 %
80	-	157	6.4 %
82	-	89	3.6 %
84	-	73	3.0 %
86	-	71	2.9 %
88	-	70	2.9 %
90	-	64	2.6 %
92	-	24	1.0 %
94	-	18	0.7 %
96	-	10	0.4 %

Value	Label	Unweighted Frequency	%
98	-	18	0.7 %
100	-	17	0.7 %
102	-	1	0.0 %
104	-	2	0.1 %
110	-	2	0.1 %
112	-	2	0.1 %
120	-	1	0.0 %
Missing Data			
.	-	294	12.0 %
Total		2,448	100%

Based upon 2,154 valid cases out of 2,448 total cases.

- Mean: 73.64
- Median: 72.00
- Mode: 70.00
- Minimum: 20.00
- Maximum: 120.00
- Standard Deviation: 10.25

Location: 3410-3412 (*width:* 3; *decimal:* 0)

Variable Type: numeric

SYSBP26: Systolic BP #2

Systolic BP #2

Value	Label	Unweighted Frequency	%
70	-	1	0.0 %
76	-	2	0.1 %
78	-	1	0.0 %
80	-	2	0.1 %
82	-	1	0.0 %
84	-	4	0.2 %
86	-	5	0.2 %
88	-	13	0.5 %
90	-	20	0.8 %
92	-	33	1.3 %
94	-	24	1.0 %
95	-	1	0.0 %
96	-	54	2.2 %
98	-	66	2.7 %
100	-	94	3.8 %
102	-	98	4.0 %
103	-	1	0.0 %

Value	Label	Unweighted Frequency	%
104	-	77	3.1 %
106	-	97	4.0 %
108	-	113	4.6 %
110	-	129	5.3 %
112	-	103	4.2 %
113	-	1	0.0 %
114	-	89	3.6 %
116	-	103	4.2 %
118	-	112	4.6 %
120	-	119	4.9 %
122	-	69	2.8 %
123	-	1	0.0 %
124	-	84	3.4 %
126	-	69	2.8 %
128	-	76	3.1 %
129	-	1	0.0 %
130	-	94	3.8 %
132	-	53	2.2 %
133	-	1	0.0 %
134	-	33	1.3 %
135	-	1	0.0 %
136	-	42	1.7 %
138	-	43	1.8 %
140	-	41	1.7 %
142	-	23	0.9 %
144	-	30	1.2 %
146	-	17	0.7 %
148	-	8	0.3 %
150	-	18	0.7 %
152	-	12	0.5 %
153	-	1	0.0 %
154	-	6	0.2 %
156	-	5	0.2 %
Missing Data			
.	-	295	12.1 %
Total		2,448	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,153 valid cases out of 2,448 total cases.

- Mean: 117.83
- Median: 116.00

- Mode: 110.00
- Minimum: 70.00
- Maximum: 226.00
- Standard Deviation: 17.10

Location: 3413-3415 (*width:* 3; *decimal:* 0)

Variable Type: numeric

DIABP26: Diastolic BP #2

Diastolic BP #2

Value	Label	Unweighted Frequency	%
20	-	1	0.0 %
40	-	1	0.0 %
42	-	2	0.1 %
46	-	2	0.1 %
48	-	6	0.2 %
50	-	20	0.8 %
52	-	12	0.5 %
54	-	11	0.4 %
56	-	22	0.9 %
58	-	41	1.7 %
60	-	117	4.8 %
62	-	64	2.6 %
64	-	118	4.8 %
66	-	100	4.1 %
68	-	183	7.5 %
70	-	263	10.7 %
72	-	134	5.5 %
74	-	157	6.4 %
76	-	127	5.2 %
78	-	158	6.5 %
80	-	165	6.7 %
82	-	95	3.9 %
84	-	71	2.9 %
85	-	1	0.0 %
86	-	67	2.7 %
87	-	1	0.0 %
88	-	66	2.7 %
90	-	63	2.6 %
92	-	21	0.9 %
94	-	12	0.5 %
96	-	11	0.4 %
98	-	21	0.9 %
100	-	11	0.4 %

Value	Label	Unweighted Frequency	%
102	-	2	0.1 %
104	-	1	0.0 %
106	-	1	0.0 %
108	-	2	0.1 %
110	-	1	0.0 %
118	-	1	0.0 %
128	-	1	0.0 %
Missing Data			
.	-	295	12.1 %
Total		2,448	100%

Based upon 2,153 valid cases out of 2,448 total cases.

- Mean: 73.49
- Median: 72.00
- Mode: 70.00
- Minimum: 20.00
- Maximum: 128.00
- Standard Deviation: 10.15

Location: 3416-3418 (width: 3; decimal: 0)

Variable Type: numeric

HEIGHT6: Height (in cm)

Height (in cm)

Value	Label	Unweighted Frequency	%
143.80	-	1	0.0 %
144.00	-	1	0.0 %
144.60	-	2	0.1 %
145.00	-	1	0.0 %
145.20	-	1	0.0 %
145.50	-	1	0.0 %
145.70	-	2	0.1 %
145.80	-	1	0.0 %
145.90	-	1	0.0 %
146.00	-	1	0.0 %
146.10	-	1	0.0 %
146.20	-	1	0.0 %
146.50	-	1	0.0 %
146.80	-	1	0.0 %
146.90	-	1	0.0 %
147.00	-	2	0.1 %
147.10	-	1	0.0 %

Value	Label	Unweighted Frequency	%
147.20	-	1	0.0 %
147.50	-	5	0.2 %
147.60	-	2	0.1 %
147.90	-	1	0.0 %
148.00	-	2	0.1 %
148.30	-	2	0.1 %
148.40	-	1	0.0 %
148.50	-	1	0.0 %
148.60	-	3	0.1 %
148.70	-	2	0.1 %
148.80	-	1	0.0 %
149.40	-	7	0.3 %
149.50	-	4	0.2 %
149.60	-	1	0.0 %
149.70	-	3	0.1 %
149.80	-	1	0.0 %
149.90	-	3	0.1 %
150.00	-	4	0.2 %
150.10	-	1	0.0 %
150.20	-	1	0.0 %
150.30	-	1	0.0 %
150.40	-	2	0.1 %
150.47	-	1	0.0 %
150.50	-	2	0.1 %
150.60	-	2	0.1 %
150.70	-	1	0.0 %
150.80	-	3	0.1 %
150.90	-	4	0.2 %
151.00	-	3	0.1 %
151.10	-	2	0.1 %
151.20	-	1	0.0 %
151.30	-	5	0.2 %
151.40	-	3	0.1 %
Missing Data			
.	-	298	12.2 %
Total		2,448	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,150 valid cases out of 2,448 total cases.

- Mean: 162.33
- Minimum: 143.80

- Maximum: 185.60
- Standard Deviation: 6.57

Location: 3419-3426 (width: 8; decimal: 2)

Variable Type: numeric

HTMETHO6: Height Measurement Method

Height Measurement Method

Value	Label	Unweighted Frequency	%
1	Stadiometer	1910	78.0 %
2	Portable	240	9.8 %
3	Self-Reported	13	0.5 %
Missing Data			
-	-	285	11.6 %
Total		2,448	100%

Based upon 2,163 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 3427-3428 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WEIGHT6: Weight (in kg)

Weight (in kg)

Value	Label	Unweighted Frequency	%
37.400	-	1	0.0 %
39.000	-	1	0.0 %
40.400	-	1	0.0 %
40.800	-	1	0.0 %
41.000	-	1	0.0 %
41.200	-	1	0.0 %
41.900	-	1	0.0 %
42.000	-	2	0.1 %
42.700	-	1	0.0 %
42.800	-	2	0.1 %
43.700	-	1	0.0 %
43.800	-	1	0.0 %
44.000	-	1	0.0 %
44.100	-	1	0.0 %
44.200	-	1	0.0 %
44.300	-	1	0.0 %

Value	Label	Unweighted Frequency	%
44.400	-	2	0.1 %
44.500	-	1	0.0 %
44.800	-	1	0.0 %
45.000	-	1	0.0 %
45.200	-	2	0.1 %
45.400	-	1	0.0 %
45.600	-	2	0.1 %
45.700	-	1	0.0 %
46.100	-	2	0.1 %
46.200	-	2	0.1 %
46.364	-	1	0.0 %
46.400	-	1	0.0 %
46.500	-	1	0.0 %
46.600	-	3	0.1 %
46.700	-	2	0.1 %
46.800	-	2	0.1 %
47.000	-	1	0.0 %
47.200	-	1	0.0 %
47.400	-	2	0.1 %
47.600	-	3	0.1 %
47.700	-	1	0.0 %
47.800	-	3	0.1 %
47.900	-	4	0.2 %
48.000	-	3	0.1 %
48.100	-	2	0.1 %
48.200	-	1	0.0 %
48.400	-	5	0.2 %
48.500	-	1	0.0 %
48.600	-	2	0.1 %
48.700	-	2	0.1 %
48.800	-	1	0.0 %
49.000	-	2	0.1 %
49.200	-	3	0.1 %
49.300	-	2	0.1 %
Missing Data			
.	-	204	8.3 %
	Total	2,448	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,244 valid cases out of 2,448 total cases.

- Mean: 76.642
- Minimum: 37.400
- Maximum: 184.800
- Standard Deviation: 20.818

Location: 3429-3436 (width: 8; decimal: 3)

Variable Type: numeric

SCALE6: Weight Scale Type

Weight Scale Type

Value	Label	Unweighted Frequency	%
1	Balance Beam	1150	47.0 %
2	Clinic Digital	354	14.5 %
3	Portable	644	26.3 %
4	Self-Reported	122	5.0 %
	Missing Data		
.	-	178	7.3 %
	Total	2,448	100%

Based upon 2,270 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 3437-3438 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WAIST6: Waist Circumference

Waist Circumference

Value	Label	Unweighted Frequency	%
59.6	-	1	0.0 %
60.2	-	2	0.1 %
60.4	-	1	0.0 %
60.5	-	1	0.0 %
60.6	-	2	0.1 %
61.0	-	2	0.1 %
61.5	-	1	0.0 %
61.7	-	1	0.0 %
62.0	-	1	0.0 %
62.2	-	1	0.0 %
62.7	-	1	0.0 %
63.2	-	2	0.1 %
63.4	-	2	0.1 %
63.5	-	5	0.2 %

Value	Label	Unweighted Frequency	%
64.0	-	3	0.1 %
64.1	-	2	0.1 %
64.2	-	1	0.0 %
64.3	-	1	0.0 %
64.4	-	2	0.1 %
64.5	-	1	0.0 %
64.8	-	3	0.1 %
64.9	-	2	0.1 %
65.0	-	7	0.3 %
65.1	-	2	0.1 %
65.3	-	5	0.2 %
65.4	-	1	0.0 %
65.5	-	5	0.2 %
65.6	-	4	0.2 %
65.7	-	3	0.1 %
65.8	-	2	0.1 %
65.9	-	2	0.1 %
66.0	-	6	0.2 %
66.2	-	2	0.1 %
66.3	-	1	0.0 %
66.4	-	3	0.1 %
66.5	-	2	0.1 %
66.6	-	1	0.0 %
66.8	-	6	0.2 %
66.9	-	3	0.1 %
67.0	-	9	0.4 %
67.2	-	2	0.1 %
67.3	-	5	0.2 %
67.4	-	1	0.0 %
67.5	-	2	0.1 %
67.6	-	3	0.1 %
67.7	-	2	0.1 %
67.8	-	5	0.2 %
67.9	-	1	0.0 %
68.0	-	10	0.4 %
68.1	-	3	0.1 %
Missing Data			
.	-	298	12.2 %
	Total	2,448	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,150 valid cases out of 2,448 total cases.

- Mean: 89.24
- Minimum: 59.60
- Maximum: 163.50
- Standard Deviation: 16.80

Location: 3439-3445 (width: 7; decimal: 1)

Variable Type: numeric

WASTMEA6: Waist measurement taken in:

Waist measurement taken in:

Value	Label	Unweighted Frequency	%
1	Undergarments	1700	69.4 %
2	Light Clothing	451	18.4 %
	Missing Data		
.	-	297	12.1 %
	Total	2,448	100%

Based upon 2,151 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3446-3447 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -8 , -7 , -1 , .

HIP6: Hip Circumference

Hip Circumference

Value	Label	Unweighted Frequency	%
73.5	-	1	0.0 %
76.0	-	1	0.0 %
81.4	-	1	0.0 %
81.8	-	1	0.0 %
82.0	-	1	0.0 %
82.5	-	1	0.0 %
82.9	-	1	0.0 %
83.2	-	1	0.0 %
83.4	-	1	0.0 %
83.7	-	1	0.0 %
83.8	-	1	0.0 %
83.9	-	1	0.0 %
84.0	-	1	0.0 %
84.1	-	1	0.0 %

Value	Label	Unweighted Frequency	%
84.5	-	5	0.2 %
84.6	-	1	0.0 %
84.8	-	2	0.1 %
84.9	-	1	0.0 %
85.0	-	1	0.0 %
85.1	-	2	0.1 %
85.3	-	1	0.0 %
85.4	-	2	0.1 %
85.5	-	1	0.0 %
85.8	-	4	0.2 %
86.0	-	4	0.2 %
86.1	-	2	0.1 %
86.2	-	4	0.2 %
86.3	-	3	0.1 %
86.4	-	1	0.0 %
86.5	-	1	0.0 %
86.6	-	1	0.0 %
86.8	-	2	0.1 %
86.9	-	1	0.0 %
87.0	-	3	0.1 %
87.1	-	1	0.0 %
87.2	-	3	0.1 %
87.3	-	2	0.1 %
87.4	-	2	0.1 %
87.5	-	5	0.2 %
87.6	-	1	0.0 %
87.7	-	3	0.1 %
87.8	-	4	0.2 %
88.0	-	5	0.2 %
88.1	-	1	0.0 %
88.2	-	1	0.0 %
88.3	-	2	0.1 %
88.4	-	3	0.1 %
88.5	-	4	0.2 %
88.6	-	1	0.0 %
88.7	-	2	0.1 %
Missing Data			
.	-	299	12.2 %
	Total	2,448	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,149 valid cases out of 2,448 total cases.

- Mean: 107.92
- Minimum: 73.50
- Maximum: 180.00
- Standard Deviation: 15.10

Location: 3448-3454 (width: 7; decimal: 1)

Variable Type: numeric

HIPMEAS6: Hip Measurement taken in:

Hip Measurement taken in:

Value	Label	Unweighted Frequency	%
1	Undergarments	1489	60.8 %
2	Light Clothing	661	27.0 %
	Missing Data		
.	-	298	12.2 %
	Total	2,448	100%

Based upon 2,150 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3455-3456 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9, -8, -7, -1, .

FLGPHYV6: Abbreviated or Full Physical Measures

Abbreviated or Full Physical Measures

Value	Label	Unweighted Frequency	%
-	-	144	5.9 %
AIN	-	105	4.3 %
PAT	-	32	1.3 %
PHY	-	2167	88.5 %
	Total	2,448	100%

Based upon 2,448 valid cases out of 2,448 total cases.

Location: 3457-3459 (width: 3; decimal: 0)

Variable Type: character

BMI6: Body Mass Index

BMI is calculated as weight in kilograms divided by the square of height in meters

Value	Label	Unweighted Frequency	%
16.288	-	1	0.0 %
16.411	-	1	0.0 %
16.804	-	1	0.0 %
16.914	-	1	0.0 %
17.082	-	1	0.0 %
17.127	-	1	0.0 %
17.279	-	1	0.0 %
17.300	-	1	0.0 %
17.333	-	1	0.0 %
17.510	-	1	0.0 %
17.622	-	1	0.0 %
17.625	-	1	0.0 %
17.633	-	1	0.0 %
17.675	-	1	0.0 %
17.851	-	1	0.0 %
17.865	-	1	0.0 %
17.893	-	1	0.0 %
17.913	-	1	0.0 %
17.928	-	1	0.0 %
17.971	-	1	0.0 %
18.140	-	1	0.0 %
18.168	-	1	0.0 %
18.229	-	1	0.0 %
18.285	-	1	0.0 %
18.373	-	1	0.0 %
18.397	-	1	0.0 %
18.400	-	1	0.0 %
18.425	-	1	0.0 %
18.458	-	1	0.0 %
18.495	-	1	0.0 %
18.534	-	1	0.0 %
18.595	-	1	0.0 %
18.613	-	1	0.0 %
18.670	-	1	0.0 %
18.753	-	1	0.0 %
18.781	-	1	0.0 %
18.786	-	1	0.0 %
18.789	-	1	0.0 %
18.796	-	1	0.0 %
18.800	-	1	0.0 %
18.813	-	1	0.0 %
18.827	-	1	0.0 %

Value	Label	Unweighted Frequency	%
18.828	-	1	0.0 %
18.843	-	1	0.0 %
18.886	-	1	0.0 %
18.907	-	1	0.0 %
19.012	-	1	0.0 %
19.026	-	1	0.0 %
19.088	-	1	0.0 %
19.124	-	1	0.0 %
Missing Data			
.	-	307	12.5 %
Total		2,448	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,141 valid cases out of 2,448 total cases.

- Mean: 28.910
- Minimum: 16.288
- Maximum: 64.857
- Standard Deviation: 7.352

Location: 3460-3466 (width: 7; decimal: 3)

Variable Type: numeric

COGDAY6: Cognitive Function Day

Cognitive Function Day

Value	Label	Unweighted Frequency	%
2041	-	1	0.0 %
2085	-	1	0.0 %
2107	-	3	0.1 %
2114	-	1	0.0 %
2116	-	2	0.1 %
2119	-	1	0.0 %
2120	-	1	0.0 %
2123	-	2	0.1 %
2127	-	1	0.0 %
2128	-	2	0.1 %
2129	-	1	0.0 %
2132	-	2	0.1 %
2133	-	3	0.1 %
2135	-	5	0.2 %
2136	-	2	0.1 %
2137	-	3	0.1 %

Value	Label	Unweighted Frequency	%
2138	-	1	0.0 %
2140	-	2	0.1 %
2141	-	4	0.2 %
2142	-	7	0.3 %
2143	-	3	0.1 %
2144	-	5	0.2 %
2145	-	4	0.2 %
2146	-	10	0.4 %
2147	-	16	0.7 %
2148	-	13	0.5 %
2149	-	34	1.4 %
2150	-	17	0.7 %
2151	-	11	0.4 %
2152	-	9	0.4 %
2153	-	13	0.5 %
2154	-	15	0.6 %
2155	-	15	0.6 %
2156	-	33	1.3 %
2157	-	23	0.9 %
2158	-	16	0.7 %
2159	-	9	0.4 %
2160	-	14	0.6 %
2161	-	22	0.9 %
2162	-	23	0.9 %
2163	-	34	1.4 %
2164	-	8	0.3 %
2165	-	9	0.4 %
2166	-	16	0.7 %
2167	-	11	0.4 %
2168	-	15	0.6 %
2169	-	11	0.4 %
2170	-	32	1.3 %
2171	-	18	0.7 %
2172	-	14	0.6 %
Missing Data			
.	-	337	13.8 %
Total		2,448	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,111 valid cases out of 2,448 total cases.

- Mean: 2218.78

- Minimum: 2041.00
- Maximum: 2684.00
- Standard Deviation: 66.10

Location: 3467-3470 (width: 4; decimal: 0)

Variable Type: numeric

LANGCOG6: Language of Cognitive Function

Language of Cognitive Function

Value	Label	Unweighted Frequency	%
1	English	1924	78.6 %
2	Spanish	23	0.9 %
3	Cantonese	77	3.1 %
4	Japanese	87	3.6 %
Missing Data			
.	-	337	13.8 %
Total		2,448	100%

Based upon 2,111 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 3471-3472 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

IMEDTHR6: EBMT Immediate Recall: Three

Now I would like to ask you to try to remember a short story. First, I'm going to read you a short story and when I'm through, I'm going to wait a few seconds and then ask you to tell me as much as you can remember. The story is: Three children were alone at home and the house caught on fire. A brave fireman managed to climb in a back window and carry them to safety. Aside from minor cuts and bruises, all were well. Please tell me the story. Is the following idea present: Three

Value	Label	Unweighted Frequency	%
0	Absent	41	1.7 %
1	Present	2064	84.3 %
Missing Data			
.	-	343	14.0 %
Total		2,448	100%

Based upon 2,105 valid cases out of 2,448 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3473-3474 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

IMEDCH16: EBMT Immediate Recall: Children (1)

Is the following idea present: Children

Value	Label	Unweighted Frequency	%
0	Absent	28	1.1 %
1	Present	2077	84.8 %
	Missing Data		
.	-	343	14.0 %
	Total	2,448	100%

Based upon 2,105 valid cases out of 2,448 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3475-3476 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

IMEDHOU6: EBMT Immediate Recall: House

Is the following idea present: House

Value	Label	Unweighted Frequency	%
0	Absent	220	9.0 %
1	Present	1885	77.0 %
	Missing Data		
.	-	343	14.0 %
	Total	2,448	100%

Based upon 2,105 valid cases out of 2,448 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3477-3478 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

IMEDFIR6: EBMT Immediate Recall: On Fire

Is the following idea present: On Fire

Value	Label	Unweighted Frequency	%
0	Absent	108	4.4 %
1	Present	1997	81.6 %
	Missing Data		
.	-	343	14.0 %

Value	Label	Unweighted Frequency	%
	Total	2,448	100%

Based upon 2,105 valid cases out of 2,448 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3479-3480 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

IMEDFMN6: EBMT Immediate Recall: Fireman

Is the following idea present: Fireman

Value	Label	Unweighted Frequency	%
0	Absent	45	1.8 %
1	Present	2060	84.2 %
	Missing Data		
.	-	343	14.0 %
	Total	2,448	100%

Based upon 2,105 valid cases out of 2,448 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3481-3482 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

IMEDCLM6: EBMT Immediate Recall: Climb In

Is the following idea present: Climb In

Value	Label	Unweighted Frequency	%
0	Absent	383	15.6 %
1	Present	1722	70.3 %
	Missing Data		
.	-	343	14.0 %
	Total	2,448	100%

Based upon 2,105 valid cases out of 2,448 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3483-3484 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

IMEDCH26: EBMT Immediate Recall: Children (2)

Is the following idea present: Children

Value	Label	Unweighted Frequency	%
0	Absent	277	11.3 %
1	Present	1828	74.7 %
	Missing Data		
.	-	343	14.0 %
	Total	2,448	100%

Based upon 2,105 valid cases out of 2,448 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3485-3486 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

IMEDRES6: EBMT Immediate Recall: Rescued

Is the following idea present: Rescued

Value	Label	Unweighted Frequency	%
0	Absent	190	7.8 %
1	Present	1915	78.2 %
	Missing Data		
.	-	343	14.0 %
	Total	2,448	100%

Based upon 2,105 valid cases out of 2,448 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3487-3488 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

IMEDMIN6: EBMT Immediate Recall: Minor

Is the following idea present: Minor

Value	Label	Unweighted Frequency	%
0	Absent	469	19.2 %
1	Present	1636	66.8 %
	Missing Data		
.	-	343	14.0 %

Value	Label	Unweighted Frequency	%
	Total	2,448	100%

Based upon 2,105 valid cases out of 2,448 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3489-3490 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

IMEDINJ6: EBMT Immediate Recall: Injuries

Is the following idea present: Injuries

Value	Label	Unweighted Frequency	%
0	Absent	443	18.1 %
1	Present	1662	67.9 %
	Missing Data		
.	-	343	14.0 %
	Total	2,448	100%

Based upon 2,105 valid cases out of 2,448 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3491-3492 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

IMEDEVR6: EBMT Immediate Recall: Everyone

Is the following idea present: Everyone

Value	Label	Unweighted Frequency	%
0	Absent	832	34.0 %
1	Present	1273	52.0 %
	Missing Data		
.	-	343	14.0 %
	Total	2,448	100%

Based upon 2,105 valid cases out of 2,448 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3493-3494 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

IMEDWEL6: EBMT Immediate Recall: Well

Is the following idea present: Well

Value	Label	Unweighted Frequency	%
0	Absent	740	30.2 %
1	Present	1365	55.8 %
	Missing Data		
.	-	343	14.0 %
	Total	2,448	100%

Based upon 2,105 valid cases out of 2,448 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3495-3496 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of Missing Values: -9 , -8 , -7 , -1 , .

TOTIDE16: EBMT Immediate Recall: Total Ideas

Total idea present

Value	Label	Unweighted Frequency	%
2	-	2	0.1 %
3	-	7	0.3 %
4	-	6	0.2 %
5	-	20	0.8 %
6	-	41	1.7 %
7	-	92	3.8 %
8	-	222	9.1 %
9	-	223	9.1 %
10	-	488	19.9 %
11	-	266	10.9 %
12	-	738	30.1 %
	Missing Data		
.	-	343	14.0 %
	Total	2,448	100%

Based upon 2,105 valid cases out of 2,448 total cases.

- Mean: 10.21
- Median: 10.00
- Mode: 12.00
- Minimum: 2.00
- Maximum: 12.00
- Standard Deviation: 1.81

Location: 3497-3498 (width: 2; decimal: 0)

Variable Type: numeric

SDMTSTA6: SDMT: Administration Status

SDMT: Administration Status

Value	Label	Unweighted Frequency	%
1	Test administered	2089	85.3 %
6	Not admin bec of physical impairment	4	0.2 %
7	Not admin bec of verbal refusal	8	0.3 %
8	Not admin bec of behavioral reason	0	0.0 %
9	Not admin bec of other reason	4	0.2 %
10	Administered but not according to protocol	6	0.2 %
Missing Data			
.	-	337	13.8 %
Total		2,448	100%

Based upon 2,111 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 10.00

Location: 3499-3500 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SDMTADM6: SDMT: # of Test Administrations

SDMT: # of Test Administrations

Value	Label	Unweighted Frequency	%
1	-	2085	85.2 %
2	-	10	0.4 %
Missing Data			
.	-	353	14.4 %
Total		2,448	100%

Based upon 2,095 valid cases out of 2,448 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.07

Location: 3501-3501 (width: 1; decimal: 0)

Variable Type: numeric

SDMTPRA6: SDMT: # of Practice Items Correct

SDMT: # of Practice Items Correct

Value	Label	Unweighted Frequency	%
0	-	1	0.0 %
1	-	3	0.1 %
2	-	1	0.0 %
4	-	1	0.0 %
5	-	12	0.5 %
6	-	99	4.0 %
7	-	1977	80.8 %
Missing Data			
.	-	354	14.5 %
Total		2,448	100%

Based upon 2,094 valid cases out of 2,448 total cases.

- Mean: 6.93
- Median: 7.00
- Mode: 7.00
- Minimum: 0.00
- Maximum: 7.00
- Standard Deviation: 0.39

Location: 3502-3502 (width: 1; decimal: 0)

Variable Type: numeric

SDMTATM6: SDMT: # of Test Items Attempted

SDMT: # of Test Items Attempted

Value	Label	Unweighted Frequency	%
1	-	1	0.0 %
10	-	1	0.0 %
16	-	2	0.1 %
20	-	2	0.1 %
21	-	4	0.2 %
22	-	3	0.1 %
23	-	3	0.1 %
24	-	3	0.1 %
26	-	5	0.2 %
27	-	2	0.1 %
28	-	4	0.2 %
29	-	2	0.1 %
30	-	7	0.3 %
31	-	3	0.1 %
32	-	3	0.1 %
33	-	8	0.3 %

Value	Label	Unweighted Frequency	%
34	-	3	0.1 %
35	-	9	0.4 %
36	-	8	0.3 %
37	-	10	0.4 %
38	-	10	0.4 %
39	-	10	0.4 %
40	-	14	0.6 %
41	-	13	0.5 %
42	-	21	0.9 %
43	-	17	0.7 %
44	-	18	0.7 %
45	-	30	1.2 %
46	-	28	1.1 %
47	-	42	1.7 %
48	-	40	1.6 %
49	-	37	1.5 %
50	-	105	4.3 %
51	-	98	4.0 %
52	-	79	3.2 %
53	-	79	3.2 %
54	-	58	2.4 %
55	-	64	2.6 %
56	-	83	3.4 %
57	-	110	4.5 %
58	-	89	3.6 %
59	-	80	3.3 %
60	-	67	2.7 %
61	-	86	3.5 %
62	-	45	1.8 %
63	-	86	3.5 %
64	-	41	1.7 %
65	-	125	5.1 %
66	-	72	2.9 %
67	-	52	2.1 %
Missing Data			
.	-	353	14.4 %
Total		2,448	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,095 valid cases out of 2,448 total cases.

- Mean: 57.41

- Median: 58.00
- Mode: 65.00
- Minimum: 1.00
- Maximum: 93.00
- Standard Deviation: 10.50

Location: 3503-3504 (*width:* 2; *decimal:* 0)

Variable Type: numeric

SDMTCOR6: SDMT: # of Test Items Correct

SDMT: # of Test Items Correct

Value	Label	Unweighted Frequency	%
0	-	1	0.0 %
3	-	1	0.0 %
7	-	1	0.0 %
9	-	1	0.0 %
10	-	3	0.1 %
15	-	2	0.1 %
16	-	1	0.0 %
17	-	3	0.1 %
18	-	1	0.0 %
19	-	2	0.1 %
20	-	3	0.1 %
21	-	5	0.2 %
22	-	1	0.0 %
23	-	5	0.2 %
24	-	5	0.2 %
25	-	7	0.3 %
26	-	1	0.0 %
27	-	11	0.4 %
28	-	1	0.0 %
29	-	5	0.2 %
30	-	6	0.2 %
31	-	3	0.1 %
32	-	7	0.3 %
33	-	6	0.2 %
34	-	7	0.3 %
35	-	13	0.5 %
36	-	10	0.4 %
37	-	8	0.3 %
38	-	15	0.6 %
39	-	18	0.7 %
40	-	19	0.8 %
41	-	16	0.7 %

Value	Label	Unweighted Frequency	%
42	-	11	0.4 %
43	-	19	0.8 %
44	-	19	0.8 %
45	-	40	1.6 %
46	-	35	1.4 %
47	-	36	1.5 %
48	-	53	2.2 %
49	-	61	2.5 %
50	-	109	4.5 %
51	-	89	3.6 %
52	-	79	3.2 %
53	-	60	2.5 %
54	-	56	2.3 %
55	-	68	2.8 %
56	-	84	3.4 %
57	-	94	3.8 %
58	-	82	3.3 %
59	-	83	3.4 %
Missing Data			
.	-	353	14.4 %
Total		2,448	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,095 valid cases out of 2,448 total cases.

- Mean: 56.18
- Median: 57.00
- Mode: 50.00
- Minimum: 0.00
- Maximum: 93.00
- Standard Deviation: 11.40

Location: 3505-3506 (*width:* 2; *decimal:* 0)

Variable Type: numeric

DIGIT1A6: DIGITS BACKWARD: Item 1A

I am going to say some numbers. When I stop, I want you to say them backwards. Ready? 5 - 1

Value	Label	Unweighted Frequency	%
0	Error	1	0.0 %
1	Correct	2093	85.5 %
6	Not admin bec of physical impairment	0	0.0 %
7	Not admin bec of verbal refusal	15	0.6 %

Value	Label	Unweighted Frequency	%
8	Not admin bec of behavioral reason	0	0.0 %
9	Not admin bec of other reason	2	0.1 %
10	Administered but not according to protocol	0	0.0 %
	Missing Data		
.	-	337	13.8 %
	Total	2,448	100%

Based upon 2,111 valid cases out of 2,448 total cases.

- Minimum: 0.00
- Maximum: 9.00

Location: 3507-3508 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIGIT1B6: DIGITS BACKWARD: Item 1B

I am going to say some numbers. When I stop, I want you to say them backwards. Here is another: 3 - 8

Value	Label	Unweighted Frequency	%
0	Error	6	0.2 %
1	Correct	2088	85.3 %
6	Not admin bec of physical impairment	0	0.0 %
7	Not admin bec of verbal refusal	15	0.6 %
8	Not admin bec of behavioral reason	0	0.0 %
9	Not admin bec of other reason	2	0.1 %
10	Administered but not according to protocol	0	0.0 %
	Missing Data		
.	-	337	13.8 %
	Total	2,448	100%

Based upon 2,111 valid cases out of 2,448 total cases.

- Minimum: 0.00
- Maximum: 9.00

Location: 3509-3510 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIGIT2A6: DIGITS BACKWARD: Item 2A

I am going to say some numbers. When I stop, I want you to say them backwards. Here is another: 4 - 9 - 3

Value	Label	Unweighted Frequency	%
0	Error	139	5.7 %
1	Correct	1955	79.9 %

Value	Label	Unweighted Frequency	%
6	Not admin bec of physical impairment	0	0.0 %
7	Not admin bec of verbal refusal	15	0.6 %
8	Not admin bec of behavioral reason	0	0.0 %
9	Not admin bec of other reason	2	0.1 %
10	Administered but not according to protocol	0	0.0 %
Missing Data			
.	-	337	13.8 %
Total		2,448	100%

Based upon 2,111 valid cases out of 2,448 total cases.

- Minimum: 0.00
- Maximum: 9.00

Location: 3511-3512 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

DIGIT2B6: DIGITS BACKWARD: Item 2B

I am going to say some numbers. When I stop, I want you to say them backwards. Here is another: 5 - 2 - 6

Value	Label	Unweighted Frequency	%
0	Error	319	13.0 %
1	Correct	1774	72.5 %
6	Not admin bec of physical impairment	1	0.0 %
7	Not admin bec of verbal refusal	15	0.6 %
8	Not admin bec of behavioral reason	0	0.0 %
9	Not admin bec of other reason	2	0.1 %
10	Administered but not according to protocol	0	0.0 %
Missing Data			
.	-	337	13.8 %
Total		2,448	100%

Based upon 2,111 valid cases out of 2,448 total cases.

- Minimum: 0.00
- Maximum: 9.00

Location: 3513-3514 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

DIGIT3A6: DIGITS BACKWARD: Item 3A

I am going to say some numbers. When I stop, I want you to say them backwards. Here is another: 3 - 8 - 1 - 4

Value	Label	Unweighted Frequency	%
0	Error	438	17.9 %
1	Correct	1613	65.9 %
6	Not admin bec of physical impairment	1	0.0 %
7	Not admin bec of verbal refusal	16	0.7 %
8	Not admin bec of behavioral reason	0	0.0 %
9	Not admin bec of other reason	2	0.1 %
10	Administered but not according to protocol	0	0.0 %
Missing Data			
.	-	378	15.4 %
Total		2,448	100%

Based upon 2,070 valid cases out of 2,448 total cases.

- Minimum: 0.00
- Maximum: 9.00

Location: 3515-3516 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

DIGIT3B6: DIGITS BACKWARD: Item 3B

I am going to say some numbers. When I stop, I want you to say them backwards. Here is another: 1 - 7 - 9 - 5

Value	Label	Unweighted Frequency	%
0	Error	506	20.7 %
1	Correct	1543	63.0 %
6	Not admin bec of physical impairment	1	0.0 %
7	Not admin bec of verbal refusal	18	0.7 %
8	Not admin bec of behavioral reason	0	0.0 %
9	Not admin bec of other reason	2	0.1 %
10	Administered but not according to protocol	0	0.0 %
Missing Data			
.	-	378	15.4 %
Total		2,448	100%

Based upon 2,070 valid cases out of 2,448 total cases.

- Minimum: 0.00
- Maximum: 9.00

Location: 3517-3518 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

DIGIT4A6: DIGITS BACKWARD: Item 4A

I am going to say some numbers. When I stop, I want you to say them backwards. Here is another: 6 - 2 - 9 - 7 - 2

Value	Label	Unweighted Frequency	%
0	Error	1169	47.8 %
1	Correct	667	27.2 %
6	Not admin bec of physical impairment	1	0.0 %
7	Not admin bec of verbal refusal	24	1.0 %
8	Not admin bec of behavioral reason	0	0.0 %
9	Not admin bec of other reason	2	0.1 %
10	Administered but not according to protocol	0	0.0 %
Missing Data			
.	-	585	23.9 %
Total		2,448	100%

Based upon 1,863 valid cases out of 2,448 total cases.

- Minimum: 0.00
- Maximum: 9.00

Location: 3519-3520 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

DIGIT4B6: DIGITS BACKWARD: Item 4B

I am going to say some numbers. When I stop, I want you to say them backwards. Here is another: 4 - 8 - 5 - 2 - 7

Value	Label	Unweighted Frequency	%
0	Error	904	36.9 %
1	Correct	924	37.7 %
6	Not admin bec of physical impairment	1	0.0 %
7	Not admin bec of verbal refusal	28	1.1 %
8	Not admin bec of behavioral reason	0	0.0 %
9	Not admin bec of other reason	6	0.2 %
10	Administered but not according to protocol	0	0.0 %
Missing Data			
.	-	585	23.9 %
Total		2,448	100%

Based upon 1,863 valid cases out of 2,448 total cases.

- Minimum: 0.00
- Maximum: 9.00

Location: 3521-3522 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

DIGIT5A6: DIGITS BACKWARD: Item 5A

I am going to say some numbers. When I stop, I want you to say them backwards. Here is another: 7 - 1 - 5 - 2 - 8 - 6

Value	Label	Unweighted Frequency	%
0	Error	643	26.3 %
1	Correct	447	18.3 %
6	Not admin bec of physical impairment	1	0.0 %
7	Not admin bec of verbal refusal	29	1.2 %
8	Not admin bec of behavioral reason	1	0.0 %
9	Not admin bec of other reason	6	0.2 %
10	Administered but not according to protocol	0	0.0 %
Missing Data			
.	-	1321	54.0 %
Total		2,448	100%

Based upon 1,127 valid cases out of 2,448 total cases.

- Minimum: 0.00
- Maximum: 9.00

Location: 3523-3524 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

DIGIT5B6: DIGITS BACKWARD: Item 5B

I am going to say some numbers. When I stop, I want you to say them backwards. Here is another: 8 - 3 - 1 - 9 - 6 - 4

Value	Label	Unweighted Frequency	%
0	Error	592	24.2 %
1	Correct	493	20.1 %
6	Not admin bec of physical impairment	1	0.0 %
7	Not admin bec of verbal refusal	34	1.4 %
8	Not admin bec of behavioral reason	0	0.0 %
9	Not admin bec of other reason	7	0.3 %
10	Administered but not according to protocol	0	0.0 %
Missing Data			
.	-	1321	54.0 %
Total		2,448	100%

Based upon 1,127 valid cases out of 2,448 total cases.

- Minimum: 0.00
- Maximum: 9.00

Location: 3525-3526 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

DIGIT6A6: DIGITS BACKWARD: Item 6A

I am going to say some numbers. When I stop, I want you to say them backwards. Here is another: 4 - 7 - 3 - 9 - 1 - 2 - 8

Value	Label	Unweighted Frequency	%
0	Error	380	15.5 %
1	Correct	273	11.2 %
6	Not admin bec of physical impairment	1	0.0 %
7	Not admin bec of verbal refusal	37	1.5 %
8	Not admin bec of behavioral reason	0	0.0 %
9	Not admin bec of other reason	7	0.3 %
10	Administered but not according to protocol	0	0.0 %
Missing Data			
.	-	1750	71.5 %
Total		2,448	100%

Based upon 698 valid cases out of 2,448 total cases.

- Minimum: 0.00
- Maximum: 9.00

Location: 3527-3528 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

DIGIT6B6: DIGITS BACKWARD: Item 6B

I am going to say some numbers. When I stop, I want you to say them backwards. Here is another: 8 - 1 - 2 - 9 - 3 - 6 - 3

Value	Label	Unweighted Frequency	%
0	Error	391	16.0 %
1	Correct	255	10.4 %
6	Not admin bec of physical impairment	1	0.0 %
7	Not admin bec of verbal refusal	42	1.7 %
8	Not admin bec of behavioral reason	0	0.0 %
9	Not admin bec of other reason	8	0.3 %
10	Administered but not according to protocol	0	0.0 %
Missing Data			
.	-	1751	71.5 %
Total		2,448	100%

Based upon 697 valid cases out of 2,448 total cases.

- Minimum: 0.00
- Maximum: 9.00

Location: 3529-3530 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

DIGTOT6: DIGITS BACKWARD TOTAL SCORE

DIGITS BACKWARD TOTAL SCORE

Value	Label	Unweighted Frequency	%
2	-	42	1.7 %
3	-	87	3.6 %
4	-	197	8.0 %
5	-	366	15.0 %
6	-	422	17.2 %
7	-	250	10.2 %
8	-	210	8.6 %
9	-	138	5.6 %
10	-	149	6.1 %
11	-	124	5.1 %
12	-	73	3.0 %
Missing Data			
.	-	390	15.9 %
Total		2,448	100%

Based upon 2,058 valid cases out of 2,448 total cases.

- Mean: 6.75
- Median: 6.00
- Mode: 6.00
- Minimum: 2.00
- Maximum: 12.00
- Standard Deviation: 2.40

Location: 3531-3532 (width: 2; decimal: 0)

Variable Type: numeric

DLAYTHR6: EBMT Delayed Recall: Three

Please recall the short story I read a few moments ago and tell me as much as you can remember of the story now. Is the following idea present: Three

Value	Label	Unweighted Frequency	%
0	Absent	72	2.9 %
1	Present	2033	83.0 %
Missing Data			
.	-	343	14.0 %
Total		2,448	100%

Based upon 2,105 valid cases out of 2,448 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3533-3534 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DLAYCH16: EBMT Delayed Recall: Children (1)

Please recall the short story I read a few moments ago and tell me as much as you can remember of the story now. Is the following idea present: Children

Value	Label	Unweighted Frequency	%
0	Absent	35	1.4 %
1	Present	2070	84.6 %
	Missing Data		
.	-	343	14.0 %
	Total	2,448	100%

Based upon 2,105 valid cases out of 2,448 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3535-3536 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DLAYHOU6: EBMT Delayed Recall: House

Please recall the short story I read a few moments ago and tell me as much as you can remember of the story now. Is the following idea present: House

Value	Label	Unweighted Frequency	%
0	Absent	246	10.0 %
1	Present	1859	75.9 %
	Missing Data		
.	-	343	14.0 %
	Total	2,448	100%

Based upon 2,105 valid cases out of 2,448 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3537-3538 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DLAYFIR6: EBMT Delayed Recall: On Fire

Please recall the short story I read a few moments ago and tell me as much as you can remember of the story now. Is the following idea present: On Fire

Value	Label	Unweighted Frequency	%
0	Absent	127	5.2 %
1	Present	1978	80.8 %

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	343	14.0 %
	Total	2,448	100%

Based upon 2,105 valid cases out of 2,448 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3539-3540 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DLAYFMN6: EBMT Delayed Recall: Fireman

Please recall the short story I read a few moments ago and tell me as much as you can remember of the story now. Is the following idea present: Fireman

Value	Label	Unweighted Frequency	%
0	Absent	52	2.1 %
1	Present	2053	83.9 %
	Missing Data		
.	-	343	14.0 %
	Total	2,448	100%

Based upon 2,105 valid cases out of 2,448 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3541-3542 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DLAYCLM6: EBMT Delayed Recall: Climb In

Please recall the short story I read a few moments ago and tell me as much as you can remember of the story now. Is the following idea present: Climb In

Value	Label	Unweighted Frequency	%
0	Absent	384	15.7 %
1	Present	1721	70.3 %
	Missing Data		
.	-	343	14.0 %
	Total	2,448	100%

Based upon 2,105 valid cases out of 2,448 total cases.

- Minimum: 0.00

- Maximum: 1.00

Location: 3543-3544 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DLAYCH26: EBMT Delayed Recall: Children (2)

Please recall the short story I read a few moments ago and tell me as much as you can remember of the story now. Is the following idea present: Children

Value	Label	Unweighted Frequency	%
0	Absent	260	10.6 %
1	Present	1845	75.4 %
	Missing Data		
.	-	343	14.0 %
	Total	2,448	100%

Based upon 2,105 valid cases out of 2,448 total cases.

- Minimum: 0.00

- Maximum: 1.00

Location: 3545-3546 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DLAYRES6: EBMT Delayed Recall: Rescued

Please recall the short story I read a few moments ago and tell me as much as you can remember of the story now. Is the following idea present: Rescued

Value	Label	Unweighted Frequency	%
0	Absent	168	6.9 %
1	Present	1937	79.1 %
	Missing Data		
.	-	343	14.0 %
	Total	2,448	100%

Based upon 2,105 valid cases out of 2,448 total cases.

- Minimum: 0.00

- Maximum: 1.00

Location: 3547-3548 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DLAYMIN6: EBMT Delayed Recall: Minor

Please recall the short story I read a few moments ago and tell me as much as you can remember of the story now. Is the following idea present: Minor

Value	Label	Unweighted Frequency	%
0	Absent	493	20.1 %
1	Present	1612	65.8 %
	Missing Data		
.	-	343	14.0 %
	Total	2,448	100%

Based upon 2,105 valid cases out of 2,448 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3549-3550 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DLAYINJ6: EBMT Delayed Recall: Injuries

Please recall the short story I read a few moments ago and tell me as much as you can remember of the story now. Is the following idea present: Injuries

Value	Label	Unweighted Frequency	%
0	Absent	468	19.1 %
1	Present	1637	66.9 %
	Missing Data		
.	-	343	14.0 %
	Total	2,448	100%

Based upon 2,105 valid cases out of 2,448 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3551-3552 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DLAYER6: EBMT Delayed Recall: Everyone

Please recall the short story I read a few moments ago and tell me as much as you can remember of the story now. Is the following idea present: Everyone

Value	Label	Unweighted Frequency	%
0	Absent	974	39.8 %
1	Present	1131	46.2 %
	Missing Data		
.	-	343	14.0 %
	Total	2,448	100%

Based upon 2,105 valid cases out of 2,448 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3553-3554 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DLAYWEL6: EBMT Delayed Recall: Well

Please recall the short story I read a few moments ago and tell me as much as you can remember of the story now. Is the following idea present: Well

Value	Label	Unweighted Frequency	%
0	Absent	894	36.5 %
1	Present	1211	49.5 %
	Missing Data		
.	-	343	14.0 %
	Total	2,448	100%

Based upon 2,105 valid cases out of 2,448 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3555-3556 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

TOTIDE26: EBMT Delayed Recall: Total Ideas

Total ideas present

Value	Label	Unweighted Frequency	%
0	-	3	0.1 %
1	-	1	0.0 %
2	-	3	0.1 %
3	-	3	0.1 %
4	-	8	0.3 %
5	-	28	1.1 %
6	-	50	2.0 %
7	-	117	4.8 %
8	-	243	9.9 %
9	-	214	8.7 %
10	-	522	21.3 %
11	-	266	10.9 %
12	-	647	26.4 %
	Missing Data		
.	-	343	14.0 %
	Total	2,448	100%

Based upon 2,105 valid cases out of 2,448 total cases.

- Mean: 10.02
- Median: 10.00
- Mode: 12.00
- Minimum: 0.00
- Maximum: 12.00
- Standard Deviation: 1.90

Location: 3557-3558 (width: 2; decimal: 0)

Variable Type: numeric

FLGCOGV6: Collected after V6 cutoff (02/15/2004)

Collected after V6 cutoff (02/15/2004)

Value	Label	Unweighted Frequency	%
0	No	2110	86.2 %
1	Yes	1	0.0 %
	Missing Data		
.	-	337	13.8 %
	Total	2,448	100%

Based upon 2,111 valid cases out of 2,448 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3559-3560 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

HRMDAY6: Hormone measures Day

Hormone measures Day

Value	Label	Unweighted Frequency	%
2041	-	1	0.0 %
2045	-	1	0.0 %
2085	-	1	0.0 %
2095	-	1	0.0 %
2107	-	3	0.1 %
2116	-	1	0.0 %
2117	-	1	0.0 %
2119	-	1	0.0 %
2120	-	1	0.0 %
2122	-	1	0.0 %
2123	-	2	0.1 %
2125	-	1	0.0 %

Value	Label	Unweighted Frequency	%
2128	-	3	0.1 %
2129	-	1	0.0 %
2131	-	1	0.0 %
2132	-	2	0.1 %
2133	-	2	0.1 %
2135	-	4	0.2 %
2136	-	1	0.0 %
2137	-	3	0.1 %
2138	-	1	0.0 %
2140	-	1	0.0 %
2141	-	4	0.2 %
2142	-	2	0.1 %
2143	-	3	0.1 %
2144	-	2	0.1 %
2145	-	3	0.1 %
2146	-	10	0.4 %
2147	-	7	0.3 %
2148	-	9	0.4 %
2149	-	21	0.9 %
2150	-	16	0.7 %
2151	-	8	0.3 %
2152	-	11	0.4 %
2153	-	8	0.3 %
2154	-	13	0.5 %
2155	-	12	0.5 %
2156	-	22	0.9 %
2157	-	13	0.5 %
2158	-	12	0.5 %
2159	-	8	0.3 %
2160	-	10	0.4 %
2161	-	22	0.9 %
2162	-	20	0.8 %
2163	-	24	1.0 %
2164	-	7	0.3 %
2165	-	9	0.4 %
2166	-	14	0.6 %
2167	-	9	0.4 %
2168	-	8	0.3 %
Missing Data			
.	-	380	15.5 %
Total		2,448	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,068 valid cases out of 2,448 total cases.

- Mean: 2233.73
- Minimum: 2041.00
- Maximum: 2684.00
- Standard Deviation: 75.06

Location: 3561-3564 (width: 4; decimal: 0)

Variable Type: numeric

CYCDAY6: Day of cycle

Day of cycle

Value	Label	Unweighted Frequency	%
2	-	77	3.1 %
3	-	124	5.1 %
4	-	129	5.3 %
5	-	128	5.2 %
Missing Data			
.	-	1990	81.3 %
Total		2,448	100%

Based upon 458 valid cases out of 2,448 total cases.

- Mean: 3.67
- Median: 4.00
- Mode: 4.00
- Minimum: 2.00
- Maximum: 5.00
- Standard Deviation: 1.06

Location: 3565-3565 (width: 1; decimal: 0)

Variable Type: numeric

DHAS6: Dehydroepiandrosterone sulfate (ug/dL)

Dehydroepiandrosterone sulfate (ug/dL)

Value	Label	Unweighted Frequency	%
4.8	-	1	0.0 %
7.1	-	1	0.0 %
7.4	-	1	0.0 %
9.4	-	1	0.0 %
10.2	-	1	0.0 %
10.3	-	1	0.0 %
10.7	-	1	0.0 %
10.9	-	1	0.0 %

Value	Label	Unweighted Frequency	%
11.3	-	1	0.0 %
11.5	-	1	0.0 %
11.8	-	1	0.0 %
12.5	-	1	0.0 %
12.7	-	1	0.0 %
13.1	-	1	0.0 %
13.2	-	1	0.0 %
13.6	-	1	0.0 %
13.7	-	1	0.0 %
14.1	-	1	0.0 %
14.6	-	1	0.0 %
15.2	-	1	0.0 %
15.8	-	2	0.1 %
16.1	-	1	0.0 %
16.8	-	1	0.0 %
17.9	-	1	0.0 %
18.2	-	1	0.0 %
18.3	-	1	0.0 %
18.4	-	2	0.1 %
18.8	-	1	0.0 %
19.1	-	1	0.0 %
19.5	-	1	0.0 %
19.8	-	1	0.0 %
20.0	-	1	0.0 %
20.2	-	1	0.0 %
20.7	-	1	0.0 %
21.2	-	1	0.0 %
21.3	-	1	0.0 %
21.5	-	1	0.0 %
21.7	-	1	0.0 %
21.8	-	2	0.1 %
22.1	-	1	0.0 %
22.3	-	1	0.0 %
22.5	-	1	0.0 %
22.8	-	1	0.0 %
22.9	-	2	0.1 %
23.1	-	1	0.0 %
23.3	-	2	0.1 %
23.5	-	1	0.0 %
23.6	-	1	0.0 %
23.7	-	1	0.0 %
23.8	-	1	0.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	381	15.6 %
	Total	2,448	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,067 valid cases out of 2,448 total cases.

- Mean: 132.77
- Minimum: 4.80
- Maximum: 705.80
- Standard Deviation: 85.44

Location: 3566-3572 (width: 7; decimal: 1)

Variable Type: numeric

FSH6: Follicle-stimulating hormone (mIU/mL)

Follicle-stimulating hormone (mIU/mL)

Value	Label	Unweighted Frequency	%
1.5	-	2	0.1 %
1.6	-	1	0.0 %
2.1	-	1	0.0 %
2.2	-	1	0.0 %
2.4	-	1	0.0 %
2.6	-	2	0.1 %
2.8	-	5	0.2 %
2.9	-	1	0.0 %
3.1	-	1	0.0 %
3.2	-	2	0.1 %
3.3	-	1	0.0 %
3.4	-	1	0.0 %
3.6	-	1	0.0 %
3.8	-	1	0.0 %
3.9	-	1	0.0 %
4.0	-	1	0.0 %
4.1	-	3	0.1 %
4.2	-	1	0.0 %
4.3	-	2	0.1 %
4.5	-	2	0.1 %
4.6	-	1	0.0 %
4.7	-	1	0.0 %
4.8	-	3	0.1 %
4.9	-	2	0.1 %

Value	Label	Unweighted Frequency	%
5.0	-	2	0.1 %
5.1	-	7	0.3 %
5.2	-	1	0.0 %
5.3	-	2	0.1 %
5.4	-	2	0.1 %
5.5	-	1	0.0 %
5.6	-	3	0.1 %
5.7	-	3	0.1 %
5.8	-	1	0.0 %
5.9	-	2	0.1 %
6.0	-	2	0.1 %
6.1	-	4	0.2 %
6.3	-	1	0.0 %
6.4	-	2	0.1 %
6.5	-	3	0.1 %
6.6	-	5	0.2 %
6.7	-	3	0.1 %
6.8	-	2	0.1 %
6.9	-	3	0.1 %
7.0	-	3	0.1 %
7.1	-	3	0.1 %
7.2	-	4	0.2 %
7.3	-	2	0.1 %
7.4	-	6	0.2 %
7.5	-	5	0.2 %
7.6	-	10	0.4 %
Missing Data			
.	-	382	15.6 %
Total		2,448	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,066 valid cases out of 2,448 total cases.

- Mean: 63.43
- Minimum: 1.50
- Maximum: 409.90
- Standard Deviation: 45.84

Location: 3573-3579 (*width:* 7; *decimal:* 1)

Variable Type: numeric

SHBG6: Sex hormone-binding globulin (nM)

Sex hormone-binding globulin (nM)

Value	Label	Unweighted Frequency	%
2.3	-	1	0.0 %
3.4	-	1	0.0 %
3.7	-	3	0.1 %
4.1	-	1	0.0 %
5.0	-	1	0.0 %
5.3	-	1	0.0 %
5.4	-	1	0.0 %
5.6	-	3	0.1 %
5.7	-	1	0.0 %
6.0	-	2	0.1 %
6.3	-	1	0.0 %
6.6	-	1	0.0 %
6.8	-	2	0.1 %
7.0	-	2	0.1 %
7.2	-	2	0.1 %
7.3	-	2	0.1 %
7.5	-	3	0.1 %
7.6	-	1	0.0 %
7.7	-	1	0.0 %
8.1	-	1	0.0 %
8.3	-	1	0.0 %
8.6	-	1	0.0 %
8.7	-	2	0.1 %
8.8	-	1	0.0 %
8.9	-	1	0.0 %
9.0	-	1	0.0 %
9.1	-	1	0.0 %
9.2	-	1	0.0 %
9.9	-	3	0.1 %
10.0	-	1	0.0 %
10.1	-	2	0.1 %
10.3	-	3	0.1 %
10.4	-	3	0.1 %
10.6	-	1	0.0 %
10.7	-	3	0.1 %
10.8	-	1	0.0 %
10.9	-	2	0.1 %
11.0	-	1	0.0 %
11.1	-	3	0.1 %
11.3	-	1	0.0 %
11.4	-	3	0.1 %
11.5	-	2	0.1 %

Value	Label	Unweighted Frequency	%
11.6	-	2	0.1 %
11.7	-	1	0.0 %
11.8	-	3	0.1 %
11.9	-	3	0.1 %
12.0	-	1	0.0 %
12.1	-	4	0.2 %
12.2	-	1	0.0 %
12.4	-	3	0.1 %
Missing Data			
.	-	388	15.8 %
Total		2,448	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,060 valid cases out of 2,448 total cases.

- Mean: 47.80
- Minimum: 2.30
- Maximum: 316.90
- Standard Deviation: 30.34

Location: 3580-3586 (width: 7; decimal: 1)

Variable Type: numeric

T6: Testosterone (ng/dL)

Testosterone (ng/dL)

Value	Label	Unweighted Frequency	%
2.8	-	1	0.0 %
3.3	-	1	0.0 %
3.9	-	1	0.0 %
4.9	-	1	0.0 %
5.2	-	1	0.0 %
6.0	-	1	0.0 %
6.4	-	1	0.0 %
6.5	-	1	0.0 %
7.0	-	1	0.0 %
7.1	-	1	0.0 %
7.2	-	1	0.0 %
7.3	-	2	0.1 %
7.5	-	1	0.0 %
8.1	-	1	0.0 %
8.6	-	2	0.1 %
8.7	-	1	0.0 %

Value	Label	Unweighted Frequency	%
8.8	-	1	0.0 %
9.0	-	1	0.0 %
9.2	-	2	0.1 %
9.3	-	1	0.0 %
9.6	-	1	0.0 %
10.0	-	1	0.0 %
10.1	-	1	0.0 %
10.2	-	1	0.0 %
10.3	-	2	0.1 %
10.4	-	2	0.1 %
10.6	-	1	0.0 %
10.8	-	4	0.2 %
10.9	-	2	0.1 %
11.0	-	1	0.0 %
11.2	-	3	0.1 %
11.5	-	2	0.1 %
11.6	-	1	0.0 %
11.7	-	1	0.0 %
11.8	-	1	0.0 %
11.9	-	1	0.0 %
12.0	-	2	0.1 %
12.1	-	2	0.1 %
12.2	-	3	0.1 %
12.3	-	3	0.1 %
12.4	-	1	0.0 %
12.6	-	1	0.0 %
12.7	-	3	0.1 %
12.8	-	2	0.1 %
12.9	-	1	0.0 %
13.1	-	2	0.1 %
13.2	-	2	0.1 %
13.3	-	1	0.0 %
13.5	-	2	0.1 %
13.7	-	5	0.2 %
Missing Data			
.	-	383	15.6 %
Total		2,448	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,065 valid cases out of 2,448 total cases.

- Mean: 39.58

- Minimum: 2.80
- Maximum: 359.20
- Standard Deviation: 20.65

Location: 3587-3593 (width: 7; decimal: 1)

Variable Type: numeric

E2AVE6: Estradiol (average, pg/mL)

Estradiol (average, pg/mL)

Value	Label	Unweighted Frequency	%
4.35	-	1	0.0 %
4.45	-	2	0.1 %
4.50	-	1	0.0 %
4.55	-	2	0.1 %
4.60	-	2	0.1 %
4.75	-	1	0.0 %
4.80	-	1	0.0 %
4.90	-	1	0.0 %
4.95	-	2	0.1 %
5.00	-	1	0.0 %
5.15	-	1	0.0 %
5.20	-	1	0.0 %
5.25	-	3	0.1 %
5.30	-	1	0.0 %
5.35	-	5	0.2 %
5.40	-	1	0.0 %
5.45	-	1	0.0 %
5.50	-	1	0.0 %
5.55	-	1	0.0 %
5.60	-	2	0.1 %
5.70	-	4	0.2 %
5.80	-	2	0.1 %
5.85	-	1	0.0 %
5.90	-	2	0.1 %
5.95	-	3	0.1 %
6.00	-	3	0.1 %
6.15	-	3	0.1 %
6.20	-	2	0.1 %
6.25	-	1	0.0 %
6.30	-	5	0.2 %
6.35	-	3	0.1 %
6.40	-	1	0.0 %
6.45	-	2	0.1 %

Value	Label	Unweighted Frequency	%
6.50	-	5	0.2 %
6.60	-	1	0.0 %
6.65	-	1	0.0 %
6.75	-	1	0.0 %
6.80	-	1	0.0 %
6.85	-	3	0.1 %
6.90	-	2	0.1 %
6.95	-	5	0.2 %
7.05	-	1	0.0 %
7.10	-	2	0.1 %
7.15	-	1	0.0 %
7.20	-	1	0.0 %
7.25	-	3	0.1 %
7.30	-	4	0.2 %
7.35	-	2	0.1 %
7.40	-	3	0.1 %
7.45	-	1	0.0 %
Missing Data			
.	-	394	16.1 %
Total		2,448	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,054 valid cases out of 2,448 total cases.

- Mean: 49.730
- Minimum: 4.350
- Maximum: 729.600
- Standard Deviation: 73.224

Location: 3594-3601 (width: 8; decimal: 3)

Variable Type: numeric

FLGCV6: Both E2>20 pg/mL & CV>15%

Both E2>20 pg/mL & CV>15%

Value	Label	Unweighted Frequency	%
0	No	2067	84.4 %
1	Yes	1	0.0 %
Missing Data			
.	-	380	15.5 %
Total		2,448	100%

Based upon 2,068 valid cases out of 2,448 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3602-3603 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FLGdif6: 1 or both E2<=20 pg/mL & dif>10

1 or both E2<=20 pg/mL & dif>10

Value	Label	Unweighted Frequency	%
0	No	2068	84.5 %
1	Yes	0	0.0 %
	Missing Data		
.	-	380	15.5 %
	Total	2,448	100%

Based upon 2,068 valid cases out of 2,448 total cases.

- Minimum: 0.00
- Maximum: 0.00

Location: 3604-3605 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CVRday6: Cardiovascular measures Day

Cardiovascular measures Day

Value	Label	Unweighted Frequency	%
2041	-	1	0.0 %
2045	-	1	0.0 %
2085	-	1	0.0 %
2095	-	1	0.0 %
2107	-	3	0.1 %
2116	-	1	0.0 %
2117	-	1	0.0 %
2118	-	1	0.0 %
2119	-	1	0.0 %
2120	-	1	0.0 %
2122	-	1	0.0 %
2123	-	2	0.1 %
2125	-	1	0.0 %
2128	-	3	0.1 %
2129	-	1	0.0 %
2131	-	1	0.0 %

Value	Label	Unweighted Frequency	%
2132	-	2	0.1 %
2133	-	2	0.1 %
2135	-	4	0.2 %
2136	-	1	0.0 %
2137	-	3	0.1 %
2138	-	1	0.0 %
2140	-	1	0.0 %
2141	-	4	0.2 %
2142	-	2	0.1 %
2143	-	3	0.1 %
2144	-	2	0.1 %
2145	-	3	0.1 %
2146	-	10	0.4 %
2147	-	7	0.3 %
2148	-	9	0.4 %
2149	-	21	0.9 %
2150	-	15	0.6 %
2151	-	8	0.3 %
2152	-	11	0.4 %
2153	-	8	0.3 %
2154	-	13	0.5 %
2155	-	12	0.5 %
2156	-	22	0.9 %
2157	-	13	0.5 %
2158	-	12	0.5 %
2159	-	9	0.4 %
2160	-	10	0.4 %
2161	-	22	0.9 %
2162	-	20	0.8 %
2163	-	24	1.0 %
2164	-	7	0.3 %
2165	-	9	0.4 %
2166	-	14	0.6 %
2167	-	9	0.4 %
Missing Data			
.	-	363	14.8 %
Total		2,448	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,085 valid cases out of 2,448 total cases.

- Mean: 2234.21

- Minimum: 2041.00
- Maximum: 2684.00
- Standard Deviation: 75.12

Location: 3606-3609 (width: 4; decimal: 0)

Variable Type: numeric

FLAGSER6: Lipids measured on serum not plasma

Lipids measured on serum not plasma

Value	Label	Unweighted Frequency	%
0	No	2069	84.5 %
1	Yes	23	0.9 %
	Missing Data		
.	-	356	14.5 %
	Total	2,448	100%

Based upon 2,092 valid cases out of 2,448 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3610-3611 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CHOLRES6: Total cholesterol (mg/dl)

Total cholesterol (mg/dl)

Value	Label	Unweighted Frequency	%
87	-	1	0.0 %
97	-	1	0.0 %
103	-	1	0.0 %
104	-	1	0.0 %
108	-	1	0.0 %
110	-	3	0.1 %
112	-	2	0.1 %
113	-	3	0.1 %
114	-	1	0.0 %
115	-	1	0.0 %
116	-	1	0.0 %
117	-	2	0.1 %
118	-	2	0.1 %
119	-	1	0.0 %
121	-	2	0.1 %
124	-	2	0.1 %

Value	Label	Unweighted Frequency	%
129	-	3	0.1 %
130	-	1	0.0 %
131	-	3	0.1 %
132	-	1	0.0 %
133	-	3	0.1 %
134	-	3	0.1 %
135	-	2	0.1 %
136	-	3	0.1 %
137	-	4	0.2 %
138	-	4	0.2 %
140	-	6	0.2 %
141	-	3	0.1 %
142	-	5	0.2 %
143	-	6	0.2 %
144	-	3	0.1 %
145	-	7	0.3 %
146	-	9	0.4 %
147	-	1	0.0 %
148	-	10	0.4 %
149	-	12	0.5 %
150	-	4	0.2 %
151	-	3	0.1 %
152	-	11	0.4 %
153	-	6	0.2 %
154	-	8	0.3 %
155	-	8	0.3 %
156	-	8	0.3 %
157	-	6	0.2 %
158	-	5	0.2 %
159	-	10	0.4 %
160	-	10	0.4 %
161	-	13	0.5 %
162	-	13	0.5 %
163	-	11	0.4 %
Missing Data			
.	-	363	14.8 %
Total		2,448	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,085 valid cases out of 2,448 total cases.

- Mean: 205.26

- Median: 202.00
- Minimum: 87.00
- Maximum: 690.00
- Standard Deviation: 38.90

Location: 3612-3614 (width: 3; decimal: 0)

Variable Type: numeric

TRIGRES6: Triglycerides (mg/dl)

Triglycerides (mg/dl)

Value	Label	Unweighted Frequency	%
37	-	1	0.0 %
40	-	1	0.0 %
41	-	1	0.0 %
42	-	3	0.1 %
43	-	1	0.0 %
44	-	2	0.1 %
45	-	3	0.1 %
46	-	4	0.2 %
47	-	5	0.2 %
48	-	4	0.2 %
49	-	5	0.2 %
50	-	6	0.2 %
51	-	8	0.3 %
52	-	3	0.1 %
53	-	13	0.5 %
54	-	6	0.2 %
55	-	8	0.3 %
56	-	11	0.4 %
57	-	11	0.4 %
58	-	14	0.6 %
59	-	12	0.5 %
60	-	11	0.4 %
61	-	18	0.7 %
62	-	18	0.7 %
63	-	11	0.4 %
64	-	22	0.9 %
65	-	12	0.5 %
66	-	13	0.5 %
67	-	18	0.7 %
68	-	16	0.7 %
69	-	12	0.5 %
70	-	13	0.5 %
71	-	19	0.8 %

Value	Label	Unweighted Frequency	%
72	-	15	0.6 %
73	-	22	0.9 %
74	-	21	0.9 %
75	-	13	0.5 %
76	-	29	1.2 %
77	-	22	0.9 %
78	-	18	0.7 %
79	-	21	0.9 %
80	-	19	0.8 %
81	-	18	0.7 %
82	-	20	0.8 %
83	-	25	1.0 %
84	-	16	0.7 %
85	-	17	0.7 %
86	-	24	1.0 %
87	-	12	0.5 %
88	-	23	0.9 %
Missing Data			
.	-	435	17.8 %
Total		2,448	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,013 valid cases out of 2,448 total cases.

- Mean: 134.43
- Minimum: 37.00
- Maximum: 4640.00
- Standard Deviation: 146.99

Location: 3615-3618 (width: 4; decimal: 0)

Variable Type: numeric

LDLRESU6: Estimated LDL (mg/dl)

Estimated LDL (mg/dl)

Value	Label	Unweighted Frequency	%
30	-	1	0.0 %
31	-	1	0.0 %
33	-	1	0.0 %
34	-	1	0.0 %
35	-	1	0.0 %
39	-	1	0.0 %
40	-	1	0.0 %

Value	Label	Unweighted Frequency	%
41	-	1	0.0 %
44	-	1	0.0 %
45	-	1	0.0 %
46	-	2	0.1 %
48	-	4	0.2 %
49	-	2	0.1 %
50	-	1	0.0 %
51	-	4	0.2 %
52	-	1	0.0 %
53	-	4	0.2 %
54	-	4	0.2 %
55	-	2	0.1 %
56	-	4	0.2 %
57	-	2	0.1 %
58	-	1	0.0 %
59	-	2	0.1 %
60	-	2	0.1 %
61	-	6	0.2 %
63	-	2	0.1 %
64	-	6	0.2 %
65	-	6	0.2 %
66	-	6	0.2 %
67	-	6	0.2 %
68	-	8	0.3 %
69	-	7	0.3 %
70	-	11	0.4 %
71	-	11	0.4 %
72	-	6	0.2 %
73	-	5	0.2 %
74	-	6	0.2 %
75	-	12	0.5 %
76	-	15	0.6 %
77	-	12	0.5 %
78	-	6	0.2 %
79	-	9	0.4 %
80	-	12	0.5 %
81	-	17	0.7 %
82	-	10	0.4 %
83	-	10	0.4 %
84	-	17	0.7 %
85	-	11	0.4 %
86	-	20	0.8 %

Value	Label	Unweighted Frequency	%
87	-	13	0.5 %
	Missing Data		
.	-	460	18.8 %
	Total	2,448	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,988 valid cases out of 2,448 total cases.

- Mean: 121.16
- Median: 119.00
- Mode: 125.00
- Minimum: 30.00
- Maximum: 303.00
- Standard Deviation: 33.52

Location: 3619-3621 (width: 3; decimal: 0)

Variable Type: numeric

HDLRESU6: HDL (mg/dl)

HDL (mg/dl)

Value	Label	Unweighted Frequency	%
16	-	1	0.0 %
20	-	1	0.0 %
22	-	1	0.0 %
24	-	1	0.0 %
26	-	1	0.0 %
28	-	5	0.2 %
29	-	2	0.1 %
30	-	9	0.4 %
31	-	7	0.3 %
32	-	11	0.4 %
33	-	4	0.2 %
34	-	13	0.5 %
35	-	9	0.4 %
36	-	23	0.9 %
37	-	17	0.7 %
38	-	37	1.5 %
39	-	23	0.9 %
40	-	34	1.4 %
41	-	35	1.4 %
42	-	43	1.8 %
43	-	43	1.8 %

Value	Label	Unweighted Frequency	%
44	-	60	2.5 %
45	-	44	1.8 %
46	-	75	3.1 %
47	-	46	1.9 %
48	-	57	2.3 %
49	-	42	1.7 %
50	-	72	2.9 %
51	-	53	2.2 %
52	-	60	2.5 %
53	-	56	2.3 %
54	-	63	2.6 %
55	-	34	1.4 %
56	-	51	2.1 %
57	-	62	2.5 %
58	-	56	2.3 %
59	-	52	2.1 %
60	-	58	2.4 %
61	-	45	1.8 %
62	-	52	2.1 %
63	-	38	1.6 %
64	-	47	1.9 %
65	-	39	1.6 %
66	-	37	1.5 %
67	-	41	1.7 %
68	-	41	1.7 %
69	-	43	1.8 %
70	-	33	1.3 %
71	-	30	1.2 %
72	-	35	1.4 %
Missing Data			
.	-	367	15.0 %
Total		2,448	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,081 valid cases out of 2,448 total cases.

- Mean: 58.16
- Median: 57.00
- Mode: 46.00
- Minimum: 16.00
- Maximum: 119.00
- Standard Deviation: 14.88

Location: 3622-3624 (width: 3; decimal: 0)

Variable Type: numeric

GLUCRES6: Glucose (mg/dl)

Glucose (mg/dl)

Value	Label	Unweighted Frequency	%
48	-	1	0.0 %
52	-	1	0.0 %
54	-	1	0.0 %
57	-	1	0.0 %
62	-	1	0.0 %
63	-	2	0.1 %
64	-	1	0.0 %
65	-	2	0.1 %
66	-	3	0.1 %
67	-	3	0.1 %
68	-	3	0.1 %
69	-	8	0.3 %
70	-	6	0.2 %
71	-	12	0.5 %
72	-	18	0.7 %
73	-	14	0.6 %
74	-	24	1.0 %
75	-	26	1.1 %
76	-	40	1.6 %
77	-	42	1.7 %
78	-	63	2.6 %
79	-	68	2.8 %
80	-	77	3.1 %
81	-	76	3.1 %
82	-	93	3.8 %
83	-	81	3.3 %
84	-	81	3.3 %
85	-	109	4.5 %
86	-	73	3.0 %
87	-	75	3.1 %
88	-	75	3.1 %
89	-	62	2.5 %
90	-	64	2.6 %
91	-	67	2.7 %
92	-	59	2.4 %
93	-	62	2.5 %
94	-	44	1.8 %

Value	Label	Unweighted Frequency	%
95	-	55	2.2 %
96	-	40	1.6 %
97	-	40	1.6 %
98	-	30	1.2 %
99	-	40	1.6 %
100	-	33	1.3 %
101	-	24	1.0 %
102	-	16	0.7 %
103	-	15	0.6 %
104	-	14	0.6 %
105	-	15	0.6 %
106	-	11	0.4 %
107	-	18	0.7 %
Missing Data			
.	-	433	17.7 %
Total		2,448	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,015 valid cases out of 2,448 total cases.

- Mean: 94.23
- Median: 88.00
- Mode: 85.00
- Minimum: 48.00
- Maximum: 639.00
- Standard Deviation: 30.96

Location: 3625-3627 (width: 3; decimal: 0)

Variable Type: numeric

INSURES6: Insulin (uIU/ml)

Insulin (uIU/ml)

Value	Label	Unweighted Frequency	%
4.4	-	1	0.0 %
4.5	-	3	0.1 %
4.6	-	8	0.3 %
4.7	-	9	0.4 %
4.9	-	13	0.5 %
5.0	-	12	0.5 %
5.1	-	20	0.8 %
5.2	-	12	0.5 %
5.3	-	15	0.6 %

Value	Label	Unweighted Frequency	%
5.4	-	15	0.6 %
5.5	-	14	0.6 %
5.6	-	16	0.7 %
5.7	-	13	0.5 %
5.8	-	22	0.9 %
5.9	-	17	0.7 %
6.0	-	21	0.9 %
6.1	-	19	0.8 %
6.2	-	20	0.8 %
6.4	-	17	0.7 %
6.5	-	20	0.8 %
6.6	-	24	1.0 %
6.7	-	28	1.1 %
6.8	-	17	0.7 %
6.9	-	17	0.7 %
7.0	-	26	1.1 %
7.1	-	19	0.8 %
7.2	-	28	1.1 %
7.3	-	20	0.8 %
7.4	-	16	0.7 %
7.5	-	21	0.9 %
7.6	-	17	0.7 %
7.7	-	30	1.2 %
7.9	-	18	0.7 %
8.0	-	20	0.8 %
8.1	-	19	0.8 %
8.2	-	24	1.0 %
8.3	-	19	0.8 %
8.4	-	26	1.1 %
8.5	-	15	0.6 %
8.6	-	14	0.6 %
8.7	-	28	1.1 %
8.8	-	19	0.8 %
8.9	-	17	0.7 %
9.0	-	24	1.0 %
9.1	-	19	0.8 %
9.2	-	18	0.7 %
9.3	-	13	0.5 %
9.5	-	12	0.5 %
9.6	-	23	0.9 %
9.7	-	20	0.8 %
Missing Data			

Value	Label	Unweighted Frequency	%
-	-	460	18.8 %
Total		2,448	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,988 valid cases out of 2,448 total cases.

- Mean: 13.33
- Minimum: 4.40
- Maximum: 121.50
- Standard Deviation: 10.22

Location: 3628-3634 (width: 7; decimal: 1)

Variable Type: numeric

PAIRESU6: PAI-6 (ng/ml)

PAI-6 (ng/ml)

Value	Label	Unweighted Frequency	%
0.1	-	1	0.0 %
0.3	-	3	0.1 %
0.4	-	2	0.1 %
0.5	-	4	0.2 %
0.6	-	5	0.2 %
0.7	-	5	0.2 %
0.8	-	1	0.0 %
0.9	-	2	0.1 %
1.0	-	9	0.4 %
1.1	-	5	0.2 %
1.2	-	12	0.5 %
1.3	-	6	0.2 %
1.4	-	9	0.4 %
1.5	-	6	0.2 %
1.6	-	17	0.7 %
1.7	-	5	0.2 %
1.8	-	5	0.2 %
1.9	-	6	0.2 %
2.0	-	9	0.4 %
2.1	-	3	0.1 %
2.2	-	13	0.5 %
2.3	-	3	0.1 %
2.4	-	19	0.8 %
2.5	-	4	0.2 %
2.6	-	9	0.4 %

Value	Label	Unweighted Frequency	%
2.7	-	8	0.3 %
2.8	-	17	0.7 %
2.9	-	1	0.0 %
3.0	-	15	0.6 %
3.1	-	2	0.1 %
3.2	-	14	0.6 %
3.3	-	1	0.0 %
3.4	-	19	0.8 %
3.6	-	15	0.6 %
3.7	-	2	0.1 %
3.8	-	16	0.7 %
4.0	-	27	1.1 %
4.1	-	5	0.2 %
4.2	-	16	0.7 %
4.3	-	2	0.1 %
4.4	-	19	0.8 %
4.5	-	1	0.0 %
4.6	-	18	0.7 %
4.7	-	1	0.0 %
4.8	-	22	0.9 %
5.0	-	17	0.7 %
5.1	-	1	0.0 %
5.2	-	19	0.8 %
5.4	-	19	0.8 %
5.6	-	23	0.9 %
Missing Data			
.	-	370	15.1 %
Total		2,448	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,078 valid cases out of 2,448 total cases.

- Mean: 21.73
- Minimum: 0.10
- Maximum: 724.00
- Standard Deviation: 35.53

Location: 3635-3640 (width: 6; decimal: 1)

Variable Type: numeric

TPARESU6: tPA (ng/ml)

tPA (ng/ml)

Value	Label	Unweighted Frequency	%
0.7	-	1	0.0 %
0.9	-	1	0.0 %
1.1	-	1	0.0 %
1.4	-	1	0.0 %
1.5	-	1	0.0 %
1.6	-	1	0.0 %
1.7	-	1	0.0 %
1.8	-	1	0.0 %
2.0	-	2	0.1 %
2.1	-	6	0.2 %
2.2	-	3	0.1 %
2.3	-	4	0.2 %
2.4	-	2	0.1 %
2.5	-	4	0.2 %
2.6	-	11	0.4 %
2.7	-	4	0.2 %
2.8	-	4	0.2 %
2.9	-	8	0.3 %
3.0	-	10	0.4 %
3.1	-	11	0.4 %
3.2	-	9	0.4 %
3.3	-	8	0.3 %
3.4	-	9	0.4 %
3.5	-	12	0.5 %
3.6	-	10	0.4 %
3.7	-	12	0.5 %
3.8	-	15	0.6 %
3.9	-	13	0.5 %
4.0	-	17	0.7 %
4.1	-	21	0.9 %
4.2	-	13	0.5 %
4.3	-	19	0.8 %
4.4	-	20	0.8 %
4.5	-	16	0.7 %
4.6	-	24	1.0 %
4.7	-	20	0.8 %
4.8	-	19	0.8 %
4.9	-	23	0.9 %
5.0	-	20	0.8 %
5.1	-	22	0.9 %
5.2	-	27	1.1 %
5.3	-	21	0.9 %

Value	Label	Unweighted Frequency	%
5.4	-	27	1.1 %
5.5	-	19	0.8 %
5.6	-	29	1.2 %
5.7	-	18	0.7 %
5.8	-	30	1.2 %
5.9	-	26	1.1 %
6.0	-	19	0.8 %
6.1	-	26	1.1 %
Missing Data			
.	-	369	15.1 %
Total		2,448	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,079 valid cases out of 2,448 total cases.

- Mean: 9.44
- Median: 7.80
- Mode: 7.40
- Minimum: 0.70
- Maximum: 464.00
- Standard Deviation: 15.54

Location: 3641-3646 (width: 6; decimal: 1)

Variable Type: numeric

LPARESU6: Lipoprotein Lp(a) (mg/dl)

Lipoprotein Lp(a) (mg/dl)

Value	Label	Unweighted Frequency	%
1	-	104	4.2 %
2	-	98	4.0 %
3	-	88	3.6 %
4	-	87	3.6 %
5	-	62	2.5 %
6	-	64	2.6 %
7	-	76	3.1 %
8	-	66	2.7 %
9	-	58	2.4 %
10	-	43	1.8 %
11	-	42	1.7 %
12	-	37	1.5 %
13	-	39	1.6 %
14	-	28	1.1 %

Value	Label	Unweighted Frequency	%
15	-	29	1.2 %
16	-	26	1.1 %
17	-	24	1.0 %
18	-	22	0.9 %
19	-	31	1.3 %
20	-	29	1.2 %
21	-	28	1.1 %
22	-	19	0.8 %
23	-	18	0.7 %
24	-	16	0.7 %
25	-	20	0.8 %
26	-	12	0.5 %
27	-	24	1.0 %
28	-	10	0.4 %
29	-	10	0.4 %
30	-	9	0.4 %
31	-	12	0.5 %
32	-	20	0.8 %
33	-	16	0.7 %
34	-	14	0.6 %
35	-	16	0.7 %
36	-	20	0.8 %
37	-	10	0.4 %
38	-	7	0.3 %
39	-	16	0.7 %
40	-	17	0.7 %
41	-	15	0.6 %
42	-	14	0.6 %
43	-	4	0.2 %
44	-	15	0.6 %
45	-	12	0.5 %
46	-	8	0.3 %
47	-	15	0.6 %
48	-	10	0.4 %
49	-	8	0.3 %
50	-	8	0.3 %
Missing Data			
.	-	450	18.4 %
Total		2,448	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,998 valid cases out of 2,448 total cases.

- Mean: 36.92
- Median: 19.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 255.00
- Standard Deviation: 44.21

Location: 3647-3649 (width: 3; decimal: 0)

Variable Type: numeric

APOARES6: Apolipoprotein A-6 (mg/dl)

Apolipoprotein A-6 (mg/dl)

Value	Label	Unweighted Frequency	%
90	-	1	0.0 %
93	-	1	0.0 %
99	-	1	0.0 %
102	-	1	0.0 %
103	-	1	0.0 %
104	-	1	0.0 %
105	-	1	0.0 %
106	-	5	0.2 %
107	-	1	0.0 %
109	-	1	0.0 %
110	-	1	0.0 %
111	-	2	0.1 %
112	-	2	0.1 %
113	-	2	0.1 %
114	-	7	0.3 %
115	-	1	0.0 %
116	-	8	0.3 %
117	-	6	0.2 %
118	-	3	0.1 %
119	-	4	0.2 %
120	-	6	0.2 %
121	-	5	0.2 %
122	-	6	0.2 %
123	-	5	0.2 %
124	-	3	0.1 %
125	-	8	0.3 %
126	-	12	0.5 %
127	-	6	0.2 %
128	-	6	0.2 %

Value	Label	Unweighted Frequency	%
129	-	5	0.2 %
130	-	11	0.4 %
131	-	15	0.6 %
132	-	8	0.3 %
133	-	10	0.4 %
134	-	25	1.0 %
135	-	12	0.5 %
136	-	20	0.8 %
137	-	21	0.9 %
138	-	12	0.5 %
139	-	16	0.7 %
140	-	18	0.7 %
141	-	16	0.7 %
142	-	23	0.9 %
143	-	21	0.9 %
144	-	32	1.3 %
145	-	24	1.0 %
146	-	23	0.9 %
147	-	26	1.1 %
148	-	33	1.3 %
149	-	30	1.2 %
Missing Data			
.	-	363	14.8 %
Total		2,448	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,085 valid cases out of 2,448 total cases.

- Mean: 170.79
- Median: 169.00
- Mode: 178.00
- Minimum: 90.00
- Maximum: 279.00
- Standard Deviation: 28.49

Location: 3650-3652 (*width:* 3; *decimal:* 0)

Variable Type: numeric

APOBRES6: Apolipoprotein B (mg/dl)

Apolipoprotein B (mg/dl)

Value	Label	Unweighted Frequency	%
29	-	1	0.0 %

Value	Label	Unweighted Frequency	%
36	-	1	0.0 %
37	-	1	0.0 %
38	-	1	0.0 %
41	-	1	0.0 %
43	-	1	0.0 %
47	-	1	0.0 %
48	-	2	0.1 %
49	-	2	0.1 %
50	-	2	0.1 %
51	-	4	0.2 %
52	-	3	0.1 %
53	-	2	0.1 %
54	-	2	0.1 %
55	-	2	0.1 %
56	-	6	0.2 %
57	-	4	0.2 %
58	-	8	0.3 %
59	-	3	0.1 %
60	-	5	0.2 %
61	-	5	0.2 %
62	-	2	0.1 %
63	-	6	0.2 %
64	-	7	0.3 %
65	-	14	0.6 %
66	-	8	0.3 %
67	-	10	0.4 %
68	-	11	0.4 %
69	-	12	0.5 %
70	-	13	0.5 %
71	-	11	0.4 %
72	-	17	0.7 %
73	-	16	0.7 %
74	-	10	0.4 %
75	-	12	0.5 %
76	-	19	0.8 %
77	-	18	0.7 %
78	-	15	0.6 %
79	-	22	0.9 %
80	-	13	0.5 %
81	-	23	0.9 %
82	-	21	0.9 %
83	-	27	1.1 %

Value	Label	Unweighted Frequency	%
84	-	23	0.9 %
85	-	20	0.8 %
86	-	23	0.9 %
87	-	16	0.7 %
88	-	28	1.1 %
89	-	21	0.9 %
90	-	23	0.9 %
Missing Data			
.	-	363	14.8 %
Total		2,448	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,085 valid cases out of 2,448 total cases.

- Mean: 111.69
- Median: 110.00
- Mode: 107.00
- Minimum: 29.00
- Maximum: 242.00
- Standard Deviation: 29.84

Location: 3653-3655 (width: 3; decimal: 0)

Variable Type: numeric

CRPRESU6: C-reactive protein (mg/l)

C-reactive protein (mg/l)

Value	Label	Unweighted Frequency	%
0.048	-	1	0.0 %
0.050	-	1	0.0 %
0.054	-	1	0.0 %
0.056	-	1	0.0 %
0.058	-	1	0.0 %
0.066	-	1	0.0 %
0.068	-	1	0.0 %
0.069	-	1	0.0 %
0.072	-	1	0.0 %
0.076	-	3	0.1 %
0.079	-	1	0.0 %
0.081	-	1	0.0 %
0.082	-	1	0.0 %
0.084	-	1	0.0 %
0.086	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.087	-	1	0.0 %
0.089	-	1	0.0 %
0.099	-	1	0.0 %
0.100	-	2	0.1 %
0.101	-	1	0.0 %
0.102	-	1	0.0 %
0.104	-	1	0.0 %
0.109	-	1	0.0 %
0.111	-	2	0.1 %
0.112	-	1	0.0 %
0.113	-	1	0.0 %
0.115	-	1	0.0 %
0.116	-	1	0.0 %
0.117	-	1	0.0 %
0.118	-	2	0.1 %
0.119	-	1	0.0 %
0.121	-	1	0.0 %
0.122	-	3	0.1 %
0.123	-	3	0.1 %
0.125	-	1	0.0 %
0.128	-	1	0.0 %
0.129	-	2	0.1 %
0.131	-	1	0.0 %
0.132	-	1	0.0 %
0.133	-	2	0.1 %
0.138	-	2	0.1 %
0.139	-	1	0.0 %
0.141	-	2	0.1 %
0.142	-	1	0.0 %
0.143	-	2	0.1 %
0.145	-	2	0.1 %
0.147	-	2	0.1 %
0.148	-	1	0.0 %
0.150	-	2	0.1 %
0.152	-	2	0.1 %
Missing Data			
.	-	363	14.8 %
	Total	2,448	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,085 valid cases out of 2,448 total cases.

- Mean: 4.058
- Minimum: 0.048
- Maximum: 128.000
- Standard Deviation: 6.764

Location: 3656-3662 (width: 7; decimal: 3)

Variable Type: numeric

SPSCDAY6: Spine Scan Day

Spine Scan Day

Value	Label	Unweighted Frequency	%
2041	-	1	0.0 %
2045	-	1	0.0 %
2095	-	1	0.0 %
2107	-	1	0.0 %
2109	-	1	0.0 %
2116	-	1	0.0 %
2119	-	1	0.0 %
2120	-	1	0.0 %
2122	-	1	0.0 %
2123	-	2	0.1 %
2128	-	3	0.1 %
2129	-	1	0.0 %
2132	-	2	0.1 %
2133	-	3	0.1 %
2135	-	5	0.2 %
2137	-	4	0.2 %
2138	-	1	0.0 %
2140	-	2	0.1 %
2141	-	4	0.2 %
2142	-	5	0.2 %
2143	-	1	0.0 %
2144	-	4	0.2 %
2145	-	2	0.1 %
2146	-	9	0.4 %
2147	-	9	0.4 %
2148	-	7	0.3 %
2149	-	25	1.0 %
2150	-	12	0.5 %
2151	-	9	0.4 %
2152	-	5	0.2 %
2153	-	8	0.3 %

Value	Label	Unweighted Frequency	%
2154	-	10	0.4 %
2155	-	5	0.2 %
2156	-	25	1.0 %
2157	-	13	0.5 %
2158	-	13	0.5 %
2159	-	6	0.2 %
2160	-	8	0.3 %
2161	-	21	0.9 %
2162	-	14	0.6 %
2163	-	22	0.9 %
2164	-	4	0.2 %
2165	-	4	0.2 %
2166	-	12	0.5 %
2167	-	9	0.4 %
2168	-	8	0.3 %
2169	-	6	0.2 %
2170	-	23	0.9 %
2171	-	11	0.4 %
2172	-	10	0.4 %
Missing Data			
.	-	710	29.0 %
Total		2,448	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,738 valid cases out of 2,448 total cases.

- Mean: 2226.94
- Minimum: 2041.00
- Maximum: 2684.00
- Standard Deviation: 68.43

Location: 3663-3666 (width: 4; decimal: 0)

Variable Type: numeric

SPSCTIM6: Spine Scan Time

Spine Scan Time

Value	Label	Unweighted Frequency	%
	-	717	29.3 %
10:00:00	-	6	0.2 %
10:00:37	-	1	0.0 %
10:01:00	-	8	0.3 %
10:02:00	-	8	0.3 %

Value	Label	Unweighted Frequency	%
10:02:16	-	1	0.0 %
10:02:57	-	1	0.0 %
10:03:00	-	8	0.3 %
10:03:20	-	1	0.0 %
10:03:50	-	1	0.0 %
10:04:00	-	4	0.2 %
10:04:05	-	1	0.0 %
10:05:00	-	4	0.2 %
10:05:25	-	1	0.0 %
10:05:29	-	1	0.0 %
10:06:00	-	5	0.2 %
10:06:08	-	1	0.0 %
10:06:35	-	1	0.0 %
10:07:00	-	5	0.2 %
10:07:20	-	1	0.0 %
10:07:36	-	1	0.0 %
10:08:00	-	10	0.4 %
10:09:00	-	11	0.4 %
10:09:06	-	1	0.0 %
10:09:08	-	1	0.0 %
10:09:20	-	1	0.0 %
10:09:31	-	1	0.0 %
10:09:43	-	1	0.0 %
10:09:54	-	1	0.0 %
10:10:00	-	5	0.2 %
10:10:23	-	1	0.0 %
10:10:37	-	1	0.0 %
10:11:00	-	10	0.4 %
10:11:34	-	1	0.0 %
10:11:46	-	1	0.0 %
10:12:00	-	7	0.3 %
10:12:07	-	1	0.0 %
10:13:00	-	5	0.2 %
10:13:06	-	1	0.0 %
10:13:25	-	1	0.0 %
10:13:48	-	1	0.0 %
10:14:00	-	8	0.3 %
10:14:15	-	1	0.0 %
10:14:18	-	1	0.0 %
10:14:20	-	1	0.0 %
10:14:57	-	1	0.0 %
10:14:59	-	1	0.0 %

Value	Label	Unweighted Frequency	%
10:15:00	-	10	0.4 %
10:15:03	-	1	0.0 %
10:16:00	-	4	0.2 %
	Total	2,448	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,448 valid cases out of 2,448 total cases.

Location: 3667-3674 (width: 8; decimal: 0)

Variable Type: character

SPSCMOD6: Spine Scan Mode

Spine Scan Mode

Value	Label	Unweighted Frequency	%
5	2000 machine	650	26.6 %
11	4500 machine	1081	44.2 %
	Missing Data		
.	-	717	29.3 %
	Total	2,448	100%

Based upon 1,731 valid cases out of 2,448 total cases.

- Minimum: 5.00
- Maximum: 11.00

Location: 3675-3676 (width: 2; decimal: 0)

Variable Type: numeric

HPSCDAY6: Hip Scan Day

Hip Scan Day

Value	Label	Unweighted Frequency	%
2041	-	1	0.0 %
2045	-	1	0.0 %
2095	-	1	0.0 %
2107	-	1	0.0 %
2109	-	1	0.0 %
2116	-	1	0.0 %
2118	-	1	0.0 %
2119	-	1	0.0 %
2120	-	1	0.0 %
2122	-	1	0.0 %
2123	-	2	0.1 %

Value	Label	Unweighted Frequency	%
2128	-	3	0.1 %
2129	-	1	0.0 %
2132	-	2	0.1 %
2133	-	3	0.1 %
2135	-	5	0.2 %
2137	-	4	0.2 %
2138	-	1	0.0 %
2140	-	2	0.1 %
2141	-	4	0.2 %
2142	-	5	0.2 %
2143	-	1	0.0 %
2144	-	4	0.2 %
2145	-	2	0.1 %
2146	-	9	0.4 %
2147	-	9	0.4 %
2148	-	7	0.3 %
2149	-	25	1.0 %
2150	-	12	0.5 %
2151	-	9	0.4 %
2152	-	5	0.2 %
2153	-	8	0.3 %
2154	-	10	0.4 %
2155	-	5	0.2 %
2156	-	25	1.0 %
2157	-	13	0.5 %
2158	-	13	0.5 %
2159	-	5	0.2 %
2160	-	8	0.3 %
2161	-	21	0.9 %
2162	-	14	0.6 %
2163	-	22	0.9 %
2164	-	4	0.2 %
2165	-	4	0.2 %
2166	-	12	0.5 %
2167	-	9	0.4 %
2168	-	8	0.3 %
2169	-	5	0.2 %
2170	-	23	0.9 %
2171	-	11	0.4 %
Missing Data			
.	-	710	29.0 %

Value	Label	Unweighted Frequency	%
Total		2,448	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,738 valid cases out of 2,448 total cases.

- Mean: 2227.12
- Minimum: 2041.00
- Maximum: 2684.00
- Standard Deviation: 68.72

Location: 3677-3680 (width: 4; decimal: 0)

Variable Type: numeric

HPSCTIM6: Hip Scan Time

Hip Scan Time

Value	Label	Unweighted Frequency	%
-	-	718	29.3 %
10:00:00	-	8	0.3 %
10:00:38	-	1	0.0 %
10:00:41	-	1	0.0 %
10:01:00	-	6	0.2 %
10:01:40	-	1	0.0 %
10:01:58	-	1	0.0 %
10:02:00	-	5	0.2 %
10:02:28	-	1	0.0 %
10:03:00	-	3	0.1 %
10:03:18	-	1	0.0 %
10:04:00	-	3	0.1 %
10:04:23	-	1	0.0 %
10:04:26	-	1	0.0 %
10:04:54	-	1	0.0 %
10:05:00	-	5	0.2 %
10:05:27	-	1	0.0 %
10:06:00	-	6	0.2 %
10:06:24	-	1	0.0 %
10:06:53	-	1	0.0 %
10:06:56	-	1	0.0 %
10:06:57	-	1	0.0 %
10:06:58	-	1	0.0 %
10:07:00	-	7	0.3 %
10:07:06	-	1	0.0 %
10:07:11	-	1	0.0 %

Value	Label	Unweighted Frequency	%
10:07:54	-	1	0.0 %
10:07:58	-	1	0.0 %
10:08:00	-	6	0.2 %
10:08:03	-	1	0.0 %
10:09:00	-	3	0.1 %
10:09:18	-	1	0.0 %
10:09:38	-	1	0.0 %
10:09:46	-	1	0.0 %
10:09:56	-	1	0.0 %
10:10:00	-	9	0.4 %
10:10:27	-	1	0.0 %
10:10:46	-	1	0.0 %
10:11:00	-	9	0.4 %
10:11:26	-	1	0.0 %
10:11:32	-	1	0.0 %
10:11:52	-	1	0.0 %
10:11:56	-	1	0.0 %
10:11:58	-	1	0.0 %
10:12:00	-	6	0.2 %
10:12:08	-	1	0.0 %
10:13:00	-	7	0.3 %
10:13:16	-	1	0.0 %
10:13:30	-	1	0.0 %
10:13:33	-	1	0.0 %
	Total	2,448	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,448 valid cases out of 2,448 total cases.

Location: 3681-3688 (width: 8; decimal: 0)

Variable Type: character

HPSCMOD6: Hip Scan Mode

Hip Scan Mode

Value	Label	Unweighted Frequency	%
5	2000 machine	649	26.5 %
11	4500 machine	1081	44.2 %
	Missing Data		
.	-	718	29.3 %
	Total	2,448	100%

Based upon 1,730 valid cases out of 2,448 total cases.

- Minimum: 5.00
- Maximum: 11.00

Location: 3689-3690 (*width:* 2; *decimal:* 0)

Variable Type: numeric

SPBMDT6: Total Spine BMD w/cross-calibration applied

Total Spine BMD w/cross-calibration applied

Value	Label	Unweighted Frequency	%
0.589	-	1	0.0 %
0.646	-	1	0.0 %
0.656	-	1	0.0 %
0.661	-	1	0.0 %
0.663	-	1	0.0 %
0.673	-	1	0.0 %
0.679	-	1	0.0 %
0.682	-	1	0.0 %
0.693	-	1	0.0 %
0.697	-	1	0.0 %
0.704	-	1	0.0 %
0.708	-	2	0.1 %
0.713	-	2	0.1 %
0.721	-	1	0.0 %
0.722	-	1	0.0 %
0.730	-	2	0.1 %
0.731	-	1	0.0 %
0.733	-	1	0.0 %
0.734	-	1	0.0 %
0.735	-	1	0.0 %
0.737	-	1	0.0 %
0.738	-	1	0.0 %
0.741	-	2	0.1 %
0.749	-	1	0.0 %
0.751	-	1	0.0 %
0.755	-	2	0.1 %
0.759	-	1	0.0 %
0.760	-	1	0.0 %
0.765	-	1	0.0 %
0.771	-	1	0.0 %
0.772	-	1	0.0 %
0.774	-	2	0.1 %
0.775	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.776	-	3	0.1 %
0.777	-	1	0.0 %
0.778	-	2	0.1 %
0.779	-	2	0.1 %
0.780	-	1	0.0 %
0.781	-	3	0.1 %
0.782	-	1	0.0 %
0.784	-	2	0.1 %
0.786	-	2	0.1 %
0.787	-	1	0.0 %
0.788	-	1	0.0 %
0.789	-	2	0.1 %
0.790	-	4	0.2 %
0.791	-	4	0.2 %
0.792	-	2	0.1 %
0.793	-	2	0.1 %
0.794	-	3	0.1 %
Missing Data			
.	-	712	29.1 %
Total		2,448	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,736 valid cases out of 2,448 total cases.

- Mean: 1.044
- Minimum: 0.589
- Maximum: 1.637
- Standard Deviation: 0.156

Location: 3691-3697 (width: 7; decimal: 3)

Variable Type: numeric

HPBMDT6: Total Hip BMD w/cross-calibration applied

Total Hip BMD w/cross-calibration applied

Value	Label	Unweighted Frequency	%
0.594	-	1	0.0 %
0.610	-	1	0.0 %
0.616	-	1	0.0 %
0.618	-	2	0.1 %
0.620	-	1	0.0 %
0.623	-	1	0.0 %
0.626	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.631	-	1	0.0 %
0.633	-	1	0.0 %
0.641	-	1	0.0 %
0.642	-	1	0.0 %
0.643	-	1	0.0 %
0.649	-	1	0.0 %
0.652	-	1	0.0 %
0.657	-	1	0.0 %
0.659	-	1	0.0 %
0.662	-	2	0.1 %
0.663	-	1	0.0 %
0.664	-	1	0.0 %
0.665	-	1	0.0 %
0.668	-	3	0.1 %
0.670	-	1	0.0 %
0.672	-	1	0.0 %
0.673	-	1	0.0 %
0.674	-	2	0.1 %
0.675	-	3	0.1 %
0.680	-	1	0.0 %
0.681	-	1	0.0 %
0.682	-	1	0.0 %
0.684	-	1	0.0 %
0.685	-	3	0.1 %
0.688	-	1	0.0 %
0.689	-	2	0.1 %
0.692	-	1	0.0 %
0.693	-	3	0.1 %
0.694	-	1	0.0 %
0.696	-	2	0.1 %
0.697	-	1	0.0 %
0.698	-	2	0.1 %
0.700	-	1	0.0 %
0.702	-	1	0.0 %
0.704	-	1	0.0 %
0.705	-	3	0.1 %
0.707	-	1	0.0 %
0.708	-	1	0.0 %
0.709	-	2	0.1 %
0.711	-	2	0.1 %
0.713	-	1	0.0 %
0.714	-	2	0.1 %

Value	Label	Unweighted Frequency	%
0.715	-	1	0.0 %
	Missing Data		
.	-	710	29.0 %
	Total	2,448	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,738 valid cases out of 2,448 total cases.

- Mean: 0.945
- Minimum: 0.594
- Maximum: 1.602
- Standard Deviation: 0.146

Location: 3698-3704 (width: 7; decimal: 3)

Variable Type: numeric

BMDFLG6: PI recommended for spine exclusion

PI recommended for spine exclusion

Value	Label	Unweighted Frequency	%
0	No	1740	71.1 %
1	Yes	3	0.1 %
	Missing Data		
.	-	705	28.8 %
	Total	2,448	100%

Based upon 1,743 valid cases out of 2,448 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3705-3706 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

BIODAY6: Bioimpedance Day

Bioimpedance Day

Value	Label	Unweighted Frequency	%
2041	-	1	0.0 %
2045	-	1	0.0 %
2095	-	1	0.0 %
2107	-	2	0.1 %
2109	-	1	0.0 %
2116	-	1	0.0 %

Value	Label	Unweighted Frequency	%
2118	-	1	0.0 %
2119	-	1	0.0 %
2120	-	1	0.0 %
2122	-	1	0.0 %
2123	-	2	0.1 %
2128	-	3	0.1 %
2129	-	1	0.0 %
2132	-	2	0.1 %
2133	-	3	0.1 %
2135	-	5	0.2 %
2137	-	4	0.2 %
2138	-	1	0.0 %
2140	-	2	0.1 %
2141	-	4	0.2 %
2142	-	6	0.2 %
2143	-	1	0.0 %
2144	-	5	0.2 %
2145	-	3	0.1 %
2146	-	11	0.4 %
2147	-	14	0.6 %
2148	-	13	0.5 %
2149	-	32	1.3 %
2150	-	15	0.6 %
2151	-	9	0.4 %
2152	-	7	0.3 %
2153	-	10	0.4 %
2154	-	15	0.6 %
2155	-	8	0.3 %
2156	-	29	1.2 %
2157	-	22	0.9 %
2158	-	16	0.7 %
2159	-	8	0.3 %
2160	-	10	0.4 %
2161	-	23	0.9 %
2162	-	20	0.8 %
2163	-	29	1.2 %
2164	-	7	0.3 %
2165	-	6	0.2 %
2166	-	15	0.6 %
2167	-	9	0.4 %
2168	-	11	0.4 %
2169	-	9	0.4 %

Value	Label	Unweighted Frequency	%
2170	-	25	1.0 %
2171	-	13	0.5 %
	Missing Data		
.	-	345	14.1 %
	Total	2,448	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,103 valid cases out of 2,448 total cases.

- Mean: 2227.68
- Minimum: 2041.00
- Maximum: 2684.00
- Standard Deviation: 71.29

Location: 3707-3710 (width: 4; decimal: 0)

Variable Type: numeric

LANGBIO6: Language of Bioimpedance

Language of Bioimpedance

Value	Label	Unweighted Frequency	%
1	English	1952	79.7 %
2	Spanish	23	0.9 %
3	Cantonese	66	2.7 %
4	Japanese	62	2.5 %
	Missing Data		
.	-	345	14.1 %
	Total	2,448	100%

Based upon 2,103 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 3711-3712 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

AICDPUM6: Insulin pump, pacemaker or card defib

Do you have an insulin pump, pacemaker or automatic implantable cardiac defibrillator (AICD)?

Value	Label	Unweighted Frequency	%
1	No	2099	85.7 %
2	Yes	4	0.2 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	345	14.1 %
	Total	2,448	100%

Based upon 2,103 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3713-3714 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

EXER12H6: Exercise/sauna wi last 12 hrs

Have you exercised intensely for at least half an hour or taken a sauna within the last 12 hours? That is, since (time) a.m. / p.m.?

Value	Label	Unweighted Frequency	%
1	No	1971	80.5 %
2	Yes	121	4.9 %
	Missing Data		
-9	Missing	1	0.0 %
-7	Refused	6	0.2 %
-1	N/A	4	0.2 %
.	-	345	14.1 %
	Total	2,448	100%

Based upon 2,092 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3715-3716 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

EAT5HR6: Eat/drink in last 5 hrs

Have you had anything to eat or drink, apart from water, in the last 5 hours? That is, since (time) a.m. / p.m.?

Value	Label	Unweighted Frequency	%
1	No	421	17.2 %
2	Yes	1672	68.3 %
	Missing Data		
-9	Missing	1	0.0 %
-7	Refused	5	0.2 %
-1	N/A	4	0.2 %
.	-	345	14.1 %

Value	Label	Unweighted Frequency	%
	Total	2,448	100%

Based upon 2,093 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3717-3718 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ALCO24H6: More than 2 alcoholic drinks last 24 hrs

Have you had more than 2 alcohol drinks in the last 24 hours? That is, since (time) a.m. / p.m.?

Value	Label	Unweighted Frequency	%
1	No	1983	81.0 %
2	Yes	109	4.5 %
	Missing Data		
-9	Missing	1	0.0 %
-7	Refused	6	0.2 %
-1	N/A	4	0.2 %
.	-	345	14.1 %
	Total	2,448	100%

Based upon 2,092 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3719-3720 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

METJEWL6: Metal jewelry during measurement

Did participant wear any metal jewelry during measurement?

Value	Label	Unweighted Frequency	%
1	No	1967	80.4 %
2	Yes	66	2.7 %
	Missing Data		
-1	N/A	70	2.9 %
.	-	345	14.1 %
	Total	2,448	100%

Based upon 2,033 valid cases out of 2,448 total cases.

- Minimum: 1.00

- Maximum: 2.00

Location: 3721-3722 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

COMPBIA6: Was bioimpedance measurement completed

Was bioimpedance measurement completed?

Value	Label	Unweighted Frequency	%
1	No	35	1.4 %
2	Yes	2033	83.0 %
Missing Data			
-7	Refused	31	1.3 %
-1	N/A	4	0.2 %
.	-	345	14.1 %
Total		2,448	100%

Based upon 2,068 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3723-3724 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SIDE6: Which side of body electrodes placed

On which side of the body were the electrodes placed?

Value	Label	Unweighted Frequency	%
1	Right	936	38.2 %
2	Left	1097	44.8 %
Missing Data			
-1	N/A	70	2.9 %
.	-	345	14.1 %
Total		2,448	100%

Based upon 2,033 valid cases out of 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3725-3726 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CONDRAW6: Raw conductance/resistance value (ohms)

Record the conductance/resistance value that appears on the impedance meter:

Value	Label	Unweighted Frequency	%
15	-	1	0.0 %
46	-	1	0.0 %
57	-	1	0.0 %
62	-	1	0.0 %
64	-	1	0.0 %
65	-	1	0.0 %
84	-	1	0.0 %
300	-	1	0.0 %
317	-	1	0.0 %
318	-	1	0.0 %
325	-	2	0.1 %
333	-	1	0.0 %
337	-	1	0.0 %
341	-	1	0.0 %
343	-	1	0.0 %
353	-	1	0.0 %
354	-	1	0.0 %
356	-	2	0.1 %
359	-	2	0.1 %
360	-	1	0.0 %
367	-	1	0.0 %
372	-	2	0.1 %
373	-	1	0.0 %
377	-	1	0.0 %
379	-	1	0.0 %
381	-	1	0.0 %
382	-	1	0.0 %
384	-	1	0.0 %
386	-	1	0.0 %
389	-	3	0.1 %
390	-	2	0.1 %
393	-	1	0.0 %
394	-	2	0.1 %
395	-	2	0.1 %
396	-	2	0.1 %
397	-	1	0.0 %
398	-	2	0.1 %
399	-	1	0.0 %
404	-	4	0.2 %
405	-	1	0.0 %
406	-	4	0.2 %
407	-	2	0.1 %

Value	Label	Unweighted Frequency	%
408	-	1	0.0 %
409	-	2	0.1 %
410	-	2	0.1 %
411	-	3	0.1 %
412	-	2	0.1 %
413	-	1	0.0 %
414	-	2	0.1 %
416	-	1	0.0 %
Missing Data			
-2222	Invalid conductance/impedance	1	0.0 %
-1111	Not Applicable conductance/impedance	70	2.9 %
-46	-	1	0.0 %
-29	-	1	0.0 %
.	-	349	14.3 %
Total		2,448	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,026 valid cases out of 2,448 total cases.

- Mean: 556.22
- Minimum: 15.00
- Maximum: 963.00
- Standard Deviation: 83.41

Location: 3727-3731 (width: 5; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9999, -2222, -1111, -46, -29, -9, -8, -7, -1, .

CONDFRZ6: Frozen conductance/resistance value (ohms)

Record the conductance/resistance value that appears on the impedance meter:

Value	Label	Unweighted Frequency	%
300	-	1	0.0 %
317	-	1	0.0 %
318	-	1	0.0 %
325	-	2	0.1 %
333	-	1	0.0 %
337	-	1	0.0 %
341	-	1	0.0 %
343	-	1	0.0 %
353	-	1	0.0 %
354	-	1	0.0 %
356	-	2	0.1 %

Value	Label	Unweighted Frequency	%
359	-	2	0.1 %
360	-	1	0.0 %
367	-	1	0.0 %
372	-	2	0.1 %
373	-	1	0.0 %
377	-	1	0.0 %
379	-	1	0.0 %
381	-	1	0.0 %
382	-	1	0.0 %
384	-	1	0.0 %
386	-	1	0.0 %
389	-	3	0.1 %
390	-	2	0.1 %
393	-	1	0.0 %
394	-	2	0.1 %
395	-	2	0.1 %
396	-	2	0.1 %
397	-	1	0.0 %
398	-	2	0.1 %
399	-	1	0.0 %
404	-	4	0.2 %
405	-	1	0.0 %
406	-	4	0.2 %
407	-	2	0.1 %
408	-	1	0.0 %
409	-	2	0.1 %
410	-	2	0.1 %
411	-	3	0.1 %
412	-	2	0.1 %
413	-	1	0.0 %
414	-	2	0.1 %
416	-	1	0.0 %
417	-	4	0.2 %
418	-	1	0.0 %
420	-	3	0.1 %
421	-	3	0.1 %
422	-	2	0.1 %
423	-	4	0.2 %
424	-	1	0.0 %
Missing Data			
-	-	431	17.6 %

Value	Label	Unweighted Frequency	%
	Total	2,448	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,017 valid cases out of 2,448 total cases.

- Mean: 557.60
- Minimum: 300.00
- Maximum: 814.00
- Standard Deviation: 77.36

Location: 3732-3734 (width: 3; decimal: 0)

Variable Type: numeric

IMPERAW6: Raw impedance/reactance value (ohms)

Record the reactance/impedance value that appears on the impedance meter:

Value	Label	Unweighted Frequency	%
19	-	1	0.0 %
27	-	1	0.0 %
28	-	1	0.0 %
29	-	1	0.0 %
32	-	2	0.1 %
33	-	1	0.0 %
35	-	4	0.2 %
37	-	2	0.1 %
38	-	2	0.1 %
39	-	10	0.4 %
40	-	10	0.4 %
41	-	6	0.2 %
42	-	3	0.1 %
43	-	10	0.4 %
44	-	8	0.3 %
45	-	12	0.5 %
46	-	20	0.8 %
47	-	25	1.0 %
48	-	28	1.1 %
49	-	24	1.0 %
50	-	41	1.7 %
51	-	43	1.8 %
52	-	55	2.2 %
53	-	48	2.0 %
54	-	53	2.2 %
55	-	52	2.1 %

Value	Label	Unweighted Frequency	%
56	-	78	3.2 %
57	-	63	2.6 %
58	-	64	2.6 %
59	-	87	3.6 %
60	-	78	3.2 %
61	-	78	3.2 %
62	-	83	3.4 %
63	-	70	2.9 %
64	-	94	3.8 %
65	-	76	3.1 %
66	-	72	2.9 %
67	-	58	2.4 %
68	-	77	3.1 %
69	-	60	2.5 %
70	-	59	2.4 %
71	-	57	2.3 %
72	-	44	1.8 %
73	-	41	1.7 %
74	-	37	1.5 %
75	-	30	1.2 %
76	-	27	1.1 %
77	-	29	1.2 %
78	-	18	0.7 %
79	-	13	0.5 %
Missing Data			
-2222	Invalid conductance/impedance	6	0.2 %
-1111	Not Applicable conductance/impedance	70	2.9 %
-80	-	1	0.0 %
-54	-	1	0.0 %
-9	Missing	1	0.0 %
.	-	349	14.3 %
Total		2,448	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,020 valid cases out of 2,448 total cases.

- Mean: 64.15
- Median: 63.00
- Mode: 64.00
- Minimum: 19.00
- Maximum: 378.00
- Standard Deviation: 15.17

Location: 3735-3739 (width: 5; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9999 , -2222 , -1111 , -80 , -54 , -9 , -8 , -7 , -1 , .

IMPEFRZ6: Frozen impedance/reactance value (ohms)

Record the reactance/impedance value that appears on the impedance meter:

Value	Label	Unweighted Frequency	%
19	-	1	0.0 %
27	-	1	0.0 %
28	-	1	0.0 %
29	-	1	0.0 %
32	-	2	0.1 %
33	-	1	0.0 %
35	-	4	0.2 %
37	-	2	0.1 %
38	-	2	0.1 %
39	-	10	0.4 %
40	-	10	0.4 %
41	-	6	0.2 %
42	-	3	0.1 %
43	-	10	0.4 %
44	-	8	0.3 %
45	-	12	0.5 %
46	-	20	0.8 %
47	-	25	1.0 %
48	-	28	1.1 %
49	-	24	1.0 %
50	-	41	1.7 %
51	-	43	1.8 %
52	-	55	2.2 %
53	-	48	2.0 %
54	-	53	2.2 %
55	-	52	2.1 %
56	-	78	3.2 %
57	-	63	2.6 %
58	-	64	2.6 %
59	-	87	3.6 %
60	-	78	3.2 %
61	-	78	3.2 %
62	-	83	3.4 %
63	-	70	2.9 %
64	-	94	3.8 %
65	-	76	3.1 %

Value	Label	Unweighted Frequency	%
66	-	72	2.9 %
67	-	58	2.4 %
68	-	77	3.1 %
69	-	60	2.5 %
70	-	59	2.4 %
71	-	57	2.3 %
72	-	44	1.8 %
73	-	41	1.7 %
74	-	37	1.5 %
75	-	30	1.2 %
76	-	27	1.1 %
77	-	29	1.2 %
78	-	18	0.7 %
79	-	13	0.5 %
Missing Data			
.	-	430	17.6 %
Total		2,448	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,018 valid cases out of 2,448 total cases.

- Mean: 63.93
- Median: 63.00
- Mode: 64.00
- Minimum: 19.00
- Maximum: 156.00
- Standard Deviation: 13.20

Location: 3740-3742 (width: 3; decimal: 0)

Variable Type: numeric

PBFBIA6: % Body Fat (Eq. from MF Sowers)

% Body Fat (Eq. from MF Sowers)

Value	Label	Unweighted Frequency	%
15.006	-	1	0.0 %
17.018	-	1	0.0 %
17.832	-	1	0.0 %
18.076	-	1	0.0 %
18.307	-	1	0.0 %
18.704	-	1	0.0 %
19.031	-	1	0.0 %
19.144	-	1	0.0 %

Value	Label	Unweighted Frequency	%
19.190	-	1	0.0 %
19.440	-	1	0.0 %
19.501	-	1	0.0 %
19.529	-	1	0.0 %
19.628	-	1	0.0 %
19.824	-	1	0.0 %
19.876	-	1	0.0 %
20.096	-	1	0.0 %
20.262	-	1	0.0 %
20.345	-	1	0.0 %
20.374	-	1	0.0 %
20.504	-	1	0.0 %
20.543	-	1	0.0 %
20.555	-	1	0.0 %
20.566	-	1	0.0 %
20.699	-	1	0.0 %
20.808	-	1	0.0 %
20.855	-	1	0.0 %
20.881	-	1	0.0 %
20.896	-	1	0.0 %
20.897	-	1	0.0 %
20.941	-	1	0.0 %
20.947	-	1	0.0 %
21.108	-	1	0.0 %
21.144	-	1	0.0 %
21.205	-	1	0.0 %
21.277	-	1	0.0 %
21.285	-	1	0.0 %
21.345	-	1	0.0 %
21.398	-	1	0.0 %
21.413	-	1	0.0 %
21.543	-	1	0.0 %
21.590	-	1	0.0 %
21.646	-	1	0.0 %
21.733	-	1	0.0 %
21.784	-	1	0.0 %
21.867	-	1	0.0 %
21.974	-	1	0.0 %
22.016	-	2	0.1 %
22.040	-	1	0.0 %
22.041	-	1	0.0 %
22.086	-	1	0.0 %

Value	Label	Unweighted Frequency	%
.	Missing Data		
.	-	438	17.9 %
	Total	2,448	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,010 valid cases out of 2,448 total cases.

- Mean: 35.696
- Minimum: 15.006
- Maximum: 79.229
- Standard Deviation: 8.915

Location: 3743-3749 (width: 7; decimal: 3)

Variable Type: numeric

SKELMM6: Skeletal Muscle Mass (Janssen Eq.)

Skeletal Muscle Mass (Janssen Eq.)

Value	Label	Unweighted Frequency	%
12.467	-	1	0.0 %
13.533	-	1	0.0 %
13.646	-	1	0.0 %
13.852	-	1	0.0 %
13.853	-	1	0.0 %
13.889	-	1	0.0 %
14.055	-	1	0.0 %
14.146	-	1	0.0 %
14.150	-	1	0.0 %
14.227	-	1	0.0 %
14.264	-	1	0.0 %
14.281	-	1	0.0 %
14.356	-	1	0.0 %
14.372	-	1	0.0 %
14.452	-	1	0.0 %
14.482	-	1	0.0 %
14.493	-	1	0.0 %
14.530	-	1	0.0 %
14.587	-	1	0.0 %
14.649	-	1	0.0 %
14.652	-	1	0.0 %
14.687	-	1	0.0 %
14.689	-	1	0.0 %
14.767	-	1	0.0 %

Value	Label	Unweighted Frequency	%
14.780	-	1	0.0 %
14.831	-	1	0.0 %
14.838	-	1	0.0 %
14.878	-	1	0.0 %
14.917	-	1	0.0 %
14.961	-	1	0.0 %
14.962	-	2	0.1 %
15.010	-	1	0.0 %
15.051	-	1	0.0 %
15.056	-	1	0.0 %
15.063	-	1	0.0 %
15.133	-	1	0.0 %
15.170	-	1	0.0 %
15.206	-	1	0.0 %
15.211	-	1	0.0 %
15.237	-	1	0.0 %
15.240	-	1	0.0 %
15.279	-	1	0.0 %
15.282	-	1	0.0 %
15.286	-	1	0.0 %
15.308	-	2	0.1 %
15.317	-	1	0.0 %
15.345	-	1	0.0 %
15.361	-	1	0.0 %
15.423	-	1	0.0 %
15.424	-	1	0.0 %
Missing Data			
.	-	438	17.9 %
Total		2,448	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,010 valid cases out of 2,448 total cases.

- Mean: 20.769
- Minimum: 12.467
- Maximum: 38.830
- Standard Deviation: 3.288

Location: 3750-3756 (*width:* 7; *decimal:* 3)

Variable Type: numeric

TBWNHAN6: Total Body Water 1 (NHANES/RJL Eq.)

Total Body Water 1 (NHANES/RJL Eq.)

Value	Label	Unweighted Frequency	%
20.925	-	1	0.0 %
22.104	-	1	0.0 %
22.574	-	1	0.0 %
22.802	-	1	0.0 %
22.886	-	1	0.0 %
22.970	-	1	0.0 %
23.481	-	1	0.0 %
23.901	-	1	0.0 %
23.981	-	1	0.0 %
23.999	-	1	0.0 %
24.003	-	1	0.0 %
24.020	-	1	0.0 %
24.052	-	1	0.0 %
24.059	-	1	0.0 %
24.084	-	1	0.0 %
24.117	-	1	0.0 %
24.161	-	1	0.0 %
24.200	-	1	0.0 %
24.265	-	1	0.0 %
24.437	-	1	0.0 %
24.451	-	1	0.0 %
24.456	-	1	0.0 %
24.492	-	1	0.0 %
24.508	-	1	0.0 %
24.510	-	1	0.0 %
24.657	-	1	0.0 %
24.668	-	1	0.0 %
24.669	-	1	0.0 %
24.682	-	1	0.0 %
24.709	-	1	0.0 %
24.745	-	1	0.0 %
24.763	-	1	0.0 %
24.775	-	1	0.0 %
24.806	-	1	0.0 %
24.962	-	1	0.0 %
24.969	-	1	0.0 %
24.992	-	1	0.0 %
24.996	-	1	0.0 %
25.044	-	1	0.0 %
25.113	-	1	0.0 %
25.130	-	1	0.0 %
25.146	-	1	0.0 %

Value	Label	Unweighted Frequency	%
25.184	-	1	0.0 %
25.210	-	1	0.0 %
25.219	-	1	0.0 %
25.285	-	1	0.0 %
25.287	-	1	0.0 %
25.335	-	1	0.0 %
25.377	-	1	0.0 %
25.395	-	1	0.0 %
Missing Data			
.	-	438	17.9 %
Total		2,448	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,010 valid cases out of 2,448 total cases.

- Mean: 34.075
- Minimum: 20.925
- Maximum: 61.062
- Standard Deviation: 5.601

Location: 3757-3763 (width: 7; decimal: 3)

Variable Type: numeric

FMNHAN6: Fat Free Mass (NHANES/RJL Eq.)

Fat Free Mass (NHANES/RJL Eq.)

Value	Label	Unweighted Frequency	%
29.228	-	1	0.0 %
30.426	-	1	0.0 %
31.278	-	1	0.0 %
31.355	-	1	0.0 %
31.386	-	1	0.0 %
31.566	-	1	0.0 %
31.703	-	1	0.0 %
31.819	-	1	0.0 %
31.873	-	1	0.0 %
32.133	-	1	0.0 %
32.142	-	1	0.0 %
32.352	-	1	0.0 %
32.356	-	1	0.0 %
32.397	-	1	0.0 %
32.491	-	1	0.0 %
32.607	-	1	0.0 %

Value	Label	Unweighted Frequency	%
32.714	-	1	0.0 %
32.769	-	1	0.0 %
32.821	-	1	0.0 %
32.832	-	1	0.0 %
32.945	-	1	0.0 %
32.986	-	1	0.0 %
32.998	-	1	0.0 %
33.209	-	1	0.0 %
33.269	-	1	0.0 %
33.315	-	1	0.0 %
33.360	-	1	0.0 %
33.374	-	1	0.0 %
33.472	-	1	0.0 %
33.497	-	1	0.0 %
33.618	-	1	0.0 %
33.620	-	1	0.0 %
33.627	-	1	0.0 %
33.631	-	1	0.0 %
33.730	-	1	0.0 %
33.765	-	1	0.0 %
33.803	-	1	0.0 %
33.840	-	1	0.0 %
33.962	-	1	0.0 %
34.048	-	1	0.0 %
34.050	-	1	0.0 %
34.051	-	1	0.0 %
34.234	-	1	0.0 %
34.261	-	1	0.0 %
34.271	-	1	0.0 %
34.300	-	1	0.0 %
34.306	-	1	0.0 %
34.309	-	1	0.0 %
34.362	-	1	0.0 %
34.515	-	1	0.0 %
Missing Data			
.	-	438	17.9 %
Total		2,448	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,010 valid cases out of 2,448 total cases.

- Mean: 45.784

- Minimum: 29.228
- Maximum: 82.989
- Standard Deviation: 7.549

Location: 3764-3770 (width: 7; decimal: 3)

Variable Type: numeric

TBFNHAN6: Total Body Fat (NHANES/RJL Eq.)

Total Body Fat (NHANES/RJL Eq.)

Value	Label	Unweighted Frequency	%
6.780	-	1	0.0 %
6.974	-	1	0.0 %
7.112	-	1	0.0 %
7.385	-	1	0.0 %
7.915	-	1	0.0 %
7.980	-	1	0.0 %
8.032	-	1	0.0 %
8.326	-	1	0.0 %
8.717	-	1	0.0 %
8.832	-	1	0.0 %
9.065	-	1	0.0 %
9.124	-	1	0.0 %
9.161	-	1	0.0 %
9.270	-	1	0.0 %
9.302	-	1	0.0 %
9.381	-	1	0.0 %
9.486	-	1	0.0 %
9.534	-	1	0.0 %
9.614	-	1	0.0 %
9.682	-	1	0.0 %
9.766	-	1	0.0 %
9.850	-	1	0.0 %
10.127	-	1	0.0 %
10.216	-	1	0.0 %
10.286	-	1	0.0 %
10.337	-	1	0.0 %
10.403	-	1	0.0 %
10.464	-	1	0.0 %
10.467	-	1	0.0 %
10.558	-	1	0.0 %
10.562	-	2	0.1 %
10.591	-	1	0.0 %
10.689	-	1	0.0 %

Value	Label	Unweighted Frequency	%
10.722	-	1	0.0 %
11.014	-	1	0.0 %
11.044	-	1	0.0 %
11.066	-	1	0.0 %
11.099	-	1	0.0 %
11.146	-	1	0.0 %
11.159	-	1	0.0 %
11.166	-	1	0.0 %
11.224	-	1	0.0 %
11.256	-	1	0.0 %
11.351	-	1	0.0 %
11.403	-	1	0.0 %
11.431	-	1	0.0 %
11.475	-	1	0.0 %
11.517	-	1	0.0 %
11.567	-	1	0.0 %
11.572	-	1	0.0 %
Missing Data			
.	-	438	17.9 %
Total		2,448	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,010 valid cases out of 2,448 total cases.

- Mean: 30.339
- Minimum: 6.780
- Maximum: 84.463
- Standard Deviation: 13.683

Location: 3771-3777 (width: 7; decimal: 3)

Variable Type: numeric

PBFNHAN6: % Body Fat (NHANES/RJL Eq.)

% Body Fat (NHANES/RJL Eq.)

Value	Label	Unweighted Frequency	%
12.767	-	1	0.0 %
14.235	-	1	0.0 %
14.252	-	1	0.0 %
15.749	-	1	0.0 %
16.326	-	1	0.0 %
16.782	-	1	0.0 %
17.625	-	1	0.0 %

Value	Label	Unweighted Frequency	%
18.106	-	1	0.0 %
18.159	-	1	0.0 %
18.248	-	1	0.0 %
18.393	-	1	0.0 %
18.644	-	1	0.0 %
18.648	-	1	0.0 %
19.279	-	1	0.0 %
19.351	-	1	0.0 %
19.780	-	1	0.0 %
19.848	-	1	0.0 %
19.954	-	1	0.0 %
20.177	-	1	0.0 %
20.223	-	1	0.0 %
20.372	-	1	0.0 %
20.463	-	1	0.0 %
20.632	-	1	0.0 %
20.756	-	1	0.0 %
20.810	-	1	0.0 %
20.950	-	1	0.0 %
21.038	-	1	0.0 %
21.166	-	1	0.0 %
21.465	-	1	0.0 %
21.591	-	1	0.0 %
21.661	-	1	0.0 %
21.850	-	1	0.0 %
21.856	-	1	0.0 %
21.972	-	1	0.0 %
22.070	-	1	0.0 %
22.124	-	1	0.0 %
22.186	-	1	0.0 %
22.227	-	1	0.0 %
22.287	-	2	0.1 %
22.404	-	1	0.0 %
22.419	-	1	0.0 %
22.568	-	1	0.0 %
22.616	-	1	0.0 %
22.711	-	1	0.0 %
22.769	-	1	0.0 %
22.837	-	1	0.0 %
22.891	-	1	0.0 %
22.924	-	1	0.0 %
22.948	-	1	0.0 %

Value	Label	Unweighted Frequency	%
23.016	-	1	0.0 %
	Missing Data		
.	-	438	17.9 %
	Total	2,448	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,010 valid cases out of 2,448 total cases.

- Mean: 38.134
- Minimum: 12.767
- Maximum: 58.563
- Standard Deviation: 7.830

Location: 3778-3784 (width: 7; decimal: 3)

Variable Type: numeric

MISSCON6: Invalid cond value causes missing bio

Invalid cond value causes missing bio

Value	Label	Unweighted Frequency	%
0	No	2017	82.4 %
1	Yes	86	3.5 %
	Missing Data		
.	-	345	14.1 %
	Total	2,448	100%

Based upon 2,103 valid cases out of 2,448 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3785-3786 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MISSPHY6: Missing phys measures causes missing bio

Missing phys measures causes missing bio

Value	Label	Unweighted Frequency	%
0	No	2095	85.6 %
1	Yes	8	0.3 %
	Missing Data		
.	-	345	14.1 %
	Total	2,448	100%

Based upon 2,103 valid cases out of 2,448 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3787-3788 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FLAGSRP6: Used self-reported physical measures

Used self-reported physical measures

Value	Label	Unweighted Frequency	%
0	No	2089	85.3 %
1	Yes	14	0.6 %
	Missing Data		
.	-	345	14.1 %
	Total	2,448	100%

Based upon 2,103 valid cases out of 2,448 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3789-3790 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FLGBIOV6: Completed after V6 cutoff (02/15/2004)_3

Completed after V6 cutoff (02/15/2004)

Value	Label	Unweighted Frequency	%
0	No	2100	85.8 %
1	Yes	3	0.1 %
	Missing Data		
.	-	345	14.1 %
	Total	2,448	100%

Based upon 2,103 valid cases out of 2,448 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3791-3792 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .