RubyMine - Atom - Sublime Text (RMAST)

(Please see the GitHub repo here)

I love me some RubyMine. But I didn't want to give up the great key bindings from Atom and Sublime Text. So I started looking for resources that could help me bridge the three editors. This RMAST ("R Mast") repois the result.

- I added the best Atom and Sublime Text 3 (ST3) key bindings to the RubyMine (RM) key map.
- I made a cheatsheet to help drill them into my head

Why

- RubyMine is great. But being able to jump to ST3 or Atom is very handy and avoids letting one editor "lock you in"
- ST3 is the "industry leader" with nice key mappings and multiple cursor option. Atom has followed the ST3 lead with most key bindings.
- I wanted to practice on one keymap that works well on all three editors. And I needed a cheat-sheet to help me practice the most useful editor key bindings.

Notes

- / is used in the chart below to separate similar commands, it is not meant to be typed
- Where conflicts occurred when adding a new binding, the default RubyMine key binding was removed to prevent future errors & unintended actions
- Some of the key mappings such as the RubyMine editor pane management command 'Split Vertically' - are not a direct mapping of ST3 or Atom. But they are the closest RM comes to the same intent (in my opinion)

Search & Navigation

RM Keymapping	RM Action Name	Re- map?	Standard RM?	Notes
쇼*2 (Double Shift)	'Search Everywhere'		X	Similar to combination of ST3 第企P + 第P
ЖûР	'Find Action'	X		Mimic ST3: "Command Palette"
₩P	'File'	X		Mimic ST3: "Goto Anything"

₩E	'Recent Files'	X	Search recent files, better than the default "switcher"
₩ûF	'Find in Path'	X	Find in project
₩ûV	'Paste from History'	X	Search & paste from clipboard history
₩B	'Declaration'	X	Go to declaration of method
ЖY	'Quick Definition'	X	"Peek" quickly at declaration definition with pop-up
∵- Enter	'Show Intention Actions'	X	Show the "lightbulb" options ("intention actions")
₹¥Τ	'Surround With'	X	Surround a block of code. Ex. "If ThenElse"

Tool Windows

RM Keymapping	RM Action Name	Re- map?	Standard RM?	Notes
₩`	View > 'Tool Buttons'	X		Adds toggles for "Tool Windows" tool bar on screen edges
₩8	Other > 'Database'	X		Adds toggle for "Database" tool window
第0	Other > 'Terminal'	X		Adds toggle for "Terminal" tool window

Tabs & Panels

RM Keymapping	RM Action Name	Re- map?	Standard RM?	Notes
% ^←/→	'Select Next/Previous Tab'	X		Mimic Chrome; 2 modifiers = cycle between tabs in current column ("splitters" in RM

				terms)
第 ℃^↑	'Split Vertically' Editor Tabs	X		Personal choice All 3 modifiers= add/drop/chang columns ("splitters" in RM terms)
# <i>∠</i> √↑	'Unsplit' Editor Tabs	X		II .
% ℃^←/→	'Move to Opposite Group'	X		Personal Choice Moves the tab to a different column ("splitters" in RN terms)
∵Tab	'Goto to Next Splitter'		X	Switches cursor focus between columns ("splitters" in RN terms) - ST3 binging of ЖК о Ж← / → was unreliable for modue to other Ma

		bindings; Atom
		has no standard
		key mapping

Edit Lines / Text

RM Keymapping	RM Action Name	Re- map?	Standard RM?	Notes
₩]/['Indent' / 'Unindent Line or Selection'	X		Mimic ST3
^駕↑/↓	'Move Line Up/Down'	X	X Mimic ST	
☆ 器D	'Duplicate Line'	X Mimic ST3		Mimic ST3
^企K	'Delete Line'	X		Mimic ST3
無月	'Join Lines	X		Mimic ST3 - brings up the line below & adds to end of current line
√₩L	'Reformat Code'		X	'Reformats' or 'prettfies' code based on syntax settings: aligns hashes, brackets etc.

Selections & Multi-Cursor

RM Keymapping	RM Action Name	Re- map?	Standard RM?	Notes
₩D	'Add selection for next occurrence'	X		Mimic ST3
^器G	'Select all occurrences'	X		Mimic ST3
₩L	'Select Line at Caret'	X		Mimic ST3
^습↑/↓	'Clone Caret Above' / 'Below'	X		Mimic ST3
₩ Left Click	'Add or Remove Caret' w/ mouse	X		Mimic ST3

Other RubyMine Stuff Disable Case Sensitivity

• RubyMine uses first letter case sensitivity per default. This means that if you type e, Exception won't be offered as a viable completion. This is why I disable case sensitivity completion.

- Editor > General > Code Completion > Case Sensitive completi
- http://saqibrazaq.com/RubyMine-basic-configuration/

Theme changes: RM's Monokai theme w/ Darkula background

- Changed comments to gray
- Changed editor gutter to gray
- Changed font size to 14
- Changed line height to 1.2
- This is included in the settings above under colors named

Monokai - RMAST

Helpful Plugins

Plugin	Description
Markdown	markdown support and preview pane
Wrap to Column	forces soft wraps at column width, doesn't apply to text already there, just new text & when text is reformatted
Railways	shows quick rake routes display as a side panel
Dash	光 �D for Dash documentation

About Me

- Page
- Github

Inspired by @leopku