CS 106A, Lecture 11
Graphics

reading:
Art & Science of Java, 9.1-9.3

Plan For Today

- Announcements
- Recap: File Reading
- GraphicsProgram
- Graphical Objects
- Practice: Car

Announcements

- Read the rest of the slides from yesterday and try the Election practice problem
- Assignment 3 is out—demo coming soon!

Plan For Today

- Announcements
- Recap: File Reading
- GraphicsProgram
- Graphical Objects
- Practice: Car

File Reading Overview

1. Make a Scanner to open a file to read

```
Scanner input = new Scanner(new File("data.txt"));
```

2. Use Scanner methods such as `nextLine` or `next` to read in the file, usually in a loop while some variation of `hasNext` is true
3. Scanner operations on files are "dangerous" because they dependent on outside resources, so we need to use a try/catch block
4. Close the Scanner when you are done: `input.close()`

File Reading Overview

1. Make a Scanner to open a file to read

```
Scanner input = new Scanner(new File("data.txt"));
```

2. Use Scanner methods such as `nextLine` or `next` to read in the file, usually in a loop while some variation of `hasNext` is true
3. Scanner operations on files are "dangerous" because they dependent on outside resources, so we need to use a try/catch block
4. Close the Scanner when you are done: `input.close()`

Scanner methods

Method	Description
`sc.nextLine()`	reads and returns a one-*line* `String` from the file
`sc.next()`	reads and returns a one-word `String` from the file
`sc.nextInt()`	reads and returns an `int` from the file
`sc.nextDouble()`	reads and returns a `double` from the file
`sc.hasNextLine()`	returns `true` if there are any more lines
`sc.hasNext()`	returns `true` if there are any more tokens
`sc.hasNextInt()`	returns `true` if there is a next token and it's an `int`
`sc.hasNextDouble()`	returns `true` if there is a next token and it's a `double`
`sc.close();`	should be called when done reading the file

File Reading Overview

1. Make a Scanner to open a file to read

```
Scanner input = new Scanner(new File("data.txt"));
```

2. Use Scanner methods such as `nextLine` or `next` to read in the file, usually in a loop while some variation of `hasNext` is true
3. Scanner operations on files are "dangerous" because they dependent on outside resources, so we need to use a try/catch block
4. Close the Scanner when you are done: `input.close()`

Try/Catch

```
try {
    statements;    // code that might throw an exception
} catch (ExceptionType name) {
    statements;    // code to handle the error
}
```

- To execute code that might throw an exception, you must enclose it in a `try/catch` statement.

```
try {
    Scanner input = new Scanner(new File("data.txt"));
    ...
} catch (IOException ex) {
    println("Error reading the file: " + ex);
}
```

Try/Catch

To execute code that might throw an exception, you must enclose it in a `try/catch` statement.




```
try {
    Scanner input = new Scanner(new File("data.txt"));
    while (input.hasNextLine()) {
           String line = input.nextLine();
           println(line);
    }
} catch (FileNotFoundException ex) {
    println("Error reading the file: " + ex);
}
```

Try/Catch

To execute code that might throw an exception, you must enclose it in a `try/catch` statement.




```
try {
    Scanner input = new Scanner(new File("data.txt"));
    while (input.hasNextLine()) {
        String line = input.nextLine();
        println(line);
    }
} catch (FileNotFoundException ex) {
    println("Error reading the file: " + ex);
}
```



Plan For Today

- Announcements
- Recap: File Reading
- GraphicsProgram
- Graphical Objects
- Practice: Car


HW4:
Breakout
The River of Java
Memory
Events
Animation
You are here
Graphics
Programs

Java


Program
Karel Program
Console Program
Graphics Program
SuperKarel Program

Graphics Programs





Our First GraphicsProgram



Our First GraphicsProgram

```
import acm.program.*;
import acm.graphics.*; // Stanford graphical objects
import java.awt.*;     // Java graphical objects

public class MyGraphics extends GraphicsProgram {
      public void run() {
            GRect rect = new GRect(50, 50, 200, 250);
            rect.setFilled(true);
            rect.setColor(Color.RED);
            add(rect);
      }
}
```

Our First GraphicsProgram

```
// Create a 200x250 GRect at (50, 50)
GRect rect = new GRect(50, 50, 200, 250);

// Set some properties
rect.setFilled(true);
rect.setColor(Color.RED);

// Add to the canvas
add(rect);
```

Our First GraphicsProgram

```
// Create a 200x250 GRect at (50, 50)
GRect rect = new GRect(50, 50, 200, 250);

// Set some properties
rect.setFilled(true);
rect.setColor(Color.RED);

// Add to the canvas
add(rect);
```

Our First GraphicsProgram

```
// Create a 200x250 GRect at (50, 50)
GRect rect = new GRect(50, 50, 200, 250);

// Set some properties
rect.setFilled(true);
rect.setColor(Color.RED);

// Add to the canvas
add(rect);
```

Our First GraphicsProgram

```
// Create a 200x250 GRect at (50, 50)
GRect rect = new GRect(50, 50, 200, 250);

// Set some properties
rect.setFilled(true);
rect.setColor(Color.RED);

// Add to the canvas
add(rect);
```

The Graphics Canvas



Collage Model



Must have been added first

Plan For Today

- Announcements
- Recap: File Reading
- GraphicsProgram
- Graphical Objects
- Practice: Cars and Checkerboards

Graphical Objects

`GRect`

(x, y)



(x+w, y+h)

`GOval`

(x, y)



(x+w, y+h)

`GLine`

(x_1, y_1)



(x_2, y_2)

`GLabel`

Hello there!

`GImage`



`GArc`

`GRoundRect`

`GPolygon`



Graphical Objects

GRect



GOval



GLine



GLabel

Hello there!

GImage



GArc

GRoundRect

GPolygon



Graphical Objects




```
GRect myRect = new GRect(50, 50, 350, 270);
```

Primitives vs. Objects

Primitive Variable Types

```
int
double
char
boolean
```

Object Variable Types

```
GRect
GOval
GLine
Scanner
...
```

Object variables:

1. Have UpperCamelCase types
2. You can call methods on them
   - Uses “dot syntax”
3. Are constructed using **new**

Methods on Graphics Objects

We manipulate graphics objects by calling methods on them:

```
object.method(parameters);
```

Receiver

Message

Methods on Graphics Objects

We manipulate graphics objects by calling methods on them:

```
object.method(parameters);
```

Who? What? What specifically?

Example:

```
rect.setColor(Color.RED);
```

GObject Methods

The following operations apply to all **`GObject`**s:

object`.`**`setColor`**`(`*color*`)` Sets the color of the object to the specified color constant.
object`.`**`setLocation`**`(`*x*`, `*y*`)` Changes the location of the object to the point (*x*, *y*).
object`.`**`move`**`(`*dx*`, `*dy*`)` Moves the object on the screen by adding *dx* and *dy* to its current coordinates.
object`.`**`getWidth`**`()` Returns the width of the object
object`.`**`getHeight`**`()` Returns the height of the object

Graphic courtesy of Eric Roberts. See the GObject documentation online for more methods.

Colors

- Specified as predefined `Color` constants:

  `Color.`***`NAME`*** , where ***NAME*** is one of:

BLACK	BLUE	CYAN	DARK_GRAY	GRAY
GREEN	LIGHT_GRAY	MAGENTA	ORANGE	PINK
RED	WHITE	YELLOW		

```
rect.setColor(Color.MAGENTA);
```

- Or create one using Red-Green-Blue (RGB) values of 0-255

  `new Color(`***`red, green, blue`***`)`

  – Example:

```
rect.setColor(new Color(192, 128, 64));
```



GRect

`new GRect(x, y, width, height);`

- Creates a rectangle with the given width and height, whose upper-left corner is at (x, y)

`new GRect(width, height);`

- Same as above, but defaults to (x, y) = (0, 0)



GOval

`new GOval(x, y, width, height);`

- Creates an oval that fits inside a rectangle with the given width and height, and whose upper-left corner is at (x, y)

`new GOval(width, height);`

- Same as above, but defaults to (x, y) = (0, 0)



GRect and GOval

Methods shared by the **`GRect`** and **`GOval`** classes

object`.setFilled(`*fill*`)`
If *fill* is `true`, fills in the interior of the object; if `false`, shows only the outline.

object`.setFillColor(`*color*`)`
Sets the color used to fill the interior, which can be different from the border.

object`.setSize(`*width, height*`)`
Sets the object's size to be the given width and height

GLine

`new GLine(`*`x0, y0, x1, y1`*`);`

– Creates a line extending from (x0, y0) to (x1, y1)



GLabel

`new GLabel("your text here", x, y);`

- Creates a label with the given text, whose ***baseline*** starts at (x, y). NOT positioned according to the top-left corner!

`new GLabel("your text here");`

- Same as above, but defaults to (x, y) = (0, 0)



GLabel Methods

Methods specific to the **`GLabel`** class

label`.`**`getDescent()`**
Returns the height of the label below its baseline.

label`.`**`getAscent()`**
Returns the height of the label above its baseline.

label`.`**`setFont(`***font***`)`**
Sets the font used to display the label as specified by the font string.

The font is typically specified as a string in the form

"*family*`-`*style*`-`*size*"

family is the name of a font family
style is either **`PLAIN`**, **`BOLD`**, **`ITALIC`**, or **`BOLDITALIC`**
size is an integer indicating the point size

GImage

`new GImage("your filename here", x, y);`

- Creates a an image displaying the given file, whose upper-left corner is at (x, y)

`new GImage("your filename here");`

- Same as above, but defaults to (x, y) = (0, 0)



GImage Methods

object`.setSize(`*width, height*`)`
Sets the object's size to be the given width and height

GraphicsProgram Methods

- `GraphicsProgram` contains these useful methods:

Method	Description
`add(`***`gobj`***`);` `add(`***`gobj, x, y`***`);`	adds a graphical object to the window
`getElementAt(`***`x, y`***`)`	return the object at the given (x,y) position(s)
`getElementCount()`	return number of graphical objects onscreen
`getWidth(), getHeight()`	return dimensions of window
`remove(`***`gobj`***`);`	removes a graphical object from the window
`removeAll();`	remove all graphical objects from window
`setCanvasSize(`***`w, h`***`);`	set size of drawing area
`setBackground(`***`color`***`);`	set window's background color

Plan For Today

- Announcements
- Recap: File Reading
- GraphicsProgram
- Graphical Objects
- Practice: Car

Practice: Drawing with Loops

- The *x*,*y*,*width*,*height* expressions can use the loop counter variable:

```
for (int i = 0; i < 10; i++) {
    add(new GOval(100 + 20 * i, 5 + 20 * i, 50, 50));
}   //                  x           y        w   h
```



- Nested loops can be used with graphics:

```
for (int x = 1; x <= 4; x++) {
    for (int y = 1; y <= 9; y++) {
        add(new GLabel("Java", x * 40, y * 25));
    }
}
```



Practice: Drawing with Loops

- **Q:** What is the output of the following code?

```
for (int i = 0; i < 10; i++) {
    add(new GRect(20  + 10 * i,  20 + 10 * i,
                  100 - 10 * i,  10));
}
```

1.



2.



3.



4.

none

– *(How would we modify the code above to produce each output?)*

Practice: Car

Write a graphical program named **Car** that draws a figure that looks (kind of) like a car.

- Red wheels at (20, 70) and (80, 70), size 20x20
- Cyan windshield at (80, 40), size 30x20
- Blue body at (10, 30), size 100x50
- Yellow background



Recap

- Announcements
- Recap: File Reading
- GraphicsProgram
- Graphical Objects
- Practice: Car

Next time: More Graphics + Animation