promo

User Guide · version 0.1.0 (milestone 1) · 2026-10-26

A command-line studio for drafting, reviewing and approving social-media promo posts.

Contents

1. Overview
2. Installation and requirements
3. Quick start
4. Core concepts
5. Generating drafts: `promo draft`
6. Reviewing drafts: `promo review`
7. After approval: `posted`, `unapprove`, `media`
8. Configuration reference
9. Recipes
10. Troubleshooting
11. Appendix: quick reference

1. Overview

`promo` turns a *campaign manifest* (a YAML file describing your product and a schedule of posts) into markdown *draft files*. For every post (a "beat" on a "network") it asks a model for several variants. You then read the variants in your terminal, pick one, edit it if you want, and approve it.

Milestone 1 never publishes anything and holds no social-network credentials. You post by hand, then tell `promo posted` where the post went. The only network access is the call to the Anthropic API when you generate drafts.

> **How the examples in this guide were produced.** Commands are shown as you type them once `promo` is installed. They were actually run through a small shim that calls `uv run promo` against the repository. Outputs are real, with these differences from a default setup:
>
> - The Anthropic API was replaced by a **local stub server** (via the SDK's `ANTHROPIC_BASE_URL` variable) that returns fixed post text. Cost, token counts (900 in / 150 out) and the wording of posts are therefore not what a real model would give. Everything else (file contents, warnings, skips, errors) is the real behaviour of the tool.
> - Outputs were captured with `NO_COLOR=1` and an 80-column terminal. Timestamps in draft files differ on every run.
> - Examples run in order in one scratch directory per section; where a section starts from fresh state it says so.

2. Installation and requirements

- Python 3.12 or newer and uv. `just` is optional (it wraps `uv sync`).
- An Anthropic API key for generating real drafts. `--dry-run` needs no key.
- A terminal (TTY) for `promo review`. For the `e` (edit) key, set `$EDITOR` (falls back to `vi`). For `c` (copy), a clipboard that `pyperclip` can reach.

Install and set the key illustrative

```
$ just setup
$ cp .env.example .env
# now edit .env so it reads: ANTHROPIC_API_KEY=YOUR_API_KEY
```

`just setup` is `uv sync`. In a checkout, run the tool as `uv run promo ...`; this guide writes just `promo ...`. `.env` is read from the working directory (or a parent) when a real generation runs, and the real environment variable takes precedence over it. `.env` and `drafts/` are gitignored.

Check the install ran

```
$ promo --version
```

Output
```
promo 0.1.0
```

Run `promo` from the project root: it reads `promo.toml`, `campaigns/` and writes `drafts/` relative to the current directory, and the manifest's `brand_voice` path is also relative to where you run it.

3. Quick start

The repository ships an example campaign (`campaigns/example`, a fictional product "Lumen Notes") with two beats on two networks: four drafts. Four steps take you from nothing to a recorded post.

Step 1: see what would happen ran

```
$ promo draft example --dry-run
```

Output
```
dry run: 4 model call(s) would be made
```

Step 2: generate ran

```
$ promo draft example
```

Output
```
generated example/teaser/x
generated example/teaser/linkedin
generated example/launch/x
generated example/launch/linkedin
4 model call(s)
```

Step 3: review and approve ran

Interactive; see section 6. In short: press `2` to choose variant 2, then `a` to approve.

```
$ promo review example
```

Step 4: after you posted it by hand ran

```
$ promo posted example/launch/x --url https://x.com/lumen/status/1
```

Output

```
posted example/launch/x
```

Drafts are plain files under `drafts/`, so you can read, diff and commit them like any other text.

4. Core concepts

Term	Meaning
Campaign	A directory `campaigns/<name>/` holding `manifest.yaml`. The name must match `[a-z0-9-]+`.
Beat	One scheduled moment in a campaign (a teaser, the launch...). Has an `id`, a day offset from `launch_date`, an *intent* and a list of networks.
Draft	One file per beat and network, holding N variants. Id: `<campaign>/<beat>/<network>`, for example `example/launch/x`; file: `drafts/example/launch/x.md`.
Variant	One candidate text, `## Variant N` in the file. You choose exactly one.
Profile	A named generator setting in `promo.toml` (model, key variable, effort, token cap).

Draft status

A draft moves **draft** → **approved** → **posted**. `unapprove` moves approved back to draft. Posted is final. (A fourth value, `scheduled`, exists in the file format but nothing in milestone 1 sets it.)

What happens to every generated variant

1. Each disclosure from the manifest (for example `#ad`) is appended on a new line if the text does not already contain it.
2. Occurrences of the product's `target_url` get tracking parameters: `utm_source` (the network), `utm_medium=social`, `utm_campaign` (the campaign) and `utm_content` (the beat). Parameters already present are left alone.
3. Checks run and record **warnings** in the draft (table below). Warnings never block you; they are shown in review.

Warning	Meaning	Retried?
`too_long`	A variant exceeds the network's character limit (X and Mastodon count every URL as 23 characters).	yes
`unsourced_number`	A number appears that is not in the manifest (name, features, proof points, URL, ...).	no
`prohibited_claim`	A variant contains one of the manifest's `prohibited_claims` (case-insensitive).	no
`too_many_hashtags`	More hashtags than the network's cap (URLs are ignored when counting).	no
`near_duplicate`	The first variant is more than 85% similar to the first variant of the same beat on another network.	yes
`repeats_beat`	The first variant opens with the same first sentence as another beat of the same intent on the same network.	yes
`wrong_variant_count`	The model returned a different number of variants than `variants_per_draft`.	yes

"Retried" means the tool asks the model again with a corrective note, at most twice (so at most 3 model calls per draft). If the problem remains, the draft is saved with the warning. A response with empty variants, or that cannot be saved, is an error after the retries.

5. Generating drafts: `promo draft`

```
promo draft CAMPAIGN [--beat ID] [--network NAME] [--force] [--dry-run] [--profile NAME]
```

Option	Effect
`--beat ID`	Only this beat. Unknown ids are an error that lists the valid ones.
`--network NAME`	Only this network (must be used by some beat).
`--force`	Regenerate drafts that already exist, including approved ones; clears the chosen variant and the approval; keeps attached media. Posted drafts are skipped; drafts that are scheduled or unreadable are refused (reported as skipped).
`--dry-run`	Plan only: no model call, no key needed, no files written.
`--profile NAME`	Use this profile instead of `[generator] default`.

Without `--force`, existing drafts are skipped, so you can safely re-run the command.

Dry run, narrowed to one draft ran

```
$ promo draft example --dry-run --beat launch --network x
```

Output

```
dry run: 1 model call(s) would be made
```

Re-run: nothing is overwritten ran

Continues from the generation in the Quick start.

```
$ promo draft example
```

Output

```
skipped example/teaser/x
skipped example/teaser/linkedin
skipped example/launch/x
skipped example/launch/linkedin
0 model call(s)
```

Regenerate one draft with `--force` ran

```
$ promo draft example --force --beat launch --network x
```

Output

```
generated example/launch/x
1 model call(s)
```

Warnings are printed under the draft they belong to ran

Here the (stubbed) model slipped a prohibited phrase and an invented "40%" into a variant of `teaser/x`.

```
$ promo draft example --force --beat teaser --network x
```

Output

```
generated example/teaser/x
  warning: unsourced_number
  warning: prohibited_claim
1 model call(s)
```

Errors ran

All errors print one line to standard error and exit with status 1.

```
$ promo draft example --beat nope --dry-run
$ promo draft example --network mastodon --dry-run
$ promo draft example --profile nope --dry-run
$ promo draft nope --dry-run
```

Output

```
unknown beat 'nope' (valid: teaser, launch)
unknown network 'mastodon' (valid: x, linkedin)
unknown profile 'nope' (defined: claude)
campaigns/nope/manifest.yaml: [Errno 2] No such file or directory:
'campaigns/nope/manifest.yaml'
```

Without a key, a real run fails before any call is made (the dry run above works without one):

```
$ promo draft example
$ echo $?
```

Output

```
environment variable ANTHROPIC_API_KEY is not set
```

Output

```
1
```

What a draft file looks like ran

Front matter (YAML) followed by the variants. This is `drafts/example/launch/x.md` straight after generation. Note the appended `#ad` and the tagged link.

```
$ cat drafts/example/launch/x.md
```

Output

```
---
id: example/launch/x
campaign: example
beat: launch
network: x
status: draft
variants: 3
chosen: null
generated_at: '2026-10-26T06:36:19.271793+00:00'
profile: claude
model: claude-opus-5-5
usage:
  input_tokens: 900
  output_tokens: 150
needs_media: false
media: []
warnings: []
published_url: null
published_at: null
published_text: null
---

## Variant 1

Lumen Notes is live. Summaries, action items and a searchable archive for every
meeting. Try it today.
https://example.com/lumen-notes?
utm_source=x&utm_medium=social&utm_campaign=example&utm_content=launch
#ad

## Variant 2

We use it for every weekly meeting. You can now use it for yours. Lumen Notes is out.
https://example.com/lumen-notes?
utm_source=x&utm_medium=social&utm_campaign=example&utm_content=launch
#ad

## Variant 3

Decisions, owners and a searchable archive. Lumen Notes is available now.
https://example.com/lumen-notes?
utm_source=x&utm_medium=social&utm_campaign=example&utm_content=launch
#ad
```

You can edit these files by hand. A file must stay loadable: variant headings must be exactly `## Variant 1`, `## Variant 2` ... in order, the count must match `variants`, and `chosen` must point at an existing variant. Otherwise commands report the file as unreadable.

6. Reviewing drafts: `promo review`

```
promo review CAMPAIGN [--all]
```

Walks through the campaign's drafts in path order. By default it shows drafts in *draft* status, plus approved drafts that still carry warnings; `--all` also includes every approved draft. Posted drafts are never shown. It needs an interactive terminal. Each screen shows the status, any warnings (with the offending variants named), a note if the network needs media and none is attached, then the variants in boxes.

Key (then Enter)	Action
`1-9`	Choose that variant (saved immediately; you can change your mind).
`c`	Copy the chosen variant to the clipboard; if no clipboard is available the text is printed instead.
`e`	Open the draft file in `$EDITOR` (default `vi`), then reload it.
`r`	Ask for a note ("note: "), then regenerate all variants of this draft with that note added to the prompt. Clears the chosen variant. Leave the line empty to regenerate without a note; Ctrl-D cancels.
`a`	Approve (requires a chosen variant) and move to the next draft.
`s`	Skip to the next draft, leaving it unchanged.
`q`	Quit. Choices already made are kept.

When the session ends it prints a summary of how many drafts you approved, skipped and regenerated.

Choose a variant and approve it ran

A campaign with just the `example/launch/x` draft; keys typed: `2`, Enter, `a`, Enter. Run through a pseudo-terminal so the key presses are captured.

```
$ promo review example
```

Output

```
example/launch/x  status: draft  chosen: none
┌─ Variant 1 ──────────────────────────────────────────────────────────────────┐
│ Lumen Notes is live. Summaries, action items and a searchable archive for    │
│ every meeting. Try it today.                                                 │
│ https://example.com/lumen-notes?utm_source=x&utm_medium=social&utm_campaign= │
│ example&utm_content=launch                                                   │
│ #ad                                                                          │
└──────────────────────────────────────────────────────────────────────────────┘
┌─ Variant 2 ──────────────────────────────────────────────────────────────────┐
│ We use it for every weekly meeting. You can now use it for yours. Lumen      │
│ Notes is out.                                                                │
│ https://example.com/lumen-notes?utm_source=x&utm_medium=social&utm_campaign= │
│ example&utm_content=launch                                                   │
│ #ad                                                                          │
└──────────────────────────────────────────────────────────────────────────────┘
┌─ Variant 3 ──────────────────────────────────────────────────────────────────┐
│ Decisions, owners and a searchable archive. Lumen Notes is available now.    │
│ https://example.com/lumen-notes?utm_source=x&utm_medium=social&utm_campaign= │
│ example&utm_content=launch                                                   │
│ #ad                                                                          │
└──────────────────────────────────────────────────────────────────────────────┘
[1-9] choose  c copy  e edit  r regenerate  a approve  s skip  q quit
> 2
example/launch/x  status: draft  chosen: 2
┌─ Variant 1 ──────────────────────────────────────────────────────────────────┐
│ Lumen Notes is live. Summaries, action items and a searchable archive for    │
│ every meeting. Try it today.                                                 │
│ https://example.com/lumen-notes?utm_source=x&utm_medium=social&utm_campaign= │
│ example&utm_content=launch                                                   │
│ #ad                                                                          │
└──────────────────────────────────────────────────────────────────────────────┘
┌─ Variant 2 (chosen) ─────────────────────────────────────────────────────────┐
│ We use it for every weekly meeting. You can now use it for yours. Lumen      │
│ Notes is out.                                                                │
│ https://example.com/lumen-notes?utm_source=x&utm_medium=social&utm_campaign= │
│ example&utm_content=launch                                                   │
│ #ad                                                                          │
└──────────────────────────────────────────────────────────────────────────────┘
┌─ Variant 3 ──────────────────────────────────────────────────────────────────┐
│ Decisions, owners and a searchable archive. Lumen Notes is available now.    │
│ https://example.com/lumen-notes?utm_source=x&utm_medium=social&utm_campaign= │
│ example&utm_content=launch                                                   │
│ #ad                                                                          │
└──────────────────────────────────────────────────────────────────────────────┘
[1-9] choose  c copy  e edit  r regenerate  a approve  s skip  q quit
> a
approved 1, skipped 0, regenerated 0
```

Afterwards the file's front matter says `status: approved` and `chosen: 2`.

Warnings in review ran

The warned `teaser/x` draft from section 5; the key typed was `q`.

```
$ promo review example
```

Output

```
example/teaser/x  status: draft  chosen: none
warning: unsourced_number
warning: prohibited_claim
variant 2 matches: always accurate
variant 2 unsourced: 40
┌─ Variant 1 ──────────────────────────────────────────────────────────────┐
│ Meetings end. Decisions shouldn't vanish with them. Lumen Notes is coming    │
│ soon.                                                                    │
│ https://example.com/lumen-notes?utm_source=x&utm_medium=social&utm_campaign= │
│ example&utm_content=teaser                                               │
│ #ad                                                                      │
└──────────────────────────────────────────────────────────────────────────┘
┌─ Variant 2 ──────────────────────────────────────────────────────────────┐
│ Lumen Notes is always accurate and saves 40% of your meeting time.           │
│ https://example.com/lumen-notes?utm_source=x&utm_medium=social&utm_campaign= │
│ example&utm_content=teaser                                               │
│ #ad                                                                      │
└──────────────────────────────────────────────────────────────────────────┘
┌─ Variant 3 ──────────────────────────────────────────────────────────────┐
│ Action items get lost when the meeting ends. We are fixing that. Details     │
│ soon.                                                                    │
│ https://example.com/lumen-notes?utm_source=x&utm_medium=social&utm_campaign= │
│ example&utm_content=teaser                                               │
│ #ad                                                                      │
└──────────────────────────────────────────────────────────────────────────┘
[1-9] choose  c copy  e edit  r regenerate  a approve  s skip  q quit
> q
approved 0, skipped 0, regenerated 0
```

Regenerate with a note ran

Keys: `r`, the note `Make it shorter.`, `3`, `a`. The stub ignores the note, so the variants are the same as before; with a real model the note steers the new variants. The tail of the session:

```
$ promo review example
```

Output

```
│ example&utm_content=launch                                                   │
│ #ad                                                                          │
└──────────────────────────────────────────────────────────────────────────────┘

┌─ Variant 3 (chosen) ─────────────────────────────────────────────────────────┐
│ Decisions, owners and a searchable archive. Lumen Notes is available now.    │
│ https://example.com/lumen-notes?utm_source=x&utm_medium=social&utm_campaign= │
│ example&utm_content=launch                                                   │
│ #ad                                                                          │
└──────────────────────────────────────────────────────────────────────────────┘

[1-9] choose  c copy  e edit  r regenerate  a approve  s skip  q quit
> a
approved 1, skipped 0, regenerated 1
```

The session printed "regenerated 1". Regeneration is only allowed for drafts in draft status and needs the API key.

Not a terminal ran

```
$ promo review example < /dev/null
```

Output

```
promo review needs an interactive terminal
```

> Editing (`e`) and copying (`c`) depend on your editor and clipboard, so they are not shown here. If a draft is approved and you want to change it, run `promo unapprove` first: the number keys and `r` refuse to act on non-draft drafts.

7. After approval

`promo posted`: record a manual post

```
promo posted DRAFT_ID --url URL [--text-file FILE]
```

Only approved drafts can be marked as posted. It stores the URL, the time, and the text as published: the contents of `--text-file` if given, otherwise the chosen variant. The URL must be http(s) and contain no whitespace. Nothing is sent anywhere.

Draft not approved yet ran

State: `example/launch/x` and `example/launch/linkedin` were approved in `promo review` (variants 2 and 1); the others are still drafts.

```
$ promo posted example/teaser/x --url https://x.com/lumen/status/1
```

Output
```
drafts/example/teaser/x.md: cannot mark as posted a draft with status draft
```

Bad URL, unknown draft ran

```
$ promo posted example/launch/x --url ftp://example.com/post
$ promo posted example/launch/threads --url https://example.com/p
```

Output
```
--url must be an http(s) URL
no such draft: example/launch/threads
```

Record the post, with the text as you actually posted it ran

```
$ cat posted.txt
$ promo posted example/launch/x --url https://x.com/lumen/status/1 --text-file
posted.txt
```

Output
```
Lumen Notes is live. Try it today. #ad
posted example/launch/x
```

Doing it twice is refused ran

```
$ promo posted example/launch/x --url https://x.com/lumen/status/1
```

Output
```
drafts/example/launch/x.md: cannot mark as posted a draft with status posted
```

`promo unapprove`: take back an approval

```
promo unapprove DRAFT_ID
```

Approved → draft. The chosen variant is kept. Posted drafts cannot be unapproved.

Unapprove, repeat, and try on a posted draft ran

```
$ promo unapprove example/launch/linkedin
$ promo unapprove example/launch/linkedin
$ promo unapprove example/launch/x
```

Output

```
unapproved example/launch/linkedin
drafts/example/launch/linkedin.md: cannot unapprove a draft with status draft
drafts/example/launch/x.md: cannot unapprove a draft with status posted
```

`promo media`: attach files

```
promo media DRAFT_ID PATH [PATH ...]
```

Records the paths (as you typed them) in the draft's `media` list. Files must exist; the contents are not inspected. Networks that need an image or video (Instagram, TikTok, Pinterest) set `needs_media: true`, and review shows a reminder until media is attached. Media can be added to draft and approved drafts, not posted ones. Regenerating with `--force` keeps the list.

Attach, missing file, posted draft ran

The first two commands ran before `posted` in the sequence above; the third ran after it (hence the `posted` error). A placeholder `hero.png` was created first.

```
$ promo media example/launch/x hero.png
$ promo media example/launch/x /nonexistent/hero.png
$ promo media example/launch/x hero.png
```

Output

```
media example/launch/x: 1 file(s)
drafts/example/launch/x.md: media file does not exist: /nonexistent/hero.png
drafts/example/launch/x.md: cannot add media to a posted draft
```

The finished record ran

The front matter of the posted draft shows everything recorded: status, media, URL, time and text.

```
$ sed -n 1,27p drafts/example/launch/x.md
```

Output

```
---
id: example/launch/x
campaign: example
beat: launch
network: x
status: posted
variants: 3
chosen: 2
generated_at: '2026-10-26T06:36:19.271793+00:00'
profile: claude
model: claude-opus-5-5
usage:
  input_tokens: 900
  output_tokens: 150
needs_media: false
media:
- hero.png
warnings: []
published_url: https://x.com/lumen/status/1
published_at: '2026-10-26T06:36:57.845312+00:00'
published_text: |
  Lumen Notes is live. Try it today. #ad
---

## Variant 1

Lumen Notes is live. Summaries, action items and a searchable archive for every
meeting. Try it today.
```

`--force` leaves posted drafts alone ran

After the steps above (`launch/linkedin` had been unapproved, so it is regenerated):

```
$ promo draft example --force --beat launch
```

Output

```
generated example/launch/linkedin
skipped example/launch/x
1 model call(s)
```

8. Configuration reference

`promo.toml` (working directory)

Unknown keys are rejected. The shipped file:

```
variants_per_draft = 3

[generator]
default = "claude"

[profiles.claude]
kind = "anthropic"
model = "claude-opus-5-5"
api_key_env = "ANTHROPIC_API_KEY"
effort = "high"
max_tokens = 4096
trains_on_input = false

[networks.x]
limit = 280
```

Key	Type	Default	Meaning
`variants_per_draft`	int 1-9	3	Variants generated per draft.
`timezone`	IANA name	machine zone, else UTC	Validated (an unknown name is an error), but nothing in milestone 1 uses it. Draft timestamps are always UTC.
`[generator] default`	string	required	Profile used when `--profile` is absent. Must name a defined profile.
`[profiles.NAME] kind`	`"anthropic"` | `"openai-compatible"`	required	Only `anthropic` can generate in milestone 1.
`model`	string	required	Model id sent to the API.
`api_key_env`	string	none	Name of the environment variable holding the key (also read from `.env`).
`base_url`	string	none	Accepted for the future OpenAI-compatible kind; not used by the Anthropic profile.
`effort`	low | medium | high | xhigh | max	high	Anthropic effort setting.
`max_tokens`	int	4096	Output token cap per call.
`trains_on_input`	bool	false	Set true for a provider that may train on your prompts. Refused for confidential campaigns (below).
`[networks.NAME] limit`	int	built-in	Override the character limit.
`[networks.NAME] hashtag_cap`	int	built-in	Override the hashtag cap.

Built-in network limits

Network	Character limit	Hashtag cap	Needs media
`x`	280	3	no
`threads`	500	5	no
`bluesky`	300	3	no
`mastodon`	500	5	no
`linkedin`	3000	5	no
`instagram`	2200	30	yes
`facebook`	5000	5	no
`tiktok`	2200	5	yes
`pinterest`	500	5	yes

Campaign manifest: `campaigns/NAME/manifest.yaml`

Unknown keys are rejected. The shipped example (the whole file apart from its licence header comment):

```
product:
  name: Lumen Notes
  tagline: Meeting notes that write themselves.
  problem_statement: Teams lose decisions and action items because nobody has time
to write good meeting notes.
  key_features:
    - Automatic summaries of recorded meetings
    - Action items extracted and assigned to owners
    - Searchable archive of past decisions
  target_url: https://example.com/lumen-notes
  audience: Engineering and product managers at small software teams
  proof_points:
    - Used internally by the Lumen team for every weekly meeting since January
  prohibited_claims:
    - always accurate
    - replace human review
  disclosures:
    - "#ad"
brand_voice: brand.md
confidential: true
launch_date: 2027-03-01
beats:
  - id: teaser
    offset_days: -2
    intent: teaser
    networks: [x, linkedin]
  - id: launch
    offset_days: 0
    intent: launch
    networks: [x, linkedin]
```

Key	Type	Meaning
`product.*`	see example	All nine fields are required (lists may be empty). The model is told to state only facts from here.
`brand_voice`	path	Brand voice file, relative to where you run `promo`. Must contain a block between `<!-- promo:examples:start -->` and `<!-- promo:examples:end -->` with sample posts; the text outside the block is the prose description.
`confidential`	bool, default `true`	Blocks `trains_on_input` profiles.
`launch_date`	date	Anchor date for offsets. Required. Stored with the manifest; milestone 1 does not schedule anything from it.
`beats[].id`	slug	`[a-z0-9-]+`, unique within the manifest.
`beats[].offset_days`	int	Days from `launch_date` (negative = before).
`beats[].intent`	enum	`teaser`, `launch`, `deep-dive`, `social-proof`, `custom`. `custom` requires `notes`; `social-proof` requires non-empty `proof_points`.
`beats[].networks`	list	Any of `x`, `linkedin`, `threads`, `mastodon`, `bluesky`, `instagram`, `facebook`, `tiktok`, `pinterest`.
`beats[].notes`	string, optional	Extra direction passed to the model for this beat.

Manifest validation error ran

The teaser beat changed to `intent: custom` without `notes`.

```
$ promo draft example --dry-run
```

Output

```
campaigns/example/manifest.yaml: 1 validation error for Manifest
beats.0
  Value error, beat 'teaser': intent custom requires notes [type=value_error,
input_value={'id': 'teaser', 'offset_...rks': ['x', 'linkedin']}, input_type=dict]
    For further information visit https://errors.pydantic.dev/2.14/v/value_error
```

Config validation error ran

`timezone = "Mars/Olympus"` added to `promo.toml`.

```
$ promo draft example --dry-run
```

Output

```
promo.toml: 1 validation error for Settings
timezone
  Value error, timezone 'Mars/Olympus' is not a valid IANA name [type=value_error,
input_value='Mars/Olympus', input_type=str]
    For further information visit https://errors.pydantic.dev/2.14/v/value_error
```

The `trains_on_input` rule

A profile with `trains_on_input = true` is refused for a campaign whose manifest has `confidential: true` (the default). Set `confidential: false` to allow it.

Refused, then allowed ran

A profile `cheap` with `trains_on_input = true` was added to `promo.toml`; the second run follows setting `confidential: false` in the manifest.

```
$ promo draft example --profile cheap --dry-run
$ promo draft example --profile cheap --dry-run
```

Output

```
profile 'cheap' trains on input and the campaign is confidential; set `confidential:
false` in the manifest to allow it
dry run: 4 model call(s) would be made
```

9. Recipes

Start your own campaign illustrative

```
$ mkdir campaigns/spring-sale
$ cp campaigns/example/manifest.yaml campaigns/spring-sale/manifest.yaml
# edit product, beats and brand_voice, then:
$ promo draft spring-sale --dry-run
$ promo draft spring-sale
$ promo review spring-sale
```

(The same commands against the example campaign were run above.)

Redo one weak draft

Either press `r` in review with a note, or `promo unapprove ID` and then `promo draft CAMPAIGN --beat B --network N --force`. The second form discards the old text, the chosen variant and the approval.

Daily rhythm

1. `promo draft CAMPAIGN` after editing the manifest (new beats are generated; existing drafts are skipped).
2. `promo review CAMPAIGN` until it lists nothing.
3. Copy the chosen text (`c` in review, or from `drafts/...`), post it, then `promo posted ID --url ...`.

10. Troubleshooting

Message	Cause and fix
`environment variable ANTHROPIC_API_KEY is not set`	Put the key in `.env` in the working directory or export it. Use `--dry-run` to plan without it.
`campaigns/X/manifest.yaml: [Errno 2] No such file or directory`	Wrong campaign name, or you are not in the project root.
`unknown beat / network / profile ...`	The message lists the valid values.
`promo.toml: ...` validation errors	A key is misspelled (unknown keys are rejected), a value is out of range, or `[generator] default` names no profile.
`profile ... trains on input and the campaign is confidential`	See "The trains_on_input rule".
`profile kind 'openai-compatible' arrives in milestone 1b`	The kind is accepted in `promo.toml` (and by `--dry-run`) but cannot generate yet.
`Anthropic API error ...`, `Anthropic connection error ...`	The API call failed (key, model id, network, quota). Drafts generated before the failure are kept; re-run to fill in the rest.
`model output did not match the expected schema ...`	The reply was truncated, refused or malformed. Raise `max_tokens` and retry.
`promo review needs an interactive terminal`	Standard input is not a TTY (pipe, CI, some IDE consoles).
`cannot ... a draft with status ...`	The action does not apply to the draft's status; see the status flow in section 4.
`invalid front matter`, `variant headings must be 1..N`, `chosen=... does not match`	A hand-edited draft no longer loads. In review press `e` to fix it.

An unimplemented profile kind ran

A profile with `kind = "openai-compatible"` in `promo.toml`; the same profile passes `--dry-run`.

```
$ promo draft example --profile local
```

Output

```
profile kind 'openai-compatible' arrives in milestone 1b
```

11. Appendix: quick reference

Command	What it does
`promo --version`	Print the version.
`promo draft CAMPAIGN [--beat B] [--network N] [--force] [--dry-run] [--profile P]`	Generate drafts into `drafts/CAMPAIGN/BEAT/NETWORK.md`.
`promo review CAMPAIGN [--all]`	Interactive choose / edit / regenerate / approve.
`promo posted ID --url URL [--text-file F]`	Record a manual post (approved → posted).
`promo unapprove ID`	Approved → draft.
`promo media ID PATH...`	Attach media files.

All commands exit 0 on success and 1 on any reported error. Review keys: `1-9` choose, `c` copy, `e` edit, `r` regenerate, `a` approve, `s` skip, `q` quit.

Project checks for contributors: `just check` (ruff, mypy, licence header check, pytest). The publishing interface in `src/promo/publishers/` is a placeholder in milestone 1.