


| Feature | | Scenario | | | | Step | | | |
|---|----------|----------|---|---|---|------|----|---|---|
| Name | Duration | T | P | F | S | T | P | F | S |
| GitHub Create Repo Endpoint Scenarios | 2.824 s | 2 | 0 | 2 | 0 | 12 | 8 | 2 | 2 |
| List Organization repositories Endpoint Scenarios | 7.331 s | 8 | 8 | 0 | 0 | 36 | 36 | 0 | 0 |


| Tag | | Scei | nario | | Feature | | | |
|------------------|---|------|-------|---|---------|---|---|---|
| Name | T | P | F | S | T | P | F | S |
| @json | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @deserialization | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @smoke | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 0 |
| @negative | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 0 |

FEATURES SUMMARY




| # | Feature Name | T | P | F | S | Duration |
|---|---|---|---|---|---|----------|
| 1 | GitHub Create Repo Endpoint Scenarios | 2 | 0 | 2 | 0 | 2.824 s |
| 2 | List Organization repositories Endpoint Scenarios | 8 | 8 | 0 | 0 | 7.331 s |

SCENARIOS SUMMARY -- 5 --



| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|--|--|----------|---|---|---|----------|
| 1 | GitHub Create Repo Endpoint Scenarios | Create organization repository | 5 | 4 | 1 | 0 | 2.042 s |
| 2 | GitHub Create Repo Endpoint Scenarios | Create organization repository | 7 | 4 | 1 | 2 | 0.765 s |
| 3 | List Organization repositories Endpoint Scenarios | Fetch all the public repos for valid org | 3 | 3 | 0 | 0 | 2.159 s |
| 4 | List Organization repositories Endpoint Scenarios | Fetch all the public repos for inavlid org | 3 | 3 | 0 | 0 | 0.507 s |
| 5 | List Organization repositories Endpoint Scenarios | Fetch all the public repos for valid org with token | 4 | 4 | 0 | 0 | 1.097 s |
| 6 | List Organization repositories Endpoint Scenarios | Fetch all the private repos for valid org with token | 5 | 5 | 0 | 0 | 0.811 s |
| 7 | List Organization repositories Endpoint Scenarios | Fetch all the public repos for valid org with per page | 6 | 6 | 0 | 0 | 0.645 s |

SCENARIOS SUMMARY -- 6 --




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|----|---|--|---|---|---|---|----------|
| 8 | List Organization repositories Endpoint Scenarios | Fetch all the public repos for valid org with per page | 5 | 5 | 0 | 0 | 1.062 s |
| 9 | List Organization repositories Endpoint Scenarios | Fetch all the public repos for valid org with per page | 5 | 5 | 0 | 0 | 0.561 s |
| 10 | List Organization repositories Endpoint Scenarios | Fetch all the public repos for valid org with per page | 5 | 5 | 0 | 0 | 0.466 s |

DETAILED SECTION -- 7 -

GitHub Create Repo Endpoint Scenarios

| FAILED | DURATION - 2.824 s | Scenarios | | Steps | |
|-----------------------|--------------------|-----------|---|------------|--------|
| | | Total - 2 | | Total - 12 | |
| / 6:20:33.207 PM // 6 | 5:20:36.031 PM / | Pass - 0 | 2 | Pass - 8 | 12 |
| | | Fail - 2 | | Fail - 2 | 📜 '- 🗾 |
| | | Skip - 0 | | Skip - 2 | |


Create organization repository



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given path param "orgName" with value "ckjavahelpmate" | PASSED | 0.013 s |
| 2 | And body param from file "createRepo.json" | PASSED | 0.023 s |
| 3 | And header param "Authorization" with value "Bearer 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" | PASSED | 0.002 s |
| 4 | When I do POST request with URL "orgs/{orgName}/repos" | PASSED | 1.555 s |
| 5 | Then I validate the status code is 201 | FAILED | 0.025 s |
| | java.lang.AssertionError: 1 expectation failed. Expected status code <201> but was <422>. at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallConstructor(CallSiteArray.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:263) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$3.call(Unknown Source) | | |
| | at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) | | |
| | at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:125) | | |
| | at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:139) | | |
| | at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696) | | |
| | at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy) | | |
| | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) | | |
| | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) | | |
| | at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) | | |
| | at java.base/java.lang.reflect.Method.invoke(Method.java:568) | | |
| | at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43) | | |
| | at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite. | | |
| | java:198) | | |
| | at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62) | | |
| | at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallCurrent(CallSiteArray.java:49) | | |
| | at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:171) | | |
| | at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) | | |
| | at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135) | | |
| | at io.restassured.specification.ResponseSpecification\$statusCode\$5.callCurrent(Unknown Source) | | |
| | at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallCurrent(CallSiteArray.java:49) | | |
| | at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:171) | | |
| | at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) | | |
| | at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143) | | |
| | at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89) | | |
| | at com.stepdefinitions.GitHubGetListOfOrnganizationReposStepDefinition. | | |
| | iValidateTheStatusCodeIs(GitHubGetListOfOrnganizationReposStepDefinition.java:77) | | |
| | at ?.I validate the status code is 201(file:///D:/SeleniumNew/framework/Rest_Assured_02_BDD_Framework/src/test/ | | |
| | resources/features/GitHubCreateRepo.feature:11) | | |
| | * Not displayable characters are replaced by '?'. | | |

Create organization repository




| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| 1 | Given path param "orgName" with value "ckjavahelpmate" | PASSED | 0.000 s |
| 2 | And body param input keys "name,description,private" and values "DemoRepo-09,Deserialization repo-05,true" | PASSED | 0.239 s |
| 3 | And header param "Authorization" with value "Bearer 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" | PASSED | 0.001 s |
| 4 | When I do POST request with URL "orgs/{orgName}/repos" | PASSED | 0.517 s |
| 5 | Then I validate the status code is 201 | FAILED | 0.003 s |
| | java.lang.AssertionError: 1 expectation failed. Expected status code <201> but was <422>. at java.base/jdk.internal.reflect.NativeConstructorAccessor/impl.newInstance(ONative Method) at java.base/jdk.internal.reflect.NativeConstructorAccessor/impl.newInstance(DatesativeConstructorAccessor/impl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessor/impl.newInstance(DelegatingConstructorAccessor/impl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:489) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:489) at org.codehaus.groovy.runtime.callsite.Constructor.invoke(CachedConstructor.java:473) at org.codehaus.groovy.runtime.callsite.Constructor/Site\$Constructor/Site\$Constructor/istava:77) at io.restassured.internal.ResponseSpecificationImplsHamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512) at io.restassured.internal.ResponseSpecificationImplsHamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512) at io.restassured.internal.ResponseSpecificationImpl.stalidateResponselRequired(ResponseSpecificationImpl.groovy:512) at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponselRequired(ResponseSpecificationImpl.groovy:696) at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponselRequired(ResponseSpecificationImpl.groovy) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:43) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(PelgatingMethodAccessorImpl.java:43) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.java:43) at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.dolnvoke(PlainObjectMetaMethodSite.java:43) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:185) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMet | | |
| 6 | Then I validate the "name" is "DemoRepo-09" | SKIPPED | 0.000 s |
| 7 | Then I validate create repo response keys "name,description,private" and values "DemoRepo-09,Descrialization repo-05,true" | SKIPPED | 0.000 s |

List Organization repositories Endpoint Scenarios


| PASSED | DURATION - 7.331 s | Scenarios | | Steps | |
|------------------|---------------------|-----------|---|------------|----|
| | | Total - 8 | | Total - 36 | |
| / 6:20:33.221 PM | // 6:20:40.552 PM / | Pass - 8 | 8 | Pass - 36 | 36 |
| | | Fail - 0 | | Fail - 0 | |
| | | Skip - 0 | | Skip - 0 | |
| | | | | | |

Fetch all the public repos for valid org




| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given path param "orgName" with value "ckjavahelpmate" | PASSED | 0.013 s |
| 2 | When I do GET request with URL "orgs/{orgName}/repos" | PASSED | 1.737 s |
| 3 | Then I validate the status code is 200 | PASSED | 0.001 s |

Fetch all the public repos for inavlid org




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given path param "orgName" with value "abcd" | PASSED | 0.000 s |
| 2 | When I do GET request with URL "orgs/{orgName}/repos" | PASSED | 0.503 s |
| 3 | Then I validate the status code is 404 | PASSED | 0.000 s |

Fetch all the public repos for valid org with token



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given path param "orgName" with value "ckjavahelpmate" | PASSED | 0.001 s |
| 2 | And header param "Authorization" with value "Bearer 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" | PASSED | 0.000 s |
| 3 | When I do GET request with URL "orgs/{orgName}/repos" | PASSED | 1.094 s |
| 4 | Then I validate the status code is 200 | PASSED | 0.000 s |


Fetch all the private repos for valid org with token



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given path param "orgName" with value "ckjavahelpmate" | PASSED | 0.001 s |
| 2 | And query param "type" with value "private" | PASSED | 0.015 s |
| 3 | And header param "Authorization" with value "Bearer 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" | PASSED | 0.000 s |


| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 4 | When I do GET request with URL "orgs/{orgName}/repos" | PASSED | 0.788 s |
| 5 | Then I validate the status code is 200 | PASSED | 0.002 s |

Fetch all the public repos for valid org with per page



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given path param "orgName" with value "ckjavahelpmate" | PASSED | 0.000 s |
| 2 | And query param "per_page" with value "10" | PASSED | 0.001 s |
| 3 | And query param "page" with value "1" | PASSED | 0.000 s |
| 4 | And header param "Authorization" with value "Bearer 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" | PASSED | 0.000 s |
| 5 | When I do GET request with URL "orgs/{orgName}/repos" | PASSED | 0.641 s |
| 6 | Then I validate the status code is 200 | PASSED | 0.001 s |


Fetch all the public repos for valid org with per page



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given path param "orgName" with value "ckjavahelpmate" | PASSED | 0.000 s |
| 2 | And query param "type" with value "public" | PASSED | 0.000 s |


| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 3 | And header param "authorization" with value "Bearer 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" | PASSED | 0.000 s |
| 4 | When I do GET request with URL "orgs/{orgName}/repos" | PASSED | 1.058 s |
| 5 | Then I validate the status code is 200 | PASSED | 0.002 s |

Fetch all the public repos for valid org with per page



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given path param "orgName" with value "ckjavahelpmate" | PASSED | 0.000 s |
| 2 | And query param "type" with value "private" | PASSED | 0.000 s |
| 3 | And header param "authorization" with value "Bearer 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" | PASSED | 0.000 s |
| 4 | When I do GET request with URL "orgs/{orgName}/repos" | PASSED | 0.556 s |
| 5 | Then I validate the status code is 200 | PASSED | 0.001 s |

Fetch all the public repos for valid org with per page



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given path param "orgName" with value "abcd" | PASSED | 0.000 s |
| 2 | And query param "type" with value "public" | PASSED | 0.000 s |

DETAILED SECTION -- 14 --

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 3 | And header param "authorization" with value "Bearer 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" | PASSED | 0.000 s |
| 4 | When I do GET request with URL "orgs/{orgName}/repos" | PASSED | 0.461 s |
| 5 | Then I validate the status code is 404 | PASSED | 0.001 s |