



Feature			Scer	nario	)		Step		
Name	Duration	T	P	F	S	<b>T</b>	P	F	S
GitHub Create Repo Endpoint Scenarios	3.663 s	2	0	2	0	12	8	2	2
List Organization repositories Endpoint Scenarios	5.321 s	8	8	0	0	36	36	0	0

Tag		Scei	nario		Feature			
Name	T	P	F	S	T	P	F	S
@json	1	0	1	0	1	0	1	0
@deserialization	1	0	1	0	1	0	1	0
@smoke	1	1	0	0	1	1	0	0
@negative	1	1	0	0	1	1	0	0




#	Feature Name	T	P	F	S	Duration
1	GitHub Create Repo Endpoint Scenarios	2	0	2	0	3.663 s
2	List Organization repositories Endpoint Scenarios	8	8	0	0	5.321 s

SCENARIOS SUMMARY -- 5 --



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	GitHub Create Repo Endpoint Scenarios	Create organization repository	5	4	1	0	2.785 s
2	GitHub Create Repo Endpoint Scenarios	Create organization repository	7	4	1	2	0.858 s
3	List Organization repositories Endpoint Scenarios	Fetch all the public repos for valid org	3	3	0	0	0.704 s
4	List Organization repositories Endpoint Scenarios	Fetch all the public repos for inavlid org	3	3	0	0	0.445 s
5	List Organization repositories Endpoint Scenarios	Fetch all the public repos for valid org with token	4	4	0	0	0.801 s
6	List Organization repositories Endpoint Scenarios	Fetch all the private repos for valid org with token	5	5	0	0	0.641 s
7	List Organization repositories Endpoint Scenarios	Fetch all the public repos for valid org with per page	6	6	0	0	0.637 s


SCENARIOS SUMMARY -- 6 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
8	List Organization repositories Endpoint Scenarios	Fetch all the public repos for valid org with per page	5	5	0	0	0.779 s
9	List Organization repositories Endpoint Scenarios	Fetch all the public repos for valid org with per page	5	5	0	0	0.796 s
10	List Organization repositories Endpoint Scenarios	Fetch all the public repos for valid org with per page	5	5	0	0	0.486 s

DETAILED SECTION -- 7 --

# **GitHub Create Repo Endpoint Scenarios**




#### **Create organization repository**



#	Step / Hook Details	Status	Duration
1	Given path param "orgName" with value "ckjavahelpmate"	PASSED	0.016 s
2	And body param from file "createRepo.json"	PASSED	0.030 s
3	And header param "Authorization" with value "Bearer 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"	PASSED	0.003 s
4	When I do POST request with URL "orgs/{orgName}/repos"	PASSED	2.115 s
5	Then I validate the status code is 201	FAILED	0.042 s
	java.lang.AssertionError: 1 expectation failed. Expected status code <201> but was <422>.  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/java.lang.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallConstructor(CallSiteArray.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:263) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512)		

#	Step / Hook Details	Status	Duration
	at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source)		
	at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45)		
	at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:125)		
	at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:139)		
	at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696)		
	at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43)		
	at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.		
	java:198)		
	at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62)		
	at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallCurrent(CallSiteArray.java:49)		
	at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:171)		
	at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185)		
	at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135)		
	at io.restassured.specification.ResponseSpecification\$statusCode\$2.callCurrent(Unknown Source)		
	at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallCurrent(CallSiteArray.java:49)		
	at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:171)		
	at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185)		
	at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143)		
	at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89)		
	at com.stepdefinitions.GitHubGetListOfOrnganizationReposStepDefinition.		
	iValidateTheStatusCodeIs(GitHubGetListOfOrnganizationReposStepDefinition.java:77)		
	at ?.I validate the status code is 201(file:///D:/SeleniumNew/framework/Rest_Assured_02_BDD_Framework/src/test/		
	resources/features/GitHubCreateRepo.feature:11)		
	* Not displayable characters are replaced by '?'.		

# **Create organization repository**




#	Step / Hook Details	Status	Duration
1	Given path param "orgName" with value "ckjavahelpmate"	PASSED	0.000 s
2	And body param input keys "name,description,private" and values "DemoRepo-09,Deserialization repo-05,true"	PASSED	0.293 s
3	And header param "Authorization" with value "Bearer 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"	PASSED	0.001 s
4	When I do POST request with URL "orgs/{orgName}/repos"	PASSED	0.550 s
5	Then I validate the status code is 201	FAILED	0.003 s
	java.lang.AssertionError: 1 expectation failed. Expected status code <201> but was <422>. at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Vontructor.java:480) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.codehaus.groovy.runtime.callsite.Constructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSite*Constructor.Qava:77) at io.restassured.internal.ResponseSpecificationImplsHamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512) at io.restassured.internal.ResponseSpecificationImplsHamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512) at io.restassured.internal.ResponseSpecificationImpl.validateResponselfRequired(ResponseSpecificationImpl.groovy:696) at io.restassured.internal.ResponseSpecificationImpl.this\$25validateResponselfRequired(ResponseSpecificationImpl.groovy) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:43) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(PlainObjectMetaMethodSite.java:143) at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.dolnvoke(PlainObjectMetaMethodSite.java:43) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:185) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:185) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.gr		
6	Then I validate the "name" is "DemoRepo-09"	SKIPPED	0.001 s
7	Then I validate create repo response keys "name,description,private" and values "DemoRepo-09,Descrialization repo-05,true"	SKIPPED	0.000 s

# **List Organization repositories Endpoint Scenarios**


PASSED	DURATION - 5.321 s	Scenarios		Steps	
		Total - 8		Total - 36	
/ 5:57:43.716 PM	// 5:57:49.037 PM /	Pass - 8	8	Pass - 36	36
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

#### Fetch all the public repos for valid org




#	Step / Hook Details	Status	Duration
1	Given path param "orgName" with value "ckjavahelpmate"	PASSED	0.001 s
2	When I do GET request with URL "orgs/{orgName}/repos"	PASSED	0.698 s
3	Then I validate the status code is 200	PASSED	0.001 s

#### Fetch all the public repos for inavlid org




#	Step / Hook Details	Status	Duration
1	Given path param "orgName" with value "abcd"	PASSED	0.000 s
2	When I do GET request with URL "orgs/{orgName}/repos"	PASSED	0.440 s
3	Then I validate the status code is 404	PASSED	0.001 s

# Fetch all the public repos for valid org with token



#	Step / Hook Details	Status	Duration
1	Given path param "orgName" with value "ckjavahelpmate"	PASSED	0.000 s
2	And header param "Authorization" with value "Bearer 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"	PASSED	0.000 s
3	When I do GET request with URL "orgs/{orgName}/repos"	PASSED	0.795 s
4	Then I validate the status code is 200	PASSED	0.001 s


#### Fetch all the private repos for valid org with token



#	Step / Hook Details	Status	Duration
1	Given path param "orgName" with value "ckjavahelpmate"	PASSED	0.000 s
2	And query param "type" with value "private"	PASSED	0.011 s
3	And header param "Authorization" with value "Bearer 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"	PASSED	0.001 s


#	Step / Hook Details	Status	Duration
4	When I do GET request with URL "orgs/{orgName}/repos"	PASSED	0.623 s
5	Then I validate the status code is 200	PASSED	0.000 s

#### Fetch all the public repos for valid org with per page



#	Step / Hook Details	Status	Duration
1	Given path param "orgName" with value "ckjavahelpmate"	PASSED	0.001 s
2	And query param "per_page" with value "10"	PASSED	0.000 s
3	And query param "page" with value "1"	PASSED	0.000 s
4	And header param "Authorization" with value "Bearer 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"	PASSED	0.000 s
5	When I do GET request with URL "orgs/{orgName}/repos"	PASSED	0.632 s
6	Then I validate the status code is 200	PASSED	0.001 s


# Fetch all the public repos for valid org with per page



#	Step / Hook Details	Status	Duration
1	Given path param "orgName" with value "ckjavahelpmate"	PASSED	0.001 s
2	And query param "type" with value "public"	PASSED	0.000 s


#	Step / Hook Details	Status	Duration
3	And header param "authorization" with value "Bearer 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"	PASSED	0.000 s
4	When I do GET request with URL "orgs/{orgName}/repos"	PASSED	0.773 s
5	Then I validate the status code is 200	PASSED	0.002 s

# Fetch all the public repos for valid org with per page



#	Step / Hook Details	Status	Duration
1	Given path param "orgName" with value "ckjavahelpmate"	PASSED	0.000 s
2	And query param "type" with value "private"	PASSED	0.000 s
3	And header param "authorization" with value "Bearer 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"	PASSED	0.001 s
4	When I do GET request with URL "orgs/{orgName}/repos"	PASSED	0.791 s
5	Then I validate the status code is 200	PASSED	0.001 s

# Fetch all the public repos for valid org with per page



#	Step / Hook Details	Status	Duration
1	Given path param "orgName" with value "abcd"	PASSED	0.000 s
2	And query param "type" with value "public"	PASSED	0.000 s

DETAILED SECTION -- 14 --

#	Step / Hook Details	Status	Duration
3	And header param "authorization" with value "Bearer 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"	PASSED	0.000 s
4	When I do GET request with URL "orgs/{orgName}/repos"	PASSED	0.480 s
5	Then I validate the status code is 404	PASSED	0.001 s