

Cucumber Report

Feb 4, 2024, 5:58:24 PM

Start : Feb 04, 5:58:16.495 PM

End : Feb 04, 5:58:23.906 PM

Duration : 7.411 s

Features



Scenarios

Steps

PASSED - 1
FAILED - 1
SKIPPED - 0


PASSED - 8
FAILED - 2
SKIPPED - 0

PASSED - 44
FAILED - 2
SKIPPED - 2




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>GitHub Create Repo Endpoint Scenarios</u>	2.543 s	2	0	2	0	12	8	2	2
<u>List Organization repositories Endpoint Scenarios</u>	4.855 s	8	8	0	0	36	36	0	0


Tag	Scenario				Feature			
Name	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>
@json	1	0	1	0	1	0	1	0
@deserialization	1	0	1	0	1	0	1	0
@smoke	1	1	0	0	1	1	0	0
@negative	1	1	0	0	1	1	0	0



#	Feature Name	T	P	F	S	Duration
1	<u>GitHub Create Repo Endpoint Scenarios</u>	2	0	2	0	2.543 s
2	<u>List Organization repositories Endpoint Scenarios</u>	8	8	0	0	4.855 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>GitHub Create Repo Endpoint Scenarios</u>	<u>Create organization repository</u>	5	4	1	0	1.713 s
2	<u>GitHub Create Repo Endpoint Scenarios</u>	<u>Create organization repository</u>	7	4	1	2	0.815 s
3	<u>List Organization repositories Endpoint Scenarios</u>	<u>Fetch all the public repos for valid org</u>	3	3	0	0	0.685 s
4	<u>List Organization repositories Endpoint Scenarios</u>	<u>Fetch all the public repos for invalid org</u>	3	3	0	0	0.431 s
5	<u>List Organization repositories Endpoint Scenarios</u>	<u>Fetch all the public repos for valid org with token</u>	4	4	0	0	0.757 s
6	<u>List Organization repositories Endpoint Scenarios</u>	<u>Fetch all the private repos for valid org with token</u>	5	5	0	0	0.579 s
7	<u>List Organization repositories Endpoint Scenarios</u>	<u>Fetch all the public repos for valid org with per page</u>	6	6	0	0	0.598 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
8	<u>List Organization repositories Endpoint Scenarios</u>	<u>Fetch all the public repos for valid org with per page</u>	5	5	0	0	0.781 s
9	<u>List Organization repositories Endpoint Scenarios</u>	<u>Fetch all the public repos for valid org with per page</u>	5	5	0	0	0.535 s
10	<u>List Organization repositories Endpoint Scenarios</u>	<u>Fetch all the public repos for valid org with per page</u>	5	5	0	0	0.459 s

GitHub Create Repo Endpoint Scenarios

FAILED	DURATION - 2.543 s	Scenarios Total - 2 Pass - 0 Fail - 2 Skip - 0		Steps Total - 12 Pass - 8 Fail - 2 Skip - 2	
/ 5:58:16.495 PM // 5:58:19.038 PM /					



Create organization repository

<div><div>FAILED</div><div>DURATION - 1.713 s</div></div>		<div></div>	<div>Steps</div> <div>Total - 5</div> <div>Pass - 4</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
/ 5:58:16.498 PM // 5:58:18.211 PM /				
GitHub Create Repo Endpoint Scenarios				
@json				

#	Step / Hook Details	Status	Duration
1	Given path param "orgName" with value "ckjavahelpmate"	PASSED	0.008 s
2	And body param from file "createRepo.json"	PASSED	0.021 s
3	And header param "Authorization" with value "Bearer ghp_sukWQEk2RBTtbCt9l2DLVzhMLTBrSI2y5bBi"	PASSED	0.001 s
4	When I do POST request with URL "orgs/{orgName}/repos"	PASSED	1.261 s
5	Then I validate the status code is 201 java.lang.AssertionError: 1 expectation failed. Expected status code <201> but was <422>. at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallConstructor(CallSiteArray.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:263) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512)	FAILED	0.020 s



#	Step / Hook Details	Status	Duration
	<pre> at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:125) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:139) at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696) at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallCurrent(CallSiteArray.java:49) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:171) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135) at io.restassured.specification.ResponseSpecification\$statusCode\$2.callCurrent(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallCurrent(CallSiteArray.java:49) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:171) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143) at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89) at com.stepdefinitions.GitHubGetListOfOrganizationReposStepDefinition. iValidateTheStatusCodes(GitHubGetListOfOrganizationReposStepDefinition.java:77) at ?.I validate the status code is 201(file:///D:/SeleniumNew/framework/Rest_Assured/Rest_Assured_02_BDD_Framework/src/test/ resources/features/GitHubCreateRepo.feature:11) * Not displayable characters are replaced by '?'. </pre>		

Create organization repository



<div>FAILED</div> <div>DURATION - 0.815 s</div>		<div></div>	<div>Steps</div> <div>Total - 7</div> <div>Pass - 4</div> <div>Fail - 1</div> <div>Skip - 2</div>	<div></div>
<div>/ 5:58:18.223 PM // 5:58:19.038 PM /</div>				
<div>GitHub Create Repo Endpoint Scenarios</div>				
<div>@deserialization</div>				

#	Step / Hook Details	Status	Duration
1	Given path param "orgName" with value "ckjavahelpmate"	PASSED	0.000 s
2	And body param input keys "name,description,private" and values "DemoRepo-09,Deserialization repo-05,true"	PASSED	0.195 s
3	And header param "Authorization" with value "Bearer ghp_sukWQEk2RBTtbCt9I2DLVzhMLTBrSi2y5bBi"	PASSED	0.000 s
4	When I do POST request with URL "orgs/{orgName}/repos"	PASSED	0.583 s
5	Then I validate the status code is 201 java.lang.AssertionError: 1 expectation failed. Expected status code <201> but was <422>. at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696) at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135) at io.restassured.specification.ResponseSpecification\$statusCode\$2.callCurrent(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143) at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89) at com.stepdefinitions.GitHubGetListOfOrganizationReposStepDefinition. iValidateTheStatusCodes(GitHubGetListOfOrganizationReposStepDefinition.java:77) at ?.I validate the status code is 201(file:///D:/SeleniumNew/framework/Rest_Assured/Rest_Assured_02_BDD_Framework/src/test/ resources/features/GitHubCreateRepo.feature:19) * Not displayable characters are replaced by '?'.	FAILED	0.008 s
6	Then I validate the "name" is "DemoRepo-09"	SKIPPED	0.008 s
7	Then I validate create repo response keys "name,description,private" and values "DemoRepo-09,Deserialization repo-05,true"	SKIPPED	0.000 s

List Organization repositories Endpoint Scenarios



PASSED	DURATION - 4.855 s	Scenarios Total - 8 Pass - 8 Fail - 0 Skip - 0		Steps Total - 36 Pass - 36 Fail - 0 Skip - 0	
/ 5:58:19.051 PM // 5:58:23.906 PM /					

Fetch all the public repos for valid org

PASSED	DURATION - 0.685 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 5:58:19.051 PM // 5:58:19.736 PM /				
List Organization repositories Endpoint Scenarios				
@smoke				



#	Step / Hook Details	Status	Duration
1	Given path param "orgName" with value "ckjavahelpmate"	PASSED	0.000 s
2	When I do GET request with URL "orgs/{orgName}/repos"	PASSED	0.680 s
3	Then I validate the status code is 200	PASSED	0.001 s

Fetch all the public repos for invalid org

PASSED	DURATION - 0.431 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 5:58:19.740 PM // 5:58:20.171 PM /				
List Organization repositories Endpoint Scenarios				
@negative				



#	Step / Hook Details	Status	Duration
1	Given path param "orgName" with value "abcd"	PASSED	0.001 s
2	When I do GET request with URL "orgs/{orgName}/repos"	PASSED	0.425 s
3	Then I validate the status code is 404	PASSED	0.002 s

Fetch all the public repos for valid org with token

PASSED	DURATION - 0.757 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 5:58:20.177 PM // 5:58:20.934 PM /				
List Organization repositories Endpoint Scenarios				

#	Step / Hook Details	Status	Duration
1	Given path param "orgName" with value "ckjavahelpmate"	PASSED	0.000 s
2	And header param "Authorization" with value "Bearer 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"	PASSED	0.000 s
3	When I do GET request with URL "orgs/{orgName}/repos"	PASSED	0.752 s
4	Then I validate the status code is 200	PASSED	0.002 s



Fetch all the private repos for valid org with token

PASSED	DURATION - 0.579 s		Steps Total - 5 Pass - 5 Fail - 0 Skip - 0	
/ 5:58:20.939 PM // 5:58:21.518 PM /				
List Organization repositories Endpoint Scenarios				

#	Step / Hook Details	Status	Duration
1	Given path param "orgName" with value "ckjavahelpmate"	PASSED	0.000 s
2	And query param "type" with value "private"	PASSED	0.004 s
3	And header param "Authorization" with value "Bearer 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"	PASSED	0.000 s



#	Step / Hook Details	Status	Duration
4	When I do GET request with URL "orgs/{orgName}/repos"	PASSED	0.570 s
5	Then I validate the status code is 200	PASSED	0.001 s

Fetch all the public repos for valid org with per page

PASSED	DURATION - 0.598 s		<div>Steps Total - 6 Pass - 6 Fail - 0 Skip - 0</div> <div></div>
/ 5:58:21.522 PM // 5:58:22.120 PM /			
List Organization repositories Endpoint Scenarios			

#	Step / Hook Details	Status	Duration
1	Given path param "orgName" with value "ckjavahelpmate"	PASSED	0.001 s
2	And query param "per_page" with value "10"	PASSED	0.000 s
3	And query param "page" with value "1"	PASSED	0.001 s
4	And header param "Authorization" with value "Bearer ghp_sukWQEk2RBTtbCt9I2DLVzhMLTBrSi2y5bBi"	PASSED	0.000 s
5	When I do GET request with URL "orgs/{orgName}/repos"	PASSED	0.594 s
6	Then I validate the status code is 200	PASSED	0.001 s



Fetch all the public repos for valid org with per page

<div>PASSED</div> <div>DURATION - 0.781 s</div>		<div>Steps</div> <div>Total - 5</div> <div>Pass - 5</div> <div>Fail - 0</div> <div>Skip - 0</div> <div></div>
<div>/ 5:58:22.126 PM // 5:58:22.907 PM /</div>		
<div>List Organization repositories Endpoint Scenarios</div>		

#	Step / Hook Details	Status	Duration
1	Given path param "orgName" with value "ckjavahelpmate"	PASSED	0.000 s
2	And query param "type" with value "public"	PASSED	0.000 s



#	Step / Hook Details	Status	Duration
3	And header param "authorization" with value "Bearer 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"	PASSED	0.000 s
4	When I do GET request with URL "orgs/{orgName}/repos"	PASSED	0.776 s
5	Then I validate the status code is 200	PASSED	0.002 s

Fetch all the public repos for valid org with per page

PASSED	DURATION - 0.535 s		<div>Steps</div> <div>Total - 5</div> <div>Pass - 5</div> <div>Fail - 0</div> <div>Skip - 0</div>				
/ 5:58:22.910 PM // 5:58:23.445 PM /							
List Organization repositories Endpoint Scenarios							

#	Step / Hook Details	Status	Duration
1	Given path param "orgName" with value "ckjavahelpmate"	PASSED	0.000 s
2	And query param "type" with value "private"	PASSED	0.000 s
3	And header param "authorization" with value "Bearer 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"	PASSED	0.000 s
4	When I do GET request with URL "orgs/{orgName}/repos"	PASSED	0.532 s
5	Then I validate the status code is 200	PASSED	0.000 s

Fetch all the public repos for valid org with per page

PASSED	DURATION - 0.459 s		<div>Steps</div> <div>Total - 5</div> <div>Pass - 5</div> <div>Fail - 0</div> <div>Skip - 0</div>				
/ 5:58:23.447 PM // 5:58:23.906 PM /							
List Organization repositories Endpoint Scenarios							

#	Step / Hook Details	Status	Duration
1	Given path param "orgName" with value "abcd"	PASSED	0.000 s
2	And query param "type" with value "public"	PASSED	0.001 s

#	Step / Hook Details	Status	Duration
3	And header param "authorization" with value "Bearer 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"	PASSED	0.000 s
4	When I do GET request with URL "orgs/{orgName}/repos"	PASSED	0.454 s
5	Then I validate the status code is 404	PASSED	0.001 s