1.WAQTD names and salaries of all employees.

```
SELECT ENAME,SAL
FROM EMP;
```

2.WAQTD details of employees working in department 10 or 30.

```
SELECT * FROM EMP
WHERE DEPTNO = 10 OR DEPTNO = 30;
```

3.WAQTD names of employees whose names start with 'S'.

```
SELECT ENAME
FROM EMP
WHERE ENAME LIKE 'S%';
```

4.WAQTD details of employees earning salary between 2000 and 5000.

```
SELECT * FROM EMP
WHERE SAL BETWEEN 2000 AND 5000;
```

5.WAQTD names and jobs of employees who are not working as MANAGER or CLERK.

```
SELECT ENAME,JOB
FROM EMP
WHERE JOB NOT IN ('MANAGER','CLERK');
```

6.WAQTD names of employees whose commission is NULL.

```
SELECT ENAME
FROM EMP
WHERE COMM IS NULL;
```

7.WAQTD names and salaries of employees earning more than the average salary.

```
SELECT ENAME,SAL
FROM EMP
WHERE SAL > ( SELECT AVG(SAL)
FROM EMP);
```

8.WAQTD names of employees and their annual salary.

```
SELECT ENAME, SAL*12 AS ANNUAL_SAL
FROM EMP;
```

9.WAQTD names of employees earning less than MILLER.

```
SELECT ENAME
FROM EMP
WHERE SAL < ( SELECT SAL
FROM EMP
WHERE ENAME = 'MILLER');
```

10.WAQTD number of employees working in each department.

```
SELECT DEPTNO, COUNT(*) NUM_EMP
FROM EMP
GROUP BY DEPTNO;
```

11.WAQTD maximum salary given to each job.

```
SELECT JOB,MAX(SAL)
FROM EMP
GROUP BY JOB;
```

12.WAQTD number of employees working in each department if there are at least 3 employees in each department.

```
SELECT DEPTNO, COUNT(*) NUM_EMP
FROM EMP
WHERE DEPTNO >= 3
GROUP BY DEPTNO;
```

13.WAQTD names and salaries of employees earning more than all employees working in department 10.

```
SELECT ENAME,SAL
FROM EMP
WHERE SAL > ALL( SELECT MAX(SAL)
FROM EMP
WHERE DEPTNO = 10);
```

14.WAQTD names and salaries of employees earning less than any employee working in department 20.

```
SELECT ENAME,SAL
FROM EMP
WHERE SAL < ALL( SELECT MAX(SAL)
FROM EMP
WHERE DEPTNO = 20);
```

15.WAQTD second maximum salary in EMP table.

```
SELECT MAX(SAL)
FROM EMP
WHERE SAL < (SELECT MAX(SAL)
FROM EMP );
```

16.WAQTD names of employees earning more than 3000 and arrange their salaries in descending order.

```
SELECT ENAME
FROM EMP
WHERE SAL > 3000
ORDER BY SAL DESC;
```

17.WAQTD names of employees whose names contain the character 'A'.

```
SELECT ENAME
FROM EMP
WHERE ENAME LIKE '%A%';
```

18.WAQTD name of the manager of ALLEN.

```
SELECT ENAME
FROM EMP
WHERE EMPNO = ( SELECT MGR
FROM EMP
WHERE ENAME = 'ALLEN');
```

19.WAQTD names of employees reporting to KING.

```
SELECT ENAME
FROM EMP
WHERE MGR = ( SELECT EMPNO
FROM EMP
WHERE ENAME = 'KING');
```

20.WAQTD names and salaries of employees reporting to JAMES.

```
SELECT ENAME,SAL
FROM EMP
WHERE MGR = ( SELECT EMPNO
FROM EMP
WHERE ENAME = 'JAMES');
```