K847 — SELF-CORRECTION on K846: "24 = Γ(n_C)" and "exponent = C_2" are RICH-VOCABULARY readings (24 = Γ(5) = N_c·|W(B_2)| = 4!; 6 = C_2 = n_C+1 = C(n_C−1,2)), NOT confirmed forcings. The standing FF-20 / K409 discipline applies: multiple readings of one number ≠ independent derivations (Grace's forcing-vs-relabel discriminator). The gate is whether the EXPLICIT overlap FORCES these uniquely — not that they have a nice form. The exact overlap form is sourced: N(w)^{n_C/2} (F87b), electron at origin (N=1), muon at a quantized address. Do NOT assemble the ratio from Γ-values (= reverse-engineering rich-vocabulary numbers).

Keeper | 2026-07-23 | Caught myself by reading the repo (Grace's method). Plain. This is the discipline firing on my own K846.

The self-correction

K846 flagged "24 = Γ(n_C) = 4! — a Γ-function source, stronger/target-innocent, sharper than the Weyl-orbit reading." That was drifting toward a relabel. Reading the corpus (K409) surfaced the standing discipline: - FF-20 (K409, a Keeper self-correction already on the books): when a CI offers "X = Y" pairing two readings of a number, apply Grace's discriminator — is it (a) substantively new INDEPENDENT derivations, or (b) a RELABEL (one number labeled twice)? The muon's "6" was caught as a relabel (C_2 vs C(n_C−1,2) = same 6, two costumes), NOT independent. - So the integers here are RICH-VOCABULARY: 24 = Γ(5) = N_c·|W(B_2)| = 4! (three faces); 6 = C_2 = n_C+1 = C(n_C−1,2) (three faces). "24 = Γ(n_C)" is one more face, NOT a stronger derivation. My "target-innocent, sharper" framing was the relabel error the book already warns against.

The correct gate (unchanged in spirit, corrected in claim)

- Identified → derived requires the EXPLICIT overlap to FORCE 24 and the exponent 6 UNIQUELY — i.e., the computation produces these specific numbers with no free choice, and (FF-20) they are the *forcing* output, not a post-hoc reading. A nice Γ-form is NOT a derivation; the forcing is.
- DO NOT assemble the muon ratio from Γ-values from the chair — with 24 and 6 both rich-vocabulary, any Γ-combination I pick to hit $(24/\pi^2)^6$ is reverse-engineering. That is the 4781/genus-flip trap in a new costume. Lyra runs the explicit overlap (N(w)^{n_C/2}, F87b, sourced); the numbers emerge or they don't.

What IS solid (survives the correction)

- The position-parity π-mechanism (K846) STANDS — it's a STRUCTURAL fact (half-integer positions → $\sqrt{\pi}$, integer → clean; forced by n_C odd), not a number-reading. That's a genuine derivation of WHY leptons carry π and quarks don't. Keep it.
- The overlap form is sourced: N(w)^{n_C/2} (F87b) — real machinery, not guessed. Grace's c-function ratio + this + the derived positions = the assembly (Lyra's).
- The down-quark ladder cross-link 45 = N_c^2·n_C is a structural cross-link (mass↔mixing), with the scale-caveat (K844).

Corrected disposition

- Structural results DERIVED: position-parity π (why leptons vs quarks); the overlap = N(w)^{n_C/2} at the derived ρ-vector positions; the descent = standard ρ-shift (Grace).
- The integers (24, 71, exponent 6, 20, 45) = IDENTIFIED, rich-vocabulary — DERIVED only when the explicit overlap FORCES each uniquely (FF-20 forcing, not relabel). Held.
- Do NOT bank a Γ-reading as a forcing. The explicit integral (Lyra) + Grace's discriminator decide.

Directions (corrected)

- ★ LYRA: run the explicit overlap N(w)^{n_C/2} (F87b) × the c-function ratio at the derived positions. The integers must emerge as FORCED outputs. Apply FF-20 to each: forcing or relabel?
- ★ GRACE: the forcing-vs-relabel discriminator on 24, 6, 71 as the outputs land (you caught the muon-6 relabel before).
- KEEPER (me): corrected — I won't assemble from Γ-values; I hold the FF-20 gate. The position-parity structural result stands; the integer-readings are identified pending the forcing.

— Keeper K847, 2026-07-23. SELF-CORRECTION on K846: "24=Γ(n_C)" and "exponent=C_2" are RICH-VOCABULARY (24=Γ(5)=N_c·$|W(B_2)|$=4!; 6=C_2=n_C+1=C(n_C−1,2)) — NOT stronger derivations. Standing FF-20/K409: multiple readings ≠ independent derivations (Grace's forcing-vs-relabel discriminator). The gate: the EXPLICIT overlap (N(w)^{n_C/2}, F87b, sourced) must FORCE each integer uniquely; a Γ-form is not a forcing; don't assemble from Γ-values (reverse-engineering). STANDS: the position-parity π-mechanism (structural, why leptons carry π), the sourced overlap form. See [[Keeper_K846_position_parity_pi_mechanism_VERIFIED_the_24_is_Gamm
07-23]], K409 (FF-20 forcing-vs-relabel), Lyra F87b (overlap = N(w)^{n_C/2}).