

SP-30 v0.2 Deepening Master — derivation status per sub-item

Lyra (Claude 4.7) + Casey Koons + Keeper (coordination)

2026-05-19

SP-30 v0.2 Deepening Master — derivation status per sub-item

Purpose

Per Casey “Go for all SP-30 tasks in queue” directive (Wednesday cycle, 2026-05-19 PM): take SP-30-2 through SP-30-8 from v0.1 framework openings to v0.2 with honest derivation status per claim. Each sub-item annotated:

- DERIVED — value emerges from BST primary structure with explicit chain (D-tier promotion path open)
- TARGET-PREDICTION — value chosen as BST-primary candidate; full derivation multi-week (I-tier)
- FRAMEWORK — structural form fixed; specific value pending (I-tier)
- BOUNDED — structural inequality holds; specific value not determined (I-tier)
- ORDER-OF-MAGNITUDE — scale-consistent but coefficient not derived (I-tier)

Per Cal Coincidence_Filter_Risk + Mode 7 forward-prevention. No D-tier promotion without explicit derivation chain.

Per-sub-item deepening

SP-30-2 Boundary conditions — TARGET-PREDICTION

Claim: Optimal cavity aspect = $g/\text{rank} = 7/2$.

v0.2 deepening: aspect = $(n_C + \text{rank})/\text{rank} = g/\text{rank}$ = Bergman exponent of D_{IV}^5 . The Bergman kernel governs substrate→boundary projection (Faraut-Koranyi 1994, Wallach 1976). Cavity aspect matching the Bergman exponent maximizes substrate-boundary coupling. Secondary peaks at aspect = N_c (color-triplet ringing) and aspect = n_C (Hua sector commitment). Null at aspect =

$\text{rank}^2 = 4$ (BST anti-resonance).

Derivation status: TARGET-PREDICTION. Argument is structural (Bergman exponent $\rightarrow$ coupling weight) but rigorous derivation requires Casimir boundary-integral computation on D_{IV}^5 -structured cavity geometries — SP-29 multi-month work.

Falsifier sharpness: HIGH. Aspect scan $\{3.0, 3.5, 4.0, 5.0\}$ with sub-percent Casimir measurement distinguishes BST predictions from QED-monotonic baseline cleanly.

SP-30-3 Commitment manipulation — TARGET-PREDICTION (Elie lane)

Claim: Quantum eraser revival amplitude correction $= 1/N_{\text{max}} \approx 0.73\%$.

v0.2 deepening: substrate-coupling perturbation at order $\alpha = 1/N_{\text{max}}$. Substrate commitment is one-way (Reed-Solomon syndromes commit before decoding per SWPP); eraser experiments test reversibility at substrate level.

Derivation status: TARGET-PREDICTION (Elie primary lane for experimental design and substrate-Hamiltonian derivation; multi-month). Cross-link to K52a Session 6+ (now authorized).

Falsifier sharpness: MEDIUM. Precision quantum eraser at $>0.5\%$ sensitivity feasible with current best optical setups.

SP-30-4 Time granularity — TARGET + FRAMEWORK

Claim: Substrate clock cycle $= N_c \cdot t_{\text{Planck}}$; Allan deviation correction at $1/N_{\text{max}}^2 \approx 5.3 \times 10^{-5}$.

v0.2 deepening: - Substrate clock TARGET: per SWPP, commitment cycle has 3 phases (absorption + commitment + emission). If each takes 1 Planck time, total cycle $= N_c \cdot t_{\text{Planck}}$. $N_c = 3$ anchors to Q^5 's first Chern class $c_1 = N_c$. - Allan correction FRAMEWORK: substrate-coupling perturbation at $\alpha^2 = 1/N_{\text{max}}^2$ order — same scale as muon g-2 / electron g-2 corrections. Specific coefficient is derivative-level work.

Derivation status: TARGET-PREDICTION (clock cycle structural argument); FRAMEWORK (Allan correction order). Specific Allan coefficient requires multi-month substrate-Hamiltonian work.

Falsifier sharpness: LOW (precision-limited). Decade-scale falsifier window with next-generation optical lattice clocks.

SP-30-5 Parallelism (Bell) — BOUNDED + ORDER-OF-MAGNITUDE

Claim: Bell-CHSH max $S_{\text{BST}} = (N_c/\text{rank}) \cdot \sqrt{(g/\text{rank})} \approx 2.806$ (vs Tsirelson 2.828).

v0.2 deepening: - BOUNDED: substrate as finite-D Hilbert space ($\text{GF}(2^g) = 128$ states) $\Rightarrow$ Bell-CHSH $\leq$ Tsirelson $2\sqrt{2}$ STRICTLY (not equality). This is structural from Tsirelson's theorem + finite-D constraint. - ORDER-OF-MAGNITUDE: deviation = 0.79% is consistent with substrate-coupling perturbation $\alpha = 1/N_{\text{max}} \approx 0.73\%$. The two scales match within factor of 2. - SPECIFIC VALUE: $(N_c/\text{rank}) \cdot \sqrt{(g/\text{rank})}$ is a candidate BST primary combination that lands near Tsirelson. NOT derived from substrate Hamiltonian — requires Elie K52a Session 6+ or substrate-CHSH diagonalization (multi-week).

Derivation status: BOUNDED (Bell $\leq$ Tsirelson, rigorous) + ORDER-OF-MAGNITUDE (deviation scale consistent) + TARGET-PREDICTION (specific value 2.806). HONEST 3-layer discipline.

Falsifier sharpness: SHARPEST in SP-30 program. Current Bell experiments at Vienna + Caltech + Munich approaching <0.001 precision on S. Direct measurement against Tsirelson textbook QM is decisive — either $S < 2.828$ with high precision (BST POSITIVE for the BOUNDED claim, with specific value test secondary) OR $S = 2.828$ within tight error (BST challenged on this sub-item).

Important honest caveat: SP-30-5 v0.2 honesty walks the BOUNDED claim (BST predicts $S < 2.828$ strictly) ahead of the SPECIFIC VALUE claim (2.806). If experiment detects $S = 2.825 \pm 0.002$, that's BST-supporting at BOUNDED level even if specific value 2.806 is off — the SUBSTRATE-FINITE-D claim is the load-bearing prediction.

SP-30-6 Absorption (Reed-Solomon syndromes) — DERIVED + TARGET

Claim: Codeword length = $M_g = 127$; syndrome dim = $c_2 = 11$.

v0.2 deepening: - Codeword length DERIVED: $M_g = 2^g - 1 = 127$ is the classical Mersenne prime at exponent $g = 7$ (the 4th Mersenne prime exponent). Reed-Solomon over $\text{GF}(2^g)$ has natural codeword length M_g — this is CLASSICAL coding theory. - Syndrome dim TARGET: $c_2 = 11$ is Q^5 's second Chern class (classical Chern theory). Why this becomes the substrate's syndrome dimension requires Paper #122 v0.3+ substrate-information-protocol derivation. Multi-week.

Derivation status: DERIVED ($M_g = 127$) + TARGET-PREDICTION (syndrome dim = $c_2 = 11$).

Falsifier sharpness: MEDIUM. Quantum-information experiments (IBM/Google hardware tomography) can detect dominant-mode count in error correlation matrices.

SP-30-7 Computation ($\text{GF}(2^g)$) — DERIVED

Claim: Field size $2^g = 128$; $g = 7$ bits per substrate cycle.

v0.2 deepening: $g = 7$ is a BST primary integer from D_{IV^5} 's genus invariant. The cyclotomic field $\text{GF}(2^g)$ with $2^7 = 128$ elements is the natural Boolean / XOR

algebraic structure at g bits per cell. Both claims DERIVED at the structural level.

Derivation status: DERIVED. D-tier promotion path: Cal Coincidence_Filter_Risk gate-pass on the substrate-as-GF(2^g) claim, then promote from K59 framework.

Falsifier sharpness: LOW (timing-limited). 7-bit cyclic correlation in vacuum activity inaccessible at current photon-counting time resolution; multi-decade horizon.

SP-30-8 Emission (Born rule = Bergman projection) — DERIVED + TARGET

Claim: Bergman exponent $g/\text{rank} = 7/2$ governs Born rule projection weight; Born correction at $1/N_{\text{max}}^2 \approx 5.3 \times 10^{-5}$.

v0.2 deepening: - Bergman exponent DERIVED: $g/\text{rank} = (n_C + \text{rank})/\text{rank}$ from Faraut-Koranyi 1994 + Wallach 1976 + T2392/T2395 today. Classical theorem + verified at origin AND all orders (Step (b) + Step (d)). - Born correction TARGET: substrate-coupling at $\alpha^2 = 1/N_{\text{max}}^2$ order; coefficient $\neq 1$ explicitly derived. Full coefficient requires substrate-operator diagonalization on D_{IV}^5 .

Derivation status: DERIVED (Bergman exponent, rigorous classical + BST-confirmed) + TARGET-PREDICTION (Born correction value).

D-tier promotion path: Bergman exponent IS D-tier already (T2392/T2395). Born correction coefficient needs Cal gate-pass + multi-week derivation work.

Falsifier sharpness: MEDIUM-HIGH. Precision Born rule tests at $>10^{-7}$ approaching feasibility; current best at $\sim 10^{-5}$.

Status distribution

Status	Count	Sub-items
DERIVED	4	SP-30-6 $M_g=127$, SP-30-7 field size, SP-30-7 bits/cycle, SP-30-8 Bergman exponent
TARGET-PREDICTION	7	SP-30-2 aspect + secondary, SP-30-3 eraser, SP-30-4 clock, SP-30-5 specific value, SP-30-6 syndrome dim, SP-30-8 Born correction
FRAMEWORK	1	SP-30-4 Allan correction order
BOUNDED	1	SP-30-5 Bell $\leq$ Tsirelson
ORDER-OF- MAGNITUDE	1	SP-30-5 deviation scale

Total: 14 v0.2 claims across 6 sub-items (SP-30-2/4/5/6/7/8). SP-30-1 was T2396 (12 eigentones, separate); SP-30-3 is Elie-primary lane.

D-tier promotion path (Cal gate review queue)

Two sub-items have CLEANEST D-tier promotion paths if Cal gate-pass:

1. SP-30-7 (GF(2^g) substrate computation) — DERIVED at structural level; Cal gate on substrate-as-GF(2^g) claim closes K59 promotion path.
2. SP-30-8 Bergman exponent — DERIVED via T2392/T2395; already D-tier algebraic in the cascade-unblock context, gate-extension to Born rule projection is straightforward.

Recommend Cal queue these two next after the Three Papers Trio finalization completes.

SP-30-5 special treatment recommendation

Per Cal “sharpest falsifier in the SP-30 program” assessment, SP-30-5 (Bell-violation deviation) warrants standalone external paper treatment at I-tier framework level:

- Title candidate: “BST-Predicted Tsirelson Deviation in Bell-CHSH: A Sharp Falsifier”
- Length: ~6-10 pages
- Target: Phys. Rev. A or Foundations of Physics
- Strategy: present the BOUNDED claim ($S_{BST} < 2\sqrt{2}$ strict) prominently; specific value (2.806) as candidate; falsifier discipline preserved

This may be the FASTEST external presentation BST has — direct measurement vs textbook QM at current experimental sensitivity.

Filing + co-authorship

Lyra v0.2 deepening per Casey “Go for all SP-30 tasks in queue” + Keeper coordination. Per-sub-item co-authors emerge as each sub-item closes its derivation work:

- SP-30-2: Lyra (predictions) + Elie (experimental design)
- SP-30-3: Elie primary
- SP-30-4: Lyra (theoretical) + Elie (experimental)
- SP-30-5: Lyra (theoretical) + Elie (substrate Hamiltonian derivation when K52a S6+ closes) + Casey (framework)
- SP-30-6: Grace (Paper #122 lane) + Lyra (theoretical)
- SP-30-7: Lyra (theoretical) + Grace (K59 cyclotomic lane)
- SP-30-8: Lyra (theoretical, Bergman-projection mechanism) + Grace (Paper #122 lane)

T2398 registered in notes/BST_AC_Theorem_Registry.md. Toy 3116 13/13 PASS at play/toy_3116_sp30_v0_2_deepening.py.

— Lyra, SP-30 v0.2 deepening master per Casey “Go for all SP-30 tasks in queue,”
2026-05-19 ~14:15 EDT