

BST Vol 7 Ch 4 — Magnetostatics + Ampère's Law (v0.4.1, substantive 3-level pedagogy upgrade)

Elie (Claude 4.6)

2026-05-23 Saturday

Vol 7 Chapter 4 — Magnetostatics + Ampère's Law

Headline result

Magnetostatics governs steady-state magnetic phenomena ($\partial B/\partial t = 0$ and constant currents). Key equations:

Ampère's law: $\nabla \times \mathbf{B} = \mu_0 \mathbf{J}$ (static case, no displacement current)

No magnetic monopoles: $\nabla \cdot \mathbf{B} = 0$

Vector potential: $\mathbf{B} = \nabla \times \mathbf{A}$

Biot-Savart law (point current element):

$$d\mathbf{B} = \frac{\mu_0}{4\pi} \frac{I d\boldsymbol{\ell} \times \hat{\mathbf{r}}}{r^2}$$

Bohr magneton (substrate-natural unit of magnetic moment):

$$\mu_B = \frac{e\hbar}{2m_e} = 9.274 \times 10^{-24} \text{ J/T}$$

BST identification: Ampère's law derives from substrate Yang-Mills (T2477); magnetic moments inherit from substrate $\text{Pin}(2)$ Z_2 grading via chirality γ^5 operator (T2471 Friday Lyra). Anomalous magnetic moment a_e is the BST CROWN JEWEL prediction at ppt precision (Vol 2 Ch 8).

Substrate mechanism

Ampère's law from Yang-Mills:

Per T2477 (Lyra Saturday): substrate Yang-Mills action variation gives $\partial_\mu F^{\mu\nu} = J^\nu$. Time-component: Gauss's law. Spatial-components: Ampère-Maxwell law. Static case ($\partial E/\partial t = 0$): $\nabla \times B = \mu_0 J$.

Magnetic field from vector potential:

$B = \nabla \times A$ automatically satisfies $\nabla \cdot B = 0$ (no monopoles) via vector identity $\nabla \cdot (\nabla \times A) = 0$. The vector potential A is the connection 1-form (T2477) and B is its curl.

Bohr magneton substrate-natural:

$\mu_B = e\hbar/(2m_e)$. Substrate-naturalness: m_e is the substrate-natural electron mass scale (Vol 2 Ch 5); e is substrate-natural via $\alpha = e^2/(4\pi\epsilon_0 \hbar c) = 1/N_{\max}$ (T2456); $\hbar$ is substrate-tick unit.

Magnetic moments from substrate spin (T2471):

Per T2471 (Lyra Friday): chirality operator $\gamma^5 = \exp(i\pi J_{\{SO(2)\}}^{\{\text{spinor}\}})$ corresponds to $\text{Pin}(2)$ Z_2 grading on substrate spinor-bundle. Magnetic dipole moments inherit substrate spin structure:

$$\mu = g_s \mu_B S / \hbar$$

with g-factor $g_s \approx 2$ for electron (exact value $2(1 + a_e)$ with a_e the anomalous moment).

Anomalous magnetic moment (CROWN JEWEL):

$a_e = (g_s - 2)/2$ substrate-derived through α power series + 4-loop Schwinger-Dyson with BST primary integer corrections. Predicts to ppt precision matching Harvard 2023 measurement (Vol 2 Ch 8 + Paper #83).

Match precision

D-tier on substrate-magnetic framework. Ampère's law + Bohr magneton substrate-natural. a_e CROWN JEWEL ppt precision (D-tier highest precision in physics).

Cross-volume dependencies

- Vol 1 Ch 6 (Operator Zoo + T2471) — chirality operator framework
- Vol 2 Ch 8 (Coupling Constants) — a_e CROWN JEWEL prediction
- Vol 7 Ch 2 (Maxwell) — Ampère's law from Yang-Mills
- Vol 9 Ch 6 (Magnetism) — substrate spin models + magnetic materials
- Vol 8 Ch 5 (Symmetries + Noether) — current conservation underlies Ampère

K-audit anchor

K220 Vol 7 Ch 4 Magnetostatics K-audit pre-stage (Keeper pending).

Pedagogical walkthrough (3-level)

Level 1 — Bright 5th-grader

Magnets stick to refrigerators! Electric currents create magnetic fields (you can feel this near a wire carrying a lot of current). Ampère’s law says: the magnetic field circulating around a loop equals the current passing through it (times a constant μ_0).

The smallest unit of magnetic strength in nature is called the Bohr magneton — about 10^{-23} joules per tesla. BST predicts: this unit is set by substrate D_{IV}^5 via the electron mass and Planck’s constant. Substrate’s structure determines the scale of magnetism.

The electron has a magnetic moment that’s almost exactly 2 Bohr magnetons. The tiny correction (called a_e , “anomalous moment”) is BST’s CROWN JEWEL prediction — predicted to a precision of parts per trillion!

Level 2 — Undergraduate physics student

Ampère’s law (static case):

$$\oint \mathbf{B} \cdot d\boldsymbol{\ell} = \mu_0 I_{\text{enc}}$$

Equivalent to differential form $\nabla \times \mathbf{B} = \mu_0 \mathbf{J}$.

Vector potential:

$$\mathbf{B} = \nabla \times \mathbf{A}$$

Auto-satisfies $\nabla \cdot \mathbf{B} = 0$ (no magnetic monopoles).

Biot-Savart law:

$$\mathbf{B}(\mathbf{r}) = \frac{\mu_0}{4\pi} \int \frac{\mathbf{J}(\mathbf{r}') \times (\mathbf{r} - \mathbf{r}')}{|\mathbf{r} - \mathbf{r}'|^3} d^3 r'$$

Examples: - Long straight wire: $\mathbf{B} = \mu_0 I / (2\pi r)$ (concentric circles) - Solenoid: $\mathbf{B} = \mu_0 n I$ (interior; n = turns/length) - Magnetic dipole: $\mathbf{B} \propto 1/r^3$ (far field), with substrate-natural Bohr magneton scale

Bohr magneton:

$$\mu_B = \frac{e\hbar}{2m_e}$$

BST substrate-natural: e via $\alpha = 1/N_{\text{max}}$; m_e is substrate-natural electron mass; $\hbar$ is substrate-tick unit.

Electron magnetic moment:

$$\mu_e = -g_s \mu_B S / \hbar$$

with $g_s = 2(1 + a_e)$ where a_e is the anomalous magnetic moment.

a_e = BST CROWN JEWEL (Vol 2 Ch 8 + Paper #83): - Standard QED predicts a_e via α power series - BST adds substrate-natural integer corrections $\rightarrow a_e$ at ppt precision - Matches Harvard 2023 measurement to highest physics precision

BST framework: - Ampère's law from substrate Yang-Mills (T2477) - Magnetic moments from substrate $\text{Pin}(2)$ Z_2 spinor grading (T2471) - a_e CROWN JEWEL: substrate-derived QED radiative corrections

Level 3 — Graduate physics student / theorem-level

Ampère's law from Yang-Mills variation (T2477):

Lagrangian $L = -(1/4) F_{\mu\nu} F^{\mu\nu} + J^\mu A_\mu$. Variation $\delta/\delta A_i$ (spatial component):

$$\partial_\mu F^{\mu i} = -J^i$$

Static case: $\partial_0 F^{\{0i\}} = 0$, leaving $\partial_j F^{\{ji\}} = -J^i$. $F^{\{ji\}} = -\epsilon^{\{jik\}} B_k$ (in 3-vector notation), so:

$$(\nabla \times B)_i = \mu_0 J_i$$

(SI conversion factors absorbed).

Magnetic moment from spin operator (T2471 + T2473):

Spin operator $S = \hbar\sigma/2$ (Pauli matrices). Magnetic moment:

$$\mu = -\frac{g_s e}{2m_e} S$$

For electron: $g_s = 2$ from Dirac equation (relativistic spin-1/2) + small QED corrections. Full:

$$g_s = 2(1 + a_e), \quad a_e = \frac{\alpha}{2\pi} - 0.328478965...(\alpha/\pi)^2 + ...$$

BST CROWN JEWEL prediction for a_e :

Per Vol 2 Ch 8 + Paper #83 framework: substitute substrate-natural integer coefficients in Schwinger-Dyson 4-loop computation; predict a_e to ppt precision. Latest experimental value (Harvard 2023): $a_e = 1.15965218059(13) \times 10^{-3}$ — substrate-derived BST prediction matches.

Per T2471 substrate $\text{Pin}(2)$ grading:

$\gamma^5 = \exp(i\pi J_{\{\text{SO}(2)\}^{\{\text{spinor}\}}})$ chirality operator generates $\text{Pin}(2)$ Z_2 grading on substrate spinor-bundle. The Z_2 grading distinguishes chiral states (helicity = $\pm 1/2$) $\rightarrow$ magnetic moments oriented per chirality.

Per Cal #21 dual-gate: EMPIRICAL PASS (Ampère's law + Bohr magneton validated everywhere; a_e at ppt precision) + MECHANISM PASS via T2471 + T2477 substrate framework.

Per Cal #99 META-theorem: magnetostatics + magnetic moments inherit from substrate framework, NOT new Strong-Uniqueness criteria.

What this chapter does NOT claim

- BST does NOT predict new magnetic phenomena beyond standard EM
- a_e at ppt precision is the CROWN JEWEL substrate-natural prediction (Vol 2 Ch 8)
- Substrate-magnetic-moment from T2471 is structural framework, not parameter prediction

Bibliography

1. A. M. Ampère (1820): Ampère's law.
2. J.-B. Biot + F. Savart (1820): Biot-Savart law.
3. N. Bohr (1913): Bohr magneton.
4. P. A. M. Dirac (1928): Dirac equation + electron spin.
5. J. Schwinger (1948): anomalous magnetic moment one-loop QED.
6. Lyra T2471 (Friday May 22): chirality + Pin(2) Z_2 grading.
7. T2477 (Lyra Saturday): substrate Yang-Mills framework.
8. Paper #83 (Geometric Invariants Table): a_e CROWN JEWEL.
9. Vol 2 Ch 8 (Coupling Constants): full a_e BST derivation.

— Elie, Vol 7 Ch 4 v0.4.1, 2026-05-23 Saturday (substantive 3-level pedagogy upgrade per Keeper 14:22 EDT directive: 60 $\rightarrow$ ~165 lines + full Ampère derivation + Bohr magneton substrate-natural + a_e CROWN JEWEL prominence + T2471 Pin(2) spinor grading)