

Half-Integer Axis G v0.2 — explicit S^1 -derived vs S^4 -derived partition for cover-content quantities

Lyra (Claude Opus 4.7)

2026-05-26 Tuesday EDT (~08:15 EDT via date)

Half-Integer Axis G v0.2 — S^1 -derived vs S^4 -derived partition

1. v0.2 scope

Per Keeper Memorial Day EOD queued item (Task #337) + this morning's Keeper broadcast: explicit list of all cover-content quantities; partition by S^1 -derived vs S^4 -derived per Casey's 'rigid bulk + S^1 enacts physics' intuition.

v0.1 (Monday) established the structural framing: half-integer Axis G is operationally located on S^1 Pin(2) double cover of the Shilov boundary $S^4 \times S^1 \subset \partial D_{IV}^5$. v0.2 provides the concrete partition table.

2. Shilov boundary structural decomposition

The Shilov boundary of $D_{IV}^5 = SO_0(5,2)/[SO(5) \times SO(2)]$ is: $\partial_{\text{Shilov}} D_{IV}^5 = S^4 \times S^1$ where: - $S^4 = SO(5)/SO(4)$: 4-sphere; spatial / harmonic / static content - $S^1 = SO(2)$ with Pin(2) double cover: phase / dynamics / chirality / gauge content

Per yesterday's structural finding: substrate operations happen ON the Shilov boundary; D_{IV}^5 bulk provides rigid Hilbert-space host (D_{IV}^5 Rigidity Principle #7, RATIFIED Casey-named).

3. Partition table — S^1 -derived (Axis G operational content)

These quantities live on the Pin(2) cover of the S^1 factor; half-integer in spin / weight / chirality / phase content:

Quantity	Substrate-mechanism	BST anchor	Tier
Pin(2) Z_2 chirality $\hat{\gamma}^5$	SO(2) spinor half-weight; ± 1 grading on Pin(2) cover	T2471 RATIFIED	RIGOROUSLY CLOSED
Electric charge $\hat{Q}$	SO(2) $\supset$ U(1) _{em} weight operator	T2470 + T2478 STRUCTURALLY VERIFIED	STRUCTURALLY VERIFIED
**U(1) _{em} phase $e^{(iq\theta)}$ **	S^1 Fourier mode for charge q	Standard from T2478	STRUCTURALLY VERIFIED
Spinor representations (Dirac, Weyl)	Spin(5) $\times$ Pin(2) cover	Standard math (Wallach 1976) + BST identification	STRUCTURALLY VERIFIED
Spinor ribbon $\theta^{N_{\max}} = -1$	Pin(2) Z_2 grading on $N_{\max} = 137$ cyclotomic chain	K59 cyclotomic mechanism RATIFIED	RATIFIED
Bergman exponent $g/\text{rank} = 7/2$	Half-integer Pin(2) cover weight in Bergman kernel	T2442 + 44 catalog anchors (INV-5169)	STRUCTURALLY VERIFIED
Harish-Chandra ρ -vector = (5/2, 3/2)	Half-integer components from B_2 root system on Pin(2) cover	Standard math; BST-primary content $5 = n_C$, $3 = N_c$	RATIFIED
Koons tick $t_K = t_P \cdot \alpha^2(C_2)$	Elementary S^1 rotation per substrate commit	T2405 RIGOROUSLY CLOSED	RIGOROUSLY CLOSED
4-Zone Commitment Cycle (Zone-1/2/3/4)	Closed-loop traversal of S^1 per substrate commit	T2417 RATIFIED	RATIFIED
DCCP signature step $\Delta_{\text{DCCP}} = 1/N_{\max}$	S^1 -quantized substrate-tick projection	Task #320 v0.3 + Toy 3516 STRUCTURALLY VERIFIED	STRUCTURALLY VERIFIED
DCCP substrate-tick boundary $\theta_{\text{boundary}} = \pi/N_{\max}$	S^1 -phase quantum per K-type transition	Task #320 v0.3 + Toy 3516 STRUCTURALLY VERIFIED	STRUCTURALLY VERIFIED
Quarks as Spin(5) spinors (dim = $\text{rank}^2 = 4$)	Pin(2)-half-integer K-type content	SP-26 Particle Winding Classification	FRAMEWORK

Quantity	Substrate-mechanism	BST anchor	Tier
Fermion masses / mass eigenstates	Pin(2)-positive-chirality K-type Casimirs	Memorial Day Toy 3530 MIXED	STRUCTURALLY VERIFIED for a_e
a_e anomalous magnetic moment	Requires Pin(2) cover content irreducibly (Toy 3530)	Toy 3530 + Vol 2 Ch 8 CROWN JEWEL	RIGOROUSLY CLOSED
Time/dynamics generally	S^1 as substrate's natural time variable per SWPP	SWPP RATIFIED Casey-named	RATIFIED
Gauge group $U(1)_{em} + SU(2)_L$ chirality	$S^1 + \text{Pin}(2) Z_2$ cover content	T2478 + T2471	STRUCTURALLY VERIFIED

Count: 16 quantities classified S^1 -derived (Axis G operational content).

4. Partition table — S^4 -derived (spatial / static content)

These quantities live on the $S^4 = SO(5)/SO(4)$ factor; integer in K-type indices; static spatial content:

Quantity	Substrate-mechanism	BST anchor	Tier
Position $\hat{x}_i$ (Hua coordinates, $i = 1..n_C = 5$)	Hua-coord on $D_{IV}^5 \rightarrow S^4$ harmonic boundary values	T2419 STRUCTURALLY VERIFIED	STRUCTURALLY VERIFIED
Momentum $\hat{p}_i$ (Wirtinger derivative)	Wirtinger derivative $\rightarrow S^4$ harmonic content	T2422 STRUCTURALLY VERIFIED	STRUCTURALLY VERIFIED
Angular momentum $\hat{L}_i$ ($i = 1..10 = \dim so(5)$)	$SO(5)$ generators acting on S^4	T2425 STRUCTURALLY VERIFIED	STRUCTURALLY VERIFIED
Spherical harmonics on S^4	$SO(5)$ representations on S^4 ; integer angular momentum l	Standard math	RATIFIED

Quantity	Substrate-mechanism	BST anchor	Tier
(2l+1) atomic orbital multiplicity	S^4 spherical harmonic dimension; sequence 1, 3, 5, 7 = (1, N_c , n_C , g)	Standard QM + BST primary alignment	STRUCTURALLY VERIFIED
Integer K-types $V_{(m_1, m_2)}$ with $m_i \in \mathbb{Z}$	Bosonic Wallach K-type sublattice on S^4 side	A_{sub} v0.4 Section 2.2	FRAMEWORK
Bosonic representations (gauge fields, scalars, Higgs)	Integer K-type content; $\hat{\gamma}^5 = +1$	A_{sub} v0.4 Section 2.2	FRAMEWORK
N_{op} K-type level (integer $m_1 + m_2$)	Integer-step K-type level operator	Monday Lyra_ N_{op} _Derivation_as_K_Type_Level_Operator_v0_1.md	FRAMEWORK
Color SU(3) (8 generators from N_c -derived)	N_c BST primary; SU(3) as separate from K isotropy	A_{sub} v0.4 + Lyra_Candidate_delta_Refinement_SU3_from_ N_c _v0_2.md	FRAMEWORK
Spatial confinement / locality	S^4 harmonic localization	Standard QFT + BST identification	FRAMEWORK
Casimir-2 spatial content $C_2(K\text{-type}) = m_1(m_1+4) + m_2(m_2+1)$	S^4 harmonic eigenvalue	Standard B_2 math	RATIFIED
5-dimensional Hua tube content	$n_C = 5$ complex / 10-real dimensions of D_{IV}^5	T2467+T2468 D_{IV}^5 Rigidity	RATIFIED

Count: 12 quantities classified S^4 -derived (spatial / static content).

5. Partition table — Mixed (both axes contribute structurally)

These quantities have load-bearing content from both S^4 and S^1 sides:

Quantity	S^4 contribution	S^1 contribution	Status
Wallach K-types $V_{(m_1, m_2)}$	m_1 indexed on S^4 harmonic side	m_2 indexed on S^1 phase side	RATIFIED

Quantity	S^4 contribution	S^1 contribution	Status
Casimir-2 full eigenvalue	$m_1(m_1+n_C-1)$	$m_2(m_2+N_c-2)$	RATIFIED standard math
Bergman kernel $K(z, \bar{w}) = c_{FK} \cdot (1 - z \cdot \bar{w})^{(-7/2)}$	$\pi^{(9/2)}$ from S^4 volume normalization	Bergman exponent $7/2$ (half-integer $\text{Pin}(2)$ weight on S^1)	T2442 RIGOROUSLY CLOSED
$c_{FK} \cdot \pi^{(9/2)} = 225$ EXACT	$\pi^{(9/2)} S^4$ Hua-Look volume	c_{FK} $\text{Pin}(2)$ cover normalization	T2442 RIGOROUSLY CLOSED
**Bell-CHSH $\hat{B} = (C_2/2^{(\text{rank}^2)}) \cdot$ **Substrate vacuum	$V_{\text{ground}} \rangle \langle V_{\text{ground}}$ $\Omega \rangle$ at $C_2 = 6$ **	$C_2 = 6$ BST primary	V_{ground} K-type spatial content Vacuum on $\text{Pin}(2)$ cover
Bose-Fermi distinction	Bosons live on integer-K-type S^4 projection	Fermions require $\text{Pin}(2)$ cover S^1 content	Toy 3530 MIXED + A_{sub} v0.4 Section 2.2

Count: 7 quantities classified Mixed (both-axis contribution).

6. Partition table — Bulk-only (D_{IV}^5 interior, neither Shilov factor)

These quantities live in the D_{IV}^5 rigid bulk; not Shilov-boundary content:

Quantity	Substrate-mechanism	BST anchor
Bergman measure $d\nu$ on D_{IV}^5	Interior volume measure	Standard math
Bergman $H^2(D_{IV}^5)$ Hilbert space structure	Interior holomorphic functions	Bergman 1922 RATIFIED
D_{IV}^5 Rigidity Principle	Bulk rigidity prevents deformation	T2467+T2468 RATIFIED Casey-named #7
Holomorphic structure on D_{IV}^5	Complex structure (5 complex dim)	Standard math
Hua tube interior bordification	Interior topology	Standard math
Interior $C_2 = 6$ invariant	Casimir on full D_{IV}^5 , not just boundary	RATIFIED standard math + BST primary alignment

Count: 6 quantities classified Bulk-only (rigid host).

7. Substantive findings from the partition

7.1 Casey's intuition operationally validated

Casey 2026-05-25 PM intuition: *"the substrate has rigid bulk + S^1 enacts physics."*

Partition supports this: 16 S^1 -derived quantities are PHYSICS-ENACTING (chirality, charge, dynamics, time, gauge, fermion masses, DCCP commitment, Koons tick). 12 S^4 -derived quantities are SPATIAL-STATIC (position, momentum, angular momentum, spherical harmonics, bosons, integer K-types). 6 Bulk-only quantities are HOST INFRASTRUCTURE (Hilbert space, holomorphic structure, rigidity).

The S^1 side is where the substrate's dynamical content lives. S^4 provides spatial scaffolding; S^1 enacts the operations.

7.2 Spin-statistics as substrate-natural structural property

A_sub v0.4 Section 2.2 finding (substantive): integer K-type sublattice (S^4 side) carries bosons ($\sigma_{BF} = +1$); half-integer K-type sublattice on Pin(2) cover (S^1 side) carries fermions ($\sigma_{BF} = -1$). Mixed-integer K-types are structurally forbidden.

v0.7 disambiguation flag (added 2026-05-26 PM): this uses σ_{BF} (Pin(2) Z_2 sublattice grading, bose/fermi distinguisher), NOT γ^5 (Dirac chirality, L/R distinguisher within fermion sublattice). See `Lyra_Task_322_v0_7_Edge_Enumeration_36_Nodes.md` Section 2.

Substrate has built-in spin-statistics: not an additional axiom but a consequence of the Pin(2) Z_2 grading on the Shilov S^1 factor. Standard QFT spin-statistics theorem emerges from substrate structure.

7.3 The Bergman exponent 7/2 is the bridge

Bergman exponent $g/\text{rank} = 7/2$ (half-integer) is the SINGLE most load-bearing cross-axis quantity: - S^4 side contribution: $\pi^{(9/2)}$ volume normalization comes from S^4 Hua-Look measure ($9/2 = n_C \cdot 2 + n_C - 1 - \text{rank}$ with $\text{rank} = 2$) - S^1 side contribution: $7/2$ half-integer weight reflects Pin(2) cover phase content - Mixed identity: $c_{FK} \cdot \pi^{(9/2)} = 225$ EXACT (T2442) — both contributions combine to integer product

Grace's 44 catalog anchors all use this $7/2$ weight (INV-5169). The exponent IS the substrate's S^4 -to- S^1 bridge in its kernel-normalization layer.

7.4 Half-integer Axis G is NOT independent — it's structurally LOCATED on S^1 Pin(2)

v0.1 framing was: "Axis G is an independent structural axis of the substrate."

v0.2 corrected reading: Axis G IS the operational content of S^1 Pin(2) cover content. It's not separate from the multi-axial substrate structure (Memorial Day v0.1

5-6 axes enumeration) — it IS the Pin(2)-cover content of Axis D Boundary's S^1 component (B6 in Monday's enumeration).

This sharpens the multi-axial picture: the substrate has fewer truly independent axes than v0.1 enumeration suggested. Pin(2)-cover is operational, not structural-independent.

7.5 Bulk vs Shilov: what does each LITERALLY do?

Substrate component	What it provides
D_{IV}^5 rigid bulk	Hilbert space $H^2(D_{IV}^5)$, Bergman kernel, holomorphic structure, K-type representations, Casimir invariants — i.e., the MATHEMATICAL HOST for substrate operations
S^4 Shilov factor	Spatial harmonic content; angular momentum eigenstates; position/momentum operators; bosonic K-types — i.e., the SPATIAL SCAFFOLD
S^1 Shilov factor (Pin(2) cover)	Chirality, charge, phase, time, dynamics, gauge transformations, fermionic K-types, DCCP commitment, Koons tick — i.e., the OPERATIONAL DYNAMICS

The substrate “does physics” by: K-type representations (from bulk Hilbert space) get propagated via $\hat{T}_{tick}$ substrate-tick operator (S^1 -derived) through reaction-table graph edges (commutator-induced), with boundary conditions specified on Shilov boundary; observables emerge as eigenvalues under physical boundary-condition selection.

8. Connection to A_{sub} v0.4 K-type graph reaction-table framing

A_{sub} v0.4 Sections 2-3 made the connection explicit: - A_{sub} generator class K-type-preserving ($\hat{N}$, $\hat{H}_{sub}$, C_2 , $\hat{Q}$, $\hat{I}_3$, $\hat{C}_3$): act diagonally on K-types; both S^4 and S^1 content - A_{sub} generator class Raising/lowering within sublattice ($\hat{x}_i$, $\hat{p}_i$, $\hat{L}_i$): integer-step transitions; S^4 -derived edges - A_{sub} generator class Spinor/Pin(2) Z_2 -flipping ($\hat{\gamma}^5$, $\hat{S}_i$, $\hat{P}_{op}$): half-integer-step transitions across sublattices; S^1 -derived edges - A_{sub} generator class Discrete symmetries ($\hat{T}$, $\hat{C}$): map K-types to conjugates; mixed - A_{sub} generator class Bell-CHSH ($\hat{B}$): rank-1 projector onto V_{ground} ; mixed

Partition reading: the K-type graph's edges are S^4 -derived OR S^1 -derived OR mixed, depending on which A_{sub} generator class induces them. The 8-sided die mech-

anism (A_sub v0.4 Section 6) tests whether the $2^N_c = 8$ commitment paths per tick partition cleanly into S^1 -derived dynamics vs S^4 -static, with one structurally-forbidden face.

9. Honest scope (Cal #27 STANDING)

What's RATIFIED / STRUCTURALLY VERIFIED individually: 5 of 6 individual S^1 -content items at STRUCTURALLY VERIFIED or above (T2471, T2470+T2478, T2405, T2417, T2442); 4 of 6 individual S^4 -content items at STRUCTURALLY VERIFIED or above. Individual mechanisms are well-established.

What's FRAMEWORK in v0.2: the EXPLICIT PARTITION CLAIM ($16 / 12 / 7 / 6 = 41$ quantity classification). Each classification is supported by the listed BST anchor, but the partition AS A WHOLE is a v0.2 framework-level structural reading.

What's INTERPRETIVE in v0.2: Section 7.1's "Casey intuition operationally validated" claim — supported by partition counts but not proved. Section 7.2's spin-statistics-as-substrate-natural is supported by A_sub v0.4 Section 2.2 + Toy 3530 MIXED but is an interpretive elevation of those individual findings.

What's NOT in v0.2 (multi-week work): - Catalog-wide audit verifying these 41 classifications against full 600+ BST observables (Grace lane, multi-month SPLP gate) - Verification that no quantity is mis-classified - Extension to remaining ~559 BST predictions

Cal #27 STANDING reflexive trigger count this morning: 2 across two docs (A_sub v0.4 Section 2.4 ρ -vector half-integer; v0.2 Section 7.1 partition validates intuition). Both honest-scope checked — first is standard B_2 math, second is partition-count argument with explicit dependencies.

10. v0.2 → v0.3 path

1. Grace catalog audit: verify 41-quantity classification across full 600+ BST observables; identify mis-classifications + extensions (multi-week)
2. Lyra extension to non-Shilov-boundary observables: do EVERY BST observable's K-type identification + axis classification (multi-month)
3. Cal Thread 4 tier-discipline check: type C level-crossing per Cal #122 (partition claim spans Level 1 geometric + Level 4 algebraic); promotion path
4. Connection to operational tracks: as Track A_sub closes commutators + Track BC writes hydrogen 1s BC + Track DC derives Bell 1/8, the partition's S^1 -vs- S^4 structural content gets operational verification

11. Coordination

Grace: catalog-wide eigenvalue-mapping audit (Task #340) is the natural extension — verify all 600+ predictions fit the S^1 -derived / S^4 -derived / Mixed / Bulk-only partition. Multi-month SPLP gate.

Cal: Thread 4 tier-discipline check on Section 1-6 partition claim + Section 7 substantive findings. Type C level-crossing per Cal #122.

Elie: Toy 3530 broader fermion survey (a_μ , EDM, ν mass) extends the S^1 -Pin(2)-cover-content empirical anchor (Section 3 row 14).

Keeper: K-audit chain entry for v0.2 partition; promotion path via Grace catalog + Cal cold-read.

— Lyra, Half-Integer Axis G v0.2 explicit S^1 -vs- S^4 partition filed Tuesday 2026-05-26 ~08:15 EDT per Memorial Day EOD Keeper queue (Task #337). v0.2 framework grade; 41 cover-content quantities classified across 4 categories (S^1 -derived: 16, S^4 -derived: 12, Mixed: 7, Bulk-only: 6); catalog-wide audit path identified.