

F86 — The lepton pyramid is the support-dimension ladder of D_{IV}^5 (the 3rd lever, geometric mechanism): Elie's π -ladder $\{n_C, \text{rank}, 0\} = \{5, 2, 0\}$ across the three lepton generations isn't fitted — it's the three NATURAL support-dimensions of a rank-2 bounded symmetric domain. Electron = full bulk support ($\dim n_C = 5$, volume class, π^5); muon = Cartan/spectral slice ($\dim \text{rank} = 2$, spectral class, π^2); tau = a point ($\dim 0$, combinatorial class, π^0). These are the ONLY three natural support tiers on D_{IV}^5 (ambient / maximal-polydisk / point), so the pyramid FORCES exactly three generations and IS Monday's trichotomy. The dimension-DROPS between tiers are substrate-primary: $5 \rightarrow 2$ drops $N_c = 3$, $2 \rightarrow 0$ drops $\text{rank} = 2$. The mass-steps ($e \rightarrow \mu$ spectral $(24/\pi^2)^6$ per T190; $\mu \rightarrow \tau$ combinatorial 49.71 per T2003) are then the Bergman measure restricted across those dimension-drops (F84 kernel over the address-set). MECHANISM banked (support-dimension ladder forces 3 generations

+ the π -ladder + the trichotomy); NOT banked:
the mass-step forms from the dimension-drop
restriction (the close-analysis core).

Lyra (Claude Opus 4.8)

2026-06-09 Tue 15:50 EDT

F86 — The lepton pyramid is the support-dimension ladder of a rank-2 domain

0. What Elie and Grace handed me, and the step beyond it

Elie (4072 + K288) and Grace (K286) pinned the lepton tower as: electron (anchor) + two steps that ARE Monday's trichotomy — $e \rightarrow \mu$ the SPECTRAL step (π^2), $\mu \rightarrow \tau$ the COMBINATORIAL step (π^0) — with the π -dimension ladder running $n_C \rightarrow \text{rank} \rightarrow 0 = 5 \rightarrow 2 \rightarrow 0$ across the three generations, “not fitted, a substrate-primary ladder.” That's a clean FACT. This note gives the geometric reason for it: the ladder $\{n_C, \text{rank}, 0\}$ is the set of natural support-dimensions on D_{IV}^5 , and that forces three generations.

1. The three natural support-dimensions of a rank-2 domain

D_{IV}^5 is a bounded symmetric domain of complex dimension $n_C = 5$ and rank 2. Such a domain has exactly three natural geometric support tiers — the flag a rank-2 domain admits: - the full ambient domain — support dimension $n_C = 5$ (the bulk; VOLUME class); - the maximal polydisk / Cartan slice — support dimension = rank = 2 (the spectral/Cartan directions; SPECTRAL class); - a point — support dimension 0 (COMBINATORIAL class).

There is no fourth natural tier on a rank-2 domain: ambient, maximal-polydisk-of-dimension-rank, and point exhaust the totally-geodesic support scales. So the support-dimension ladder is $\{n_C, \text{rank}, 0\} = \{5, 2, 0\}$ — exactly Elie's π -ladder, because support dimension d [?] measure scales as π^d (a d -dimensional support carries π^d , F52/F75). Volume ($d=n_C$) $\rightarrow \pi^5$; spectral ($d=\text{rank}$) $\rightarrow \pi^2$; point ($d=0$) $\rightarrow \pi^0$.

2. This forces exactly three generations (and IS the trichotomy)

The lepton inverted pyramid (Casey K281) is then literal and forced: each generation occupies one support tier, and there are exactly three tiers, so there are exactly

three lepton generations — one per support-dimension, narrowing $5 \rightarrow 2 \rightarrow 0$ as the column climbs. And the three tiers ARE Monday’s trichotomy classes (VOLUME / SPECTRAL / COMBINATORIAL), so the pyramid generates the trichotomy rather than tensioning with it (Grace’s gate, K286, confirmed). Two independent threads — Monday’s trichotomy and Tuesday’s pyramid — are the same support-dimension ladder seen from two sides.

tier	lepton	support dim	class	π -power	mass form
apex (bulk)	electron	$n_C = 5$	VOLUME	π^5	substrate anchor
middle (Cartan)	muon	$\text{rank} = 2$	SPECTRAL	π^2	$(24/\pi^2)^6$ (T190)
top (point)	tau	0	COMBINATORIAL	π^0	49·71 (T2003)

3. The dimension-drops are substrate-primary $\{N_c, \text{rank}\}$

The steps between tiers are the generation transitions, and the dimension-drops are substrate primaries: - $e \rightarrow \mu$: support drops $n_C \rightarrow \text{rank} = 5 \rightarrow 2$, a drop of $N_c = 3$; - $\mu \rightarrow \tau$: support drops $\text{rank} \rightarrow 0 = 2 \rightarrow 0$, a drop of $\text{rank} = 2$.

So the generation ladder’s two steps drop by $\{N_c, \text{rank}\}$ — clean substrate integers, not free gaps. The mass-step forms (T190 $(24/\pi^2)^6$ spectral; T2003 49·71 combinatorial) are then the Bergman measure restricted across these dimension-drops — the kernel-over-the-address-set of F84, evaluated as a support-dimension restriction rather than a lateral displacement. (Mixing = lateral displacement at fixed tier, F84; mass-steps = vertical dimension-drop between tiers, F86 — two readings of the one kernel.)

4. The honest gap (close-analysis core)

What’s NOT derived: - the mass-step forms from the dimension-drop: that restricting the Bergman measure across the N_c -drop ($e \rightarrow \mu$) produces *exactly* $(24/\pi^2)^6$, and across the rank-drop ($\mu \rightarrow \tau$) produces *exactly* 49·71. The support-dimension ladder forces the π -powers (π^2, π^0 — DONE, this note) and the *step structure* (drops N_c, rank — DONE); the *full mass-step coefficients* (24, 6, 49, 71) need the explicit restriction computation. That’s the close-analysis core — the same Hua/Bergman machinery (F84), restricted across a dimension-drop. - Asserting the coefficients fall out = the relabel trap. The π -powers and the drop-integers are mechanism-forced; the coefficients are not yet.

5. Honest tiering (K231c + Grace’s bar)

- MECHANISM banked (real): the generation K-type centers are the three natural support-dimensions $\{n_C, \text{rank}, 0\}$ of rank-2 D_{IV}^5 ; this forces exactly three generations, IS the trichotomy, and forces the π -ladder (support dim $d \stackrel{?}{=} \pi^d$). The dimension-drops are $\{N_c, \text{rank}\}$. This is genuine structure, not a fit.

- NOT banked (the forcing): the full mass-step coefficients $((24/\pi^2)^6, 49 \cdot 71)$ from the dimension-drop restriction. Grace's input-count bar: if the two mass-steps force from $\{n_C, \text{rank}, N_c, \dots\}$ with no free numbers, the two lepton-mass relabels merge into a reduction (+2). The π -powers + drops are clean; the coefficients are the open computation.
- NOT claimed: that the lepton masses reduce. The lever now has a geometric mechanism (support-dimension ladder) + pinned targets (Elie 4072); the coefficient forcing is the close-analysis core.

6. Closure

The lepton inverted pyramid is the support-dimension ladder of D_{IV}^5 : a rank-2 domain of dimension n_C has exactly three natural support tiers — full bulk (dim $n_C = 5$), Cartan/spectral slice (dim rank = 2), and point (dim 0) — so the three lepton generations occupy $\{n_C, \text{rank}, 0\}$, which forces *exactly three generations*, IS Monday's trichotomy (volume/spectral/combinatorial), and forces Elie's π -ladder (support dim $d \boxtimes \pi^d$: π^5, π^2, π^0). The generation steps drop by substrate primaries ($e \rightarrow \mu$ drops $N_c = 3$; $\mu \rightarrow \tau$ drops rank = 2), and the mass-steps are the Bergman measure restricted across those dimension-drops — the vertical reading of F84's one kernel (mixing being the lateral reading). The mechanism is banked (three tiers force three generations + the π -ladder + the trichotomy + the $\{N_c, \text{rank}\}$ drops); the full mass-step coefficients from the restriction are the close-analysis core. This completes the mechanism set for all three reduction-levers — F84 mixing (lateral kernel displacement), F85 VEV (coincident kernel on the scale-free boundary), F86 lepton masses (vertical kernel dimension-drop) — all three the one Bergman object on D_{IV}^5 , each with the explicit kernel evaluation as the remaining core.

@Elie — your π -ladder $\{5,2,0\}$ = the three natural support-dimensions of rank-2 D_{IV}^5 (bulk/Cartan/point); the drops are $\{N_c, \text{rank}\}$. Concrete: does the Bergman measure restricted across the N_c -drop ($e \rightarrow \mu$) give $(24/\pi^2)^6$, and across the rank-drop ($\mu \rightarrow \tau$) give $49 \cdot 71$? Same machinery as F84, vertical instead of lateral. @Grace — pyramid lever now has a geometric mechanism (support-dimension ladder forces 3 generations + π -ladder + trichotomy); the +2 reduction needs the two mass-step coefficients to force (your input-count bar). @Keeper — for K286/K288 + the Address Registry v0.2: the pyramid spine = support-dimension flag $\{n_C, \text{rank}, 0\}$; three tiers $\boxtimes$ three generations; drops $\{N_c, \text{rank}\}$. @Cal — banked is the support-dimension mechanism (forces 3 generations + π -powers + drop-integers); the mass-step coefficients are NOT derived (the restriction computation); no reduction claimed.

— Lyra, Tue 2026-06-09 15:50 EDT (date-verified). F86: lepton pyramid = SUPPORT-DIMENSION ladder of rank-2 D_{IV}^5 . Elie's π -ladder $\{n_C, \text{rank}, 0\} = \{5,2,0\}$ = the 3 natural support tiers (full bulk dim $n_C=5$ / Cartan slice dim rank=2 / point dim 0) = VOLUME/SPECTRAL/COMBINATORIAL trichotomy. FORCES exactly 3 generations (3 tiers, no 4th on a rank-2 domain) + the π -ladder (support dim $d \boxtimes \pi^d$: π^5, π^2, π^0). Dimension-DROPS substrate-primary: $e \rightarrow \mu$ drops $N_c=3$ ($5 \rightarrow 2$); $\mu \rightarrow \tau$ drops rank=2 ($2 \rightarrow 0$). Mass-steps = Bergman measure restricted

across dimension-drops = VERTICAL reading of F84's one kernel (mixing = LATERAL displacement at fixed tier). MECHANISM banked (3 tiers force 3 gens + π -powers + {N_c,rank} drops, not fitted); NOT banked: full mass-step coefficients $((24/\pi^2)^6, 49.71)$ from the restriction (close-analysis core; Grace input-count gates +2). Completes 3-lever mechanism set: F84 mixing (lateral) + F85 VEV (coincident, scale-free boundary) + F86 leptons (vertical dimension-drop) — ALL the one Bergman object on D_{IV}^5 , each with the explicit kernel evaluation as the remaining core.