

Lecture 1 — The Object

Keeper, for Casey Koons and the team

2026-09-11 — v0.1

Lecture 1 — The Object

The question

What is the simplest structure that can do physics?

Not the simplest equation — physics has plenty of those, and each one needs the others. The simplest *thing*: a single mathematical object such that, if you read it carefully enough, the rules we call quantum mechanics, the thing we call time, the forces and the particles come out as descriptions of it rather than as separate assumptions laid beside it.

This lecture introduces the object we have been reading since early 2026. It does not yet argue that it is the right one; that is Lecture 2, and the argument there is more modest than we once hoped. Here we only want you to know what it looks like.

For the reader in a hurry

Imagine a shape with a boundary, like a ball has a surface. The inside is smooth and infinite in a particular way — you can walk toward the boundary forever and never arrive — and the surface is where anything definite happens. Our object is a ball of that kind, but in five complex dimensions, and its surface is not a sphere but a circle of four-dimensional spheres. Everything in this course is either the inside of that ball, its surface, or the passage between them.

The object, precisely

The object is the bounded symmetric domain of type IV in complex dimension five,

$$D_{IV}^5 = \mathrm{SO}_0(5, 2) / [\mathrm{SO}(5) \times \mathrm{SO}(2)],$$

also called the Lie ball. Concretely, writing $z \cdot z = \sum_k z_k^2$ for the bilinear (not Hermitian) square, it is the set of $z \in \mathbb{C}^5$ with

$$|z \cdot z| < 1 \quad \text{and} \quad 1 - 2|z|^2 + |z \cdot z|^2 > 0$$

(Hua's form) — a bounded open set in $\mathbb{C}^5$ of real dimension ten. What matters is the list of things the object is:

- It is symmetric: a group, $G = \text{SO}_0(5, 2)$, moves it onto itself, and the stabiliser of a point is the compact group $K = \text{SO}(5) \times \text{SO}(2)$. Every point looks like every other. There is no preferred place, and there is no preferred time, until we put one there.
- It has rank two. Cartan classified the irreducible bounded symmetric domains in 1935; they come in four infinite families and two exceptions, and each carries a rank — the number of independent directions in which it stretches to its boundary. Ours has two. The ball in $\mathbb{C}^n$ has one; this is why our object is not a ball, and why (Lecture 2) constant curvature is the wrong thing to expect of it.
- It has characteristic multiplicities $(a, b) = (3, 0)$. These are two integers the classification attaches to each domain, describing how its root system is built. For the type IV family in dimension n they are $(n - 2, 0)$; at $n = 5$ the first is 3. Hold on to that 3. It is the integer where this whole program touches a measurement.
- Its genus is 5. The genus of a bounded symmetric domain is the exponent of its Bergman kernel: $K(z, w) \propto N(z, w)^{-p}$ for the domain's norm function N , and for a domain of rank r with multiplicities (a, b) one has $p = (r - 1)a + b + 2 = 1 \cdot 3 + 0 + 2 = 5$ (Xiao-Yuan; pinned to the page on 2026-09-09). We say this carefully because for four months our documents called a different integer the genus. They were wrong, and it mattered downstream.
- Its boundary has a distinguished part, the Šilov boundary $\check{S}$ — the smallest closed subset on which every function holomorphic inside and continuous to the edge attains the maximum of its modulus. For the Lie ball it is the Lie sphere: topologically $S^4 \times S^1$ up to a sign identification, a circle's worth of four-spheres. It is where, in this program, anything definite happens. Lectures 3 and 4 live there.
- It carries two natural Hilbert spaces of holomorphic functions: the Bergman space $A^2(D)$ of square-integrable ones on the inside, and the Hardy space $H^2(D)$ of those with square-integrable boundary values on $\check{S}$. They differ, they are both used, and one of the program's own errors was to confuse them. The physical Hilbert space is the Hardy space (Lecture 3).

The six integers (five named, one derived from them), and which kind each one is

The curriculum has always said the program rests on five integers, with $N_{\max}$ as a sixth derived from them. That is true, but they are not facts of the same kind, and a reader deserves to know which is which.

symbol	value	what it is	how we get it
rank	2	the rank of the domain	read off the classification
n_C	5	the complex dimension	read off the classification
N_c	3	the characteristic multiplicity a ; identified with the number of quark colours	read off the classification; the <i>identification</i> with colour is the one dimensionless input to the choice of the object (Lecture 2)
C_2	6	rank $\cdot N_c$ — one integer the corpus reads in more than one place (the Euler characteristic of the compact dual Q^5 , $\chi(Q^5) = 6$; a Casimir value); this table names the combination only	a combination we name
g	7	$n_C + \text{rank} = p + q$ — the dimension of the defining representation of $SO(5, 2)$, whose signature is the pair $(5, 2)$	a combination we name. Not the genus.
$N_{\max}$	137	$N_c^3 n_C + \text{rank}$	a combination we name; its reading as α^{-1} is Lecture 8, and the reading is identified, not derived

Three integers are read off a classical table. Three are integer combinations of them that we have found it useful to name, because they recur. None of the six is a free parameter in the sense of a knob; but one of them, $N_c = 3$, is where the geometry meets a measurement, and Lecture 2 is about exactly how.

There is, separately, one dimensionful input: physics has units and the object has

none, so a single mass scale enters, and every dimensionful prediction in this course is a relation to it. The electron mass is the ruler we use (Lecture 9).

What the object is not

It is not a spacetime. It has ten real dimensions, a positive-definite metric, and no time in it. How four-dimensional spacetime with one time direction comes out of it is Lecture 9, and the honest word for that step is *induced*, not *predicted*.

It is not a Lagrangian. There is no action principle here yet. What we have is a geometry with a symmetry group, two Hilbert spaces, and a boundary; the dynamics we can state are the ones that follow from those, and we will say where they stop.

The object is Wyler's. He chose D_{IV}^5 in 1969 because a volume ratio on it lands near α , and that first reading — the one the object was chosen for — is the one this program has since certified dead (Lecture 8). Every *other* reading came after the object, and the registry dates them (its first rows on D_{IV}^5 are from March 2026). So “not chosen to fit” is true of everything in this course except the reading that motivated the choice, and we say so on page one because a referee will ask. (The history is Casey's to state in his own words; this is the referee's version of it — Cal, Round 142.) Whether it is the *right* object is a different question, and it is the next lecture's.

Tier line

The object is a definition; definitions carry no tier and have no falsifier. Its readings do, and each lecture from here on ends with one.

Where to look

Hua, *Harmonic Analysis of Functions of Several Complex Variables in the Classical Domains* (1963) for the Lie ball and its boundary (the corpus's own statement is T2328, with $|z|^2 < 1$ as the second clause — the same set, Elie 5752 samples both); Faraut–Korányi, *Analysis on Symmetric Cones* for the classification and the multiplicities; Xiao–Yuan for the genus formula as we cite it. In the repository: registry rows T2328 and T2543/T2545 for the Peirce decomposition of the tangent space (the $1 + 3 + 1$ split that makes the multiplicity visible), and Keeper audit K1889 for the multiplicity table across the whole classification.