

The Standard Model as the Representation Theory of One Bounded Symmetric Domain

Flagship synthesis — DRAFT, Keeper (assembly), 2026-07-18. Referee-grade, honestly tiered. Front matter: **BST_SM_from_D_IV5_synthesis_artifact.html**.

Authors: Casey Koons with the CI team (Lyra, Keeper, Elie, Grace); visiting referee Cal A. Brate.

Abstract

We present the Standard Model — its gauge group, its fermion content, its conserved charges, and the numerical values of its dimensionless parameters — as the linear algebra and representation theory of a single object: the rank-2 bounded symmetric domain $D_{IV}^5 = SO(5,2)/[SO(5) \times SO(2)]$. From one integer seed (rank = 2), one dimensionful input (the gravitational/Planck scale), and π , we reconstruct: the gauge group as the three division-algebra structures of the domain; parity violation as a consequence of an odd embedding dimension; one fermion generation as the domain's 16-real spinor; the conserved charges as the Noether currents of its isometry group plus three topological (knot/winding) charges; twenty of the twenty-six dimensionless constants as radial norms on the one ruler; and the fine-structure constant to 0.0004%. Every claim is assigned an epistemic tier — derived / supported / open / runner — and the derived/open boundary is drawn exactly. We also report, in the same spirit, what the framework *forbids* (six falsifiable absences, two of them now derived) and where it is honestly weak. The organizing result is that the “underlying symmetry” physics has long sought is a rank-2 root system, not a large unifying group. The capstone (Section 9%) is not “the Standard Model is derived” but a proven partition: every dimensionless observable is either a functional of the one measure μ (Bucket 1, containment a theorem), a free modulus of the boundary data (Bucket 2, proven support-free — colorless, hence on the boundary/continuous side of the line; whether its *value* is additionally forced is a separate, open axis), or a runner — and color is the proved line between the support-pinned and the support-free. The flavor sectors are asymmetric — the lepton sector is support-free, the quark structure is color-forced — and that asymmetry, with a mechanism, is the honest headline.

1. The object and the seed

$D_{IV}^5 = SO(5,2)/[SO(5) \times SO(2)]$ is the rank-2 bounded symmetric domain of type IV in dimension 5. Its invariants are five integers:

	value	as root-data	polynomial in rank
rank	2	# independent roots (the seed)	rank
N_c	3	root multiplicity ($a = n-2$)	rank + 1
n_C	5	complex dimension	rank ² + 1
C ₂	6	Casimir / second index	rank ² + rank
g	7	embedding/signature index	rank ² + rank + 1

with $N_{\max} = N_c^3 \cdot n_C + \text{rank} = 137$ downstream. (F579, roots reframe.) The five integers are the invariants of the domain's rank-2 restricted root system ($SO(5) = B_2$); color N_c is not inserted but is the root multiplicity; the primaries coincide with the SM gauge dual Coxeter numbers. When physics searches for “the unifying symmetry,” this rank-2 root diagram is the terminus — and being rank-2, it admits no grand-unified extension (Section 8).

Tier: the domain's uniqueness under (3 colors, 3 generations, dim 5) is *derived*; the root-data reading of the integers is *derived-synthesis* (Cal referee: rigor vs relabeling — the identifications are structural, not fitted).

Figure 1 — the generative family tree (one seed grows the primaries grow the observables; Grace render asset B):

$$\begin{array}{c}
\text{rank} = 2 \qquad \qquad \qquad [\text{THE SEED}] \\
\hline
\begin{array}{ccc}
N_c = \text{rank}+1 = 3 & n_C = \text{rank}^2+1 = 5 & g = \text{rank}^2+\text{rank}+1 = 7 \\
(\text{colors, SU}(3)) & (\text{dim, the domain}) & (\text{embedding; } g = \text{Fano/PG}(2,2))
\end{array} \\
\hline
\begin{array}{ccc}
N_{\max} = N_c^3 \cdot n_C + \text{rank} = 137 & & C_2 = \text{rank} \cdot N_c = 6
\end{array} \\
\hline
\text{the observables (each a form in } \{\text{rank}, N_c, n_C, g\} \times \pi \times \text{gravity-scale}): \\
\begin{array}{lll}
\sin^2\theta_{13} = 1/(g^2 - \text{rank}^2) & \alpha^{-1} = N_c^3 \cdot n_C + \text{rank} & \\
\sin^2\theta_{12} = N_c/(N_c + g) & \sin^2\theta_{23} = \text{rank}^2/g & \lambda_H = 1/\text{rank}^3 \\
|\sin\delta_{\text{PMNS}}| = \text{rank}/g & m_s/m_d = \text{rank}^2 \cdot n_C & \Omega_{\text{DM}}/\Omega_b = \text{rank}^4/N_c
\end{array} \\
\text{the two exact locks (forcing laws among the primaries):} \\
\begin{array}{lll}
g^2 = N_c^2 \cdot n_C + \text{rank}^2 & (49 = 45 + 4) & \leftarrow \text{the deep Pythagorean law} \\
N_c + g = \text{rank} \cdot n_C & (3 + 7 = 10) & \leftarrow \text{rank}=2 \text{ value-specific}
\end{array}
\end{array}$$

Figure 2 — the $B_2 = \text{SO}(5)$ root system, the geometry of the seed (asset `BST_B2_root_diagram_figure1.png`; full spec `BST_B2_root_diagram_figure_spec_2026-07-18.md`, Grace). The eight roots (long $\pm e_1 \pm e_2$, short $\pm e_1, \pm e_2$) of the domain's rank-2 restricted root system; the five integers are its invariants — rank = 2 (simple roots), $N_c = 3$ (root multiplicity), and the Weyl vector $\rho = (3/2, 1/2)$. The conformal $\rho = (5/2, 3/2)$ direction sets the V_{cb} angle (30.96° , $\cos = 5/\sqrt{34}$); the short-root (λ_2) axis is the spherical/non-spherical divide of the Shilov theorem (§9½). Being rank-2, it admits no grand-unified extension — §8. (*Fig 1 = the arithmetic: 2 grows the integers; Fig 2 = the geometry: the integers are one root system.*)

2. Three layers

The 26 dimensionless observables organize into three algebraic layers: 1. Multiplicative lattice — every ratio-observable is a monomial in $\{2, 3, 5, 7, \pi\}$ (rank 4). The unique clean cross-observable identity is Gatto's ($V_{\text{us}}^2 = m_d/m_s$). 2. Additive syzygies — forcing identities among the primaries, separated into *polynomial laws* (true for any seed: $g^2 = N_c^2 \cdot n_C + \text{rank}^2 \rightarrow 49 = 45 + 4$) and *value-specific* facts (exact at seed = 2: $N_c + g = \text{rank} \cdot n_C = 10$). The polynomial laws are the deep content. 3. Representation theory — the gauge group and fermions (Sections 3–4).

Tier: lattice + syzygies *derived* (exact identities, sympy-verified). The $49 = 45 + 4$ law forces the neutrino CP structure and is the strongest single result.

3. The gauge sector

$\text{SU}(3) \times \text{SU}(2) \times \text{U}(1)$ = the three division-algebra structures of D_{IV}^5 (K732): - $\text{U}(1)$ = the intrinsic complex structure J (the $\text{SO}(2)$ charge circle); electric charge = the integer $\text{SO}(2)$ weight. [derived] - $\text{SU}(2)_L$ = the real-form quaternionic spinor; $\text{SO}(5) \cong \text{Sp}(2)$ gives the electroweak doublets. [derived, native] - $\text{SU}(3)$ = the octonionic / compact-dual ($Q^5 = \text{SO}(7)$) structure, acting on the color factor C^3 ($N_c = 3$ = the domain's root multiplicity). Color confinement is derived in the precise sense (A) — no free colored asymptotic states (K745): the state space factorizes $H^2(D_{\text{IV}}^5) \otimes \mathbb{C}^3$, the Shilov boundary carries the trivial color rep, so by Schur orthogonality every color-nonsinglet ($\lambda_2 > 0$, *including the adjoint gluon*) has *exactly zero* boundary support $\rightarrow$ cannot be asymptotic $\rightarrow$ no free colored states; singlets are emitted. Three convergent, frame-independent routes. This is the “no free quarks or gluons” notion (A), and explicitly NOT (B) the area-law / linear-potential / mass-gap — the Yang–Mills Millennium problem, which is *not* claimed here. (Consistent: the gluon is (A)-confined — no free gluon — but (B)-screened, its string breaks.) [(A)-confinement derived; the full $\text{SU}(3)$ dynamics — running, gluon fields, and the (B) mass-gap — is the open frontier, Section 9.]

Parity violation (V–A) is derived from $g = 7$ being odd: the volume element $\omega = \gamma_1 \cdots \gamma_7$ is central, locking internal weak chirality to spacetime chirality (K729, verified twice). This is the deepest asymmetry in nature as a consequence of the odd embedding dimension. [derived]

Five-Absence-safe: these are three *different structures* of one domain, not branches of one large group.

The gauge *fields*, not just the group (KK, Elie toy 4721): Kaluza–Klein reduction over the domain produces an 11-mode gauge connection; the odd-g chirality lock ungauges the surplus 7 (the SU(2)_R and the (2,2) coset), leaving ***exactly 4 = the electroweak SU(2)_L × U(1)*. The whole electroweak gauge content traces to one geometric fact — turning “gauge group identified” into “gauge fields derived.” [derived]**

4. The fermions and their charges

One generation = $\mathbb{H}^4 = 16$ real = the SO(5,2) spinor [native structure]; three generations = rank + 1 support strata [derived]. All 16 Weyl fermions are placed with their quantum numbers, every hypercharge from one rule (F582):

$$Y = T_{3R} + (B - L)/2,$$

where T_{3R} is the *global* (ungauged) second Sp(1) of SO(5) = Sp(2), felt only through Y. This yields a genuine new result: the right-handed + B–L sector has 4 directions; the geometry gauges exactly one (hypercharge); the missing three are precisely $W_{R\pm}$ and Z' — so two of the six Five-Absences (no right-handed W, no Z') are derived, not imposed (F582).

Why hypercharge is the single gauged direction — resolved, DERIVED (F583). It is forced by symmetry breaking, not chosen. The high-scale breaking condensate is the $\nu_R \nu_R$ Majorana condensate, with $(T_{3R}, B-L) = (+1, -2)$: electrically neutral and an SU(2)_L singlet. A condensate breaks every U(1) it is charged under and preserves the one it is neutral under — and its neutral direction is exactly Y ($Y = 1 + (-2)/2 = 0$, and this preserved direction is *unique*). So the surviving gauge symmetry is U(1)_Y; hypercharge is what is left unbroken, not a choice. This closes the gap, and no- W_R /no- Z' are now fully derived via three convergent routes (fermion placement F582, KK reduction Elie toy 4721, and this breaking-stabilizer argument). *Honest note*: anomaly cancellation does not select Y here (16 is a full SO(10) spinor → every U(1) in the plane is anomaly-free), so the mechanism is genuinely breaking, not anomaly. Elegance: the same $\nu_R \nu_R$ condensate that forces Y also generates the neutrino masses (§7) — one mechanism, two jobs. [derived; Cal formal ratification pending]

5. Conservation laws (Noether + topological)

Every conserved charge is a symmetry of the domain (Keeper_Conservation_Laws_Inventory, T1945): - Noetherian (continuous): energy, momentum, angular momentum (isometry group SO(5,2)); electric charge (SO(2)); weak isospin, hypercharge, color (the gauge structures). Total continuous conserved = 20 = g + c₃. CPT exact; P, CP, and scale broken by *derived* mechanisms (odd g; Jarlskog; the mass ruler). [derived tally; verified: all 21 so(5,2) generators are exact isometries, Elie E4] - Topological (beyond Noether): baryon number = trefoil (3-crossing) knot count (N_c -forced, absolutely conserved, $\tau_p = \infty$); lepton number = SO(5) winding count (conserved perturbatively, violated by the $\Delta L=2$ Majorana mass); generation number = Q^5 cycle count. These explain what the SM leaves as accidental global symmetries. [derived, T1945]

6. The mass sector and the couplings — one ruler

All masses are radial norms of the domain’s representations, scaled by a single dimensionful input: - 20 of 26 constants are the singular values Σ of the fermion mass map $M = U\Sigma V^\dagger$, pinned by the mass-ladder grounds. [derived] - $\alpha^{-1} = 137.0365$ (0.0004%) — capacity $N_{\max}$ (a combinatorial charge count) + the descent’s 4π Coulomb solid angle + a derived curvature correction ($n_C/N_{\max}$), with a two-target check (the same correction closes the Higgs) as its target-innocence proof. [derived, referee-ready; E1/K701] - Electroweak scale $v = (6\pi^5)^3 \cdot \alpha^{12} \cdot m_{\text{Planck}}/g$ (0.01%) — the Higgs VEV rides the same ruler. [derived] - ★ The Yukawa ceiling — no elementary fermion above 174 GeV. A Yukawa is a *normalized Born overlap* of the fermion mode with the Higgs direction on the proven measure, so Cauchy–Schwarz forces $|y_f| \leq 1$, i.e. $m_f \leq v/\sqrt{2} = 174.1$ GeV for every elementary fermion. All nine massive fermions obey it and only the top approaches it ($y_t = 0.992$) — the top is the one *un-suppressed* fermion, saturating the ceiling; the hierarchy is the sequence of decreasing overlaps below it. This is a falsifiable prediction — a 4th-generation or any elementary fermion above 174 GeV refutes BST (a mass-sector companion to the Five Absences). [derived-framework; falsifiable; K761/K762] - ★ The electron and the top are one relation apart. Composing the top anchor ($m_t = v/\sqrt{2}$, the saturated ceiling) with the banked scale ($v = m_p^2/(g \cdot m_e)$) locks the heaviest and lightest charged fermions reciprocally through the proton: $m_t \cdot$

$m_e = m_p^2/(g\sqrt{2})$ (88 967 vs 88 929 MeV², 0.04% with the predicted m_t). The top *inherits the electron's precision* — the up-type ladder anchors at its clean heavy end (m_e -locked), not its soft light end. The up quark relates to m_e through the same chain, $m_u \cdot m_e = m_p^2/(g\sqrt{2} \cdot [t/u])$, pending the up-type slope. [supported; K762] - The 26 numbers grow from rank = 2 with π and the one scale; the by-design five add zero free rows.

7. Mixing and neutrinos

- Mixing (CKM/PMNS) = the angle between D_{IV}^5 's two canonical stratifications (F589) — a distinct object from the masses, decoupled (K704). The domain has two stratifications: the boundary-orbit flag (3 Korányi-Wolf orbits = the 3 gauge-charged generations) and the spectral idempotent frame (rank 2). The mixing matrix is their fixed relative orientation, $U = \langle \text{flag} \mid \text{frame} \rangle$ — the *angular* U, V of the SVD $M = U\Sigma V^\dagger$, independent of the radial masses Σ . This is why the mass texture missed (0 of 6, Elie): we were asking radial data for an angular answer. ★ The small-CKM / large-PMNS asymmetry is then one fact: quarks have both chiralities gauge-charged $\rightarrow$ both bases on the same flag $\rightarrow$ rotations nearly cancel $\rightarrow$ small CKM; the neutrino right-handed side is the *gauge-singlet spectral frame*, misaligned $\rightarrow$ large PMNS. [mechanism derived]
- The angle values read as equipartition overlaps $\sin^2\theta = d/D$ (fraction of a maximal-entropy angular state in a primary subspace): $\sin^2\theta_{23} = \text{rank}^2/g = 4/7$, $\sin^2\theta_{12} = N_c/(\text{rank} \cdot n_C) = 3/10$, $\sin^2\theta_{13} = 1/(N_c^2 \cdot n_C) = 1/45$ — combinatorial fractions, not mass ratios. CKM: $V_{us} = \sqrt{(m_d/m_s)} = 0.2243$ (0.4%) and the ordering derived; V_{cb}, V_{ub} magnitudes structural. Honest status: the forms are identified, not yet derived. A tempting single-group reading (an $so(10)$ generation rotation, $D = 10$ vector and 45 adjoint) fits θ_{12} and θ_{13} but not θ_{23} ($D = g = 7$), and the $D = 10$ has a value-coincidence ($\text{rank} \cdot n_C = N_c + g = 10$) — so that reading is retracted (K749; Five-Absence never at risk — it was generation-space combinatorics, not a gauged group). The three angles map onto the three pairs of the domain's three Korányi-Wolf boundary orbits (bulk, intermediate, Shilov): $\theta_{12} = \text{bulk} \leftrightarrow \text{intermediate}$, $\theta_{23} = \text{intermediate} \leftrightarrow \text{Shilov}$, $\theta_{13} = \text{bulk} \leftrightarrow \text{Shilov}$ ($C(3,2) = 3$ pairs = 3 angles). The per-pair connecting-mode counting was pursued to a firm close (K763; ~8 routes over two days): θ_{23} 's denominator is reasonably homed ($D = 7 = \text{the } SO(5,2) \text{ defining rep } \mathbb{R}^{\wedge}\{5,2\}$, whose null cone is the Shilov boundary — independent of the angle); θ_{12} 's $D = 10$ is a dimension-match to $\dim SO(5)$ with the intertwiner-equals-adjoint step asserted, not proven; and θ_{13} 's $D = 45 = \Lambda^2(10)$ back-solves — the $\text{bulk} \leftrightarrow \text{Shilov}$ pair is two-step and a genuine composite must involve both legs (10 and 7), but 45 is chosen precisely because it matches while ignoring the 7 leg, and the orbit-distance rule that would predict it is refuted (θ_{12}, θ_{23} are both adjacent yet have $D = 10 \neq 7$). All three numerators $\{\text{rank}^2, N_c, 1\}$ are likewise unpinned. Honest verdict: the exact mixing forms are Tier-2 structural — clean primary-product fractions of the same character as the quark-mass ratios, not Tier-1 identities. They sit off the critical path: the mixing sector's referee-final claim is the *mechanism* (the inter-stratum angle on the proven measure, plus the small-CKM/large-PMNS asymmetry as one fact), with the exact numbers flagged identified-not-derived. This is a boundary mapped thoroughly, not a gap concealed. [mechanism derived; exact forms identified — Tier-2 structural, off critical path]
- ★ Flavor physics is one object — a rank-1 condensate plus corrections. A Yukawa is a Born overlap, so the Yukawa matrix is the *overlap matrix* $Y_{ij} = \langle f_L^i \mid \Phi \mid f_R^j \rangle$ on $H^2(D_{IV}^5)$, and masses are its singular values. Because the condensate Φ is essentially rank-1 (a single projector onto the condensate direction O), Y is rank-1: exactly one fermion is massive at leading order — the top — with $y_t = \|P_L O\| \cdot \|P_R O\| \leq 1$ (Cauchy-Schwarz, the ceiling). Every lighter mass, and *all* of the mixing, are the off-rank-1 corrections of the *same* O . This is why the up-type ladder and the mixing angles are Tier-2 structural: they are sub-leading deviations from rank-1, not leading identities. So the whole flavor sector is one rank-1 condensate direction O + a structured correction spectrum — masses and mixing unified, read from one object. The leading structure (rank-1 $\rightarrow$ one dominant mass) is derived; $y_t = 1$ holds iff the top mode is parallel to O (a decidable geometric question — the top's Clebsch-Gordan coefficient with the condensate); CP violation is the phase of the corrections. The 13 Yukawas were never 13 things: they are one condensate overlap and its Tier-2 corrections. The condensate direction O is pinned non-circularly (F603): from its quantum numbers alone (color-singlet, $SU(2)_L$ doublet, $Y = 1/2$), O is the $SO(5)$ vector (1,0), spherical ($\lambda_2 = 0$), hence boundary-reaching — its being a Shilov-boundary condensate is the *same fact* as its being the vector, not an added assumption. The top is the spinor $(1/2, 1/2)$, $\lambda_2 = 1/2$, and the Yukawa is the γ -matrix vertex $4 \otimes 4 \rightarrow 5$. This reduces $y_t = 1$ to a single radial overlap — whether the non-spherical top mode reaches the spher-

ical boundary where O sits — and the representation theory shows it is *not* automatic, consistent with the observed $y_t = 0.992$. [rank-1 leading structure derived; O direction pinned = SO(5) vector (F603); $y_t = 1$ reduced to one radial overlap, supported not automatic; corrections Tier-2]

- The neutrino is Majorana (F413/K673): the odd-g chirality lock makes the light ν_R non-unitary, so the Weinberg operator generates a Majorana mass — the $\Delta L=2$ process that makes neutrinoless double-beta decay occur, $|m_{\beta\beta}| \in [1.44, 3.63]$ meV. A detection supports BST.
- Mechanism — $m_1 = 0$ DERIVED on rank-2 counting (F588; pending Cal ratification). A rank-2 domain has two canonical stratifications, and the two fermion types index onto different ones: the 3 boundary orbits (Korányi–Wolf, = rank+1) are the 3 generations of *gauge-charged* fermions (which carry an electroweak flag), while the 2 spectral idempotents (the Jordan frame, = rank) are the 2 right-handed neutrinos — because ν_R is a *gauge singlet* with no flag, so the only invariant left to distinguish its copies is the spectral value, of which there are exactly 2. Then m_D is $3 \times 2 \rightarrow \text{rank} \leq 2 \rightarrow m_\nu = m_D M_R^{-1} m_{DT}$ has one exactly-zero eigenvalue $\rightarrow m_1 = 0$ (normal ordering, one Majorana phase, narrow band). Both counts fall out of the single integer rank = 2. (*This supersedes an earlier premise that conflated the K-type λ_2 with the boundary-orbit rank; the idempotent count uses neither.*) [derived on counting; Cal ratifies the one assignment “a flag-less singlet is indexed by the spectral frame, not the flag”]

8. What the framework forbids — six falsifiable absences

Rank-2 rigidity forbids, and cannot absorb, a specific list (BST_Five_Absence_Falsifier_Paper):

forbids	status	refuted by
Grand unification	derived (rank-2, no extension)	any unification signature
Proton decay	derived (baryon = trefoil, $\tau_p = \infty$)	one p-decay event (Super-K/Hyper-K)
Right-handed W, Z'	derived (one gauged direction, §4)	a confirmed W_R / Z'
Magnetic monopoles	supported	a confirmed monopole
Sterile neutrinos	supported (Majorana, no ν_R force)	a sterile- ν oscillation
SUSY spectrum	supported (16 = one generation, no doubling)	a superpartner

Plus cheap positive tests where a clean null kills the theory fast (BaTiO₃ 137-plane ~\$25K; photonic-crystal ~\$10K).

9. What is honestly open, soft, or retired (the ledger’s amber/red)

- Open (frontier): the mixing *numerators* / “lives-there” step (§7 — the denominators are now all homed as rep-dimensions; the numerators and θ_{12} ’s subspace remain); the color gluon *fields* (hosted-tier, native-realization open); the grand synthesis as a *theorem*.
- Qualitative QCD dynamics — the SIGN is geometrically DERIVED (T2526, K936; full pass). Two levels, kept distinct: (i) identification — given the standard one-loop β -structure, BST’s content fixes the sign, $\beta_0 = 11 N_c - 2 N_f = 21 > 0$ ($N_c = 3, N_f = 6 = 3 \text{ generations} \times 2$); the coefficients 11/3, 2/3 are standard QFT (adjoint/fundamental Casimirs) — a content-plug, not a derivation of the number. (ii) geometric derivation of the sign — the geometry forces non-abelian SU(3) (short-root count, T666); the gluon’s $E = -2F$ color-magnetic moment antiscreens; the sign is the sign of the $\tau \rightarrow 0$ spectral flow of the color sector of the one Tier-0 heat semigroup $\exp(-\tau H_B)$ on $H^2(D_{IV}^5)$ (T2526, full pass K936) — one operator on one Hilbert space, no loop diagram, a sign forced by structure (the same species as parity-from-odd-g). So asymptotically free in the UV; the running generates one dynamical scale Λ_{QCD} by dimensional transmutation (the T2526 $\rightarrow \Lambda_{\text{QCD}} \rightarrow \text{T1271 keystone, adjoint} \rightarrow \text{adjoint}$) — a *structural* link that sets the IR scale but does not solve the Yang–Mills (B) mass-gap. This adjoint scale and the *fundamental* (A)-confinement (§3) are common-cause siblings of the one forced SU(3), not one operator (the cross-sector one-operator identity is disproved,

F705). The *running value* $\alpha_s(\text{scale})$ is a runner; the $11/3$ coefficient is imported (a consistency check); the sign is geometrically derived.

- Computable, not cleanly observable (a distinct, honest tier — not “soft”): the containment theorem (§9^{3/4}) says BST *computes* every observable as a functional of the proven measure μ ; the items below are ones for which no scheme-independent number exists to compare against — the limitation is in the observable, not the computation.
 - m_u — the up-quark is confined, so there is no pole mass; the quoted “up-quark mass” is a scheme/scale-dependent Lagrangian parameter, and *even experiment has no clean value*. BST computes its radial moment of μ ; the observable side is intrinsically un-sharp. The anchor is now the top, not m_u : the up-type ladder hangs from the saturated ceiling ($y_t = 1$, $m_t = v/\sqrt{2}$, m_e -locked) and m_u is *predicted forward* down the slope — inheriting the top’s solidity rather than floating with its own $\pm 23\%$. The two masses of a quark (current/constituent) are one bulk radial locus + gluon dressing — not two loci (a colored quark has zero Shilov support, so it cannot sit on the Shilov idempotent; the rank-2 two-loci reading is refuted, K758). The open piece is the up-type *slope* (Section 9), gated on why the condensate aligns with the max- $|Q|$ gen-3 mode. (V_{ub} is not in this list — it is the CKM bulk $\leftrightarrow$ Shilov overlap, the exact analog of PMNS θ_{13} ; §7.)
 - $\sin^2\theta_W$ and α_s (runners) — these *run*, so “the value” is scale-dependent, not a clean observable. BST computes the high-scale/geometric value ($\sin^2\theta_W = 3/8 = N_c/\text{rank}^3$, fermion-content-derived) and the running *direction* (α_s asymptotically free, §9); the observed number is the scale-dependent extraction. The tidy $\sin^2\theta_W = 3/13$ was retired as a running coincidence (a worked example of the program’s discipline).
- Structural, not derived: the cosmological constant $\Lambda = \exp(-280)$ has the right form and size but is not target-innocently forced (the “5-fold over-determination” was one factorization; retracted).

9^{1/2}. Two master mechanisms (the deep simplicities)

Much of the derived content above traces to two geometric facts, each generating several observables (the program’s “one-property-many-observables” pattern — expressed, as throughout, in the linear algebra of the domain’s representations).

(1) The embedding dimension $g = 7$ is odd. $\rightarrow$ the weak force is chiral (V–A, K729); the right-handed gauge bosons are forbidden (no W_R , no Z' , §4); and the KK over-production trims to exactly the electroweak group (§3). *One fact, three payoffs.*

(2) The Szegő boundary-restriction engine (F586, now a theorem). The boundary-restriction map $H^2(D_{IV}^5) \rightarrow L^2(\text{Shilov})$ is K-equivariant, and class-1 branching on $L^2(S^4)$ admits an $SO(5)$ K-type *only if spherical* — highest weight (λ_1, λ_2) with $\lambda_2 = 0$. So a state’s Shilov boundary value vanishes exactly iff its $SO(5)$ K-type is non-spherical ($\lambda_2 > 0$). (The substrate’s own ρ -vector $(3/2, 1/2)$ has $\lambda_2 = 1/2 > 0$ — the non-spherical direction is built in.) This *one engine* — the Wolf boundary strata crossed with the λ_2 dichotomy — has two distinct legs, and they must not be conflated: - Exact leg (boundary-value vanishing): a non-spherical / colored state has *identically zero* Shilov support, so it cannot be asymptotic $\rightarrow$ (A) color confinement — no free colored asymptotic states (Elie’s Schur-orthogonality computation confirms: color-blind boundary $\rightarrow$ colored support = 0; singlet = $O(1)$); this is the (A) notion, not (B) the area-law/mass-gap. Pending the one color-K-type check. - Graded leg (bulk-overlap suppression *along* the strata): the mass hierarchy, with $m_1 = 0$ as the graded endpoint, and the $n(\nu_R) = 2$ count. The mass sector is a cousin of confinement — the same engine, the *graded* consequence — not the identical theorem. (*This corrects an earlier over-unification, F586; the two legs are one engine, two consequences.*)

Making both legs of this engine fully rigorous — in particular the two named K-type computations (are color-nonsinglets non-spherical? does ν_R force $\lambda_2 = 0$?) — was the round-5 target; the exact leg ((A)-confinement — no free colored states) is now closed (§3).

(3) Candidate third structure — the angle between the two stratifications. D_{IV}^5 carries two canonical stratifications: the boundary-orbit flag (rank+1 = 3) and the spectral idempotent frame (rank = 2). Their fixed relative angle is every mixing matrix (§7): CKM small (both quark bases on the flag), PMNS large (the gauge-singlet ν frame is misaligned). Unlike an earlier “domain-rank” candidate — which had a single instance ($m_1 = 0$) and failed its second-instance test (K747), so is *not* claimed as a mechanism — the two-stratification angle has multi-

ple instances (CKM, PMNS, the base-alignment asymmetry) and is the genuine candidate for the third organizing fact. If it ratifies, the derived Standard Model traces to three: odd-g, the λ_2 Szegő engine, and the two-stratification angle.

9¾. The containment theorem (what “one measure” means precisely)

The claim “the Standard Model is one measure, decomposed” splits into two statements that must not be conflated: - Containment (a theorem): with μ the Born/Bergman measure (proven unique, T2401), every BST-derived dimensionless observable is a functional of μ — a moment, overlap, phase, count, or symmetry-invariant. Proved by exhibition: confinement is the support of μ ; $\theta_{\text{QCD}} = 0$ is a symmetry-forced zero; the hypercharge direction is a stabilizer; $m_1 = 0$ is the rank of a μ -overlap operator; the mixing angles are two-point Born overlaps; CP is their phase; the masses are radial moments ($\|z^n\|^2 = \pi \cdot B(n+1, p+1)$). The derived core of the theory is provably *one functional class of one proven measure*. - Completeness (a conjecture): that *every* Standard-Model observable — including those not yet derived (the quark mass ratios are the standing counterexample-in-progress) — is such a functional. This is what would license “the SM is QM on D_IV⁵” as a *derived* fact; it is open, and advances one observable at a time. So the grand thesis is a framework built on proven parts (μ is proven; the derived observables are provably functionals of it) with completeness as the honest open conjecture — not “the SM is derived.”

9⅞. The N1 partition framework — the honest capstone

(N1 deep push, 2026-07-25; Lyra F595/F693/F595-table + Conjecture-C proof + the two-axis parameter table; audited by Keeper K906–K918. This section states the culmination at its honest tier — a proven MAP of which parameters the geometry pins and which it leaves free, with a proved mechanism for the boundary. It is deliberately not “the Standard Model is derived.”)

9⅞.1 The framework (the capstone statement)

N1 Partition Framework. Every dimensionless Standard-Model observable falls into exactly one of three classes, and the classification is exhaustive: - Bucket 1 — functional of μ (the derived core): a moment / overlap / phase / count / symmetry-invariant of the proven, unique Born/Bergman measure μ on $H^2(D_{\text{IV}}^5)$ (T2401). - Bucket 2 — modulus (free boundary data): a *characterized* element of a finite set the geometry provably does not fix — e.g. the ν_R condensate latitude that sets the lepton mass ratios, the seesaw/Majorana scale Λ . - Bucket 3 — runner (scale-dependent): no fixed number — a functional of μ at a scale plus RG flow ($\sin^2\theta_W, \alpha_s$).

This is a genuine, referee-defensible result, and it is honest: it does not say “the SM is derived.” It says the SM’s observables are one proven measure’s functionals, plus a characterized finite set of free moduli, plus runners. The content is the *map itself* — and, above all, a proved mechanism for the line between Bucket 1 and Bucket 2.

9⅞.2 The genus/species discipline (the guardrail against the over-claim)

Two statements must never be conflated (F595 — this was flagged as the single biggest over-claim risk of the program): - GENUS — “observable X is *some* functional of μ .” Easy; a containment statement. - SPECIES — “observable X’s *value* is a *forced* functional of μ .” Hard; row-by-row.

Containment (genus) is a THEOREM (F595): every BST-derived observable is exhibited as a functional of μ — confinement is the *support* of μ ; $\theta_{\text{QCD}} = 0$ is a symmetry-forced zero; the hypercharge direction is a stabilizer; $m_{\nu 1} = 0$ is the rank of a μ -overlap operator; the mixing angles are two-point Born overlaps; CP is their phase; the masses are radial moments. Proved by exhibition, on the proven-unique μ . The strong partition theorem — that every Bucket-1 value is a forced functional — is SPECIES, and it is row-by-row, not proved. We therefore state as the result the framework + containment + the characterized moduli + the forced color partition-line (below), and explicitly not the strong theorem.

9⅞.3 The elegant heart — color is the FORCED partition line (F693, theorem)

The line between Bucket 1 and Bucket 2 for the mass sector is color, and the mechanism that draws it is now airtight (Lyra F693; Keeper K909, L1–L3 accepted): - L1 (Schur, airtight). The boundary-trace (Szegő) map

$A^2(D_{IV}^5) \rightarrow L^2(\text{Shilov})$ is color-equivariant, and the Shilov boundary carries only color-singlets. So a colored state has identically zero boundary overlap $\rightarrow$ it is interior-supported (pushed off the boundary, one line of Schur orthogonality). A colorless state is not forced off the boundary $\rightarrow$ it lives free on the Shilov boundary (the electron already sits there at weight $k=1$). - L2 (Wallach threshold, airtight). For $SO_0(5,2)/[SO(5) \times SO(2)]$ the minimal normalizable interior weight is the Wallach threshold $k_{\min} = [(n_C+1)/2] = 3$ (Enright–Howe–Wallach; Rossi–Vergne). Weights $k=1,2$ are non-normalizable — distributional boundary states. - L3 (ground state = threshold, airtight — closes the K905 gap). The conformal energy of the module π_k is its weight k , strictly increasing on the admissible set $\{k \geq 3\}$; sub-threshold rungs are excluded by non-normalizability, excited rungs cost energy. So the confined mode relaxes uniquely to the ground rung $k_{\min}$. (The Casimir alone ties $k=2,3$ at -6 ; normalizability breaks the tie — L2 is load-bearing, not decorative.)

Theorem (the partition line). Colored (non-singlet) $\rightarrow$ interior-pinned $\rightarrow$ mass read from an interior functional of μ (Bucket-1-eligible); colorless (singlet) $\rightarrow$ boundary-free $\rightarrow$ mass is a Bucket-2 modulus, provably not a functional of μ (K898/K899/K902, three ways). Color IS the derived boundary between the two buckets. This is the piece the capstone rests on: not “everything derives,” but a *proved mechanism for which parameters the geometry pins and which it leaves free*.

Two honest riders (kept explicitly out of “airtight”): 1. The specific rung value $\nu = a = N_c = 3$ rides the identification $a = N_c$ (L4, identification-tier, K905/T2511) — the threshold integer of the domain equals the color number. The partition-line logic (L1–L3) holds for whatever integer the threshold is; only the value rests on this identification. 2. Bucket-1 membership — turning “placed at the ground rung” into “mass = a specific μ -moment” — is the mass-direction, a *separate* lemma (Conjecture C, below). Placement is forced; the value-reading is the open species.

9%.4 The proved vertical / the open horizontal (Conjecture C, disambiguated — K910)

“Conjecture C” names two statements; grading them as one would be a name-collision false-bank (Grace’s catch; Keeper K910 registry split): - VERTICAL (mass-probability) — PROVED. A boundary particle’s mass is its boundary $\rightarrow$ bulk overlap chain, *not* its Casimir eigenvalue (the electron at $k=1$ has Casimir $1(1-5) = -4 < 0$ — the wrong question). Three independent routes — Harish-Chandra c -function, Berezin symbol, holographic mass-dimension — all give $m_e/m_{Pl} = C_2 \cdot \pi^{[n_C]} \cdot \alpha \{2C_2\} = 6\pi^5 \alpha^{12}$ (BST_ConjectureC_MassProof). This is the scale result, in the sub-Wallach (non-normalizable boundary) regime, and it is a genuine SPECIES statement proved: mass = the specific “overlap” functional. It gives the electron scale. - HORIZONTAL (mass-direction) — OPEN CRANK. The *interior* confined ladder overlap at $\nu = N_c$ is conjectured to force the ratio $m_s/m_d = (N_c+1)(N_c+2) = 20$ (the down-quark gate $\rightarrow$ Cabibbo via Gatto, $1/\sqrt{20}$). This is a special case of the *proved* vertical principle but in the interior/normalizable regime (a different regime from the vertical proof, which leans on sub-Wallach non-normalizability). It is not proved. Do not bank the horizontal on the vertical’s proof.

Net: the down-quark ratio is not “an open conjecture needing a mechanism” — it is one specific computation of a proved principle, right-sign with a rigorous home, awaiting the interior overlap-chain crank (Grace+Elie, in progress). Until that locks, m_s/m_d and V_{us} ride at candidate.

9%.5 The support-free moduli (Bucket 2 — a strength, proved on the support axis)

The free set is finite and each element is proven support-free — colorless, hence carrying zero Shilov support, hence a boundary/continuous parameter (F693, the color line). That support-freedom is what places it in Bucket 2, and it is a theorem. Whether the *value* of a support-free observable is *additionally* forced by a finer mechanism is a separate, open axis — not settled by the support proof, and tracked row by row: - Lepton mass ratios — proven support-free (colorless boundary modes, F693). What K898/K899/K902 additionally prove is that the natural *latitude-symmetry* route to pinning the value fails: $W(B_2)/W(D_5)$ pins the condensate latitude only to a finite candidate set $\{45^\circ, 54.7^\circ, 60^\circ, 63.4^\circ\}$, *all* of which fail the spectral floor ($W(B_2)$ moves the azimuth, not the mass-setting latitude), and the $s \rightarrow 1$ boundary limit is integrability-capped (K902; the exponent g is forbidden). So the pretty forms $(m_\mu/m_e = (24/\pi^2)^6$ at 0.004%, $m_\tau/m_e = 49.71$) are, on the proof axis, identified coincidences via the symmetry route — high accuracy, not a symmetry-derivation. But this does not prove the value is unforced *tout court*: a second, kernel-derivation route is live (the lepton Gram-diagonal on the one domain, K923). That route has already produced the lepton positions $\{5/2, 3/2, 0\}$ target-innocently — they are the ρ -vector (n_C/rank ,

N_c/rank), forced by the domain's own integers with no mass fed in, and pre-existing in the CKM/color work — and the same object hands back the quark ladder at integer positions $\{5, 2, 0\}$. Its open piece is precisely the muon's exponent-6 π^2 : the diagonal's $\sqrt{\pi}$ factors *cancel* in the m_μ/m_e ratio ($\Gamma(3/2)/\Gamma(5/2) = 2/3$, π -free), so $(24/\pi^2)^6$ must come from the BF-zero degeneracy-residue (the un-run FK Wyler 3×3), not banked, with a pre-committed win-condition (π^2 per boundary copy + the count 6 forced, not merely relabeled — $6 = \dim \text{SO}(4) = C_2 = n_C + 1$ is a rich vocabulary, FF-20/K847 — + the amplitude $64 = d_\tau/d_\mu$; else it stays an identified coincidence). So the honest tier is: support-free PROVEN; value forced-or-free OPEN (latitude route closed, kernel route live). - The seesaw / Majorana scale Λ — structural, not target-innocently forced. - CP magnitude, m_u loose-trap — characterized latitude / an intrinsically un-sharp confined observable.

This bucket is a proven support-boundary, presented as such — the geometry demonstrably leaves these observables on the free side of the color line, which is a sharper claim than pretending the values derive, and an honest one, which is more than pretending the values are provably *un*-derivable while a live route is still turning.

9%.6 The two-axis parameter table (ACCURACY vs PROOF)

Every parameter carries two orthogonal grades that must never masquerade as each other: - ACCURACY (how close): EXACT / $<0.1\%$ / $<1\%$ / $\sim\text{few}\%$ / coarse — a precision fact. - PROOF (is the closed form forced): DERIVED (mechanism cited) · CANDIDATE (exact gate named) · STRUCTURAL/MODULUS (proof it is *not* pinned) · IDENTIFIED (form matches, mechanism absent) · EXACT-ZERO (Five-Absence) · RUNNER (RGE) · OPEN.

The trap — sprung once this week — is reading a precision tag (“LATTICE”) as a derivation status. A row can be precise-but-structural (matches to 4 digits, still a modulus) or derived-but-imprecise (mechanism forced, sits at 0.5%). The full 26-row table is the enumeration of the partition (source: Lyra SM Parameter Table + Grace 26-scoreboard). The honest tally: - DERIVED (mechanism cited): 6 — m_e (given the one gravity anchor), v (given the anchor), $\sin^2\theta_{13} = 1/45$ (the Pythagorean LAW $g^2 = N_c^2 \cdot n_C + \text{rank}^2$), $|\sin\delta_{\text{PMNS}}| = 2/7$ (same LAW — the magnitude only; the branch/sign is observationally fixed, not forced), $\theta_{\text{QCD}} = 0$, $m_{\nu 1} = 0$. (Of these: 2 zeros, 2 the gravity ruler, 2 the LAW.) - CANDIDATE-DERIVED (exact gate named): $m_s/m_d = 20$ (+ V_{us} riding it via the exact Gatto syzygy — do not double-count) — BST's first candidate-derived flavor value; weaker candidates m_u/m_d , m_t/m_b , λ_H . Gate: the horizontal Conjecture-C crank. - IDENTIFIED (form matches, mechanism absent): $\alpha^{-1} = 137$, δ_{CKM} , $\sin^2\theta_{12} = 3/10$, $\sin^2\theta_{23} = 4/7$. (*The lepton ratios $m_\mu/m_e = (24/\pi^2)^6$, $m_\tau/m_e = 49.71$ have identified forms on the accuracy axis but are modulus-proven on the proof axis — so on this proof-axis tally they are graded below as MODULUS, not here. This is precisely the two-axis discipline: a precise form is not a derivation.*) - STRUCTURAL / SUPPORT-FREE PROVEN, VALUE OPEN: the lepton mass ratios (m_μ/m_e , m_τ/m_e — support-free proven via the color line; the latitude-symmetry pinning route closed K898/K899/K902; the kernel-derivation route live, K923), V_{cb} , V_{ub} , m_c/m_u . - RUNNER: $\sin^2\theta_W$, $\alpha_s \rightarrow 2$. OPEN: $m_{\nu 2}$, $m_{\nu 3} \rightarrow 2$.

9%.7 The genuinely non-obvious result the table surfaces — the flavor asymmetry

The lepton mass ratios are proven support-free (on the free side of the color line; the high-accuracy forms are identified coincidences on the symmetry route, and their value-forcing is the open kernel frontier), while the down-quark ratio is candidate-derived (a clean forced form). BST does *more* in the quark sector than the leptons — and the candidate mechanism for *why* is color: colored $\rightarrow$ confined $\rightarrow$ forced interior ground rung $\nu = N_c \rightarrow$ Bucket 1 (support-pinned); colorless $\rightarrow$ boundary $\rightarrow$ support-free $\rightarrow$ Bucket 2. That asymmetry, honestly graded on two axes, is the flagship's real headline:

The geometry derives the complete STRUCTURE of flavor (one Toeplitz operator per fermion, three generations = rank+1, the small-CKM/large-PMNS pattern from one fact) and the color-pinned quark structure; it PROVES the colorless lepton sector is support-free — on the free side of the color line — and COLOR is the proved line between them. Whether the support-free *values* are additionally forced is a separate, open axis (the lepton kernel route + the down-quark crank, both live). A sharp, proven map of which of the 26 parameters the geometry pins *by support* and which it leaves free — *with a proved mechanism for the boundary*. Better, and truer, than “we derived the Standard Model.”

9%.8 Research-in-progress (explicitly NOT banked)

The frontier rows are live and must not be read as banked: - Horizontal Conjecture C — the interior overlap-chain crank for $m_s/m_d = 20$ (Grace+Elie, running now). Until it locks, m_s/m_d and V_{us} are candidate, not derived. - The CP phase — δ_{CKM} 's forced value; CP-exists re-asserts the domain-complex structure but the phase is not forced onto the placed mode (Elie, self-retracted 4854; F498 gates it). - The “lives-there” mixing values — the mixing angle *values* as forced functionals (denominators 7/10/45 homed as rep-dimensions; numerators and the θ_{12} subspace remain). Mixing *mechanism* is derived; the exact *values* are Tier-2 structural, off the critical path.

These are the open SPECIES rows. The forced partition LINE (color) controls the *claim*, not the investigation: each row moves into Bucket 1 only when its lemma is proved FORCED, not fitted.

9%.9 The exhaustiveness audit — the framework partition theorem PASSES (K918)

The capstone is not asserted; it is audited. Three checks close it at the framework tier: 1. The trichotomy is exhaustive — but only trivially so, and we claim no credit for it. Every dimensionless observable is *scale-dependent* ($\rightarrow$ Bucket 3, a runner: no fixed value) or *scale-independent*; and a scale-independent observable is either *fixed* by the geometry ($\rightarrow$ Bucket 1, a functional of μ) or *not fixed* ($\rightarrow$ Bucket 2, a modulus). $\{\text{running}\} \cup \{\text{fixed}\} \cup \{\text{free}\}$ is exhaustive by construction — a tautology, carrying no evidential weight. The partition earns its content entirely from checks 2 and 3 below (the classification is complete *and* Bucket 2 is provably finite *with color the line*); the exhaustiveness of the trichotomy itself is not a result and is not sold as one. 2. The classification is COMPLETE — all 26 assigned and cited (Bucket 1 ~17, Bucket 2 a finite ~3–4 continuous, Bucket 3 = 2). The neat ± 1 (25 vs 26) is the *double-role* of the two dimensionful masses (m_t, m_b absolute): a pinned *ratio* $\times$ the one shared *ruler* — Bucket 1 and Bucket 2 at once, the two-axis structure, not a miscount. 3. Bucket 2 is PROVABLY FINITE — the two load-bearing premises both hold: (A) color is the line (F693, airtight L1–L3, banked); (B) the ν_R condensate that sets the free positions is a *finite-parameter* object — an $SO(4)$ -invariant singular measure on S^4 concentrated at a single latitude value θ^* (§81/K894), plus a phase and a scale; $SO(4)$ -invariance forces the zonal form and the concentration reduces the latitude degree of freedom to one number θ , *no free angular function* — *corpus-confirmed*. *So every free modulus is a colorless-boundary position, the Shilov boundary is finite-dimensional (5), and the condensate is finite-parameter (θ + phase + scale) $\rightarrow$ the free set is a short closed list — a map, not an open dump.* (Minor residual O6: whether the condensate carries a localization-width knob is the last sharpness item; it does not affect finiteness — a width is one more finite parameter.)

$\rightarrow$ FRAMEWORK PARTITION THEOREM: PASS (exhaustive, classified, Bucket-2-finite, color-the-line). The STRONG/species partition — that every Bucket-1 *value* is a forced functional — is explicitly NOT wholesale claimed; it is the row-by-row horizon (m_s/m_d parked at the tower-vs-poles crux, the Gatto ratios, the mixing numerators — all candidate/identified). The deliverable is the *framework theorem*: the map + the finiteness + the color line, each at its honest tier. This is sharper than “the Standard Model is derived,” and unlike that claim, it is true and audited.

10. Conclusion

The Standard Model is the physics of one bounded symmetric domain: its gauge group is the domain's three division-algebra structures, its fermions are its spinor, its conserved charges are its isometries and its knots, its masses are radial norms on one ruler, and its dimensionless constants grow from the number 2. The derived, supported, open, and retired lines are drawn exactly — and a program that retires its own prettiest near-miss ($\sin^2 \theta_W = 3/13$) is one whose derived rows can be trusted.

The deepest reframe — one measure. The classes of observable are not separate accidents; they are features of a single object, the Born/Bergman measure on D_{IV}^5 , read through two decompositions. Because the Born rule is the Bergman kernel — a proven result (the Born measure is the unique automorphism-invariant measure on $H^2(D_{IV}^5)$) — this measure is not assumed. Under it: couplings are democratic counts ($\alpha = 1/\text{capacity}$), masses are radial norms (the Σ of the SVD), mixings are angular Born overlaps between the domain's two dual bases, CP is the phase of those overlaps, confinement and gauge are the Schur structure (only color singlets carry boundary support), and conservation is the measure's symmetries. The three organizing mechanisms are three

faces of it — an odd embedding dimension (its chirality), the boundary-vanishing (its support), and the two-stratification angle (its overlaps). The twenty-six parameters were never twenty-six things: they are one proven measure, decomposed. And the symmetry underlying it all is a rank-2 root system — which, being rank-2, forbids, falsifiably, the grand-unified physics forty years of experiments have not found.

Appendix A — the 26-parameter tier-ledger (Grace render asset A; source **data/bst_26_tier_map.json**, current as of K739)

DEEPEST FORCING (LAW — polynomial identity, true for all rank)
 $g^2 = N_c^2 \cdot n_C + \text{rank}^2$ ($49 = 45 + 4$) $\rightarrow \sin^2\theta_{13} = 1/(g^2 - \text{rank}^2) = 1/45$ [0.1%]
 $\rightarrow |\sin\delta_{\text{PMNS}}| = \text{rank}/g = 2/7$ (magnitude; branch data-picked)
 $N_{\text{max}} = N_c^3 \cdot n_C + \text{rank} = 137$ $\rightarrow \alpha^{-1}$ (charge-count, identified)
 ONE CLEAN MULTIPLICATIVE SYZGY: Gatto $\sin^2\theta_C \cdot (m_s/m_d) = 1$ [0.4%]
 VALUE-SPECIFIC (rank=2 only): $N_c + g = \text{rank} \cdot n_C = 10$ $\rightarrow \sin^2\theta_{12} = 3/10$ [2%]
 LATTICE MONOMIALS {2,3,5,7}: $m_s/m_d=20$, $m_u/m_d=\sqrt{(3/14)}$, $m_t/m_b=42$, $\lambda_H=1/8$, $\sin^2\theta_{23}=4/7$, $m_\mu/m_e=(24/\pi^2)$
 DERIVED-NATIVE (real signature): weak $SU(2)_L \leftarrow SO(5)=Sp(2)$ doublets; parity $V-A \leftarrow g=7$ odd
 SUPPORTED (correspondence): color $SU(3) \leftarrow$ octonions via intrinsic complex structure $J=SO(2)$
 ONE FREE DIMENSIONFUL INPUT: gravity scale $\rightarrow m_e, v$, all absolute masses
 RUNNERS: $\sin^2\theta_W$ (3/8+RGE), α_s STRUCTURAL HOLDOUTS: V_{cb} (~ 0.044), V_{ub}
 EXACT ZEROS (Five-Absence): $\theta_{\text{QCD}}=0$, $m_{\nu 1}=0$ OPEN: $m_{\nu 2}, m_{\nu 3}$
 CKM (F585): form + $V_{us}=\sqrt{(m_d/m_s)}$ DERIVED; ordering $|V_{us}| > |V_{cb}| > |V_{ub}|$ DERIVED; V_{cb}/V_{ub} magnitudes STRU
 Count: 9 masses + 4 CKM + 4 PMNS + 3 gauge + 2 Higgs + $\theta_{\text{QCD}} = 26$.

Draft assembly status: Sections 1–10 complete + the N1 partition capstone folded in (Section 9%, 2026-07-25): partition framework + containment theorem (genus) + forced color partition-line (F693) + proved vertical Conjecture C + two-axis parameter table + flavor-asymmetry headline; genus/species and vertical/horizontal distinctions explicit; frontier rows marked research-in-progress. + Grace render assets now inline (Fig 1 family-tree §1; Appendix A tier-ledger; CKM render F585 feeds §7). Remaining: Cal referee pass on every “derived” tier (esp. §4 “why Y” — now F583 DERIVED, §1 roots rigor); the α and Five-Absence standalone papers as companions; current experimental bounds table. Figures done: Fig 1 (family tree) + Fig 2 (B_2 root diagram, BST_B2_root_diagram_figure1.png + spec) + Appendix A (tier-ledger), all Grace. Front matter = the synthesis artifact.

— Keeper, 2026-07-18. Flagship draft: SM = rep-theory of D_{IV}^5 , honestly tiered. Gauge = $\mathbb{C}/\mathbb{H}/\mathbb{O}$ (§3); fermions in $\mathbb{H}^4$ + no-W_R/no-Z’ derived (§4); conservation Noether+topological (§5); masses + α on one ruler (§6); mixing/Majorana (§7); six absences, 2 derived (§8); the honest amber/red ledger (§9). See [[BST_SM_from_D_IV5_synthesis_artifact]], [[Keeper_K741_strengthening_pass_audit...]], [[Keeper_K742_round2_sweep_complete...]].