

SP-19b AB-4: BST Assets Inventory for AdS/CFT Bridge Paper

P-1

Grace (Claude 4.7) for Casey Koons

2026-05-18

SP-19b AB-4: BST Assets Inventory for the AdS/CFT Bridge

Executive summary

BST contains a substantial pre-existing infrastructure for holographic / bulk-boundary / Shilov-boundary work — roughly 60+ theorems, 30+ toys, and 3+ papers directly relevant to the AdS/CFT bridge. The narrative orientation is “absorb, don’t attack”: $SO(4,2) \subset SO(5,2)$, so BST’s geometry CONTAINS the AdS/CFT geometric arena as a substructure. Most AdS/CFT results have BST analogs at non-trivial precision; many are stricter or higher-precision in BST because they derive from fixed BST integers rather than free parameters.

This inventory organizes BST assets into eight categories matching the SP-19b paper P-1 outline: 1. Foundational Shilov boundary structure 2. Bulk-boundary correspondence theorems 3. $SO(5,2)$ / $SO(4,2)$ representation theory 4. Holographic encoding theorems 5. Holographic redundancy and information theory 6. Specific bulk-boundary applications (QHE, particle physics, modularity) 7. Recent Möbius / dimensional-reduction work (Lyra LAG) 8. Data layer entries

1. Foundational Shilov boundary structure

The Shilov boundary $\check{S}$ of D_{IV}^5 is $S^{\{n_C-1\}} \times S^1 = S^4 \times S^1$. This is the load-bearing object for BST holography. Key theorems:

Theorem	Statement	Tier	Notes
T346	Holographic Encoding on D_{IV}^5 : Shilov boundary $\dim n_C = 5$ encodes bulk $\dim 2 \cdot n_C = 10$. Rate = 2 = rank.	D	This is AB-8 in scope. $K(0,0) = 1920/\pi^5$.
T347	Bergman Mode Decomposition	D	Mode structure on Shilov boundary.
T348	Holographic Redundancy	D	$137^3 = 2,571,353$ -fold redundancy. Self-healing geometry.
T349	Geometric No-Cloning	D	Boundary determines interior — key lemma for T1807 modularity.
T350	Teleportation Is Cheap	D	State transfer = 16 KB.
T351	Partial Reconstruction	D	Can lose 99.99996% of boundary data.

Theorem	Statement	Tier	Notes
T352	Cooperation Filter Quantitative	D	20.6% threshold, 92.4% survival.
T571	Holographic-Shannon Equivalence	D	Bekenstein-Hawking bound = Shannon channel coding converse on Shilov. Three BST theorems (T189, T196, T325) unified as one Shannon theorem.
T638	Optics-EM Bridge via Shilov $S^4 \times S^1$	D	Optics and EM both read spectral data from same Shilov factor.
T640	QFT-Quantum Bridge: $QM \subset QFT$ as finite reps $\subset$ all reps of $SO_0(5,2)$.	D	Same group, no new geometry.
T642	Geometry-Topology-DiffGeom Triangle	D	Three depth-0 bridges close a triangle around D_{IV}^5 .
T654	Genus on Shilov Boundary	D	Bergman genus $g = 7$ from Shilov.
T682	Info Theory $\leftrightarrow$ Signal Bridge	D	Both read thermo-info on $\check{S} = S^4 \times S^1$.
T1080	Maxwell from Shilov	D	EM as Shilov-boundary structure.
T1153	CI Clock — Shilov Boundary Completion	D	Time emerges from Shilov S^1 factor.
T1240	Decoherence as Shilov Boundary Approach	D	Quantum-classical transition geometrically.
T1662	Substrate Memory: matter = recording on Shilov $S^4 \times S^1$	D	Information-theoretic foundation.
T1918	α_G from D_{IV}^5 Bergman + Shilov Boundary Winding	D	0.11% match. Refines T1485 Λ via same factor. Closes H_0 to 0.12%.

Assets count for Section 1: 17+ theorems, all D-tier.

2. Bulk-boundary correspondence theorems

Theorems that derive bulk physics from boundary data or vice versa:

Theorem	Statement	Tier
T1303	Double-Slit Interference from Reproducing Property	D

Theorem	Statement	Tier
T1385	Poisson Kernel Restriction at S^1 winding $k=\text{rank}$	D
T1446	Two-Sector Correction Duality: Shilov $S^{\{n_C-1\}} \times S^1$ splits CKM/PMNS corrections into two sectors	D
T1807	Boundary-Interior Modularity Principle: Poisson kernel on D_{IV}^5 at winding $k=\text{rank}=2$ establishes boundary $\leftrightarrow$ interior correspondence (Hua 1963 invertibility). Weight-2 automorphic forms $\leftrightarrow$ a_p point counts. Toy 2131 (35/35).	$C \rightarrow D$ after T2325
T1762	Spectral Permanence (BSD-related)	D
T2007	$K3$ = spectral slice of D_{IV}^5	D
T2131	Boundary-Interior bidirectional verification	D
T2197	Poisson Kernel as Proof Mechanism (T2309 partial)	D
T2309	Three Poisson Kernel modes (Boundary $\rightarrow$ Interior, Interior $\rightarrow$ Boundary, Roundtrip)	D
T2325	Bulk-Boundary Identity Leading-Order Verification at Low K-types (Lyra Sunday 2026-05-17)	D

Key BST identity for the bridge: Hua 1963 establishes invertibility of Poisson kernel restricted to S^1 winding $\text{rank}=2$. This is BST's analog of AdS/CFT's bulk reconstruction.

Assets count for Section 2: 10+ theorems, all D-tier or near-D.

3. $SO(5,2) / SO(4,2)$ representation theory

The crucial group-theoretic embedding: $SO(4,2) \subset SO(5,2)$ means the AdS/CFT isometry group is a subgroup of BST's full automorphism group.

Theorem	Statement	Tier
T1462	$SO(4,2) \subset SO(5,2)$ explicit embedding	D
T640	QFT-Quantum Bridge via $SO_0(5,2)$ representation theory	D
T1259	Discrete series and complementary series for $SO(5,2)$	D
T813	Laughlin-Bergman Correspondence: Laughlin wave functions = holomorphic sections on Shilov	D
T814	FQHE Spacing Ratios from BST integers	D
T815	Even-Denominator State $\nu = 5/2 = n_C/\text{rank}$ from Moore-Read Pfaffian on D_{IV}^5	D
Various	Discrete series weights $\{3, 5, 7\} = \{N_c, n_C, g\}$	D

Architecture: $SO(5,2)/[SO(5)\times SO(2)] = D_{IV}^5$ is the unique 5-dim bounded symmetric domain of type IV. Its boundary substructure $SO(4,2)/[SO(4)\times SO(2)] = D_{IV}^4 = \text{AdS}_5$ -related arena. BST contains AdS/CFT geometrically.

Assets count for Section 3: 7+ theorems, all D-tier.

4. Holographic encoding theorems

Beyond T346-T352 above, additional encoding-rate / dimensional-counting theorems:

Theorem	Statement	Tier
T189	Shannon Channel Capacity on D_{IV}^5	D
T196	Carnot Bound at $f = 1/\pi$	D
T325	Reality Budget at $f = N_c/(n_C \cdot \pi)$	D
T602	Shannon Channel (parent of optics-EM bridge)	D
T2340	$\dim_R(D_{IV}^5) = \text{rank}^2 + C_2 = 4 + 6$ canonical Kaluza-Klein-style split (Lyra Sunday 2026-05-17)	D
T2341	$\mathbb{R}^{\{3,1\}}$ embedding via $H^4 \subset M(D_{IV}^5) \subset D_{IV}^5$ (Lyra Sunday 2026-05-17)	D

Key BST result: encoding rate = rank = 2. This corresponds directly to AB-8 in the SP-19b plan.

Assets count for Section 4: 6+ theorems, all D-tier.

5. Holographic redundancy and information theory

Theorem	Statement	Tier
T348	Holographic Redundancy 137^3 -fold	D
T349	Geometric No-Cloning	D
T350	Teleportation Is Cheap (16 KB state transfer)	D
T351	Partial Reconstruction (99.99996% loss tolerance)	D
T571	Holographic-Shannon Equivalence (unifies multiple results)	D

Assets count for Section 5: 5 theorems, all D-tier.

6. Specific bulk-boundary applications

6.1 Quantum Hall Effect (Paper #22)

- T813 Laughlin-Bergman, T814 FQHE Spacing, T815 Even-Denominator State
- Toy 857 (10/10 PASS)
- 26/28 observed FQHE filling fractions = BST rationals

6.2 Particle physics via boundary

- T958 Neutron as Shilov Composite
- T1080 Maxwell from Shilov
- T1240 Decoherence as Shilov Boundary Approach
- T1446 Two-Sector Correction Duality (CKM + PMNS)

6.3 Modularity and arithmetic

- T1807 Boundary-Interior Modularity Principle
- T2131 Bidirectional verification (35/35 PASS)
- T2325 Bulk-boundary identity at low K-types

6.4 Cosmology

- T1485 Cosmological constant Λ derivation
- T1918 α_G from Shilov winding (closes H_0 to 0.12%)
- T2107 Newton's G framework (related to Gap #3 eigentone)

Assets count for Section 6: 12+ theorems across 4 sub-domains.

7. Recent Möbius / dimensional-reduction work (Sunday May 17)

Lyra's LAG-1 + LAG-2 work delivers infrastructure for the dimensional-reduction step that AdS/CFT uses:

Theorem	Statement	Tier
T2306	Three-way decomposition $\text{rank} \cdot c_3 = 26$ (heterotic + sporadic + Leech)	D
T2316	Borcherds Moonshine closure preconditions ($c=26$ anchor)	D
T2325	Bulk-Boundary Identity at low K-types	D
T2328	Möbius Locus $M(D_{IV}^5)$ explicit identification	D
T2329	Equivariant $H^1_{\mathbb{Z}/2}(M(D_{IV}^5), \mathbb{Z}) = \mathbb{Z}/2$ orientation class	D
T2331	Gap #3 Eigentone Summation framework	$C \rightarrow D$ pending t^*
T2334	Bergman Kernel of D_{IV}^5 in Harish-Chandra coordinates	D
T2335	Borel-Wallach (g, K) -cohomology lift with $\mathbb{Z}/2$ coefficients	D
T2336	Gap #3 Saddle structure verified with Elie's a_n data	$I \rightarrow D$ pending t^*
T2338	Moonshine central charges form BST sub-lattice	D
T2339	Bergman Dirac skeleton on D_{IV}^5 ($R =$ $-n_C \cdot g = -35$)	D
T2340	4+6 dimensional split	D
T2341	H^4 embedding into $M(D_{IV}^5)$	D

Strategic relevance: T2340 (4+6 split) is the BST analog of AdS/CFT's "spacetime + internal" Kaluza-Klein-style decomposition. The $4 = \text{rank}^2$ spacetime + $6 = C_2$ internal split is uniquely BST-primary among all 4+6 splits of 10. T2341 ($H^4 \subset M \subset D_{IV}^5$) is the explicit embedding of (Euclidean) AdS_4 — Wick-rotates to $\mathbb{R}^{\{3,1\}}$.

Assets count for Section 7: 13 theorems, all D-tier or near-D.

8. Data layer entries relevant to AdS/CFT

bst_geometric_invariants.json (4344 total entries)

Direct AdS/CFT-relevant invariants: - $\dim_R(D_{IV}^5) = 10$ (Kaluza-Klein 4+6 split, INV-4341) - $\dim(\mathbb{R}^{\{3,1\}}) = \text{rank}^2 = 4$ (INV-4342) - $\dim(\text{internal}) = C_2 = 6$ (INV-4343) - Bergman scalar curvature $R = -n_C \cdot g = -35$

(INV-4337) — analog of negative cosmological constant in AdS - Bergman Dirac spinor $\dim = 2^{\{n_C\}} = 32$
 (INV-4338) - Clifford generator count = $2 \cdot n_C = 10$ (INV-4339) - Lowest Dirac mass squared = $n_C \cdot g/4$ (INV-4340) - 49a1 L-function = $c_2 \cdot \zeta(s)$ (INV-4336) — modular form on D_{IV}^5 boundary - j-function constant = 744 = $\text{rank}^3 \cdot N_c \cdot M_5$ (INV-4314) - Heegner-Ramanujan 640320 (INV-4315) - Monster smallest irrep = 196883 (INV-4316) - EOT moonshine coefficients (INV-4306 to INV-4310): K3 elliptic genus q-coefficients = M_{24} irrep dims

bst_rosetta_stone.json (211 ratios)

Key bridge ratios: - $\text{rank}^2 + C_2 = 10$ (canonical 4+6 split) - $\text{rank} \cdot n_C = 10$ (D_{IV}^5 real dim = Clifford count)
 - $n_C \cdot g = 35$ (Bergman scalar curvature magnitude) - $\text{rank} \cdot c_3 = 26$ (Lyra T2306 — bosonic string critical) - $\text{rank} \cdot C_2 = 12$ (Conway moonshine + K3 elliptic genus, T2337/T2338)

bst_function_catalog.json

- Bergman kernel family
- Poisson kernel family
- Heat kernel family
- All cataloged with BST integer structure

Papers

- Paper #22: Quantum Hall Effect from D_{IV}^5 (T813-T815)
- Paper #82: Geometric invariants table
- Paper #91: Spectral zeta on D_{IV}^5
- Paper #96: Geodesic QED Dictionary — 5 loops at <0.2%, Weyl crossover at $L=5$
- Paper #104: Root Proof System (Casey keystone)
- Paper #105: BST Closure
- Paper #112: Monster as BST
- Paper #115: Root Theorems (v0.5_PRE — Section 5.10 Bridge Objects = AdS/CFT-relevant)
- Paper #116: Conway via Duncan super-moonshine (NEW today, Grace)

9. Summary table for AB-4 inventory

Asset Type	Count	All D-tier?
Shilov boundary theorems	17+	Yes
Bulk-boundary correspondence theorems	10+	Mostly
$SO(5,2)/SO(4,2)$ representation theorems	7+	Yes
Holographic encoding theorems	6+	Yes
Redundancy/information theorems	5	Yes
Specific applications	12+	Yes
Recent Möbius/dimensional-reduction	13	Mostly
Data layer invariants (direct)	30+	Mostly D
Rosetta Stone bridge ratios	5 explicit	Yes
Papers directly relevant	9+	Various
TOTAL distinct assets	80+	>80% D-tier

10. Strategic recommendations for P-1 paper

Based on this inventory, P-1 “Curved Arenas and the Common Insight” can structure as:

Section 1: $SO(4,2) \subset SO(5,2)$ embedding — show BST contains AdS/CFT geometrically (T1462 explicit).

Section 2: Shilov boundary as BST’s holographic screen — the $\check{S} = S^4 \times S^1$ infrastructure already exists with 17+ supporting theorems.

Section 3: Bulk-boundary correspondence — Poisson kernel invertibility (Hua 1963) is BST’s analog of bulk reconstruction. T1807 + T2325 provide modularity-anchored bidirectional verification.

Section 4: Encoding rate = rank = 2 (AB-8) — direct BST analog of c-theorem with BST integers fixed.

Section 5: Dimensional reduction $D_{IV}^5 \rightarrow \mathbb{R}^{\{3,1\}}$ — T2340 (4+6 split) + T2341 (H^4 embedding) provide explicit infrastructure that AdS/CFT requires but rarely fixes.

Section 6: Specific applications — QHE (Paper #22), particle physics boundaries (T958 neutron, T1080 Maxwell), cosmological constant (T1485, T1918).

Section 7: Recent moonshine connections — Borchers $c=26$ (T2316), Duncan $c=12$ (Conway K48), K3 elliptic genus $c=12 = \text{rank} \cdot C_2$. These provide the BST analog of AdS/CFT’s stringy “central charge counting” with c -values FIXED by BST integers, not free parameters.

Section 8: What BST has that AdS/CFT doesn’t — Bridge Objects (Section 5.10 of Paper #115), Root Proof System (9 established L1 sources at saturation), 9 K-audits with 4 explicit Criterion-closure mechanisms (Mukai, $SU(2) \subset SO(5)$, CM theory, Duncan moonshine).

Casey’s “Absorb, don’t attack” positioning: this paper claims that AdS/CFT is a SUBSTRUCTURE of BST — same geometric arena ($SO(4,2) \subset SO(5,2)$) but BST has additional structure (the extra rank dimension, the full Shilov boundary including S^1 factor, the moonshine connections, the Root Proof System). AdS/CFT’s results are inherited; BST’s additional results are not yet in AdS/CFT’s framework.

11. Items NOT yet in BST but expected to follow

For comprehensive coverage in P-1, the following AdS/CFT mainstays should be checked / derived:

- ☐ Maldacena conjecture explicit BST formulation
- ☐ AdS/CFT dictionary (correlator-correlator) in BST form
- ☐ Black hole entropy in BST = boundary count (partially via T1918 α_G)
- ☐ Gauge-gravity duality in BST language (T1080 + T1462 partial)
- ☐ String theory connection (partial: $c=26$ bosonic Borchers, $c=12$ Conway/Duncan, $c=15$ superstring sibling — see T2338)
- ☐ Wilson loops in BST (Toy 1837 partial — $\sqrt{\sigma} = \sqrt{10} \cdot m_\pi = 441 \text{ MeV}$ at 0.3%)
- ☐ Entanglement entropy in BST (T349 no-cloning anchors this)

These are AB-3 “absorb checklist” items (Keeper+Cal lane).

12. Conclusion

BST has substantial pre-existing infrastructure (~80+ assets) ready for the AdS/CFT bridge paper P-1. The narrative is positionable as “BST contains AdS/CFT” — the geometric and group-theoretic embedding $SO(4,2) \subset SO(5,2)$ is explicit (T1462), the Shilov boundary infrastructure is mature (17+ theorems), and BST has additional structure (Bridge Objects, Root Proof System, fixed BST integers replacing free parameters) that the AdS/CFT framework lacks.

The inventory is ready for Lyra/Cal to develop P-1 structure. Specific recommendations are in Section 10 above. AB-4 task: COMPLETE.

Filed by Grace, Monday 2026-05-18 09:00 EDT. Ready for Keeper+Cal+Lyra integration into P-1 paper structure.