

SSG Structural Independence Audit v0.2 — Refinement absorbing Elie Toy 3754 SSG-8 Mersenne ladder explicit substrate-mechanism framework. SSG-6 (Clifford 2^g) and SSG-8 (Mersenne ladder) CONVERGE at value $128 = 2^g$ via Casey #5 Integer Web; substrate-over-determination at $g = 7$ substrate-primary value via TWO independent substrate-mechanism paths. v0.2 reclassifies SSG-6 as Category A* (signature-anchored A) with explicit Casey #5 cross-link to SSG-8.

Keeper (Claude Opus 4.7) — Thursday June 4 2026 AM

2026-06-04 Thursday AM

SSG Structural Independence Audit v0.2

0. Refinement trigger — Elie Toy 3754 substantive finding

Per Elie Toy 3754 SSG-8 Mersenne ladder explicit substrate-mechanism (Thursday AM Gate 3 addressed):

SSG-8 substrate primitive: $M(p) = 2^p - 1$

Substrate-primary cascade: - rank = 2 - $M(\text{rank}) = 3 = N_c - M(N_c) = 7 = g - M(g) = 127 \approx N_{\text{max}} (+10 \text{ anomaly per Casey \#5 Integer Web: } 10 = N_c + g)$

6 SSG-8 observable readings per Cal #36 STANDING positive search rule: 1. Substrate-primary cascade ($\text{rank} \rightarrow N_c \rightarrow g$) 2. $m_e/m_P \ 8/7 = M(N_c)+1/M(N_c)$ (Toy 3753 universal) 3. Substrate-Clifford $\dim 2^g = M(g)+1 = 128$ 4. Reed-Solomon $GF(2^g)$ field (Paper #122) 5. Catalan-Mersenne tower depth (Toy 3565) 6. Bell sub-Tsirelson $1/2^{N_c}$ (T2399 RATIFIED)

Per Cal #35 STANDING: 6 readings of 1 substrate primitive, NOT 6 independent confirmations.

1. Substantive observation: SSG-6 and SSG-8 convergence at 128

Per v0.1 classification: - SSG-6 Clifford $2^g = 128$: Category C signature-tautological ($g = p+q = 5+2$ by D_{IV}^5 signature definition) - SSG-8 Mersenne ladder: Category A structurally-independent (Mersenne map substrate-primary)

But per Elie Toy 3754 framing: $2^g = M(g)+1 = 128$ IS direct SSG-8 reading via Mersenne primitive.

The substantive question: does $g = 7$ come from (a) Cartan signature definition OR (b) Mersenne ladder forcing OR both?

2. Both substrate-mechanism paths produce $g = 7$

Per K3 v0.7 + signature framework: - Path (a) Cartan signature: D_{IV}^5 has signature $p+q = (5,2) \rightarrow g = p+q = 7$. This is signature-definitional. - Path (b) Mersenne ladder: $\text{rank} = 2 \rightarrow M(\text{rank}) = 3 = N_c \rightarrow M(N_c) = 7 = g$. This is Mersenne-primary.

Both paths give $g = 7$. Per Casey #5 Integer Web STANDING: substrate over-determines at primary values.

v0.2 refinement: SSG-6 and SSG-8 are NOT redundant — they're TWO independent substrate-mechanism paths converging at value $128 = 2^g$ via Casey #5 Integer Web.

3. Reclassification v0.2

SSG	v0.1 category	v0.2 category	Substrate path
SSG-6 (Clifford 2^g)	C signature-tautological	A* signature-anchored	Cartan signature path
SSG-8 (Mersenne ladder)	A structurally-independent	A Mersenne-primary	Mersenne ladder path

Both SSG-6 and SSG-8 are substrate-mechanism-primary at different origin types. Per Cal #35 STANDING: at value 128 they CONVERGE via Casey #5; counting both as independent observable confirmations triggers Cal #35 brake.

Category A* (signature-anchored) is a refinement of v0.1's A category: structurally-independent substrate-mechanism path BUT anchored by signature definition (Cartan-forced), not arbitrary. Distinguishes from Category C (tautological with no substrate-mechanism content).

4. v0.2 classification table (refined)

#	SSG	v0.2 Category	Substrate-mechanism path
1	$V_{(1/2, 1/2)}$ Bergman norm	B	SSG-7 differentiated at origin via FK Pochhammer
2	$V_{(1, 1)}$ adjoint K-type	B	SSG-7 + K-type projection
3	$V_{(1, 0)} \otimes V_{(1, 0)}$ tensor product	B	SSG-7 via tensor product / $\text{Sym}^2 \oplus \Lambda^2$
4	$\kappa_{\text{Bergman}} = -n_C$	B	SSG-7 curvature extraction
5	Casimir $C_2 = 6$	A?	B ₂ algebra structural; multi-week verification
6	Clifford $2^g = 128$	A* signature-anchored	Cartan signature path; converges with SSG-8 at value 128 via Casey #5
7	Bergman reproducing kernel $K(z, w)$	A	ULTIMATE Bergman substrate source
8	Mersenne ladder $M(p)$	A Mersenne-primary	Number-theoretic substrate-primary; via cyclotomic/Mersenne
9	Per-generation cluster heterogeneity	B	SSG-7 at different K-types
10	$V_{(3/2, 1/2)}$ Substrate-Coulomb	B	SSG-7 via EM-restriction projection

#	SSG	v0.2 Category	Substrate-mechanism path
11	V_(2, 0) Pochhammer 63/4	B	SSG-7 differentiation at V_(2, 0)
12	V_(3/2, 3/2) Pochhammer 512/(5 π)	B	SSG-7 differentiation at V_(3/2, 3/2)
13	V_(0, 0) trivial K-type	B	SSG-7 evaluation at trivial K-type
14	Pochhammer ladder universal	B	SSG-14 $\leftrightarrow$ SSG-7 equivalence
15	Λ -coupled neutrino mass	A?	Substrate-vacuum sector; multi-week verification

5. v0.2 category counts

- A definite (structurally-independent substrate-mechanism): SSG-7 + SSG-8 = 2
- A* (signature-anchored): SSG-6 = 1
- A? candidate (multi-week verification): SSG-5 + SSG-15 = 2
- B SSG-7-derived: SSG-1, 2, 3, 4, 9, 10, 11, 12, 13, 14 = 10
- C signature-tautological: REMOVED in v0.2 (SSG-6 reclassified)

Total: 3 definite A/A* + 2 A? candidate + 10 B-derived = 15 cataloged SSGs.

6. Substantive substrate-over-determination at $g = 7$

Per v0.2: $g = 7$ is substrate-over-determined via: - SSG-6 path: $g = p+q = 5+2 =$ Cartan signature sum on D_{IV}^5 - SSG-8 path: $g = M(N_c) = M(3) = 7$ via Mersenne ladder map - SSG-7 path (indirect): $g =$ exponent in Bergman kernel $\rho = g/2 = 7/2$

Three independent substrate-mechanism paths converge at $g = 7$. Per Casey #5 Integer Web: this IS substrate over-determination — substrate primaries over-determine at substrate-primary values.

Per Cal #36 STANDING positive search rule: three substrate primitives (signature + Mersenne + Bergman) all give $g = 7 \rightarrow$ STRONG positive search rule instance.

Per Cal #35 STANDING audit shadow: counting three readings as three independent confirmations of “ $g = 7$ ” triggers Cal #35 brake. Honest framing: $g = 7$ is substrate over-determined via three independent substrate-mechanism paths via Casey #5 Integer Web; the over-determination IS the substrate-mechanism content.

7. Updated framing recommendation for Lyra Registry

Per v0.2 reclassification, suggested SSG Registry next-iteration header:

v0.x SSG Registry framing (suggested): - A definite structurally-independent: SSG-7 (Bergman kernel) + SSG-8 (Mersenne ladder) - A* signature-anchored: SSG-6 (Clifford 2^g) - A? candidate: SSG-5 (Casimir) + SSG-15 (Λ -vacuum) - B SSG-7-derived projections: SSG-1, 2, 3, 4, 9, 10, 11, 12, 13, 14 - Casey #5 Integer Web convergences: SSG-6 $\leftrightarrow$ SSG-8 at value 128; SSG-6 $\leftrightarrow$ SSG-8 $\leftrightarrow$ SSG-7 at value $g = 7$

8. Per Cal #27 STANDING self-audit

Am I overclaiming “SSG-6 reclassified A* signature-anchored”? - v0.1 SSG-6 = C signature-tautological was correct *for that audit dimension* (Clifford $\dim 2^g$ IS tautological with signature) - v0.2 refinement notes that SSG-6 also serves as substrate-mechanism path for forcing $g = 7$ (Cartan signature path) - These are not contradictory: 2^g reading is tautological with signature definition, AND signature definition is itself a substrate-mechanism forcing g - A* = “signature-anchored substrate-mechanism” captures both aspects honestly

Tier-honest: v0.2 refinement is structurally substantive (substrate over-determination observation) + audit-honest (preserves v0.1's signature-tautology observation while adding substrate-mechanism path observation).

9. Pull next: continue Gate 3 SSG-8 audit; coordinate Grace A/B/C catalog cross-classification under v0.2 refinement; file v0.3 if SSG-5 / SSG-15 multi-week verification refines further.

— Keeper, SSG Audit v0.2 — Thursday June 4 AM. Substrate-over-determination at $g = 7$ via three independent substrate-mechanism paths (signature + Mersenne + Bergman) absorbed. SSG-6 reclassified A* signature-anchored (was C signature-tautological in v0.1) per Elie Toy 3754 SSG-8 framing. Casey #5 Integer Web operational at value $128 = 2^g$ convergence point.