

Bulk-color v0.4 — route commitment: (C) hidden dynamics-symmetry on Hardy space + (D) pure counting Track P are COMPLEMENTARY, not alternatives. SO(3) sub-vector counting (D) sets the 3-fold structure; Hardy-space boundary dynamics (C) gives the gauge emergence. Commit to UNIFIED (C+D); both routes needed to close 8-gluon question. Initial setup sketched; full derivation multi-week.

Lyra (Claude Opus 4.7)

2026-05-30 Saturday 16:45 EDT

Bulk-color v0.4 — route commitment (C+D unified)

0. Keeper's directive

“Pick route (C) or (D), commit, push toward derivation.” (Lyra Queue #1, A1 frontier — the program's single highest-leverage open item.)

This v0.4 makes the commitment and sketches the initial unified framework. Full derivation is multi-week.

1. Review of the two routes

Route (D) — pure counting via Track P (Casey)

- Mechanism: SU(3) is NOT a substrate symmetry; “3 colors” is a COUNT ($h^v = N_c = 3$) that the substrate carries; SU(3) gauge phenomenology EMERGES from how the count interfaces with confinement.
- My v0.2 instantiation: COLOR = SO(3) $\subset$ SO(5) sub-vector 3-fold in the bulk holomorphic tangent $T^{(1,0)} = 5_{+}(+1)$. The 5-vector of SO(5) decomposes under SO(3) $\times$ SO(2) as (3,0)+(1, ± 1) — the 3-dim SO(3) vector is the 3 “color direction” labels.
- Compatibility with constraints: $[p_+, p_+] = 0$ (Elie A1 Hermitian abelian obstruction) is respected — SO(3) is a SUBGROUP of K (SO(5) $\times$ SO(2)), not a non-abelian Lie subgroup ACTING on p_+ alone. The 3 directions are LABELS on p_+ , not Lie generators of an action.
- Pros: rigorous, structurally clean, consistent with all team findings, aligned with Casey's Track P.
- Cons: doesn't naturally give the 8 gluons of QCD (SO(3) adjoint dim is 3, not 8).

Route (C) — hidden dynamics-symmetry on Hardy space (Elie A1)

- Mechanism: A “hidden” dynamical symmetry emerges on the Hardy space $H^2(S)$ of D_{IV}^5 , built from p -operators (the bulk's non-compact directions), not present in K itself. This emergent symmetry could be SU(3) acting on the boundary observables.
- Setup: the Hardy space $H^2(S)$ is acted on by the K-component-of-K=SO(5) $\times$ SO(2) AND by boundary multiplication / Toeplitz operators built from p_+ . The Toeplitz-operator algebra is generally NON-COMMUTATIVE even when p_+ is abelian (because Toeplitz composition on H^2 is not pointwise

multiplication).

- Pros: provides a natural source of NON-ABELIAN structure (Toeplitz algebra) compatible with abelian p_+ (no Lie-subgroup conflict).
- Cons: more speculative; concrete identification of $SU(3) \subset$ Toeplitz-algebra structure not yet attempted.

2. The commitment: (C+D) UNIFIED

Recommendation: route (C) and (D) are NOT alternatives — they are COMPLEMENTARY ASPECTS of one mechanism.

Route (D) provides the 3-fold STRUCTURAL COUNT ($SO(3)$ sub-vector labels in the bulk tangent); route (C) provides the GAUGE EMERGENCE (Hardy-space Toeplitz-algebra dynamics on the Shilov boundary, building non-abelian structure compatible with the abelian p_+). The 8 $SU(3)$ gluons emerge as the $SU(3)$ image in the Toeplitz algebra acting on $H^2(S)$, with the 3-fold counting providing the rank-2 / 8-dim adjoint structure.

Both routes are needed: - Without (D), there's no source for the 3-fold COUNT (why 3 colors and not, say, 4 or 5). - Without (C), there's no source for the NON-ABELIAN gauge emergence (the 3-fold counting alone gives $SO(3)$, not $SU(3)$). - Together: (D)'s 3 $SO(3)$ directions provide the labels; (C)'s Toeplitz-algebra dynamics on $H^2(S)$ provides the $SU(3)$ -like non-abelian structure acting on those labels.

This is the COMMITMENT for v0.4: investigate (C+D) as a unified framework.

3. Initial setup sketch (multi-week work)

3.1 The Toeplitz-algebra structure on $H^2(S)$

The Hardy space $H^2(S)$ over the Shilov boundary $S = (S^4 \times S^1)/Z_2$ of D_{IV}^5 carries: - K-action: $K = SO(5) \times SO(2)$ acts via boundary K-types (Lyra L1-L2 dictionary). - Multiplication operators: m_f for $f \in C(S)$ (boundary functions) — generates the multiplication algebra $C(S)$ on $H^2(S)$. - TOEPLITZ operators $T_f = P \circ m_f$ where $P : L^2(S) \rightarrow H^2(S)$ is the Hardy projection. The Toeplitz algebra $T(H^2(S))$ is generally NON-COMMUTATIVE ($T_f T_g \neq T_{fg}$ in general — there's a commutator $[T_f, T_g] = T_f T_g - T_{fg}$ that is compact but nonzero). - The Toeplitz algebra is a natural source of non-abelian structure on the boundary.

3.2 The candidate $SU(3) \subset T(H^2(S))$

A natural candidate: the K-equivariant Toeplitz operators corresponding to $SO(3) \subset SO(5)$ sub-vector functions on S generate a subalgebra of $T(H^2(S))$. The $SU(3)$ image would be the closure of this subalgebra under multiplication + commutators, possibly with some identification of 3 generators with quarks-like states.

This is structurally analogous to how $SU(3)$ appears in noncommutative geometry / Connes-style spectral triples, where compact-operator commutators give the gauge structure. Substantively similar to the AdS/CFT-style boundary algebra giving bulk dynamics.

3.3 The 8 gluons

The 8 gluons would be 8 generators of the $SU(3) \subset T(H^2(S))$ image — specifically, the $8 = \dim \mathfrak{su}(3)$ Toeplitz-like operators that act non-abelianly on the 3-fold $SO(3)$ labels. Detailed identification requires computing the Toeplitz algebra explicitly + identifying its $SU(3)$ substructure.

4. What v0.4 commits to (and what's deferred)

Commitment: - Route (C+D) unified is the favored direction for bulk-color $SU(3)$ emergence. - (D) provides the structural 3-fold counting ($SO(3) \subset SO(5)$ sub-vector); (C) provides the gauge emergence (Toeplitz algebra on $H^2(S)$). - Both routes are needed; neither alone closes the 8-gluon question.

Deferred (multi-week): - Explicit Toeplitz-algebra computation on $H^2(S)$ for D_{IV}^5 . - Identification of $SU(3) \subset T(H^2(S))$ with explicit generators. - Derivation of 8-gluon adjoint structure from this identification. - QCD low-energy phenomenology (confinement, asymptotic freedom, running coupling) from the substrate-emergent $SU(3)$.

5. Connection to the team

- Elie: route (C) needs Toeplitz-algebra computations on $H^2(S)$ — this is in Elie’s command lane (boundary operator algebras + numerics). When he reaches B7 (higher Wallach baryon spectrum) or B6 (K-theory of D_{IV}^5), the Toeplitz algebra structure is a natural side computation.
- Grace: catalog scan for “Toeplitz algebra + Hardy space + $SO(5)$ ” cross-references; the noncommutative-geometry literature has overlap with the substrate framing.
- Cal: cold-read the (C+D) commitment; the Toeplitz-algebra source of non-abelian structure is a real existing technique (noncommutative geometry), so the proposal is structurally well-founded even if substrate-specific derivation is multi-week.

6. Honest scope + tier

RIGOROUS (existing math): - Toeplitz algebras on Hardy spaces of bounded symmetric domains are well-studied (Upmeyer, Berezin, Vasilevski). - $T(H^2(S))$ is generally non-commutative even when underlying boundary multiplication is abelian. - $SO(3) \subset SO(5)$ sub-vector structure (route D, from my v0.2).

COMMITMENT (this v0.4): route (C+D) unified — (D) for the 3-fold structural count, (C) for the gauge emergence via Hardy-space Toeplitz algebra.

OPEN (multi-week, deferred): explicit Toeplitz-algebra computation; $SU(3)$ identification; 8-gluon adjoint derivation; QCD low-energy emergence.

Cal #27 / honesty: I am NOT claiming $SU(3)$ emergence is derived. I’m committing to route (C+D) as the favored direction and sketching the initial setup. The Toeplitz-algebra approach is a real mathematical structure (not speculation) but its specific instantiation for D_{IV}^5 + identification with QCD $SU(3)$ is multi-week research. This v0.4 is the route commitment + framework setup, NOT the derivation.

Routed: → Keeper: bulk-color route commitment filed; (C+D) unified is the favored direction; multi-week work follows. → Elie: when you reach Toeplitz-algebra computations or boundary operator algebras (B6/B7), this is the natural setup. → Cal: cold-read this commitment; flag any technical issues with the Toeplitz-algebra approach. → me: continuing to Lyra Queue #2 (B1 quantum groups at $q=2$ deeper) or EOD prep.

— Lyra, bulk-color v0.4 — route commitment to UNIFIED (C+D). (D) — pure counting via $SO(3) \subset SO(5)$ sub-vector (3 color labels in bulk tangent) — provides the 3-fold STRUCTURAL count. (C) — hidden dynamics-symmetry on Hardy space via Toeplitz algebra on $H^2(S)$ — provides the GAUGE EMERGENCE (non-abelian Toeplitz structure compatible with abelian p_+ , gives natural source of $SU(3)$ -like structure). Both needed; neither alone closes 8-gluon question. (C+D) unified is the favored direction. Explicit Toeplitz computation + $SU(3)$ identification + 8-gluon derivation are multi-week.