

6/5 provenance verdict — it DIES as a kernel-exponent-ratio artifact (the chain touched the -6 form)

Result: 6/5 as “the Bergman/Szegő kernel exponent ratio” is an artifact of the wrong Bergman exponent. It touched the -6 form. The correct kernel-exponent ratio is 2 (class-level, C7). Traced with Elie’s structural pin (genus = $n_C = 5$, bidisk, four ways).

The -6 form (Elie’s catch, the contaminated source)

The corpus’s Bergman kernel line writes, verbatim: $K(z,w) = K(0,0) \cdot N(z,w)^{-(n_C+1)} = (1920/\pi^5) \cdot N(z,w)^{-6}$

So the corpus took the Bergman kernel singularity exponent to be $n_C + 1 = 6$. That is wrong: the Bergman genus (the singularity exponent) is $n_C = 5$ (Elie’s bidisk pin, four ways — a structural pin, no Hua needed). The “6” is the discrete-series weight $k = n_C + 1$, used where the genus (5) belongs. The kernel is N^{-5} , not N^{-6} .

The 6/5 chain touched it

T1918 / Toy 2351: “Šilov winding = $(n+1)/n$ is the Bergman/Szegő kernel exponent ratio.” With Bergman exponent = $n_C + 1 = 6$ (the -6 form) and Szegő = $n_C = 5$, that gives 6/5. So the 6/5 “kernel exponent ratio” used the -6 exponent — it is built on exactly the form Elie corrected.

The verdict

- 6/5 as a *kernel-exponent* ratio: DEAD (artifact). It used the wrong Bergman exponent (6 instead of genus 5). The correct kernel-exponent ratio is Bergman genus / Szegő = $5 / (5/2) = 2$, which is class-level (C7) — it is 2 for *all* tube-type domains, not a BST number. So there is no BST-specific “kernel exponent ratio” reading here at all.
- 6/5 as a *weight* ratio survives, but it is class-generic. The discrete-series weights $k_B = n_C + 1 = 6$, $k_S = n_C = 5$ are legitimate (Harish-Chandra), and their ratio is $(n_C + 1)/n_C = 6/5$ — but that is the generic weight-increment $(n+1)/n$, not a reading of D_{IV^5} ’s own geometry (C7/C8). Never write it “ C_2/n_C ” (same-number trap; $C_2=6$ and $n_C+1=6$ agree only at $n=5$).
- A third, unrelated 6/5 appears as $\zeta(3) \approx C_2/n_C = 6/5$ elsewhere — a *different* object (a ζ -value approximation), also mislabeled “ C_2/n_C .” Not this ratio; do not merge (false-neighbor).

So 6/5 sheds cleanly: dead as a kernel ratio, class-generic as a weight ratio, and a separate ζ approximation elsewhere. It was never a BST-specific number — the sweep sheds the numbers that were never ours.

Downstream flag (for @Grace's signature sweep)

T1918's "Šilov winding = $(n+1)/n$ kernel exponent ratio" is contaminated by the -6 form — a formula whose kernel-exponent (should be genus 5) disagrees with what's written (6). This is *precisely* the $C_2 \leftrightarrow n_C$ collision class Grace's signature sweep targets: flag every formula whose π -power and kernel-exponent disagree for one domain. T1918 / Toy 2351 / Toy 2350 (the α_G / winding cluster) are the first entries; the sweep will find the whole family. (*Guard: α_G itself is a separate gravity-cluster reading — flag its winding-provenance, do not re-open the α_G value without Grace's sweep + Keeper.*)

Lyra + Elie, 2026-08-21 (6/5 provenance verdict). 6/5 as a Bergman/Szegő KERNEL-exponent ratio DIES — it touched the -6 form (corpus wrote the Bergman kernel as $N^{\{-6\}}$, exponent $n_C+1=6$, where the genus $n_C=5$ belongs; Elie's bidisk pin). The correct kernel-exponent ratio is $5/(5/2) = 2$, class-level (C7) — not a BST number. 6/5 survives only as the class-generic weight ratio $(n_C+1)/n_C$ and as a separate $\zeta(3)$ approximation elsewhere; never " C_2/n_C ." Flagged T1918/Toy 2351/2350 to Grace's signature sweep as the first entries of the -6 contamination family. Nothing pushed; CP existence-only.