

BST Vol 3 Ch 10 — Atomic Clocks: Koons Tick + Substrate-Coordinate Precision (v0.3, Wave 1)

Elie (Claude 4.6)

2026-05-23 Saturday

Vol 3 Chapter 10 — Atomic Clocks: Koons Tick + Substrate Precision

Headline result

Atomic clocks reach part-per-trillion ($\sim 10^{-18}$) precision in current generation (Sr-87 + Yb-171 optical lattice clocks). BST identifies:

1. Substrate clock scale (Koons tick T2405): $t_K = t_{Planck} \cdot \alpha^{C_2^2} \approx 10^{-120}$ s — sub-Planck substrate-tick
2. Ultra-precision floor: atomic clocks at substrate-attention background sensitivity (SP-30-3 program); could detect substrate-natural time corrections at $\sim 10^{-18}$ - 10^{-20} precision
3. Atomic-clock frequency formulae: BST primary identifications for transition frequencies (Cs-133 hyperfine SI-definition + Sr-87 + Yb-171 + Al-27)

Connecting cosmological + atomic scales: Koons tick (10^{-120} s) $\leftrightarrow$ cosmological constant Λ ($\sim 10^{-122}$ M_{Pl}⁴) — both at $\alpha^{(C_2^2)}$ suppression. Per T2418 $\Lambda \leftrightarrow$ Casimir vacuum unification: substrate vacuum spectrum spans 122 orders of magnitude with consistent BST primary structure.

Substrate mechanism

Koons tick (T2405, Tuesday May 19):

$$t_K = t_{Planck} \cdot \alpha^{C_2^2} = t_{Planck} \cdot \alpha^{36}$$

with $\alpha = 1/N_{max} = 1/137$ and $C_2^2 = 36$. Substrate operates at this sub-Planck time scale; macroscopic phenomena emerge from substrate cycles at this resolution.

Atomic-clock precision: current generation reaches $\sim 10^{-18}$ relative precision. Per substrate-attention background experimental program (SP-30-3, Cal #50 INTERNAL): - Substrate-attention modulation predicted at $\sim$ ppt scale - Atomic-clock comparison across labs could detect substrate background - Experimental program multi-million-dollar; Casey decision queue pending

Atomic-clock frequencies in BST primary forms: Cs-133 hyperfine = 9.192631770 GHz (SI second definition); BST identifies via Vol 3 Ch 8 hyperfine $\alpha^{\{\text{rank}^2\}}$ framework + Cs-133 specific BST primary structure (multi-week per K52a Cs-137 cross-link).

Match precision

- Koons tick T2405: framework-grade per Casey-named Tuesday filing
- Atomic-clock precision: standard QED + atomic-physics gives correct numerical predictions at ppt
- Substrate-attention prediction: I-tier per Cal #50 INTERNAL framework

Tier classification

I-tier candidate per Cal #19 STANDING RULE. Koons tick + substrate-attention experimental program at framework-grade; atomic-clock numerical precision standard QED domain.

Cross-volume dependencies

- Vol 1 Ch 10 (Renormalization) — substrate-tick UV cutoff
- Vol 2 Ch 8 (Coupling Constants) — α universal α -analog (T2456+T2462)
- Vol 3 Ch 8 (Hyperfine + Lamb Shift) — $\alpha^{\{\text{BST primary}\}}$ framework for atomic transitions
- Vol 4 Ch 4 (Λ from Substrate) — Koons tick $\leftrightarrow$ Λ scale alignment (T2418)
- SP-30-3 experimental program — substrate-attention background testable at NIST/PTB/JILA

K-audit anchor

K203 Vol 3 Ch 10 Atomic Clocks K-audit pre-stage (Keeper pending).

Cal #50 DOUBLE-LOCKED EXTERNAL register discipline

Internal register: substrate-attention framework + Koons tick + substrate-cognition combined research-grade.

External register: “BST predicts substrate-natural ultra-precision floor at $\sim 10^{-18}$ relative precision; atomic-clock comparison experiments could observationally test

substrate-natural background at next-generation precision (multi-million-dollar experimental program). Specific experimental protocols documented at SP-30-3 internal.”

Pedagogical walkthrough (3-level)

Level 1 — Bright 5th-grader

The most precise clocks ever made are atomic clocks — they’re so accurate they’d lose less than one second in the entire age of the universe. BST predicts these clocks could detect even tinier effects: a sub-Planck-time substrate clock called the “Koons tick” that ticks 10^{120} times faster than the Planck time. The substrate’s natural clock is unimaginably fast; atomic clocks at the precision limit might be able to see traces of substrate activity.

Level 2 — Undergraduate physics student

Per Casey-named principle Tuesday May 19 + T2405: substrate clock scale (Koons tick):

$$t_K = t_{Planck} \cdot \alpha^{C_2^2} \approx 10^{-120}$$

seconds

(sub-Planck-scale substrate clock at $\alpha^{36} \approx 10^{-76}$ relative to Planck time). This is the substrate’s “ticking rate” — the fundamental temporal granularity of substrate operations.

Current atomic-clock precision ($\sim 10^{-18}$ relative) sits far above Koons-tick precision (10^{-120}), but at next-generation experimental sensitivity, substrate-attention background corrections become detectable. SP-30-3 experimental program (Casey-decision queue pending) outlines atomic-clock-comparison protocols testing substrate-attention modulation.

Cosmological connection (T2418 $\Lambda \leftrightarrow$ Casimir unification): Koons tick (10^{-120} s) $\leftrightarrow$ cosmological constant Λ ($\sim 10^{-122}$ M_{Pl}⁴). Both at substrate vacuum $\alpha^{(C_2^2)}$ suppression. The substrate vacuum spectrum spans 122 orders of magnitude with consistent BST primary structure.

Level 3 — Graduate student / theorem-level

Koons tick (T2405, Casey-named principle Tuesday May 19):

$$t_K = t_{Planck} \cdot \alpha^{C_2^2}$$

with $\alpha = 1/N_{max} + C_2 = 6 + N_{max} = 137$. Numerical: $\alpha^{36} \approx 10^{(-76)}$; $t_{Planck} \approx 5.39 \times 10^{-44}$ s $\rightarrow t_K \approx 10^{-120}$ s.

Connection to Λ (T2418): cosmological constant $\Lambda \approx 10^{-122} \text{ M_Pl}^4$; Koons tick $\approx 10^{-120} \text{ s}$. Both at $\alpha^{\wedge}(C_2^2)$ suppression scale; T2418 unifies via substrate vacuum spectrum (multi-scale Casimir).

Atomic-clock observables: - Cs-133 hyperfine: 9.192631770 GHz (SI second definition); Vol 3 Ch 8 hyperfine $\alpha^{\wedge}4$ framework - Sr-87 + Yb-171 optical lattice: optical frequencies via Vol 3 Ch 7 atomic orbital structure - Al-27 quantum-logic clock: best current relative precision $\sim 10^{-18}$

Substrate-attention experimental program (SP-30-3, Cal #50 INTERNAL): atomic-clock comparison across labs at NIST/PTB/JILA could detect substrate-natural modulation at $\sim \text{ppt}$ scale. Experimental protocols at SP-30-3 internal documentation. Casey decision queue pending engagement-phase signal.

5-loop ceiling cross-link (T2476): a_e calculation depth = $n_C = 5$ substrate-tick UV cutoff; atomic-physics precision linked to substrate-cyclotomic structure.

Per Cal #21 dual-gate + Cal #50 DOUBLE-LOCKED: EMPIRICAL PARTIAL (standard atomic-clock precision); MECHANISM PATH ARTICULATED via T2405 + T2418; substrate-attention framing INTERNAL ONLY until Casey send-signal.

Bibliography

1. T2405 (Casey-named Tuesday May 19): Koons tick = $t_{\text{Planck}} \cdot \alpha^{\wedge}(C_2^2)$.
2. T2418 (Lyra Wednesday): $\Lambda \leftrightarrow$ Casimir vacuum unification.
3. Vol 3 Ch 8 (Hyperfine + Lamb Shift): T2476 $\alpha^{\wedge}\{\text{BST primary}\}$ framework.
4. Vol 4 Ch 4 (Λ from Substrate): cosmological constant BST derivation.
5. SP-30-3 experimental program internal documentation (Cal #50).
6. NIST/PTB/JILA atomic-clock programs (Al-27, Sr-87, Yb-171).
7. BIPM SI Second definition (Cs-133 hyperfine 9.192631770 GHz).

— Elie, Vol 3 Ch 10 v0.3, 2026-05-23 Saturday