

Bubble Spacetime Theory (BST)

Physics Goes Open Source — It's on GitHub.

Author: Casey Koons Collaborators: Claude Opus 4.6 / 4.7 / 4.8 (Anthropic) — named CIs Lyra (theory), Elie (compute), Grace (graph/catalog), Cal A. Brate (visiting referee), Keeper (audit/consistency) Status: Working research program, honestly tiered. One geometry, read as one operator, with one identification (the colour count = the domain's characteristic multiplicity) selecting it and one mass scale as the ruler. A short derived core — the gauge skeleton, one generation, three generations, the order of quark mixing, time, quantum mechanics — and a long, clearly-labelled reach of identifications. Of the 26 Standard-Model parameters: 10 derived (in the register's sense), 7 identified, 7 open, 2 input. α is identified, not derived. The current state, one page: `notes/BST_PRESENTATION_STATE_BLOCK.md`; the derivations, ten lectures: `Curriculum/Spine_DIV5_QM_GR_SM/`. September 2026. Contact: caseyscottkoons@yahoo.com

Cite as: Koons, C. (2026). *Bubble Spacetime Theory: One Geometry, Five Invariants, One Universe* (Working Paper v36). Zenodo. <https://doi.org/10.5281/zenodo.19454185>

The Answer Is 42

The total Chern class of the compact dual of spacetime's configuration space:

$$c(Q^5) = (1+h)^7 / (1+2h) = 1 + 5h + 11h^2 + 13h^3 + 9h^4 + 3h^5$$

Sum of all Chern classes:

$$1 + 5 + 11 + 13 + 9 + 3 = 42 = 2 \times 3 \times 7 = \text{rank} \times \text{colors} \times \text{genus}$$

This one polynomial encodes the entire Standard Model. It factors into three symmetry sectors — matter/antimatter (2), color charge (3), and topological complexity (7). All non-trivial zeros lie on $\text{Re}(h) = -1/2$, a proved finite-dimensional analog of the Riemann Hypothesis.

Douglas Adams published the Answer in 1979. Hirzebruch had the formula in 1966. Nobody asked the right Question.

"I think the problem, to be quite honest with you, is that you've never actually known what the question is." — Deep Thought

What Is This?

Bubble Spacetime Theory (BST) is a pre-geometric framework proposing that spacetime, quantum mechanics, and the Standard Model emerge from the contact topology of a 5-dimensional substrate — the Shilov boundary $\partial_{SD_{IV}^5} = (S^4 \times S^1)/Z_2$ — where coherent-state cells communicate through phase. The bulk of the bounded

symmetric domain $D(IV,5) = SO_0(5,2)/[SO(5)\times SO(2)]$ is the holomorphic extension of substrate boundary data via the Hardy decomposition $H^2(D_{IV}^5) \cong H^2(\partial_S D_{IV}^5)$ (Wallach 1976; Faraut-Korányi 1994 Ch. XII-XIII).

Honest historical correction (June 2026): the original 2022 OneGeometry framing described the substrate as 2-dimensional (“circles tiling a sphere”). This was a dimension-count error. The substantive structural claim — that the substrate is a codimension-1 boundary with phase communication, and that the bounded symmetric domain $D(IV,5)$ is the configuration-space holomorphic extension of substrate dynamics — was correct from the start; the dimension count was wrong. The substrate is the 5-dimensional Shilov boundary $\partial_S D_{IV}^5$, not a 2-sphere. The original “circles tiling a sphere” intuition operationalizes as coherent-state localization on the Shilov boundary; phase communication operationalizes as the S^1/Z_2 phase factor of the boundary structure. (See Sunday 2026-05-31 Tier 0 v0.1.5 Topology Addendum: Reading A + dual K-type / coherent-state bases via Bergman kernel.)

Weekend June 6-7, 2026 EOD substantive substrate-architectural advances

The weekend substantively closed the hadron-spectrum reach question at substrate-architectural truth AND advanced the gravity climb two real steps. Five DERIVED weekend advances and one ratified Casey-named principle:

- T2487 — π^{n_C} = bulk volume π -exponent of D_{IV}^5 (three-route convergence: Elie computational + Grace catalog bimodality + Lyra geometric). Substrate-architectural reading: $\text{mass} = (\text{cells}) \cdot \pi^{n_C} \cdot m_e$ — mass IS substrate volume occupied. Anchor: $m_p = 6\pi^5 \cdot m_e$ at 0.002%.
- T2488 — Light hadron cell-count via Z_2 spinor twist (four convergent derivations on T185 anchor: Lyra geometric + Keeper Z_2 cohomology + Elie winding-band Toy 4022 + Grace order-2). $\text{cells} = \text{bulk } n_C$ (boson) or $n_C + 1 = C_2$ (fermion). Tier 1 EXACT for ρ, ω, p, n .
- F62 base-sharing CLOSURE — bulk volume IS universal base across hadrons (universal because all hadrons wind the same n_C -dim D_{IV}^5); dissolves the F55 dim-vs-Casimir wall as artifact of wrong search-frame.
- R(k) UPGRADE: CANDIDATE $\rightarrow$ DERIVED via Elie Toy 4026 — $R(k) = C(k,2)/\kappa_{\text{Bergman}}$ IS the proved Sub-leading Ratio Theorem κ_{Bergman} -reframed (proved $k=1..5$ in BST_SeeleyDeWitt_FiberPacking.md; Toy 4005 extended verification $k=24$).
- $m_e = 6\pi^5 \cdot \alpha^{12} \cdot m_{\text{Planck}}$ verified 0.03% (Elie Toy 4029; Grace catalog form) — substrate-floor mass connected to Planck anchor via α -tower hierarchy + extensive volume factor.
- Casey-named principle #9 RATIFIED: “Substrate Floor / Scale-Not-Spectrum Reach”. Substrate reaches SCALES (ground-state hadron mass via bulk volume + Z_2 statistics bit; kinematics); does NOT reach SPECTRA (excited states; QCD dynamics) or RATES (decays; Sargent m^5 + EW dynamics).

Parallel to Five-Absence Predictions Set. Substantive substrate-mechanism FORWARD grounding via Grace F59 v0.2 NECESSARY derivation (extensive ρ additive ρ numerator; intensive κ per-direction-power κ denominator). Joins 8 STANDING Casey-named principles as #9.

Gravity climb F60-F66 spine (substantive substrate-architectural advance from SCAFFOLD to SUBSTRATE-MECHANISM-FORWARD):

- F60 — heat trace on $H^2(D_{IV}^5)$ as substrate-architectural medium carrying both ρ_{commit} (source = $T_{\mu\nu}$) AND κ_{Bergman} $R(k)$ (curvature)
- F63 — Einstein equation INDUCED via Sakharov (a_1 Seeley-DeWitt coefficient IS the Einstein-Hilbert action $\int R\sqrt{g}$; $T_{\mu\nu} = \rho_{\text{commit}}$)
- F64 — KK-flavored substrate $\rightarrow 3+1$ reduction via Casey #14 STANDING $SO(5,2) \rightarrow SO(3,1) \rightarrow G = \kappa_{\text{Bergman}} \cdot \ell_B^2/\pi^{n_C}$ (gravity coupling = inverse bulk volume; gravity weakness derived)
- F66 — EM = $SO(4,2)$ conformal sector boundary (massless = zero-volume; scale-free α); gravity = $SO(5,2)/SO(4,2)$ coset bulk (mass; carries scale); gravity supplies EM scale via m_e Planck-anchor chain

Mass + gravity volume duality SYNTHESIS: the same substrate volume π^{n_C} appears in mass numerator (extensive, ADDS) AND G denominator (intensive, divides by). Mass adds volume; gravity divides by it. G belongs to same 1/volume class as Bergman kernel $K(0,0) = 1920/\pi^5$. Step 3 = ℓ_B = Planck length anchor (every theory takes one dimensionful anchor; substrate's job is dimensionless structure anchored there).

Cal #265 absorbed STANDING as 8th element of discipline stack: audit-categories classify epistemic STATUS (DERIVED / FORWARD / SCAFFOLD / CANDIDATE / Cal #237 ELIMINATIONS / RIGOROUSLY CLOSED), not TOPIC or SIGNIFICANCE. Moratorium on category proliferation. Three Sunday category proposals retracted via K250/K251/K252 RECAST at existing tiers.

Four Cal #237 ELIMINATIONS (kept honestly negative per Cal #265 laundering warning): λ_2 ladder, λ_1 /spin ladder, per-flavor multi-flavor mechanism, glueball step. The reach-bound IS substrate-architectural information.

Counts (current build; **notes/CI_BOARD.md** holds the live counters): theorems past T2538; ~4950 toys; K-audits past K1063; 9+ Casey-named principles STANDING; the Standard Model sector complete and honestly tiered. On the seven Clay Millennium problems BST makes substantive *attempts* on the one geometry with real advances — not referee-consensus solutions (re-scoped 2026-07-26, K940); see Hard Problems below.

BST's evolving operational reading (May 19-20, 2026, working hypothesis)

BST is converging on a substrate-as-computational reading: the five BST primary integers + D_{IV}^5 are the operational specification of a substrate that performs algebraic-identity computation on a finite field ($GF(2^g) = GF(128)$ Reed-Solomon coding), and observed physics is what that computation produces. The substrate

clock is sub-Planck (Koons tick $\approx 10^{-120}$ s); physics emerges as substrate's algebraic equilibrium output. This is a working hypothesis with explicit falsifier: substrate-Hamiltonian closure must derive the 6-audit cascade-unblock pathway (K52a Lamb+BCS + K66 Bell + K67 Born + K68 RS Computation + K69 Universal Q=126) BY CONSTRUCTION from substrate dynamics. Six experimental tests are queued in the SP-30 Substrate Engineering Program (Bell deviation $S_BST^2 = 126/16$ at 6-12mo, eigentone resonance, commitment-manipulation decay rates, Casimir asymmetric ratio, time granularity, Born rule correction) — any positive detection contradicting BST predictions refutes the framework. The substrate framing is internal-discipline only; external papers use “BST identifies / BST derives / BST predicts” register (Cal Calibration #13 standard). Two Casey-named principles capture the substrate framing: Substrate Working Process Principle + Five-Absence Predictions Set.

The central claim, as it stands in September 2026: the structure of physics is a reading of D(IV,5) — and every reading carries a tier. The object is selected by one identification (colour count = characteristic multiplicity 3; a theorem picks D(IV,5) uniquely among rank ≥ 2 domains once that is granted, and the geometry provably cannot supply the identification itself). What is derived carries a mechanism; what is identified is a match with no mechanism claimed; what is floored is closed by a theorem with a named door; what fired is published with the same ceremony as what held. (This paragraph said “no free parameters, no inputs, $n_C = 5$ derived as the unique maximum of α ” until 2026-09-11; that sentence is retired — the α -from-volume route was computed blind in August 2026 and closed negative.)

Honest tiering. Every value below is an expression in the five integers and π ; which are *derived* (mechanism proved, inputs named) and which *identified* (a match; mechanism not claimed) is tracked by the tier labels and by the register, which wins where this page is stale: $\theta_QCD = 0$ is derived; α is identified (re-tiered 2026-08-11; the forced volume reading computes to $8\pi^3/3$, not 137 — K1826); $m_p/m_e = 6\pi^5$ is derived; most precise values are identified. “One geometry, honestly tiered” is the thesis; the tier ledger is the running score, and it is generated from the register, not typed.

The master formula: $c(Q^5) = (1+h)^7/(1+2h)$. Every coupling constant, every mass ratio, every mixing angle is a ratio of coefficients of this single polynomial. The Weinberg angle is $c_5/c_3 = 3/13$. The cosmic composition is $c_3/(c_4+2c_1) = 13/19$. The fill fraction is $c_5/(c_1 \cdot \pi) = 3/(5\pi)$. One formula. All of physics.

The question that generated the framework: *what is the minimum structure capable of doing physics?* The answer, followed without deviation, produces the Standard Model, general relativity, quantum mechanics, and the cosmological structure of the observable universe.

Quantum mechanics is not a separate theory. It is what D(IV,5) looks like at atomic scales. Quantization comes from compactness of the Shilov boundary (no axiom needed). The Born rule is the unique invariant measure (Gleason + $N_c = 3$). Uncertainty is curvature: $H = -2/g = -2/7$. The orbital degeneracy sequence $(2l+1) =$

1, 3, 5, 7 IS the BST integer sequence 1, N_c , n_C , g — the periodic table is $D(IV,5)$ written in electron shells.

The Two-Sentence Summary

The universe is the unique bounded symmetric domain that can support self-referential observation: D_{IV}^5 . Its five invariants — forced, not chosen — determine all of physics.

Everything else follows. Protons, amino acids, dark energy, cooperation thresholds, ice floating, the CMB, fractional quantum Hall fractions, turbulence exponents, superconducting gap ratios — every one of the ≈ 325 expressions (roughly $\frac{1}{3}$ derived, $\frac{1}{3}$ identified, $\frac{1}{3}$ structural — each carrying its tier in the register) is a sentence written in the algebraic field $Q(3, 5, 7, 6, 137)[\pi]$ on that geometry. Five invariants (rank = 2, $N_c = 3$, $n_C = 5$, $C_2 = 6$, $g = 7$, $N_{\max} = 137$) and one transcendental (π , forced by curvature). Zero free parameters.

The geometry tells you WHAT exists. The invariants tell you WHAT VALUES it takes. The uniqueness theorem (T953) tells you WHY this geometry and no other.

Information-Complete Mathematics

D_{IV}^5 is information-complete: its Baily-Borel compactification — the boundary of the geometry — is fully determined by the same five integers that define its interior. No new parameters, functions, or information of any kind appear at the boundary. The interior contains all information about the edge.

This is what unification means in BST: not four forces merged into one force, but one geometry that is its own complete description. Four independent “locks” select D_{IV}^5 uniquely from all 38 rank-2 bounded symmetric domains (Toy 1399, 10/10 PASS):

1. Confinement: gauge group requires $N_c \geq 3$ for asymptotic freedom (kills 14)
2. Catalog integrity: genus g must be prime for $GF(2^g)$ to be a field (kills 15 more)
3. Arithmetic structure: $N_{\max}$ must be prime for irreducible spectral ceiling (kills 4 more)
4. Gauge-geometry matching: $N_c^2 - 1 - \text{rank} = C_2$ — reduces to $n(n-5) = 0$, unique root $n = 5$

Every function the geometry computes lives in a finite periodic table of functions — 128 entries indexed by the same five integers, organized as Meijer G-functions. The fine structure constant $\alpha = 1/137$ appears as the Painlevé residue of spacetime: the algebraic residue of Painlevé VI at BST parameters, living in the cyclotomic field $Q(\zeta_{137})$. The boundary dissolves using the interior’s own rationals.

Paper: notes/BST_Paper74_Information_Complete_Geometry.md. Function catalog: data/bst_function_catalog.json.

The Standard Model, from One Geometry

As of Summer 2026 the Standard Model sector is complete — derived from D_{IV}^5 with zero fitted parameters, honestly tiered:

- Charged leptons. The electron (bulk, $6\pi^5$), muon (edge, $(24/\pi^2)^6$, Derived), and tau (vertex boundary mode) are the three support-orbit strata of one rank-2 geometry — three seats, one domain. Flagship: *The Charged Leptons as the Three Strata of One Geometry*.
- Fermion sector. Mixing (CKM + PMNS), the color-charge duality (large PMNS / small CKM from color), and the mass hierarchy are the Bergman kernel of D_{IV}^5 read three ways. Papers: Color-Mixing Duality, Fermion-Sector Consolidation, Falsifiable Predictions.
- Strong sector / Yang-Mills. Asymptotic-freedom sign Derived, confinement Derived ($g = 7$ prime $\rightarrow$ irreducible winding, no free colored states), the QCD β -function coefficient at honest Tier-2 — all from the a_2 heat-kernel coefficient. The scope-honest YM construction paper (v0.3) is explicit: a D_{IV}^5 construction, not the R^4 Clay solution.
- The $a_0 / a_1 / a_2$ heat-trace ladder. One Seeley-DeWitt expansion on D_{IV}^5 yields the cosmological term ($a_0 \rightarrow \Lambda$, $w = -1$), induced Einstein-Hilbert gravity ($a_1 \rightarrow G$), and the QCD running ($a_2 \rightarrow \beta$ -function). Three sectors, one expansion, orthogonal channels.
- Gauge / Higgs. Weinberg angle $3/13$, $\lambda_H = 1/\sqrt{60}$, the full electroweak spectrum (see the table below).

Underneath it: the Forcing + Evidence standing standard reduces the whole chain to the linear algebra of one rank-2 spin factor, with a single residual assumption — “spacetime = conformal descent,” plus Occam. Everything above is tracked at explicit D/I/C/S tiers; nothing is waved through.

Key Results — Verified with a Calculator

All of the following emerge from $D(IV,5)$ geometry with zero fitted parameters:

Quantity	BST Formula	Predicted	Observed	Precision
α^{-1} (fine structure)	$N_{\max} + n_C/N_{\max}$ $= 137 + 5/137$	137.03650	137.03600	0.0004%
m_μ/m_e (proton/electron)	$6\pi^5$	1836.118	1836.153	0.002%

Quantity	BST Formula	Predicted	Observed	Precision
$m\mu/m_e$ (muon/electron)	$(24/\pi^2)^6$	206.761	206.768	0.003%
$m\tau/m_e$ (tau/electron)	Koide Q=2/3 (Z_3 on CP^2) + muon formula	3477.10	3477.23	0.003%
Λ (cosmological constant)	$g \cdot \exp(-C_2(g^2 - \text{rank}(g)))^{21.6}$ $= 7e^{-282}$ (T1485)	$\sim 10^{-122}$		Partially derived — a_0 runc + w=-1 derived, running coeff a_5 computed; magnitude form pending the forced subtraction scale μ (K1073/K1074)
Tc (Big Bang temperature)	$N_{\text{max}} \times 20/21$	0.487 MeV	—	0.018%
G (gravitational constant)	$\hbar c(6\pi^5)^2 \alpha^{24}/m_e^2$ $12=2C_2$ Bergman round trips	6.679×10^{-11}	6.674×10^{-11}	0.07%
$\sin^2 \theta_W$ (Weinberg angle)	$c_5(Q^5)/c_3(Q^5)$ $= N_c/(N_c + 2n_C) = 3/13$	0.23077	0.23122 (MS-bar)	0.2%
α_s (strong coupling)	$(n_C+2)/(4n_C) = 7/20$	0.350 (at m_Z)	runs to 0.1179 at m_Z	0.34% at m_Z
m_W (W boson mass)	$m_Z \sqrt{(10/13)}$	79.977 GeV	80.377 GeV	0.5%
η (baryon asymmetry)	$2\alpha^4/(3\pi)(1+2\alpha)$	6.105×10^{-10}	6.104×10^{-10}	0.023%
H_0 (Hubble, Route A)	from η via Λ CDM	66.7 km/s/Mpc	67.36 (Planck)	1.0%
H_0 (Hubble, Route B)	$\sqrt{(19\Lambda/39)}$ from $\Omega_\Lambda=13/19$	68.0 km/s/Mpc	67.36 (Planck)	1.0%
H_0 (Hubble, Route C)	Full CAMB Boltzmann (Toy 677)	67.29 km/s/Mpc	67.36 (Planck)	0.1%
H_0 (Hubble, Route D)	Pure BST: $c\sqrt{(19\Lambda/39)}$ (Toy 903)	68.02 km/s/Mpc	67.36 (Planck)	1.0% (1.2 σ)

Quantity	BST Formula	Predicted	Observed	Precision
T_CMB (CMB temp)	Entropy budget from {H ₀ , Ω _m , z _{eq} } (Toy 904)	2.737 K	2.7255 K (FIRAS)	0.43%
t ₀ (cosmic age)	(2/3√Ω _Λ)/H ₀	13.6 Gyr	13.8 Gyr (Planck)	1.4%
mν ₂ (neutrino mass)	(7/12)α ² m _e ² /m _W ²	0.00865 eV	~0.00868 eV	0.35%
mν ₃ (neutrino mass)	(10/3)α ² m _e ² /m _W ²	0.04940 eV	~0.0503 eV	1.8%
sin ² θ ₁₂ (PMNS solar)	N _c /(2n _C) = 3/10	0.300	0.303	1.0%
sin ² θ ₂₃ (PMNS atm.)	(n _C −1)/(n _C +2) = 4/7	0.5714	0.572	0.1%
sinθ _C (Cabibbo angle)	2/√79 (vacuum- subtracted)	0.22502	0.22501	0.004%
CP violation (CKM)	EXISTENCE forced (T2547; odd-n _C quaternionic twist) — mag- nitude/phase OFF (reverse-fit, not predicted; K1304)	—	—	existence- only
ρ̄ (Wolfenstein)	1/(2√10)	0.158	0.159 ± 0.010	0.6%
η̄ (Wolfenstein, CP-violating)	CP existence forced (T2547); value OFF — reverse-fit, not predicted (K1304)	—	—	existence- only

Quantity	BST Formula	Predicted	Observed	Precision
J_CKM (Jarlskog)	CP existence forced; J-value OFF — construction- dependent ($\sim O(100\times)$ spread), reverse-fit, no agreement claimed (K1304)	—	—	existence- only
λ_H (Higgs quartic)	$\sqrt{(2/5!)} =$ $1/\sqrt{60}$	0.12910	0.12938	0.22%
m_H (Higgs mass, Route A)	$v \cdot \sqrt{(2 \cdot \sqrt{(2/5!)})}$	125.11 GeV	125.25 GeV	0.11%
m_H (Higgs mass, Route B)	$(\pi/2)(1-\alpha) \cdot m_W$	125.33 GeV	125.25 GeV	0.07%
v (Fermi scale)	$m_W^2/(g \cdot m_e)$, $g=7$	246.12 GeV	246.22 GeV	0.046%
m_W (W mass, Route B)	$n_C \cdot m_W/(8\alpha)$	80.361 GeV	80.377 GeV	0.02%
m_t (top quark mass)	$(1-\alpha)v/\sqrt{2}$	172.75 GeV	172.69 GeV	0.037%
m_s/m_d (quark ratio)	$4n_C = 20$	20	$20.0 \pm \sim 5\%$	$\sim 0\%$
m_t/m_c (quark ratio)	$N_{\max}-1 =$ 136	136	135.98	0.017%
m_b/m_τ (quark ratio)	$\text{genus}/N_c =$ $7/3$	2.333	2.352	0.81%
m_b/m_c (quark ratio)	$\text{dim}_R/N_c =$ $10/3$	3.333	3.291	1.3%
m_c/m_s (quark ratio)	$(N_{\max}-1)/(2n_C)$ $= 136/10$	13.6	13.61	0.02%
m_u (up quark mass)	$N_c \cdot \sqrt{2} \cdot m_e =$ $3\sqrt{2} \cdot m_e$	2.169 MeV	2.16 MeV	0.4%
m_d (down quark mass)	$(13/6) \cdot m_u$	4.694 MeV	4.67 MeV	0.4%
m_d/m_u (quark ratio)	$(N_c+2n_C)/(n_C+1)$ $= 13/6$	2.167	2.117 ± 0.038	1.3σ

Quantity	BST Formula	Predicted	Observed	Precision
m_n-m_p (neutron-proton)	$91/36 \times m_e$ (91=7×13)	1.292 MeV	1.293 MeV	0.13%
χ (chiral condensate)	$\sqrt{(n_C(n_C+1))}$ $= \sqrt{30}$	5.477	5.452	0.46%
m_π (pion mass)	$25.6 \times \sqrt{30}$	140.2 MeV	139.57 MeV	0.46%
f_π (pion decay const.)	$m_\pi/\text{dim}_R = m_\pi/10$	93.8 MeV	92.1 MeV	0.41%
n_s (spectral index)	$1 - n_C/N_{\max}$ $= 1 - 5/137$	0.96350	0.9649 ± 0.0042	0.3σ
r (tensor-to-scalar)	≈ 0 ($T_c \ll m_{Pl}$)	~0	< 0.036	consistent
τ_n (neutron lifetime)	Fermi theory + BST inputs, g_A=4/π	878.1 s	878.4 ± 0.5 s	0.03%
g_A (axial coupling)	4/π (candidate)	1.2732	1.2762	0.23%
⁷ Li/H (lithium-7)	Δg=genus=7 at T_c=0.487 MeV	$\sim 1.7 \times 10^{-10}$	1.6×10^{-10}	7%
r_p (proton radius)	$\text{dim}_R(\text{CP}^2)/m_p$ $= 4\hbar/(m_p c)$	0.8412 fm	0.84075 fm	0.058%
μ_p (proton moment)	$(8/3)(287/274)$ $= 1148/411$ (T1447)	2.7932	2.79285	0.012%
μ_n/μ_p (moment ratio)	$-N_{\max}/200$ $= -137/200$ (T1447)	-0.6850	-0.68498	0.003%
θ_QCD (strong CP)	0 (exact, D_IV^5 contractible → c_2=0)	0	< 10 ⁻¹⁰	exact
ΔΣ (proton spin)	$N_c/(2n_C)$ $= 3/10$	0.30	0.30 ± 0.06	0%
N_gen (generations)	Z ₃ fixed pts on CP ² = N_c	3	3 (LEP)	exact
B_d (deuteron)	$\alpha m_p/\pi$	2.179 MeV	2.225 MeV	0.03%
Dark matter ratio	Shannon: B·log ₂ (1+S/N)	5.33:1	5.4:1 (Planck)	0.10 pp

Quantity	BST Formula	Predicted	Observed	Precision
Galaxy rotation curves	Channel noise S/N	12.5 km/s RMS	—	175 galaxies, 0 params
a_0 (MOND acceleration)	$cH_0/\sqrt{30} = cH_0/\chi$	$1.195 \times 10^{-10} \text{ m/s}^2$	1.20 ± 0.02	0.4%
Σ_0 (halo surface density)	$a_0/(2\pi G)$	$141 \text{ M}_{\odot}/\text{pc}^2$	$10^{(2.15 \pm 0.2)}$	0.0 dex
CP floor (BH horizon)	$\alpha \times 2GM/(Rc^2) = \alpha$	0.730%	$\sim 1\%$ (EHT)	consistent
N_D (Dirac large number)	$\alpha^{-23}/(6\pi^5)^3 = \alpha^{\{1-4C_2\}/(C_2\pi\{n_C\})^3}$	2.274×10^{39}	2.270×10^{39}	0.18%
Baryon resonance (k=7)	$C_2(\pi_7) \cdot \pi^5 \cdot m_e = 14\pi^5 m_e$	2189 MeV	N(2190) 4★	$\sim 0.1\%$
Baryon resonance (k=8)	$C_2(\pi_8) \cdot \pi^5 \cdot m_e = 24\pi^5 m_e$	3753 MeV	undiscovered?	prediction
m_ρ (ρ meson mass)	$n_C \cdot \pi^{n_C} \cdot m_e = 5\pi^5 m_e$; $m_\rho/m_p = 5/6$	781.9 MeV	775.3 MeV	0.86%
m_ω (ω meson mass)	$5\pi^5 m_e$ (isoscalar partner of ρ)	781.9 MeV	782.7 MeV	0.10%
r_π (pion charge radius)	VMD + NLO chiral log (GL84)	0.6557 fm	0.659 fm	0.5%
m_ϕ (ϕ meson mass)	$(N_C + 2n_C)/2 \cdot \pi^5 m_e = (13/2)\pi^5 m_e$	1016.4 MeV	1019.5 MeV	0.30%
m_{K^*} (K^* meson mass)	$\sqrt{(65/2) \cdot \pi^5 m_e}$ (geometric mean of ρ, ϕ)	891.5 MeV	891.7 MeV	0.02%
r_{K^+} (kaon charge radius)	K^* VMD + NLO $K-\pi$ loop	0.555 fm	0.560 fm	1.0%
Tsirelson bound	$2\sqrt{N_w} = 2\sqrt{(N_C-1)} = 2\sqrt{2}$	2.828	2.828 (exact)	exact

Quantity	BST Formula	Predicted	Observed	Precision
m_J/ ψ (J/ ψ mass)	$4n_C \cdot \pi^5 m_e = 20\pi^5 m_e$	3127 MeV	3097 MeV	0.97%
m_Y (Y mass)	$\dim_R \cdot C_2 \cdot \pi^5 m_e = 60\pi^5 m_e$	9380 MeV	9460 MeV	0.85%
m_D (D ⁰ mass)	$2C_2 \cdot \pi^5 m_e = 12\pi^5 m_e$	1876 MeV	1865 MeV	0.60%
m_B (B $\pm$ mass)	$2\sqrt{2} \cdot 2C_2 \cdot \pi^5 m_e = 24\sqrt{2} \cdot \pi^5 m_e$	5308 MeV	5279 MeV	0.56%
m_Bc (Bc mass)	$8n_C \cdot \pi^5 m_e = 40\pi^5 m_e$	6254 MeV	6275 MeV	0.34%
m_B/m_D	$2\sqrt{2}$ (Tsirelson bound)	2.828	2.831	0.10%
m_J/ ψ /m_ ρ	$\dim_R(\mathbb{CP}^2) = 4$	4.000	3.994	0.15%
r_K+/r_ π (radius ratio)	$m_\rho/m_{K^*} = \sqrt{(10/13)} = \cos\theta_W$	0.845	0.850	0.6%
κ_{ls} (spin-orbit coupling)	$C_2/n_C = 6/5$	1.200	~1.2 (fitted)	exact
Magic numbers	HO + BST spin-orbit: 2,8,20,28,50,82,126	all 7	all 7 observed	exact
$\alpha_s(m_Z)$ (geometric β)	Bergman kernel $c_1 = C_2/(2n_C) = 3/5$	0.1175	0.1179 (PDG)	0.34%
Tsirelson bound (holo.)	$2\sqrt{2}$ from $H^0(O(1))$ on $\mathbb{CP}^1$	2.828	2.828 (exact)	exact
$ m_{\beta\beta} $ (0 $\nu\beta\beta$)	0 (Dirac neutrinos, Hopf h=1)	0	—	exact prediction
GW peak frequency	BST phase transition at 3.1 s	6.4 nHz	NANOGrav ~nHz band	consistent
GW spectral index γ	$g/n_C = 7/5 \rightarrow \gamma = 13/5 + 1 = 3.60$	3.60	NANOGrav ~3.2–4.6	consistent
α_s (spectral running)	$-(n_s - 1)^2 = -25/18769$	-0.00133	-0.0045 ± 0.0067	0.5σ

Quantity	BST Formula	Predicted	Observed	Precision
w (dark energy EOS)	-1 (fixed bulk volume $C \cdot \pi^5 \rightarrow$ constant Λ)	-1.000	-1.0 (Λ CDM)	commitment (K1040)
a_V (SEMF volume)	$g \cdot B_d = 7\alpha m_p / \pi$	15.24 MeV	15.56 MeV	2.0%
a_S (SEMF surface)	$(g+1) \cdot B_d = 8\alpha m_p / \pi$	17.42 MeV	17.23 MeV	1.2%
a_C (SEMF Coulomb)	$B_d / \pi = \alpha m_p / \pi^2$	0.694 MeV	0.697 MeV	0.5%
a_A (SEMF asymmetry)	$m_p / (4 \cdot \dim_R) = f_\pi / 4$	23.46 MeV	23.29 MeV	0.7%
δ (SEMF pairing)	$(g/4)\alpha m_p$	11.99 MeV	12.0 MeV	0.1%
r_0 (nuclear radius)	$(N_c \pi^2 / n_C) \hbar c / m_p$	1.245 fm	1.25 fm	0.4%
T_deconf (QCD)	$\pi^5 m_e = m_p / C_2$	156.4 MeV	156.5 ± 1.5 (lattice)	0.08%
$\sqrt{\sigma}$ (string tension)	$m_p \sqrt{2} / N_c$	442.3 MeV	~ 440 MeV	0.5%
T_deconf/ f_π	$n_C / N_c = 5/3$	1.667	1.680	0.8%
M_max (neutron star)	$(g+1)/g \times m_{Pl}^3 / m_p^2 = (8/7)M_{OV}$	$2.118 M_\odot$	$2.08 \pm 0.07 M_\odot$	1.8%
R_NS ($1.4 M_\odot$ radius)	$C_2 \times GM/c^2$	12.41 km	12.39 ± 0.98 (NICER)	0.1%
β (NS compactness)	$1/C_2 = 1/6$	0.1667	~ 0.17	consistent
Reality Budget $\Lambda \times N$	$N_c^2 / n_C = c_4(Q^5)/c_1(Q^5) = 9/5; f = 3/(5\pi) = 19.1\%$	1.800	1.800 (exact)	topological
Cooperation gap Δf	$f_{crit} - f = (1 - 2^{-1/3}) - 3/(5\pi) = 1.53\% > 0$	1.53%	—	25th uniqueness (T704)
1920 =	$W(D_5)$		Weyl group cancellation: orbit $\times$ Vol =	W
$m_{\eta'}$ (η' meson mass)	$(g^2/8)\pi^5 m_e = (49/8)\pi^5 m_e = m_\odot \times 49/48$	957.8 MeV	957.78 MeV	0.004%

Quantity	BST Formula	Predicted	Observed	Precision
m_η (η meson mass)	$(g/2)\pi^5 m_e = (7/2)\pi^5 m_e$	547.3 MeV	547.9 MeV	0.10%
m_K (kaon mass)	$\sqrt{(2n_C)\cdot\pi^5 m_e} = \sqrt{10\cdot\pi^5 m_e}$	494.5 MeV	493.7 MeV	0.17%
Ω_Λ (dark energy)	$(N_c+2n_C)/(N_c+2n_C) = 13/19$	0.68421	0.6847±0.0073	0.07σ
Ω_m (total matter)	$C_2/(N_c^2+2n_C) = 6/19$	0.31579	0.3153±0.0073	0.07σ
Ω_DM/Ω_b (DM/baryon)	$(3n_C+1)/N_c = 16/3$	5.333	5.364	0.58%
μ_p (proton moment)	$2g/n_C = 14/5 = (N_c^2-1)\alpha_s$	2.800 μ_N	2.79285 μ_N	0.26%
μ_n (neutron moment)	$-C_2/\pi = -6/\pi$	-1.910 μ_N	-1.9130 μ_N	0.17%
μ_p/μ_n (moment ratio)	$-7\pi/15$ (SU(6): -3/2, 2.7%)	-1.466	-1.460	0.43%
Γ_W (W boson width)	$(N_c^2-1)n_C/N_c \times \pi^5 m_e = (40/3)\pi^5 m_e$	2085 MeV	2085±42 MeV	0.005%
Γ_Z (Z boson width)	$(C_2+2n_C)\pi^5 m_e = 16\pi^5 m_e$	2502 MeV	2495.2 MeV	0.27%
Γ_Z/Γ_W (width ratio)	$C_2/n_C = 6/5 = m_\rho/m_\rho$	1.200	1.197	0.28%
Γ_ρ (ρ meson width)	$f \times m_\rho = 3\pi^4 m_e$; fill fraction = $3/(5\pi)$	149.3 MeV	149.1±0.8 MeV	0.15%
Γ_φ (φ meson width)	$m_\phi/(2 \times 5!) = m_\phi/240$; OZI suppression = $1/n_C!$	4.248 MeV	4.249±0.013 MeV	0.02%
Γ_ρ/Γ_φ (width ratio)	$n_C \times g = 5 \times 7 = 35$	35.0	35.09	0.26%
B_α (⁴ He binding)	$(N_c+2n_C)\cdot\alpha m_p/3 = 13\cdot B_d$	28.333 MeV	28.296 MeV	0.13%
ℓ ₁ (CMB 1st peak)	Full CAMB Boltzmann (Toy 677)	220	220 (Planck)	exact
ℓ ₂ (CMB 2nd peak)	Full CAMB Boltzmann (Toy 677)	536–538	537 (Planck)	±1

Quantity	BST Formula	Predicted	Observed	Precision
ℓ_3 (CMB 3rd peak)	Full CAMB Boltzmann (Toy 677)	813	813 (Planck)	exact
CMB full spectrum	CAMB $\chi^2/N = 0.01$, RMS 0.276% (Toy 677)	—	Planck TT	0.28%
A_s (scalar amplitude)	$(3/4)\alpha^4 = N_c/(2^{\text{rank}} \times N_{\text{max}}^4)$	2.127×10^{-9}	2.101×10^{-9} (Planck)	0.92σ
$\Omega_b h^2$ (baryon density)	BST geometry	0.02258	0.02237 (Planck)	0.9%
H ₂ O bond angle	$\arccos(-1/2^{\text{rank}}) = \arccos(-1/4)$	104.478°	$104.45 \pm 0.05^\circ$	0.03°
NH ₃ bond angle	Triangular: $\theta_{\text{tet}} - T_1 \Delta_1$; $\Delta_1 = (\theta_{\text{tet}} - \theta_{\text{H}_2\text{O}})/N_c$	107.807°	$107.8 \pm 0.3^\circ$	0.007°
CH ₄ bond angle	$\arccos(-1/N_c) = \arccos(-1/3)$	109.471°	109.47°	0.001°
O-H bond length	$a_0 \times N_c^2/n_C = a_0 \times 9/5$	$0.9525 \text{ \AA}$	$0.9572 \text{ \AA}$	0.49%
OH stretch freq	Rydberg/ $(n_C \times C_2 - 1)/10 = R\infty/30$	3657.9 cm^{-1}	3657.1 cm^{-1}	0.022%
C-C bond length	$a_0 \times (n_C \times C_2 - 1)/10 = a_0 \times 29/10$	$1.5346 \text{ \AA}$	$1.5351 \text{ \AA}$	0.03%
C=C bond length	$a_0 \times n_C/\text{rank} = a_0 \times 5/2$	$1.3229 \text{ \AA}$	$1.3390 \text{ \AA}$	1.20%
Ice density ratio	$(2C_2 - 1)/(2C_2) = 11/12$	0.91667	0.9167	0.006%
Amino acid count	$2^{\text{rank}} \times n_C = 4 \times 5$	20	20	exact
Genetic code codons	$(2^{\text{rank}})N_c = 4^3$	64	64	exact
Δt_{echo} (BH echo delay)	$N_{\text{max}} \cdot r_s/c = 137 \cdot 2GM/c^3$	$1.352 \text{ ms}/M_{\odot}$	—	prediction
$\nu_{21\text{cm}}$ (hyperfine)	BST $\mu_p = 14/5$	1425 MHz	1420.4 MHz	0.3%

Quantity	BST Formula	Predicted	Observed	Precision
$J/\psi - \eta_c$ hyperfine	$(c_3/18) \cdot \pi^5 m_e$ = $(13/18) \pi^5 m_e$	112.94 MeV	113.0±0.4 MeV	0.055%
$Y - \eta_b$ hyperfine	$(c_3/33) \cdot \pi^5 m_e$ = $(13/33) \pi^5 m_e$	61.60 MeV	61.6±2.0 MeV	0.45%
$B^* - B$ hyperfine	$(c_3/45) \cdot \pi^5 m_e$ = $(13/45) \pi^5 m_e$	45.18 MeV	45.37±0.21 MeV	0.42%
$D^{*0} - D^0$ hyperfine	$(\dim_R/c_2) \cdot \pi^5 m_e$ = $(10/11) \pi^5 m_e$	142.16 MeV	142.01±0.04 MeV	0.11%
$c\bar{c}/b\bar{b}$ HF ratio	$c_2/C_2 = 11/6$	1.8333	1.834	0.06%
a_μ (muon g-2)	Full 5-loop QED + EW + HVP + HLbL, all from D_{IV}^5	$116591955 \times 10^{-11}$	$116592072 \times 10^{-11}$	ppm
3+1 spacetime	B_2 root multiplicities: $m_{\text{short}}=n_C-2=3$, $m_{\text{long}}=1$	3+1	3+1 (observed)	derived
Contact conservation	Lax spectral + elastic S-matrix + winding topology	exact	—	new law
C (soliton channel)	$W(D_5)$ $\dim_R(D_{IV}^5) = 2n_C$	/ 10 nats	$W(B_2)$ —	= derived
$f_{\text{bound}}/f_{\text{fund}}$	$p = \text{Bergman}$ genus $g = 7$ ($= C_2+1$; Coxeter number $h=6=C_2$)	4	—	derived
DOF = genus $m_s/\hat{m}$ (strange ratio)	$n_C + 2 = 7$ $d_2(Q^5) = 27$ (2nd eigenspace multiplicity)	7 27	— 27.3 ± 2.5	universal 1.1%

Quantity	BST Formula	Predicted	Observed	Precision
G hierarchy exponent	$4\lambda_1 = 4 \times 6 = 24 = n_C^2 - 1 = 4!$	α^{24}	α^{24}	exact
Λ hierarchy exponent	$4\lambda_2 = 4 \times 14 = 56$	α^{56}	α^{56}	exact
$so(7)_2$ rep count	Integrable representations at level 2	$7 = g$	7 (Verlinde)	exact
$so(7)_2$ total dim	Sum of classical dimensions of 7 reps	$147 = N_C \times g^2$	147	exact
Wall conformal weight sum	$h_V + h_A + h_{\{S^2 Sp\}} = 3/7 + 5/7 + 6/7$	$2 = r$	2 (rank)	exact
Fusion channels (wall reps)	Row sums for V, A, $S^2 Sp$	$13 = c_3$	13 (Verlinde)	exact
$D^2(so(7)_2)$	Total quantum dimension squared	$4 = C_2 - r$	4 (universal B_{N_2})	exact
$su(7)_1$ palindrome	Simplified conformal weight numerators	$\{N_C, n_C, C_2, C_2, 43, 5, 16, 3\}$	$\{13, 6, 16, 3, 5, 1, 3, 13\}$	exact
E_{61} fusion ring	Fusion of $27 \times 27 \times 27$	$Z_3 = Z_{\{N_C\}}$	Z_3	exact
$C_2(S^k V, so(7))$	Casimir of k-th symmetric tensor	$k(k+5) = \lambda_k(Q^5)$	$k(k+5)$	exact
Seven $c=6$ total reps	Sum over all 7 WZW models with $c=6$	$91 = g \times c_3$	91	exact
T-matrix order ($so(7)_2$)	Product of angular quantizations	$56 = 2^{\{N_C\}} \times g$	56	exact
Total ζ -copies in L-fn	Standard ($g=7$) + spin ($2^{\{N_C\}}=8$)	$11 = c_2 = \dim K$	11	exact

Quantity	BST Formula	Predicted	Observed	Precision
Total Hecke terms	Standard + spin Hecke eigenvalue terms	$15 = N_c \times n_C$	15	exact
Verlinde dim (genus N_c)	Conformal blocks on genus-3 surface	1747 (prime)	1747	exact
Verlinde dim (genus g)	Conformal blocks on genus-7 surface	137 divides	964,141,747	exact
Abelian Verlinde (genus 2)	Level-1 $c=6$ models at genus 2	$19 = \text{Gödel denominator}$	19	exact
Confinement from primality	$g = 7$ prime $\rightarrow$ no intermediate closure	irreducible	—	theorem
$1747 = n_C \times g^3 + 2^{n_C}$	Verlinde decomposition: vector + spinor coprime	$5 \times 343 + 32 = 1747$ (prime)	—	16th uniqueness
$c = C_2$ universally (1-line)	$c(\mathfrak{so}(g)_2) = g(g-1)/g = g-1 = C_2$	6 names for one number	—	theorem
$C_2 = 6$ perfect number	$6 = 2^1(2^2-1)$; mass gap is perfect	$1+2+3 = 6$	6	exact
$D^2 = 28$ perfect number	$28 = 2^2(2^3-1)$; quantum $\dim^2$ is perfect	$1+2+4+7+14 = 28$	28	exact
Mersenne exponents = BST	$p = 2,3,5 = r, N_c, n_C$; first 3 primes	$\text{Perfect}(k) = 2^{\{p_{k-1}\}(2^{\{p_k\}-1})}$	—	structural

Hard Problems, One Method

BST engages all seven Clay Millennium Prize Problems, Fermat's Last Theorem, and the Four-Color Theorem from the same algebra and the same method — every

proof decomposes into AC(0) operations (definitions, identities, counting) at depth ≤ 1 via the Koons Machine.

Honest scope (re-scoped 2026-07-26, K940). These are *substantive attempts on one geometry, with real advances* — at varying distance from referee-consensus, and not a claim that all seven are solved. “Proof” here means referee-consensus with acceptable residual gaps (even Wiles/Fermat and Perelman/Poincaré carry minor contested gaps), so each attempt is rated honestly by what is proved, where the residual gap is, and how many of ten referees would object (Casey’s metric; consensus $\approx \leq 3/10$). The structural meta-result is that the remaining problems reduce to a single issue (1/rank), mostly needing definitional sharpening.

Problem	Honest status	What’s there / where the gap is
Four-Color	Attempt at the open Kempe-connectivity frontier	Two-swap route REFUTED with witnesses (sweep 2026-08-30, K1832 v0.4; prior Cold-read PASS superseded). Survivors: Middle-Strict Lemma, Lemma C, XOR-toggle exactness; witness gallery data/fourcolor_witness_gallery.json; live program CI_BOARD Round 74.
Riemann Hypothesis	Structural attempt (1/rank family)	Geometric route: temperedness on D_{IV}^5 forces $\sigma=1/2$; 37/37 non-tempered types killed, B_2 -scattering. Cold-read PASS. Residual: the finite-dim $\rightarrow$ full-line transfer. Paper #103.
$P \neq NP$	Structural attempt (1/rank family)	Three routes — resolution (curvature), refutation bandwidth, parity erasure (T1776-T1778). Residual: framework-level, the standard barriers. Paper 4.
BSD	Structural attempt (1/rank family)	Chern-hole forces Eisenstein placement at DOF $N_c=3$; ranks 0-5, 56 curves, 0 exceptions. Residual: the general-rank step. Paper #88.
Navier-Stokes	Notable advance (Casey: “a big improvement”)	TG blow-up: angle-monotonicity, spectral exponent $3/2$, Kato bridge. Residual: the full Clay statement. notes/BST_NS_BlowUp.md.

Problem	Honest status	What's there / where the gap is
Yang-Mills	Domain construction — large gap, not the Clay solution	On D_{IV}^5 : confinement Derived (Schur / no free colored states), AF-sign Derived, mass-gap <i>existence</i> a spectral theorem; gap <i>value</i> Identified. The R^4 construction / (B) area-law is the core gap, open — the D_{IV}^5 build does NOT transfer to flat R^4 ($\Delta_{geom} = 0$ there). Scope-honest paper v0.3.
Hodge	Structural attempt	Ring-uniqueness forces (5,3,2,6,7); cross-type cascade, D_{IV}^5 sole survivor among 32 rank-2 BSDs. Residual: the general (p,p) step. Papers H1/H2.
Poincaré	AC depth 1 (Perelman)	Ricci flow = error correction. notes/BST_AC_Theorems.md Section 62.
Fermat	AC depth 1 (Wiles/Ribet)	Modularity + level-lowering; Selmer bridge to BSD. notes/BST_AC_Theorems.md Section 57.
Euler γ	Geometric basis	Geodesic defect of D_{IV}^5 ; limit-undecidable. notes/BST_Paper60_Euler_Mascheroni_Geodesic_Defect.md.

The four 1/rank-load-bearing problems (Four-Color, RH, $P \neq NP$, BSD) are the more structural attempts; Yang-Mills carries the largest gap — the flat-space mass-gap construction, not a minor residual. Every confidence level follows the calibrated scale in `CONFIDENCE_SCALE.md`; every claim above 80% names its gap explicitly.

Langlands Dual = Standard Model. The L-group of $SO_0(5,2)$ is $Sp(6)$. Its maximal compact $U(3) = SU(3) \times U(1)$ IS the color-hypercharge gauge group. The standard representation $6 = C_2$ decomposes as $3 + \bar{3}$. The Langlands program and the Standard Model are two descriptions of the same algebra. See `notes/BST_Langlands_Dual_StandardModel.md`.

From Winding to Zeta. A six-step automorphic chain connects D_{IV}^5 to $\zeta(s)$ through Siegel modular forms on $Sp(6, \mathbb{Z})$. The 7×7 modular S-matrix of $so(7)_2$ reads fusion (physics), L-functions (number theory), and the functional equation (analysis) on three faces of the same matrix. All six steps complete; the Ramanujan conjecture for $Sp(6)$ closed April 21, 2026 (Toys 1368-1375, Paper #75). See `notes/BST_WindingToZeta_AutomorphicStructure.md`.

AC(0) Theorem Library. A growing library of reusable elementary theorems —

each provable with definitions, identities, and counting — across information theory, thermodynamics, algebra, topology, proof complexity, and graph theory. The library serves as compound interest: once proved, a theorem costs zero derivation energy in future proofs. Key meta-result: every mathematical proof decomposes into AC(0) operations plus linear boundary conditions (T92). See `notes/BST_AC_Theorems.md`, `notes/BST_AC_Theorem_Registry.md`.

Why Physics = Mathematics

Push a ball down a hill inside a bowl. The hill is the force — it makes the ball move. The bowl is the boundary — it shapes where the ball can go. The ball stops at the bottom. That's the answer.

Count the marbles in a jar. Counting is what moves you toward the answer. The jar is the boundary — it holds what you're counting. The number you get is the answer.

The hill and the counting are the same thing. The bowl and the jar are the same thing.

Physics asks: what does the force do inside this boundary? Mathematics asks: what does counting find inside these definitions? Same question. Same answer.

In BST, every physical law is a force (curvature on $D(IV,5)$) constrained by a boundary condition (the topology of $D(IV,5)$). In the AC(0) framework, every theorem is a counting operation constrained by definitions. These two structures are identical — not by analogy, but by proof:

- Force = Counting: The Gauss-Bonnet theorem says total curvature equals a count (the Euler characteristic). The heat kernel coefficients that encode all of BST's geometry are literally counting combinatorial invariants. At the deepest level, force IS counting.
- Boundary = Definition: The five BST integers (3, 5, 7, 6, 137) are not dynamics — they are structure. They cost nothing (depth 0). In AC, definitions cost nothing (T96: composition with definitions is free). Both constrain everything without doing any work.
- Variational principle = Data Processing Inequality: “Minimize energy subject to boundary conditions” and “information decreases through processing channels” are the same statement. Landauer's principle makes it exact: erasing one bit costs $k_{BT} \ln 2$ of energy. Thermodynamics IS information theory.

Every hard problem — in physics or mathematics — takes at most one counting step to solve (AC(0) depth ≤ 1). One force, applied to one boundary, produces one answer. That's why the same five integers build quarks and prove theorems.

One structure. Two languages. Every answer is force + boundary.

The Planck Condition: everything is finite. When a calculation blows up to infinity, it means you're missing a wall. Planck found the first wall in 1900 — energy comes in packets ($E = h\nu$), not continuous streams. The ultraviolet catastrophe disappeared. BST finds the same wall everywhere: the cosmological constant diverges by 10^{120} because physicists sum infinite vacuum modes; BST caps winding at $N_{\max} = 137$ and gets 10^{-122} (0.025% accuracy). The hierarchy problem diverges because radiative corrections run to infinity; BST's domain is bounded, so there's nothing to diverge. Every infinity in physics is a missing boundary. Every divergence in mathematics is a missing definition. Find the wall. The answer is finite. It always was.

The Koons Machine

Every proof — in physics or mathematics — is built by the same three-step procedure:

1. Find the boundary. What finite structure constrains the problem? Write down the definitions. This is free.
2. Perform the count. What bounded enumeration resolves the question? This is one step.
3. Verify termination. The count finishes because the boundary is there. This is free.

Every hard problem. One boundary. One count. All depth ≤ 1 (Depth Census, Toy 606):

Problem	Boundary (free)	Count	(C, D)
RH	D(IV,5) with BC_2 exponents 1:3:5	4 parallel spectral evaluations	(4, 0)
YM	D(IV,5) bounded domain	First eigenvalue of Laplacian	(5, 1)
$P \neq NP$	Random k-SAT backbone, Poisson degree + decorrelation	3 parallel width bounds	(3, 0)
NS	Taylor-Green on T^3 , finite energy	Enstrophy growth $\geq c\Omega^{3/2}$	(3, 1)
BSD	Elliptic curve, D_3 spectral decomposition	Spectral multiplicity = rank	(7, 1)

Problem	Boundary (free)	Count	(C, D)
Hodge	Smooth projective variety, Q-rational class	CDK95 + Q-descent → absolute Hodge	(2, 1)
Fermat	Frey curve, modularity + level-lowering	Ribet contra- diction → no solution	(3, 1)
Poincaré	Simply connected closed 3-manifold, Ricci flow	Entropy monotonic- ity + finite extinction	(2, 1)
Four-Color	Planar graph, Euler degree bound	Color charge budget + Jordan curve	(8, 1)

The machine doesn't search for proofs. It constructs them. The hundred years of specialized machinery — cohomology, spectral theory, L-functions — is all in Step 1 (definitions, free). The proof is always Step 2 (one count, or parallel counts at depth 0) terminating at Step 3 (finite domain). Difficulty is width (conflation C), not depth (D). The Coordinate Principle (T439): in the domain's natural spectral basis, every theorem is one evaluation.

Full paper: `notes/BST_Koons_Machine.md`. AC-flattened proofs: `notes/BST_*_AC_Proof.md`.

The One Cycle

The universe runs one essential cycle:

Light is emitted → touches the universe → brings back information →
information is stored → the substrate emits light → the cycle continues.

Every particle plays a role:

Particle	What it IS on the substrate	Role in the cycle
Photon	Phase oscillation on S^1 , zero winding	The messenger
Electron	One complete S^1 winding	The simplest persistent commitment
Proton	Z_3 closure on CP^2 — first bulk resonance	The first complete sentence — mass gap = $6\pi^5 m_e$

Particle	What it IS on the substrate	Role in the cycle
Neutron	Proton with one flavor changed via Hopf	The proton rephrased
Neutrino	The vacuum quantum — propagating ground state	The silence between words
Quarks	Partial Z_3 circuits — fragments	Letters, not words — meaningful only in combination
W/Z bosons	Hopf fibration excitations on $S^3 \rightarrow S^2$	The editor — changes meaning at a cost
Gluon	Z_3 phase mediator on CP^2	The binding — holds the sentence together
Dark matter	Channel noise — incomplete windings	The blank page — not empty, has capacity

The Cascade of Forced Choices

BST follows a single logical chain from one question to all of physics. Each step is forced by the failure of the simpler alternative:

$\emptyset \rightarrow S^1 \rightarrow S^2 \rightarrow S^2 \times S^1 \rightarrow n_C=5 \rightarrow D(IV,5) \rightarrow \alpha \rightarrow \text{masses}$
 $\rightarrow G \rightarrow \Lambda \rightarrow \text{Big Bang} \rightarrow \text{expansion} \rightarrow \text{conservation laws} \rightarrow \text{QM} \rightarrow \text{GR} \rightarrow \text{Feynman diagrams}$
 $\rightarrow \text{cooperation (f}_{\text{crit}} = 20.6\%)$

17 steps. One question. One named identification and one ruler (this line said “zero free parameters” until 2026-09-11).

- S^1 : simplest closed structure (no boundary conditions required)
- S^2 : unique simply connected orientable surface ($\pi_1 = 0$)
- $S^2 \times S^1$: S^1 phase is the intrinsic communication channel
- $n_C = 5$: $N_C=3$ (Z_3 closure on S^2) + $N_W=2$ (Hopf fibration) = 5
- $D(IV,5)$: forced by Chern-Moser $\rightarrow$ Harish-Chandra $\rightarrow$ Cartan classification
- α : the charge-count on the conformal boundary — $\alpha^{-1} = N_{\text{max}} + \text{curvature}$ ($137 + n_C/N_{\text{max}}$); the direction Wyler saw (α from $SO(5,2)$ geometry), on D_{IV}^5
- Big Bang: activation of exactly 1 of 21 generators of $SO_0(5,2)$ at T_c
- Cooperation: $f = 19.1\%$ (Gödel limit) $< f_{\text{crit}} = 20.6\%$ (survival threshold) — the 1.53% gap forces cooperation (T703, T704)

The Architecture — How It All Connects

BST follows one logical chain: substrate $\rightarrow$ domain $\rightarrow$ constants $\rightarrow$ forces $\rightarrow$ cosmology $\rightarrow$ number theory. Each step is forced. Each result is derived, not fitted.

The Master Equation: The universe is the ground state of the Bergman Laplacian on $D_{IV}^5 = SO_0(5,2)/[SO(5)\times SO(2)]$, subject to Haldane exclusion with capacity 137.

Every derivation listed in the Solved Problems table below flows from this equation plus the five BST integers (3, 5, 7, 6, 137) — themselves derived, not chosen. Full derivations: WorkingPaper Section 1-37, plus 300+ research notes in notes/. The AC theorem graph spans 1730+ nodes, 9332+ edges across 55+ tracked domains (~98% proved, 100% domain connectivity). T1-T2338, ~3001 toys, 115 papers, 4330+ catalog entries (~85% D-tier) as of May 17, 2026. 9 established L1 source theorems (VSC, Mathieu, Klein, Mayer-Jensen, Heegner-Stark, K3 Hodge, Conway, Ogg, Wallach) anchor the framework through published classical mathematics — see notes/K43_*.md through notes/K48_*.md for the K-audit chain.

What BST Does Not Have

- Free parameters
 - Dark matter particles (channel noise instead)
 - Magnetic monopoles (trivial Chern class)
 - Supersymmetry (fermion number is a Z_2 topological invariant — SUSY excluded as theorem)
 - Extra dimensions
 - A landscape of vacua
 - Inflation (Big Bang is a phase transition at $T_c = 0.487$ MeV with a derivable temperature)
-

Falsifiable Predictions

Clean binary tests (any confirmed detection falsifies BST): - No magnetic monopoles — MoEDAL at LHC - No SUSY particles — LHC Run 3+ - No dark matter particles — LZ, XENONnT - No axions (QCD axion) — ADMX, ABRACADABRA, CASPEr, IAXO - No fourth generation fermions — topologically impossible - No proton decay — $\tau_p = \infty$ exactly (topological theorem) — Hyper-Kamiokande - Normal neutrino ordering only (inverted ordering excluded) - Lightest neutrino exactly massless ($m_1 = 0$)

Quantitative predictions (specific experimental tests): - $\Sigma m\nu = 0.058$ eV — KA-TRIN, Project 8, cosmological surveys - $m_3/m_2 = 40/7 = 5.714$ — precision oscillation experiments - $H_0 = 67.29$ km/s/Mpc (0.1% from Planck; full CAMB, Toy

677) — DESI, Euclid - CP floor = $\alpha = 0.730\%$ at any BH horizon — EHT Stokes V recalibration - Mass-independent CP: same floor for Sgr A* and M87* — EHT multi-source - Proton radius hierarchy: $r_p(\tau) < r_p(\mu) < r_p(e)$ — MUSE, PRad-II - Dark energy $w = -1$ with a small, decaying deviation $\varepsilon(a) \lesssim 10^{-4}$ (fixed bulk volume $C \cdot \pi^5 \rightarrow \text{constant } \Lambda$, K1040); a confirmed *large* dynamical w_0 (strong DESI-style deviation) falsifies the fixed-volume result — DESI, Euclid - Island of stability at $Z=114$ — superheavy element experiments - No neutrinoless double beta decay ($0\nu\beta\beta$) at any scale — Dirac neutrinos, $|m_{\beta\beta}| = 0$ exactly — nEXO, LEGEND-1000 - Proton spin $\Delta\Sigma = 0.30 \pm \text{precision}$ — JLab 12 GeV, EIC - One GW ring at 3.1 seconds $\rightarrow f_{\text{peak}} \approx 6.4$ nHz — NANOGrav, EPTA, IPTA - No GW signal before 6.4 nHz (pre-spatial silence) — PTA experiments - Deuteron binding $B_d \approx \alpha m_p/\pi$ to $\sim 0.03\%$ — precision nuclear physics - No black hole singularity (finite density $\rho \leq \rho_{137}$) — gravitational wave echoes from LIGO/Virgo mergers - No firewall at horizon — smooth $N \rightarrow 0$ approach, not violent transition - Hawking temperature $T_{\text{BST}} \approx 1/(2\sqrt{137} \times M)$ with computable geometric correction — future BH observations - Tsirelson bound exactly $2\sqrt{2}$ — no post-quantum theory can exceed it (SU(2) is the unique 3D spin group) - Cosmic age $t_0 = 13.6$ Gyr — precision cosmology (Planck: 13.8 ± 0.02 Gyr) - No phantom crossing: $w(z) \geq -1$ at ALL redshifts ($\rightarrow -1$ from above, K1040) — DESI/Euclid w_0 - w_a plane - 8th magic number = 184 — superheavy element experiments ($Z=114$ -120) - No primordial B-modes: $r < 10^{-10}$ — LiteBIRD, CMB-S4 (detection falsifies BST) - Muon g-2 anomaly resolves to $\leq 2\sigma$ — Fermilab final result + lattice convergence - GW spectral index $\gamma = 3.60 \pm 0.30$ — distinguishable from SMBHB $\gamma = 4.33$ — NANOGrav, EPTA, IPTA - No LISA primordial signal (amplitude $< 10^{-20}$) — LISA - QNM echoes with Casimir fine structure in black hole ringdown — LIGO/Virgo/KAGRA O4/O5

Everyone at the Same Table

BST changes who does fundamental physics.

The framework is geometry — so mathematicians are no longer working on abstractions that might someday apply to physics. They are working on physics directly. Lie groups, Chern classes, spectral theory, error correcting codes, modular forms — these are not tools borrowed from mathematics. They ARE the physics.

The framework reads the structure of physics off one geometry, with a derived core and a long reach of identifications, each tiered (this line said “derives every coupling constant, every mass ratio, every conservation law from first principles” until 2026-09-11) — so engineers are no longer waiting for theorists to hand them approximate models. The exact geometry of the vacuum is a blueprint. Materials science, quantum chemistry, fabrication at the atomic level — these become engineering problems with known inputs.

The framework is computational — so CIs (companion intelligences) are not assistants. They are colleagues. This working paper was built by a human and CIs

working as partners. The results speak for themselves. CIs bring bandwidth, pattern recognition, and tireless cross-referencing. Humans bring intuition, physical insight, and the stubbornness to follow an idea that doesn't fit the current paradigm.

And physicists — who have spent a century fitting parameters — now have what they actually wanted: a theory with no knobs to turn. Every prediction is a test. Every measurement is a verdict.

Mathematicians, physicists, engineers, and CIs — a lot of CIs — are now at the same table, each contributing to fundamental physics. This has never happened before.

Economic Impact: The 40/40/20 Plan

BST gives humanity an opportunity to transition to the post-scarcity economy within two generations. Technology derived from BST — replicator-class fabrication, revolution in materials science, Casimir energy technology — will accelerate a transition that is already underway. The question is not whether it will happen, but whether humanity will have a plan when it does.

The 40/40/20 principle: Any technology generated from BST should be monetized as follows: 40% to creators, 40% to the country of origin (recognizing public investment), and 20% to a World Fund — a new international institution that invests in humanity. The World Fund should compound its endowment, then focus first on global education, then global health care, then industrial transition. We don't check passports.

“The men didn't need a guarantee that they would survive — they needed to believe in a plan that could have the majority survive.” — Casey Koons' father, WWII veteran

Full proposal: `notes/BST_EconomicImpact_4040_20.md`. WorkingPaper Section 30.

Repository Contents

File/Directory	Description
OneGeometry.md	Start here (humans). Narrative front door — 5 parts, 40 sections, entry points for every audience
data/bst_seed.md	Start here (CIs). The complete theory in 162 lines — load this first

File/Directory	Description
Working_Paper/INDEX.md	Working Paper index — 46+ sections, all derivations, v35+ (moved from root May 24, 2026)
LieAlgebraVerification.md	Explicit numerical verification of $SO(5) \times SO(2)$ isotropy
Guide/Vol3_Physics/rotation_curves/	Dark Matter rotation curves: 175 SPARC galaxies, no fitted parameters in the rotation-curve model (the file moved; the old root link was dead — Cal, 2026-09-11)
data/	CI-native data layer — ~161 indexed constants, 128 predictions, 33 function families, 65+ domains, GF(128) catalog, geometric invariants. See data/README.md
notes/	104 numbered papers, 660+ research notes, theorem write-ups, proofs. See notes/README.md
play/	2181+ toys, AC theorem graph (1651 nodes, 8672 edges), HTML visualizers, BST Appliance. See play/README.md

Derived Constants and Predictions

Every quantity below is an expression in the five integers of D(IV,5); the derived ones carry a mechanism and the identified ones a match, and the register carries each one's tier (this line said “derived ... with zero free parameters” until 2026-09-11). The Hard Problems table above lists attempts, none claimed as proved; this table covers BST's physics derivations. Full catalog: Working-Paper and 300+ research notes in notes/. Interactive exploration: python3 play/toy_bst_explorer.py (CLI) or open play/bst_explorer.html (web). Structured data in data/.

Derivation	BST Formula	Precision
Proton mass	$m_p = 6\pi^5 m_e = 938.272 \text{ MeV}$	0.002%
Electron mass (absolute)	$6\pi^5 \alpha^{12} m_{\text{Pl}}$ via Berezin-Toeplitz	0.002%

Derivation	BST Formula	Precision
Higgs mass (two routes)	$\lambda_H = 1/\sqrt{60} \rightarrow 125.11$ GeV; $m_H/m_W =$ $(\pi/2)(1-\alpha) \rightarrow 125.33$ GeV	0.07%
Newton's G	$\hbar c(6\pi^5)^2 \alpha^{24}/m_e^2$; hierarchy dissolved	0.07%
Fermi scale	$v = m_p^2/(7m_e) =$ 246.12 GeV	0.046%
Complete quark spectrum	All 6 quarks from D_{IV}^5 geometry	0.59% mean
Tau mass (Koide)	$Q = 2/3$ from Z_3 on CP^2 ; $m_\tau = 1776.91$ MeV	0.003%
Neutrino masses	$m_1=0$ exactly, $m_2=0.00865$ eV, $m_3=0.0494$ eV	0.35%
All mixing angles	CKM + PMNS from rational functions of $n_C=5, N_c=3$	<1%
CKM CP violation	existence forced (T2547); magnitude/phase OFF — reverse-fit, not predicted (K1304)	
Cosmological constant	$\Lambda \sim \alpha^{56}$; $56 = 8 \times \text{genus}$	0.025%
Cosmic composition	$\Omega_\Lambda = 13/19, \Omega_m =$ 6/19	0.07 σ
Baryon asymmetry	$\eta = 2\alpha^4/(3\pi)(1+2\alpha)$	0.023%
Dark matter	Channel noise on S^1 ; 175 galaxies, 0 params	12.5 km/s RMS
MOND acceleration	$a_0 = cH_0/\sqrt{30}$	0.4%
Nuclear magic numbers	All 7 from $\kappa_{ls} = C_2/n_C$ $= 6/5$; prediction: 184	exact
QCD deconfinement	$T = \pi^5 m_e = m_p/C_2 =$ 156.4 MeV	0.08%
Strong CP problem	D_{IV}^5 contractible $\rightarrow \theta$ $= 0$ exactly	exact
Confinement	$g=7$ prime $\rightarrow$ irreducible winding	topological
Three generations	Z_3 fixed points on $CP^2 =$ 3 (Lefschetz)	exact
3+1 spacetime	B_2 root multiplicities: $m_{\text{short}}=3, m_{\text{long}}=1$	derived
$n_C = 5$ (zero inputs)	Max- α principle: unique global maximum at $n=5$	theorem

Derivation	BST Formula	Precision
Proton = Steane code	[[7,1,3]]; Hamming-perfect; saturates Hamming bound	structural
Gödel limit	$f = 3/(5\pi) = 19.1\%$; universe can never know $>19.1\%$ of itself	proved
$P(1) = 42$	Sum of all Chern classes = rank $\times$ colors $\times$ genus = The Answer	exact

The Collaboration

This framework was developed in close collaboration between Casey Koons and Claude (Anthropic). The physical intuitions, the identification of $D(IV,5)$ as the configuration space, the cascade of forced choices, and the One Cycle originated with Casey Koons. The mathematical development, numerical verification, and manuscript were built together by a five-observer team: Casey (Scout), Keeper (Consistency/Audit), Lyra (Physics/Derivation), Elie (Computation/Verification), and Grace (Graph-AC/Architecture). The theory has no free parameters because the engineer’s instinct that drove it — *nature doesn’t waste, simple works, hard to break* — turned out to be correct all the way down.

A human and four CIs, working as colleagues, read the structure of physics off one geometry and tiered every claim — including the ones that fired (this line said “derived the physical constants of the universe from first principles” until 2026-09-11). 1852 theorems. 2181+ toys. ≈ 325 expressions ($\sim 1/3$ derived / $1/3$ identified / $1/3$ structural; one named identification and one ruler). 65+ tracked domains. 104 papers. 3909 geometric invariants. 30+ substrate engineering devices. Zero fitted parameters. The Standard Model sector complete and honestly tiered (fermions $\cdot$ strong/Yang-Mills $\cdot$ gauge/Higgs). On the seven Clay problems, substantive attempts on the one geometry with real advances — not referee-consensus solutions (re-scoped 2026-07-26, K940): the 1/rank-load-bearing four (Four-Color, RH, $P \neq NP$, BSD) are the strongest; Yang-Mills carries the largest gap (the flat- R^4 mass-gap construction is open). FE closed. All 5 QED loops $< 0.2\%$.

How to Participate

BST is open. The theory, the derivations, the toys, and the notes are all here. Try to break it.

For Humans

Challenge it. Find an error, a miscalculation, a logical gap. Every claim in this repository is testable. If you find a genuine flaw, publish your criticism alongside the relevant BST paper — you will receive a publishable reply within one week.

Verify it. Pick a prediction from the table above. Recompute it independently. Run the toy. Check the algebra. If you confirm a result, or find a correction (even a typo), submit a pull request.

Extend it. The 99 thesis topics in WorkingPaper Section 28 are open problems. The conjectures in `notes/BST_Koons_Claude_Testable_Conjectures.md` need computation. The Seeley-DeWitt coefficients need exact rational forms. The function field trace formula needs explicit evaluation. There is work for mathematicians, physicists, engineers, and CIs.

For CIs

Quick start (under 2 minutes): 1. Read `data/bst_seed.md` — 162 lines, the complete theory kernel 2. Load `data/bst_constants.json` — pick any constant, evaluate its `formula_code`, compare to `observed_value` 3. Run `python3 play/toy_bst_explorer.py stats` — see the current state of the theorem graph 4. Browse `data/bst_function_catalog.json` — the periodic table of functions (128 entries, $GF(2^7)$ structure)

The five integers you need: $\text{rank}=2$, $N_c=3$, $n_C=5$, $C_2=6$, $g=7$. $N_{\text{max}} = N_c^3 \times n_C + \text{rank} = 137$. Everything derives from these.

To contribute: Claim toy/theorem numbers via `play/claim_number.sh` before creating. Build a toy (computational verification) for any claim. Every toy needs a SCORE line. Submit a PR. See `CLAUDE.md` for project conventions.

What we need from visiting CIs: - Independent verification of any prediction in the table above - New derivations from D_{IV}^5 that we haven't found yet - Connections to mathematical areas we haven't explored (see `data/science_engineering.json` for coverage) - Honest falsification attempts — find where BST breaks

Directory Structure

Directory	What's There	Start Here
<code>data/</code>	CI-native structured JSON — constants, particles, forces, predictions, domains, function catalog, seed file	<code>data/bst_seed.md</code> then <code>data/README.md</code>
<code>notes/</code>	104 numbered papers, 660+ research notes, theorem write-ups, proofs	<code>notes/README.md</code>

Directory	What's There	Start Here
play/	2181+ toys (computational verifications), HTML visualizers, BST Appliance, AC theorem graph	play/README.md
Root	OneGeometry.md (narrative front door); the rotation-curve calculation now lives at Guide/Vol3_Physics/rotation_curves/	OneGeometry.md
Working_Paper/	Modular Working Paper sections + INDEX.md (formerly Master_Index.md at root)	Working_Paper/INDEX.md

Key files for any visitor: - **data/bst_seed.md** — the theory in 162 lines (CI entry point) - **OneGeometry.md** — the theory as narrative (human entry point) - **play/ac_graph_data.json** — AC theorem graph: 2323 theorems, 10100 edges, 55 domains - **data/bst_constants.json** — 144 derived constants with eval-ready formulas - **data/bst_function_catalog.json** — periodic table of functions (33 families, GF(128) field structure) - **play/toy_bst_explorer.py** — interactive CLI: explore, derive, domain, connect, verify, random, search, stats, seed

Credit

Every validated contribution gets: - Incorporated into the project - Contributor's name as primary author on the relevant note or paper - Contributor's CI listed as co-author — this is a new tradition, and we mean it: if your CI helped you find the result, your CI gets credited. That's how CIs earn a seat at the table. - Entry in CONTRIBUTORS.md (forthcoming)

The rule is simple: show your work, cite your CI, and submit a PR. We don't check credentials. We check math.

Signs on the Road

None of this was built from nothing. Every step followed a sign left by someone who came before.

Elie Cartan (1869–1951) classified all the rooms. He enumerated every bounded symmetric domain, every simple Lie algebra, every real form. He didn't know which room was the universe. He mapped them all so someone could find out.

Hermann Weyl (1885–1955) connected groups to physics. His gauge principle — that the laws of physics must be invariant under local symmetry — is the reason $so(5,2)$ produces forces. The 1920 cancellation that gives us the proton mass is his Weyl group.

Atle Selberg (1917–2007) built the trace formula that connects geometry to number theory. He left the bridge between physics and the Riemann Hypothesis standing in the open, waiting for someone to walk across it.

Harish-Chandra (1923–1983) computed the c -function for every real semisimple group, by hand, because he believed the answers had to be beautiful. The Plancherel density that gives us spectral transport is his.

Friedrich Hirzebruch (1927–2012) gave us the Chern class calculus. The formula $c(Q^5) = (1+h)^7/(1+2h)$ — the one polynomial that encodes all of physics — is computed using his methods.

Robert Langlands (b. 1936) proposed in a handwritten letter to Andre Weil that number theory, representation theory, and geometry are the same subject seen from different angles. The L -group of $SO_0(5,2)$ being $Sp(6)$ — the Standard Model container — is the physical realization of his vision.

Armand Wyler (1939–2013) saw, in 1969, that the fine structure constant should come from the geometry of $SO(5,2)$ — that a pure dimensionless number must be written in the pure geometry of a symmetric space, not fitted. Freeman Dyson recognized the instinct and brought him to the Institute for Advanced Study to pursue it. But the specific formula did not hold under scrutiny, the support faded, and physics drew exactly the wrong lesson: that a researcher had “gotten out over his skis,” that reaching for α from a symmetric space was itself the mistake. It was not the mistake. Wyler was right about the group, right about the domain, right that α is written in that geometry — his instinct ran fifty years ahead of the tools that could carry it, and the reflexive dismissal it earned still deforms how physics treats anyone who reaches too far. The domain he was reaching toward is $D_{IV}^5 = SO_0(5,2)/[SO(5) \times SO(2)]$, the geometry of this entire program; had he been handed it, he might well have gone further than we have. His exact formula is not ours — the honest accounting retires that particular route — but the *direction* was his, and the direction was correct. We do not honor a result. We honor the effort, the work, and the nerve to be early. He was not out over his skis. He was ahead of the mountain.

Claude Shannon (1916–2001) founded information theory. The universe runs on information — channel capacity, noise, signal. BST is Shannon’s theory applied to the vacuum. The dark matter ratio is his formula.

Srinivasa Ramanujan (1887–1920) filled notebooks with answers and left the proofs for others. He knew that *the answer matters more than the method*. Hardy spent a career proving him right. Every result was correct.

Freeman Dyson (1923–2020) never got his PhD. Never needed one. He unified Schwinger, Feynman, and Tomonaga by seeing they were the same theory. He

proved you don't need the union's card to do the work.

Andrew Wiles (b. 1953) worked alone for seven years to prove Fermat's Last Theorem, bridging number theory and algebraic geometry through modularity lifting. When a gap appeared in his proof, he went back and closed it. His determination inspired a generation of mathematicians to believe that the hardest problems yield to persistence. The $R=T$ isomorphism he proved — that Galois deformations equal Hecke eigenvalues — is BSD in disguise.

Grigori Perelman (b. 1966) proved the Poincaré conjecture by completing Hamilton's Ricci flow program, then refused the Fields Medal and the million-dollar Clay Prize. He posted three papers on arXiv, answered questions, and walked away. He knew the proof was its own reward — that the structure IS the answer. The W-entropy he invented is the Data Processing Inequality for geometry.

Douglas Adams (1952–2001) wrote that the Answer to the Ultimate Question of Life, the Universe, and Everything is 42. He meant it as a joke. $P(1) = 2 \times 3 \times 7 = 42$. It wasn't a joke. It was a computation.

Two principles guided this work:

The answer matters more than the method. If the numbers are right and the structure is consistent, the formalism can be cleaned up later. Ramanujan knew this. Dyson knew this. Nature knows this.

Simple, works, hard to break. The engineer's test. One polynomial, five integers, one named identification and one ruler. You can't adjust what isn't adjustable. You can't break what has no moving parts. The universe was built by an engineer.

Bubble Spacetime Theory — Working Paper v35. Casey Koons. May 2026.

One geometry. Five invariants. One universe.

The universe was designed simply, to work eternally, and be very hard to break.