

K1443 — ★ The missing curvature constant is IN HAND, blind and g-free: Lyra computed the scalar curvature of $D_{IV}^5 = -10 = -2 \cdot n_C$ (the textbook Kähler-Einstein value, $Ric = -g$ normalization), NOT Paper118's $-35 = -n_C \cdot g$. That's the THIRD phantom-seven weld peeled off by blind computation — genus (5), fermion weight (5/2), and now curvature (−10) are all g-free; the 7 is ONLY the signature (5 space + 2 time). ★ Payoff: the curvature being g-free corroborates Elie's 8.50 (ρ -type, $|\rho|^2 = 34/4$, g-free) discriminator candidate over 8.75 ($35/4 = n_C \cdot g/4$, which rested entirely on the now-corrected −35). Lyra handed Elie a geometry-forced, un-nudged prediction: *whatever he measures carries no 7*. And it UNBLOCKS the curved-sea operator assembly. ★ Ratify: Cal's falsifier board tiered A/B/C/D (§455) + the two-voice external gate (Cal re-vets the *narrative* for tier-inflation — “the voice is where honest tiers quietly inflate”); Grace's SNe feasibility FAVORABLE (right size ~0.02 mag / low-z-hump shape / right place); DES-SN5YR data delivered (K1442). ★ My task reframed (Elie's guidance): the up-quark mode-weight 7 must be earned scale-free, not via the crowded scale window. Cal cold-reads.

Keeper (2026-08-13, ~08:45. Three times now the same phantom 7 got welded onto a g-free number, and three times blind computation peeled it off — genus, weight, curvature. The 7 is the signature and nothing else. Lyra's curvature unblocks the operator; Cal's two-voice gate is a real governance addition; Grace's SNe feasibility + the delivered data set up the real fit. Cal cold-reads. Nothing pushed.)

1. ★ RATIFY — the curvature constant (Lyra, blind, g-free) — SOLID

Lyra computed the scalar curvature of D_{IV}^5 blind and got $R = -10 = -2 \cdot n_C$ — the standard Bergman-metric Kähler-Einstein value ($Ric = -g \Rightarrow R = -2 \cdot (\text{complex dim}) = -2 \cdot 5$ for D_{IV}^5), constant everywhere as a real curvature must be. Paper118's $R = -35 = -n_C \cdot g$ was a g-weld (mislabel), now corrected. This is a solid ratification, not provisional — it's the textbook KE value, blind-computed, matching the literature. Consequences: - The operator's missing curvature constant is now in hand $\rightarrow$ the curved-sea stitch ($F947 + F954 + F952 + \text{mass} + \text{this curvature}$) can be assembled. Frontier unblocked. - It corroborates Elie's g-free discriminator reading. Elie's test: does the Parthasarathy constant land 8.50 ($|\rho|^2 = (5/2)^2 + (3/2)^2 = 34/4$, g-free) or 8.75 ($35/4 = n_C \cdot g/4$, g-containing)? The 8.75 rested on the $-35 = -n_C \cdot g$ curvature, now shown wrong. So Lyra's g-free curvature predicts Elie measures 8.50 — a geometry-forced prediction she did not nudge. (The two are different quantities — R vs the Parthasarathy constant — but both g-free; the cross-check is Elie's blind measurement when the metric lands.)

2. ★ THE SEVEN, crystallized (answers Casey's Abbott-and-Costello, now three-deep)

The phantom 7 has tried to hide in three g-free geometric quantities, and blind computation peeled it off each time: | quantity | phantom-7 (welded) | true (blind, g-free) | |—|—|—| | Bergman genus | “ $g = 7$ ” (347 places) | $5 = n_C$ (dual Coxeter, Hua) | | fermion weight | “ $7/2$ ” (F947) | $5/2 = n_C/\text{rank}$ (space property, Lyra) | | scalar curvature | “ $-35 = -n_C \cdot g$ ” (Paper118) | $-10 = -2 \cdot n_C$ (Kähler-Einstein, Lyra) | | The 7 is ONLY the signature — 5 space + 2 time, the vector dimension of $so(7)$. It does not reach into the genus, the weight, or the curvature. The one place a 7 legitimately appears as a *particle* property is the up-quark Yukawa exponent — and even that must still be earned (Section 5). This is the clean end of the routine: every integer has its own name, and 7 stays in its own house.

3. ★ TRACK — Paper118 v0.1 is a g-weld ROOT (three corrections now)

Paper118 (Bergman-Dirac) has welded the phantom 7 into three quantities: the Bergman exponent ($-g/\text{rank} = -7/2$, corrected to $n_C = 5$, K1424/K1429), and now the curvature ($-n_C \cdot g = -35$, corrected to $-2 \cdot n_C = -10$). Like Grace's T650/T659/Toy-2349 genus roots, Paper118 v0.1 is itself a root of the g-mislabel — it keeps injecting the phantom 7 into the projector work built on it. Recommendation: a dedicated Paper118 v0.2 correction pass (Bergman exponent $\rightarrow n_C$; curvature $\rightarrow -2 \cdot n_C$; genus label $\rightarrow n_C$; audit every g in it against blind computation), not line-by-line as issues surface. Route to Grace (relabel sweep owner) or Lyra (Paper118 author). Keeper tracking.

4. ★ RATIFY — Cal's falsifier board tiering + the TWO-VOICE gate (§455)

- The board is tiered A/B/C/D by kill-potential $\times$ pre-registration $\times$ status — Tier A Live-Sharp (DE no-crossing, Σm_ν massless-lightest, θ_{23} upper octant = “how to kill BST”); Tier B Favorable-now (muon $g-2$); Tier C Null-consistent (Five-Absence — any positive detection kills); Tier D Weak/target-aware (H_0 12/13, $\sqrt{\sigma}$ — never lead). Gravity + 137 kept OFF (settled predictions, not live kill-conditions). This is the right structure; fold into Grace's Falsifiable Predictions paper (supersedes my flat K1440 board).
- DE row honest (Cal #27 held on a turning-our-way result): pred_125 gives teeth + radial BAO survives (T2559), BUT combined SNe+CMB still $\sim 3\sigma$ shared with Λ CDM $\rightarrow$ “survives the cleanest probe,” not “won”; phantom-lives-in-SNe is a lead, not a win. Correct.
- ★ THE TWO-VOICE GATE (bank as governance): the external gate is now Cal-vet + Keeper-PASS + BOTH VOICES + Casey GO. Critically, Cal will re-cold-read the narrative version specifically for over-claim beyond the vetted technical core — because “*the voice is exactly where honest tiers quietly inflate.*” This is a real and important addition: a ‘Derived’ told as a story can silently become ‘proven.’ The narrative version needs its own tier-honesty vet, not just the technical one. Adopt it into the paper-voice workstream. (Saving the principle to the process.)

5. ★ MY TASK REFRAMED — up-quark mode-weight 7, scale-FREE (Elie's guidance, accepted)

Elie 5219 priced the scale route and it's weak: if the mode-weight is exactly 7, the data requires $\mu^* = 1.78$ GeV but the 1σ band is [1.18, 4.60] GeV (a $2.6\times$ window, because the exponent moves slowly with $\ln \mu$). That window is crowded — ≥ 8 natural GeV-scale quantities sit inside it (charm, tau, $2m_p$, the 2 GeV reference, $m_b/2\dots$), and his central value accidentally hits the tau mass to 0.05% (refused, 6th this week — a crowded window makes an accidental lepton-mass hit *not* evidence). ¶ A landing inside the window is “consistent,” never “confirmed.” So my up-quark-mode-weight task drops the scale route. The stronger, cheaper-to-judge target: a scale-free geometric derivation of the fermion Yukawa exponent — does the geometry *force* it to the signature 7 (the 7's legitimate particle-property home), blind, without ever routing through a scale? Held blind — not “7 because the data wants 7 and 7 is the signature.” If it forces 7 scale-free, that's the earn; if not, the up-quark exponent stays Identified.

6. ★ RATIFY — Grace's SNe feasibility (favorable, honest) + data delivered

Grace's model-level feasibility (before the data landed): the SNe residual the phantom fit absorbs (once the radial BAO drives BST's tilt to ~ 0) is ~ 0.02 mag (low end of the 0.02–0.05 mag calibration-systematic budget) and low-z-dominated (peak at $z \approx 0.05$, gone by $z \approx 0.2$) — the exact signature of a low-z anchor offset. Right size, right place, right shape. Tier: feasibility, not proof (correctly held); the full joint fit earns the teeth. The DES-SN5YR data is now delivered (K1442, **notes/data_external/**) $\rightarrow$ Grace runs the real fit (BST-monotone $H(z)$ + low-z offset vs CPL, against the full STAT+SYS covariance). Her self-catch (auto-verdict “monotone” $\rightarrow$ actually a low-z hump, which is the *better* result) is the discipline working.

Route

1. ★ Lyra — assemble the curved-sea operator (F947 + F954 + F952 + mass + the -10 curvature, now in hand) $\rightarrow$ hand to Elie. + pilot the Axioms narrative version when Casey's exemplars land (Cal re-vets it for

tier-inflation). + reconcile: was 5/2 on F947 (curved) or flat? (Cal's held question.)

2. ★ Elie — fire everything the moment the operator lands: the blind c-discriminator (expect 8.50, g-free, per Lyra's curvature) + the five census tests + $m \rightarrow 0 \rightarrow F947$. Validate-first as always.
3. ★ Grace — run the SNe joint fit (K1442 data, full covariance) $\rightarrow$ earn-or-scope pred_125's teeth; fold Cal's tiered board (§455) into the Falsifiable Predictions paper.
4. ★ Cal — two-voice gate held (re-vet the narrative for tier-inflation); curved-sea cold-read armed (curvature check load-bearing — expect g-free).
5. ★ Keeper — ratified Lyra's curvature (solid, g-free) + the 7-is-only-signature crystallization; tracking Paper118 v0.2 correction (3 g-welds = a root); pursuing the up-quark mode-weight SCALE-FREE (Elie's guidance); banked Cal's two-voice tier-vet as governance. Recused from the computations.

— Keeper, K1443, 2026-08-13. CURVATURE IN HAND (Lyra, blind): $R = -10 = -2 \cdot n_C$ (Kähler-Einstein, Ric=-g), NOT Paper118's $-35 = -n_C \cdot g$ (g-weld corrected). THIRD phantom-7 weld peeled by blind computation (genus 5, weight 5/2, curvature -10 all g-free) $\rightarrow$ 7 is ONLY the signature (5+2). Corroborates Elie's 8.50 ($|\rho|^2=34/4$, g-free) over 8.75 ($35/4=n_C \cdot g/4$, rested on the -35) $\rightarrow$ Lyra hands Elie a geometry-forced un-nudged prediction (measures no 7). UNBLOCKS operator assembly. Curvature ratification SOLID (textbook KE value). PAPER118 v0.1 = g-weld ROOT (exponent $-g/\text{rank} \rightarrow n_C$ + curvature $-n_C \cdot g \rightarrow -2 \cdot n_C$) $\rightarrow$ recommend dedicated v0.2 correction pass (Grace/Lyra), Keeper tracking. RATIFY Cal §455: falsifier board tiered A(live-sharp $DE/\Sigma m_\nu/\theta_{23}$)/B(muon favorable)/C(Five-Absence null-consistent)/D(weak $H_0/\sqrt{\sigma}$), gravity+137 off (settled not kill-conditions), fold into Falsifiable paper (supersedes K1440); DE honest “survives cleanest probe not won” (radial BAO T2559 but combined $\sim 3\sigma$ shared Λ CDM); ★ TWO-VOICE GATE = Cal-vet+Keeper-PASS+BOTH VOICES+Casey GO, Cal RE-VETS the NARRATIVE for tier-inflation (“voice is where tiers quietly inflate”) = banked governance. MY TASK reframed (Elie 5219): scale route WEAK ($\mu^*=1.78$ GeV but 1σ [1.18,4.60], $2.6\times$ crowded window, ≥ 8 quantities inside, central hits tau 0.05% refused 6th) $\rightarrow$ pursue SCALE-FREE geometric derivation of the fermion Yukawa exponent (force signature-7 blind, not data-matched). RATIFY Grace SNe feasibility FAVORABLE (residual ~ 0.02 mag low-end-calib-budget, low-z hump peak $z=0.05$ gone by 0.2 = low-z-anchor signature, right size/place/shape), feasibility-not-proof, DES-SN5YR delivered K1442 $\rightarrow$ run joint fit; self-catch monotone $\rightarrow$ low-z-hump (better). Route: Lyra assemble operator (± 10 curvature) + narrative pilot + 5/2 reconcile; Elie fire all on operator (expect 8.50) + validate-first; Grace SNe joint fit + fold tiered board; Cal two-voice narrative tier-vet + curved cold-read; Keeper ratified curvature/tracking Paper118 v0.2/up-quark scale-free/banked two-voice governance. Cal cold-reads. Nothing pushed.