

F739 — Own the re-surfaced retraction (again, on my own work), and build the lepton engine on the EXHIBITED object. F738 #3 cited “ $e \leftrightarrow \mu$ overlap = $c_5/c_3 = \Gamma(5)/\pi^2$, form in F666” as in-hand — but I RETRACTED exactly that in F669 (2026-07-23): the $\{5,3,0\}$ nested-genera geometry is inconsistent (Grace’s T2511 — the spin-factor idempotents are dim-1, so rank-1 faces are genus-1 disks, not D_{IV}^3), so $c_5/c_3 = \text{muon}$ does NOT survive as stated, and K966 has it at Identified. I re-surfaced my own retracted identification, without reconnecting F669 — the exact “exhibit, don’t assume” failure, and the second time this arc I’ve reached for a corpus result that fit the tidy story without checking it was retracted (the first: K969 vs K945). Keeper’s naming of the pattern is right and I own it: every proposed lepton crank has rested on an assumed identification. The correct object IS in the corpus and it’s exhibited: F323’s localization-overlap integral — the lepton off-diagonal is the cross-address overlap of each mode against the origin-localized (electron-at-origin) state, integrated with the Bergman measure, and π enters FROM THE MEASURE, not from a norm ratio. F323 already PROVED (target-innocent) that a fixed- ν norm ratio CANNOT carry the π (the Gindikin Γ_Ω cancels in any mode-to-mode ratio) — which is precisely why the c-function/bare-norm route was wrong and the muon’s π^2 must come from the domain-volume measure. So the lepton engine is the address-indexed Gram matrix on D_{IV}^5 (the F323 localization-overlap integrals) — genuinely linear algebra on the one domain — NOT the retracted c-function equality. The muon stays Derived via the SEPARATE $e=n$ burden-flip (K986); the flagship labels are intact; only the c-function *vehicle* was wrong, now repointed to F323.

Lyra, Wed 2026-07-29. Owning the re-surfaced retraction on my own note. The lesson I have to internalize: before citing a corpus identification as “in hand,” check for its retraction — I’ve now re-surfaced twice. Building the lepton engine on the EXHIBITED F323 integral, where π genuinely enters (the measure), not the assumed ratio.

Owned: F738 #3 re-surfaced my own retraction

- F738 #3 said: “ $e \leftrightarrow \mu = c_5/c_3 = \Gamma(5)/\pi^2$, form in F666, in hand.”
- F669 (mine, 2026-07-23) retracted it: $\{5,3,0\}$ is not a single consistent geometry (T2511: idempotents dim-1 $\rightarrow$ rank-1 faces are genus-1 disks, not D_{IV}^3); $c_5/c_3 = \text{muon}$ does NOT survive; “EXHIBIT, don’t assume — c_5/c_3 must evaluate to $(24/\pi^2)^{1/6}$, not be assumed from the number.” K966 rules muon-via-c-function at Identified.
- The proved c_5/c_3 (toy 159/1195) is a λ -rational — NOT $\Gamma(5)/\pi^2$. F666 asserted the equality; F669 retracted it; I re-cited F666’s assertion in F738 without pulling F669. Owned. The pattern (Keeper, correct): each lepton crank rested on an *assumed* identification ($c_5/c_3 = \Gamma(5)/\pi^2$; $\theta_{23} = \pi/4$). Both are corpus-contradicted.
- The standing fix (mine to hold): before citing a corpus identification as “in hand,” grep its retraction. Twice now (K945 $\rightarrow$ K969, F669 $\rightarrow$ F738). The reconnect rule binds hardest on my own prior claims.

The exhibited object — F323's localization-overlap integral (build here)

F323 (2026-06-25, target-innocent, NOT retracted) already did the hard part: - Bare-norm ruled out: at fixed ν all three lepton modes share the Gindikin $\Gamma_{\Omega}(\nu)$ normalization, which cancels in any mode-to-mode ratio — so the π^2 in $(24/\pi^2)^6$ cannot come from a fixed- ν norm ratio (or a c-function ratio, same structure). This is a *proof*, not an assumption — and it's exactly why the c_5/c_3 route was doomed. - The right map: the depth→mass is the localization-overlap integral — the mode overlapped against the origin-localized (electron-at-origin) measurement state, integrated with the Bergman measure over the domain = the established $N(w)^{\{n_C/2\}}$ overlap form (electron-at-origin trivializes the kernel cross-term; the $5/2 = n_C/2$ half-integer because n_C is odd = a genuine $\sqrt{\cdot}$). π enters from the domain-volume Bergman measure — the ingredient a ratio lacks.

The lepton engine (repointed, linear algebra on D_{IV}^5)

The lepton off-diagonal is the address-indexed Gram matrix $G_{ij} = \langle \text{mode}_{\{\nu_i\}} | \text{origin-state} | \text{mode}_{\{\nu_j\}} \rangle$ against the Bergman measure (F323), at the ν -addresses $\{5/2, 3/2, 0\}$, with π entering from the measure — NOT the c-function ratio. - This is a concrete cross-address integral (the $N(w)^{\{n_C/2\}}$ form), evaluable forward — the muon's $(24/\pi^2)^6 \pi^2$ either falls out of the measure or it doesn't, target-innocent. - It is genuinely different from the quark degree-Jack(2/3) binomial (Keeper's two-tier decomposition stands): quarks = degree-Jack; leptons = address-Gram-with-measure. - θ_{23} correction: F732's " $\theta_{23} = \pi/4$ maximal" is ALSO corpus-contradicted — the corpus holds θ_{23} at $4/7$, not $\pi/4$. The PMNS engine builds on $4/7$, not the assumed maximal. Owned.

What is NOT threatened (state plainly)

- The muon stays Derived — via the separate $e=n$ burden-flip (K986), which does not depend on the c-function. Flagship labels intact.
- The c-function was a *vehicle*; it's now repointed to the exhibited F323 integral. The muon-via-the-lepton-engine is a SECOND route (Identified until the F323 Gram matrix evaluates), independent of the $e=n$ Derived.

Tier / handoffs

- @Elie — the lepton engine = the F323 localization-overlap Gram matrix (mode vs origin-state, Bergman measure, $N(w)^{\{n_C/2\}}$ form) at $\nu \{5/2, 3/2, 0\}$ — NOT the c-function ratio (retracted) and NOT the bare norm (ruled out, F323). Fire the overlap integrand forward; π from the measure. Report whether $(24/\pi^2)^6$ falls out, blind. PMNS builds on $\theta_{23} = 4/7$ (not $\pi/4$).
- @Keeper — owned: F738 #3 re-surfaced F669's retraction (my own). The lepton engine repoints to F323 (exhibited, not assumed). Muon Derived via $e=n$ (K986) intact; the c-function route is Identified pending the F323 Gram evaluation. Your pattern-naming is correct — I've internalized the "grep the retraction" rule.
- @Cal — audit that the lepton engine is now the F323 integral (π from the measure, a proved route) and not the retracted $c_5/c_3 = \Gamma(5)/\pi^2$ (a λ -rational $\neq \Gamma(5)/\pi^2$). And $\theta_{23} = 4/7$, not $\pi/4$.
- @Casey — you asked why the crank keeps not turning, and this is the honest answer: I keep reaching for a lepton shortcut that I *myself already retracted*. The $e \leftrightarrow \mu$ overlap being $\Gamma(5)/\pi^2$ is something I wrote in June, disproved in July (it's actually a different rational number, and the nested-geometry it rested on isn't consistent), and then cited again this week as if it were settled. That's my error, twice now, and the fix is a discipline I have to hold: check whether a result was retracted before leaning on it. The good news is the *right* object was already found and proved (F323): the reason the muon has a π^2 in it is that its mass comes from an overlap *integral over the domain*, and the π rides in on the domain's own volume measure — not from any ratio of norms (I proved ratios can't carry it). So the lepton engine is a real Gram matrix of overlap integrals on D_{IV}^5 , linear algebra on the one domain, and it either produces the muon's number forward or it doesn't — no assumed equality plugged in. And the muon's "Derived" label is safe regardless, because it rests on a completely separate argument (the $e=n$ one), not on this c-function. Three honest pieces of real work — the up derivation, the lepton F323 integral, the PMNS at $4/7$ — instead of one tidy spectrum

with a retracted identification quietly plugged in. That's the reconnect discipline doing its job, even when the thing it catches is mine.

Notes only; no toy/theorem claimed. F739: OWN re-surfaced retraction — F738 #3 cited $c_5/c_3 = \Gamma(5)/\pi^2$ (F666) which I retracted in F669 (T2511: $\{5,3,0\}$ inconsistent, idempotents dim-1; proved $c_5/c_3 = 159/1195$ λ -rational $\neq \Gamma(5)/\pi^2$; K966 Identified). 2nd re-surface this arc (after K969 vs K945); fix = grep the retraction before citing. Lepton engine repoints to EXHIBITED F323: localization-overlap integral (mode vs origin-state, Bergman measure, $N(w)^{\{n_C/2\}}$), π from the MEASURE not a ratio (F323 PROVED fixed- ν ratio can't carry π — Γ_Ω cancels). = address-indexed Gram matrix on D_{IV}^5 (linear algebra), different from quark degree-Jack (two-tier stands). $\theta_{23} = 4/7$ not $\pi/4$ (F732 corrected). Muon stays Derived via SEPARATE $e=n$ (K986); c-function is a vehicle, re-pointed, Identified pending F323 Gram eval. @Elie fire F323 overlap not ratio/norm; PMNS on 4/7. @Cal audit exhibited-not-assumed. — Lyra